

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12P 19/34	A1	(11) International Publication Number: WO 00/55350 (43) International Publication Date: 21 September 2000 (21.09.00)
(21) International Application Number: PCT/US00/05882 (22) International Filing Date: 8 March 2000 (08.03.00) (30) Priority Data: 60/124,270 12 March 1999 (12.03.99) US (71) Applicant (for all designated States except US): HUMAN GENOME SCIENCES, INC. [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): ROSEN, Craig, A. [US/US]; 22400 Rolling Hill Road, Laytonsville, MD 20882 (US). RUBEN, Steven, M. [US/US]; 18528 Heritage Hills Drive, Laytonsville, MD 20882 (US). (74) Agents: WALES, Michele, M. et al.; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: HUMAN CANCER ASSOCIATED GENE SEQUENCES AND POLYPEPTIDES		
(57) Abstract <p>This invention relates to newly identified tissue specific cancer associated polynucleotides and the polypeptides encoded by these polynucleotides herein collectively known as "cancer antigens", and to the complete gene sequences associated therewith and to the expression products thereof, as well as the use of such tissue specific cancer antigens for detection, prevention and treatment of tissue specific disorders, particularly the presence of cancer. This invention relates to the cancer antigens as well as vectors, host cells, antibodies directed to cancer antigens and recombinant and synthetic methods for producing the same. Also provided are diagnostic methods for diagnosing and treating, preventing and/or prognosing tissue specific disorders, including cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of cancer antigens of the invention. The present invention further relates to methods and/or compositions for inhibiting the production and/or function of the polypeptides of the present invention.</p>		

Applicants: Paz Einat et al.
Serial No.: 10/618,143
Filed: July 11, 2003
Exhibit 6

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Human Cancer Associated Gene Sequences and Polypeptides

5 *Field of the Invention*

This invention relates to newly identified tissue specific cancer associated polynucleotides and the polypeptides encoded by these polynucleotides herein collectively known as "cancer antigens," and to the complete gene sequences associated therewith and to the expression products thereof, as well as the use of such cancer antigens for detection,
10 prevention and treatment of tissue specific diseases, particularly cancers. This invention relates to the cancer antigens as well as vectors, host cells, antibodies directed to cancer antigens and recombinant and synthetic methods for producing the same. Also provided are diagnostic methods for diagnosing and treating, preventing and/or prognosing disorders related to tissue specific diseases, including cancer, and therapeutic methods for treating such
15 disorders. The invention further relates to screening methods for identifying agonists and antagonists of cancer antigens of the invention. The present invention further relates to methods and/or compositions for inhibiting the production and/or function of the polypeptides of the present invention.

20 *Background of the Invention*

Cell growth is a carefully regulated process which responds to specific needs of the body. Occasionally, the intricate, and highly regulated controls dictating the rules for cellular division break down. When this occurs, the cell begins to grow and divide independently of its homeostatic regulation resulting in a condition commonly referred to as
25 cancer. In fact, cancer is the second leading cause of death among Americans aged 25-44.

Cancers or malignant tumors are characterized by continuous cell proliferation and cell death. Cancer cells have been shown to exhibit unique gene expression, and dozens of cancer-specific genetic markers, tumor antigens, have been identified. P35B, a tumor rejection antigen, was first identified in mouse. A point mutation in the P35B gene elicits a
30 cytolytic T lymphocyte response but no detectable antibody response (Szikora, J. P. et al. (1990) EMBO J. 9:1041-1050). A human homolog of P35B, FX, is a homodimeric

NADP(H)-binding protein of 68 kDa. FX acts as a combined epimerase and NADPH-dependent reductase in converting GDP-4-keto-6-D-deoxymannose to GDP-L-fucose (Tonetti, M. et al. (1996) J. Biol. Chem. 271: 27274-27279). GDP-L-fucose is the substrate of several fucosyl-transferases involved in the biosynthesis of blood group ABH antigenic determinants. GDP-L-fucose is also utilized in synthesizing fucosylated glycoproteins and glycolipids which function in cell adhesion and recognition (Springer, T. A. and Lasky, L. A. (1991) Nature 329: 196-197; Brandley, B. K. et al. (1990) Cell 63: 861-863; and Feizi, T. and Childs, R. A. (1987) Biochem. J. 245: 1-11).

Thus, there is a need for the identification and characterization of novel tissue specific polynucleotides and polypeptides which modulate activation and differentiation of cells, both normally and in disease states. In particular, there is a need to isolate and characterize additional molecules that mediate apoptosis, DNA repair, tumor-mediated angiogenesis, genetic imprinting, immune responses to tumors and tumor antigens and, among other things, that can play a role in detecting, preventing, ameliorating or correcting dysfunctions or diseases.

Summary of the Invention

The present invention includes isolated nucleic acid molecules comprising, or alternatively, consisting of, a cancer associated polynucleotide sequence disclosed in the sequence listing (as SEQ ID NOs:1 to 842) and/or contained in a human cDNA clone described in Tables 1, 2 and 5 and deposited with the American Type Culture Collection ("ATCC"). Fragments, variant, and derivatives of these nucleic acid molecules are also encompassed by the invention. The present invention also includes isolated nucleic acid molecules comprising, or alternatively consisting of, a polynucleotide encoding a cancer polypeptide. The present invention further includes cancer polypeptides encoded by these polynucleotides. Further provided for are amino acid sequences comprising, or alternatively consisting of, cancer polypeptides as disclosed in the sequence listing (as SEQ ID Nos: 843 to 1684) and/or encoded by a human cDNA clone described in Tables 1, 2 and 5 and deposited with the ATCC. Antibodies that bind these polypeptides are also encompassed by the invention. Polypeptide fragments, variants, and derivatives of these amino acid sequences are also encompassed by the invention, as are polynucleotides encoding these polypeptides and antibodies that bind these polypeptides. Also provided are diagnostic methods for diagnosing

and treating, preventing, and/or prognosing disorders related to cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of cancer antigens of the invention.

5 *Detailed Description*

Tables

Table 1 summarizes some of the cancer antigens encompassed by the invention (including contig sequences (SEQ ID NO:X) and the cDNA clone related to the contig
10 sequence) and further summarizes certain characteristics of the cancer polynucleotides and the polypeptides encoded thereby. The first column shows the "SEQ ID NO:" for each of the 842 cancer antigen polynucleotide sequences of the invention. The second column provides a unique "Sequence/Contig ID" identification for each cancer associated sequence. The third column, "Gene Name," and the fourth column, "Overlap," provide a putative identification
15 of the gene based on the sequence similarity of its translation product to an amino acid sequence found in a publicly accessible gene database and the database accession no. for the database sequence having similarity, respectively. The fifth and sixth columns provide the location (nucleotide position nos. within the contig), "Start" and "End", in the polynucleotide sequence "SEQ ID NO:X" that delineate the preferred ORF shown in the sequence listing as
20 SEQ ID NO:Y. The seventh and eighth columns provide the "% Identity" (percent identity) and "% Similarity" (percent similarity), respectively, observed between the aligned sequence segments of the translation product of SEQ ID NO:X and the database sequence. The ninth column provides a unique "Clone ID" for a cDNA clone related to each contig sequence. The tenth column shows the tissue in which each SEQ ID NO:X is predominantly expressed.

25 Table 2 summarizes ATCC Deposits, Deposit dates, and ATCC designation numbers of deposits made with the ATCC in connection with the present application.

Table 3 indicates public ESTs, of which at least one, two, three, four, five, ten, fifteen or more of any one or more of these public EST sequences are optionally excluded from certain embodiments of the invention.

30 Table 4 lists residues comprising antigenic epitopes of antigenic epitope-bearing fragments present in most of the cancer associated polynucleotides described in Table 1 as predicted by the inventors using the algorithm of Jameson and Wolf, (1988) Comp. Appl.

Biosci. 4:181-186. The Jameson-Wolf antigenic analysis was performed using the computer program PROTEAN (Version 3.11 for the Power Macintosh, DNASTAR, Inc., 1228 South Park Street Madison, WI). Cancer associated polypeptides (e.g., SEQ ID NO:Y, polypeptides encoded by SEQ ID NO:X, or polypeptides encoded by the cDNA in the referenced cDNA clone) may possess one or more antigenic epitopes comprising residues described in Table 4. It will be appreciated that depending on the analytical criteria used to predict antigenic determinants, the exact address of the determinant may vary slightly. The residues and locations shown in column two of Table 4 correspond to the amino acid sequences for most cancer associated polypeptide sequence shown in the Sequence Listing.

Table 5 shows the cDNA libraries sequenced, and ATCC designation numbers and vector information relating to these cDNA libraries.

Definitions

The following definitions are provided to facilitate understanding of certain terms used throughout this specification.

In the present invention, "isolated" refers to material removed from its original environment (e.g., the natural environment if it is naturally occurring), and thus is altered "by the hand of man" from its natural state. For example, an isolated polynucleotide could be part of a vector or a composition of matter, or could be contained within a cell, and still be "isolated" because that vector, composition of matter, or particular cell is not the original environment of the polynucleotide. The term "isolated" does not refer to genomic or cDNA libraries, whole cell total or mRNA preparations, genomic DNA preparations (including those separated by electrophoresis and transferred onto blots), sheared whole cell genomic DNA preparations or other compositions where the art demonstrates no distinguishing features of the polynucleotide/sequences of the present invention.

As used herein, a "polynucleotide" refers to a molecule having a nucleic acid sequence contained in SEQ ID NO:X (as described in column 1 of Table 1) or the related cDNA clone (as described in column 9 of Table 1 and contained within a library deposited with the ATCC). For example, the polynucleotide can contain the nucleotide sequence of the full length cDNA sequence, including the 5' and 3' untranslated sequences, the coding region, as well as fragments, epitopes, domains, and variants of the nucleic acid sequence.

Moreover, as used herein, a "polypeptide" refers to a molecule having an amino acid sequence encoded by a polynucleotide of the invention as broadly defined (obviously excluding poly-Phenylalanine or poly-Lysine peptide sequences which result from translation of a polyA tail of a sequence corresponding to a cDNA).

5 In the present invention, "SEQ ID NO:X" was often generated by overlapping sequences contained in multiple clones (contig analysis). A representative clone containing all or most of the sequence for SEQ ID NO:X is deposited at Human Genome Sciences, Inc. (HGS) in a catalogued and archived library. As shown in column 9 of Table 1, each clone is identified by a cDNA Clone ID. Each Clone ID is unique to an individual clone and the
10 Clone ID is all the information needed to retrieve a given clone from the HGS library. In addition to the individual cDNA clone deposits, most of the cDNA libraries from which the clones were derived were deposited at the American Type Culture Collection (hereinafter "ATCC"). Table 5 provides a list of the deposited cDNA libraries. One can use the Clone ID to determine the library source by reference to Tables 2 and 5. Table 5 lists the deposited
15 cDNA libraries by name and links each library to an ATCC Deposit. Library names contain four characters, for example, "HTWE." The name of a cDNA clone ("Clone ID") isolated from that library begins with the same four characters, for example "HTWEP07". As mentioned below, Table 1 correlates the Clone ID names with SEQ ID NOs. Thus, starting with a SEQ ID NO, one can use Tables 1, 2 and 5 to determine the corresponding Clone ID,
20 from which library it came and in which ATCC deposit the library is contained. Furthermore, it is possible to retrieve a given cDNA clone from the source library by techniques known in the art and described elsewhere herein. The ATCC is located at 10801 University Boulevard, Manassas, Virginia 20110-2209, USA. The ATCC deposits were made pursuant to the terms of the Budapest Treaty on the international recognition of the deposit of microorganisms for
25 the purposes of patent procedure.

A "polynucleotide" of the present invention also includes those polynucleotides capable of hybridizing, under stringent hybridization conditions, to sequences contained in SEQ ID NO:X, or the complement thereof (e.g., the complement of any one, two, three, four, or more of the polynucleotide fragments described herein), and/or sequences contained in the
30 related cDNA clone within a library deposited with the ATCC. "Stringent hybridization conditions" refers to an overnight incubation at 42 degree C in a solution comprising 50% formamide, 5x SSC (750 mM NaCl, 75 mM trisodium citrate), 50 mM sodium phosphate (pH

7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 µg/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65 degree C.

Also included within "polynucleotides" of the present invention are nucleic acid molecules that hybridize to the polynucleotides of the present invention at lower stringency hybridization conditions. Changes in the stringency of hybridization and signal detection are primarily accomplished through the manipulation of formamide concentration (lower percentages of formamide result in lowered stringency); salt conditions, or temperature. For example, lower stringency conditions include an overnight incubation at 37 degree C in a solution comprising 6X SSPE (20X SSPE = 3M NaCl; 0.2M NaH₂PO₄; 0.02M EDTA, pH 7.4), 0.5% SDS, 30% formamide, 100 ug/ml salmon sperm blocking DNA; followed by washes at 50 degree C with 1XSSPE, 0.1% SDS. In addition, to achieve even lower stringency, washes performed following stringent hybridization can be done at higher salt concentrations (e.g. 5X SSC).

Note that variations in the above conditions may be accomplished through the inclusion and/or substitution of alternate blocking reagents used to suppress background in hybridization experiments. Typical blocking reagents include Denhardt's reagent, BLOTTO, heparin, denatured salmon sperm DNA, and commercially available proprietary formulations. The inclusion of specific blocking reagents may require modification of the hybridization conditions described above, due to problems with compatibility.

Of course, a polynucleotide which hybridizes only to polyA⁺ sequences (such as any 3' terminal polyA⁺ tract of a cDNA shown in the sequence listing), or to a complementary stretch of T (or U) residues, would not be included in the definition of "polynucleotide," since such a polynucleotide would hybridize to any nucleic acid molecule containing a poly (A) stretch or the complement thereof (e.g., practically any double-stranded cDNA clone generated using oligo dT as a primer).

The polynucleotides of the present invention can be composed of any polyribonucleotide or polydeoxribonucleotide, which may be unmodified RNA or DNA or modified RNA or DNA. For example, polynucleotides can be composed of single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA that is mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, the

polynucleotide can be composed of triple-stranded regions comprising RNA or DNA or both RNA and DNA. A polynucleotide may also contain one or more modified bases or DNA or RNA backbones modified for stability or for other reasons. "Modified" bases include, for example, tritylated bases and unusual bases such as inosine. A variety of modifications can be made to DNA and RNA; thus, "polynucleotide" embraces chemically, enzymatically, or metabolically modified forms.

In specific embodiments, the polynucleotides of the invention are at least 15, at least 30, at least 50, at least 100, at least 125, at least 500, or at least 1000 continuous nucleotides but are less than or equal to 300 kb, 200 kb, 100 kb, 50 kb, 15 kb, 10 kb, 7.5kb, 5 kb, 2.5 kb, 2.0 kb, or 1 kb, in length. In a further embodiment, polynucleotides of the invention comprise a portion of the coding sequences, as disclosed herein, but do not comprise all or a portion of any intron. In another embodiment, the polynucleotides comprising coding sequences do not contain coding sequences of a genomic flanking gene (i.e., 5' or 3' to the gene of interest in the genome). In other embodiments, the polynucleotides of the invention do not contain the coding sequence of more than 1000, 500, 250, 100, 50, 25, 20, 15, 10, 5, 4, 3, 2, or 1 genomic flanking gene(s).

"SEQ ID NO:X" refers to a tissue specific cancer antigen polynucleotide sequence described in Table 1. SEQ ID NO:X is identified by an integer specified in column 1 of Table 1. The polypeptide sequence SEQ ID NO:Y is a translated open reading frame (ORF) encoded by polynucleotide SEQ ID NO:X. There are 842 cancer antigen polynucleotide sequences described in Table 1 and shown in the sequence listing (SEQ ID NO:1 through SEQ ID NO:842). Likewise there are 842 polypeptide sequences shown in the sequence listing, one polypeptide sequence for each of the polynucleotide sequences (SEQ ID NO:843 through SEQ ID NO:1684). The polynucleotide sequences are shown in the sequence listing immediately followed by all of the polypeptide sequences. Thus, a polypeptide sequence corresponding to polynucleotide sequence SEQ ID NO:1 is the first polypeptide sequence shown in the sequence listing. The second polypeptide sequence corresponds to the polynucleotide sequence shown as SEQ ID NO:2, and so on. In other words, since there are 842 polynucleotide sequences, for any polynucleotide sequence SEQ ID NO:X, a corresponding polypeptide SEQ ID NO:Y can be determined by the formula $X + 842 = Y$. In addition, any of the unique "Sequence/Contig ID" defined in column 2 of Table 1, can be linked to the corresponding polypeptide SEQ ID NO:Y by reference to Table 4.

The polypeptides of the present invention can be composed of amino acids joined to each other by peptide bonds or modified peptide bonds, i.e., peptide isosteres, and may contain amino acids other than the 20 gene-encoded amino acids. The polypeptides may be modified by either natural processes, such as posttranslational processing, or by chemical
5 modification techniques which are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications can occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present in the same or varying degrees
10 at several sites in a given polypeptide. Also, a given polypeptide may contain many types of modifications. Polypeptides may be branched, for example, as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched, and branched cyclic polypeptides may result from posttranslation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation,
15 covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cysteine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation,
20 hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. (See, for instance, PROTEINS - STRUCTURE AND MOLECULAR PROPERTIES, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York (1993);
25 POSTTRANSLATIONAL COVALENT MODIFICATION OF PROTEINS, B. C. Johnson, Ed., Academic Press, New York, pgs. 1-12 (1983); Seifter et al., Meth Enzymol 182:626-646 (1990); Rattan et al., Ann NY Acad Sci 663:48-62 (1992).)

The cancer polypeptides of the invention can be prepared in any suitable manner. Such polypeptides include isolated naturally occurring polypeptides, recombinantly produced
30 polypeptides, synthetically produced polypeptides, or polypeptides produced by a combination of these methods. Means for preparing such polypeptides are well understood in the art.

The polypeptides may be in the form of the secreted protein, including the mature form, or may be a part of a larger protein, such as a fusion protein (see below). It is often advantageous to include an additional amino acid sequence which contains secretory or leader sequences, pro-sequences, sequences which aid in purification, such as multiple
5 histidine residues, or an additional sequence for stability during recombinant production.

The cancer polypeptides of the present invention are preferably provided in an isolated form, and preferably are substantially purified. A recombinantly produced version of a polypeptide, including the secreted polypeptide, can be substantially purified using techniques described herein or otherwise known in the art, such as, for example, by the one-
10 step method described in Smith and Johnson, Gene 67:31-40 (1988). Polypeptides of the invention also can be purified from natural, synthetic or recombinant sources using techniques described herein or otherwise known in the art, such as, for example, antibodies of the invention raised against the polypeptides of the present invention in methods which are well known in the art.

By a polypeptide demonstrating a "functional activity" is meant, a polypeptide
15 capable of displaying one or more known functional activities associated with a full-length (complete) protein of the invention. Such functional activities include, but are not limited to, biological activity, antigenicity [ability to bind (or compete with a polypeptide for binding) to an anti-polypeptide antibody], immunogenicity (ability to generate antibody which binds to
20 a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide.

"A polypeptide having functional activity" refers to polypeptides exhibiting activity similar, but not necessarily identical to, an activity of a polypeptide of the present invention, including mature forms, as measured in a particular assay, such as, for example, a biological
25 assay, with or without dose dependency. In the case where dose dependency does exist, it need not be identical to that of the polypeptide, but rather substantially similar to the dose-dependence in a given activity as compared to the polypeptide of the present invention (i.e., the candidate polypeptide will exhibit greater activity or not more than about 25-fold less
and, preferably, not more than about tenfold less activity, and most preferably, not more than
30 about three-fold less activity relative to the polypeptide of the present invention).

The functional activity of the cancer antigen polypeptides, and fragments, variants derivatives, and analogs thereof, can be assayed by various methods.

For example, in one embodiment where one is assaying for the ability to bind or compete with full-length polypeptide of the present invention for binding to an antibody to the full length polypeptide antibody, various immunoassays known in the art can be used, including but not limited to, competitive and non-competitive assay systems using techniques
5 such as radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoradiometric assays, gel diffusion precipitation reactions, immunodiffusion assays, in situ immunoassays (using colloidal gold, enzyme or radioisotope labels, for example), western blots, precipitation reactions, agglutination assays (e.g., gel agglutination assays, hemagglutination assays), complement fixation assays,
10 immunofluorescence assays, protein A assays, and immunoelectrophoresis assays, etc. In one embodiment, antibody binding is detected by detecting a label on the primary antibody. In another embodiment, the primary antibody is detected by detecting binding of a secondary antibody or reagent to the primary antibody. In a further embodiment, the secondary antibody is labeled. Many means are known in the art for detecting binding in an
15 immunoassay and are within the scope of the present invention.

In another embodiment, where a ligand is identified, or the ability of a polypeptide fragment, variant or derivative of the invention to multimerize is being evaluated, binding can be assayed, e.g., by means well-known in the art, such as, for example, reducing and non-reducing gel chromatography, protein affinity chromatography, and affinity blotting. See
20 generally, Phizicky, E., et al., Microbiol. Rev. 59:94-123 (1995). In another embodiment, physiological correlates polypeptide of the present invention binding to its substrates (signal transduction) can be assayed.

In addition, assays described herein (see Examples) and otherwise known in the art may routinely be applied to measure the ability of polypeptides of the present invention and
25 fragments, variants derivatives and analogs thereof to elicit polypeptide related biological activity (either in vitro or in vivo). Other methods will be known to the skilled artisan and are within the scope of the invention.

30 **Cancer Associated Polynucleotides and Polypeptides of the Invention**

It has been discovered herein that the polynucleotides described in Table 1 are expressed at significantly enhanced levels in human cancer tissues as shown in column 10 of

Table 1. Accordingly, such polynucleotides, polypeptides encoded by such polynucleotides, and antibodies specific for such polypeptides find use in the prediction, diagnosis, prevention and treatment of tissue specific disorders, including cancer as more fully described below.

5 Table 1 summarizes some of the polynucleotides encompassed by the invention (including contig sequences (SEQ ID NO:X) and the related cDNA clones) and further summarizes certain characteristics of these tissue specific cancer associated polynucleotides and the polypeptides encoded thereby.

Table 1

Seq ID Contig ID No.	Sequence/ Gene Name	Overlap	HGS Nucleotide			Clone ID	Tissue(s)
			Start	End	% Identity		
1	507291 uvomorulin [Homo sapiens] >spQ15853Q15855 UVOMORULIN PRECURSOR (F-CADHERIN) (ARC-1/UVOMORULIN). >gi930046 uvomorulin (140 AA) [Homo sapiens] [SUB 168-307; Length = 878	gi1340185	2	475	100	HCFAU23	Pancreas, Breast/Ovarian
2	508000 HLA-B-associated transcript 2 (BAT2) [Homo sapiens] >gi179345 HLA-B-associated transcript 2 (BAT2) [Homo sapiens] >pirB35098[B35098 MHC class III histocompatibility antigen HLA-B- associated transcript 2 - human >spP48634[BAT2_HUMAN LARGE PROLINE- RICH P	gi179339	100	1902	86	HWAAK56	Lung, Breast/Ovarian
3	518325		110	310		HHFCP36	Lung, Pancreas, Colon, Breast/Ovarian
4	523111 Sim D2 [Homo sapiens] >pir[38861][38861 small nuclear ribonucleoprotein chain D2 - human Length = 118	gi1600748	233	670	88	HATAE67	Lung, Breast/Ovarian
5	526869 (AC002291) Similar ATP-dependent RNA Helicase [Arabidopsis thaliana] >spO49289[O49289 SIMILAR ATP-DEPENDENT RNA HELICASE. Length = 845	gi12829912	1	552	67	HT41P57	Pancreas, Breast/Ovarian
6	532211 retinoic acid-binding protein [Bos taurus] Length = 138	gi162906	2	481	95	HHGCV63	Lung, Breast/Ovarian

7	532247		160	384		HEBCC47	Pancreas, Breast/Ovarian Lung, Breast/Ovarian
8	537932	alcohol dehydrogenase [Homo sapiens] >gij178134 alcohol dehydrogenase 3 [Homo sapiens] >pirJH0789 DEHUC2 alcohol dehydrogenase (EC 1.1.1.1) 5 - human >sp P11766 ADHX_HUMAN ALCOHOL DEHYDROGENASE CLASS III CHI CHAIN (EC 1.1.1.1) (GLUTATHIONE- DEPENDENT FOR	gij178130	1	1149	92	HUS1B86
9	540117		174	635		HRGRU25	Lung, Breast/Ovarian
10	547710	transketolase [Homo sapiens] Length = 623	gij1297297	2	1189	92	HNUAZ27
11	551747	rtvp-1 [Homo sapiens] >pirJC5308 JC5308 testis- specific, vespid, and pathogenesis-related protein 1 - human >sp P48060 GLIP_HUMAN GLIOMA PATHOGENESIS-RELATED PROTEIN (RTVP-1 PROTEIN). Length = 266	gij1030053	26	931	91	HTDAE10
12	552799	delta- aminolevulinate synthase (housekeeping) [Homo sapiens] >pirS13682 SYHUAL 5- aminolevulinate synthase (EC 2.3.1.37) 1 precursor - human >sp P13196 HEM1_HUMAN 5- AMINOLEVULINIC ACID SYNTHASE MITOCHONDRIAL PRECURSOR, NONSPECIFIC (EC 2.3.1.37) (DELTA-AM	gij28583	104	814	100	HHECX90
							Lung, Pancreas, Breast/Ovarian

13	553243	RING7 [Homo sapiens] >gi 557702 HLA-DMB [Homo sapiens] >gi 512472 HLA-DMB [Homo sapiens] >gi 1054742 DMB [Homo sapiens] >pir 37533 37533 MHC class II histocompatibility antigen HLA-DM beta chain precursor - human Length = 263	gi 313002	202	1017	93	93	HUKD144	Lung, Pancreas
14	553368	(AF053944) aortic carboxypeptidase-like protein ACLP [Homo sapiens] >sp G3288916 G3288916 AORTIC CARBOXYPEPTIDASE-LIKE PROTEIN ACLP. >gn PI d1013781.AEBP1 [Homo sapiens] ;SUB 314-1158; Length = 1158	gi 3288916	1	459	96	96	HADGE84	Lung, Pancreas
15	554349	immunoglobulin heavy chain [Homo sapiens] Length = 152	gi 567128	3	776	98	100	HUSGK19	Lung, Pancreas
16	558491	dJ6802.2 [Homo sapiens] >sp 35579 MYSN_HUMAN MYOSIN HEAVY CHAIN, NONMUSCLE TYPE A (CELLULAR MYOSIN HEAVY CHAIN, TYPE A) (NMMHC-A). >gi 553596 cellular myosin heavy chain [Homo sapiens] ;SUB 1-1337; Length = 1960	gi 567128	1	429	98	100	HUFCN61	Lung, Pancreas, Colon
17	558983		gn PI d1294465	219	623	100	100	HUJBM82	Pancreas, Breast/Ovarian
18	572943			367	522			HBAMC47	Pancreas, Breast/Ovarian
19	585892	epithelial tumor antigen precursor, membrane-bound form - human Length = 515	pir S10572 S10572	3	965	89	89	HUKAL69	Lung, Pancreas, Colon, Breast/Ovarian

20	589390	C1 inhibitor [Homo sapiens] >gij29535 C1 inhibitor [Homo sapiens] >pirS15386(THUC1 complement C1 inhibitor precursor - human >spI05155IC1_HUMAN PLASMA PROTEASE C1 INHIBITOR PRECURSOR (C1INH). >gijlPIDjc3783 C1 inhibitor (AA 155-478) (1 is 2nd base i	gnljPIDjc222400	3	983	96	96	HSRAB10	Lung, Pancreas
21	596882			800	1057			HMCEP91	Lung, Pancreas, Colon
22	616289	nucleoporin p58 [Rattus norvegicus] >spIP70581IP70581 NUCLEOPORIN P58. Length = 585	gijl537068	1	390	67	70	HAJCB44	Lung, Pancreas
23	622140	selenophosphate synthetase 2 [Homo sapiens] >spIQ9611IQ9611 SELENOPHOSPHATE SYNTHETASE 2. Length = 448	gijl815622	92	325	97	97	HEONC67	Pancreas, Breast/Ovarian
24	623566	karyopherin alph 3 [Homo sapiens] >spIO0505IJMA3_HUMAN IMPORTIN ALPHA-3 SUBUNIT (KARYOPHERIN ALPHA-3 SUBUNIT). Length = 521	gnljPIDjd1021210	66	1652	99	99	HDPPP20	Lung, Breast/Ovarian
25	647714			1	711			INSF129	Pancreas, Breast/Ovarian
26	647752	ubiquitin conjugating-protein [Oryzotolagus cuniculus] >gijl84046 HHR6B (Human homologue of yeast RAD 6); putative [Homo sapiens] >gij30954 E2 protein [Homo sapiens] >gij207555 ubiquitin conjugating-protein [Rattus norvegicus] >gnljPIDjc233515 HR6B gene pr	gijl65780	3	590	100	100	HDTDH46	Lung, Colon

27	651774	P58 [Homo sapiens] >pir[S68363]S68363 protein - disulfide-isomerase (EC 5.3.4.1) ER60 precursor - human >sp P30101 ER60_HUMAN PROBABLE PROTEIN DISULFIDE ISOMERASE ER-60 PRECURSOR (EC 5.3.4.1) (ERP60) (58 KD MICROSOMAL PROTEIN) (P58) (GRP58) (ERP57). Length	gi 1147739	1	1632	96	96	HDPAA15	Lung, Pancreas, Breast/Ovarian
28	651995	collagen [Mus musculus] >pir[S23779]S23779 collagen alpha 1(VIII) chain - mouse >sp Q00780 CA18_MOUSE COLLAGEN ALPHA 1(VIII) CHAIN PRECURSOR. >bbs 134935 alpha 1-VIII collagen [rats, mesangial cell, Peptide Partial, 172 aa] [Rattus sp.] {SUB 399-570} Leng	gnl P1D e245912	3	335	90	95	IIBTAD44	Lung, Pancreas
29	652156	phospholipid hydroperoxide glutathione peroxidase [Homo sapiens] >sp O43381 O43381 GSHH_HUMAN (EC 1.1.1.9) (GLUTATHIONE PEROXIDASE). >gi 3399677 (AC005390) GSSH_HUMAN, partial CDS [Homo sapiens] {SUB 149-197} Length = 197	gi 825667	262	633	94	94	HOEBK80	Lung, Breast/Ovarian
30	653010	von Willebrand factor [Homo sapiens] >pir A34480 V WHU von Willebrand factor precursor - human >gi 553810 von Willebrand factor [Homo sapiens] {SUB 990-1947} >gnl P1D e222518 von Willebrand factor [Homo sapiens] {SUB 1-178} >gi 340316 von Willebrand antige	gi 340356	79	183	96	96	HSRAA58 HSEBB94	Lung, Pancreas Lung, Breast/Ovarian
31	655904			632	1891				
32	657852			70	522			HCHAL14	Colon, Breast/Ovarian
33	666414			1	285			IOSFG18	Lung, Pancreas

34	667847	ribosomal protein S9 [Rattus norvegicus] >pir JN0587 S21497 ribosomal protein S9 - rat Length = 194	gi 57143	1	714	98	98	HCFJL62	Lung, Pancreas, Breast/Ovarian
35	670188	G protein gamma-10 subunit [Homo sapiens] >pir J39158 J39158 GTP-binding regulatory protein gamma-10 chain - human >sp P50151 GBGA_HUMAN GUANINE NUCLEOTIDE-BINDING PROTEIN G(1)/G(S)/G(O) GAMMA-10 SUBUNIT. Length = 68	gi 995919	2	238	100	100	HWADR30	Lung, Pancreas
36	670279	ribosomal protein S24 [Homo sapiens] >gi 517222 ribosomal protein S24 [Homo sapiens] >gi 49652 ribosomal protein S19 (AA 1 - 133) [Mesocricetus auratus] >gi 57858 ribosomal protein S24 [Rattus norvegicus] >gi 57722 ribosomal protein S24 (AA 1-133) [Rattus	gi 337506	96	503	87	87	HSAYG46	Lung, Pancreas, Breast/Ovarian
37	670729	acidic ribosomal phosphoprotein (P1) [Homo sapiens] >pir B27125 R6HUP1 acidic ribosomal protein P1 - human Length = 114	gi 190234	74	496	100	100	H2CBM17	Lung, Pancreas, Colon, Breast/Ovarian
38	674123			40	438			IYACJ55	Lung, Pancreas
39	676496	collagen type VI, alpha 3 chain [Homo sapiens] >sp E1292418 E1292418 COLLAGEN TYPE VI, ALPHA 3 CHAIN. Length = 3176	gnl P1D e1292418	250	1029	98	98	HSLIC82	Lung, Pancreas
40	678162	TAXREB107 [Homo sapiens] >pir I51803 I51803 TAXREB107 - human Length = 288	gnl P1D d1005017	528	974	100	100	HBJJA02	Lung, Pancreas, Breast/Ovarian

41	678248	dolichol-phosphate-mannose synthase [Homo sapiens] >sp O60762 O60762.DOLICHOL-PHOSPHATE-MANNOSE SYNTHASE. >gnl P D d1026578 dolichol-phosphate-mannose synthase [Homo sapiens] ; SUB 1-120; Length = 260	gnl P D d1026577	3	770	100	100	100	HMTAK71	Lung, Pancreas
42	683668	alpha 1 (I) chain propeptide [Homo sapiens] >gil180380 alpha-1 type I collagen [Homo sapiens] ; SUB 64-201; Length = 1040	gil180392	566	1912	94	94	94	HW/HGV07	Lung, Pancreas, Breast/Ovarian
43	693172	Q1Z7F5 [Homo sapiens] >gil189266 may code for Wilms' tumor-related protein [Homo sapiens] >gil190814 Wilms' tumor-related protein [Homo sapiens] >gil1203971 QM gene product [Homo sapiens] >bbs135740 QM [human, nontumorigenic Wilms' microcell hybrid c	gil184407	23	214	97	100	100	HNHW05	Lung, Pancreas, Breast/Ovarian
44	694303			2824	3219				HOGAV47	Lung, Breast/Ovarian
45	695042	Description: KRAB zinc finger protein; this is a splicing variant that contains a stop codon and frame shift between the KRAB box and the zinc finger region; Method: conceptual translation supplied by author [Homo sapiens] >sp Q13359 Q13359.KRAB.ZINC.FING	gil1049295	471	680	74	91	91	HHSBX26	Pancreas, Breast/Ovarian
46	699799	lipocortin (AA 1-346) [Homo sapiens] >pir A03080 LUHU annexin I - human >sp P04083 ANX1_HUMAN ANNEXIN I (LIPOCORTIN I) (CALPACTIN II) (CHROMOBINDIN 9) (P35) (PHOSPHOLIPASE A2 INHIBITORY PROTEIN). ; SUB 2-346; Length = 346	gil34388	3	1121	100	100	100	HNDAA51	Lung, Breast/Ovarian

47	702216	dihydrodiol dehydrogenase [Homo sapiens] >gi 487135 hepatic dihydrodiol dehydrogenase [Homo sapiens] >gi 181549 dihydrodiol dehydrogenase [Homo sapiens] >pir A53436 A53436 3-alpha- hydroxysteroid/dihydrodiol dehydrogenase (EC 1.1.1.-) - human >sp Q04828 DB	gi 452484	41	1048	95	95	HNALC11	Lung, Pancreas
48	703015	latent transforming growth factor-beta-binding protein - human Length = 1820	pir A55494 A55494	3	587	100	100	FIGCOX28	Lung, Pancreas
49	706391	vacuolar H+ ATPase proton channel subunit [Homo sapiens] >pir A39367 A39367 H+-transporting ATPase (EC 3.6.1.35) chain PKD1 - human Length = 155	gi 189676	29	622	85	85	HMA1BL73	Lung, Breast/Ovarian
50	706892	copper transport protein HAH1 [Homo sapiens] >sp O00244 O00244 COPPER TRANSPORT PROTEIN HAH1. Length = 68	gi 1945365	3	287	82	82	HUFD583	Lung, Breast/Ovarian
51	706924			2847	3215			HRAEB20	Lung, Breast/Ovarian
52	707642	ribosomal protein L8 [Homo sapiens] >gi 57704 ribosomal protein L8 [Rattus rattus] >gi 1527178 ribosomal protein L8 [Mus musculus] >pir JU0177 JR5RTL8 ribosomal protein L8, cytosolic - rat >pir JN0923 JN0923 ribosomal protein L8, cytosolic - human >gi 3851	gi 433899	1	516	94	94	HSRJD44	Lung, Pancreas, Colon, Breast/Ovarian
53	710369			99	611			HSPA181	Lung, Pancreas, Breast/Ovarian
54	718826			581	877			HSIFK68	Lung, Breast/Ovarian

55	719790	lipocortin II [Homo sapiens] >pir A23942 LHU36 annexin II - human >sp P07355 ANX2_HUMAN ANNEXIN II (LIPOCORTIN II) (CALPACTIN I HEAVY CHAIN) (CHROMOBINDIN 8) (P36) (PROTEIN I) (PLACENTAL ANTICOAGULANT PROTEIN IV) (PAP-IV). (SUB 2-339) >sp G545587 G545587	gnl PID d1000439	3	869	98	98	HKABK62	Lung, Pancreas
56	720222	homology with 16.7 KD putative viral protein YUB1_NPVAC [Caenorhabditis elegans] Length = 250	gnl PID e1346018	34	729	45	60	HSK1P04	Lung, Pancreas, Breast/Ovarian
57	724033			1	654			HPJBV92	Lung, Pancreas, Breast/Ovarian
58	724767	epsilon isoform of 61kDa regulatory subunit of PP2A [Homo sapiens] >gil1478070 protein phosphatase B56-epsilon [Homo sapiens] >sp Q16537 Q16537 EPSILON ISOFORM OF 61KDA REGULATORY SUBUNIT OF PP2A. >gil1022892 protein phosphatase PP2A0 B' subunit delta is	gnl PID e220196	71	526	100	100	HKABH59	Lung, Breast/Ovarian
59	727065	ATPase [Homo sapiens] Length = 617	gil291868	228	1010	99	99	HELGY15	Lung, Pancreas
60	727246	(AB009282) cytochrome b5 [Homo sapiens] >sp O43169 O43169 CYTOCHROME B5 (FRAGMENT). Length = 146	gnl PID d1024640	3	509	96	98	HCFMH52	Lung, Colon
61	727932			41	199			HLJDO53	Lung, Breast/Ovarian
62	731167	Sec23 protein [Homo sapiens] Length = 765	gnl PID e236013	1	987	99	99	HDTEM51	Lung, Pancreas

63	732514	lysophosphatidic acid acyltransferase-alpha [Homo sapiens] >gil2253613 putative lysophospholipid acyltransferase [Homo sapiens] >gnl P1D c286645 1-acylglycerol-3-phosphate O-acyltransferase [Homo sapiens] >sp Q99943 P1LCA_HUMAN 1-ACYL-SN-GLYCEROL-3-PHOSPHA	gil2155238	3	794	99	99	HLDBX26	Pancreas, Prostate
64	734080			1	567			HFIBK44	Lung, Breast/Ovarian
65	734288	cysteinyl-tRNA synthetase [Homo sapiens] Length = 595	gil927229	154	2067	99	99	HKABU01	Lung, Pancreas
66	739448	Nascent polypeptide associated complex alpha subunit [Homo sapiens] >gil4092060 (AF054187) alpha NAC [Homo sapiens] >pir S49326 S49326 Nascent polypeptide associated complex alpha chain - human >sp Q13765 Q13765 NASCENT POLYPEPTIDE ASSOCIATED COMPLEX ALPHA	gil556642	441	1184	82	82	HKGA131	Lung, Breast/Ovarian
67	739668			2	484			HAPTL07	Lung, Pancreas
68	740060	Dif33 gene product [Homo sapiens] >sp Q13530 Q13530 PLACENTAL PROTEIN DIFF33. Length = 494	gil1293563	76	1536	94	94	HMEGB82	Lung, Pancreas
69	741560	human gamma-glutamyl hydrolase [Homo sapiens] >sp Q92820 Q92820 HUMAN GAMMA-GLUTAMYL HYDROLASE (EC 3.4.22.12). Length = 318	gil2951931	187	296	99	100	HCGM112	Lung, Colon
70	742543				804			HE2BG62	Lung, Colon, Breast/Ovarian
71	742831			25	297			HCDA147	Pancreas, Colon

72	745327	channel-like integral membrane protein [Homo sapiens] >gil1314304 channel-like integral membrane protein [Homo sapiens] >pirA41616[A41616 erythrocyte integral membrane protein 28K - human >sp P29972 AQPI_HUMAN AQUAPORIN-CIIIIP (WATER CHANNEL PROTEIN FOR RE	gil180501	1	534	98	98	98	HWHPM73	Lung, Pancreas
73	745695	Mac-2 binding protein [Homo sapiens] >gil483474 90K gene product [Homo sapiens] >pirA47161[A47161 Mac-2-binding glycoprotein precursor - human >sp Q08380 Q08380 MAC-2 BINDING PROTEIN PRECURSOR. Length = 585	gil307153	886	2016	98	98	98	HOIPN02	Lung, Pancreas
74	750316	(AF029890) hepatitis B virus X interacting protein [Homo sapiens] >sp O43504 O43504 HEPATITIS B VIRUS X INTERACTING PROTEIN. Length = 91	gil2745883	99	398	100	100	100	HKMLD65	Lung, Pancreas, Breast/Ovarian
75	750522			172	906				HUKF158	Lung, Pancreas, Colon, Breast/Ovarian
76	750583			58	189				HBJB66	Lung, Breast/Ovarian
77	751020			1	480				HEBAE80	Lung, Breast/Ovarian
78	752196			1	120				HL1AI.67	Pancreas, Prostate
79	753084	UGTrelI [Homo sapiens] >pir JC5024 JC5024 UDP-galactose transporter related isozyme I - human >sp P78383 P78383 UGTREL1. Length = 322	gil1669560	53	1168	87	87	87	HDPKG74	Lung, Pancreas
80	754957	The hal237 gene product is related to S.pombe rad21 gene product. [Homo sapiens] Length = 631	gn P D d1008135	242	1330	94	94	94	HWBCB01	Lung, Pancreas

81	756557	myosin I heavy chain [Rattus norvegicus] >pir A45439 A45439 myosin I heavy chain - rat >sp Q05096 Q05096 MYOSIN HEAVY CHAIN 1. Length = 1136	gi 56733	1	888	94	94	HE8AF67	Lung, Pancreas, Colon, Breast/Ovarian
82	756712	5-lipoxygenase activating protein [Homo sapiens] >pir A39824 A39824 5-lipoxygenase-activating protein - human >sp P20292 FLAP_HUMAN 5- LIPOXYGENASE ACTIVATING PROTEIN (FLAP) (MK-886-BINDING PROTEIN). Length = 161	gi 182658	1457	1729	99	100	IISYBW76 HCABA08	Lung, Pancreas Lung, Colon
84	757614	tetratricopeptide repeat protein [Homo sapiens] >sp Q99614 Q99614 TETRATRICPEPTIDE REPEAT PROTEIN. Length = 292	gi 1688074	83	991	100	100	HMEJS13	Lung, Pancreas, Breast/Ovarian
85	757815	{AF038604} contains similarity to Drosophila ovarian tumor locus protein (GB:X13693) [Caenorhabditis elegans] >sp O44438 O44438 B0546.2 PROTEIN. Length = 346	gi 2702370	2	988	58	81	HCHOL74	Lung, Breast/Ovarian
86	759878	nuclear pore complex protein NUP107 [Rattus norvegicus] >pir A54142 A54142 nucleoporin NUP107 - rat >sp P52590 N107_RAT NUCLEAR PORE COMPLEX PROTEIN NUP107 (NUCLEOPORIN NUP107) (107 KD NUCLEOPORIN) (P105). Length = 926	gi 510717	526	1833	86	88	HNTAP78	Lung, Breast/Ovarian
87	760227	(AC003040) putative nicotine phosphoribosyltransferase [Arabidopsis thaliana] >sp O80459 O80459 PUTATIVE NICOTINATE PHOSPHORIBOSYLTRANSFERASE. Length = 574	gi 3242705	2	484	52	71	HCHMM71	Pancreas, Breast/Ovarian

88	760312	chondroitin sulfate proteoglycan versican V0 splice-variant precursor peptide [Homo sapiens] >sp P13611 PCCV_HUMAN VERSICAN CORE PROTEIN PRECURSOR (LARGE FIBROBLAST PROTEOGLYCAN) (CHONDROITIN SULFATE PROTEOGLYCAN CORE PROTEIN 2) (GLIAL HYALURONATE-BINDIN	gij608515	993	3215	99	99	11MVDD07	Lung, Pancreas
89	766031			1	627			HMAFA79	Lung, Breast/Ovarian
90	767593			327	497			HCECT76	Pancreas, Colon
91	768033	(AF039688) antiigen NY-CO-3 [Homo sapiens] >sp Q60525 Q60525 ANTIGEN NY-CO-3 (FRAGMENT). Length = 192	gij3170176	251	625	99		HTPI1171	Pancreas, Breast/Ovarian
92	768035	ATP synthase gamma-subunit [Homo sapiens] >gij PID d1004512 ATP synthase gamma-subunit [Homo sapiens] >pir A49108 A49108 H+-transporting ATP synthase (EC 3.6.1.34) gamma chain - human >sp P36542 ATPG_HUMAN ATP SYNTHASE GAMMA CHAIN, MITOCHONDRIAL PRECURSOR	gij PID d1004511	32	949	100		HAAJAQ70	Lung, Pancreas
93	769685	src-like tyrosine kinase (put.); putative [Homo sapiens] Length = 537	gij338228	1005	1409	100		HRADN48	Lung, Pancreas, Colon, Breast/Ovarian
94	771920	F36D4.2 gene product [Caenorhabditis elegans] >sp Q20100 Q20100 COSMID F36D4. Length = 224	gij1245686	711	1562	58	77	HAIDT44	Lung, Pancreas
95	772790	cell division inhibitor [Synechocystis sp.] >pir S77404 S77404 cell division inhibitor - Synechocystis sp. (PCC 6803) >sp P73467 P73467 CELL DIVISION INHIBITOR. Length = 339	gij PID d1018240	145	1138	35	54	HCEOT95	Lung, Breast/Ovarian

96	772916	similar to human ZFY protein. [Homo sapiens] >sp Q92610 Q92610 MYELOBLAST KIAA0211. Length = 1267	gij P D d1013891	3	965	99	99	HCT126	Lung, Pancreas
97	773225			52	504			HCLB78	Lung, Pancreas
98	773632	Hrs [Homo sapiens] >gij 2731383 HGF receptor substrate Hrs [Homo sapiens] >sp O14964 O14964 HRS, COMPLETE CDS. Length = 777	gij P D d1024245	1	309	98	98	HCEVQ60	Pancreas, Prostate, Breast/Ovarian
99	774364	(AF080561) SYT interacting protein SIP [Homo sapiens] >sp O75932 O75932 SYT INTERACTING PROTEIN SIP. Length = 669	gij 3746787	1	408	100	100	HCHAR77	Pancreas, Breast/Ovarian
100	775355			1599	1781			HD1BY31	Lung, Pancreas
101	775844	rlp transforming protein [Homo sapiens] >pir A28101 TV11URF ret finger protein - human >gij P D c308255 RFP [Homo sapiens] {SUB 250- 513; Length = 513	gij 337372	138	1877	92	92	HISCU10	Lung, Pancreas
102	777760	(AF1015040) NUMB protein [Homo sapiens] >sp G4102705 G4102705 NUMB PROTEIN. >gij 4050088 (AF109907) S171 [Homo sapiens] {SUB 79-603; >gij 887362 ORF; putative [Homo sapiens] {SUB 469-603; Length = 603	gij 4102705	62	1372	88	88	HMSJIK67	Pancreas, Breast/Ovarian
103	779837	tazarotene-induced gene 2 [Homo sapiens] >sp Q99969 Q99969 TAZAROTENE-INDUCED GENE 2. Length = 163	gij 1848264	88	567	97	98	HSWBV38	Lung, Pancreas
104	780769	(AF084259) bromodomain-containing protein BP75 [Mus musculus] >sp O88665 O88665 BROMODOMAIN-CONTAINING PROTEIN BP75. Length = 651	gij 3493162	100	762	35	58	HJULBS08	Lung, Pancreas
105	781445			496	1443			HMVAP52	Pancreas, Breast/Ovarian

106	781531	lumican [Homo sapiens] Length = 338	gi 699577	1	486	100	100	HCHAF71	Pancreas, Breast/Ovarian
107	783018	ovary2 [Drosophila melanogaster] >sp Q27924 Q27924 OVARY2. >gi 1208729 ovary2 [Drosophila melanogaster] {SUB 386-545; Length = 545	gi 1208732	120	674	58	76	H1PCZ45	Pancreas, Breast/Ovarian
108	783097	myogenic repressor 1-mf [Homo sapiens] >sp Q99750 Q99750 MYOGENIC REPRESSOR 1- MF. Length = 246	gi 1763615	413	919	85	85	HMWGR19	Lung, Colon
109	784198	(AJ005893) JM26 [Homo sapiens] >sp O60828 O60828 JM26 PROTEIN, COMPLETE CDS (CLONE LLOXNC01U138D3 (BAYLOR COLLEGE)). Length = 265	gn P D e 1289747	80	943	81	81	HNTNB85	Lung, Pancreas, Breast/Ovarian
110	784868	WW-domain binding protein 1 [Mus musculus] >sp P97764 P97764 WW-DOMAIN BINDING PROTEIN 1. Length = 305	gi 1777577	1	969	77	85	HNTNQ08	Lung, Pancreas, Breast/Ovarian
111	785428	translation initiation factor 5 [Homo sapiens] >sp P55010 P55_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 5 (EIF- 5). Length = 431	gi 1229140	308	1606	87	87	IIPMC14	Lung, Pancreas, Breast/Ovarian
112	785845			67	1350			HCGBE06	Lung, Colon, Breast/Ovarian
113	785854			3	509			HUSXJ65	Lung, Pancreas
114	786705			64	180			HBIB89	Lung, Pancreas, Breast/Ovarian
115	787186			319	975			HUKBB89	Lung, Pancreas
116	787279	proteasome subunit z [Homo sapiens] >sp Q99436 Q99436 PROTEASOME SUBUNIT Z. Length = 277	gn P D d 1007816	80	856	94	94	HKAJZ91	Lung, Breast/Ovarian
117	789002			178	402			HATBM56	Lung, Pancreas, Breast/Ovarian

118	789008	1.8 kb mRNA (AA 1-84) [Homo sapiens] >pir[S03384]S03384 hypothetical protein [IGF-II 3' region] - human >sp P09365 IG2R_HUMAN PUTATIVE INSULIN-LIKE GROWTH FACTOR II ASSOCIATED PROTEIN. Length = 84	gi 33000	1354	1737	100	100	HISCN20	Lung, Pancreas
119	789555	(AL035247) hypothetical lrp-asp repeat protein [Schizosaccharomyces pombe] Length = 760	gnl P D e1371207	124	1815	42	66	HTTCB23	Pancreas, Breast/Ovarian
120	789631			192	320			HLICN93	Lung, Pancreas, Colon
121	789779			1	396			HCHMS40	Colon, Breast/Ovarian
122	790387			3	527			HLMNA32	Colon, Breast/Ovarian
123	790461	(AF008445) phospholipid scramblase [Homo sapiens] >gnl P D d1033332 (AB006746) hiMmTKA1b [Homo sapiens] >gi 4092081 (AF098642) phospholipid scramblase; plasma membrane phospholipid scramblase [Homo sapiens] >sp O15162 O15162 PHOSPHOLIPID SCRAMBLASE. >sp G4	gi 2282601	105	1193	99	99	HTGAV10	Lung, Pancreas, Breast/Ovarian
124	790931			2	394			HBCAO30	Pancreas, Breast/Ovarian
125	791176	(AB002107) hPer [Homo sapiens] >gi 2435507 (AF022991) Rigui [Homo sapiens] >sp O15534 O15534 RIGUI. Length = 1290	dh AB002107_1	3	1034	90	90	INFCJ67	Lung, Pancreas
126	791983			637	837			HBJLE45	Lung, Pancreas, Colon, Breast/Ovarian

127	792539	(AF020833) eukaryotic translation initiation factor 3 subunit [Homo sapiens] >sp O14801 O14801 EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT. Length = 320	gi 2460200	94	1068	94	94	HDPPX89	Lung, Pancreas, Breast/Ovarian
128	792749	protein arginine N-methyltransferase [Rattus norvegicus] >sp Q63009 ANM1_RAT PROTEIN ARGININE N-METHYLTRANSFERASE 1 (EC 2.1.1.-). Length = 353	gi 1390025	34	1104	95	96	HDQEP64	Lung, Breast/Ovarian
129	792961	(AF036249) polymerase I-transcript release factor; PTRF [Mus musculus] >sp O54724 O54724 POLYMERASE I AND TRANSCRIPT RELEASE FACTOR (POLYMERASE I-TRANSCRIPT RELEASE FACTOR). Length = 392	gi 2674195	778	1305	85	86	HMEKG25	Lung, Breast/Ovarian
130	793206	d11409.2 (Melanoma-Associated Antigen MAGELIKE) [Homo sapiens] >sp O76058 O76058 DJ1409.2 (MELANOMA-ASSOCIATED ANTIGEN MAGELIKE). Length = 606	gn P D e1311294	889	1365	99	99	HTWFN71	Lung, Pancreas
131	793249	proliferation associated gene (pag) gene product [Homo sapiens] >pir A46711 A46711 proliferation associated gene (pag) protein - human Length = 199	gi 287641	3	701	100	100	HJAAE81	Lung, Pancreas, Breast/Ovarian
132	793626	alpha mannosidase II isozyme [Homo sapiens] >sp P49641 P49641_HUMAN ALPHA-MANNOSIDASE II (EC 3.2.1.114) (MANNOSYL-OLIGOSACCHARIDE 1,3-1,6-ALPHA-MANNOSIDASE) (MAN II). Length = 1139	gn P D d1010153	119	640	99	99	HWABS13	Lung, Pancreas

133	794417	(AF047470) malate dehydrogenase precursor [Homo sapiens] >sp O43682 O43682 MALATE DEHYDROGENASE (EC 1.1.1.37) PRECURSOR (EC 1.1.1.37). Length = 338	gi 2906146	3	1142	99	99	HPHBR03	Lung, Pancreas, Breast/Ovarian
134	795197			82	888			HDPTT26	Lung, Breast/Ovarian
135	795251	GAP SH3 binding protein [Homo sapiens] >sp Q13283 Q13283 GAP SH3 BINDING PROTEIN. Length = 466	gi 1051170	101	1531	91	91	HE8FJ92	Pancreas, Breast/Ovarian
136	795752			2	1018			HWBDR92	Lung, Pancreas
137	796261	ubiquitin carrier protein E2 - human >gi 181916 ubiquitin carrier protein [Homo sapiens] {SUB 23- 247} Length = 247	pir B42856 B42856	3	851	87	87	HCHIQ06	Colon, Breast/Ovarian
138	796933	lumican [Homo sapiens] Length = 338	gi 699577	49	1107	94	94	HPMSD56	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
139	799424			525	1553			HEONK47	Lung, Pancreas, Breast/Ovarian
140	799698			1	426			HCIIAM08	Colon, Breast/Ovarian
141	800351	DNAJ homolog [Homo sapiens] >gi 127833 heat shock protein hsp40 homolog [Homo sapiens] >pir G02272 G02272 heat shock protein hsp40 homolog - human >sp Q13431 Q13431 HEAT SHOCK PROTEIN HSP40 HOMOLOG. Length = 178	gi 1518918	282	860	83	84	HEMFP05	Pancreas, Breast/Ovarian

142	800573	26S protease subunit [Sus scrofa] >gi 3193258 (AF069053) proteasome subunit SUG1 [Bos taurus] >gnl PID d1012606 proteasomal ATPase (rat SUG1) [Rattus norvegicus] >gnl PID d1023806 (AB000491) proteasome p45/SUG [Rattus norvegicus] >gnl PID c199326 mSUG1 pr	gnl PID c235521	178	1383	93	93	HCEVS28	Lung, Breast/Ovarian
143	805815			15	1055			HCIAP80	Lung, Colon, Breast/Ovarian
144	806445			711	1028			HTELC67	Lung, Pancreas
145	810309	(AF098482) transcriptional coactivator p52 [Homo sapiens] >sp G4050034 G4050034 TRANSCRIPTIONAL COACTIVATOR P52. Length = 333	gi 4050034	226	741	61	75	HNTDX22	Lung, Pancreas
146	811022			168	881			HISEA13	Lung, Pancreas
147	811023			13	234			HLWAW17	Lung, Pancreas, Colon, Breast/Ovarian
148	811143	cytokine inducible SH2-containing protein [Mus musculus] >pir S55551 S55551 cytokine-inducible protein CIS - mouse >sp Q62225 Q62225 CYTOKINE INDUCIBLE SH2-CONTAINING PROTEIN (SH2 DOMAIN CONTAINING PROTEIN INDUCED BY MULTIPLE CYTOKINES, SIC). Length = 257	gnl PID d1007285	3	887	90	92	IIDQPA25	Lung, Breast/Ovarian
149	811381	FIN14 gene product [Mus musculus] >sp Q61077 F114_MOUSE_FIBROBLAST_GROWTH_FACTOR_INDUCIBLE_PROTEIN_14 (FIN14). Length = 61	gi 1353711	1338	1511	86	91	HLYEK93	Colon, Breast/Ovarian

150	811595	CIRP [Homo sapiens] >gi2924760 (AC004258) CIRP [Homo sapiens] >gi2541973 (AF021336) DNA damage-inducible RNA binding protein [Homo sapiens] >spQ14011Q14011 GLYCINE- RICH RNA BINDING PROTEIN CIRP. Length = 172	gi 1573505	95	850	84	100	609	100	100	HD1LA92	Pancreas, Breast/Ovarian
151	813000	Tera [Mus musculus] >spP70361P70361 TERA. Length = 277	gi 1573505	95	850	84	100	609	100	100	HD1LA92	Pancreas, Breast/Ovarian
152	813288	fau gene product [Homo sapiens] >gi131305 fau 1 gene product [Homo sapiens] >pirJC1278JC1278 ubiquitin-like protein / ribosomal protein S30, cytosolic - human Length = 133	gi 131303	1	510	86	86	510	86	86	HCI1MQ63	Pancreas, Breast/Ovarian Lung, Breast/Ovarian
153	813431	DAP-1 [Homo sapiens] >pirJ37274J37274 death- associated protein 1 - human >spP51397IDAP1_HUMAN DEATH- ASSOCIATED PROTEIN 1 (DAP-1). Length = 102	gi 434845	3	470	89	89	470	89	89	HW1QS70	Lung, Pancreas
154	813450	PISSLRE gene product [Homo sapiens] >pirS49330S49330 serine/threonine kinase (EC 2.7.1.-) pisslre - human >pirJ38116J38116 gene PISSLRE protein - human >spQ15131Q15131 PISSLRE MRNA. Length = 360	gi 556651	1	651	100	100	651	100	100	HCEEJ73	Lung, Pancreas
155	813478	retinoblastoma-binding protein mRbAp48 [Mus musculus] >pirI49366I49366 retinoblastoma- binding protein mRbAp48 - mouse Length = 461	gi 1016275	1	1398	99	100	1398	99	100	HAJBH20	Lung, Pancreas, Breast/Ovarian
156	813505	ribosomal protein L23a [Homo sapiens] >gi306549 homology to rat ribosomal protein L23 [Homo sapiens] (SUB 10-156) Length = 156	gi 404015	2	496	100	100	496	100	100	IIDABR53	Lung, Pancreas

157	815552	(AJ011497) Claudin-9 [Homo sapiens] >sp E1363658 E1363658 CLAUDIN-9. Length = 211	gn P1D e1363658	317	898	95	96	HUFEH29	Lung, Colon
158	815606	Ki-1/57 intracellular antigen [Homo sapiens] >sp O75804 O75804 Ki-1/57 INTRACELLULAR ANTIGEN (FRAGMENT). Length = 299	gi 3403154	218	1303	90	95	HDPY63	Lung, Pancreas, Breast/Ovarian
159	816048	neutral protease alpha subunit [Homo sapiens] >gi 33328 protease small subunit (aa 1-268) [Homo sapiens] >gi 1905903 (AD001527) calcium-dependent protease, small (regulatory) subunit (calpain) (calcium-activated neutral proteinase) (CANP) [Homo sapiens] >	gi 179909	24	644	95	96	HTLCZ60	Lung, Breast/Ovarian
160	822978	(AF003130) similar to Achlya ambisexualis antheridiol steroid receptor (NID: g166306) [Caenorhabditis elegans] >sp O01757 O01757 SIMILAR TO ACHLYA AMBISEXUALIS ANTHERIDIOL STEROID RECEPTOR. Length = 1043	gi 2088668	94 1449 992	156	60	78	HODEM46	Lung, Pancreas
161	823616				1775			HCHEM79	Pancreas, Colon
162	823981				2617			HWHQH79	Lung, Breast/Ovarian
163	824364	drebrin E2 [Homo sapiens] >gn P1D d1005005 drebrin E [Homo sapiens] >pi JN0809 JN0809 drebrin E (clone gDbb13) - human >sp Q16643 DREB_HUMAN DREBRIN E. Length = 649	gi 392890	1	606	84	84	HCHPR34	Colon, Breast/Ovarian

164	824423	UDP-GalNAc:polypeptide N-acetylgalactosaminyl transferase [Homo sapiens] >pirJC4223JC4223 polypeptide N-acetylgalactosaminyltransferase (EC 2.4.1.41) - human >sp Q10472 PAGT_HUMAN POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (EC 2.4.1.41) (PROTEIN- UDP	gil971459	61	1743	100	100	HPWDL83	Lung, Pancreas
165	825279			36	602			II6EDN61	Lung, Pancreas
166	825442			1	900			HTODA45	Colon, Breast/Ovarian
167	825548	ancient ubiquitous 46 kDa protein AUP46 precursor [Mus musculus] >sp P70295 P70295 ANCIEN UBIQUITOUS PROTEIN PRECURSOR (AUP1). Length = 410	gil1517822	473	1504	81	84	HI.UDB77	Lung, Breast/Ovarian
168	825725	hNop56 [Homo sapiens] >sp O00567 NO56_HUMAN NUCLEOLAR PROTEIN NOP56. Length = 602	gnl P D e1188703	25	723	99	99	HMWIV57	Lung, Pancreas
169	826639	H.sapiens mRNA for rat translocon-associated protein delta homolog [Homo sapiens] >gnl P D e212192 translocon-associated protein delta subunit precursor [Homo sapiens] >gnl P D e220312 translocon-associated protein delta subunit precursor [Homo sapiens] >	gil1071681	1	561	100	100	HPTVX93	Lung, Colon, Breast/Ovarian
170	827079	(AL009171) 62D9.a [Drosophila melanogaster] >sp E1198294 E1198294 62D9.A. Length = 1305	gnl P D e1198294	53	2176	71	85	HDAAD02	Lung, Breast/Ovarian

171	827153	pancreatitis-associated protein [Homo sapiens] >gi 312807 preprotein [Homo sapiens] >bbs 121222 PAP-H=pancreatitis-associated protein [human, pancreas, Peptide, 175 aa] [Homo sapiens] >gnl PIJ d1003233 PAP homologous protein [Homo sapiens] >pir A49616 A49	gi 482909	54	602	90	90	HLQBS95	Pancreas, Colon, Breast/Ovarian
172	827351			1	639			HSKJE35	Colon, Breast/Ovarian
173	827503	(AC004003) serine/threonine kinase RICK; match to protein AF027706 (PID:g3123887) and mRNA AF027706 (NID:g3123886) [Homo sapiens] >gi 3290172 (AF064824) CARD-containing ICE associated kinase [Homo sapiens] >gi 3342910 (AF078530) receptor interacting prote	gi 3264574	255	1886	98	98	HLAAB36	Lung, Breast/Ovarian
174	827563	rhophilin [Mus musculus] >sp Q61085 Q61085 GTP-RHO BINDING PROTEIN 1 (RHOPHILIN). Length = 643	gi 1176422	6	776	81	91	HBGDH11	Colon, Breast/Ovarian
175	827565	serine protease [Homo sapiens] Length = 492	gi 2507613	1	744	55	68	HCHAK72	Lung, Pancreas, Colon, Breast/Ovarian
176	827893	homology with GTP binding protein; putative [Caenorhabditis elegans] >pir S44605 S44605 C02F5.3 protein - Caenorhabditis elegans Length = 573	gi 289610	165	836	62	75	HMSO138	Lung, Pancreas
177	828072			1147	1305			HTECA53	Lung, Pancreas, Breast/Ovarian
178	828228			1105	1314			HWLA178	Prostate, Colon

179	828241	cathepsin O [Homo sapiens] >pir A55090 A55090 cathepsin O (EC 3.4.22.-) precursor - human >sp P42324 CATO_HUMAN CATHEPSIN O PRECURSOR (EC 3.4.22.-). Length = 321	gi 574804	2	1012	93	93	HWBP30	Lung, Pancreas, Prostate
180	828287	histone (H2A.Z) [Bos taurus] >gi 410 histone H2A.Z (AA 1-127) [Bos taurus] >gi 184060 histone (H2A.Z) [Homo sapiens] >gi 31975 histone H2A.Z (AA 1-127) [Homo sapiens] >gi 3649600 histone [Homo sapiens] >gi 204599 histone (H2A.Z) [Rattus norvegicus] >gi 57	gi 163150	171	572	100	100	HUS02	Lung, Pancreas, Prostate, Breast/Ovarian
181	828364			663	1340			HWHC17	Pancreas, Breast/Ovarian
182	828371	complement component C1s [Homo sapiens] >gi 179648 complement subcomponent C1s precursor [Homo sapiens] >gi 763110 complement protein C1s precursor [Homo sapiens] >pir A40496 C1HUS complement subcomponent C1s (EC 3.4.21.42) precursor - human >sp P09871 C1	gi 179646	4	2283	97	97	HLQCQ12	Lung, Pancreas, Colon, Breast/Ovarian
183	828403	DNA-binding protein [Homo sapiens] >pir A44478 A44478 probable cell growth or differentiation regulator (alternatively spliced type I transcript) - human >sp Q02833 Q02833 PUTATIVE TRANSCRIPTIONAL REGULATORY PROTEIN HRC1. Length = 373	gi 184390	1	648	98	98	HDTHL82	Lung, Pancreas, Colon
184	828501	(AF056302) eIF-2alpha kinase [Drosophila melanogaster] >sp O61651 O61651 EIF-2ALPHA KINASE. Length = 1589	gi 3046551	1	1812	36	58	HBMDG73	Lung, Colon, Breast/Ovarian

185	828520	(AJ010840) ATP-dependent RNA helicase [Homo sapiens] >sp E1321519 E1321519 ATP-DEPENDENT RNA HELICASE (FRAGMENT). Length = 420	gnl P1D1c1321519	445	1821	91	91	HKGBN47	Prostate, Breast/Ovarian
186	828527			723	926			HSKGQ05	Lung, Pancreas, Prostate, Breast/Ovarian
187	828538			332	976			HPWDF55	Lung, Prostate, Breast/Ovarian
188	828541	pre-pump-1 proteinase (AA -17 to 250) [Homo sapiens] >gi 35803 PUMP [Homo sapiens] >pir B28816 KCHUM matrilysin (EC 3.4.24.23) precursor - human >sp P09237 COG7_HUMAN MATRILYSIN PRECURSOR (EC 3.4.24.23) (PUMP-1 PROTEASE) (UTERINE METALLOPROTEINASE) (MATRI	gi 35799	43	933	100	100	HRACJ32	Pancreas, Prostate, Colon
189	828549	thrombospondin 2 [Homo sapiens] >pir A47379 TSHUP2 thrombospondin 2 precursor - human Length = 1172	gi 307506	26	1738	94	94	HPFAL22	Pancreas, Colon
190	828562			1	342			HPWBR24	Pancreas, Prostate
191	828576			3	731			HPTVU91	Pancreas, Prostate, Colon
192	828602			1050	1568			HPRAT58	Lung, Prostate
193	828628	tumor-associated antigen [Homo sapiens] >pir A36056 A36056 tumor-associated antigen CO-029 - human >sp P19075 CO02_HUMAN TUMOR-ASSOCIATED ANTIGEN CO-029. Length = 237	gi 180926	307	1029	94	94	HPRCM33	Pancreas, Prostate, Colon

194	828667	cytochrome c-1 [Homo sapiens] >sp P08574 CY1_HUMAN CYTOCHROME C1, HEME PROTEIN PRECURSOR. >gil181238 cytochrome c1 [Homo sapiens] ;SUB 99-325; Length = 325	gil181240	2	1006	85	85	HKAOB02	Pancreas, Breast/Ovarian
195	828684	p55CDC [Homo sapiens] >pir A56021 A56021 probable cell division control protein p55CDC - human >sp Q12834 Q12834 P55CDC. Length = 499	gil468032	41	1573	92	92	IIPJAE35	Pancreas, Prostate
196	828727	(AF044954) NADH:ubiquinone oxidoreductase PDSW subunit [Homo sapiens] >gil4165091 (AF088991) NADH-ubiquinone oxidoreductase PDSW subunit [Homo sapiens] Length = 172	gil4164442	3	629	93	93	HMCIBB12	Lung, Prostate, Breast/Ovarian
197	828734	homologue of Drosophila Fat protein [Homo sapiens] >sp Q14517 Q14517 CADHERIN- RELATED TUMOR SUPPRESSOR HOMOLOG PRECURSOR (FAT PROTEIN HOMOLOG). >gnl PID d1022418 cadherin [Homo sapiens] ;SUB 993-1132; Length = 4590	gil1107687	1	657	99	99	HSRAB84	Pancreas, Colon, Breast/Ovarian
198	828750	(AF035940) similar to mago nashi [Homo sapiens] >gil2330011 (AF007862) mm-Mago [Mus musculus] >gil2909828 (AF035939) similar to mago nashi [Mus musculus] >sp O35169 O35169 MM-MAGO. >sp G2909830 G2909830 MAGOH. >sp P50606 MGN_HUMAN MAGO NASHI PROTEIN HOMOL	gil2909830	13	546	100	100	HPJAC11	Pancreas, Prostate, Breast/Ovarian

199	828842	(AB007191) AMY-1 [Homo sapiens] >gnlPID[d]1009980 c-myc binding protein [Homo sapiens] >sp Q99417 Q99417 C-MYC BINDING PROTEIN. Length = 103	gnlPID[d]1023271	1	363	98	100	HOUGA12	Pancreas, Prostate, Breast/Ovarian
200	828843	p48 [Homo sapiens] >sp P50502 HIP_HUMAN HSC70-INTERACTING PROTEIN (PROGESTERONE RECEPTOR-ASSOCIATED P48 PROTEIN). >gil1857033 SCN6 gene product [Homo sapiens] {SUB 99-369} Length = 369	gil904032	3	761	99	100	HOVBK85	Lung, Pancreas, Prostate
201	828851	(AF054284) spliceosomal protein SAP 155 [Homo sapiens] >sp G4033735 G4033735 SPLICEOSOMAL PROTEIN SAP 155. >gil3387899 (AF070540) putative nuclear protein [Homo sapiens] {SUB 1011-1304} Length = 1304	gil4033735	1	1029	98	98	HOSGA73	Pancreas, Prostate
202	828856	thymidine kinase (EC 2.7.1.21) [Homo sapiens] >gil339719 thymidine kinase [Homo sapiens] >pir A27318 KIHUT thymidine kinase (EC 2.7.1.21). cytosolic - human >sp P04183 KITH_HUMAN THYMIDINE KINASE, CYTOSOLIC (EC 2.7.1.21). >gil339713 thymidine kinase [Homo	gil339709	1	804	99	100	HOHEN75	Prostate, Breast/Ovarian
203	828862	tyrosine kinase receptor [Homo sapiens] >pir B41527 B41527 transforming protein (axl(-)) - human Length = 885	gil292870	1	417	98	98	HOHR190	Prostate, Breast/Ovarian
204	828870	TRAM protein [Homo sapiens] >pir S30034 S30034 translocating chain-associating membrane protein - human >sp Q15629 Q15629 TRAM PROTEIN. Length = 374	gil37265	32	1279	94	94	HOEKU65	Lung, Pancreas, Colon

205	828873	precursor polypeptide (AA -31 to 1139) [Homo sapiens] >gi 538354 thrombospondin [Homo sapiens] {SUB 1-397} >gi 339669 thrombospondin [Homo sapiens] {SUB 1028-1170} >gi 532689 thrombospondin-1p180 [Homo sapiens] {SUB 364-422} Length = 1170	gi 37465	1	1398	100	100	HOHCJ26	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
206	828892	keratin [Homo sapiens] >sp Q14533 Q14533 KERATIN (HAIR TYPE II BASIC KERATIN) (KERATIN LIKE). >gn PID e118093 hair type II basic keratin [Homo sapiens] {SUB 81-505} >gi 951272 keratin like [Homo sapiens] {SUB 249-505} >bbs 161491 type II hair keratin {cl	gn PID e321549	3	653	90	91	HOGAA83	Lung, Prostate, Breast/Ovarian
207	828893	ESX [Homo sapiens] >gi 1841523 ESE-1b [Homo sapiens] >gi 2338756 (AF017307) Eis-related transcription factor [Homo sapiens] >gi 2384740 (AF016295) Eis transcription factor [Homo sapiens] >gi 2459797 epithelial-specific ets protein [Homo sapiens] >sp P78545	gi 1754538	36	1253	86	86	HOGAS09	Pancreas, Prostate, Colon, Breast/Ovarian
208	828897	prostin [Homo sapiens] >gi 862305 prostasin [Homo sapiens] >pir A57014 A57014 prostasin (EC 3.4.21.-) precursor - human >sp G565130 G565130 PROSTASIN=SERINE PROTEINASE (N-TERMINAL). {SUB 45-64} Length = 343	gi 1143194	59	811	92	92	HBCAY53	Pancreas, Colon, Breast/Ovarian

209	828910	light chain 3 subunit of microtubule-associated proteins 1A and 1B [Rattus norvegicus] >pir A53624 A53624 microtubule-associated protein 1 light chain 3 - rat >sp Q62625 MPL3_RAT MICROTUBULE-ASSOCIATED PROTEINS 1A/1B LIGHT CHAIN 3 (MAP1A/MAP1B LC3). {SUB	gi 455109	28	540	96	98	HOHDY41	Prostate, Colon
210	828927	cytochrome c oxidase subunit Va [Homo sapiens] >pir JT0342 OTHU5A cytochrome-c oxidase (EC 1.9.3.1) chain Va precursor - human >sp P20674 COXA_HUMAN CYTOCHROME C OXIDASE POLYPEPTIDE VA PRECURSOR (EC 1.9.3.1). >gi 3859864 (AF067635) cytochrome c oxidase su	gi 695360	1	567	99	99	HHFJM88	Lung, Breast/Ovarian
211	828932	80K-II protein [Homo sapiens] >gi 1293640 protein kinase C substrate 80K-II [Homo sapiens] >pir A32469 A32469 80K protein H precursor - human >sp P14314 G19P_HUMAN PROTEIN KINASE C SUBSTRATE, 80 KD PROTEIN, HEAVY CHAIN (PKCSH) (80K-II PROTEIN). Length = 527	gi 182855	82	1026	83	83	INTAC57	Lung, Pancreas, Prostate, Breast/Ovarian
212	828933	Csa-19 [Homo sapiens] Length = 217	gi 531171	439	852	97	98	HEMCA07	Lung, Pancreas, Breast/Ovarian
213	828941	ORF YJL115w [Saccharomyces cerevisiae] >gi 171091 ASF1 [Saccharomyces cerevisiae] >pir S30766 S30766 ASF1 protein - yeast (Saccharomyces cerevisiae) >sp P32447 ASF1_YEAST ANTI-SILENCING PROTEIN 1. Length = 279	gi 1008304	1	729	59	74	HMG1B125	Lung, Pancreas, Colon, Breast/Ovarian

214	828957	F3IC3.5 [Caenorhabditis elegans] >sp O62193 O62193 F3IC3.5 PROTEIN. Length = 180	gnl PIDe1346411	3	635	37	68	HMWHG54	Prostate, Breast/Ovarian
215	828963	house-keeping protein [Mus musculus] >pir S27870 S27870 house-keeping protein - mouse >sp Q61669 Q61669 HOUSE-KEEPING PROTEIN 1. Length = 396	gi 193871	73	1293	55	77	HMWB191	Lung, Prostate, Colon, Breast/Ovarian
216	828964			639	905			HMWFZ60	Pancreas, Prostate, Colon, Breast/Ovarian
217	828966	S-adenosylhomocysteine hydrolase [Homo sapiens] >pir A43629 A43629 adenosylhomocysteinase (EC 3.3.1.1) - human Length = 432	gi 178279	2	1372	98	98	HMWVF54	Lung, Pancreas, Prostate, Breast/Ovarian
218	828967	putative tRNA synthetase-like protein [Homo sapiens] >gi 4104935 (AF042347) putative phenylalanyl-tRNA synthetase alpha-subunit; PheHA [Homo sapiens] >sp E317305 E317305 PUTATIVE tRNA SYNTHETASE-LIKE PROTEIN. >sp G2102679 G2102679 PUTATIVE tRNA SYNTHETASE	gi 2102679	3	1535	98	98	HMUB112	Pancreas, Prostate, Breast/Ovarian
219	828977	insulin-like growth factor binding protein 2 [Homo sapiens] >bbs 106618 insulin-like growth factor binding protein-2, IGFBP-2 [human, placenta, Peptide, 328 aa] [Homo sapiens] >pir A41927 A41927 insulin-like growth factor-binding protein 2 precursor - hum	gi 179477	2	685	100	100	HMVAW27	Lung, Pancreas, Prostate, Breast/Ovarian

220	828978	annexin IV (placental anticoagulant protein II) [Homo sapiens] >gnl PID d1011889 annexin IV (carbohydrate-binding protein p33/41) [Homo sapiens] >pir A42077 A42077 annexin IV - human >sp P09525 ANX4_HUMAN ANNEXIN IV (LIPOCORTIN IV) (ENDONEXIN I) (CHROMOIB	gii 78699	213	1184	100	100	HNTMH78	Lung, Pancreas, Prostate
221	828979	plasma gelsolin [Homo sapiens] >pir A0301 FAHUP gelsolin precursor, plasma - human >sp P06396 GELS_HUMAN GELSOLIN PRECURSOR, PLASMA (ACTIN-DEPOLYMERIZING FACTOR) (ADF) (BREVIN) (AGEL). >gnl PID e20565 plasma gelsolin (AA 49-117) [Homo sapiens] {SUB 49-11	gii 736249	635	2336	99	99	HMUBO53	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
222	829001			1621	1959			IMSJ30	Lung, Pancreas, Prostate, Breast/Ovarian
223	829003			635	2336	99	99	HMSKA53	Lung, Pancreas, Prostate
224	829016	(AB006625) The human homolog of a mouse imprinted gene, Peg3. [Homo sapiens] >sp P78418 P78418 KIA0287 (PEG3) (FRAGMENT). >gii 899244 PEG3 [Homo sapiens] {SUB 518-1132} Length = 1132	dbj AB006625_1	409	759	87	87	IMI173	Prostate, Breast/Ovarian
225	829027	ras-like protein [Homo sapiens] >pir D34788 TVHUC4 transforming protein ras (teratocarcinoma clone TC10) - human Length = 213	gii 190881	2	577	100	100	HMIBE59	Prostate, Colon

226	829028	RnudC gene product [Rattus norvegicus] >pir A55897 A55897 prolactin-induced T cell protein c15 - rat >sp Q63525 Q63525 C15 MRNA. Length = 332	gil619907	31	1110	95	98	HMGIBQ56	Pancreas, Prostate, Breast/Ovarian
227	829031	protocadherin X [Mus musculus] >sp G409553 G409553 PROTOCADHERIN X. Length = 928	gil4099553	116	637	90	93	IIMGIB69	Lung, Pancreas, Prostate, Breast/Ovarian
228	829034			28	1362			HMEIY69	Pancreas, Prostate
229	829036	Similar to B subtilis Poly(A) polymerase (SW:PAPS_BACSU) [Caenorhabditis elegans] >sp Q93795 Q93795 F55B12.4 PROTEIN. Length = 440	gnl P D e 1347205	114	1151	67	81	IIMELJ75	Pancreas, Prostate
230	829049	UDP-Gal:GlcNAc galactosyltransferase [Homo sapiens] >sp O60910 O60910 UDP-GAL:GLCNAC GALACTOSYLTRANSFERASE. Length = 393	gnl P D e 1283714	233	1444	94	94	HMEFQ33	Prostate, Colon
231	829073			193	843			HL YCD85	Pancreas, Prostate
232	829075			2	484			HMAAD66	Lung, Pancreas, Prostate, Breast/Ovarian
233	829076			3	665			HADDC41	Lung, Pancreas, Breast/Ovarian
234	829080			3	500			IIMABG80	Prostate, Breast/Ovarian
235	829087	small GTP-binding protein [Oryctolagus cuniculus] >pir A48500 A48500 small GTP-binding protein Rab25 - rabbit Length = 213	gil436001	157	873	95	97	HL WBY67	Pancreas, Prostate, Breast/Ovarian

236	829092	UDP-galactose translocator [Homo sapiens] >pir C4903 C4903 UDP-galactose transporter, splice form 1 - human Length = 393	gn PID d1013353	1	513	85	85	HLWBC74	Pancreas, Prostate
237	829095			3	425			HLWBM89	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
238	829096	antiquitin=26g turgor protein homolog [human, kidney, Peptide, 511 aa] [Homo sapiens] >pir A54676 A54676 antiquitin - human >sp P49419 DHAX_HUMAN ANTIQUITIN (EC 1.2.1.-). Length = 511	bbs I58840	552	1628	97	97	HLWAO28	Prostate, Breast/Ovarian
239	829118	nuclear autoantigen fo 14 kDa [Homo sapiens] >sp O43805 O43805 NUCLEAR AUTOANTIGEN FO 14 KDA. Length = 119	gn PID e322419	2	415	99	99	HLSDA35	Lung, Prostate
240	829152	unknown protein precursor [Homo sapiens] >pir JN0596 JN0596 fibrinogen-related protein HFRP-1 precursor - human >sp Q08830 Q08830 FIBRINOGEN-LIKE PROTEIN 1 PRECURSOR. Length = 312	gn PID d1003846	215	1231	95	95	HLKUR2	Lung, Pancreas, Prostate
241	829160	ubiquitin-conjugating enzyme UbcH6 [Homo sapiens] Length = 193	gi 1064914	2	769	83	83	HLFBF56	Lung, Pancreas, Prostate, Colon
242	829163			403	930			HSPBG80	Lung, Pancreas, Breast/Ovarian
243	829176	C4b-binding protein alpha chain [Homo sapiens] >gi 190502 C4b-binding protein alpha chain [Homo sapiens] >pir A33568 NBHUC4 C4b-binding protein alpha chain precursor - human >sp P04003 C4BP_HUMAN C4B-BINDING PROTEIN ALPHA CHAIN PRECURSOR (PROLINE-RICH PRO	gi 190500	3	662	100	100	HLQBR92	Lung, Pancreas
244	829204			515	913			HLISB22	Prostate, Breast/Ovarian

245	829207		111	977	HLISA66	Prostate, Breast/Ovarian
246	829228		1	2508	HKG8Q77	Lung, Prostate, Colon
247	829252		96	1322	HNAP121	Pancreas, Prostate
248	829254		1	483	HKFB196	Lung, Pancreas, Prostate, Breast/Ovarian
249	829269		121	474	HKAIE96	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
250	829277		3	596	IUPCG91	Lung, Prostate
251	829290		100	207	HJBDL52	Lung, Pancreas, Prostate, Breast/Ovarian
252	829294		3	1847	HISDU47	Pancreas, Prostate
253	829299		3	794	HIIEC32	Lung, Pancreas, Prostate
254	829308	d11409.2 (Melanoma-Associated Antigen MAGIE LIKE) [Homo sapiens] >sp O76058 O76058 D11409.2 (MELANOMA-ASSOCIATED ANTIGEN MAGIE LIKE). Length = 606	207	938	IIIBCNO3	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
255	829349	ribosomal protein S15a [Rattus norvegicus] >pir JC2234 JC2234 ribosomal protein S15a - rat Length = 130	152	547	HICAF44	Lung, Pancreas, Prostate, Breast/Ovarian
256	829354	RAD4 gene product [Saccharomyces cerevisiae] Length = 730	1	1113	HAJBD51	Lung, Pancreas, Breast/Ovarian

257	829388	DNase protein [Homo sapiens] >gil1620214 XIB [Homo sapiens] >pirJC4633JC4633 DNase I-like endonuclease (EC 3.1.-.-) - human >spIP49184IPRNL_HUMAN MUSCLE-SPECIFIC DNASE I-LIKE PRECURSOR (EC 3.1.21.-) (DNASE X) (XIB). Length = 302	gil929628	319	1281	94	94	HUVC122	Lung, Pancreas, Colon, Breast/Ovarian
258	829540			258	437			HAPOU28	Lung, Pancreas, Colon, Breast/Ovarian
259	829626	mannosyl-oligosaccharide 1,2-alpha-mannosidase (EC 3.2.1.113) - rabbit (fragment) >gil474282 mannosyl-oligosaccharide alpha-1,2-mannosidase [Oryctolagus cuniculus] (SUB 12-480) Length = 480	pirIB54408IB54408	3	764	75	88	HCEES14	Lung, Pancreas, Colon, Breast/Ovarian
260	829730	underexpressed in thyroid tissue after TSH stimulation [Canis familiaris] >spIQ28283IQ28283 CSFW PROTEIN. Length = 343	gnlPIDle252512	455	1153	62	75	HAJBK53	Pancreas, Breast/Ovarian
261	829892	(AF033651) cellular apoptosis susceptibility protein [Homo sapiens] >spO75432O75432 CELLULAR APOPTOSIS SUSCEPTIBILITY PROTEIN. Length = 971	gil3598795	64	1053	85	85	HAMFJ43	Lung, Prostate
262	829933	(AF035606) calcium binding protein [Homo sapiens] >spO75340O75340 CALCIUM BINDING PROTEIN. Length = 191	gil3342794	1	540	86	86	HAICT76	Pancreas, Prostate
263	829938	(AF067855) geminin [Homo sapiens] >spO75496O75496 GEMININ. Length = 209	gil3249005	230	952	93	93	HAIBS55	Pancreas, Prostate
264	829969			551	814			HACCB64	Lung, Pancreas, Prostate, Breast/Ovarian

265	829982	(AF020352) NADH:ubiquinone oxidoreductase 15 kDa IP subunit [Homo sapiens] >gij2911482 (AF047434) NADH:ubiquinone oxidoreductase 15kDa subunit; C1-15 protein [Homo sapiens] >spj043920[NIPM_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE 15 KID SUBUNIT (EC 1.6.5.3)] (E	gij2655055	28	399	100	100	11AKGJ:25	Prostate, Breast/Ovarian
266	830007	catechol-O-methyltransferase [Homo sapiens] >gij403304 catechol O-methyltransferase [Homo sapiens] >pirj37406[A38459 catechol O-methyltransferase (EC 2.1.1.6) - human >spj21964[COMT_HUMAN CATECHOL O-METHYLTRANSFERASE, MEMBRANE-BOUND FORM (EC 2.1.1.6)] (M	gij180920	110	1006	99	99	H6EDW66	Lung, Prostate, Breast/Ovarian
267	830019	(AF030249) putative dienoyl-CoA isomerase [Homo sapiens] >gij564065 peroxisomal enoyl-CoA hydratase-like protein [Homo sapiens] >pirj38882[38882 peroxisomal enoyl-CoA hydratase-like protein - human >spjQ1301[IECHI_HUMAN PROBABLE PEROXISOMAL ENOYL-COA HY	gij2623168	77	976	94	96	112MAC92	Prostate, Breast/Ovarian
268	830073			1	690			HBWBK27	Lung, Pancreas, Breast/Ovarian
269	830130			1	177			H2LAD55	Lung, Prostate, Breast/Ovarian
270	830134			16	1290			H2CBP53	Lung, Pancreas, Prostate, Colon, Breast/Ovarian

271	830135	neutrophil gelatinase associated lipocalin [Homo sapiens] >sp P80188 NGAL_HUMAN NEUTROPHIL GELATINASE-ASSOCIATED LIPOCALIN PRECURSOR (NGAL) (P25) (25 KD ALPHA-2-MICROGLOBULIN-RELATED SUBUNIT OF MMP-9) (LIPOCALIN-2) (ONCOGENE 24P3). Length = 198	gi 929657	2	763	100	100	H2MAC06	Pancreas, Prostate, Breast/Ovarian
272	830148	snRNP polypeptide B [Homo sapiens] >sp Q15182 Q15182 SNRNP POLYPEPTIDE B. Length = 285	gi 190247	96	839	79	79	HAICK77	Lung, Prostate, Breast/Ovarian
273	830149	threonyl-tRNA synthetase [Homo sapiens] >pir A38867 YSHUT threonine--tRNA ligase (EC 6.1.1.3) - human Length = 712	gi 1464742	3	2333	95	95	H2CBC04	Lung, Pancreas, Prostate
274	830154	spectrin SH3 domain binding protein 1 [Homo sapiens] >sp O76049 O76049 SPECTRIN SH3 DOMAIN BINDING PROTEIN 1. Length = 508	gi 3165429	2	1081	100	100	HYAAC49	Lung, Pancreas
275	830183	heat shock protein 84 - mouse >pir B34461 B34461 heat shock protein 90 beta - rabbit (fragment) (SUB 1-25) >sp P30947 HS9B_RABIT HEAT SHOCK PROTEIN HSP 90-BETA (HSP 84) (FRAGMENT). (SUB 2-25) >pir S13268 S13268 heat shock protein, 90K - bovine (fragment)	pir A35569 HHMS84	92	358			HWLQF08	Pancreas, Breast/Ovarian
276	830194	heat shock protein 90 beta - rabbit (fragment) (SUB 1-25) >sp P30947 HS9B_RABIT HEAT SHOCK PROTEIN HSP 90-BETA (HSP 84) (FRAGMENT). (SUB 2-25) >pir S13268 S13268 heat shock protein, 90K - bovine (fragment)	gi 2315332	3	1043	100	100	HLDCP20	Lung, Pancreas, Breast/Ovarian
277	830207	(AF016437) contains similarity to a C2H2-type zinc finger [Caenorhabditis elegans] >sp O16350 O16350 F13H6.1 PROTEIN. Length = 631	gi 2315332	173	1051	45	63	HWLMF07	Pancreas, Colon
278	830242			85	654			HWLUF58	Lung, Pancreas

279	830328	putative cyclin G1 interacting protein [Homo sapiens] >sp O43257 O43257 PUTATIVE CYCLIN G1 INTERACTING PROTEIN. Length = 154	gi 2668505	304	954	81	81	HWLEL26	Lung, Colon, Breast/Ovarian
280	830340	putative cell surface antigen [Rattus norvegicus] >sp P97881 P97881 PUTATIVE CELL SURFACE ANTIGEN. Length = 547	gi 1890275	1	336	63	81	HWLEG68	Pancreas, Colon
281	830341	peroxisomal acyl-coenzyme A oxidase, AOX [human, liver, Peptide, 661 aa] [Homo sapiens] Length = 661	bbs 14907	1	648	100	100	HSIAI179	Lung, Pancreas
282	830351			3	656			HWIQT21	Colon, Breast/Ovarian
283	830358			456	716			HSUAE53	Lung, Colon, Breast/Ovarian
284	830390	platelet membrane glycoprotein IIIa beta subunit [Homo sapiens] >sp O15495 O15495 PLATELET MEMBRANE GLYCOPROTEIN IIIA BETA SUBUNIT. Length = 784	gi 2443452	2	523	90	90	HWGQA69	Pancreas, Colon
285	830400	phosphate carrier protein [Homo sapiens] >pir B53737 B53737 phosphate carrier protein, form B - human Length = 361	gi 38262	2	1078	99	100	HWHPY68	Lung, Pancreas, Breast/Ovarian
286	830437	IgG Fc receptor I [Homo sapiens] >gi 292169 Fc gamma receptor 1 [Homo sapiens] >pir A39878 A39878 Fc gamma (IgG) receptor I-A (high affinity) precursor - human >sp Q92663 Q92663 FC GAMMA RECEPTOR I. Length = 374	gi 180279	3	1199	91	91	HWABG32	Lung, Colon

287	830458	HBp15/L22 [Sus scrofa] >gnl P D d1005074 HBp15/L22 [Mus musculus] >pir C2121 C2121 heparin-binding protein 15 - pig >pir C2119 C2119 heparin-binding protein 15 - mouse Length = 128	gnl P D d1005075	1	441	70	70	HDQMF96	Lung, Pancreas
288	830466	tenascin X [Homo sapiens] >sp P78530 P78530		988	1260			HOEEZ61	Lung, Colon
289	830497	TENASCIN X (TENASCIN-X). >gi2347137 (AF019413) tenascin X [Homo sapiens] {SUB 2593-4289} >pir A42175 A42175 tenascin homolog 3.9kF3-3 - human (fragment) {SUB 2793-2880} >pir B42175 B42175 tenascin homolog 3.9kF	gi 1841546	2	1331	99	99	HUFBX52	Lung, Breast/Ovarian
290	830511	carcinoembryonic antigen [Homo sapiens] >gi 178677 carcinoembryonic antigen precursor [Homo sapiens] >pir A36319 A36319 carcinoembryonic antigen precursor - human >sp P06731 CCEM_HUMAN CARCINOEMBRYONIC ANTIGEN PRECURSOR (CEA) (MECONIUM ANTIGEN 100) (CD66E	gi 180223	3	1292	99	99	HWLGV67	Pancreas, Colon
291	830512	carcinoembryonic antigen [Homo sapiens] >gi 178677 carcinoembryonic antigen precursor [Homo sapiens] >pir A36319 A36319 carcinoembryonic antigen precursor - human >sp P06731 CCEM_HUMAN CARCINOEMBRYONIC ANTIGEN PRECURSOR (CEA) (MECONIUM ANTIGEN 100) (CD66E	gi 180223	3	2213	87	89	HUFCT29	Lung, Pancreas

292	830513		3	215		HPRTG72	Lung, Colon, Breast/Ovarian
293	830540	protein kinase MUK2 [Rattus norvegicus] >gi2772514 serine/threonine protein kinase [Rattus norvegicus] >sp P35465 PAK1_RAT SERINE/THREONINE-PROTEIN KINASE PAK- ALPHA (EC 2.7.1.-) (P68-PAK) (P21- ACTIVATED KINASE) (ALPHA-PAK) (PROTEIN KINASE MUK2). Length	2	733	100	HTLHR67	Lung, Pancreas, Colon
294	830550	guanine nucleotide-binding regulatory protein-beta- 2 subunit [Homo sapiens] >gi339935 transducin beta-2 subunit [Homo sapiens] >gi3135310 (AF033356) GNB2 [Homo sapiens] >pirB26617 RGHUB2 GTP-binding regulatory protein beta-2 chain - human >sp P11016 GB	3	500	100	HTWJC08	Lung, Breast/Ovarian
295	830567		141	377		HTTBH33	Lung, Pancreas
296	830586	(2'-5')oligoadenylate synthetase [Homo sapiens] Length = 364	2	1192	98	HKACP86	Pancreas, Prostate, Breast/Ovarian
297	830632	P2 gene for c subunit of mitochondrial ATP synthase gene product [Homo sapiens] >gnl PID d1002921 ATP synthase subunit c precursor [Homo sapiens] >pir S34067 S34067 H+- transporting ATP synthase (EC 3.6.1.34) lipid- binding protein P2 precursor, mitochondri	264	803	85	HTPCV95	Lung, Breast/Ovarian

298	830645	propionyl CoA carboxylase beta subunit, beta PCC (EC 6.4.1.3) [human, liver, placenta, HL 1008, Peptide, 539 aa] [Homo sapiens] >pir A53020 A53020 propionyl-CoA carboxylase (EC 6.4.1.3) beta chain precursor - human >gil3036995 propionyl-CoA carboxylase B	bbs 140816	54	1505	99	99	HTEDS58	Lung, Pancreas, Colon
299	830652	strong homology to human RING3 sequence [Homo sapiens] >sp O60885 O60885 HUNK1 MRNA. Length = 722	gn P D e 290115	1	177	64	64	HUKFL74	Lung, Colon
300	830659	CDC42 GTP-binding protein [Canis familiaris] >gil183490 GTP-binding protein G25K [Homo sapiens] >gil293321 CDC42Mm [Mus musculus] >gil1049309 CDC42 protein [Mus musculus] >pir A39265 A39265 GTP-binding protein G25K, placental - human >pir S57563 S57563 CD	gil887408	118	714	100	100	HKAOE74	Lung, Pancreas, Breast/Ovarian
301	830696			2	514			IISTB195	Lung, Breast/Ovarian
302	830706			2457	2909			HELFC05	Pancreas, Breast/Ovarian
303	830743	ATP SYNTHASE EPSILON CHAIN, MITOCHONDRIAL (EC 3.6.1.34). Length = 50	sp P56381 ATPE_HUMAN	53	262	100	100	HCBBA51	Lung, Colon
304	830770	p21-activated protein kinase [Homo sapiens] >pir S58682 S58682 protein kinase, p21-activated (EC 2.7.1.-) - human Length = 525	gil780808	1	498	99	99	HEMCG27	Lung, Colon, Breast/Ovarian
305	830830	(AF002822) cyclin B2 [Homo sapiens] >sp G4101270 G4101270 CYCLIN B2. Length = 398	gil4101270	99	1358	99	99	HIROCIE57	Lung, Pancreas, Colon

306	830838			1	747		HS2AF59	Lung, Pancreas, Colon, Breast/Ovarian
307	830851			2	718		HTX1J25	Pancreas, Colon
308	830853			2	1183		HRDDS42	Pancreas, Colon
309	830856			542	874		HSAAX81	Colon, Breast/Ovarian
310	830862	ribosomal protein [Homo sapiens] >gi 453281 ribosomal protein S23 [Rattus norvegicus] >pir S41955 S41955 ribosomal protein S23, cytosolic - rat >pir S42105 S42105 ribosomal protein S23, cytosolic - human >pir 52292 52292 ribosomal protein S23 - rat >gnl	gnl P D d1003910	3	518	100	HL1C05	Lung, Prostate, Breast/Ovarian
311	830879	(AJ002120) Zfx [Monodelphis domestica] >sp O19019 O19019 ZFX TYPE GENE (FRAGMENT). Length = 180	gnl P D e354749	2	592	39	HVAAB82	Pancreas, Colon
312	830919			69	536		HOUHK65	Pancreas, Breast/Ovarian
313	830969	(AF005046) serine/threonine kinase [Homo sapiens] >gnl P D e1371371 (AJ011855) PAK4 protein [Homo sapiens] >sp G4101587 G4101587 SERINE/THREONINE KINASE. Length = 591	gi 4101587	140	514	96	HOGAU20	Pancreas, Breast/Ovarian
314	830991	insulin-like growth factor-binding protein [Homo sapiens] >gi 386791 growth factor-binding protein- 3 [Homo sapiens] >gi 398164 insulin-like growth factor binding protein 3 [Homo sapiens] >pir A36578 IOHU3 insulin-like growth factor- binding protein 3 precu	gi 183116	2	607	86	HDLAE73	Pancreas, Breast/Ovarian

315	831002	cyclin [Homo sapiens] >gi 387005 proliferating cell nuclear antigen (PCNA) [Homo sapiens] >pirA27445 WMHUET proliferating cell nuclear antigen - human >sp P12004 PCNA_HUMAN PROLIFERATING CELL NUCLEAR ANTIGEN (PCNA) (CYCLIN). Length = 261	gi 181272	168	974	100	100	HOEMJ36	Colon, Breast/Ovarian
316	831003	T-plastin - human >sp P13797 PLST1_HUMAN T-PLASTIN. (SUB 4-630) >gi 190028 T-plastin. polypeptide [Homo sapiens] (SUB 61-630) >gi 339848 T-plastin [Homo sapiens] (SUB 1-143) >gi 292832 T-plastin [Homo sapiens] (SUB 588-630) Length = 630	pir A34789 A34789	91	2007	94	95	HAIBD64	Lung, Pancreas
317	831021			474	662			HE8BN45	Pancreas, Colon, Breast/Ovarian
318	831036	(A1006068) dTDP-D-glucose 4,6-dehydratase [Homo sapiens] >sp E1363774 E1363774 DTDP-D-GLUCOSE 4,6-DEHYDRATASE (EC 4.2.1.46). Length = 350	gnl P1D1e 1363774	1	621	100	100	HNTSQ61	Pancreas, Colon
319	831071	lrp gene product [Homo sapiens] >pir S57723 S57723 lrp protein - human >sp Q14764 MVP_HUMAN MAJOR VAULT PROTEIN (MVP) (LUNG RESISTANCE-RELATED PROTEIN). Length = 896	gi 895840	67	2610	94	94	HWLEG93	Lung, Pancreas
320	831094			755	928			HNFEO67	Colon, Breast/Ovarian

321	831099	fibronectin receptor beta subunit precursor (AA -20 to 778) [Homo sapiens] >pir B27079 B27079 fibronectin receptor beta chain precursor - human >sp P05536 TBI_HUMAN FIBRONECTIN RECEPTOR BETA SUBUNIT PRECURSOR (INTEGRIN BETA-1) (CD29) (INTEGRIN VLA-4 BETA	gi 31442	3	1697	99	100	HA5AB03	Lung, Pancreas, Colon, Breast/Ovarian
322	831113	4E-binding protein 1 [Homo sapiens] >pir S0866 S0866 4E-BP1 protein - human >pir C5899 C5899 initiation factor 4E-binding protein 1 - human >sp Q13541 Q13541 4E- BINDING PROTEIN 1. Length = 118	gi 561630	1	414	100	100	HMWH/HP74	Lung, Pancreas, Colon, Breast/Ovarian
323	831120			1	1221			HWLHY12	Pancreas, Colon
324	831172	Similarity to Human hnRNP F protein (PIR Acc. No. S43484); (AF042501) cytochrome b [Homo sapiens] >sp O78829 O78829 CYTOCHROME B (FRAGMENT). Length = 380	gn P1D e1349635	2	721	52	66	III.WBE22	Pancreas, Breast/Ovarian
325	831178		gi 3372365	512	829	69	70	HDI.AG61	Lung, Colon
326	831184			770	1399			HWLGP91	Lung, Pancreas, Colon
327	831203			3	545			HMICQ42	Pancreas, Colon, Breast/Ovarian
328	831210	TGF-beta masking protein large subunit [Rattus norvegicus] >pir A38261 A38261 masking protein precursor - rat Length = 1712	gi 207286	1	498	86	91	HMEI162	Pancreas, Colon
329	831228			104	214			HMEAM30	Lung, Pancreas, Breast/Ovarian

330	831256	MLN 64 [Homo sapiens] >dbj D38255.1 CABI [Homo sapiens] >pir I38027 I38027 MLN 64 protein - human >sp Q14849 Q14849 MLN64 mRNA. Length = 445	gi 951279	658	1164	94	94	HMTBL29	Lung, Pancreas
331	831257	MLN 64 [Homo sapiens] >dbj D38255.1 CABI [Homo sapiens] >pir I38027 I38027 MLN 64 protein - human >sp Q14849 Q14849 MLN64 mRNA. Length = 445	gi 951279	323	862	91	91	HLWDQ05	Pancreas, Colon
332	831277			3	1310			HUTHD56	Lung, Pancreas, Colon
333	831317	inter-alpha-trypsin inhibitor light chain [Homo sapiens] >gi 32047 HC polypeptide [Homo sapiens] >gi 24479 precursor polypeptide [Homo sapiens] >gi 825614 alpha1-microglobulin [Homo sapiens] >pir S13433 HCHU alpha-1-microglobulin/inter-alpha-trypsin inhib	gi 186600	193	1290	100	100	HLQAC21	Pancreas, Breast/Ovarian
334	831339	(AB012276) ATFx [Mus musculus] >sp O7019 O70191 ATFx (FRAGMENT). >sp G246896 G246896 ATFx=ATF4 RELATED PROTEIN. {SUB 1-37} >sp G246899 G246899 ATFx=ATF4-RELATED PROTEIN. {SUB 38-76} Length = 84	gn P D d 102624	631	1029	90	93	HLICC93	Lung, Colon, Breast/Ovarian
335	831363	acyl coenzyme A:cholesterol acyltransferase, carboxylesterase, ACAT {EC 2.3.1.26} [human, liver, Peptide, 568 aa] [Homo sapiens] >sp G415564 G415564 CARBOXYLESTERASE {EC 3.1.1.1}. {SUB 20-568} >gi 179930 carboxylesterase [Homo sapiens] {SUB 62-568} Length	bbs 15648	123	1871	98	98	HLDNIR55	Lung, Colon

336	831367	D-dopachrome tautomerase [Homo sapiens] >gil1864028 D-dopachrome tautomerase [Homo sapiens] >gil3047378 (AF058293) D-dopachrome tautomerase [Homo sapiens] >gil171354 phenylpyruvate tautomerase II [Homo sapiens] >gil2352915 (AF012434) D-dopachrome ta	gil1805303	325	618	100	100	111.DDR74	Lung, Colon
337	831379	cDNA from hypercalcemic tumour [Rattus norvegicus] >pirS28223[S28223 parathyroid hormone-like protein - rat >sp Q05310 L10K_RAT LEYDIG CELL TUMOR 10 KD PROTEIN, Length = 93	gil57064	3	383	90	95	HKQAC03	Lung, Pancreas, Colon, Breast/Ovarian
338	831385			96	377			HKIMC75	Lung, Pancreas, Colon, Breast/Ovarian
339	831390	aldehyde reductase (EC 1.1.1.2) [Homo sapiens] >gil2707824 (AF036683) aldehyde reductase [Homo sapiens] >pir A33851 A33851 alcohol dehydrogenase (NADP+) (EC 1.1.1.2) - human >sp G2707824 G2707824 ALDEHYDE REDUCTASE. >sp P14550 ALDX_HUMAN ALCOHOL DEHYDROGE	gil178481	254	1312	94	94	HK(G)D04	Lung, Pancreas

340	831391	islet regenerating protein [Homo sapiens] >pirA35197 RGHUIA regenerating islet lectin 1- alpha precursor - human >sp P05451 LITA_HUMAN LITHOSTATHINE 1 ALPHA PRECURSOR (PANCREATIC STONE PROTEIN) (PSP) (PANCREATIC THREAD PROTEIN) (PTP) (ISLET OF LANGERHANS	gil190979	71	592	100	100	HLDBE06	Pancreas, Colon
341	831405	factor H homologue [Homo sapiens] >pir 56100 56100 factor H homologue - human >sp Q0359 CFH1_HUMAN COMPLEMENT FACTOR H-LIKE PROTEIN 1 PRECURSOR (H36). Length = 330	gil183763	53	1078	94	94	HLDOB31	Lung, Pancreas, Colon, Breast/Ovarian
342	831442	PDGF associated protein [Homo sapiens] >sp Q13442 HP28_HUMAN 28 KD HEAT- AND ACID-STABLE PHOSPHOPROTEIN (HASPP28) (PDGF ASSOCIATED PROTEIN). Length = 181	gil1136584	2	595	60	60	HKAEB15	Lung, Pancreas, Colon, Breast/Ovarian
343	831476	dermatopontin [Homo sapiens] >pir A47220 A47220 dermatopontin precursor - human >sp Q07507 DERM_HUMAN DERMATOPONTIN PRECURSOR. >pir S34838 S34838 tyrosine-rich acidic matrix protein - pig {SUB 101-144} Length = 201	gil311614	1	630	91	91	HJMBK21	Lung, Pancreas, Colon
344	831488	similar to Saccharomyces cerevisiae Spt4; protein has potential N-terminal zinc-finger [Homo sapiens] >gil1401053 SPT4H [Homo sapiens] >gil1401055 SPT4H [Homo sapiens] >gil1401066 Spt4h [Mus musculus] >gil3779194 chromatin structural protein homolog [M	gil1209779	158	580	100	100	HJBCG39	Colon, Breast/Ovarian

345	831518		240	467		HATCV09	Pancreas, Colon, Breast/Ovarian
346	831519	(AF062536) cullin 1 [Homo sapiens] >sp O60719 O60719 CULLIN 1. >gi 4153866 (AC005229) cullin 1 [Homo sapiens] (SUB 1-263) Length = 776	165	1712	100	H01C149	Pancreas, Breast/Ovarian
347	831521		3	863		HIBCE91	Colon, Breast/Ovarian
348	831550	met-13a protein - mouse Length = 132	158	457	70	HCHNH46	Lung, Pancreas, Breast/Ovarian
349	831560		1474	1818		HCROA68	Pancreas, Breast/Ovarian
350	831562	fibromodulin [Homo sapiens] >sp Q06828 FMOD_HUMAN FIBROMODULIN PRECURSOR (FM) (COLLAGEN-BINDING 59 KD PROTEIN) Length = 376	28	1272	90	HEGAD80	Pancreas, Breast/Ovarian
351	831570	(AF042822) epithin [Mus musculus] >sp G4104970 G4104970 EPITHIN. Length = 902	2	1861	77	HLWCC68	Lung, Pancreas, Colon
352	831593		726	878		HHBFV28	Lung, Pancreas
353	831596	32 kd accessory protein [Bos taurus] >gi 190376 proton ATPase accessory subunit [Homo sapiens] {SUB 264-351} Length = 351	2	808	100	HHEDJ61	Colon, Breast/Ovarian
354	831627		1	903		HBJH46	Lung, Pancreas
355	831649		1	738		HFTDD09	Lung, Colon
356	831664	transformation upregulated nuclear protein - human Length = 464	180	1574	94	HIPCU40	Lung, Colon

357	831674	complement protein C8 beta subunit precursor [Homo sapiens] >pir A4307 JC8HUB complement C8 beta chain precursor - human >sp P07358 CO8B_HUMAN COMPLEMENT COMPONENT C8 BETA CHAIN PRECURSOR. Length = 591	gi 179720	1	1338	96	96	HLDOX36	Pancreas, Colon
358	831684	(AF033630) monocyte/neutrophil elastase inhibitor [Homo sapiens] >pir S27383 S27383 elastase inhibitor - human >sp P30740 ILEU_HUMAN LEUKOCYTE ELASTASE INHIBITOR (LEI) (MONOCYTE/NEUTROPHIL ELASTASE INHIBITOR) (EI). >sp G2997692 G2997692 MONOCYTE/NEUTROPHIL	gi 2997692	1	1311	96	96	HFOXE22	Pancreas, Colon
359	831687	Mpv17 [Mus musculus] >pir S29031 S29031 mpv17 protein - mouse >sp P19258 MPV1_MOUSE MPV17 PROTEIN. >gi 3252875 (AF038632) Mpv17 protein [Mus musculus] {SUB 155-176} Length = 176	gi 199790	60	305	89	93	UUKH075	Pancreas, Colon
360	831726	rat ribosomal protein L36 [Rattus norvegicus] >pir JN0483 JN0483 ribosomal protein L36 - rat Length = 105	gi 312345	77	454	98	98	HAGDQ96	Lung, Breast/Ovarian
361	831736			95	484			HLWEQ18	Colon, Breast/Ovarian
362	831762			37	720			HEQB179	Pancreas, Colon
363	831801	ear-2 gene product [Homo sapiens] >pir S02709 S02709 ear-2 protein - human >sp P10588 EAR2_HUMAN V-ERBA RELATED PROTEIN EAR-2. Length = 403	gi 31065	3	812	76	77	HKAHB85	Lung, Pancreas, Breast/Ovarian

364	831848		2018	2284		HE5AF82	Lung, Colon, Breast/Ovarian
365	831861	(AF076786) serum amyloid A-activating factor SAF-8 (Oryzodagus cuniculus) >sp G3986442 G3986442 SERUM AMYLOID A- ACTIVATING FACTOR SAF-8 (FRAGMENT). Length = 214	341	775	77	HUPCX51	Lung, Pancreas, Breast/Ovarian
366	831866	(AF054174) histone macroH2A1.2 [Homo sapiens] >sp G3341992 G3341992 HISTONE MACROH2A1.2. Length = 371	53	1186	100	HE6FG90	Lung, Colon
367	831878		2	661		HDTLN67	Colon, Breast/Ovarian
368	831899		1	693		HDTBQ51	Colon, Breast/Ovarian
369	831913	nuclear antigen H731 [Homo sapiens] >pir JC5193 JC5193 nuclear protein H731 - human >sp Q99834 Q99834 NUCLEAR ANTIGEN H731. Length = 458	95	1132	96	HLYG/A31	Lung, Colon
370	831972	p619 [Homo sapiens] >pir S71752 S71752 giant protein p619 - human >sp Q15751 Q15751 P619. Length = 4861	331	855	58	HDPKK57	Lung, Pancreas, Breast/Ovarian
371	831985		425	805		HDPP36	Lung, Pancreas, Colon, Breast/Ovarian
372	831986		30	467		HCIC1168	Pancreas, Colon, Breast/Ovarian
373	832010	(AL021918) B3418.1 (Kruppel related Zinc Finger protein 184) [Homo sapiens] >sp O60792 O60792 B3418.1 (KRUPPEL RELATED ZINC FINGER PROTEIN 184). Length = 751	1	348	57	IIDFUB44	Lung, Pancreas, Colon

374	832016	C protein (AA 1-159) [Homo sapiens] >pir S01387 S01387.U1 snRNP protein C - human Length = 159	gij37543	2	604	100	100	HTTDC34	Lung, Breast/Ovarian
375	832041	metalloelastase HME (EC 3.4.24.-) - human >sp P39900 COGM_HUMAN MACROPHAGE METALLOELASTASE PRECURSOR (EC 3.4.24.65) (HME) (MATRIX METALLOPROTEINASE-12) (MMP-12). Length = 470	pir A49499 A49499	54	1472	100	100	HDPGC33	Lung, Pancreas, Colon
376	832044	5-aminimidazole-4-carboxamide-1-beta-D- ribofuranoside transformylase/inositase [Homo sapiens] >gnl P D d1022617 5-aminimidazole-4- carboxamide ribonucleotide transformylase [Homo sapiens] >pir JC4642 JC4642 purH bifunctional enzyme - human >sp Q13856	gnl P D d1012226	1	1794	99	99	HGCCOL40	Lung, Pancreas, Colon, Breast/Ovarian
377	832049	proteasome subunit HsC10-II [Homo sapiens] >pir S5504 S5504.1 multicatalytic endopeptidase complex (EC 3.4.99.46) beta chain C10-II - human >sp P49720 PRCT_HUMAN PROTEASOME THIETA CHAIN (EC 3.4.99.46) (MACROPAIN THIETA CHAIN) (MULTICATALYTIC ENDOPEPTIDASE C	gnl P D d1006190	84	710	99	100	HCFAU68	Lung, Pancreas, Breast/Ovarian
378	832122			427	846			HCUDT18	Lung, Pancreas, Colon, Breast/Ovarian
379	832148			246	380			HFHN81	Colon, Breast/Ovarian
380	832197			433	642			HCQA151	Pancreas, Breast/Ovarian
381	832237			290	553			HOCTE23	Lung, Colon
382	832246			66	959			HCMSD61	Lung, Pancreas

383	832256	ligand for eph-related receptor tyrosine kinases [Homo sapiens] >gil1809292 putative EPH-related PTK receptor ligand LERK-8 [Homo sapiens] >sp Q15768 EFB3_HUMAN EPHRIN-B3 PRECURSOR (EPH-RELATED RECEPTOR TYROSINE KINASE LIGAND 8) (LERK-8) (EPH-RELATED RECE	gil1469782	1	81	100	100	100	HBXAC19	Pancreas, Colon, Breast/Ovarian
384	832280	(AF071747) topoisomerase II alpha [Homo sapiens] >sp G3869316 G3869316 TOPOISOMERASE II ALPHA. Length = 1531	gil3869316	2	1141	79	79	79	INTSQ37	Lung, Colon, Breast/Ovarian
385	832285			1550	1783				HLTBQ50	Lung, Prostate
386	832294			1	666				HBMC80	Lung, Colon
387	832326			472	1131				HJPAT43	Lung, Colon, Breast/Ovarian
388	832333	CENP-B protein [Ovis aries] >sp P49451 CENB_SHEEP MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B) (FRAGMENT). Length = 239	gil1016292	3	551	96	96	96	HCHMS55	Pancreas, Breast/Ovarian
389	832346			295	471				HBAGU45	Colon, Breast/Ovarian
390	832370	HER2 receptor [Homo sapiens] >gil553282 c-erb-2 protein [Homo sapiens] (SUB 737-1031) >gil553332 HER-2/neu [Homo sapiens] (SUB 1-191) >gil183989 HER2 receptor (AA at 3) [Homo sapiens] (SUB 740-910) >gil182169 c-erb B2/neu protein [Homo sapiens] (SUB 1081-	gil306840	2	406	83	83	83	HFEIC83	Lung, Breast/Ovarian
391	832381			138	539				HATAA19	Pancreas, Breast/Ovarian

392	832394	platelet-endothelial tetraspan antigen 3 [Homo sapiens] >sp t48509 C151_HUMAN PLATELET- ENDOTHELIAL TETRAPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD151 ANTIGEN). Length = 253	gij541613	2	847	85	85	85	HLTD21	Lung, Pancreas
393	832454	precursor polypeptide [Homo sapiens] >pi A2597 C2HU complement C2 precursor - human >gi 187765 MHC complement component C2 [Homo sapiens] {SUB 21-46} Length = 752	gij34628	160	357	100	100	100	HLQB144	Prostate, Breast/Ovarian
394	832465	X box binding protein-1 [Homo sapiens]	gij306893	470	817	100	100	100	HAJBC51	Lung, Pancreas
395	832475	>pi A36299 A36299 transcription factor hXBP-1 - human Length = 260							HTJMJ52	Pancreas, Breast/Ovarian
396	832495	EB1 [Homo sapiens] >pi J52726 J52726 EB1 - human >sp Q15691 Q15691 EB1. Length = 268	gij998357	1	933	100			HAIDB85	Lung, Pancreas
397	832498	pyrroline-5-carboxylate synthase [Homo sapiens] >sp G409781 G4097816 PYRROLINE-5- CARBOXYLATE SYNTHASE. Length = 793	gij4097816	2	1036	95			HLTGQ24	Lung, Pancreas
398	832501			736	996				HAGF157	Lung, Pancreas, Colon
399	832505	protein synthesis factor [Homo sapiens] >sp 47813 F1A_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 1A (EIF- 1A) (EIF-4C). {SUB 2-144} Length = 144	gij306725	61	648	100			HRABV57	Lung, Pancreas, Prostate
400	832539	protein synthesis initiation factor 4A [Mus musculus] Length = 408	gij673433	472	1125	93			HRABO69	Lung, Breast/Ovarian
401	832554	HSXCN1 [Homo sapiens] >sp Q99736 Q99736 HSXCN1 (FRAGMENT). Length = 1928	gij2282576	409	927	99			HC1HX71	Pancreas, Breast/Ovarian

411	834861	factor activating exoenzyme S [Bos taurus] >gi189953 phospholipase A2 [Homo sapiens] >gi899459 14-3-3 protein [Homo sapiens] >pirA38246PSHUAM 14-3-3 protein zeta - human >pirA47389/A47389 14-3-3 protein zeta - bovine >sp P29312 143Z_HUMAN 14-3-3 PROT	gil63042	74	967	99	99	99	HBXFL41	Lung, Pancreas, Prostate, Breast/Ovarian
412	834890	TRANSCRIPTION FACTOR BTTF3 (RNA POLYMERASE B TRANSCRIPTION FACTOR 3). Length = 204	sp Q64152 BTTF3_M OUSE	70	588	90	91	91	112C1BT12	Lung, Pancreas, Prostate, Breast/Ovarian
413	835079			151	348				HOELH62	Lung, Pancreas, Breast/Ovarian
414	835554	homologue to sec61 [Rattus rattus] Length = 476	gi206886	121	1287	98	98	98	HOHBH04	Lung, Pancreas
415	835560	immunoglobulin M heavy chain [Homo sapiens]		2	574				HE9NK60	Lung, Pancreas
416	835723	>gi38408 immunoglobulin M heavy chain [Homo sapiens] >pir[S37768]S37768 Ig mu chain C region - human Length = 453	gi38406	48	1421	100	100	100	HLIFY90	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
417	835791	(AJ005890) JM1 [Homo sapiens] >sp O60826 O60826 JM1 PROTEIN, COMPLETE CDS (CLONE LLNL-C110M0111Q7 (RZPD BERLIN)AND LLNL-C110K2140Q7 (RZPD BERLIN)). Length = 627	gnl P D e1289743	437	1177	87	87	87	HTXJH25	Pancreas, Breast/Ovarian
418	835817			1369	1554				HAAJAZ17	Lung, Breast/Ovarian
419	835840			2	730				HHEOJ47	Lung, Pancreas
420	836048			2052	2276				HDQDV21	Lung, Prostate

421	836898	human P5 [Homo sapiens] >pir C4369 C4369 P5 protein - human >sp Q15084 ERP5_HUMAN PROBABLE PROTEIN DISULFIDE ISOMERASE P5 PRECURSOR (EC 5.3.4.1). Length = 440	gnl PID d1009061	3	1427	90	90	HWIIPV75	Lung, Pancreas, Colon, Breast/Ovarian
422	836927	(AF027299) protein 4, I-G [Homo sapiens] >sp O43491 O43491 PROTEIN 4, I-G. Length = 1005	gij2739096	3	1196	84	84	IIDTKY58	Lung, Pancreas
423	837344	SIR [Covpox virus] >sp O72763 O72763 SIR PROTEIN. Length = 210	gnl PID e1289272	38	658	48	58	HLDAG32	Lung, Prostate
424	837789	bikunin [Homo sapiens] >sp O00271 O00271 BIKUNIN. Length = 252	gij2065529	365	1231	91	91	IIDABR73	Colon, Breast/Ovarian
425	838549	(AL023828) Y17G7B.14 [Caenorhabditis elegans] >sp E1323274 E1323274 Y17G7B.14 PROTEIN. Length = 364	gnl PID e1323274	2	853	42	55	HDQDW56	Lung, Breast/Ovarian
426	838754			437	1198			HTEQK83	Lung, Pancreas, Breast/Ovarian
427	838768			570	770			IHWBCW80	Lung, Pancreas, Breast/Ovarian
428	839486	fibronectin precursor [Homo sapiens] >gij4096846 fibronectin [Homo sapiens] {SUB 76-454} >gij4096848 fibronectin [Homo sapiens] {SUB 1892-2103} >gij182706 fibronectin [Homo sapiens] {SUB 1921-2040} >gij182684 fibronectin [Homo sapiens] {SUB 2233-2328} Len	gij31397	2	493	98	98	HSLGC71	Lung, Breast/Ovarian
429	839561	p34 protein [Rattus sp.] >pir S36779 S36779 ribosome-binding protein p34 - rat >sp Q63742 Q63742 P34 PROTEIN. Length = 307	gnl PID d1003291	45	1133	86	88	HUVFB27	Lung, Pancreas, Prostate

430	839816	similar to plasmodium merozoite surface antigen precursor (SP:P04933) [Caenorhabditis elegans] >sp Q22585 Q22585 SIMILAR TO PLASMODIUM MEROZOITE SURFACE ANTIGEN PRECURSOR. Length = 634	gil1293808	1	432	46	61	HWADY11	Lung, Breast/Ovarian
431	840068	UMP-CMP kinase [Sus scrofa] >pir JC4181 JC4181 cytidylate kinase (EC 2.7.4.14) - pig >sp Q2956 IKCY_PIG UMP-CMP KINASE (EC 2.7.4.14) (CYTIDYLATE KINASE) (DEOXYCYTIDYLATE KINASE). Length = 196	gnl PID d1006692	2	757	97	99	HE8EH64	Lung, Pancreas, Breast/Ovarian
432	840279	(AF062328) p120 catenin isoform 1AB [Homo sapiens] >sp O60715 O60715 P120 CATENIN ISOFORMS 1AB, 2AB, 3AB AND 4AB. >gil3152823 (AF062322) p120 catenin isoform 2AB [Homo sapiens] {SUB 55-962} >gil3152855 (AF062338) p120 catenin isoform 3AB [Homo sapiens] {S	gil3152835	219	1493	93	93	HSRBI81	Lung, Pancreas
433	840489	connective tissue growth factor [Homo sapiens] >gil474934 connective tissue growth factor [Homo sapiens] >pir A40551 A40551 connective tissue growth factor - human >sp P29279 CTGF_HUMAN CONNECTIVE TISSUE GROWTH FACTOR PRECURSOR. >gil984956 connective tiss	gil180924	1038	1370	100	100	HOEMS29	Lung, Pancreas

434	840538	glycyl tRNA synthetase [Homo sapiens] >pir A55314 A55314 glycine--tRNA ligase (EC 6.1.1.14) precursor - human >gil600727 glycyl-tRNA synthetase [Homo sapiens] [SUB 55-739] >gil3845409 (AC004976) glycyl tRNA synthetase [Homo sapiens] [SUB 348-739] Length =	gnl PID d1006904	1	2298	100	100	HYAAN81	Lung, Pancreas, Prostate, Breast/Ovarian
435	840545			145	1302			HMCCK75	Lung, Pancreas, Colon, Breast/Ovarian
436	840549			1	492			HWLHG33	Lung, Prostate
437	840551	IgG Fc binding protein [Homo sapiens] Length = 5405	gnl PID d1020288	3	1409	93	93	HWLKM77	Lung, Prostate, Colon
438	840557			346	1014			HGFD519	Prostate, Colon
439	840561	putative [Mus musculus] >pir S15785 S15785 heat-stable antigen-related hypothetical protein HSA-C-mouse >sp Q61692 Q61692 HSA-C GENE CODING FOR HEAT STABLE ANTIGEN. Length = 141	gil51442	385	495	48	72	HLIBZ07	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
440	840562	(AB008549) type I procollagen C-proteinase enhancer protein [Homo sapiens] >gil3135316 (AF053356) PCOLCE [Homo sapiens] >sp O14550 O14550 TYPE I PROCOLLAGEN C-PROTEINASE ENHANCER PROTEIN. Length = 449	gil2589011	103	1476	96	96	HSSDI65	Lung, Pancreas, Prostate, Colon
441	840564	PQ-rich protein [Homo sapiens] >pir S58222 S58222 PQ-rich protein - human >sp Q15184 Q15184 PQ-RICH PROTEIN. Length = 400	gil929660	2	688	67	68	HPJDB01	Lung, Pancreas

442	840572	putative [Homo sapiens] >pir 54339 [54339 prot- oncogene - human >sp P35226 BM11_HUMAN DNA-BINDING PROTEIN BMI-1. Length = 326	gij291873	3	1172	95	95	HTGAZ34	Prostate, Colon
443	840600			3	119			HYAB130	Prostate, Breast/Ovarian
444	840604	Similarity to Mouse A-RAF proto-oncogene serine/threonine-protein kinase (SW:KRAA_MOUSE);	gnl P1D1e1344589	1	1359	82	87	HWLHN58	Lung, Pancreas, Prostate, Breast/Ovarian
445	840608	olfactomedin [Rana catesbeiana] >pir A47442 A47442 olfactomedin precursor - bullfrog >sp Q07081 OLFM_KANCA OLFACTOMEDIN PRECURSOR (OLFACTORY MUCUS PROTEIN). Length = 464	gij294502	200	1549	55	75	HWLFY46	Pancreas, Colon
446	840620			776	1267			HTXGB37	Lung, Prostate
447	840625			138	257			HTXDT74	Lung, Prostate
448	840626	nicotinamide N-methyltransferase [Homo sapiens] >gil1063610 nicotinamide N-methyltransferase [Homo sapiens] >pir A54060 A54060 nicotinamide N-methyltransferase (EC 2.1.1.1) - human >sp P40261 NNMT_HUMAN NICOTINAMIDE N-METHYLTRANSFERASE (EC 2.1.1.1). Length = 485	gij494989	485	1282	100	100	HULAS90	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
449	840638			16	351			HTTDV02	Prostate, Breast/Ovarian
450	840649	BL34=B cell activation gene [human, Peptide, 196 aa] [Homo sapiens] >pir 56165 [56165 B cell activation protein BL34 - human Length = 196	bbs 129951	1	651	100	100	HTWCY84	Lung, Prostate
451	840651			2	706			HTTAD76	Pancreas, Prostate

452	840666			2	826		HTOAF86	Lung, Prostate
453	840681			157	2187		HTAER63	Lung, Prostate
454	840682	siah binding protein 1 [Homo sapiens] >sp Q99628 Q99628 SIAH BINDING PROTEIN 1 (FRAGMENT). Length = 541	gij1809248	1	1734	99	HE9PW64	Lung, Breast/Ovarian
455	840684			3	539		HTGIBT14	Pancreas, Prostate, Breast/Ovarian
456	840697			96	560		HTECA52	Lung, Prostate
457	840698	t-complex-type molecular chaperone TCP1 - human >gij339211 t-complex 1 protein [Homo sapiens] [SUB 308-365] Length = 556	piqSI0486 SI0486	507	1853	97	HDABW50	Pancreas, Prostate
458	840708			1200	1487		HTEAF73	Lung, Prostate
459	840714	(AF053304) mitotic checkpoint component Bub3 [Homo sapiens] >gij2921873 (AF047472) spleen mitotic checkpoint BUB3 [Homo sapiens] >gij3639060 (AF081496) kinetochore protein BUB3 [Homo sapiens] >sp O43684 O43684 SPL1EN MITOTIC CHECKPOINT BUB3. Length = 328	gij2981231	175	1170	100	HTEGU90	Lung, Pancreas, Prostate, Breast/Ovarian
460	840716	(AC005326) asparagine synthetase [Homo sapiens] >sp G3341715 G3341715 ASPARAGINE SYNTHETASE. >gij703119 asparagine synthetase [Homo sapiens] [SUB 1-83] Length = 561	gij3341715	166	1860	94	HSYAI64	Lung, Prostate, Colon, Breast/Ovarian
461	840721			2	1324		HSUSE92	Lung, Pancreas, Prostate, Colon

462	840735	(AC002425) Gene product with similarity to Rat P8 [Homo sapiens] >gi 3202004 (AF069073) P8 protein [Homo sapiens] >gi 3202006 (AF069074) P8 protein [Homo sapiens] >sp O60356 O60356 GENE PRODUCT WITH SIMILARITY TO RAT P8. Length = 82	gi 2947054	111	392	64	64	HSRDN44	Lung, Pancreas, Prostate, Breast/Ovarian
463	840738			985	1230			ITTOJK11	Prostate, Colon
464	840745	52-kD SS-A/Ro autoantigen [Homo sapiens] Length = 475	gi 338490	2	694	46	63	ISSGC06	Lung, Prostate, Colon
465	840747	(AC004522) Zn-alpha2-glycoprotein [Homo sapiens] >sp O60386 O60386 ZN-ALPHA2-GLYCOPROTEIN. Length = 334	gi 3006228	368	877	95	95	HLDOI02	Lung, Pancreas, Breast/Ovarian
466	840756	(AB005624) rig-analog DNA-binding protein [Sus scrofa] >gi 306898 rig-analog protein (putative); putative [Homo sapiens] >gi 337416 human homologue of rat insulinoma gene (rig); putative [Homo sapiens] >gi 305361 Rig DNA-binding protein (putative); putati	gn PID d1022359	148	480	97	97	HCHBQ33	Lung, Pancreas, Colon, Breast/Ovarian
467	840776	Notch3 [Homo sapiens] >sp G2668592 G2668592 NOTCH3. Length = 2321	gi 2668592	2	364	82	82	HSKJZ22	Lung, Breast/Ovarian
468	840784	aldehyde dehydrogenase 6 [Homo sapiens] >pir A55684 A55684 aldehyde dehydrogenase (NADP+) (EC 1.2.1.3) 6 precursor, salivary - human >sp P47895 DHA6_HUMAN ALDEHYDE DEHYDROGENASE 6 (EC 1.2.1.5). Length = 512	gi 544482	1	618	94	95	HSKAC75	Lung, Prostate, Colon, Breast/Ovarian

469	840788	P1 gene for c subunit of human mitochondrial ATP synthase gene product [Homo sapiens] >gnl PID d1002920 ATP synthase subunit c precursor [Homo sapiens] >pir S34066 S34066 H+-transporting ATP synthase (EC 3.6.1.34) lipid-binding protein P1 precursor, mitoc	gnl 38430	59	484	85	85	HHFUM32	Lung, Prostate, Colon, Breast/Ovarian
470	840794			162	1646			H01B128	Lung, Pancreas, Prostate, Colon
471	840797	OSF-2p1 [Homo sapiens] >pir S36111 S36111 osteoblast-specific factor 2 - human >sp Q15064 Q15064 OSF-2P1. Length = 779	gnl PID d1003341	2	2371	93	93	HDTM52	Pancreas, Breast/Ovarian
472	840799			292	510			HWBC148	Lung, Pancreas, Colon, Breast/Ovarian
473	840818	translational initiation factor eIF-2, alpha subunit [Homo sapiens] >sp P05198 P2A_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA), {SUB 2-315} Length = 315	gnl 181995	3	806	100	100	HHBHM68	Lung, Prostate
474	840822	fatty acid synthase [Homo sapiens] >pir G01880 G01880 fatty-acid synthase (EC 2.3.1.85) - human >sp Q16702 Q16702 FATTY ACID SYNTHASE (EC 2.3.1.85) (FATTY-ACID SYNTHASE). Length = 2509	gnl 915392	1423	2367	93	93	H01B1X28	Lung, Prostate, Colon, Breast/Ovarian
475	840830	diubiquitin [Homo sapiens] >sp O15205 O15205 DIUBIQUITIN. Length = 165	gnl PID e321293	1	573	99	99	HFXHP85	Pancreas, Prostate

476	840846	glutathione S-transferase Ha subunit 1 (EC 2.5.1.18) [Homo sapiens] >gil306815 glutathione S-transferase (GST, EC 2.5.1.18) [Homo sapiens] >gil306809 glutathione S-transferase [Homo sapiens] >bbs76373 glutathione S-transferase Ha1 subunit [EC 2.5.1.18] I	gil306810	144	833	95	95	HFVHP57	Prostate, Breast/Ovarian
477	840848	prohibitin [human, Peptide, 272 aa] [Homo sapiens] >pir152690 [152690] prohibitin - human >sp135232 [PHB_HUMAN PROHIBITIN, Length = 272	bbs185658	81	917	93	93	IIIBIIM75	Lung, Pancreas, Prostate, Breast/Ovarian
478	840860	NAP [Homo sapiens] >pir1540510 [S40510] nucleosome assembly protein 1-like 1 - human >sp155209 [NPL1_HUMAN NUCLEOSOME ASSEMBLY PROTEIN 1-LIKE 1 (NAP-1) RELATED PROTEIN], Length = 391	gil189067	92	1309	80	80	HDTL139	Lung, Pancreas, Colon, Breast/Ovarian
479	840861	(AL021546) Cytochrome C Oxidase Polypeptide VIa-liver precursor (EC 1.9.3.1) [Homo sapiens] >sp1043714 [O43714] CYTOCHROME C OXIDASE POLYPEPTIDE VIA-LIVER PRECURSOR (EC 1.9.3.1) (CYTOCHROME-C OXIDASE) (CYTOCHROME OXIDASE) (CYTOCHROME A(3)) (CYTOCHROME AA(3))	gnl1P1Dje1248288	2	520	100	100	HFPPO29	Lung, Prostate, Breast/Ovarian
480	840871	DNA polymerase delta small subunit [Homo sapiens] >pir138950 [138950] DNA-directed DNA polymerase (EC 2.7.7.7) delta regulatory chain - human >sp149005 [DPD2_HUMAN DNA POLYMERASE DELTA SMALL SUBUNIT (EC 2.7.7.7)], Length = 469	gil1008458	2	628	99	99	HSDJX61	Pancreas, Colon, Breast/Ovarian

481	840874	secreted cyclophilin-like protein [Homo sapiens] >gil181335 cyclophilin B [Homo sapiens] {SUB 9-216}; >gil181250 cyclophilin [Homo sapiens] {SUB 10-216} Length = 216	gil337999	1	873	94	94	HFTDK64	Lung, Prostate
482	840878	unknown [Homo sapiens] >sp P41271 DAN_HUMAN ZINC FINGER PROTEIN DAN (N03). Length = 180	gil PID id1006216	227	676	99	100	H2MBT19	Lung, Pancreas, Colon, Breast/Ovarian
483	840880			153	320			HFIXK16	Prostate, Colon, Breast/Ovarian
484	840884	mutY homolog [Homo sapiens] >sp Q15830 Q15830 MUTY HOMOLOG. Length = 535	gil1458228	108	1565	99	99	HIBC.H18	Lung, Prostate
485	840907			103	366			HETAD58	Pancreas, Prostate
486	840926			76	1347			HFCOM166	Lung, Pancreas, Prostate
487	840932	ATP synthase beta subunit precursor [Homo sapiens] >pir A33370 A33370 H+-transporting ATP synthase (EC 3.6.1.34) beta chain precursor, mitochondrial - human >sp P06576 ATPB_HUMAN ATP SYNTHASE BETA CHAIN, MITOCHONDRIAL PRECURSOR (EC 3.6.1.34). >gil28931 be	gil179281	2	1675	93	93	HIFBB89	Lung, Prostate
488	840940	carbonyl reductase [Sus scrofa] >pir JN0703 JN0703 carbonyl reductase (NADPH) (EC 1.1.1.184) - pig >sp Q29529 CBR2_PIG LUNG CARBONYL REDUCTASE [NADPH] (EC 1.1.1.184) (NADPH-DEPENDENT CARBONYL REDUCTASE) (LCR). Length = 244	gil PID id1004479	277	678	61	76	HCHNJ32	Pancreas, Breast/Ovarian

489	840947		2	565		HEC4N45	Lung, Pancreas, Prostate, Breast/Ovarian
490	840959	signal peptidase complex 25 kDa subunit [Canis familiaris] >pirfA55012/A55012 signal peptidase 25k chain - dog Length = 226	2	712	99	HELDAD53	Lung, Pancreas, Prostate, Breast/Ovarian
491	840964		177	344		HE8UK92	Prostate, Colon
492	840979	transcription factor-like protein 4 - human Length = 298	11	631	99	HE9HD45	Lung, Pancreas, Prostate, Colon
493	840984	p167 [Homo sapiens] >gnlP1Djd1010130 The KIAA0139 gene product is related to mouse centrosomin B. [Homo sapiens] >gil2501783 translation initiation factor 3 large subunit [Homo sapiens] >spQ14152/Q14152 KIAA0139 PROTEIN. >gil1399801 p167 [Homo sapiens]	3	3017	91	HE8OC40	Lung, Pancreas, Prostate, Breast/Ovarian
494	840986		1	693		HE8TB60	Pancreas, Prostate, Colon
495	840988		1	465		HE8OQ04	Pancreas, Prostate, Breast/Ovarian
496	840990	(AB010415) dTDP-4-keto-L-rhamnose reductase [Acinobacillus actinomycetecornitans] >spO66251/O66251 DTDP-4-KETO-L-RHAMNOSE REDUCTASE. Length = 294	157	1140	32	HE8AM92	Pancreas, Prostate
497	840992	nidogen gene product [Homo sapiens] Length = 1246	3	194	96	HE8BX38	Lung, Prostate, Colon, Breast/Ovarian
498	841009	sin3 associated polypeptide p18 [Homo sapiens] >spO00422/O00422 SIN3 ASSOCIATED POLYPEPTIDE P18. Length = 153	59	523	92	HDTCF88	Lung, Pancreas, Prostate, Colon, Breast/Ovarian

499	841012	ribosomal protein L39 [Homo sapiens] >gnl PID1012131 ribosomal protein L39 [Homo sapiens] >gij575382 ribosomal protein L39 [Rattus norvegicus] >pir JC4229 R6RT39 ribosomal protein L39 - rat >pir G02654 G02654 ribosomal protein L39 - human Length = 51	gij1373419	2	217	100	100	HSKXP01	Lung, Pancreas, Breast/Ovarian
500	841016	connexin 43 [Homo sapiens] >gij29917 gap junction protein (AA 1-382) [Homo sapiens] >pir A35853 A35853 gap junction protein Cx43, cardiac - human >sp P17302 CX41_HUMAN GAP JUNCTION ALPHA-1 PROTEIN (CONNEXIN 43) (CX43) (GAP JUNCTION 43 KD HEART PROTEIN). (gij181209	1	810	94	94	IIDTID113	Lung, Pancreas, Prostate, Colon
501	841017			402	683			HE2AY01	Lung, Prostate
502	841021			983	1357			HNAAE75	Lung, Pancreas, Colon, Breast/Ovarian
503	841032	(AB000910) ribosomal protein [Sus scrofa] >gij1684917 L44-like ribosomal protein [Homo sapiens] >gij1666702 ribosomal protein [Mus musculus] >gij206732 ribosomal protein L36a [Rattus norvegicus] >pir A29820 R6RT36 ribosomal protein L36a - rat Length = 106	gnl PID1019960	3	395	100	100	HDQAD36	Lung, Colon
504	841051			656	880			HDPPC65	Lung, Pancreas
505	841064	small subunit ribonucleotide reductase [Homo sapiens] >pir S25854 S25854 ribonucleoside-diphosphate reductase (EC 1.17.4.1) small chain - human Length = 389	gij36155	6	1244	96	96	HDPMF32	Prostate, Colon, Breast/Ovarian

506	841069		81	809		HDPMJ48	Prostate, Breast/Ovarian
507	841072	regulatory protein [Mus musculus] >gi452276 npicf-1 [Mus musculus] >pir48691 48691 regulatory protein - mouse >sp Q64322 NPDI_MOUSE NPDC-1 PROTEIN PRECURSOR. Length = 332	162	1139	91	HDPJF81	Lung, Prostate, Colon, Breast/Ovarian
508	841078		521	706		HDPKD92	Pancreas, Prostate
509	841080	HCNGP gene product [Mus musculus] >pir526660 S26660 HCNGP protein - mouse >sp Q02614 HCGP_MOUSE TRANSCRIPTIONAL REGULATOR PROTEIN HCNGP. Length = 308	1	936	88	HDPJR07	Prostate, Breast/Ovarian
510	841088	quinone oxidoreductase [Homo sapiens] >gi516534 quinone oxidoreductase2 [Homo sapiens] >pirA32667 A32667 NAD(P)H dehydrogenase (quinone) (EC 1.6.99.2) 2 - human Length = 231	320	1096	100	HDPFX64	Lung, Pancreas, Prostate, Breast/Ovarian
511	841092		1187	1402		HJMBH15	Lung, Colon
512	841095	L protein (AA 1-558) [Homo sapiens] >pirA33616 A33616 heterogeneous ribonuclear particle protein L - human Length = 558	2	904	84	H2LAT51	Lung, Pancreas, Colon, Breast/Ovarian
513	841096	(AB013357) 49 kDa zinc finger protein [Mus musculus] Length = 460	510	1907	80	HCFLJ15	Lung, Pancreas, Breast/Ovarian
514	841102		2	256		HDLAV12	Lung, Pancreas, Prostate, Breast/Ovarian
515	841104	zinc finger protein [Homo sapiens] >pirS35305 S35305 finger protein ZNF91 - human Length = 1191	712	2451	54	HDLAB16	Pancreas, Prostate, Breast/Ovarian
516	841108	factor XIII a subunit [Homo sapiens] Length = 732	3	1838	99	HDPFE82	Lung, Pancreas, Colon

517	841118		320	487		IIDLAE34	Lung, Pancreas, Prostate
518	841119	C11 protein [Homo sapiens] >gil1890300 eukaryotic release factor 1 [Homo sapiens] >gnlPIDe118068 C11 protein [Mesocricetus auratus] >pirS50853S50853 translation releasing factor eRF-1 - human >sp P46055 ERF1_HUMAN EUKARYOTIC PEPTIDE CHAIN RELEASE FACT	123	1367	100	HIDPAE95	Lung, Pancreas, Prostate
519	841124	similar to deoxyribose-phosphate aldolase [Caenorhabditis elegans] >sp Q19264 DEOC_CAEEL PUTATIVE DEOXYRIBOSE-PHOSPHATE ALDOLASE (EC 4.1.2.4) (PHOSPHODEOXYRIBOALDOLASE) (DEOXYRIBOALDOLASE). Length = 303	2	358	62	HDAAB17	Prostate, Colon
520	841137	(AF096285) serine-threonine kinase receptor- associated protein [Mus musculus] >sp G4063383 G4063383 SERINE-THREONINE KINASE RECEPTOR-ASSOCIATED PROTEIN. Length = 351	3	848	98	IIDAA1P84	Lung, Pancreas, Prostate, Breast/Ovarian
521	841143	fibrillarin [Homo sapiens] >pirA38712/A38712 fibrillarin - human >gil3399667 (AC005393) FBRL_HUMAN; 34 KD NUCLEOLAR SCLERODERMA ANTIGEN [Homo sapiens] {SUB 4-321} Length = 321	39	1040	100	HCKRMJ87	Pancreas, Prostate, Breast/Ovarian
522	841148		2	1807		HCKRNF38	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
523	841149		324	797		HCKRBS04	Prostate, Breast/Ovarian

524	841151	keratin [Carassius auratus] Length = 455	gij212995	2	1399	45	64	HCRNY54	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
525	841155			103	561			HCT10F85	Prostate, Breast/Ovarian
526	841161	(AB014458) ubiquitin specific protease [Homo sapiens] >sp D1035685 D1035685 UBIQUITIN SPECIFIC PROTEASE. Length = 785	gnl P D d1035685	3	1199	95	95	HCLCA56	Lung, Prostate
527	841162	set [Homo sapiens] >pir A57984 A45018 template activating factor-1, splice form beta - human Length = 277	gij338039	284	1063	99	100	HICWFR92	Prostate, Colon
528	841163	histone H2A [Mus musculus domesticus] >pir S45110 S45110 histone H2A - mouse >sp Q64426 Q64426 HISTONE H2A (FRAGMENT). Length = 137	gij17939	201	665	100	100	HBMBF44	Pancreas, Breast/Ovarian
529	841169			21	440			HCF0F83	Lung, Prostate, Colon, Breast/Ovarian
530	841172	CLN3 protein [Homo sapiens] >gnl P D c283670 CLN3 protein [Homo sapiens] >gij 2947055 (AC002425) CLN3 [Homo sapiens] >gij 337387 (AC002544) CLN [Homo sapiens] >gij 4102729 (AF015593) CLN3 protein [Homo sapiens] >pir A57219 A57219 Batten disease-related prot	gij1039423	291	740	100	100	HCT1AG93	Prostate, Breast/Ovarian
531	841174	zinc finger protein 7 (ZFP7) [Homo sapiens] >pir A34612 A34612 zinc finger protein ZNF7 - human Length = 686	gij340446	3	386	98	98	HCHAW34	Prostate, Breast/Ovarian

532	841179	(AF069517) RNA binding protein DEF-3 [Homo sapiens] >sp O75524 O75524 RNA BINDING PROTEIN DEF-3. Length = 1123	gij3212101	549	1742	85	85	HCHBU86	Lung, Pancreas, Prostate
533	841183	keratin 18 [Homo sapiens] >gij307081 keratin 18 precursor [Homo sapiens] >gij34037 cytokeratin 18 [Homo sapiens] >pirS05481 S05481 keratin 18, type I, cytoskeletal - human >sp P05783 K1CR_HUMAN KERATIN, TYPE I CYTOSKELETAL 18 (CYTOKERATIN 18) (K18) (CK 1	gij386844	1	501	80	92	HCHUE20	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
534	841186	(AJ006215) CMP-N-acetylneuraminic acid synthetase [Mus musculus] >sp O88719 O88719 CMP-N-ACETYLNEURAMINIC ACID SYNTHETASE (EC 2.7.7.43) (ACYLNEURAMINATE CYTIDYLTRANSFERASE) (CMP-SIALATE PYROPHOSPHORYLASE) (CMP-SIALATE SYNTHASE). Length = 432	gnl P D e1314953	78	1421	95	97	HCFEG26	Lung, Prostate
535	841204	similar to beta-mannosyltransferase [Caenorhabditis elegans] >sp Q22797 Q22797 SIMILAR TO BETA-MANNOSYLTRANSFERASE. Length = 487	gij470340	1	1407	51	72	HCEFZ02	Lung, Pancreas, Prostate, Colon
536	841206	(AF062484) SDP8 [Mus musculus]		251	1192			HCEEM52	Lung, Prostate
537	841207	>sp O70493 O70493 SDP8. Length = 165	gij3126981	193	585	41	63	HMTAR23	Prostate, Colon
538	841211	(AC004908) zinc finger protein from gene of uncertain exon structure; similar to Q99676 (PID:g3025333) [Homo sapiens] Length = 430	gij4159888	110	766	47	62	HCEDM42	Prostate, Breast/Ovarian

539	841225	membrane protein [Homo sapiens] >gil1048989 CD9 antigen [Homo sapiens] >gil34769 MRP-1 (motility related protein) [Homo sapiens] >hbsj131345 CD9 antigen [human, leukocytes, Peptide, 228 aa] [Homo sapiens] >pirA46123/A40402 CD9 antigen - human >sp P21926]	gil508496	41	865	88	88	HCRBB01	Lung, Pancreas, Prostate, Colon
540	841229	P1cdc47 [Homo sapiens] >pir[S70583]S70583 CDC47 homolog - human >sp P33993/MCM7_HUMAN DNA REPLICATION LICENSING FACTOR MCM7 (CDC47 HOMOLOG) (P1, I-MCM3). >gnl P1D d1006386 hMCM2 [Homo sapiens] {SUB 177-719; Length = 719	gnl P1D d1010177	1	2298	98	98	HCE1D58	Lung, Pancreas, Prostate, Breast/Ovarian
541	841237	NAD(P)H:menadione oxidoreductase [Homo sapiens] >gil189292 NAD(P)H:quinone oxidoreductase [Homo sapiens] >pir[A41135/A30879 NAD(P)H dehydrogenase (quinone) (EC 1.6.99.2) 1 - human >sp P15559/DHOU_HUMAN NAD(P)H DEHYDROGENASE (QUINONE) 1 (EC 1.6.99.2) (QUINON	gil189246	141	1028	95	95	HBM1A19	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
542	841241	Thy-1 [Homo sapiens] >pirA02106/TDHU Thy-1 membrane glycoprotein precursor - human Length = 161	gil339683	128	622	86	87	HBBXG67	Lung, Pancreas, Prostate, Breast/Ovarian
543	841259	(AD001528) spermidine aminopropyltransferase [Homo sapiens] >sp O00544/O00544 SPERMIDINE AMINOPROPYLTRANSFERASE. Length = 366	gil2198557	3	1199	93	93	HCEIC53	Lung, Pancreas, Prostate, Breast/Ovarian

544	841260	FKBP51 [Homo sapiens] >pir JC5422 JC5422 FK506-binding protein, FKBP51 - human >sp Q13451 FKB5_HUMAN 51 KD FK506- BINDING PROTEIN (FKBP51) (PEPTIDYL- PROLYL CIS-TRANS ISOMERASE) (EC 5.2.1.8) (PPIASE) (ROTAMASE) (54 KD PROGESTERONE RECEPTOR-ASSOCIATED IMMUNO	gij1916641	3	863	88	91	HHODDM14	Lung, Prostate
545	841264			1	618			HBJHU33	Lung, Pancreas, Prostate
546	841275	Lutheran blood group glycoprotein [Homo sapiens] >pir J38000 J38000 Lutheran blood group glycoprotein precursor - human >sp P50895 LU_HUMAN LUTHERAN BLOOD GROUP GLYCOPROTEIN PRECURSOR (B- CAM CELL SURFACE GLYCOPROTEIN) (AUBERGER B ANTIGEN) (F8/G253 ANTIGEN	gij603560	2	1183	89	89	HBGMO35	Prostate, Breast/Ovarian
547	841311	(AF019661) zeta proteasome chain; PSMA3 [Mus musculus] >sp G3805976 G3805976 ZETA PROTEASOME CHAIN. Length = 241	gij3805976	45	836	100	100	HCFMY64	Lung, Pancreas, Prostate, Breast/Ovarian
548	841313	neuronal protein 15.6 [unidentified] >sp O09111 O09111 NEURONAL PROTEIN 15.6. Length = 133	gnl PID c274746	11	544	75	82	HBSNM82	Lung, Prostate, Colon, Breast/Ovarian
549	841317			1155	1553			HAFSG63	Lung, Prostate
550	841322	unnamed protein product [unidentified] >gij496609 basic transcription factor 2, 44 kD subunit [Homo sapiens] >sp Q13888 Q13888 BASIC TRANSCRIPTION FACTOR 2, 44 KD SUBUNIT (BASIC TRANSCRIPTION FACTOR 2 P44) (FRAGMENT). >gij1737212 basic transcription factor	gnl PID c306259	200	1402	95	95	HAMGE23	Pancreas, Prostate

551	841331		2	955		HHFJL19	Lung, Breast/Ovarian
552	841332	alpha-2-macroglobulin precursor [Homo sapiens] >pir A94033 MAHU alpha-2-macroglobulin precursor - human >sp P01023 A2MG_HUMAN ALPHA-2-MACROGLOBULIN PRECURSOR (ALPHA-2-M). >gi 825615 alpha2-macroglobulin [Homo sapiens] (SUB 672-746) Length = 1474	2	3856	98	HAPQO79	Lung, Prostate
553	841338		1139	1363		HJBU58	Pancreas, Prostate
554	841345	yeast methionyl-tRNA synthetase homolog [Homo sapiens] >pir JC5224 JC5224 methionine--tRNA ligase (EC 6.1.1.10) - human >gi 804996 mitoxantrone-resistance associated gene [Homo sapiens] (SUB 423-900) Length = 900	2	2761	94	HJAJQ46	Lung, Pancreas, Prostate, Breast/Ovarian
555	841349		151	1578		IIMWFN73	Lung, Pancreas, Prostate, Breast/Ovarian
556	841355	glucose regulated protein 94 (400 AA) [Mesocricetus auratus] >pir A26258 A26258 endoplasmic - hamster (fragment) >sp P08712 ENPL_MESAU ENDOPLASMIN (94 KD GLUCOSE-REGULATED PROTEIN) (GRP94) (FRAGMENT). Length = 400	2	562	96	HJAJA78	Prostate, Breast/Ovarian
557	841417	arginine-rich nuclear protein [Homo sapiens] >pir A40988 A40988 54K arginine-rich nuclear protein - human >sp Q05519 Q05519 ARGinine- RICH 54 KD NUCLEAR PROTEIN. Length = 484	708	1835	73	HNTEI.10	Lung, Pancreas, Colon, Breast/Ovarian

558	841548		278	613		HIBXDN79	Lung, Breast/Ovarian
559	841632	(AF073298) 4F5rel [Homo sapiens] >gi3641536 (AF073297) 4F5rel [Mus musculus] >sp O75918 O75918 4F5REL. >sp O88891 O88891 4F5REL. Length = 59	49	235	100	HTLGV25	Lung, Breast/Ovarian
560	841662	HYA22 protein - human Length = 338	2	532	78	HIQCP61	Prostate, Colon
561	841771		901	1146		HSYDN46	Lung, Pancreas
562	841827	RTP [Homo sapiens] >gi3046386 (AF004162) nickel-specific induction protein [Homo sapiens] >sp Q92597 Q92597 RTP, COMPLETE CDS. Length = 394	338	1110	97	IIHFD26	Pancreas, Prostate
563	841835		1232	1612		IWLJT54	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
564	842259		2	691		HHFGF52	Lung, Pancreas, Prostate, Colon
565	842463		600	836		HETJY08	Lung, Pancreas
566	842595	ERP28 [Homo sapiens] >sp P30040 ERP28 HUMAN/ENDOPLASMIC RETICULUM PROTEIN ERP29 PRECURSOR (ERP31) (ERP28). >sp E1314951 E1314951 ERP28 PRECURSOR. Length = 261	50	916	92	HUJFAB73	Lung, Breast/Ovarian
567	842722		2	1465		HYAB24	Lung, Pancreas, Prostate, Breast/Ovarian
568	842815		780	971		HPMSG47	Pancreas, Colon
569	842818	(AF038954) vacuolar H(+)-ATPase subunit [Homo sapiens] >sp O75348 O75348 VACUOLAR H(+)- ATPASE SUBUNIT. Length = 118	91	477	79	HSKJF03	Lung, Pancreas, Prostate, Breast/Ovarian

570	843251	(AF057297) ornithine decarboxylase antizyme 2 [Homo sapiens] >gil3766170 (AF057297) ornithine decarboxylase antizyme 2 [Homo sapiens] >sp G3766170 G3766170 ORNITHINE DECARBOXYLASE ANTIZYME 2. >gnl PID d1020346 product is unknown; seizure-related gene [Mus	gil3766170	215	745	92	92	HTLIF83	Lung, Breast/Ovarian
571	843422			563	898			HISCW60	Lung, Pancreas, Colon, Breast/Ovarian
572	843784			1307	1864			HCECS78	Lung, Pancreas
573	844017			243	566			HKABG31	Lung, Colon
574	844138	Epithelin 1 & 2 [Homo sapiens] >gil3005730 (AF055008) epithelin 1 and 2 [Homo sapiens] >pir C1284 GYHU granulin precursor - human >sp G3005730 G3005730 EPITHELIN 1 AND 2. Length = 593	gil31193	104	1966	100	100	HDPWW59	Lung, Breast/Ovarian
575	844166	(AF039689) antigen NY-CO-7 [Homo sapiens] >sp O60526 O60526 ANTIGEN NY-CO-7. Length = 303	gil3170178	1	1020	94	94	HABAE22	Lung, Pancreas, Prostate, Breast/Ovarian
576	844194			3	707			HFBPB56	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
577	844394			378	635			HHEUP26	Lung, Pancreas, Breast/Ovarian
578	844450	weak similarity to rat TEGT protein (GI:456207) [Caenorhabditis elegans] >sp p91373 p91373 SIMILARITY TO RAT TEGT PROTEIN. Length = 342	gil1825601	113	1165	61	78	HTXOX92	Lung, Pancreas
579	844534			2	244			HCE3I65	Lung, Pancreas, Breast/Ovarian

580	844535	isocitrate dehydrogenase (NADP+) [Homo sapiens] >pir S57499 S57499 isocitrate dehydrogenase (NADP+) (EC 1.1.1.42) precursor, mitochondrial - human >sp P48735 IDHP_HUMAN ISOCTTRATE: DEHYDROGENASE [NADP]. MITOCHONDRIAL PRECURSOR (EC 1.1.1.42) (OXALOSUCCINATE	gi 872121	3	1454	96	96	HCWGI:38	Lung, Breast/Ovarian
581	844644	(A1002308) synaptogyrin 2 [Homo sapiens] >sp O43760 O43760 SYNAPTOGYRIN 2. Length = 224	gn P D e 254905	1	720	91	91	HDPBQ51	Lung, Breast/Ovarian
582	844653	immunoglobulin lambda light chain gene product [Homo sapiens] >pir S25745 S25745 lg lambda chain - human (fragment) Length = 226	gi 33718	1	732	89	91	HCKQC91	Lung, Pancreas, Colon
583	844659	cathepsin D [Homo sapiens] >gi 29678 precursor polypeptide (AA -20 to 392) [Homo sapiens] >gi 181180 preprocathepsin D [Homo sapiens] >pir A2577 K1H1UD cathepsin D (EC 3.4.23.5) precursor - human >sp P07339 CATD_HUMAN CATHEPSIN D PRECURSOR (EC 3.4.23.5).	gi 179948	21	539	94	94	HI.DDQ71	Lung, Breast/Ovarian
584	844796			2	1054			HE6BS09	Colon, Breast/Ovarian
585	844812	(AF040642) contains similarity to transacylases [Caenorhabditis elegans] >sp O44793 O44793 C50D2.7 PROTEIN. Length = 895	gi 2746788	13	1542	33	59	HDPFV13	Lung, Pancreas
586	844894	E25B protein [Mus musculus] >sp O89051 O89051 E25B PROTEIN. Length = 266	gi 3746127	66	1013	96	99	HCLBO47	Lung, Pancreas, Colon

587	845361	phosphoglycerate kinase (EC 2.7.2.3) [Homo sapiens] >gij387021 phosphoglycerate kinase [Homo sapiens] >gij35435 coding sequence [Homo sapiens] >pir159050[KIHUG phosphoglycerate kinase (EC 2.7.2.3) - human length = 417	gij387020	39	1232	100	100	HHEUJ91	Pancreas, Colon
588	845620			508	1234			HWIIGQ46	Lung, Pancreas, Prostate, Breast/Ovarian
589	845639	leukocyte antigen F [Homo sapiens] >gij3273731 (AF053066) MHC class I HLA-F [Homo sapiens] >pirA60384/A60384 MHC class I histocompatibility antigen HLA-F alpha chain Dew3 precursor - human >spP30511[HLAF_HUMAN HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, F A	gij312407	2	814	90	90	HCFNA68	Lung, Pancreas, Colon, Breast/Ovarian
590	845660	Cyr61 [Homo sapiens] >gnlPIDle311857 Gig1 protein [Homo sapiens] >gij2196782 (AF003594) growth-factor inducible immediate early gene product CYR61 [Homo sapiens] >gnlPIDle1249319 hCYR61 protein [Homo sapiens] >spQ00622[CYR6_HUMAN CYR61 PROTEIN PRECURSOR	gij2130527	1	1365	91	91	HKAJW79	Lung, Pancreas, Prostate, Breast/Ovarian
591	845720			1	261			HKDAF83	Lung, Breast/Ovarian
592	845785			180	509			HSODT09	Pancreas, Colon, Breast/Ovarian
593	845897			1369	1677			HAADA109	Pancreas, Breast/Ovarian

594	845922	beta actin [Ovis aries] >gi 2661136 (AF035774) beta actin [Equus caballus] >gi 3320892 (AF076190) beta-actin [Trichurus vulpecula] >gi 177968 cytoplasmic beta actin [Homo sapiens] >gnl P D d 1021082 (AB004047) beta-actin [Homo sapiens] >gi 28252 beta-act	gi 2182269	1	1239	100	100	100	HWLQ65	Lung, Pancreas, Colon
595	846016	(AB005894) ecalectin [Homo sapiens]. >sp O75028 O75028 ECALECTIN. Length = 323	gnl P D d 1032501	47	337	97	97	97	HDPT90	Lung, Pancreas
596	846040	0-44 protein [Rattus sp.] >pir 57612 57612 Rat brain 0-44 mRNA, segment 2 - rat >sp P38718 P044_RAT 0-44 PROTEIN. Length = 127	gi 203072	127	585	84	88	88	HLICQ57	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
597	846073	protein p68 (AA 1-614) [Homo sapiens] >gi 35220 p68 protein (AA 1-614) [Homo sapiens] >gi 2593360 (AF015812) RNA helicase p68 [Homo sapiens] >pir JC1087 JC1087 RNA helicase, ATP-dependent - human >sp P17844 DDX5_HUMAN PROBABLE RNA-DEPENDENT HELICASE P68	gi 38318	23	1051	91	92	92	HCWDW01	Lung, Pancreas
598	846257			286	651				HPWDE09	Lung, Prostate
599	HTXPN06R			65	286				HTXPN06	Lung, Breast/Ovarian
600	I12LAQ12R			3	311	71	79	79	I12LAQ12	Pancreas, Colon
601	HWAFU16R	(AB000911) ribosomal protein [Sus scrofa] >gnl P D e 1339008 (AL031228) d 1033B10.4 (40S ribosomal protein S18 (RPS18, KE-3)) [Homo sapiens] >gi 198580 ribosomal protein [Mus musculus] >gi 433447 ribosomal protein S18 [Rattus rattus] >gi 3811382 (AF100956)	gnl P D d 1019961	3	320	86	86	86	HWAFU16	Lung, Pancreas, Colon, Breast/Ovarian

602	HAEAM91R (AB005218) L subunit of photosynthetic reaction center complex [Acidiphilium rubrum] >gnlPID d1026488 (AB005219) L subunit of photosynthetic reaction center complex [Acidiphilium angustum] >sp O70105 O70105 L SUBUNIT OF PHOTOSYNTHETIC REACTION CENTER COM	gnlPID d1026481	174	215	66	66	66	HAEAM91	Pancreas, Colon, Breast/Ovarian
603	HOEMT44R (AB010959) natural killer cell enhancing factor [Cyprinus carpio] Length = 199	gnlPID d1033048	54	431	84	93	93	HOEMT44	Lung, Colon, Breast/Ovarian
604	HE2OW04R (AF001631) glucose-regulated protein GRP94 [oryctolagus cuniculus] >sp O18750 ENPL_RABIT ENDOPLASMIN (94 KID GLUCOSE-REGULATED PROTEIN) (GRP94) (FRAGMENT). Length = 716	gj2581793	7	297	87	89	89	HE2OW04	Lung, Colon
605	HF-FCG25R (AF012422) ribosomal protein 46 [Drosophila melanogaster] Length = 51	gj2307014	3	143	65	87	87	HF-FCG25	Lung, Colon, Breast/Ovarian
606	HAPQP04R (AF018432) dUTPase [Homo sapiens] >gi 1144332 deoxyuridine nucleotidohydrolase [Homo sapiens] >gi 1421818 deoxyuridine triphosphatase [Homo sapiens] >pir G02777 G02777 dUTP pyrophosphatase (EC 3.6.1.23) - human >gi 292877 dUTP nucleotidohydrolase [Homo sa	gj2443581	3	320	97	97	97	HAPQP04	Lung, Pancreas, Colon
607	H2CBI37R (AF042107) ribosomal protein S3a [Eimeria tenella] >gi 2792508 (AF042107) ribosomal protein S3a [Eimeria tenella] Length = 264	gj2792508	3	182	64	64	64	H2CBI37	Colon, Breast/Ovarian
608	HEOPQ13R (AF042505) cytochrome b [Homo sapiens] >sp G337377 G337377 CYTOCHROME B (FRAGMENT). Length = 380	gj337377	82	216	80	82	82	HEOPQ13	Lung, Colon

609	HCKNC25R	(AF051894) 15 kDa selenoprotein [Homo sapiens] Length = 161	gij3095111	61	162	100	100	IICRNC25	Lung, Pancreas, Colon
610	HFTTF28R	(AF056218) superficial zone protein [Bos taurus] >sp Q77765 Q77765 SUPERFICIAL_ZONE PROTEIN (FRAGMENT). Length = 401	gij3676501	3	185	73	80	HFTTF28	Pancreas, Colon
611	H2LAY26R			24	155			H2LAY26	Pancreas, Colon
612	HAPQA06R	40-kDa keratin protein [Homo sapiens] >pir A31370 KRHU9 keratin 19, type I, cytoskeletal - human Length = 400	gij386803	2	355	62	62	HAPQA06	Lung, Pancreas, Colon, Breast/Ovarian
613	HAQBM72R	40-kDa keratin protein [Homo sapiens] >pir A31370 KRHU9 keratin 19, type I, cytoskeletal - human Length = 400	gij386803	2	145	81	81	HAQBM72	Pancreas, Colon
614	HIBGOK18R	40-kDa keratin protein [Homo sapiens] >pir A31370 KRHU9 keratin 19, type I, cytoskeletal - human Length = 400	gij386803	1	429	91	92	HIBGOK18	Lung, Pancreas, Colon, Breast/Ovarian
615	H2MAC07R	acidic ribosomal phosphoprotein (P1) [Homo sapiens] >pir B27125 R6HUP1 acidic ribosomal protein P1 - human Length = 114	gij190234	111	458	100	100	H2MAC07	Lung, Colon, Breast/Ovarian
616	H1WKPF26R	acidic ribosomal phosphoprotein (P2) [Homo sapiens] >pir C27125 R6HUP2 acidic ribosomal protein P2 - human Length = 115	gij190236	1	345	95	96	H1WKPF26	Lung, Pancreas, Breast/Ovarian
617	H1TAHR89R	ADP,ATP carrier protein T2 - human >sp P12236 ADT3_HUMAN ADP,ATP CARRIER PROTEIN, LIVER ISOFORM T2 (ADP/ATP TRANSLUCASE 3) (ADENINE NUCLEOTIDE TRANSLUCATOR 3) (ANT 3). Length = 298	pir S03894 S03894	13	408	96	96	H1TAHR89	Lung, Pancreas

618	HOACE24R	alcohol dehydrogenase [Homo sapiens] >pir A3337 DEHUE1 aldehyde dehydrogenase (NAD+) (EC 1.2.1.3) 1, cytosolic - human >sp P00352 DHAC_HUMAN ALDEHYDE DEHYDROGENASE, CYTOSOLIC (EC 1.2.1.3) (CLASS I) (ALDH1) (ALDH1-E1) (SUB 2-501) Length = 501	gi 178372	3	374	91	92	HOACE24	Pancreas, Colon
619	HOELC27R	aldolase A (EC 4.1.3.13) [Homo sapiens] >gi 28597 aldolase A (AA 1-364) [Homo sapiens] >pir S14084 ADHUA fructose-bisphosphate aldolase (EC 4.1.2.13) A - human >sp P04075 ALFA_HUMAN FRUCTOSE- BISPHOSPHATE ALDOLASE A (EC 4.1.2.13) (MUSCLE-TYPE ALDOLASE). 1S	gi 178351	68	604	100	100	HOELC27	Lung, Pancreas, Breast/Ovarian
620	HWLBS25R	aldolase A [Gallus gallus] >gi 409193 aldolase A [Gallus gallus] >bbs 167536 aldolase C=fructose- 1,6-bisphosphate aldolase (EC 4.1.2.13) [chickens, brain, Peptide Partial, 42 aa] [Gallus gallus] >pir I51291 I51291 aldolase C - chicken (fragment) Length = 4	gi 409191	3	95	90	93	HWLBS25	Lung, Pancreas, Colon, Breast/Ovarian
621	HWLVW62R	alpha-1 type III collagen [Homo sapiens] Length = 345	gi 180414	1	213	97	97	HWLVW62	Lung, Colon, Breast/Ovarian
622	HALSE08R	ALPHA-1-ANTICHYMOTRYPSIN PRECURSOR sp P01011 AACT_H (ACT). >gi 4165890 (AF089747) alpha-1- antichymotrypsin precursor [Homo sapiens] {SUB 17-423} >gi 177933 alpha-1-antichymotrypsin precursor [Homo sapiens] {SUB 22-423} >gi 28332 alpha 1 antichymotrypsin [Homo sapiens] {SU	sp P01011 AACT_H UMAN	3	233	95	97	HALSE08	Lung, Pancreas

623	HFKHD94R	alpha-2 chain precursor (AA -25 to 1018) (3416 is 2nd base in codon) [Homo sapiens] Length = 1043	gi30076	2	316	97	97	HFKHD94	Pancreas, Breast/Ovarian
624	HCE2M86R	alpha-adaptin (A) (AA 1-977) [Mus musculus] >pir A30111 A30111 alpha-adaptin A - mouse >spi 17426 ADAA_MOUSE ALPHA-ADAPTIN A (CLATHRIN ASSEMBLY PROTEIN COMPLEX 2 ALPHA-A LARGE CHAIN) (100 KD COATED VESICLE PROTEIN A) (PLASMA MEMBRANE ADAPTOR HA2/AP2 ADAPT	gi49878	58	165	75	80	HCE2M86	Lung, Colon, Breast/Ovarian
625	HIQOA89R	annexin IV (placental anticoagulant protein II) [Homo sapiens] >gn p D101189 annexin IV (carbohydrate-binding protein p33/41) [Homo sapiens] >pir A42077 A42077 annexin IV - human >spi P09525 ANX4_HUMAN ANNEXIN IV (LIPOCORTIN IV) (ENDONEXIN I) (CHROMOB	gi178699	154	399	94	94	HIQOA89	Pancreas, Colon, Breast/Ovarian
626	HBWCN69R	beta-1,2-N-acetylglucosaminyltransferase II [Homo sapiens] >pir S66256 S66256 alpha-1,6-mannosylglycoprotein beta-1, 2-N-acetylglucosaminyltransferase (EC 2.4.1.143) - human >spi Q10469 GNT2_HUMAN ALPHA-1,6-MANNOSYL-GLYCOPROTEIN BETA-1,2-N-ACETYLGLUCOSAM	gi902745	60	308	88	90	HBWCN69	Pancreas, Colon
627	HLQGB43R	beta-2-microglobulin [Homo sapiens] Length = 119	gi179318	1	78	100	100	HLQGB43	Lung, Pancreas, Colon
628	HCR0L58R			3	506			HCR0L58	Pancreas, Colon
629	HS2IF12R			83	475			HS2IF12	Pancreas, Colon
630	HWLWA01R			2	538			HWLWA01	Pancreas, Colon

631	HCHMV24R		12	185		HCHMV24	Pancreas, Colon Breast/Ovarian	
632	HCHPT49R		94	303		HCHPT49	Colon, Breast/Ovarian	
633	HCRMGI2R		2	187		HCRMGI2	Pancreas, Colon	
634	HWLWE68R		2	241		HWLWE68	Pancreas, Colon	
635	HCHPF59R		24	179		HCHPF59	Pancreas, Breast/Ovarian	
636	HS2IA81R		90	551		HS2IA81	Pancreas, Colon	
637	HCRNC17R		11	400		HCRNC17	Pancreas, Colon	
638	HISDJ39R		14	406		HISDJ39	Pancreas, Colon	
639	HWLEL43R		2	337		HWLEL43	Pancreas, Colon	
640	HASCG71R		91	249		HASCG71	Lung, Colon, Breast/Ovarian	
641	HOEMO43R		2	184		HOEMO43	Lung, Pancreas, Colon,	
642	HRDFT195R	c-erb-B-2 precursor [Homo sapiens] >pir A24571 A24571 protein-tyrosine kinase (EC 2.7.1.112) erbB2 precursor - human >sp P04626 ERBB2_HUMAN ERBB-2 RECEPTOR PROTEIN-TYROSINE KINASE PRECURSOR (EC 2.7.1.112) (P185ERBB2) (NEU PROTO- ONCOGENE) (C-ERBB-2), Length	151	231	76	82	HRDFT195	Breast/Ovarian Pancreas, Colon
643	HAGEP27R	C10 protein [Bos taurus] >pir A38464 A38464 33K laminin receptor homolog - bovine Length = 295	3	137	86	86	HAGEP27	Lung, Pancreas, Colon, Breast/Ovarian

644	HSYDG18R	calmodulin [Homo sapiens] >sp Q13942 Q13942 CALMODULIN. >pir A56785 A56785 calmodulin - pig (fragment) {SUB 80-130} >gi 3243222 (AF069912) calmodulin [Xiphias gladius] {SUB 80-114} >pir E44101 E44101 calmodulin, vasoactive intestinal peptide-binding prote	gi 825635	3	422	100	100	100	HSYDG18	Lung, Pancreas, Colon
645	HLJDZ15R	cathepsin C [Homo sapiens] >gi 1947071 prepro dipeptidyl peptidase I [Homo sapiens] >pir S66504 S66504 dipeptidyl-peptidase I (EC 3.4.14.1) precursor - human >sp P53634 CATC_HUMAN DIPEPTIDYL-PEPTIDASE I PRECURSOR (EC 3.4.14.1) (DPP-I) (CATHEPSIN C) (CATHE	gi 1006657	3	110	71	77	77	HLJDZ15	Lung, Colon
646	HAHDQ54R	cathepsin D [Homo sapiens] >gi 29678 precursor polypeptide (AA -20 to 392) [Homo sapiens] >gi 181180 preprocathepsin D [Homo sapiens] >pir A2577 KHHUD cathepsin D (EC 3.4.23.5) precursor - human >sp P07339 CATD_HUMAN CATHEPSIN D PRECURSOR (EC 3.4.23.5).	gi 179948	2	103	100	100	100	HAHDQ54	Lung, Pancreas
647	HTLH118R	collagen alpha 2(VI) chain precursor, long splice form - human >gi 179711 alpha-2 collagen type VI-a' [Homo sapiens] {SUB 590-1018} >gi 291918 alpha-2 type VI collagen [Homo sapiens] {SUB 315-358} Length = 1018	pir S05378 CGHU2A	2	481	89	89	89	HTLH118	Lung, Pancreas

648	HACAC47R	complement component C3 [Homo sapiens] >pirA94065 C3HU complement C3 precursor - human >sp P01024 C03_HUMAN COMPLEMENT C3 PRECURSOR [CONTAINS: C3A ANAPHYLATOXIN]. >gil181130 complement component C3 [Homo sapiens] {SUB 1-24} Length = 1663	gil179665	1	315	79	80	HACAC47	Lung, Pancreas, Breast/Ovarian
649	III.QFY41R	complement component C3 [Homo sapiens] >pirA94065 C3HU complement C3 precursor - human >sp P01024 C03_HUMAN COMPLEMENT C3 PRECURSOR [CONTAINS: C3A ANAPHYLATOXIN]. >gil181130 complement component C3 [Homo sapiens] {SUB 1-24} Length = 1663	gil179665	3	377	96	98	III.QFY41	Lung, Pancreas, Colon, Breast/Ovarian
650	HOFMO83R	cyclin G [Homo sapiens] >gil1236233 cyclin G1 [Homo sapiens] >gil1236913 cyclin G1 [Homo sapiens] >pirG02401 G02401 cyclin G1 - human >sp P51959 CG2G_HUMAN G2/MITOTIC- SPECIFIC CYCLIN G1. >gnl PID d1013694 cyclin G [Homo sapiens] {SUB 1-279} >gil1486361 c	gnl PID d1012016	2	205	87	93	HOFMO83	Pancreas, Breast/Ovarian
651	HFTDR22R	cytochrome b5, hepatic - brown howler monkey (fragment) Length = 87	pir S07959 S07959	136	357	100	100	HFTDR22	Pancreas, Colon, Breast/Ovarian
652	HPJCZ01R	cytochrome c oxidase II [Macaca fascicularis] >pirA27420 A27420 cytochrome-c oxidase (EC 1.9.3.1) chain II - crab-eating macaque mitochondrion (SGC1) >sp P11948 COX2_MACFA CYTOCHROME C OXIDASE POLYPEPTIDE II (EC 1.9.3.1). Length = 227	gil342255	2	163	44	50	HPJCZ01	Lung, Pancreas, Colon

[illegible]

658	HTOHI64R	cytokeratin 15 (AA 1-456) [Homo sapiens] >pir S01069 KRHS5 keratin 15, type I, cytoskeletal - human >sp P19012 K1CO_HUMAN KERATIN, TYPE I CYTOSKELETAL 15 (CYTOKERATIN 15) (K15) (CK 15). Length = 456	gil34071	149	253	89	89	HTOHI64	Prostate, Breast/Ovarian
659	HCHBR11R	cytokeratin 8 [Homo sapiens] Length = 483	gil181400	3	380	55	57	HCHBR11	Lung, Pancreas, Colon, Breast/Ovarian
660	HADBE77R	cytoplasmic chaperonin hTR(C5) [Homo sapiens] Length = 201	gil609308	43	294	80	84	HADBE77	Lung, Pancreas, Colon, Breast/Ovarian
661	HFKHD49R	D-beta-hydroxybutyrate dehydrogenase [Rattus norvegicus] Length = 93	gil930260	1	210	100	100	HFKHD49	Lung, Colon, Breast/Ovarian
662	HOEMJ59R	decorin [Homo sapiens] >gil609452 decorin [Homo sapiens] {SUB 1-70} Length = 347	gil181519	3	128	72	75	HOEMJ59	Lung, Colon
663	HTYNC43R	elongation factor 1-alpha 1 [Homo sapiens] >gil927067 elongation factor 1-alpha 1 [Homo sapiens] >pir S9399 S9399 oncogene PTL-1 - human >sp Q16577 Q16577 ONCOGENE. Length = 398	gil927065	2	217	92	94	HTYNC43	Lung, Pancreas, Colon
664	H6EAQ15R	elongation factor 2 [Homo sapiens] >gil31108 human elongation factor 2 [Homo sapiens] >pir S18294 EFHU2 translation elongation factor eEF-2 - human >sp P13639 EF2_HUMAN ELONGATION FACTOR 2 (EF-2). >gil181969 elongation factor 2 [Homo sapiens] {SUB 501-858	gil31106	2	70	100	100	H6EAQ15	Lung, Pancreas, Breast/Ovarian

665	HCFLM34R	elongation factor Tu [Mus musculus] >sp Q61511 Q61511_EUKARYOTIC TRANSLATION ELONGATION FACTOR 1 ALPHA 1 (EEF-TU GENE ENCODING ELONGATION FACTOR TU, 5' END) (FRAGMENT). Length = 108	gj 553907	48	308	94	95	HCFLM34	Lung, Breast/Ovarian
666	HTTID16R	ENA-78 prepeptide [Homo sapiens] >gi 607031 neutrophil-activating peptide 78 [Homo sapiens] >gi 471243 ENA-78 gene product [Homo sapiens] >pir C2433 A55010 neutrophil-activating peptide ENA-78 - human >sp P42830 EN78_HUMAN NEUTROPHIL ACTIVATING PROTEIN E	gi 684922	2	331	85	85	HTTID16	Pancreas, Colon
667	HDPAL45R	endoglin [Homo sapiens] >pir S37628 S37628 endoglin - human Length = 625	gi 402207	2	181	65	65	HDPAL45	Pancreas, Colon
668	HKIXL19R	epoxide hydrolase [Homo sapiens] >gi 340390 epoxide hydrolase [Homo sapiens] >gi 34543 epoxide hydrolase (AA 1-455) [Homo sapiens] >gi 458701 epoxide hydrolase [Homo sapiens] >pir A29939 A29939 epoxide hydrolase (EC 3.3.2.3) 1, microsomal - human >sp P070	gi 450271	1	348	100	100	HKIXL19	Lung, Pancreas, Colon
669	H2LAY52R	EWS gene product [Mus musculus] >pir A55726 A55726 RNA-binding protein Ews - mouse >sp Q61545 EWS_MOUSE RNA-BINDING PROTEIN EWS. Length = 655	gi 488513	27	494	100	100	H2LAY52	Lung, Pancreas, Colon, Breast/Ovarian
670	H4JRB09R	FAST kinase [Homo sapiens] >pir I37386 I37386 FAST kinase - human >sp Q14296 Q14296 FAST KINASE. Length = 549	gi 1006659	19	324	77	77	H4JRB09	Pancreas, Colon

671	HAPN186R	G9a [Homo sapiens] >pir S30385 S30385 G9a protein - human >sp Q14349 Q14349 G9a PROTEIN CONTAINING ANKYRIN-LIKE REPEATS. Length = 1001	gi 287865	3	419	97	97	HAPN186	Lung, Colon
672	HCEVB92R	glutamate dehydrogenase [Homo sapiens] >sp Q14400 Q14400 GLUTAMATE DEHYDROGENASE (FRAGMENT). Length = 258	gi 183056	2	217	78	81	HCEVB92	Pancreas, Colon
673	HAPRJ22R	glutamate--ammonia ligase [Homo sapiens] >pir S18455 AJHUQ glutamate--ammonia ligase (EC 6.3.1.2) - human Length = 373	gi 31831	168	431	100	100	HAPRJ22	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
674	HCRMZ32R	glutamine:fructose-6-phosphate amidotransferase [Homo sapiens] >pir A45055 A45055 glutamine--fructose-6-phosphate transaminase (isomerizing) (EC 2.6.1.16) - human >sp Q06210 GFAT_HUMAN GLUCOSAMINE--FRUCTOSE-6-PHOSPHATE AMINOTRANSFERASE [ISOMERIZING] (EC 2	gi 183082	2	316	91	91	HCRMZ32	Pancreas, Colon, Breast/Ovarian
675	HBMVM42R	guanine nucleotide regulatory protein [Homo sapiens] >gi 3041860 (AC004534) guanine nucleotide regulatory protein [Homo sapiens] >pir 38402 38402 guanine nucleotide regulatory protein - human >sp Q12774 Q12774 GUANINE NUCLEOTIDE REGULATORY PROTEIN. Leng	gi 484102	1	363	84	87	HBMVM42	Colon, Breast/Ovarian

676	HADGE45R	guanine nucleotide-binding protein Gs-alpha-4 [Homo sapiens] >gij1913 alpha-S1 (AA 1-380) [Homo sapiens] >pirC31927IRGHUA1 GTP-binding regulatory protein Gs alpha chain (adenylate cyclase-stimulating); splice form 4 - human Length = 380	gij188492	2	439	96	96	IIADGE45	Lung, Pancreas, Colon
677	HFXPN11R	heat shock-induced protein [Homo sapiens] >pirB45871B45871 dnaK-type molecular chaperone HSP70-Hom - human >spP34931HS7H_HUMAN HEAT SHOCK 70 KD PROTEIN 1-HOM (HSP70-HOM). Length = 641	gij188492	3	413	94	98	HFXPN11	Lung, Pancreas, Colon
678	HCDBN37R	heterogeneous nuclear ribonucleoprotein C-like protein - human Length = 328	pirA44192A44192	1	300	96	96	HCDBN37	Colon, Breast/Ovarian
679	HABGC02R	HLA-DR-beta-B [Homo sapiens] Length = 266	gij490048	3	389	89	94	HABGC02	Lung, Colon
680	HNTSA70R	HsMcm6 [Homo sapiens] >spQ14566MCM6_HUMAN DNA REPLICATION LICENSING FACTOR MCM6 (P105MCM). Length = 821	gnlPIDjd1013380	3	341	69	72	HNTSA70	Lung, Colon
681	HIDTKP24R	hypothetical 18K protein (rRNA) - goldfish mitochondrion (SGC1) Length = 166	pirJC1348JC1348	397	492	64	67	HIDTKP24	Lung, Pancreas, Colon
682	HODEI14R	hypothetical 18K protein (rRNA) - goldfish mitochondrion (SGC1) Length = 166	pirJC1348JC1348	164	247	62	68	HODEI14	Lung, Pancreas, Colon
683	HOELC42R	IGF-BP 4 [Homo sapiens] >gnlPIDjd1227579 insulin-like growth factor binding protein 4 [Homo sapiens] >pirB37252B37252 insulin-like growth factor-binding protein 4 precursor - human >spP22692IBP4_HUMAN INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 4 PREC	gij184816	13	288	83	83	HOELC42	Pancreas, Colon

684	HWAF44R	immunoglobulin heavy chain [Homo sapiens] >pir D36005 D36005 Ig heavy chain V region (M43) - human (SUB 38-156) Length = 156	gij567121	2	463	83	90	HWAF44	Lung, Colon
685	HABGF46R	immunoglobulin light chain variable region [Homo sapiens] >gij2970534 (AF049692) immunoglobulin kappa light chain [Homo sapiens] (SUB 3-106) Length = 143	gij1136555	42	446	71	85	HABGF46	Lung, Pancreas, Colon, Breast/Ovarian
686	HOELC15R	insulin-like growth factor-binding protein [Homo sapiens] >gij386791 growth factor-binding protein-3 [Homo sapiens] >gij398164 insulin-like growth factor binding protein 3 [Homo sapiens] >pir A36578 HOHU3 insulin-like growth factor-binding protein 3 precur	gij183116	8	424	96	96	HOELC15	Pancreas, Colon, Breast/Ovarian
687	H2LAR26R	keratin 18 [Homo sapiens] >gij307081 keratin 18 precursor [Homo sapiens] >gij34037 cytokeratin 18 [Homo sapiens] >pir S05481 S05481 keratin 18, type I, cytoskeletal - human >sp P05783 K1CR_HUMAN KERATIN, TYPE I CYTOSKELETAL 18 (CYTOKERATIN 18) (K18) (CK 1	gij386844	72	476	97	98	H2LAR26	Colon, Breast/Ovarian
688	H2LA V85R	Ku (p70/p80) subunit [Homo sapiens] >gij307093 Ku antigen [Homo sapiens] >pir A35051 A32626 Ku antigen 80K chain - human >sp P13010 KU86_HUMAN ATP-DEPENDENT DNA HELICASE II, 86 KD SUBUNIT (LUPUS KU AUTOANTIGEN PROTEIN P86) (86 KD SUBUNIT OF KU ANTIGEN) (T	gij307094	67	462	97	98	H2LA V85	Lung, Pancreas
689	HUSDC92R	I-caldesmon II [Homo sapiens] Length = 532	gij P1D d1015132	56	337	64	76	HUSDC92	Lung, Breast/Ovarian

690	HUTHN01R	L6 [Homo sapiens] >pir A42926 A42926 L6 surface protein - human Length = 202	gi 186804	87	545	91	91	HUTHN01	Lung, Pancreas, Colon, Breast/Ovarian
691	H2LAW03R	lactate dehydrogenase B [Homo sapiens] >gi 34329 lactate dehydrogenase B (AA 1 - 334) [Homo sapiens] >pir S02795 DEHULH L-lactate dehydrogenase (EC 1.1.1.27) chain H - human >sp P07195 LDHM_HUMAN L-LACTATE DEHYDROGENASE H CHAIN (EC 1.1.1.27) (LDH-H). {SUB	gn P D c22324	111	536	99	100	H2LAW03	Lung, Pancreas
692	HOEMO60R	lactate dehydrogenase-A [Homo sapiens] >gi 34313 lactate dehydrogenase-A [Homo sapiens] >pir A00347 DEHULM L-lactate dehydrogenase (EC 1.1.1.27) chain M - human >sp P00338 LDHM_HUMAN L-LACTATE DEHYDROGENASE M CHAIN (EC 1.1.1.27) (LDH-A). {SUB 2-332} Lengi	gi 780261	1	201	59	59	HOEMO60	Pancreas, Breast/Ovarian
693	HKAHJ14R			1	216			HKAHJ14	Pancreas, Colon
694	HOHEA39R	latent transforming growth factor-beta-binding protein - human Length = 1820	pir A55494 A55494	1	240	85	86	HOHEA39	Pancreas, Breast/Ovarian
695	HOELF72R	lumican [Homo sapiens] Length = 338		58	468	97	97	HOELF72	Pancreas, Colon
696	HAPNX59R	M130 antigen [Homo sapiens] >pir I38003 S36077 M130 antigen - human >sp Q07898 Q07898 M130 ANTIGEN PRECURSOR. Length = 1116	gi 699577 gi 312142	1	432	85	88	HAPNX59	Lung, Colon
697	HBJSI17R	methionine aminopeptidase [Homo sapiens] >gi 687243_e f-2-associated p67 homolog [Homo sapiens] >pir S52112 DPHUM2 methionyl aminopeptidase (EC 3.4.11.18) 2 - human >sp P50579 AMP2_HUMAN METHIONINE AMINOPEPTIDASE 2 (EC 3.4.11.18) (METAP 2) (PEPTIDASE M 2)	gi 903982	1	235	100	100	HBJSI17	Lung, Pancreas

698	HA1TDU61R	midkine [Homo sapiens] >gil188571 retinoic acid inducible factor [Homo sapiens] >gil35087 neurite outgrowth-promoting protein [Homo sapiens] >gnlP1D[d1001932 midkine [Homo sapiens] >pirJ110385J110385 midkine precursor - human >spP21741MK_HUMAN MIDKINE	gil182651	1	108	67	67	HA1TDU61	Pancreas, Colon
699	HCWHT65R	mitochondrial intermediate peptidase precursor [Homo sapiens] >spQ99797Q99797 MITOCHONDRIAL INTERMEDIATE PEPTIDASE PRECURSOR (EC 3.4.24.59), Length = 713	gil1763642	1	432	74	77	HCWHT65	Prostate, Colon
700	H2CBN02R	mitochondrial matrix protein [Homo sapiens] >pirA32800A32800 chaperonin GroEL precursor - human >spP10809IP60_HUMAN MITOCHONDRIAL MATRIX PROTEIN P1 PRECURSOR (P60 LYMPHOCYTE PROTEIN) (60 KD CHAPERONIN) (HEAT SHOCK PROTEIN 60) (HSP-60) (PROTEIN CPN60) (gil190127	1	435	99	99	H2CBN02	Pancreas, Colon
701	H2CBV68R	mitochondrial matrix protein [Homo sapiens] >pirA32800A32800 chaperonin GroEL precursor - human >spP10809IP60_HUMAN MITOCHONDRIAL MATRIX PROTEIN P1 PRECURSOR (P60 LYMPHOCYTE PROTEIN) (60 KD CHAPERONIN) (HEAT SHOCK PROTEIN 60) (HSP-60) (PROTEIN CPN60) (gil190127	2	406	100	100	H2CBV68	Colon, Breast/Ovarian

702	H6EDK07R	Mr 110,000 antigen [Homo sapiens] >pir 52703 52703.42K membrane glycoprotein - human >sp Q16186 GI00_HUMAN I10 KD CELL MEMBRANE GLYCOPROTEIN. Length = 407	gn P D d 1011683	1	252	90	90	H6EDK07	Lung, Breast/Ovarian
703	HACAH10R	NADH dehydrogenase subunit 2, ND2 [human, brain, Peptide Mitochondrial Partial Mutant, 67 aa] [Homo sapiens] >sp Q36734 Q36734 NADH DEHYDROGENASE SUBUNIT 2 (FRAGMENT). Length = 67	bbs 75898	1	66	89	96	HACAH10	Lung, Pancreas, Colon
704	HCCMC56R	NADH-UBIQUINONE OXIDOREDUCTASE B18 SUBUNIT (EC 1.6.5.3) (EC 1.6.99.3) (COMPLEX I-B18) (CI-B18) (CELL ADHESION PROTEIN SQM1). Length = 134	sp P17568 NB8M_HUMAN	16	351	83	83	HCCMC56	Lung, Colon, Breast/Ovarian
705	H2CBN54R	NADH-ubiquinone oxidoreductase B22 subunit {C-terminal} [human, placenta, Peptide Mitochondrial Partial, 179 aa] [Homo sapiens] Length = 179	bbs 178894	2	427	99	99	H2CBN54	Pancreas, Colon
706	HMCGL12R	NMB gene product [Homo sapiens] >pir 38065 38065 gene NMB protein - human >sp Q14956 NMB_HUMAN PUTATIVE TRANSMEMBRANE PROTEIN NMB PRECURSOR. Length = 560	gi 666043	96	389	76	80	HMCGL12	Lung, Pancreas
707	HWHPX50R	nucleolar protein [Mus musculus] >pir 52858 52858 nucleolar protein - mouse >sp Q61937 NPM_MOUSE NUCLEOPHOSMIN (NPM) (NUCLEOLAR PHOSPHOPROTEIN B23) (NUMATRIN) (NUCLEOLAR PROTEIN NO38). Length = 292	gi 200011	1	414	87	87	HWHPX50	Lung, Pancreas, Colon, Breast/Ovarian

708	HAPQD84R		115	267		HAPQD84	Lung, Pancreas, Colon, Breast/Ovarian
709	HLIBN66R		1	219		HLIBN66	Lung, Pancreas
710	HE2BD84R	OSF-2p1 [Homo sapiens] >pir[S36111]S36111 osteoblast-specific factor 2 - human >sp Q15064 Q15064 OSF-2p1. Length = 779	2	394	77	HE2BD84	Pancreas, Colon, Breast/Ovarian
711	HLQFY45R	pancreatitis-associated protein [Homo sapiens] >gil312807 preprotein [Homo sapiens] >bbs121222 PAP-H=pancreatitis-associated protein [human, pancreas, Peptide, 175 aa] [Homo sapiens] >gil PI D d1003233 PAP homologous protein [Homo sapiens] >pir/A49616/A49	57	374	60	HLQFY45	Pancreas, Colon
712	HAMGQ78R	phosphate carrier isoform A (alternatively spliced, exon IIIA) - human >sp Q00325 MPCP_HUMAN MITOCHONDRIAL PHOSPHATE CARRIER PROTEIN PRECURSOR. Length = 362	2	352	82	HAMGQ78	Lung, Colon
713	HODEV64R	poly(A)-binding protein [Homo sapiens] >gil1562511 poly(A)-binding protein [Homo sapiens] >sp P11940 PAB1_HUMAN POLYADENYLATE-BINDING PROTEIN 1 (POLY(A) BINDING PROTEIN 1) (PABP 1). Length = 636	1	492	97	HODEV64	Lung, Pancreas

714	H2CBD48R	precursor polypeptide (AA -21 to 782) [Homo sapiens] >pir[A35954/A35954 endoplasmin precursor - human >sp P14625 ENPL_HUMAN ENDOPLASMIN PRECURSOR (94 KD GLUCOSE-REGULATED PROTEIN) (GRP94) (GP96 HOMOLOG) (TUMOR REJECTION ANTIGEN 1). Length = 803	gi 37261	2	499	95	97	H2CBD48	Pancreas, Colon
715	HCCMA82R	procarboxypeptidase B [Homo sapiens] >pir[A42332/A42332 carboxypeptidase B (EC 3.4.17.2) precursor, pancreatic - human Length = 416	gi 189625	3	383	94	94	HCCMA82	Pancreas, Colon
716	HOEMK78R	prostaglandin-stimulating factor, PG12-stimulating factor, PSF [human, cultured diploid fibroblast cells, Peptide, 282 aa] [Homo sapiens] >pir S5003 IS50031 prostacyclin-stimulating factor - human >sp Q16270 Q16270 PROSTACYCLIN-STIMULATING FACTOR. Length =	bhs 161346	3	329	95	95	HOEMK78	Lung, Pancreas
717	H2CBD13R	proteasome subunit C9 [Homo sapiens] >pir S15972 SNHUC9 multicatalytic endopeptidase complex (EC 3.4.99.46) chain C9 - human >sp P25789 PRC9_HUMAN PROTEASOME COMPONENT C9 (EC 3.4.99.46) (MACROPAIN SUBUNIT C9) (MULTICATALYTIC ENDOPEPTIDASE COMPLEX SUBUNIT	gn P D d1001118	156	461	100	100	H2CBD13	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
718	HCFMU61R	protein-tyrosine kinase (EC 2.7.1.112) ZAP-70 - human Length = 619	pir A44266 A44266	1	477	98	98	HCFMU61	Pancreas, Colon

719	IIOSNE94R	proteoglycan core protein [Homo sapiens] >pir A45016 NBHUC8 decorin precursor - human >sp P07583 PGS2 HUMAN BONE PROTEOGLYCAN II PRECURSOR (PG-S2) (DECORIN) (PG40). >gil 161236 decorin [Rattus norvegicus] {SUB 204-299} Length = 359	2	466	85	85	110SNF94	Lung, Pancreas
720	HCROZ08R	putative precursor (AA 1-304) [Homo sapiens] >gnl P1Dle224276 uracil-DNA-glycosylase, UNGI [Homo sapiens] >pir S05964 A60472 uracil-DNA glycosylase (EC 3.-.-.-) precursor - human >gnl P1Dle1296296 MITOCHONDRIAL LOCALIZATION PEPTIDE [unidentified] {SUB 1-3	3	218	100	100	HCROZ08	Lung, Pancreas, Colon
721	HIHHEF47R	pyruvate dehydrogenase: E1-alpha precursor [Homo sapiens] >pir A60225 A60225 pyruvate dehydrogenase (lipoamide) (EC 1.2.4.1) alpha chain - bovine (fragment) {SUB 54-74; Length = 414	1	330	88	88	HIHHEF47	Colon, Breast/Ovarian
722	HTXP131R	pyruvate kinase M2 [Sus scrofa] >sp Q29582 Q29582 PYRUVATE KINASE M2 (EC 2.7.1.40) (PHOSPHOENOLPYRUVATE KINASE) (PHOSPHOENOL TRANSPHOSPHORYLASE) (FRAGMENT). Length = 108	2	286	84	85	HTXP131	Pancreas, Breast/Ovarian
723	HOEKC30R	rhoC coding region (AA 1-193) [Homo sapiens] >gil 407699 GTPase [Homo sapiens] >pir S01029 TVHURC GTP-binding protein rhoC - human Length = 193	2	151	94	94	HOEKC30	Lung, Pancreas, Breast/Ovarian
724	HOSNR67R	ribosomal protein small subunit [Homo sapiens] Length = 264	1	483	97	98	HOSNR67	Lung, Pancreas

725	H2LAV02R	ribosomal protein [Homo sapiens] >gi 57078 ribosomal protein L38 [Rattus rattus] >pir S15658 RSRT38 ribosomal protein L38 - rat >pir S38385 S38385 ribosomal protein L38 - human >gnl P1 d1026783 (A1007185) ribosomal protein L38 [Homo sapiens] (SUB 34-70)	gi 407423	13	351	72	72	H2LAV92	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
726	H2LAO74R	ribosomal protein L10 [Homo sapiens] >sp D102677 D1026771 RIBOSOMAL PROTEIN L15 (FRAGMENT). (SUB 16-57) Length = 205	gi 414587	359	502	83	83	H2LAO74	Lung, Pancreas, Colon, Breast/Ovarian
727	HKMMF85R	ribosomal protein L18a [Homo sapiens] >gi 3702270 (AC005796) ribosomal protein L18a [Homo sapiens] >gnl PID d1029536 (AB007175) ribosomal protein L18a [Homo sapiens] (SUB 111- 176) Length = 176	gi 401845	1	360	96	96	HKMMF85	Lung, Breast/Ovarian
728	HCLBZ27R	ribosomal protein L19 [Homo sapiens] >bbs 127872 ribosomal protein L19 [human, breast cancer cell line, MCF-7, Peptide, 196 aa] [Homo sapiens] >gi 206726 ribosomal protein L19 [Rattus norvegicus] >gnl PID c218038 ribosomal protein L19 [Rattus norvegicus]	gi 36128	19	273	93	98	HCLBZ27	Lung, Pancreas, Colon
729	H2LAV11R	ribosomal protein L21 [Homo sapiens] >gi 984143 ribosomal protein L21 [Homo sapiens] >pir S55913 S55913 ribosomal protein L21, cytosolic - human >sp D1026774 D1026774 RIBOSOMAL PROTEIN L21 (FRAGMENT). (SUB 124-154) Length = 160	gi 550015	126	530	99	99	H2LAV11	Lung, Pancreas, Colon

730	HBAGP60R	ribosomal protein L27 [Homo sapiens] >gi 3115335 ribosomal protein L27 [Homo sapiens] >gi 57694 ribosomal protein L27 (AA 1 - 136) [Rattus norvegicus] >gi 62981 ribosomal protein L27 [Gallus gallus] >pir S00401 R5R1727 ribosomal protein L27, cytosolic - ra	gi 388769	161	373	66	70	HBAGP60	Pancreas, Colon
731	HOEMJ56R	ribosomal protein L28 [Homo sapiens] >pir S55915 S55915 ribosomal protein L28 - human Length = 137	gi 550019	3	206	94	94	HOEMJ56	Lung, Colon, Breast/Ovarian
732	HA5AF77R	ribosomal protein L31 [Sus scrofa] >gi 36130 ribosomal protein L31 (AA 1-125) [Homo sapiens] >gi 57115 ribosomal protein L31 (AA 1-125) [Rattus norvegicus] >pir S0576 R5HU31 ribosomal protein L31 - human >pir A26417 R5RT31 ribosomal protein L31 - rat >gn	gn P1D1c 276436	1	381	82	82	HA5AF77	Lung, Prostate, Colon, Breast/Ovarian
733	H2MAC95R	ribosomal protein L37 [Homo sapiens] >bbs 172744 ribosomal protein L37 {C2-C2 zinc-finger-like} [human, HeLa cells, Peptide, 97 aa] [Homo sapiens] >gn P1D1d 1005426 ribosomal protein L37 [Homo sapiens] >gi 57121 ribosomal protein L37 [Rattus norvegicus] >	gi 292441	67	411	79	79	H2MAC95	Lung, Colon, Breast/Ovarian
734	IIDPLP40R	ribosomal protein L37 [Homo sapiens] >bbs 172744 ribosomal protein L37 {C2-C2 zinc-finger-like} [human, HeLa cells, Peptide, 97 aa] [Homo sapiens] >gn P1D1d 1005426 ribosomal protein L37 [Homo sapiens] >gi 57121 ribosomal protein L37 [Rattus norvegicus] >	gi 292441	1	363	100	100	IIDPLP40	Lung, Pancreas, Breast/Ovarian

735	HOEMK92R	ribosomal protein L37a [Homo sapiens] >gi 36134 ribosomal protein L37a [Homo sapiens] >gi 57123 ribosomal protein L37a (AA 1 - 92) [Rattus rattus] >gi 312414 ribosomal protein L37a [Mus musculus] >pir S05014 RSRT37 ribosomal protein L37a - rat >pir S42109	gi 202439	3	185	96	96	HOEMK92	Lung, Pancreas, Breast/Ovarian
736	HABAD57R	ribosomal protein L4 [Homo sapiens] >pir S39803 S39803 ribosomal protein L4 - human Length = 425	gi 307385	210	431	80	90	HABAD57	Lung, Pancreas
737	HLXNA52R	ribosomal protein L4 [Rattus norvegicus] Length = 421	gnl PID e121603	3	296	86	86	HLXNA52	Lung, Pancreas
738	HWAFK82R	ribosomal protein L9 [Homo sapiens] >gnl PID d1003911 human homologue of rat ribosomal protein L9 [Homo sapiens] Length = 192	gi 710366	139	354	77	78	HWAFK82	Lung, Colon, Breast/Ovarian
739	H2CBL68R	ribosomal protein S13 [Homo sapiens] >gi 488417 ribosomal protein S13 [Homo sapiens] >gnl PID d1014222 ribosomal protein S13 [Homo sapiens] >gi 57730 ribosomal protein S13 [Rattus rattus] >pir S34109 S34109 ribosomal protein S13, cytosolic - human >pir A3	gi 307391	3	461	100	100	H2CBL68	Lung, Pancreas
740	HINTNE17R	ribosomal protein S17 [Homo sapiens] >gi 337503 S17 ribosomal protein [Homo sapiens] >pir JT0405 JR4HU17 ribosomal protein S17, cytosolic - human Length = 135	gi 337501	1	387	100	100	HINTNE17	Lung, Pancreas, Breast/Ovarian
741	HBJLR37R	ribosomal protein S26 [Homo sapiens] Length = 115	gi 296452	2	328	98	100	HBJLR37	Pancreas, Colon, Breast/Ovarian

742	HOSNG20R	ribosomal protein S4X isoform [Homo sapiens] >gi2791861 (AF041428) ribosomal protein s4 X isoform [Homo sapiens] >gi200864 ribosomal protein S4 [Mus musculus] >gi57135 ribosomal protein S4 (AA 1 - 263) [Rattus rattus] >gnlP1D1d100235 ribosomal protei	gi 337510	1	357	97	98	HOSNG20	Lung, Pancreas, Colon, Breast/Ovarian
743	HCLBZ30R	ribosomal protein S5 [Mus musculus] Length = 204	gi 1685071	2	244	89	89	HCLBZ30	Lung, Pancreas, Colon, Breast/Ovarian
744	HBGNY11R	ribosomal protein S8 [Homo sapiens] >gi57139 ribosomal protein S8 (AA 1-208) [Rattus norvegicus] >gi313298 ribosomal protein S8 [Mus musculus] >pir[S01609]R3R78 ribosomal protein S8 - rat >pir[S42110]S42110 ribosomal protein S8 - mouse >pir[S25022]S2502	gi 36150	2	334	100	100	HBGNY11	Lung, Pancreas, Breast/Ovarian
745	HOEKC80R	S19 ribosomal protein [Homo sapiens] >pir[S2692]S2692 ribosomal protein S19, cytosolic - human Length = 145	gi 337733	2	376	98	98	HOEKC80	Lung, Pancreas, Colon, Breast/Ovarian
746	HCHBM70R	secretory protein [Homo sapiens] >gi 940946 intestinal trefoil factor [Homo sapiens] >pir[A48284]A48284 intestinal trefoil factor 3 precursor - human >sp Q07654 ITF_HUMAN INTESTINAL TREFOIL FACTOR PRECURSOR (HPI.B). Length = 80	gi 402483	1	114	57	57	HCHBM70	Colon, Breast/Ovarian
747	HPCES31R	scnaphorin C [Mus musculus] >pir 48746 48746 scnaphorin C - mouse (fragment) >sp Q62179 Q62179 SEMAPHORIN C (SEM C) (FRAGMENT). Length = 782	gi 854328	1	165	80	86	HPCES31	Colon, Breast/Ovarian

748	HCRQC92R	spermidine/spermine N1-acetyltransferase [Homo sapiens] >gi338336 spermidine/spermine N1-acetyltransferase [Homo sapiens] >spIP21673/ATDA_HUMAN DIAMINE ACETYLTRANSFERASE (EC 2.3.1.57) (SPERMIDINE/SPERMINE N1-ACETYLTRANSFERASE) (SSAT) (PUTRESCINE ACETYL T	gi338392	3	278	98	98	HCRQC92	Lung, Colon, Breast/Ovarian
749	HAOAG73R	TARBP-b gene product [Homo sapiens] Length = 277	gi347964	2	418	100	100	HAOAG73	Lung, Colon
750	HWAFE36R	TEGT gene product [Homo sapiens] >pir138334/138334 TEGT (testis enhanced gene transcript) - human Length = 237	gi458545	2	127	100	100	HWAFE36	Pancreas, Colon
751	H3GOU57R	TIMP gene product [Homo sapiens] >gi182483 prefibroblast collagenase inhibitor [Homo sapiens] >gi189382 collagenase inhibitor [Homo sapiens] >gi37183 precursor [Homo sapiens] >pirA93372/ZYHUEP metalloproteinase tissue inhibitor 1 precursor - human >gi	gi490094	60	314	75	75	H3GOU57	Lung, Pancreas, Breast/Ovarian
752	H1TXPF20R	TIMP1 gene product [Homo sapiens] >gi182483 prefibroblast collagenase inhibitor [Homo sapiens] >gi189382 collagenase inhibitor [Homo sapiens] >gi37183 precursor [Homo sapiens] >pirA93372/ZYHUEP metalloproteinase tissue inhibitor 1 precursor - human >gi	gi490094	1	549	84	84	H1TXPF20	Lung, Pancreas, Colon, Breast/Ovarian
753	HCRMD09R	transforming growth factor-beta 1 binding protein precursor [Homo sapiens] >pirA35626/A35626 transforming growth factor beta-1-binding protein - human Length = 1394	gi339548	2	460	86	87	HCRMD09	Lung, Pancreas, Colon

754	HAJRB47R	triose-phosphate isomerase [Pan troglodytes] >gi 37247 triosephosphate isomerase [Homo sapiens] >gi 1200507 triosephosphate isomerase [Homo sapiens] >gi 339841 triosephosphate isomerase (EC 5.3.1.1) [Homo sapiens] >pir S29743 SHUT triose-phosphate isomer	gi 176960	2	334	100	100	HJRB47	Lung, Pancreas, Breast/Ovarian
755	HABGB36R			6	251			HABGB36	Lung, Breast/Ovarian
756	HADBF86R			3	158			HADBF86	Lung, Colon
757	HADDP09R			2	97			HADDP09	Lung, Pancreas, Colon, Breast/Ovarian
758	HAGCY06R			2	58			HAGCY06	Pancreas, Breast/Ovarian
759	HAGDI75R			1	66			HAGDI75	Colon, Breast/Ovarian
760	HAHBD47R			118	429			HAHBD47	Lung, Pancreas
761	HAHCR61R			165	422			HAHCR61	Pancreas, Colon
762	HAJAU22R			101	202			HAJAU22	Pancreas, Colon
763	HAMGB62R			212	370			HAMGB62	Lung, Pancreas, Colon, Breast/Ovarian
764	HANGC52R			3	98			HANGC52	Lung, Pancreas, Colon
765	HAPCF30R			2	94			HAPCF30	Lung, Colon
766	HAPPV45R			216	536			HAPPV45	Lung, Pancreas
767	HAPQK19R			200	415			HAPQK19	Lung, Pancreas
768	HAPRL82R			3	233			HAPRL82	Lung, Pancreas
769	HAQBT45R			40	255			HAQBT45	Lung, Colon
770	HAUAL56R			127	315			HAUAL56	Pancreas, Breast/Ovarian

771	HAUBR22R	2	67	HAUBR22	Pancreas, Colon, Breast/Ovarian
772	HBAFN19R	3	257	HBAFN19	Lung, Colon, Breast/Ovarian
773	HISGOK25R	274	528	HISGOK25	Pancreas, Colon
774	HBGRA76R	2	88	HBGRA76	Pancreas, Colon
775	HGBRB47R	1	111	HGBRB47	Lung, Pancreas, Colon, Breast/Ovarian
776	HBJAS24R	1	66	HBJAS24	Colon, Breast/Ovarian
777	HBJK105R	207	362	HBJK105	Pancreas, Colon
778	HIBKEC86R	254	409	HIBKEC86	Pancreas, Colon
779	HBLGD42R	3	341	HBLGD42	Lung, Pancreas, Colon, Breast/Ovarian
780	HIBPAF10R	3	65	HIBPAF10	Lung, Pancreas
781	HCDBU02R	65	184	HCDBU02	Pancreas, Colon
782	HCDBU04R	64	348	HCDBU04	Lung, Pancreas, Colon
783	HCDDT61R	2	121	HCDDT61	Pancreas, Colon
784	HCEGY65R	2	79	HCEGY65	Pancreas, Colon
785	HCHAK80R	1	513	HCHAK80	Colon, Breast/Ovarian
786	HCHMW79R	73	432	HCHMW79	Pancreas, Breast/Ovarian
787	HCHOB92R	93	350	HCHOB92	Colon, Breast/Ovarian
788	HCLBO01R	45	149	HCLBO01	Lung, Colon
789	HCQAN60R	3	122	HCQAN60	Pancreas, Colon
790	HCRAK70R	3	293	HCRAK70	Colon, Breast/Ovarian
791	HCRPC63R	1	129	HCRPC63	Pancreas, Colon
792	HCUDC51R	2	265	HCUDC51	Lung, Colon

793	HDPI140R	139	453	HDPI140	Lung, Pancreas, Breast/Ovarian
794	HDPLP23R	1	141	HDPI123	Pancreas, Colon, Breast/Ovarian
795	HDPIRZ54R	1	165	HDPIRZ54	Colon, Breast/Ovarian
796	HE9DP46R	2	166	HE9DP46	Lung, Pancreas, Colon
797	HEGAR19R	361	534	HEGAR19	Lung, Colon
798	HFAUO64R	27	137	HFAUO64	Colon, Breast/Ovarian
799	HF1AL90R	186	308	HF1AL90	Lung, Colon
800	HHBEQ12R	218	514	HHBEQ12	Lung, Pancreas
801	HHEUL94R	2	127	HHEUL94	Lung, Pancreas, Colon
802	HISCF76R	16	153	HISCF76	Pancreas, Colon
803	HJMAU64R	1	207	HJMAU64	Lung, Colon
804	IJPC125R	275	508	IJPC125	Lung, Pancreas, Colon
805	HKBAC48R	369	542	HKBAC48	Lung, Pancreas, Colon, Breast/Ovarian
806	HKBAD57R	165	341	HKBAD57	Lung, Pancreas
807	HKDBA91R	3	332	HKDBA91	Pancreas, Colon
808	HKGDB80R	3	224	HKGDB80	Lung, Colon
809	HLDNC95R	289	537	HLDNC95	Lung, Pancreas, Prostate, Colon
810	HMSNI52R	2	271	HMSNI52	Lung, Pancreas
811	HODAY16R	134	298	HODAY16	Colon, Breast/Ovarian
812	HODEA57R	289	471	HODEA57	Lung, Pancreas
813	HOEMO27R	1	60	HOEMO27	Colon, Breast/Ovarian

814	HOEMO62R	2	73	HOEMO62	Pancreas, Breast/Ovarian
815	HOEMS18R	1	102	HOEMS18	Lung, Pancreas, Colon, Breast/Ovarian
816	HOENU53R	115	267	HOENU53	Lung, Colon
817	HOGAP33R	1	498	HOGAP33	Pancreas, Prostate, Breast/Ovarian
818	HOSMV34R	124	327	HOSMV34	Lung, Pancreas, Breast/Ovarian
819	HOSNF25R	405	587	HOSNF25	Pancreas, Colon
820	HOUHO32R	230	391	HOUHO32	Lung, Colon
821	HPIAC23R	2	286	HPIAC23	Lung, Breast/Ovarian
822	HRAAD31R	115	414	HRAAD31	Lung, Colon
823	HRACR12R	2	100	HRACR12	Pancreas, Colon
824	HRADJ57R	2	142	HRADJ57	Lung, Colon
825	HROAX48R	184	285	HROAX48	Pancreas, Colon
826	HTAHR87R	369	491	HTAHR87	Lung, Pancreas
827	HTTIO45R	1	288	HTTIO45	Colon, Breast/Ovarian
828	HTWDH05R	1	420	HTWDH05	Lung, Pancreas, Colon, Breast/Ovarian
829	HUFDS13R	51	152	HUFDS13	Pancreas, Colon
830	HUSZE86R	2	340	HUSZE86	Pancreas, Colon
831	HUTHF75R	161	418	HUTHF75	Lung, Pancreas, Breast/Ovarian
832	HWAFFW07R	3	170	HWAFFW07	Lung, Pancreas, Colon
833	HWLIB82R	209	403	HWLIB82	Pancreas, Colon
834	HWLLX91R	147	302	HWLLX91	Lung, Colon
835	HWLMZ54R	1	120	HWLMZ54	Pancreas, Colon

836	HMIA178R		173	319		HMIA178	Pancreas, Colon, Breast/Ovarian
837	HBGFFJ39R	unknown product specific to adipose tissue [Homo sapiens] >sp Q15847 Q15847 HYPOTHETICAL 7.9 KD PROTEIN. Length = 76	1	153	100	HBGFFJ39	Pancreas, Colon
838	HAMHH32R		1	123		HAMHH32	Lung, Colon
839	HAQBQ95R		104	205		HAQBQ95	Colon, Breast/Ovarian
840	HAGHY58R	URF 1 (NADH dehydrogenase subunit) [Homo sapiens] >gil337189 protein 1 [Homo sapiens] >pir A00407 DNHUN1 NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 1 - human mitochondrion (SGC1) >sp P03886 NUIIM_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1 (EC 1.6	157	411	95	HAGHY58	Lung, Colon
841	HOSNE37R	URF 2 (NADH dehydrogenase subunit) [Homo sapiens] >gil2052363 protein 2 [Homo sapiens] >gil2582057 (AF014882) NADH dehydrogenase subunit 2 [Homo sapiens] >gil2582061 (AF014884) NADH dehydrogenase subunit 2 [Homo sapiens] >gil2582063 (AF014885) NADH dehydr	73	231	59	HOSNE37	Lung, Pancreas, Colon
842	HWAFE41R	VDUP1=1,25-dihydroxyvitamin D-3 up-regulated [human, HL-60 promyelocytic leukemia cells, Peptide, 391 aa] [Homo sapiens] Length = 391	2	508	84	HWAFE41	Pancreas, Colon

The first column of Table 1 shows the "SEQ ID NO:" for each of the 842 cancer antigen polynucleotide sequences of the invention.

The second column in Table 1, provides a unique "Sequence/Contig ID" identification for each cancer associated sequence. The third column in Table 1, "Gene Name," provides a putative identification of the gene based on the sequence similarity of its translation product to an amino acid sequence found in a publicly accessible gene database, such as GenBank (NCBI). The great majority of the cDNA sequences reported in Table 1 are unrelated to any sequences previously described in the literature. The fourth column, in Table 1, "Overlap," provides the database accession no. for the database sequence having similarity. The fifth and sixth columns in Table 1 provide the location (nucleotide position nos. within the contig), "Start" and "End", in the polynucleotide sequence "SEQ ID NO:X" that delineate the preferred ORF shown in the sequence listing as SEQ ID NO:Y. In one embodiment, the invention provides a protein comprising, or alternatively consisting of, a polypeptide encoded by the portion of SEQ ID NO:X delineated by the nucleotide position nos. "Start" and "End". Also provided are polynucleotides encoding such proteins and the complementary strand thereto. The seventh and eighth columns provide the "% Identity" (percent identity) and "% Similarity" (percent similarity) observed between the aligned sequence segments of the translation product of SEQ ID NO:X and the database sequence.

The ninth column of Table 1 provides a unique "Clone ID" for a clone related to each contig sequence. This clone ID references the cDNA clone which contains at least the 5' most sequence of the assembled contig and at least a portion of SEQ ID NO:X was determined by directly sequencing the referenced clone. The reference clone may have more sequence than described in the sequence listing or the clone may have less. In the vast majority of cases, however, the clone is believed to encode a full-length polypeptide. In the case where a clone is not full-length, a full-length cDNA can be obtained by methods described elsewhere herein.

The tenth column of Table 1, "Tissue," provides the tissue source where each unique SEQ ID NO:X was found to be predominantly expressed.

Table 3 indicates public ESTs, of which at least one, two, three, four, five, ten, or more of any one or more of these public ESTs are optionally excluded from the invention.

SEQ ID NO:X (where X may be any of the polynucleotide sequences disclosed in the sequence listing as SEQ ID NO:1 through SEQ ID NO:842) and the translated SEQ ID NO:Y

(where Y may be any of the polypeptide sequences disclosed in the sequence listing as SEQ ID NO:843 through SEQ ID NO:1684) are sufficiently accurate and otherwise suitable for a variety of uses well known in the art and described further below. For instance, SEQ ID NO:X has uses including, but not limited to, in designing nucleic acid hybridization probes that will detect nucleic acid sequences contained in SEQ ID NO:X or the related cDNA clone contained in a library deposited with the ATCC. These probes will also hybridize to nucleic acid molecules in biological samples, thereby enabling immediate applications in chromosome mapping, linkage analysis, tissue identification and/or typing, and a variety of forensic and diagnostic methods of the invention. Similarly, polypeptides identified from SEQ ID NO:Y have uses that include, but are not limited to, generating antibodies which bind specifically to the cancer antigen polypeptides, or fragments thereof, and/or to the cancer antigen polypeptides encoded by the cDNA clones identified in Table 1.

Nevertheless, DNA sequences generated by sequencing reactions can contain sequencing errors. The errors exist as misidentified nucleotides, or as insertions or deletions of nucleotides in the generated DNA sequence. The erroneously inserted or deleted nucleotides cause frame shifts in the reading frames of the predicted amino acid sequence. In these cases, the predicted amino acid sequence diverges from the actual amino acid sequence, even though the generated DNA sequence may be greater than 99.9% identical to the actual DNA sequence (for example, one base insertion or deletion in an open reading frame of over 1000 bases).

Accordingly, for those applications requiring precision in the nucleotide sequence or the amino acid sequence, the present invention provides not only the generated nucleotide sequence identified as SEQ ID NO:X, the predicted translated amino acid sequence identified as SEQ ID NO:Y, but also a sample of plasmid DNA containing the related cDNA clone (deposited with the ATCC, as set forth in Table 1). The nucleotide sequence of each deposited clone can readily be determined by sequencing the deposited clone in accordance with known methods. Further, techniques known in the art can be used to verify the nucleotide sequences of SEQ ID NO:X.

The predicted amino acid sequence can then be verified from such deposits. Moreover, the amino acid sequence of the protein encoded by a particular clone can also be directly determined by peptide sequencing or by expressing the protein in a suitable host cell containing the deposited human cDNA, collecting the protein, and determining its sequence.

The present invention also relates to vectors or plasmids which include such DNA sequences, as well as the use of the DNA sequences. The material deposited with the ATCC on:

5 **Table 2**

ATCC Deposits	Deposit Date	ATCC Designation Number
LP01, LP02, LP03, LP04, LP05, LP06, LP07, LP08, LP09, LP10, LP11,	May-20-97	209059, 209060, 209061, 209062, 209063, 209064, 209065, 209066, 209067, 209068, 209069
LP12	Jan-12-98	209579
LP13	Jan-12-98	209578
LP14	Jul-16-98	203067
LP15	Jul-16-98	203068
LP16	Feb-1-99	203609
LP17	Feb-1-99	203610
LP20	Nov-17-98	203485
LP21	Jun-18-99	PTA-252
LP22	Jun-18-99	PTA-253
LP23	Dec-22-99	PTA-1081

each is a mixture of cDNA clones derived from a variety of human tissue and cloned in either a plasmid vector or a phage vector, as shown in Table 5. These deposits are referred to as "the deposits" herein. The tissues from which the clones were derived are listed in Table 5, and the vector in which the cDNA is contained is also indicated in Table 5. The deposited material includes the cDNA clones which were partially sequenced and are related to the SEQ ID NO:X described in Table 1 (column 9). Thus, a clone which is isolatable from the ATCC Deposits by use of a sequence listed as SEQ ID NO:X may include the entire coding region of a human gene or in other cases such clone may include a substantial portion of the coding region of a human gene. Although the sequence listing lists only a portion of the DNA sequence in a clone included in the ATCC Deposits, it is well within the ability of one skilled in the art to complete the sequence of the DNA included in a clone isolatable from the

ATCC Deposits by use of a sequence (or portion thereof) listed in Table 1 by procedures hereinafter further described, and others apparent to those skilled in the art.

Also provided in Table 5 is the name of the vector which contains the cDNA clone. Each vector is routinely used in the art. The following additional information is provided for
5 convenience.

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., *Nucleic Acids Res.* 16:7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., *Nucleic Acids Res.* 17:9494 (1989)) and pBK (Alting-Mees, M. A. et al., *Strategies* 5:58-61 (1992)) are commercially available from Stratagene
10 Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Phagemid pBS may be excised from the Lambda Zap and Uni-Zap XR vectors, and phagemid pBK may be excised from the Zap Express vector. Both phagemids may be transformed into *E. coli* strain
15 XL-1 Blue, also available from Stratagene.

Vectors pSport1, pCMVSport 1.0, pCMVSport 2.0 and pCMVSport 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, also available from Life Technologies. See, for instance, Gruber, C. E., et al., *Focus*
20 15:59 (1993). Vector lafmid BA (Bento Soares, Columbia University, New York, NY) contains an ampicillin resistance gene and can be transformed into *E. coli* strain XL-1 Blue. Vector pCR[®]2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, available from Life Technologies. See, for instance, Clark, J. M., *Nuc. Acids Res.*
25 16:9677-9686 (1988) and Mead, D. et al., *Bio/Technology* 9: (1991).

The present invention also relates to the genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the cDNA contained in a deposited cDNA clone. The corresponding gene can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include, but are not limited to, preparing probes or primers from the
30 disclosed sequence and identifying or amplifying the corresponding gene from appropriate sources of genomic material.

Also provided in the present invention are allelic variants, orthologs, and/or species homologs. Procedures known in the art can be used to obtain full-length genes, allelic variants, splice variants, full-length coding portions, orthologs, and/or species homologs of genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the cDNA contained in the related cDNA clone in the deposit, using information from the sequences disclosed herein or the clones deposited with the ATCC. For example, allelic variants and/or species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source for allelic variants and/or the desired homologue.

The present invention provides a polynucleotide comprising, or alternatively consisting of, the nucleic acid sequence of SEQ ID NO:X, and/or the related cDNA clone (See, e.g., columns 1 and 9 of Table 1). The present invention also provides a polypeptide comprising, or alternatively, consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in a deposited library. Polynucleotides encoding a polypeptide comprising, or alternatively consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by the the dDNA in the related cDNA clone contained in a deposited library, are also encompassed by the invention. The present invention further encompasses a polynucleotide comprising, or alternatively consisting of, the complement of the nucleic acid sequence of SEQ ID NO:X, and/or the complement of the coding strand of the related cDNA clone contained in a deposited library.

Many polynucleotide sequences, such as EST sequences, are publicly available and accessible through sequence databases and may have been publicly available prior to conception of the present invention. Preferably, such related polynucleotides are specifically excluded from the scope of the present invention. To list every related sequence would unduly burden the disclosure of this application. Accordingly, for each "Contig Id" listed in the first column of Table 3, preferably excluded are one or more polynucleotides comprising a nucleotide sequence described in the second column of Table 3 by the general formula of a-b, each of which are uniquely defined for the SEQ ID NO:X corresponding to that Contig Id in Table 1. Additionally, specific embodiments are directed to polynucleotide sequences excluding at least one, two, three, four, five, ten, or more of the specific polynucleotide sequences referenced by the Genbank Accession No. for each Contig Id which may be

included in column 3 of Table 3. In no way is this listing meant to encompass all of the sequences which may be excluded by the general formula, it is just a representative example.

Table 3.

Sequence/ Contig ID	General formula	Genbank Accession No.
507291	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 542 of SEQ ID NO:1, b is an integer of 15 to 556, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:1, and where b is greater than or equal to a + 14.	
508000	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2648 of SEQ ID NO:2, b is an integer of 15 to 2662, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:2, and where b is greater than or equal to a + 14.	T40333, T41194, T66286, T66339, T73997, T86453, T87207, R17614, R19835, R43336, R45934, R48920, R53521, R43336, R45934, R61813, R75928, R75937, H30115, H42959, H39114, H43825, AA028010, AA028107, AA028148, AA031964, AA032046, AA035668, AA190570, AA233781, AA461489, AA460726, AA460898
518325	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 324 of SEQ ID NO:3, b is an integer of 15 to 338, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:3, and where b is greater than or equal to a + 14.	
523111	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 799 of SEQ ID NO:4, b is an integer of 15 to 813, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:4, and where b is greater than or equal to a + 14.	
526869	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 887 of SEQ ID NO:5, b is an integer of 15 to 901, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:5, and where b is greater than or equal to a + 14.	AA459771
532211	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 717 of SEQ ID NO:6, b is an integer of 15 to 731, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:6, and where b is greater than or equal to a + 14.	H30209, H92182, W95693, W95692, AA196967
532247	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b.	R14583, R93797, H52942, H75493, H78857, W17094, W38705, W81551, W90159, N90874, AA010244,

	where a is any integer between 1 to 2760 of SEQ ID NO:7, b is an integer of 15 to 2774, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:7, and where b is greater than or equal to a + 14.	AA029093, AA126501, AA147066
537932	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2599 of SEQ ID NO:8, b is an integer of 15 to 2613, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:8, and where b is greater than or equal to a + 14.	T91131, T84801, T85952, R59198, R59256, H43456, H59480, H79111, N26560, N35676, N64506, N66078, N76033, N78705, W07594, W70111, W70169, N90844, AA026910, AA026911, AA057689, AA079631, AA079805, AA131257, AA136081, AA165115, AA210764, AA211886, AA232838, AA262352
540117	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1087 of SEQ ID NO:9, b is an integer of 15 to 1101, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:9, and where b is greater than or equal to a + 14.	T49371, T49372, T49850, T61568, T64892, N39534, W57682, AA031859
547710	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1359 of SEQ ID NO:10, b is an integer of 15 to 1373, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:10, and where b is greater than or equal to a + 14.	R11154, R11155, R61204, R61205, R82674, H06105, R88575, R88638, H89977, H97031, N20224, W01143, W39387, W90318, W90788, AA001027, AA045864, AA045839, AA070190, AA070357, AA070481, AA074270, AA099007, AA099084, AA100370, AA112324, AA113319, AA158425, AA161510, AA171909, AA172133, AA173087, AA181768, AA188815, AA188874, AA190370, AA226831, AA252143
551747	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3790 of SEQ ID NO:11, b is an integer of 15 to 3804, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:11, and where b is greater than or equal to a + 14.	
552799	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2143 of SEQ ID NO:12, b is an integer of 15 to 2157, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:12, and where b is greater than or equal to a + 14.	
553243	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1103 of SEQ ID NO:13, b is an integer of 15 to 1117, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:13, and where b is	H63183, W61352, AA151059

	greater than or equal to $a + 14$.	
553368	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 871 of SEQ ID NO:14, b is an integer of 15 to 885, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:14, and where b is greater than or equal to $a + 14$.	
554349	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1010 of SEQ ID NO:15, b is an integer of 15 to 1024, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:15, and where b is greater than or equal to $a + 14$.	
558491	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 531 of SEQ ID NO:16, b is an integer of 15 to 545, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:16, and where b is greater than or equal to $a + 14$.	
558983	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 609 of SEQ ID NO:17, b is an integer of 15 to 623, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:17, and where b is greater than or equal to $a + 14$.	
572943	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 545 of SEQ ID NO:18, b is an integer of 15 to 559, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:18, and where b is greater than or equal to $a + 14$.	
585892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1341 of SEQ ID NO:19, b is an integer of 15 to 1355, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:19, and where b is greater than or equal to $a + 14$.	
589390	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1266 of SEQ ID NO:20, b is an integer of 15 to 1280, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:20, and where b is greater than or equal to $a + 14$.	T47628, T49403, T49829, T49830, T50800, T50963, T51976, T55846, T55860, T55896, T55911, T58744, T58811, T58891, T59252, T59279, T59293, T59615, T59690, T59727, T59826, T60434, T60514, T60584, T61357, T40352, T62559, T62688, T62839, T63122, T64603, T64640.

		T67682, T67756, T68181, T68439, T68506, T68606, T68718, T68783, T68839, T68849, T68976, T69049, T71223, T71347, T71509, T71853, T71858, T71938, T72197, T72264, T72414, T72471, T72923, T73204, T73259, T73283, T73446, T73607, T73621, T73645, T73713, T73744, T73772, T73796, T74114, T74545, T74599, T87829, T90307, T90394, T91481, T92437, T92617, T81767, T82080, R27059, R27060, R31693, R31735, R50548, R50646, R64321, R64322, R75660, R75768, R75866, R76038, R79765, R79766, H22209, H24391, H25902, H27236, H28585, H29860, H29954, H41994, H42226, H42298, H43069, H43893, H43934, R83465, R84983, R94905, R94988, R96360, R96403, R97059, R98674, R98900, R99186, R99187, H50701, H50801, H57754, H62182, H63649, H63650, H64755, H64756, H69075, H70056, H70057, H70855, H70856, H71581, H75758, H75893, H80974, H80975, H83141, H83142, H83271, H85046, H84668, H91780, H92207, H92350, H94891, H94943, H94966, H95486, H99418, N52264, N58261, N74184, N77638, N81021, N92261, N99137, W04350, W07850, W16893, W39467, W45038, W47174, W47433, W52853, W63782, W67635, W67759, W67868, W67881, W93706, W94183, W96351, W96352, N89587, AA012898, AA019884, AA020863, AA025865, AA025866, AA056092, AA057434, AA070445, AA192155, AA192879, AA226741, AA227477
596882	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1177 of SEQ ID NO:21, b is an integer of 15 to 1191, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:21, and where b is greater than or equal to a + 14.	
616289	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 839 of SEQ ID NO:22, b is an integer of 15 to 853, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:22, and where b is greater than or equal to a + 14.	
622140	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	W39497, W52751, AA099814, AA128882, AA173072, AA226739

	sequence described by the general formula of a-b, where a is any integer between 1 to 460 of SEQ ID NO:23, b is an integer of 15 to 474, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:23, and where b is greater than or equal to a + 14.	
623566	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2266 of SEQ ID NO:24, b is an integer of 15 to 2280, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:24, and where b is greater than or equal to a + 14.	
647714	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1047 of SEQ ID NO:25, b is an integer of 15 to 1061, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:25, and where b is greater than or equal to a + 14.	
647752	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1558 of SEQ ID NO:26, b is an integer of 15 to 1572, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:26, and where b is greater than or equal to a + 14.	
651774	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1991 of SEQ ID NO:27, b is an integer of 15 to 2005, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:27, and where b is greater than or equal to a + 14.	T69901, T69949, T70775, R20554, R33030, R33917, R48406, H58331, H58720, H67041, H68124, H93586, H94430, H94513, H97468, H99219, N23459, N26334, N35428, N49203, N50256, N64246, N93349, W19550, W19996, W25330, W73940, W77984, W93791, W94028, N90424, AA025537, AA025680, AA025371, AA026317, AA026318, AA084549, AA086048, AA086130, AA098995, AA099068, AA115309, AA136486, AA151843, AA149689, AA148825, AA150406, AA150425, AA173377
651995	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1394 of SEQ ID NO:28, b is an integer of 15 to 1408, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:28, and where b is greater than or equal to a + 14.	
652156	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 903 of SEQ ID NO:29, b is an integer of 15 to 917, where both a and	T40364, R22492, R49907, R49908, R62310, R62311, R65652, R67030, R81699, R81700, H18589, H20024, H20099, H20123, H20797, H22404, H22615, H25816, H27051, H42294,

	b correspond to the positions of nucleotide residues shown in SEQ ID NO:29, and where b is greater than or equal to a + 14.	H44827, H49661, H51422, H51465, H56482, H56483, H70295, H86037, H93528, H93860, H96113, H96114, N22715, N31188, N33831, N54495, N70601, N70623, N76607, N78626, W04920, W05505, W07305, W15350, W39442, W60859, W60860, W72726, W76452, AA017463, AA024543, AA024544, AA026421, AA026498, AA027270, AA034429, AA046316, AA046142, AA053920, AA056230, AA063244, AA062885, AA085305, AA128171, AA126216, AA149890, AA150552, AA187825, AA188597, AA417004, AA417190
653010	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 563 of SEQ ID NO:30, b is an integer of 15 to 577, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:30, and where b is greater than or equal to a + 14.	
655904	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2045 of SEQ ID NO:31, b is an integer of 15 to 2059, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:31, and where b is greater than or equal to a + 14.	T61561, T90265, T90707, R09280, R17627, R43348, R54854, R54658, H20872, H27229, H64571, H64673, H64571, N47495, N54722, N75461, W73679, AA010711, AA010712, AA082107, AA130516, AA132052, AA132156, AA147852, AA147908, AA148276, AA148277, AA181933, AA187549, AA187845, AA186675, AA188310, AA193212
657852	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 535 of SEQ ID NO:32, b is an integer of 15 to 549, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:32, and where b is greater than or equal to a + 14.	
666414	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 827 of SEQ ID NO:33, b is an integer of 15 to 841, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:33, and where b is greater than or equal to a + 14.	
667847	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 849 of SEQ ID NO:34, b is an integer of 15 to 863, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:34, and where b is greater than or equal to a + 14.	T47009, T47010, T55133, T55301, T57663, T57702, T59664, T59797, T59800, T49370, T72020, T26631, R22343, R46325, R48879, R50151, R50204, R55208, R71485, R71535, R72144, R72362, R72553, R74062, H13587, H16167, H18121, H20172, H20361, H22514, H40774, H40775,

		H42435, H42865, H43100, H43164, H45140, H45441, H46013, H46083, H46159, R97084, R97131, H56498, H60260, H60567, H67238, H71802, H77325, H77338, H81556, H87775, H87825, H91889, H92057, H93187, H96056, H96420, H81556, H99575, N21484, N23829, N24221, N26831, N27079, N27278, N27582, N30213, N30255, N31642, N31989, N31996, N32655, N32790, N35515, N38983, N39859, N40012, N40488, N41792, N41978, N54988, N57097, N70071, N77176, N78930, N80037, N80573, N81058, N92768, N93810, W07000, W07659, W07868, W44961, W44962, W58175, W58263, W58182, AA001206, AA017579, AA026640, AA026706, AA057605, AA058758, AA082491, AA084088, AA086460, AA100968, AA112029, AA121337, AA121500, AA130704, AA130790, AA152420, AA156094, AA156123, AA181929, AA182575, AA182617, AA186931, AA195982, AA253952, AA283976, AA426098, AA425122, AA428823, AA429359
670188	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1216 of SEQ ID NO:35, b is an integer of 15 to 1230, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:35, and where b is greater than or equal to a + 14.	
670279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 626 of SEQ ID NO:36, b is an integer of 15 to 640, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:36, and where b is greater than or equal to a + 14.	T50781, T51265, T55324, T56327
670729	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 583 of SEQ ID NO:37, b is an integer of 15 to 597, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:37, and where b is greater than or equal to a + 14.	
674123	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 610 of SEQ ID NO:38, b is an integer of 15 to 624, where both a and b correspond to the positions of nucleotide residues	

	shown in SEQ ID NO:38. and where b is greater than or equal to a + 14.	
676496	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1015 of SEQ ID NO:39, b is an integer of 15 to 1029, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:39, and where b is greater than or equal to a + 14.	
678162	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1093 of SEQ ID NO:40, b is an integer of 15 to 1107, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:40, and where b is greater than or equal to a + 14.	T40233, T40521, T41098, T47133, T47529, T49156, T49157, T51636, T55352, T55402, T55422, T57649, T59314, T62530, T62806, T62954, T72271, T73592, T89655, T78884, R19194, R89249, R93164, H57861, H93645, N22493, N26661, N32984, N63146, N66448, N67443, N69984, N72141, N77952, N78933, N81091, N95826, W02074, W24850, W24972, W38365, W44897, W57997, W58080, W65414, W65435, W74634, AA007562, AA009767, AA022918, AA022939, AA025169, AA029717, AA029656, AA032096, AA040581, AA046091, AA070493, AA070646, AA070707, AA071405, AA071414, AA074752, AA075706, AA075696, AA079282, AA085620, AA100126, AA126795, AA128838, AA136579, AA143069, AA143200, AA146637, AA147370, AA147705, AA156001, AA157342, AA161090, AA164798, AA179749, AA187235, AA188048, AA187029, AA188384, AA192271, AA196973, AA235468, AA243180, AA459416, AA459642
678248	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1037 of SEQ ID NO:41, b is an integer of 15 to 1051, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:41, and where b is greater than or equal to a + 14.	
683668	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2178 of SEQ ID NO:42, b is an integer of 15 to 2192, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:42, and where b is greater than or equal to a + 14.	T49549, T49550, T49700, T49912, T49937, T50912, T51558, T53285, T53375, T53376, T53721, T54314, T54840, T55217, T56413, T99069, T99669, R01522, R31653, R32820, R32921, R35743, R50997, R64077, R65723, R69349, R71009, R72798, R72824, R76854, R77142, R79240, R79511, R80194, R80295, R81155, H39823, H39824, R84909, R85592, R91193, H50793, H52341, H53594, H53916, H92997, N26572, N32090,

		N32406, N34179, N36271, N45401, N49216, N50267, N67233, N67568, N72254, N75478, N93355, N94504, W00543, W05288, W05816, W23954, W24625, W24650, W25354, W49666, W52302, AA121852, AA121851, AA128593, AA128712, AA136731, AA136688, AA167235, AA167584, AA173693, AA176648, AA176804, AA179999, AA181456, AA181457, AA256158, AA256215, AA256247, AA458729, AA458778, AA464936, AA464937
693172	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 339 of SEQ ID NO:43, b is an integer of 15 to 353, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:43, and where b is greater than or equal to a + 14.	T49005, T50129, T54766, T59468, T71241, T89633, R66699, R67578, H25853, H26090, H41256, H43182, H45273, N58288, N95319, AA054338, AA057604, AA084261
694303	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3476 of SEQ ID NO:44, b is an integer of 15 to 3490, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:44, and where b is greater than or equal to a + 14.	
695042	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 767 of SEQ ID NO:45, b is an integer of 15 to 781, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:45, and where b is greater than or equal to a + 14.	
699799	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1417 of SEQ ID NO:46, b is an integer of 15 to 1431, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:46, and where b is greater than or equal to a + 14.	T50599, R25615, R31078, R68513, R70896, R75848, R76864, R76865, H01087, H26949, H63077, H75713, H75642, H95014, H98885, N24938, N33815, N47174, N47897, N51152, N53997, N59590, N62387, N63017, N67836, N69948, N78655, N79355, N94343, N98329, W01767, W03440, W15144, W19292, W25534, W37911, W42857, W42912, W48630, W72791, W76438, W81113, W80546, W80525, W80526, W84575, W84645, AA010674, AA011261, AA026981, AA031662, AA039737, AA039810, AA040524, AA040523, AA046308, AA046396, AA099365, AA101915, AA129310, AA129354, AA131951, AA186409
702216	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	T64167, T64355, T68409, T68475, T73691, T73717, T97735, T97840.

	sequence described by the general formula of a-b, where a is any integer between 1 to 1899 of SEQ ID NO:47, b is an integer of 15 to 1913, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:47, and where b is greater than or equal to a + 14.	T98899, T99491, R00460, R01214, R01326, H45786, R93124, R96609, H61118, H61119, H61454, H62460, H64003, H64052, H91078, H91378, N58480, N64695, N65991, N74260, N78070, N79244, N91708, N95101, W03761, W04301, N90479, AA130077, AA130076, AA152275, AA150441
703015	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1747 of SEQ ID NO:48, b is an integer of 15 to 1761, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:48, and where b is greater than or equal to a + 14.	R72819, R73270, H43839, W47195, W52204, AA242894, AA424584, AA424629
706391	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 942 of SEQ ID NO:49, b is an integer of 15 to 956, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:49, and where b is greater than or equal to a + 14.	T48974, H26922, H30342, H44743, H45233, R88178, H81778, H92363, N29006, N44860, N46515, AA079547, AA158434, AA160590, AA428285
706892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 549 of SEQ ID NO:50, b is an integer of 15 to 563, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:50, and where b is greater than or equal to a + 14.	
706924	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3201 of SEQ ID NO:51, b is an integer of 15 to 3215, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:51, and where b is greater than or equal to a + 14.	T68892, T68966, T75421, R15205, R16398, R41650, R42339, R52995, R52996, R41650, H12000, H16753, H16861, H27652, H27653, H27982, H28497, H29323, H29416, H85752, H98511, N22580, N24339, N28586, N42727, N50084, N75803, N78815, W07245, W21306, W23840, W57924, W58128, W72277, W76304, W86460, AA002243, AA002080, AA025565, AA025683, AA026606, AA026718, AA150696, AA150801
707642	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 612 of SEQ ID NO:52, b is an integer of 15 to 626, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:52, and where b is greater than or equal to a + 14.	
710369	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 906 of SEQ ID NO:53, b is an integer of 15 to 920, where both a and	T48815, T60685, T91108, T99835, AA150217, AA157340, AA157240, AA171947

	b correspond to the positions of nucleotide residues shown in SEQ ID NO:53, and where b is greater than or equal to a + 14.	
718826	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1076 of SEQ ID NO:54, b is an integer of 15 to 1090, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:54, and where b is greater than or equal to a + 14.	
719790	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1450 of SEQ ID NO:55, b is an integer of 15 to 1464, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:55, and where b is greater than or equal to a + 14.	T47380, T47538, T47539, T53445, T53446, T54910, T55077, T59959, T60032, T62504, T62649, T63049, T63297, T63382, T65688, T71591, T71742, T93094, T93187, T94131, T94222, T91210, T84959, T99044, T99045, R26119, R26148, R33224, R35866, R36526, R53923, R53924, R69596, R69684, R76209, R76210, R79249, R79521, H03427, H03507, H12529, H13501, H19016, H19310, H21587, H21652, H21653, H30119, H39693, H42698, H46635, R93371, R98210, R99855, H54120, H54786, H54837, H58991, H65355, H65566, H67613, H72632, H74102, H95312, N48235, N58029, N64226, N66907, N70763, N78303, N93848, N94316, N95432, N98433, W01816, W02218, W05772, W21419, W24044, W24297, W30823, W32382, W37228, W37317, W40321, W42528, W46445, W49731, W51944, W53011, W53012, W60051, W60129, W60154, W68332, W68216, W72730, W74593, W92813, W93310, AA010985, AA011307, AA031435, AA035708, AA037040, AA053073, AA053374, AA055567, AA069724, AA069690, AA069682, AA069900, AA069951, AA070693, AA071421, AA074606, AA075555, AA075673, AA075544, AA081017, AA081251, AA081428, AA082119, AA082022, AA082213, AA082241, AA082247, AA082400, AA082365, AA082438, AA082679, AA083225, AA083266, AA083508, AA083411, AA083637, AA084202, AA099623, AA102015, AA099659, AA100102, AA100163, AA100429, AA100430, AA100455, AA100456, AA100711, AA100764, AA100906, AA100919, AA100963, AA101118, AA102494, AA101184, AA112123, AA122359, AA122360, AA126882, AA127103, AA128195, AA128674, AA128686, AA128741.

		AA128747, AA128785, AA133488, AA133489, AA130006, AA130007, AA134211, AA130492, AA130507, AA134345, AA134346, AA134457, AA134458, AA134461, AA134462, AA130907, AA131020, AA131973, AA132141, AA132493, AA132601, AA134904, AA135121, AA135182, AA135348, AA136318, AA143066, AA143256, AA143278, AA143386, AA146650, AA146835, AA146836, AA146860, AA146861, AA146870, AA146871, AA146918, AA147716, AA147707, AA147868, AA148130, AA148090, AA148091, AA152422, AA148435, AA148867, AA148492, AA148702, AA151453, AA151452, AA151828, AA155801, AA155886, AA156025, AA156044, AA156053, AA156155, AA156222, AA157080, AA157168, AA157325, AA157423, AA157434, AA157471, AA157605, AA157631, AA157546, AA157775, AA157826, AA158157, AA158273, AA158888, AA158887, AA159153, AA159250, AA160104, AA159856, AA161278, AA161301, AA160817, AA164741, AA165616, AA165606, AA173037, AA173038, AA176229, AA176317, AA179185, AA179190, AA179200, AA181043, AA181262, AA181342, AA181834, AA181989, AA182794, AA187247, AA187342, AA187379, AA187470, AA187528, AA187740, AA187911, AA188028, AA186378, AA186424, AA186441, AA186442, AA186568, AA186653, AA186661, AA186703, AA186910, AA187081, AA187087, AA187078, AA187135, AA188313, AA188330, AA188342, AA190473, AA193219
720222	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 971 of SEQ ID NO:56, b is an integer of 15 to 985, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:56, and where b is greater than or equal to a + 14.</p>	AA056718, AA428747
724033	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1232 of SEQ ID NO:57, b is an integer of 15 to 1246, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:57, and where b is greater than or equal to a + 14.</p>	N50855, AA076233, AA076232

724767	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1952 of SEQ ID NO:58, b is an integer of 15 to 1966, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:58, and where b is greater than or equal to a + 14.	
727065	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1597 of SEQ ID NO:59, b is an integer of 15 to 1611, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:59, and where b is greater than or equal to a + 14.	T26554, R31862, R31869, R67140, R70861, H00137, H23051, H23350, H60670, N28391, N28646, AA081571
727246	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1835 of SEQ ID NO:60, b is an integer of 15 to 1849, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:60, and where b is greater than or equal to a + 14.	
727932	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 219 of SEQ ID NO:61, b is an integer of 15 to 233, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:61, and where b is greater than or equal to a + 14.	
731167	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2319 of SEQ ID NO:62, b is an integer of 15 to 2333, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:62, and where b is greater than or equal to a + 14.	
732514	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1456 of SEQ ID NO:63, b is an integer of 15 to 1470, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:63, and where b is greater than or equal to a + 14.	
734080	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 925 of SEQ ID NO:64, b is an integer of 15 to 939, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:64, and where b is greater than or equal to a + 14.	
734288	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2054 of SEQ ID NO:65, b is an integer of 15 to 2068, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:65, and where b is greater than or equal to a + 14.	
739448	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1377 of SEQ ID NO:66, b is an integer of 15 to 1391, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:66, and where b is greater than or equal to a + 14.	T53676, T53677, T54741, T55855, T55906, T56935, T57622, T58975, T58979, T61059, T61143, T90498, T90594, T93775, R07734, R07735, R40067, R75954, R75978, R76790, R76809, R77290, R77315, R77348, R79433, R79434, R97814, H50168, H70091, H77406, H80889, H82088, H82195, N33576, N39028, N48219, N49421, N52598, N66328, N67208, N73788, N78932, N92856, N99411, W07071, W17213, W24422, W25582, W47407, W47574, W49651, W49725, W68140, W68467, AA025829, AA025972, AA074731, AA074835, AA075316, AA081368, AA081369, AA082652, AA082810, AA101054, AA102495, AA115718, AA115719, AA127079, AA127080, AA127200, AA127199, AA128645, AA128813, AA133732, AA130465, AA130466, AA132111, AA143233, AA143289, AA146780, AA147706, AA148134, AA151491, AA157062, AA157046, AA157630, AA165124, AA165123, AA164625, AA165420, AA165583, AA173407, AA173462, AA179910, AA179911, AA180198, AA181087, AA181556, AA182450, AA182951, AA186670, AA188289, AA192925, AA193075, AA464823
739668	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 645 of SEQ ID NO:67, b is an integer of 15 to 659, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:67, and where b is greater than or equal to a + 14.	
740060	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2967 of SEQ ID NO:68, b is an integer of 15 to 2981, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:68, and where b is greater than or equal to a + 14.	
741560	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 589 of SEQ ID NO:69, b is an integer of 15 to 603, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:69, and where b is greater than or equal to a + 14.	
742543	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1087 of SEQ ID NO:70, b is an integer of 15 to 1101, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:70, and where b is greater than or equal to a + 14.	
742831	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 700 of SEQ ID NO:71, b is an integer of 15 to 714, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:71, and where b is greater than or equal to a + 14.	
745327	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2876 of SEQ ID NO:72, b is an integer of 15 to 2890, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:72, and where b is greater than or equal to a + 14.	
745695	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2474 of SEQ ID NO:73, b is an integer of 15 to 2488, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:73, and where b is greater than or equal to a + 14.	T56303, T58644, T58694, R48815, R48816, R68140, R74376, R78015, R81014, H00852, H01233, H17193, H17969, H25101, H27005, H30607, H41236, H42218, H42290, H42904, H42977, H45271, H45342, R83816, R98855, R98939, H53696, H62059, H82544, H83097, N40713, N92791, W19377, AA025571, AA053695, AA053675, AA069167, AA069166, AA076604, AA076603, AA079426, AA100088, AA099771, AA130265, AA158402, AA179641, AA235643, AA253454, AA250758, AA458951, AA458978, AA459194, AA419280, AA419329, AA425117, AA430664
750316	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 697 of SEQ ID NO:74, b is an integer of 15 to 711, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:74, and where b is greater than or equal to a + 14.	
750522	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 892 of SEQ ID	

	NO:75. b is an integer of 15 to 906, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:75, and where b is greater than or equal to a + 14.	
750583	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 257 of SEQ ID NO:76, b is an integer of 15 to 271, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:76, and where b is greater than or equal to a + 14.	
751020	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 659 of SEQ ID NO:77, b is an integer of 15 to 673, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:77, and where b is greater than or equal to a + 14.	N80268, N95387, W57806, W63590, AA182782, AA187759, AA199806, AA262640, AA262111, AA262106, AA460214
752196	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 353 of SEQ ID NO:78, b is an integer of 15 to 367, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:78, and where b is greater than or equal to a + 14.	R67541
753084	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1330 of SEQ ID NO:79, b is an integer of 15 to 1344, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:79, and where b is greater than or equal to a + 14.	T93791, T93840, R77826, R78199, R99272, H54274, H65600, H67128, H75533, H75532, H81433, N57836, N58786, N72699, N77475, W02480, W78743, W80625, W90276, AA007397, AA127528, AA127529, AA130419, AA147733, AA150095, AA195008, AA195060
754957	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3734 of SEQ ID NO:80, b is an integer of 15 to 3748, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:80, and where b is greater than or equal to a + 14.	
756557	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1877 of SEQ ID NO:81, b is an integer of 15 to 1891, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:81, and where b is greater than or equal to a + 14.	
756712	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1940 of SEQ ID NO:82, b is an integer of 15 to 1954, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:82, and where b is greater than or equal to a + 14.	
757414	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 922 of SEQ ID NO:83, b is an integer of 15 to 936, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:83, and where b is greater than or equal to a + 14.	T49651, T49652, T92946, T93013, H02307, H02419, N42072, AA169576
757614	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1499 of SEQ ID NO:84, b is an integer of 15 to 1513, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:84, and where b is greater than or equal to a + 14.	T93709, T96172, H00439, H00480, R85176, H51264, H51834, H53645, H57470, H57991, H73334, N33138, N42318, N94987, AA028955, AA081550, AA082013, AA113225, AA113810, AA133619, AA133522, AA132699, AA132810, AA151877, AA149662, AA157324, AA157422, AA159905, AA165014, AA165442, AA165443, AA167837, AA166621, AA166924, AA195339, AA195338, AA252790
757815	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1284 of SEQ ID NO:85, b is an integer of 15 to 1298, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:85, and where b is greater than or equal to a + 14.	
759878	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1995 of SEQ ID NO:86, b is an integer of 15 to 2009, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:86, and where b is greater than or equal to a + 14.	
760227	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 520 of SEQ ID NO:87, b is an integer of 15 to 534, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:87, and where b is greater than or equal to a + 14.	
760312	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4288 of SEQ ID NO:88, b is an integer of 15 to 4302, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:88, and where b is greater than or equal to a + 14.	
766051	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	T57753, T60650, R11036, R11084, R00826, R01482, H87221, N25112,

	sequence described by the general formula of a-b, where a is any integer between 1 to 2768 of SEQ ID NO:89, b is an integer of 15 to 2782, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:89, and where b is greater than or equal to a + 14.	N33451, N42424, N47338, N48186, N62628, N68902, N71490, N78399, N99533, W16943, W78948, W85915, W95743, N89568, AA039230, AA039231, AA047564, AA047582, AA047702, AA047752, AA120926, AA126453, AA135549, AA135529, AA429718
767593	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1023 of SEQ ID NO:90, b is an integer of 15 to 1037, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:90, and where b is greater than or equal to a + 14.	T51635, T57709, T61468, T63793, T63818, T92894, T92984, T94396, T75475, T75508, T87575, T79848, T85949, R25644, R27489, R70702, R78772, H44836, H44835, R84349, R86157, R89703, R99494, H48567, H48836, H57859, H83579, H86373, H86690, H88284, H97937, H98241, H99117, H99249, N24363, N24573, N26374, N27129, N31662, N36546, N40064, N45098, N45108, N53503, N59526, N63219, N64179, N64178, N66660, N70536, N72298, N98943, W02894, W19364, W60295, W60386, W72691, W77806, W93582, W93631, W92326, W92382, N90765, AA001997, AA013356, AA017023, AA017221, AA018780, AA026639, AA026705, AA029569, AA029496, AA029736, AA035387, AA035694, AA044958, AA055558, AA063564, AA100726, AA100744, AA134118, AA130301, AA151965, AA233192, AA253060, AA253117
768053	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1038 of SEQ ID NO:91, b is an integer of 15 to 1052, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:91, and where b is greater than or equal to a + 14.	
768055	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1220 of SEQ ID NO:92, b is an integer of 15 to 1234, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:92, and where b is greater than or equal to a + 14.	T68053, R09316, R09788, T84929, R24826, R66259, R68879, R80029, H00967, H89841, H96162, N39802, N44634, N68319, N70487, N71145, N72732, W01594, W52285, W73342, W85800, AA022906, AA022975, AA031962, AA032044, AA032163, AA037604, AA043694, AA043695, AA044134, AA074287, AA081041, AA081042, AA082218, AA082461, AA082475, AA083977, AA100460, AA155926, AA167365, AA171958, AA173534, AA187036, AA224429
769685	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1557 of SEQ ID	

	NO:93, b is an integer of 15 to 1571, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:93, and where b is greater than or equal to a + 14.	
771920	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1858 of SEQ ID NO:94, b is an integer of 15 to 1872, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:94, and where b is greater than or equal to a + 14.	
772790	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1502 of SEQ ID NO:95, b is an integer of 15 to 1516, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:95, and where b is greater than or equal to a + 14.	
772916	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1756 of SEQ ID NO:96, b is an integer of 15 to 1770, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:96, and where b is greater than or equal to a + 14.	
773225	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 924 of SEQ ID NO:97, b is an integer of 15 to 938, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:97, and where b is greater than or equal to a + 14.	
773632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 297 of SEQ ID NO:98, b is an integer of 15 to 311, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:98, and where b is greater than or equal to a + 14.	
774364	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 606 of SEQ ID NO:99, b is an integer of 15 to 620, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:99, and where b is greater than or equal to a + 14.	W01405, AA172322
775355	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2497 of SEQ ID NO:100, b is an integer of 15 to 2511, where both a	T49285, T61774, T68350, T68396, T94414, T69842, T81078, R01216, R05674, R21522, R21626, R23745, R23797, R24081, R24137, R24753, R32662, R36359, R45484, R45484.

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:100, and where b is greater than or equal to a + 14.	R63380, R63433, R70942, R70995, R73973, R78964, H08973, H09543, H16712, H16713, H20846, H20896, R99241, H82276, H82382, H84715, H85367, H85516, H89615, H95047, H96450, H97881, N20953, N21537, N22201, N25769, N29477, N30442, N37087, N42334, N42354, N66424, N66864, N67873, N71242, N73740, N94555, N99903, W45394, W46993, W46961, W46960, W46881, W73247, W90778, AA026678, AA026215, AA043908, AA044414, AA042828, AA062957, AA076063, AA121145, AA121476, AA195131, AA234043, AA234044, AA426421
775844	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2967 of SEQ ID NO:101, b is an integer of 15 to 2981, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:101, and where b is greater than or equal to a + 14.	T73286, T66741, T66742, R12147, R15080, R19321, R39271, R42973, R44589, R44589, H06197, H08725, R94752, H71652, H71653, H79764, H79765, H79770, H79762, H79761, H79771, H92246, H96184, N45199, W93244, W93245, W93258, W93257, W94615, W94654, AA001180, AA039582, AA039689, AA082198, AA157370, AA157869, AA253368
777760	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2790 of SEQ ID NO:102, b is an integer of 15 to 2804, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:102, and where b is greater than or equal to a + 14.	
779837	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 708 of SEQ ID NO:103, b is an integer of 15 to 722, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:103, and where b is greater than or equal to a + 14.	T67628, T72838, H59238, H84693, N80048, W07009, W37555, W39191, N90251, AA057629
780769	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1622 of SEQ ID NO:104, b is an integer of 15 to 1636, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:104, and where b is greater than or equal to a + 14.	T66609, T66610, T83560, R15983, R15984, R35702, R49338, R49338, H11613, R94244, H87098, H87745, W60710, W60772, W94034, AA258151, AA258913, AA425943
781445	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1547 of SEQ ID NO:105, b is an integer of 15 to 1561, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:105, and where b is	

	greater than or equal to $a + 14$.	
781531	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 472 of SEQ ID NO:106, b is an integer of 15 to 486, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:106, and where b is greater than or equal to $a + 14$.	
783018	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 786 of SEQ ID NO:107, b is an integer of 15 to 800, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:107, and where b is greater than or equal to $a + 14$.	R18976
783097	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1044 of SEQ ID NO:108, b is an integer of 15 to 1058, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:108, and where b is greater than or equal to $a + 14$.	
784198	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1062 of SEQ ID NO:109, b is an integer of 15 to 1076, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:109, and where b is greater than or equal to $a + 14$.	
784868	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1185 of SEQ ID NO:110, b is an integer of 15 to 1199, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:110, and where b is greater than or equal to $a + 14$.	
785428	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3616 of SEQ ID NO:111, b is an integer of 15 to 3630, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:111, and where b is greater than or equal to $a + 14$.	T47751, T39348, T39359, T98137, T79193, T95760, R16653, R16654, R24052, R24245, R33230, R44846, R50794, R50912, R44846, R60930, R61049, R71116, R71620, R77888, R80860, H00109, H04333, H04688, H05041, H09555, H30257, H30320, H47931, R94218, R99062, R99260, H50702, H50803, H52629, H52628, H54000, H67115, H70269, H83460, H83572, H84911, H99358, N21482, N21632, N24626, N33762, N41609, N67949, N69593, N70188, N71452, N71818, N77888, N79031, N99501, W02150, W03072, W05781, W19647, W19972, W20125, W30896, W33043.

		W33197, W35407, W37262, W39072, W47654, W52846, W56143, W60064, W60074, W65501, W67522, W67591, W69745, W69926, W80811, W94093, W94156, N90996, AA039462, AA040857, AA043084, AA043810, AA053423, AA053042, AA064625, AA064709, AA115540, AA115051, AA120833, AA129500, AA129499, AA146736, AA148602, AA152314, AA150343, AA150620, AA150790, AA157282, AA160296, AA173937, AA173969, AA181340, AA188207, AA186354, AA188646, AA190484, AA199676, AA199677, AA243342, AA250981, AA459647, AA459773, AA460227
785845	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1512 of SEQ ID NO:112, b is an integer of 15 to 1526, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:112, and where b is greater than or equal to a + 14.	
785854	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 571 of SEQ ID NO:113, b is an integer of 15 to 585, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:113, and where b is greater than or equal to a + 14.	T85881, W45204
786705	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 487 of SEQ ID NO:114, b is an integer of 15 to 501, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:114, and where b is greater than or equal to a + 14.	R09422
787186	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1951 of SEQ ID NO:115, b is an integer of 15 to 1965, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:115, and where b is greater than or equal to a + 14.	
787279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1046 of SEQ ID NO:116, b is an integer of 15 to 1060, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:116, and where b is greater than or equal to a + 14.	T62081, T97170, R17585, R42923, R48789, R48896, R54561, R54562, R54721, R54722, R42923, R72984, R73595, H23901, H43508, H46275, H46348, H47255, H47254, R83475, R89352, R91048, R93150, R93669, R94520, R98839, H48417, H48899, H48900, H50560, H54157, H58936,

		H58983, H67630, H69455, H72554, H72955, H89822, N23388, N33070, N35168, N40256, N44641, N52556, N59706, N68387, N80806, N92514, W17007, W19578, W20217, W38835, W49822, W56061, W65416, W65285, N90575, AA002190, AA045344, AA045446, AA052950, AA053432, AA082245, AA083753, AA102071, AA099961, AA101574, AA112070, AA125782, AA125931, AA135139, AA135268, AA146635, AA151603, AA149484, AA149981, AA152120, AA171975, AA172123, AA181805, AA181821, AA188148, AA188225, AA186556, AA186917, AA460297, AA461585
789002	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 695 of SEQ ID NO:117, b is an integer of 15 to 709, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:117, and where b is greater than or equal to a + 14.	
789008	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2039 of SEQ ID NO:118, b is an integer of 15 to 2053, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:118, and where b is greater than or equal to a + 14.	T47492, T47493, T47900, T48303, T48445, T48456, T49007, T49079, T49080, T49218, T49310, T49311, T49913, T49914, T49941, T51256, T51337, T51371, T51423, T51604, T51757, T52271, T52400, T53326, T53327, T54148, T54244, T54295, T54330, T54402, T54407, T55485, T55733, T56237, T56379, T56414, T56565, T39384, T40546, T40551, T40552, T40824, T89603, T79470, T79561, R01378, R12635, R20536, R21209, R21238, R21239, R22062, R22119, R22190, R22241, R22534, R22535, R22823, R23625, R23881, R24090, R25741, R26431, R26587, R28327, R28328, R28330, R31619, R32132, R32349, R33134, R33286, R35454, R36658, R39739, R50498, R50581, R20536, R56656, R65717, R65777, R65870, R67856, R67857, R68076, R69399, R69531, R69752, R69920, R71289, R72350, R74061, R77148, R77149, R80495, R80640, R82550, H00862, H01301, H01472, H01571, H02637, H02893, H03072, H03073, H03443, H03525, H03812, H03836, H23457, H23458, H26513, H26583, H26584, R86226, R86227, R87053, R91130, R91174, R92513, R92642, R93418, R93468, R93700, R94462, R94463, R94793, R95110.

		R96330, R96329, R96675, R96943, R97000, R98195, R99857, H48277, H48366, H48451, H53119, H54247, H54246, H57144, H57217, H58791, H59276, H59324, H59614, H59654, H62873, H62997, H66302, H67109, H67468, H67594, H67634, H67646, H67685, H67891, H67935, H68007, H68476, H72996, H73208, H73882, H74057, H74076, H74196, H75522, H75366, H77704, H77705, H78593, H79262, H79373, H81287, H81343, H82036, H82218, H82313, H87010, H87011, H90552, H90551, H93198, H94403, N28269, N30773, N34862, N38975, N38989, N39317, N43935, N45164, N48122, N48136, N50666, N50756, N52570, N53559, N53589, N55006, N55026, N57654, N58258, N58340, N58627, N58738, N70218, N72552, N72649, N77216, N77511, N77635, N80637, W01074, W58701, W68231, W68232, W68700, W72561, W72580, W72399, W76223, W85725, W92304, W92318, W92144, W92354, AA004478, AA004551, AA009715, AA009825, AA024464, AA024465, AA025660, AA039523, AA039522, AA040081, AA040128, AA040033, AA040827, AA045744, AA053323, AA099152, AA099250
789555	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1810 of SEQ ID NO:119, b is an integer of 15 to 1824, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:119, and where b is greater than or equal to a + 14.</p>	T85669, H62189, H62190, H73963, H73295, N74147, W04314, W23625, W35215, AA040573, AA040671
789631	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 592 of SEQ ID NO:120, b is an integer of 15 to 606, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:120, and where b is greater than or equal to a + 14.</p>	
789779	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 824 of SEQ ID NO:121, b is an integer of 15 to 838, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:121, and where b is greater than or equal to a + 14.</p>	N69694, AA151932
790387	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide</p>	H19654, H87102, H87749, N29354, N34298, N44187, N57052, W69612,

	sequence described by the general formula of a-b, where a is any integer between 1 to 642 of SEQ ID NO:122, b is an integer of 15 to 656, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:122, and where b is greater than or equal to a + 14.	W93844, W93865, AA027893, AA029638, AA058317, AA058495, AA179870, AA232827, AA233881, AA235809
790461	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1372 of SEQ ID NO:123, b is an integer of 15 to 1386, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:123, and where b is greater than or equal to a + 14.	R66275, R76171, R82537, AA054476, AA056199, AA127010, AA143025, AA151006, AA150976
790931	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 831 of SEQ ID NO:124, b is an integer of 15 to 845, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:124, and where b is greater than or equal to a + 14.	T92052, R10686, T84927, R21818, R22331, R22332, R22401, R23139, R23140, R23369, R32153, R32154, R63527, R63575, R68799, R68901, R80768, H12779, H12836, H56522, H56704, H94832, H96055, H96058, H96422, H96418, N26715, N27088, N31910, N32532, N33383, N34596, N42693, N42748, W32121, W37432, W44577, W44627, W51792, W61294, W65390, AA026773, AA026774
791176	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1642 of SEQ ID NO:125, b is an integer of 15 to 1656, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:125, and where b is greater than or equal to a + 14.	T51708, T51919, T69384, R50942, R73632, R73706, H28125, N22822, N78772
791983	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 823 of SEQ ID NO:126, b is an integer of 15 to 837, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:126, and where b is greater than or equal to a + 14.	
792539	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1203 of SEQ ID NO:127, b is an integer of 15 to 1217, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:127, and where b is greater than or equal to a + 14.	H53623, H53662, N23079, N69293, N89689, AA034518, AA035409, AA035410, AA046490, AA046762, AA085037, AA085105, AA134976, AA135078, AA459951, AA460040
792749	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1335 of SEQ ID NO:128, b is an integer of 15 to 1349, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:128, and where b is greater than or equal to a + 14.	R13058, R13951, R40011, R51765, R51766, R40011, R67629, R67630, H01808, H29310, H29403, R99196, H52742, H52788, H61636, H71767, H71768, N20919, N27779, N36030, N41741, N47900, N55480, N76967, W21551, W44410, W44331, W46458, W46528, W46810, W46928, W51766,

		W57869, W58140, W86456, N90422, AA029174, AA029253, AA031374, AA031375, AA062913, AA082549, AA133965, AA167773, AA166872, AA176295, AA176395, AA428235
792961	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2304 of SEQ ID NO:129, b is an integer of 15 to 2318, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:129, and where b is greater than or equal to a + 14.	
793206	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2135 of SEQ ID NO:130, b is an integer of 15 to 2149, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:130, and where b is greater than or equal to a + 14.	
793249	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1006 of SEQ ID NO:131, b is an integer of 15 to 1020, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:131, and where b is greater than or equal to a + 14.	T48358, T48359, T71001, T71063, T72193, T72972, T67531, T69528, T86709, T86804, T89854, T90890, T91159, T85694, T85895, T95466, T95467, R00007, R00008, R12353, R23932, R23933, R37279, R63973, R64080, R73825, R73826, R76905, R77073, R77445, R77538, R79797, R79808, R79894, R79908, H11925, H11926, H15192, H16754, H16862, H19737, H20072, H21725, H22675, H24523, H26125, H26391, H39766, H41271, H41373, H41374, H43544, H43545, H44881, H45180, H45181, R92671, R94833, H57801, H58122, H58123, H62248, H62337, H69587, H69586, H80840, H80930, H85462, H85747, H86829, H86902, H96591, H96708, H97829, H99614, N25266, N26147, N27161, N29792, N33452, N33767, N33906, N36535, N38816, N39177, N40101, N42935, N42425, N44530, N45252, N45445, N57801, N59012, N78685, N79046, N91819, N98480, W02726, W04566, W15191, W15596, W17335, W24253, W25723, W30937, W31253, W31429, W31674, W39685, W44989, W46619, W46654, W57768, W57804, W57841, W57622, W67135, W67136, W73878, W73364, W73441, W77815, W80810, W80903, W92682, W92512, W92513, W96375, W96526, AA001447, AA001482, AA021374, AA021375, AA037268, AA037489, AA037569, AA039708, AA040262, AA040417, AA057011,

		AA074646, AA074679, AA075303, AA088467, AA098947, AA100987, AA126026, AA126122, AA126778, AA128010, AA128034, AA136619, AA136750, AA143234, AA143291, AA143564, AA143565, AA146915, AA151446, AA151447, AA156218, AA157383, AA159151, AA173294, AA179768, AA180442, AA181155, AA181156, AA181722, AA186611, AA188254, AA190686, AA191758, AA191547, AA195441, AA223540, AA223587
793626	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2305 of SEQ ID NO:132, b is an integer of 15 to 2319, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:132, and where b is greater than or equal to a + 14.	
794417	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1359 of SEQ ID NO:133, b is an integer of 15 to 1373, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:133, and where b is greater than or equal to a + 14.	
795197	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1643 of SEQ ID NO:134, b is an integer of 15 to 1657, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:134, and where b is greater than or equal to a + 14.	
795251	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2346 of SEQ ID NO:135, b is an integer of 15 to 2360, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:135, and where b is greater than or equal to a + 14.	T89826, T74514, T89080, R24028, H03686, H97493, N54611, W94797, W94798, AA129537, AA190765, AA191357, AA256363, AA425151, AA429405
795752	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1028 of SEQ ID NO:136, b is an integer of 15 to 1042, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:136, and where b is greater than or equal to a + 14.	
796261	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1023 of SEQ ID	

	NO:137, b is an integer of 15 to 1037, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:137, and where b is greater than or equal to a + 14.	
796933	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1476 of SEQ ID NO:138, b is an integer of 15 to 1490, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:138, and where b is greater than or equal to a + 14.	
799424	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1670 of SEQ ID NO:139, b is an integer of 15 to 1684, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:139, and where b is greater than or equal to a + 14.	
799698	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 413 of SEQ ID NO:140, b is an integer of 15 to 427, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:140, and where b is greater than or equal to a + 14.	
800351	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 875 of SEQ ID NO:141, b is an integer of 15 to 889, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:141, and where b is greater than or equal to a + 14.	
800573	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1491 of SEQ ID NO:142, b is an integer of 15 to 1505, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:142, and where b is greater than or equal to a + 14.	
805815	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1221 of SEQ ID NO:143, b is an integer of 15 to 1235, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:143, and where b is greater than or equal to a + 14.	
806445	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1406 of SEQ ID NO:144, b is an integer of 15 to 1420, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:144, and where b is greater than or equal to a + 14.	
810309	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1905 of SEQ ID NO:145, b is an integer of 15 to 1919, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:145, and where b is greater than or equal to a + 14.	
811022	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1365 of SEQ ID NO:146, b is an integer of 15 to 1379, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:146, and where b is greater than or equal to a + 14.	
811023	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 500 of SEQ ID NO:147, b is an integer of 15 to 514, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:147, and where b is greater than or equal to a + 14.	
811143	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2044 of SEQ ID NO:148, b is an integer of 15 to 2058, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:148, and where b is greater than or equal to a + 14.	
811381	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1767 of SEQ ID NO:149, b is an integer of 15 to 1781, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:149, and where b is greater than or equal to a + 14.	
811595	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1695 of SEQ ID NO:150, b is an integer of 15 to 1709, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:150, and where b is greater than or equal to a + 14.	T51013, T51104, T54094, T54185, T68577, T68655, T90261, T90702, T92691, R34639, R49168, R51392, R49168, R84952, R84994, H84723, H84890, N29820, N42512, N64677, N67206, N73458, N80110, N92710, W02861, W20327, W23680, W76675, AA031294, AA062736, AA062781, AA070243, AA070244, AA084464, AA100714, AA100767, AA136726, AA136684, AA191613, AA223541, AA223589, AA252636
813000	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 908 of SEQ ID NO:151, b is an integer of 15 to 922, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:151, and where b is greater than or equal to a + 14.	
813288	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 621 of SEQ ID NO:152, b is an integer of 15 to 635, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:152, and where b is greater than or equal to a + 14.	
813431	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2314 of SEQ ID NO:153, b is an integer of 15 to 2328, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:153, and where b is greater than or equal to a + 14.	T94237, T89464, T89552, R09285, T78198, R14453, R15241, R15311, R21130, R33140, R33292, R40972, R46726, R42211, R40972, R46726, R66207, R67085, R73679, R73770, H12485, H19135, H22930, H24111, H26774, H26884, R89854, R89894, R92012, R92057, H53798, H61991, H61992, H64854, H65452, H73213, H74063, H79753, H79754, H80620, H80654, H81209, H81210, H84019, H84020, N35581, N68664, N73792, N91681, N92730, N99417, W20349, W46901, W52684, W60422, W61136, W61108, W61174, W68119, W73989, W79021, W79231, W80414, W80777, W80930, AA040315, AA045023, AA045024, AA045188, AA045352, AA181735, AA181799, AA223229, AA223428, AA464186, AA464780, AA428152, AA430305
813450	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1254 of SEQ ID NO:154, b is an integer of 15 to 1268, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:154, and where b is greater than or equal to a + 14.	T90954, T84401, T85262, R22109, R48652, R72000, R73453, H14261, H27403, H42017, H42018, H38149, H38150, H69302, H69397, N98775, AA148803, AA150212
813478	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4285 of SEQ ID NO:155, b is an integer of 15 to 4299, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:155, and where b is greater than or equal to a + 14.	
813505	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 992 of SEQ ID NO:156, b is an integer of 15 to 1006, where both a and b correspond to the positions of nucleotide	

	residues shown in SEQ ID NO:156, and where b is greater than or equal to $a + 14$.	
815552	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1672 of SEQ ID NO:157, b is an integer of 15 to 1686, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:157, and where b is greater than or equal to $a + 14$.	
815606	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4133 of SEQ ID NO:158, b is an integer of 15 to 4147, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:158, and where b is greater than or equal to $a + 14$.	T69152, T69213, T80080, T80327, R19043, R27520, R38534, R38898, R44031, R44031, R67769, H11493, H11852, H13644, H22161, H28042, H39529, H42500, H43488, N32678, N50022, N51861, N54126, N54677, W16972, W32896, W35293, W38598, N89624, N90277, AA027830, AA027892, AA035739, AA055806, AA069223, AA078890, AA078891, AA099437, AA099478, AA101431, AA112543, AA121794, AA129629, AA136251, AA143110, AA150576, AA157125, AA158242, AA158709, AA159976, AA160357, AA159491, AA160534, AA160629, AA165150, AA165151, AA164643, AA166799, AA169647, AA169822, AA173082, AA187009, AA224150, AA224303, AA224514, AA224513, AA224488, AA226779, AA227396, AA227518, AA232104, AA232580, AA256938, AA255494, AA429442
816048	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1228 of SEQ ID NO:159, b is an integer of 15 to 1242, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:159, and where b is greater than or equal to $a + 14$.	T54940, T59322, R35627, R46514, R48419, R48536, R48537, R48569, R48582, R48668, R48683, R49781, R49827, R53111, R53210, R66870, R67958, R69435, R69517, R70414, R71907, R71948, R72113, R72818, R73269, R75924, R75959, R79565, R79566, R80393, H25645, H26211, H29817, H29904, H39626, H39738, H39881, H40715, H42210, H42281, H42354, H42710, H43124, R83615, R86066, R92103, R92104, R96726, R96727, H54075, H54232, H54233, H62253, H62342, H80441, H80442, H91114, H97541, H99927, N27357, N27665, N93636, W19226, W19703, W25418, W25514, W44404, W63554, W78078, N89960, AA027093, AA027132, AA045021, AA045022, AA045721, AA045720, AA046247, AA046280, AA058624, AA074786, AA074787, AA082394, AA085101, AA085282, AA100996, AA127562, AA127729, AA127784, AA128372.

		AA134954, AA143611, AA148145, AA150570, AA161257, AA182028, AA188387, AA232423, AA464270, AA464381, AA421219, AA425804, AA428372
822978	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2215 of SEQ ID NO:160, b is an integer of 15 to 2229, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:160, and where b is greater than or equal to a + 14.	R28400, R82355, R82411, H01338, H01388, N24952, N33829, AA043471, AA043472, AA125807, AA128280, AA129405, AA133871, AA129367, AA133179, AA133312, AA131385, AA428408
823616	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1906 of SEQ ID NO:161, b is an integer of 15 to 1920, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:161, and where b is greater than or equal to a + 14.	
823981	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2605 of SEQ ID NO:162, b is an integer of 15 to 2619, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:162, and where b is greater than or equal to a + 14.	
824364	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1405 of SEQ ID NO:163, b is an integer of 15 to 1419, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:163, and where b is greater than or equal to a + 14.	R21933, H39733, N69879, AA027031, AA100964, AA157234, AA173338
824423	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3796 of SEQ ID NO:164, b is an integer of 15 to 3810, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:164, and where b is greater than or equal to a + 14.	
825279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 803 of SEQ ID NO:165, b is an integer of 15 to 817, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:165, and where b is greater than or equal to a + 14.	R06729, R61520, R86829, H51131, N57993, W93696, AA423827
825442	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1564 of SEQ ID	

	NO:166, b is an integer of 15 to 1578, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:166, and where b is greater than or equal to a + 14.	
825548	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1680 of SEQ ID NO:167, b is an integer of 15 to 1694, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:167, and where b is greater than or equal to a + 14.	
825725	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1622 of SEQ ID NO:168, b is an integer of 15 to 1636, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:168, and where b is greater than or equal to a + 14.	
826639	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 653 of SEQ ID NO:169, b is an integer of 15 to 667, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:169, and where b is greater than or equal to a + 14.	
827079	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3584 of SEQ ID NO:170, b is an integer of 15 to 3598, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:170, and where b is greater than or equal to a + 14.	
827153	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 926 of SEQ ID NO:171, b is an integer of 15 to 940, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:171, and where b is greater than or equal to a + 14.	
827351	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1444 of SEQ ID NO:172, b is an integer of 15 to 1458, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:172, and where b is greater than or equal to a + 14.	R14710, H92769, H92882, AA195498, AA242878, AA242884, AA252152, AA251967, AA465181, AA465542, AA481105, AA481210, AA492206, AA732326
827503	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2695 of SEQ ID NO:173, b is an integer of 15 to 2709, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:173, and where b is greater than or equal to a + 14.	
827563	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 999 of SEQ ID NO:174, b is an integer of 15 to 1013, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:174, and where b is greater than or equal to a + 14.	
827565	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1683 of SEQ ID NO:175, b is an integer of 15 to 1697, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:175, and where b is greater than or equal to a + 14.	
827893	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1395 of SEQ ID NO:176, b is an integer of 15 to 1409, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:176, and where b is greater than or equal to a + 14.	
828072	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1489 of SEQ ID NO:177, b is an integer of 15 to 1503, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:177, and where b is greater than or equal to a + 14.	R20502, R45322, R45322, H29062, H29165, N36388, N39601, AA043930, AA044003, AA115568, AA115087, AA232982, AA234020, AA251431, AA251432, AA459761, AA768137, AA830696, AA918618, AA977409
828228	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1364 of SEQ ID NO:178, b is an integer of 15 to 1378, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:178, and where b is greater than or equal to a + 14.	T76992, T83862, R37649, R68086, R68125, H05325, H05379, H11520, H60866, N27826, N59149, N71661, AA004459, AA004512, AA026983, AA031653, AA045803, AA045870, AA127220, AA126199, AA129772, AA133788, AA131742, AA166788, AA216416, AA229513, AA469120, AA469189, AA503687, AA516488, AA522741, AA542827, AA614664, AA847108, AA876618, AA886579, AA887825, AA888263, AA888262, AA934459, N31217, D79619, N55800, AA026982, AA031743
828241	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2237 of SEQ ID NO:179, b is an integer of 15 to 2251, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:179, and where b is greater than or equal to a + 14.	R09047, H71262, N28995, W07805, W89157, AA007537, AA203119

828287	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 986 of SEQ ID NO:180, b is an integer of 15 to 1000, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:180, and where b is greater than or equal to a + 14.</p>	<p>R00158, R34699, R34806, R55812, R55897, H02931, H04234, H38596, H38841, H38877, R84345, R84762, R85507, H51401, N22910, N31298, N36027, N64463, N70710, N80820, N94519, N99846, W15234, W15579, W15620, W23968, W24669, W30920, W31655, W37399, W37400, W39182, W45512, W44342, W45653, W44569, W44608, W47630, W47631, W52183, W52421, W57603, W58189, W58466, W60614, W73715, W78044, W90451, W90258, W92042, W91902, AA012954, AA013060, AA013459, AA013460, AA018132, AA018050, AA021226, AA021359, AA021556, AA021640, AA033802, AA040580, AA040552, AA047883, AA054092, AA055181, AA055893, AA082252, AA082502, AA099128, AA099165, AA100988, AA131285, AA136296, AA136178, AA151469, AA151470, AA156144, AA158033, AA158325, AA164422, AA164402, AA167105, AA182609, AA182541, AA187289, AA187406, AA523678, AA582094, AA570257, AA573999, AA574305, AA579097, AA661683, AA662869, AA664665, AA736798, AA770689, AA865267, AA902336, AA923648, AA933570, AA939196, AA988468, A1000226, A1089764, D79059, N84733, W73650, N86290, N88454, C04677, C06015, AA033803, R29541, AA089664, AA089996, C17096, C17255, C19033, AA093458</p>
828364	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1415 of SEQ ID NO:181, b is an integer of 15 to 1429, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:181, and where b is greater than or equal to a + 14.</p>	<p>R55711, R55921, R68105, R68149, R72479, R72941, N70480, W72759</p>
828371	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2711 of SEQ ID NO:182, b is an integer of 15 to 2725, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:182, and where b is greater than or equal to a + 14.</p>	<p>T62048, T62112, T91683, T92364, T92416, T93284, N49690, N49793, N64329, N80813, W15549, W15404, W31643, W53039, W92220, W92342, AA055521, AA055520, AA149883, AA150063, AA148836, AA150436</p>
828403	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1737 of SEQ ID NO:183, b is an integer of 15 to 1751, where both a</p>	<p>AA485171, AA515218, AA603721, AA612760, AA838541, AA970526, C18512</p>

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:183, and where b is greater than or equal to a + 14.	
828501	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2186 of SEQ ID NO:184, b is an integer of 15 to 2200, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:184, and where b is greater than or equal to a + 14.	H19145, N75547, AA044653, AA128979, AA159576, AA423963, AA523306, H62675, H97872, AA610503, AA010941, AA011327, AA043344
828520	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1973 of SEQ ID NO:185, b is an integer of 15 to 1987, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:185, and where b is greater than or equal to a + 14.	H70392, N30525, N30537, AA010769, AA463668, AA927343, AA091744
828527	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1723 of SEQ ID NO:186, b is an integer of 15 to 1737, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:186, and where b is greater than or equal to a + 14.	T39306, T40514, R08857, R08964, R00734, R00735, R13824, R20172, R37684, R44959, R44959, H05503, H17017, H17018, H54295, H54372, H54503, H67654, H67974, H87993, N33311, N37017, N44843, N55182, N75469, N75534, N77241, N93004, W05278, W05327, W45465, W88760, W88865, AA010623, AA010624, AA234956, AA235130, AA424457, AA282705, AA283023, AA283109, AA481529, AA481595, AA490727, AA491218, AA554176, AA614573, AA665370, AA687964, AA736921, AA765107, AA767430, AA809487, AA865595, N88052
828538	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1118 of SEQ ID NO:187, b is an integer of 15 to 1132, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:187, and where b is greater than or equal to a + 14.	
828541	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1253 of SEQ ID NO:188, b is an integer of 15 to 1267, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:188, and where b is greater than or equal to a + 14.	
828549	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3773 of SEQ ID NO:189, b is an integer of 15 to 3787, where both a and b correspond to the positions of nucleotide	

	residues shown in SEQ ID NO:189, and where b is greater than or equal to a + 14.	
828562	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 540 of SEQ ID NO:190, b is an integer of 15 to 554, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:190, and where b is greater than or equal to a + 14.	
828576	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 860 of SEQ ID NO:191, b is an integer of 15 to 874, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:191, and where b is greater than or equal to a + 14.	
828602	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2089 of SEQ ID NO:192, b is an integer of 15 to 2103, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:192, and where b is greater than or equal to a + 14.	
828628	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1303 of SEQ ID NO:193, b is an integer of 15 to 1317, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:193, and where b is greater than or equal to a + 14.	
828667	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1238 of SEQ ID NO:194, b is an integer of 15 to 1252, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:194, and where b is greater than or equal to a + 14.	
828684	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1674 of SEQ ID NO:195, b is an integer of 15 to 1688, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:195, and where b is greater than or equal to a + 14.	R11676, R12284, N68621, N71575, N99448, W02008, W58632, W74361, W76341, W78934, W85701, AA070898, AA070787, AA102636, AA102661, AA102678, AA190864, AA190957, AA197279, AA251577, AA464994, AA421724, AA470741, AA505341, AA506137, AA583780, AA579967, AA714136, AA743352, AA747903, AA814422, AA826755, AA836633, AA837944, AA936844, AI004160, C00265, AA641021
828727	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	R35925, R35954, R49443, R49468, R49443, R49468, N74960, AA083678, AA086366, AA100585, AA111863,

	where a is any integer between 1 to 742 of SEQ ID NO:196, b is an integer of 15 to 756, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:196, and where b is greater than or equal to a + 14.	AA156573, AA159175, AA192611, AA195925, AA195976, AA418567, AA418582
828734	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1457 of SEQ ID NO:197, b is an integer of 15 to 1471, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:197, and where b is greater than or equal to a + 14.	
828750	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 678 of SEQ ID NO:198, b is an integer of 15 to 692, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:198, and where b is greater than or equal to a + 14.	
828842	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1559 of SEQ ID NO:199, b is an integer of 15 to 1573, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:199, and where b is greater than or equal to a + 14.	R31695, R31737, R86919, R86763, H66952, N30849, N41376, N95538, W03782, W24227, N90171, AA020001, AA046039, AA046149, AA099753, AA489705, AA552582, AA580818, AA584291, AA730113, AA910268
828843	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2728 of SEQ ID NO:200, b is an integer of 15 to 2742, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:200, and where b is greater than or equal to a + 14.	T57326, T57387, T94838, T94837, T94879, T94925, T74456, R11995, R15234, R19543, R21728, R36670, R39752, R39834, R40808, R40808, R43895, R70936, R70988, R74057, R74152, R79967, R80062, H02983, H04277, H08966, H09537, H25298, H25343, H25449, H25495, H29439, H29438, H29887, H29987, R86318, H65676, H87966, H88350, H97859, N20316, N26629, N27590, N39724, N52972, W39188, W45099, W45149, N90248, AA004834, AA033776, AA039900, AA039901, AA041524, AA044928, AA082729, AA085742, AA112974, AA128343, AA133157, AA171997, AA418609, AA418664, AA421626, AA430065, AA230107, AA230108, AA513630, AA521134, AA622056, AA635868, AA639882, AA714929, AA715480, AA715556, AA729814, AA731061, AA811597, AA830222, AA873240, AA886078, AA886270, AA907208, AA932201, AA977447, AA989000, D81476, N56281, C21262, AA089709
828851	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1403 of SEQ ID NO:201, b is an integer of 15 to 1417, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:201, and where b is greater than or equal to a + 14.	
828856	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1498 of SEQ ID NO:202, b is an integer of 15 to 1512, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:202, and where b is greater than or equal to a + 14.	
828862	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 405 of SEQ ID NO:203, b is an integer of 15 to 419, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:203, and where b is greater than or equal to a + 14.	AA021223
828870	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2819 of SEQ ID NO:204, b is an integer of 15 to 2833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:204, and where b is greater than or equal to a + 14.	
828873	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 5816 of SEQ ID NO:205, b is an integer of 15 to 5830, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:205, and where b is greater than or equal to a + 14.	
828892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 741 of SEQ ID NO:206, b is an integer of 15 to 755, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:206, and where b is greater than or equal to a + 14.	R54649, W46198
828893	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1982 of SEQ ID NO:207, b is an integer of 15 to 1996, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:207, and where b is greater than or equal to a + 14.	
828897	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 1654 of SEQ ID NO:208, b is an integer of 15 to 1668, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:208, and where b is greater than or equal to a + 14.	
828910	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2236 of SEQ ID NO:209, b is an integer of 15 to 2250, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:209, and where b is greater than or equal to a + 14.	T91595, T65436, T65518, T70584, T70847, T75377, R09159, R09261, R09950, T96365, T96446, R12590, R13068, R18120, R21193, R22430, R22480, R22810, R25025, R26742, R26976, R32026, R32079, R33017, R33904, R36588, R39200, R40499, R45972, R40499, R45972, R56330, R64494, R65591, R67446, R70974, R74477, R74579, R77932, R78301, R78497, R78547, R80142, R80143, H00643, H00729, H03024, H04306, H06614, H07124, H09643, H09677, H28706, H28835, H42802, H47310, R92010, H65658, H65657, H67068, H68151, H71685, H72248, H72786, H72785, H73342, H75583, H75514, H77433, H98557, N20087, N22979, N23822, N28617, N29593, N32509, N33262, N40705, N42724, N44752, N45195, N57760, N58105, N59101, N59726, N64423, N66868, N71993, N73995, N99375, W01801, W02025, W19280, W19667, W19930, W25451, W25645, W31475, W31938, W32153, W32005, W37711, W37710, W46758, W46905, W49818, W56089, W57771, W57844, W61375, W61376, W60415, W60416, W61142, W61190, W67942, W67941, W74649, W84332, W84393, W86146, W94323, AA016041, AA015933, AA022593, AA022594, AA030003, AA043309, AA069392, AA069393, AA069775, AA069812, AA102392, AA112674, AA112673, AA135337, AA135336, AA143448, AA152405, AA152459, AA149804, AA149829, AA149849, AA149856, AA156559, AA157731, AA159045, AA160734, AA173662, AA173661, AA235812, AA242974, AA243081, AA242998, AA252146, AA460003, AA460542, AA428205, AA429142, AA285041, AA283758, AA283993, AA480305, AA506566, AA524852, AA631324, AA575859, AA658502, AA766717, AA808234, AA837876, AA866075, AA877425, AA879058, AA886608, AA902179, AA904000, AA928667, AA937136, AA962263, AA995987, AI024986, W25995, W26229, W27231, W26246, W28106,

		W28807, W48809, C01974, AA640952, C14885, C15137
828927	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 824 of SEQ ID NO:210, b is an integer of 15 to 838, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:210, and where b is greater than or equal to a + 14.	
828932	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1199 of SEQ ID NO:211, b is an integer of 15 to 1213, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:211, and where b is greater than or equal to a + 14.	T50679, T51209, T78077, R42605, R48768, R42605, R91277, H61157, W38635, W44738, W46899, W80700, AA017684, AA017707, AA018069, AA019662, AA040254, AA053989, AA054041, AA070137, AA070138, AA074661, AA086354, AA158859, AA223111, AA224210, AA224315, AA232155, AA471047, AA588037, AA720832, AA872503
828933	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 955 of SEQ ID NO:212, b is an integer of 15 to 969, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:212, and where b is greater than or equal to a + 14.	
828941	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1680 of SEQ ID NO:213, b is an integer of 15 to 1694, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:213, and where b is greater than or equal to a + 14.	
828957	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1196 of SEQ ID NO:214, b is an integer of 15 to 1210, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:214, and where b is greater than or equal to a + 14.	R09987, R16645, R16734, R81727, H58067, H58066, H59815, H59816, H64860, H65458, N70923, W81647, W81187, AA052891, AA053046, AA251319, AA251723, AA262259, AA262870, AA463359, AA463865, AA417918, AA418169, AA480203, AA521273, AA836429, AA858135, AA888105, AA917914, AA937591, AA947712, AA961752, AA973797, A1085881
828963	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1762 of SEQ ID NO:215, b is an integer of 15 to 1776, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:215, and where b is greater than or equal to a + 14.	
828964	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1404 of SEQ ID NO:216, b is an integer of 15 to 1418, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:216, and where b is greater than or equal to a + 14.	
828966	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2186 of SEQ ID NO:217, b is an integer of 15 to 2200, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:217, and where b is greater than or equal to a + 14.	T57322, T57383, R07432, R07433, R24183, R37889, R64196, R64212, H10798, H16281, H96182, N24864, N31801, N31897, N51466, N53607, N71323, N71374, N71696, N78973, N91801, N99595, N99806, W17338, W38617, W44695, W52815, W93325, W95029, AA027074, AA031625, AA031706, AA034522, AA101476, AA101477, AA156927, AA157179, AA173234, AA196758, AA506558, AA541561, AA552220, AA573198, AA687807, AA732065, AA769029, AA804914, AA858375, AA931935, AA995830, A1075078, A1075079, AA641307
828967	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1839 of SEQ ID NO:218, b is an integer of 15 to 1853, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:218, and where b is greater than or equal to a + 14.	T86194, T99270, R00981, R21065, R28076, R28291, R46245, R46245, R61751, R61752, H20415, H41325, H46347, H46354, W01107, W96450, W96548, AA082920, AA192528, AA494252, AA507548, AA604189, AA604361, AA614008, AA622126, AA573865, AA578191, AA568157, AA780392, AA812241, AA830010, AA836096, AA876742, C21216
828977	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1079 of SEQ ID NO:219, b is an integer of 15 to 1093, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:219, and where b is greater than or equal to a + 14.	T54853, T55018, T61617, T61701, T71718, T71787, R43855, R43855, H79047, W23509, W78022, AA028959, AA028960, AA035641, AA035749, AA040562, AA042827, AA044641, AA150059, AA459301, AA459532, AA419054, AA532924, AA603462, AA573839, AA863332, AA877269, A1016670, A1083871, A1085531
828978	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2141 of SEQ ID NO:220, b is an integer of 15 to 2155, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:220, and where b is greater than or equal to a + 14.	
828979	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1250 of SEQ ID NO:221, b is an integer of 15 to 1264, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:221, and where b is greater than or equal to a + 14.	

829001	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2071 of SEQ ID NO:222, b is an integer of 15 to 2085, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:222, and where b is greater than or equal to a + 14.	
829003	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2907 of SEQ ID NO:223, b is an integer of 15 to 2921, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:223, and where b is greater than or equal to a + 14.	T56900, T56901, T57894, T57976, T58709, T83854, T83994, T83995, T85283, T85493, T85938, T98545, T98546, R23866, R51491, R51492, R70815, H06524, H06579, H21400, H22212, H26306, H26465, H40800, H42803, H44004, H45104, H45577, R84544, R85933, R95902, R98186, R98187, R99129, H51499, H62734, H62818, H67266, H67280, H67971, H72027, H72028, H86532, H86617, H97834, N22060, N22322, N22927, N23444, N23843, N27358, N27627, N31797, N53099, N55505, N55527, N62760, N76278, N76994, N81072, N99969, W07363, W15385, W30908, W32209, W32266, W37612, W39341, W45721, W44369, W60688, W60728, W74331, W79764, W79508, AA010902, AA011007, AA013382, AA013383, AA017180, AA018376, AA021435, AA128552, AA128295, AA161229, AA160487, AA236095, AA259037, AA458538, AA428449, AA491943, AA492101, AA501898, AA505736, AA551906, AA552335, AA554636, AA564579, AA588897, AA593936, AA595710, AA610733, AA612690, AA569349, AA570259, AA570263, AA573856, AA579746, AA658849, AA721609, AA743280, AA743326, AA808972, AA831035, AA836900, AA887420, AA887859, AA970292, AA994943, AA994947, A1014465, F19724, N36447, D78889, N75198, W37467, W79607, C03008, C04753
829016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4381 of SEQ ID NO:224, b is an integer of 15 to 4395, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:224, and where b is greater than or equal to a + 14.	
829027	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3021 of SEQ ID	

	NO:225, b is an integer of 15 to 3035, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:225, and where b is greater than or equal to a + 14.	
829028	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1497 of SEQ ID NO:226, b is an integer of 15 to 1511, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:226, and where b is greater than or equal to a + 14.	
829031	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2225 of SEQ ID NO:227, b is an integer of 15 to 2239, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:227, and where b is greater than or equal to a + 14.	T52373, T52446, T65540, T91789, R10959, T84998, R06717, R28502, R48288, R48390, R48442, R54616, R54879, R55311, R55316, R55413, R55418, R72602, R72669, R72946, H15595, H27333, H41543, H37781, R84976, R85050, R88513, R88514, H49052, H49116, H96219, H96754, H97979, N23664, N25056, N26150, N32997, N51857, N54122, W65281, W65277, W72409, W76488, W92510, N91031, AA045475, AA056943, AA057662, AA057806, AA126670, AA127032, AA136891, AA137001, AA158595, AA158989, AA279342, AA604130, AA604929, AA631863, C01812
829034	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2332 of SEQ ID NO:228, b is an integer of 15 to 2346, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:228, and where b is greater than or equal to a + 14.	
829036	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2232 of SEQ ID NO:229, b is an integer of 15 to 2246, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:229, and where b is greater than or equal to a + 14.	W19899, W56172, N91246, AA053015, AA258943, AA508101, AA557537, AA744258, C06034, AA053503
829049	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1988 of SEQ ID NO:230, b is an integer of 15 to 2002, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:230, and where b is greater than or equal to a + 14.	
829073	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 980 of SEQ ID	N71827, W07562, W79070, W94296, AA026190, AA215725, AA279902, AA832099

	NO:231, b is an integer of 15 to 994, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:231, and where b is greater than or equal to a + 14.	
829075	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 472 of SEQ ID NO:232, b is an integer of 15 to 486, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:232, and where b is greater than or equal to a + 14.	
829076	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2067 of SEQ ID NO:233, b is an integer of 15 to 2081, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:233, and where b is greater than or equal to a + 14.	
829080	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 502 of SEQ ID NO:234, b is an integer of 15 to 516, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:234, and where b is greater than or equal to a + 14.	
829087	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1115 of SEQ ID NO:235, b is an integer of 15 to 1129, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:235, and where b is greater than or equal to a + 14.	
829092	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1031 of SEQ ID NO:236, b is an integer of 15 to 1045, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:236, and where b is greater than or equal to a + 14.	
829095	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 676 of SEQ ID NO:237, b is an integer of 15 to 690, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:237, and where b is greater than or equal to a + 14.	T98739, T98740, R53404, R72484, H09731, H16600, H21795, H25680, N79773, N93472, AA812105, AA826523, AA954170, A1084914
829096	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1859 of SEQ ID NO:238, b is an integer of 15 to 1873, where both a	T40001, T40939, R53257, R62981, R62980, R63036, H15127, H15187, H24078, H24188, H81472, H88927, H88927, H99390, N32032, N47835, N66666, N98950, AA022842,

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:238, and where b is greater than or equal to a + 14.	AA022965, AA024917, AA024918, AA035721, AA062907, AA102646, AA101299, AA223395, AA419511, AA421963, AA421964, AA524699, AA532380, AA614315, AA570194, AA742712, AA865440, AA887301, AA987486, AA988144, AA091175
829118	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 891 of SEQ ID NO:239, b is an integer of 15 to 905, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:239, and where b is greater than or equal to a + 14.	
829152	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1470 of SEQ ID NO:240, b is an integer of 15 to 1484, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:240, and where b is greater than or equal to a + 14.	T72498, T73568, T74363, T86984, R10378, R10477, T85969, R05924, R06022, H58205, H65999, H66000, N68870, N92084, N92944, AA188651, AA188754, N72345
829160	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1507 of SEQ ID NO:241, b is an integer of 15 to 1521, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:241, and where b is greater than or equal to a + 14.	R19077, R24890, R70937, R70989, R75822, R75823, H13581, R88030, H97197, H97205, H97610, H97622, H97640, H99011, N22163, N22211, N25706, N31618, N31627, N34096, N35586, N57066, N57078, N57083, N63961, N71248, N71530, N79638, W23686, W25345, W80523, W80524, AA027117, AA044025, AA044347, AA056543, AA056646, AA082122, AA120870, AA120871, AA129173, AA129197, AA173547, AA173713, AA190689, AA252595, AA258865, AA259007, AA576323, AA768606, N55993, N84224
829163	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1130 of SEQ ID NO:242, b is an integer of 15 to 1144, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:242, and where b is greater than or equal to a + 14.	R27150, H50951, N39917, N41848, N41877
829176	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 920 of SEQ ID NO:243, b is an integer of 15 to 934, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:243, and where b is greater than or equal to a + 14.	T46875, T53785, T62036, T73807, R11065, R11122, T84299, T85183, R01714, R02656, R02737, R02738, H41134, H64904, H79712, H79713, N68598, N71315, N71366, N99798, W01984
829204	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b.	R50489, R50573, R74498, R74499, AA234014, AA535362, AA554207, AA847239

	where a is any integer between 1 to 901 of SEQ ID NO:244, b is an integer of 15 to 915, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:244, and where b is greater than or equal to a + 14.	
829207	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1262 of SEQ ID NO:245, b is an integer of 15 to 1276, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:245, and where b is greater than or equal to a + 14.	
829228	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3352 of SEQ ID NO:246, b is an integer of 15 to 3366, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:246, and where b is greater than or equal to a + 14.	T40764, T49773, T49774, H05098, H49148, H51985, H52105, N36154, N51490, N52526, N53635, AA054314, AA074167, AA152473, AA152472, AA188950, AA278366, AA281330, AA468930, AA469004, AA482010, AA542938, AA554491, AA565215, AA579406, AA741363, AA807139, AA832066, AA836995, AA876036, AA995854
829252	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2134 of SEQ ID NO:247, b is an integer of 15 to 2148, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:247, and where b is greater than or equal to a + 14.	
829254	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2211 of SEQ ID NO:248, b is an integer of 15 to 2225, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:248, and where b is greater than or equal to a + 14.	
829269	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1190 of SEQ ID NO:249, b is an integer of 15 to 1204, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:249, and where b is greater than or equal to a + 14.	
829277	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1300 of SEQ ID NO:250, b is an integer of 15 to 1314, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:250, and where b is greater than or equal to a + 14.	
829290	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1145 of SEQ ID NO:251, b is an integer of 15 to 1159, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:251, and where b is greater than or equal to a + 14.	
829294	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2474 of SEQ ID NO:252, b is an integer of 15 to 2488, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:252, and where b is greater than or equal to a + 14.	
829299	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1540 of SEQ ID NO:253, b is an integer of 15 to 1554, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:253, and where b is greater than or equal to a + 14.	T82894, H25618, N48726, W52191, AA037331, AA223798, AA224330, AA635842, AA748884, AA826495, AA864458, AA903250, AA908466, AA931986, D81481, N56293, C02225
829308	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1492 of SEQ ID NO:254, b is an integer of 15 to 1506, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:254, and where b is greater than or equal to a + 14.	R13979, R17378, R40039, R42616, R42616, R40039, R56257, R56346, H05467, H07018, R86778, H99527, H99526, H99763, N24571, N25539, N25635, N28490, N30121, N34013, N34136, N34233, N35730, N49189, N50244, N92737, W20356, AA255602, AA262707, AA255576, AA262183, AA279758, AA570002, AA572777, AA721016, AA814424, AA864521, AA902860, AA948310, A1024777, A1056401
829349	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 640 of SEQ ID NO:255, b is an integer of 15 to 654, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:255, and where b is greater than or equal to a + 14.	T39288, T47082, T50451, T50586, T59000, T59073, T59535, T59586, T63704, T63861, T69920, T69974, T71240, T72474, T72943, T90268, T90710, T83786, T95048, R31368, R33435, R34369, R34489, R73911, R80467, R80667, R94351, R97310, R97345, H57329, H57376, H62783, H64845, H65444, H82981, H83214, H93955, H93956, N29780, N42940, N45379, N57200, N80805, W06876, W15396, W47162, W47283, W52164, W52024, W52758, W73045, W73275, W73604, W73643, W86783, W87274, AA009954, AA010849, AA011288, AA022621, AA022757, AA025805, AA025929, AA025968, AA046835, AA054475, AA058513, AA063327, AA075215, AA075451, AA088739, AA088740, AA099371, AA099457, AA112397, AA113053, AA121065, AA121066, AA132025, AA132147, AA132237, AA132357, AA146935,

		AA147721, AA147756, AA147602, AA148113, AA156063, AA157120, AA157223, AA157610, AA165107, AA164710, AA173741, AA173185, AA187331, AA187332, AA187293, AA187393, AA187741, AA188097, AA187033, AA188455, AA188457, AA188467, AA216356, AA228668, AA229001, AA228993, AA229108, AA397406, AA482922, AA483319, AA483431, AA491567, AA501502, AA507889, AA508445, AA513947, AA515053, AA522563, AA523140, AA525478, AA524922, AA526106, AA534088, AA535846, AA548219, AA552477, AA555012, AA558315, AA564882, AA565458, F16817, F16991, F17527, AA582793, AA587225, AA588487, AA595626, AA602055, AA602240, AA603392, AA631634, AA638971, AA639988, AA640535, AA576051, AA576894, AA566049, AA655021, AA659001, AA661609, AA662354, AA664631, AA664721, AA664980, AA665338, AA688035, AA714993, AA715012, AA720861, AA730373, AA730633, AA742678, AA742934, AA746812, AA747153, AA747192, AA747959, AA808437, AA836880, AA837645, AA838637, AA872341, AA876822, AA922665, AA961515, AA968734, AA970649, AA978219, AA988051, AA988404, AA991418, AA994111, A1002489, A1053409, A1053609, A1053760, A1082351, A1083631, N83854, N83948, N85971, N86260, N86628, N87758, AA641679, AA642097, AA642839, C20758, AA092159, AA092465, AA094493
829354	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1978 of SEQ ID NO:256, b is an integer of 15 to 1992, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:256, and where b is greater than or equal to a + 14.</p>	
829388	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2259 of SEQ ID NO:257, b is an integer of 15 to 2273, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:257, and where b is greater than or equal to a + 14.</p>	
829540	<p>Preferably excluded from the present invention are</p>	N26408, N28830, N28838, N31522.

		AA147721, AA147756, AA147602, AA148113, AA156063, AA157120, AA157223, AA157610, AA165107, AA164710, AA173741, AA173185, AA187331, AA187332, AA187293, AA187393, AA187741, AA188097, AA187033, AA188455, AA188457, AA188467, AA216356, AA228668, AA229001, AA228993, AA229108, AA397406, AA482922, AA483319, AA483431, AA491567, AA501502, AA507889, AA508445, AA513947, AA515053, AA522563, AA523140, AA525478, AA524922, AA526106, AA534088, AA535846, AA548219, AA552477, AA555012, AA558315, AA564882, AA565458, F16817, F16991, F17527, AA582793, AA587225, AA588487, AA595626, AA602055, AA602240, AA603392, AA631634, AA638971, AA639988, AA640535, AA576051, AA576894, AA566049, AA655021, AA659001, AA661609, AA662354, AA664631, AA664721, AA664980, AA665338, AA688035, AA714993, AA715012, AA720861, AA730373, AA730633, AA742678, AA742934, AA746812, AA747153, AA747192, AA747959, AA808437, AA836880, AA837645, AA838637, AA872341, AA876822, AA922665, AA961515, AA968734, AA970649, AA978219, AA988051, AA988404, AA991418, AA994111, A1002489, A1053409, A1053609, A1053760, A1082351, A1083631, N83854, N83948, N85971, N86260, N86628, N87758, AA641679, AA642097, AA642839, C20758, AA092159, AA092465, AA094493
829354	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1978 of SEQ ID NO:256, b is an integer of 15 to 1992, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:256, and where b is greater than or equal to a + 14.</p>	
829388	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2259 of SEQ ID NO:257, b is an integer of 15 to 2273, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:257, and where b is greater than or equal to a + 14.</p>	
829540	<p>Preferably excluded from the present invention are</p>	N26408, N28830, N28838, N31522.

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1490 of SEQ ID NO:258, b is an integer of 15 to 1504, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:258, and where b is greater than or equal to a + 14.	W15157, W81560, W81561, AA126749, AA126756, AA126772, AA187148
829626	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1778 of SEQ ID NO:259, b is an integer of 15 to 1792, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:259, and where b is greater than or equal to a + 14.	
829730	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2034 of SEQ ID NO:260, b is an integer of 15 to 2048, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:260, and where b is greater than or equal to a + 14.	
829892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1268 of SEQ ID NO:261, b is an integer of 15 to 1282, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:261, and where b is greater than or equal to a + 14.	R84306, N99830, N90467, AA113938, AA192541, AA243317, L44546, AA713588
829933	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 585 of SEQ ID NO:262, b is an integer of 15 to 599, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:262, and where b is greater than or equal to a + 14.	AA121059, AA429187
829938	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1247 of SEQ ID NO:263, b is an integer of 15 to 1261, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:263, and where b is greater than or equal to a + 14.	AA001837, AA142857, AA235114, AA235222, AA614412, AA687460, AA857702, AA857893, AA962131, AA962521
829969	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1006 of SEQ ID NO:264, b is an integer of 15 to 1020, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:264, and where b is greater than or equal to a + 14.	R22931, R23036, H09755, H47088, N38971, N38985, N57545, AA075344, AA075597, AA136299, AA136180, AA279124, AA279243, AA279928, AA279929, AA909786, A1000293, N48117, N48131
829982	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	H40097, N80803, N93871, W07650, W15482, W40363, W42635, W45238,

	sequence described by the general formula of a-b, where a is any integer between 1 to 557 of SEQ ID NO:265, b is an integer of 15 to 571, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:265, and where b is greater than or equal to a + 14.	W67482, W67483, W70331, W72456, W73235, W73290, W76515, W78220, AA040927, AA040928, AA074829, AA075095, AA083686, AA166708, AA167049, AA228843, AA468686, AA469044, AA505509, AA548788, AA564157, AA595572, AA622149, AA633298, AA576799, AA746697, AA807946, AA873193, AA903706, AA919114, AA932502, AA938506, AA974058, AA977996, A1000750, N85073, N86741, N87037, N88197, N88746, AA090569
830007	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1336 of SEQ ID NO:266, b is an integer of 15 to 1350, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:266, and where b is greater than or equal to a + 14.	
830019	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1305 of SEQ ID NO:267, b is an integer of 15 to 1319, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:267, and where b is greater than or equal to a + 14.	T61424, T53868, T61391, T63785, R23153, R23154, R23905, R64468, R65575, R69390, R69523, R79153, R79154, H14532, H14533, H47318, H47402, H53647, H61347, H93017, H94242, N29789, N42932, W57927, W58148, W67701, W68160, W74342, W81702, W81703, W94692, W95218, W95440, W95785, AA043712, AA056570, AA114073, AA133633, AA133634, AA151774, AA149729, AA149782, AA149795, AA425861, AA425990, AA428095, AA428642, AA494401, AA515475, AA523534, AA548827, AA552032, AA564916, F16977, AA593645, AA613557, AA617694, AA618542, AA576565, AA576574, AA746168, AA766359, AA833956, AA837906, AA857421, AA857877, AA903383, AA903849, AA903888, AA916517, AA922889, AA962544, AA970534, AA974964, AA975402, AA976089, AA983583, AA992448, F18477, C04429, C17306
830073	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3680 of SEQ ID NO:268, b is an integer of 15 to 3694, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:268, and where b is greater than or equal to a + 14.	T93694, T96159, H04182, H04181, H15428, H48586, N74976, W05676, W44928, AA085826, AA085971, AA126446, AA425304, AA425408, AA280817, AA280995, AA287270, AA287417, AA668788, AA836455, AA977754
830130	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1228 of SEQ ID	

	NO:269, b is an integer of 15 to 1242, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:269, and where b is greater than or equal to a + 14.	
830134	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2043 of SEQ ID NO:270, b is an integer of 15 to 2057, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:270, and where b is greater than or equal to a + 14.	
830135	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 946 of SEQ ID NO:271, b is an integer of 15 to 960, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:271, and where b is greater than or equal to a + 14.	
830148	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1153 of SEQ ID NO:272, b is an integer of 15 to 1167, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:272, and where b is greater than or equal to a + 14.	R15244, R31943, R31992, H06853, H06894, H13355, H30882, R84410, R84411, R94120, H53381, H97695, H99925, N46996, N69023, N77897, W00690, W19694, W38937, W74721, W74795, N89822, N89950, AA009490, AA009904, AA031349, AA031350, AA035629, AA035719, AA046140, AA062845, AA062905, AA079564, AA079636, AA116062, AA116046, AA126968, AA148568, AA159591, AA160429, AA161272, AA161273, AA160576, AA179774, AA180491, AA179635, AA182631, AA182727, AA179634, AA192371, AA192282, AA199831, AA251312, AA256883, AA255477, AA430121, AA533720, AA551694, AA552307, AA552661, AA582138, AA586611, AA587906, AA594387, AA602977, AA605299, AA633388, AA573941, AA574038, AA579715, AA687647, AA741352, AA838339, AA857603, AA858082, AA866081, AA865003, AA875861, AA910672, AA927563, A1076918, W21962
830149	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2757 of SEQ ID NO:273, b is an integer of 15 to 2771, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:273, and where b is greater than or equal to a + 14.	R60249, R60762, R63751, R67526, H95029, H95095, N59347, N77158, W19778, AA047615, AA047555, AA047687, AA047738, AA056453, AA070880, AA112293, AA113105, AA112550, AA112614, AA158015, AA158228, AA160995, AA160996, AA190555, AA191131, AA224574, AA227422, AA255563, AA255586, AA418477, AA424689, AA470392, AA515485, AA515507, AA583475,

		AA588210, AA602533, AA573902, AA568354, AA746111, AA766146, AA804893, N83302
830154	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1875 of SEQ ID NO:274, b is an integer of 15 to 1889, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:274, and where b is greater than or equal to a + 14.	
830183	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 590 of SEQ ID NO:275, b is an integer of 15 to 604, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:275, and where b is greater than or equal to a + 14.	
830194	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1367 of SEQ ID NO:276, b is an integer of 15 to 1381, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:276, and where b is greater than or equal to a + 14.	T51023, T51115, T52795, T53595, T56300, T56767, T59691, T59827, T59904, T63354, T72200, T72269, T92900, T92990, R07165, R07217, R44334, R49609, R44334, R49609, H11106, H20800, H22618, H42472, H43453, H50320, H50321, H69947, N20118, N21306, N26128, N63140, N67225, N67232, W45407, W56419, W56420, W72419, W76279, W94626, W94710, AA029459, AA029524, AA034511, AA035053, AA035563, AA039819, AA041465, AA053002, AA055974, AA056002, AA070356, AA070320, AA074029, AA074039, AA074189, AA074336, AA075645, AA075646, AA076380, AA084435, AA084465, AA084453, AA085290, AA086454, AA099172, AA101922, AA101959, AA099618, AA102011, AA112794, AA126226, AA126304, AA128510, AA129955, AA133875, AA128443, AA133328, AA133403, AA134003, AA130990, AA131028, AA132940, AA135158, AA135628, AA143273, AA146730, AA151853, AA155641, AA155696, AA155726, AA157967, AA158903, AA158902, AA158943, AA158944, AA159293, AA159526, AA161206, AA160558, AA160739, AA160740, AA165357, AA167787, AA169218, AA169512, AA169691, AA176365, AA179272, AA179388, AA180903, AA181001, AA181325, AA181508, AA182781, AA173899, AA187757, AA188120, AA186725, AA187070, AA187152, AA190896, AA199819, AA223210,

		AA223254, AA227038, AA232399, AA233288, AA243192, AA252285, AA492525, AA420611, AA420688, AA492171, AA492254, AA503950, AA507398, AA513704, AA513757, AA515944, AA525799, AA558212, AA563863, AA565107, F17110, AA582829, AA586678, AA603895, AA604163, AA568617, AA617883, AA622814, AA635987, AA569079, AA570078, AA570258, AA570419, AA573205, AA573965, AA574048, AA566065, AA748781, AA834135, AA837022, AA838454, AA838636, AA838049, AA838058, AA856831, AA909853, AA910298, AA927706, AA932101, AA937900, AA953604, AA969555, AA973234, AA978074, AA985430, AA985432, AA988742, AA994207, A1002611, A1014411, N84537, N85082, W22113, W22114, W22431, W22639, W23207, W23271, W29046, N88675, AA640915, AA092777
830207	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1135 of SEQ ID NO:277, b is an integer of 15 to 1149, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:277, and where b is greater than or equal to a + 14.	R51744, R88177, W05323, AA746479, AA761644, AA826038, W27619, AA642452
830242	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 797 of SEQ ID NO:278, b is an integer of 15 to 811, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:278, and where b is greater than or equal to a + 14.	
830328	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1246 of SEQ ID NO:279, b is an integer of 15 to 1260, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:279, and where b is greater than or equal to a + 14.	
830340	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1654 of SEQ ID NO:280, b is an integer of 15 to 1668, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:280, and where b is greater than or equal to a + 14.	
830341	Preferably excluded from the present invention are	T62985, T63236, T71911, T66677,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2314 of SEQ ID NO:281, b is an integer of 15 to 2328, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:281, and where b is greater than or equal to a + 14.	T66678, T80777, T81178, R16218, R16219, R67281, H15642, H15643, R96139, R96356, H61487, H61952, H62021, H62022, H62510, H62577, H62887, H63016, H65659, H65660, H72388, H72834, H80906, H97768, N30162, N35776, N52509, N66853, W44421, AA004323, AA004410, AA025214, AA026003, AA040205, AA040849, AA079158, AA079159, AA137066, AA137080, AA137137, AA136971, AA193479, AA532656, AA602312, AA828635, AA872751, AA934418, D80729, C15337
830351	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 942 of SEQ ID NO:282, b is an integer of 15 to 956, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:282, and where b is greater than or equal to a + 14.	
830358	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1388 of SEQ ID NO:283, b is an integer of 15 to 1402, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:283, and where b is greater than or equal to a + 14.	
830390	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 661 of SEQ ID NO:284, b is an integer of 15 to 675, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:284, and where b is greater than or equal to a + 14.	
830400	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1325 of SEQ ID NO:285, b is an integer of 15 to 1339, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:285, and where b is greater than or equal to a + 14.	T40239, T41103, T60782, T61153, T92326, T95403, R16530, R16587, R46049, R49231, R49231, R46049, H26122, H26387, H67872, H67872, H97917, N23194, N29748, N57652, N64158, N67587, N77509, N80178, W03502, W23838, W57929, W72584, AA011087, AA011088, AA070667, AA074878, AA075068, AA075019, AA076166, AA079857, AA082235, AA099016, AA099093, AA100754, AA113152, AA126886, AA128207, AA126932, AA128546, AA130882, AA136302, AA136408, AA143052, AA143693, AA148079, AA149931, AA151001, AA151091, AA155761, AA157290, AA160781, AA165535, AA173281, AA179903, AA180211, AA181162, AA181673, AA181986.

		AA187551, AA191657, AA192202, AA196746, AA196944, AA223166, AA224485, AA242866, AA397377, AA468734, AA514807, AA523669, AA534165, AA534195, AA565551, AA565552, H67199, AA581627, AA588734, AA588752, AA593857, AA595407, AA595555, AA603965, AA610486, AA614617, AA631563, AA635960, AA636057, AA576256, AA577470, AA580124, AA580480, AA714208, AA728790, AA729276, AA729361, AA744895, AA745002, AA746940, AA746948, AA747346, AA804602, AA810873, AA833970, AA836938, AA838563, AA858405, AA872330, AA922975, AA946823, AA954185, AA962678, AA978008, AA985504, AA987717, A1004904, A1017374, A1075264, F19611, A1089951, N83301, AA082282, AA091465, AA093298, AA094459
830437	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1384 of SEQ ID NO:286, b is an integer of 15 to 1398, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:286, and where b is greater than or equal to a + 14.	
830458	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 912 of SEQ ID NO:287, b is an integer of 15 to 926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:287, and where b is greater than or equal to a + 14.	T47583, T47584, T49761, T50148, T50203, T47161, R11382, R14878, H18220, H18258, R92715, N78687, W20222, W58210, W58319, W72115, W77801, W79332, W79431, W79487, W79631, W94437, N90582, AA043441, AA043442, AA148009, AA147947, AA150837, AA224863, AA225964, AA226110, AA259194, AA259193, AA420769, AA420829, AA470787, AA493672, AA501962, AA502082, AA506908, AA528607, AA588435, AA603500, AA603814, AA627229, AA627233, AA627240, AA632058, AA632689, AA639239, AA579023, AA580698, AA662633, AA661967, AA665215, AA729443, AA730546, AA737851, AA745424, AA745526, AA747036, AA878568, AA879157, AA886627, AA902180, AA922294, AA933050, AA962580, AA977360, AA985679, AA996058, AA996145, A1053546, A1085892, N83274, W15194, N88934, C04128, AA640839, AA091328, AA093116, AA094048, AA094287
830466	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3080 of SEQ ID NO:288, b is an integer of 15 to 3094, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:288, and where b is greater than or equal to a + 14.	
830497	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1969 of SEQ ID NO:289, b is an integer of 15 to 1983, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:289, and where b is greater than or equal to a + 14.	T47088, T47089, T58430, T58462, R00971, H42144, N77388, W51953, W52502, AA036671, AA114976, AA593693, AA575857, C01052
830511	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1284 of SEQ ID NO:290, b is an integer of 15 to 1298, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:290, and where b is greater than or equal to a + 14.	
830512	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2445 of SEQ ID NO:291, b is an integer of 15 to 2459, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:291, and where b is greater than or equal to a + 14.	
830513	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 556 of SEQ ID NO:292, b is an integer of 15 to 570, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:292, and where b is greater than or equal to a + 14.	
830540	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2454 of SEQ ID NO:293, b is an integer of 15 to 2468, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:293, and where b is greater than or equal to a + 14.	T66458, T98908, R15832, R21916, R22565, H12306, R99043, H57499, H82961, AA046203, AA046283, AA055081, AA055141, AA173411, AA173467, AA173996, AA176693
830550	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1066 of SEQ ID NO:294, b is an integer of 15 to 1080, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:294, and where b is greater than or equal to a + 14.	R50040, R60172, R71512, H09125, H09475, H21789, R84538, R85928, R94762, R96633, R96680, R97580, H53135, H53241, H82960, H83191, N68166, N68684, N77903, N80174, N80625, N92442, N93242, N93314, N98261, W03498, W05839, W20000, W25100, W31279, W37087, W60751, W67554, W67583, W73877, W77814, W80412, W95868, W95954, N91343,

		AA026891, AA026892, AA033547, AA034170, AA069175, AA088435, AA151307, AA161037, AA237097, AA251326, AA251729, AA428848, AA429940, AA287366, AA287504, AA470593, AA470594, AA514493, AA564438, H67293, AA582501, AA583172, AA587111, AA602517, AA603483, AA569955, AA732412, AA737913, AA810504, AA832193, AA857743, AA915872, AA915896, AA915992, AA948498, AA983538, AA991546, AI052409, AI053921
830567	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2681 of SEQ ID NO:295, b is an integer of 15 to 2695, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:295, and where b is greater than or equal to a + 14.	R69708, R75813, R75814, N22294, N47088, N50300, N50983, N81194, N93236, AA074258, AA083867, AA083973, AA195801, AA196063, AA252500, AA252415, AA258014, AA287593, AA291332, AA492017, AA522597, AA617684, AA713960, AA740158, AA749386, AA808100, AA808680, AA814350, AA826203, AA831453, AA887306, AA918645, AA972761, N88184
830586	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1380 of SEQ ID NO:296, b is an integer of 15 to 1394, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:296, and where b is greater than or equal to a + 14.	R99131, H81094, W01508, AA045861, AA085947, AA102188, AA146772, AA148854, AA233843, AA424679, AA491204, AA514459, AA532818, AA809984, AA838521, AA954880, AI089939
830632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 984 of SEQ ID NO:297, b is an integer of 15 to 998, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:297, and where b is greater than or equal to a + 14.	T47818, R21519, R21621, R22056, R22112, R31393, R32890, R48823, R48824, R66656, R67377, R71682, H25037, H25038, H25842, H26215, H26515, H26994, H28312, H28313, H29756, H30178, H41920, H41966, H42490, H43473, R83733, R85464, R88798, R89058, R93321, H52733, H59363, H60020, H73314, H73513, H80831, H80832, H82603, H86794, H86795, H86853, H86852, H92710, H96832, H98741, N23451, N23463, N26478, N26861, N31350, N31593, N35529, N39970, N42652, N62104, N74283, N76446, N78334, N92771, W04383, W19424, W20392, W24569, W35168, W60060, W60111, W84373, W84420, AA025658, AA029558, AA062705, AA062707, AA063390, AA062771, AA081934, AA126557, AA136019, AA151638, AA192245, AA194655, AA470430, AA493634, AA552261, AA552348, AA565278, AA565462, AA583788, AA593646, AA594277, AA604853, AA613755.

		AA632449, AA632505, AA657974, AA730677, AA730804, AA748100, AA765824, AA857805, AA954102, AA961763, AA962500, AA974525, AA983564, AA987422, AA987934, AA989423, AI000235, F19140, N84058, N84994, C03222, AA091370, AA091545
830645	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1652 of SEQ ID NO:298, b is an integer of 15 to 1666, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:298, and where b is greater than or equal to a + 14.	
830652	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2430 of SEQ ID NO:299, b is an integer of 15 to 2444, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:299, and where b is greater than or equal to a + 14.	
830659	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1012 of SEQ ID NO:300, b is an integer of 15 to 1026, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:300, and where b is greater than or equal to a + 14.	T65101, T66494, T66636, T84051, T86086, R05580, R13805, R15868, R16050, H05221, H05222, H13512, H16069, H18275, H21247, H44169, R83705, R92365, H48479, H48643, H54436, H54526, H73472, H73726, H97495, N29822, N30479, N31551, N32563, N39176, N39961, N45251, N68667, N91684, W07693, W32510, W32607, W38017, W74179, W79849, AA018138, AA028191, AA033572, AA033571, AA042915, AA043002, AA053878, AA054501, AA058344, AA099556, AA101993, AA134643, AA143525, AA176419, AA424269, AA555196, AA769107, AA987653, AI076212, N84624, N85006, AI084132, AI084154, AA094327
830696	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 816 of SEQ ID NO:301, b is an integer of 15 to 830, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:301, and where b is greater than or equal to a + 14.	
830706	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3286 of SEQ ID NO:302, b is an integer of 15 to 3300, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:302, and where b is	

	greater than or equal to $a + 14$.	
830743	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 461 of SEQ ID NO:303, b is an integer of 15 to 475, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:303, and where b is greater than or equal to $a + 14$.	N30323, N56655, N69079, N69946, N80244, N98327, W07371, W42660, W45185, W55989, W56279, W68387, W68503, W72685, W74708, W74677, W77791, W80647, AA010723, AA011171, AA033537, AA034221, AA035773, AA056334, AA062820, AA132021, AA132124, AA135594, AA135681, AA151293, AA151292, AA181331, AA186392, AA187084, AA228662, AA228680, AA229819, AA468802, AA470869, AA483684, AA491891, AA514852, AA533423, AA548946, AA563674, AA564612, AA594511, AA600707, AA622053, AA635767, AA639353, AA662887, AA664589, AA729365, AA747035, AA747774, AA814124, AA873167, AA886626, AA903495, AA903981, AA922807, AA969768, AA973174, AA974282, AA976458, AA977143, AA983332, AI025140, AI066527, F19035, F19464, C03984, C13986, C14221, C14299, C14336, C14341, C14380, C14385, C14396, C14434, C14483, C14504, C14513, C15788
830770	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2888 of SEQ ID NO:304, b is an integer of 15 to 2902, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:304, and where b is greater than or equal to $a + 14$.	
830830	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1539 of SEQ ID NO:305, b is an integer of 15 to 1553, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:305, and where b is greater than or equal to $a + 14$.	
830838	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1973 of SEQ ID NO:306, b is an integer of 15 to 1987, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:306, and where b is greater than or equal to $a + 14$.	
830851	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 771 of SEQ ID NO:307, b is an integer of 15 to 785, where both a and b correspond to the positions of nucleotide	

	residues shown in SEQ ID NO:307, and where b is greater than or equal to $a + 14$.	
830853	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2164 of SEQ ID NO:308, b is an integer of 15 to 2178, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:308, and where b is greater than or equal to $a + 14$.	
830856	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 861 of SEQ ID NO:309, b is an integer of 15 to 875, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:309, and where b is greater than or equal to $a + 14$.	
830862	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 742 of SEQ ID NO:310, b is an integer of 15 to 756, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:310, and where b is greater than or equal to $a + 14$.	T46908, T46909, T46921, T46922, T50921, T52918, T53038, T56001, T59028, T94115, T94204, R53898, R53908, H02747, H27523, H77792, H88026, H88248, H90255, H90605, H88248, N21994, N64072, N73723, N74262, N75815, N77939, W03894, W23887, AA081082, AA113423, AA115852, AA143290, AA143335, AA146868, AA157054, AA157208, AA179118, AA187792, AA188385, AA468513, AA468983, AA501970, AA523481, AA528461, AA533759, AA533618, AA535287, AA541570, AA558529, L44430, AA604961, AA568927, AA659814, AA661481, AA661996, AA731036, AA748135, AA847331, AA878667, AA885549, AA935403, AA938035, A1001062, F19242, N83489, N83646, N84328, N85002, N85167, N85223, N85325, N85833, N85949, N86287, N86329, N87923, N83150, AA642852, AA091775, AA093919
830879	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 837 of SEQ ID NO:311, b is an integer of 15 to 851, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:311, and where b is greater than or equal to $a + 14$.	T62074, T62130, T67747, T67857, R44816, R48904, R44816, H13822, H29311, W37451, N90567, AA128266, AA164552, AA235044, AA236012, AA746229, AA962194, AA987868, AA994828, A1000188, A1015557
830919	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1321 of SEQ ID NO:312, b is an integer of 15 to 1335, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:312, and where b is	

	greater than or equal to $a + 14$.	
830969	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 502 of SEQ ID NO:313, b is an integer of 15 to 516, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:313, and where b is greater than or equal to $a + 14$.	
830991	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1819 of SEQ ID NO:314, b is an integer of 15 to 1833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:314, and where b is greater than or equal to $a + 14$.	
831002	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1340 of SEQ ID NO:315, b is an integer of 15 to 1354, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:315, and where b is greater than or equal to $a + 14$.	
831003	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2407 of SEQ ID NO:316, b is an integer of 15 to 2421, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:316, and where b is greater than or equal to $a + 14$.	T64373, N48387, W52748, W52754, W70187, AA029541, AA034463, AA058497, AA082001, AA082284, AA085967, AA088397, AA133444, AA133477, AA149568, AA187408, AA226818, AA226855
831021	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1078 of SEQ ID NO:317, b is an integer of 15 to 1092, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:317, and where b is greater than or equal to $a + 14$.	
831036	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1366 of SEQ ID NO:318, b is an integer of 15 to 1380, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:318, and where b is greater than or equal to $a + 14$.	
831071	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2598 of SEQ ID NO:319, b is an integer of 15 to 2612, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:319, and where b is greater than or equal to $a + 14$.	

831094	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 929 of SEQ ID NO:320, b is an integer of 15 to 943, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:320, and where b is greater than or equal to a + 14.	
831099	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2945 of SEQ ID NO:321, b is an integer of 15 to 2959, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:321, and where b is greater than or equal to a + 14.	T58120, T90056, T90158, T94290, T94639, R69200, R69590, R69678, R76031, H65424, H65425, N32273, N40465, N47619, N48504, N66482, N67212, N67243, N67881, N71915, N72302, N92538, N94512, W03004, W06930, W20370, W23962, W38380, W38525, W38716, W39486, W42582, W42594, W44824, W48665, W51898, W52474, W53040, W60142, N90075, N90423, AA025009, AA024962, AA029382, AA029726, AA031500, AA031546, AA037283, AA037749, AA039259, AA044145, AA044261, AA065061, AA070027, AA082386, AA083544, AA083757, AA088692, AA088829, AA099577, AA100236, AA100245, AA100517, AA112739, AA112091, AA116055, AA130509, AA130510, AA132145, AA135909, AA136308, AA136413, AA136528, AA136751, AA146853, AA146852, AA148049, AA156943, AA159808, AA165022, AA173867, AA181803, AA182563, AA182776, AA186553, AA186858, AA192463, AA194658, AA255837, AA261995, AA423999, AA493599, AA228337, AA228348, AA506755, AA506420, AA513968, AA514542, AA522900, AA524125, AA551485, AA553912, AA563900, AA594966, AA602651, AA610339, AA610361, AA614772, AA618333, AA576828, AA665045, AA714493, AA729997, AA738153, AA768641, AA804931, AA806122, AA827914, AA857664, AA876216, AA877173, AA877646, AA894385, AA922728, AA947835, AA977110, AA984009, AA988275, AA988567, N84005, N84600, N84939, N85553, A1084028, N86141, N88049, N89450, N89451, C02877, C02980, C03631, C05243, C05332, C05993, AA642453, AA090838, AA089614, AA091652, AA093130, AA093851
831113	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b.	AA122085, AA147371, A1005336

	where a is any integer between 1 to 788 of SEQ ID NO:322, b is an integer of 15 to 802, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:322, and where b is greater than or equal to a + 14.	
831120	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1710 of SEQ ID NO:323, b is an integer of 15 to 1724, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:323, and where b is greater than or equal to a + 14.	
831172	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2247 of SEQ ID NO:324, b is an integer of 15 to 2261, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:324, and where b is greater than or equal to a + 14.	
831178	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1199 of SEQ ID NO:325, b is an integer of 15 to 1213, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:325, and where b is greater than or equal to a + 14.	
831184	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2750 of SEQ ID NO:326, b is an integer of 15 to 2764, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:326, and where b is greater than or equal to a + 14.	
831203	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1750 of SEQ ID NO:327, b is an integer of 15 to 1764, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:327, and where b is greater than or equal to a + 14.	
831210	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 557 of SEQ ID NO:328, b is an integer of 15 to 571, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:328, and where b is greater than or equal to a + 14.	AA057014, AA059289
831228	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 459 of SEQ ID	

	NO:329, b is an integer of 15 to 473, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:329, and where b is greater than or equal to a + 14.	
831256	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1321 of SEQ ID NO:330, b is an integer of 15 to 1335, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:330, and where b is greater than or equal to a + 14.	R17500, R48877, H12160, R84358, H90367, N33987, AA161057
831257	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1032 of SEQ ID NO:331, b is an integer of 15 to 1046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:331, and where b is greater than or equal to a + 14.	T49922, T85470, R37545, H03610, AA005184, AA045346
831277	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1297 of SEQ ID NO:332, b is an integer of 15 to 1311, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:332, and where b is greater than or equal to a + 14.	
831317	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1430 of SEQ ID NO:333, b is an integer of 15 to 1444, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:333, and where b is greater than or equal to a + 14.	T39850, T47708, T47709, T47863, T51491, T52507, T53819, T53951, T55884, T60330, T60359, T60364, T60380, T60480, T60634, T61198, T61280, T61878, T62028, T67704, T67742, T67780, T67853, T67910, T68010, T68058, T68132, T68154, T68379, T68998, T68999, T69078, T69079, T69119, T69177, T69442, T70496, T71707, T72285, T72505, T72998, T73123, T73679, T73756, T73761, T73837, T74031, T74383, T74405, T74655, T74784, T74798, T74892, T85320, T85533, R83453, R88738, R90989, R90995, H58528, H59441, H60092, H60282, H60589, H67401, H67458, H72811, H79422, H80518, H80570, H91775, H91816, N57814, W60714, W60741, AA034367, AA040550, AA040667, AA242768, AA424551, AA424642, R29495, R29660, R29089, C21224
831339	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1016 of SEQ ID NO:334, b is an integer of 15 to 1030, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:334, and where b is	

	greater than or equal to $a + 14$.	
831363	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2113 of SEQ ID NO:335, b is an integer of 15 to 2127, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:335, and where b is greater than or equal to $a + 14$.	T58736, T58803, T61766, T64470, T64610, T67816, T68878, T68952, T72450, T72511, T72968, T73613, T73939, H41914, H41957, N75040, W05718, AA043436, AA043416, AA045231, AA058807, AA484773, AA502762, AA503811, AA527553, AA744171, AA902935, AA903099, A1002033
831367	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 833 of SEQ ID NO:336, b is an integer of 15 to 847, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:336, and where b is greater than or equal to $a + 14$.	
831379	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 688 of SEQ ID NO:337, b is an integer of 15 to 702, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:337, and where b is greater than or equal to $a + 14$.	R26001, R26804, R82629, R82630, H21598, H27310, H27309, H38082, H38083, H44451, H44494, H47613, R83356, R83791, R96066, R96103, H72512, H72910, H80449, H80450, H90511, H90607, N71766, N94349, W16956, W23496, W24351, W46455, W46523, W48658, W70263, W73002, W76239, W92963, W92964, AA157329, AA157426, AA458665, AA229554, AA280810, AA280936, AA490898, AA491084, AA493730, AA527336, AA534762, AA535794, F17720, AA603439, AA568655, AA659071, AA826699, AA872867, AA876999, AA932403, AA953149, AA953343, A1000023, A1017353, A1094807, N95548, C02063, C04109
831385	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 861 of SEQ ID NO:338, b is an integer of 15 to 875, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:338, and where b is greater than or equal to $a + 14$.	
831390	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1434 of SEQ ID NO:339, b is an integer of 15 to 1448, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:339, and where b is greater than or equal to $a + 14$.	T53890, T54037, T81546, T81973, R20470, R21066, R45288, R46246, R45288, R46246, H13340, H17537, H30523, R85229, R85230, R94643, R94685, R94686, H52010, H52125, H71328, H71376, N25973, N28794, N30891, N36603, N41703, N62205, N63213, N76503, W45706, W44353, W52126, W74523, W79862, AA033566, AA034468, AA099015, AA099092, AA100315, AA129588, AA167137, AA194961, AA226935, AA226943, AA418898, AA428909,

		AA485083, AA485195, AA505107, AA506087, AA516109, AA525370, AA617946, AA627402, AA573848, AA574063, AA809830, AA834509, AA837985, AA862394, AA862989, AA974789, AA988779, AI000171, AI094917, W24010, N88026, C20972
831391	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 829 of SEQ ID NO:340, b is an integer of 15 to 843, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:340, and where b is greater than or equal to a + 14.	
831405	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1279 of SEQ ID NO:341, b is an integer of 15 to 1293, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:341, and where b is greater than or equal to a + 14.	T54632, T54714, T55384, T55812, T56220, T60613, T69578, R08164, R08219, T78003, T78164, R01577, R12676, R16414, H60551, N21984, N25878, N25887, N75352, W01648, W72541, W76166, W86984, W86811, W88909, W88788, AA022691, AA022784, AA193302, AA194256, AA235873, AA425660, AA573463, AA953249, R29055
831442	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1259 of SEQ ID NO:342, b is an integer of 15 to 1273, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:342, and where b is greater than or equal to a + 14.	
831476	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1779 of SEQ ID NO:343, b is an integer of 15 to 1793, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:343, and where b is greater than or equal to a + 14.	R48303, R48405, R73778, H30456, H81254, W02773, W24831, W73089, W73194, AA034015, AA151153, AA151154, AA418429, AA424672, AA593592, AA910532, AA987246, AI001017, C02335, C04320
831488	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1658 of SEQ ID NO:344, b is an integer of 15 to 1672, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:344, and where b is greater than or equal to a + 14.	
831518	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2095 of SEQ ID NO:345, b is an integer of 15 to 2109, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:345, and where b is greater than or equal to a + 14.	

831519	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1700 of SEQ ID NO:346, b is an integer of 15 to 1714, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:346, and where b is greater than or equal to a + 14.	
831521	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1658 of SEQ ID NO:347, b is an integer of 15 to 1672, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:347, and where b is greater than or equal to a + 14.	
831550	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1469 of SEQ ID NO:348, b is an integer of 15 to 1483, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:348, and where b is greater than or equal to a + 14.	
831560	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1828 of SEQ ID NO:349, b is an integer of 15 to 1842, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:349, and where b is greater than or equal to a + 14.	T56438, R22852, R46063, R52365, R81781, R81879, H02958, H04256, H05743, H05849, H23235, H23349, H43210, H43260, H87699, H91571, W00708, W56717, W56762, W70251, W70252, AA026841, AA027043, AA041261, AA041495, AA043451, AA043452, AA054505, AA054366, AA055050, AA055129, AA147629, AA147667
831562	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2994 of SEQ ID NO:350, b is an integer of 15 to 3008, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:350, and where b is greater than or equal to a + 14.	
831570	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2742 of SEQ ID NO:351, b is an integer of 15 to 2756, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:351, and where b is greater than or equal to a + 14.	
831593	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1631 of SEQ ID NO:352, b is an integer of 15 to 1645, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:352, and where b is	

	greater than or equal to $a + 14$.	
831596	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1623 of SEQ ID NO:353, b is an integer of 15 to 1637, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:353, and where b is greater than or equal to $a + 14$.	
831627	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1105 of SEQ ID NO:354, b is an integer of 15 to 1119, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:354, and where b is greater than or equal to $a + 14$.	AA147578, AA156449, AA588796, AA863066, D80116
831649	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 724 of SEQ ID NO:355, b is an integer of 15 to 738, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:355, and where b is greater than or equal to $a + 14$.	R21047
831664	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1952 of SEQ ID NO:356, b is an integer of 15 to 1966, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:356, and where b is greater than or equal to $a + 14$.	R35205, H13039, R84255, W24589, W93157, AA186436, AA188774, AA227246, AA658889, AA838204, W22056, W25833, W28198, W28494, AA090436, AA089530, AA089667
831674	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1548 of SEQ ID NO:357, b is an integer of 15 to 1562, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:357, and where b is greater than or equal to $a + 14$.	
831684	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1917 of SEQ ID NO:358, b is an integer of 15 to 1931, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:358, and where b is greater than or equal to $a + 14$.	T64083, R54664, R54665, W52888, W60096, W60162, AA009843, AA009870, AA236225, AA236291, AA459452, AA465675, AA554776, AA563899, AA583755, AA593849, AA596013, AA627978, AA573921, AA747840, AA828086, AA830260, AA837593, AA996154, C01662
831687	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 855 of SEQ ID NO:359, b is an integer of 15 to 869, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:359, and where b is greater than or equal to $a + 14$.	T49489, R05976, R55046, N21648, N31054, N48001, AA464953, AA426224, AA430556, AA600829, AA744708, AA747361, AA976473, A1097658

831726	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 547 of SEQ ID NO:360, b is an integer of 15 to 561, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:360, and where b is greater than or equal to a + 14.	
831736	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1666 of SEQ ID NO:361, b is an integer of 15 to 1680, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:361, and where b is greater than or equal to a + 14.	T60384, T93026, T83297, R17403, R17423, R21319, H65765, N94506, W23956, W24344, W45068, W57786, W57860, W81343, AA058929, AA151788, AA151833
831762	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 726 of SEQ ID NO:362, b is an integer of 15 to 740, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:362, and where b is greater than or equal to a + 14.	
831801	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1310 of SEQ ID NO:363, b is an integer of 15 to 1324, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:363, and where b is greater than or equal to a + 14.	T39530, T64430, R36089, H12597, H12647, H19534, H20096, H26648, H26663, W15192, W45569, W45621, AA018144, AA018145, AA018470, AA039510, AA039529, AA047549, AA047837, AA057785, AA074201, AA075686, AA079138, AA135599, AA135658, AA147502, AA147931, AA156715, AA156811, AA188215, AA186362, AA425996, AA283917, AA514670, AA522463, AA714301, AA742700, AA872728, AA887841, AA971644, A1015637, A1053971, A1054233, A1074507, A1084901, W28363
831848	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2839 of SEQ ID NO:364, b is an integer of 15 to 2853, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:364, and where b is greater than or equal to a + 14.	T77112, R13655, R19353, R19511, R24780, R35812, R36752, R38177, R43861, R44629, R45511, R43861, R45511, R44629, R71248, R71299, R82784, H00629, H01917, H04479, H45706, H45757, H94039, H94125, N30574, N57220, AA033684, AA114107, AA253260, AA461547, AA460619, AA715125, A1096588, C03714, AA092127
831861	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1823 of SEQ ID NO:365, b is an integer of 15 to 1837, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:365, and where b is greater than or equal to a + 14.	T57456, T58038, T58104, R08156, R27046, R28341, R28340, N32411, N56831, N78961, W16984, W16954, W17352, W74522, W79861, AA025882, AA025883, AA084109, AA100121, AA100060, AA132713

831866	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1809 of SEQ ID NO:366, b is an integer of 15 to 1823, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:366, and where b is greater than or equal to a + 14.	
831878	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 884 of SEQ ID NO:367, b is an integer of 15 to 898, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:367, and where b is greater than or equal to a + 14.	
831899	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1103 of SEQ ID NO:368, b is an integer of 15 to 1117, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:368, and where b is greater than or equal to a + 14.	AA159048, AA768390, AA806956
831913	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2212 of SEQ ID NO:369, b is an integer of 15 to 2226, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:369, and where b is greater than or equal to a + 14.	
831972	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3622 of SEQ ID NO:370, b is an integer of 15 to 3636, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:370, and where b is greater than or equal to a + 14.	
831985	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4025 of SEQ ID NO:371, b is an integer of 15 to 4039, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:371, and where b is greater than or equal to a + 14.	
831986	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1585 of SEQ ID NO:372, b is an integer of 15 to 1599, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:372, and where b is greater than or equal to a + 14.	
832010	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 450 of SEQ ID NO:373, b is an integer of 15 to 464, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:373, and where b is greater than or equal to a + 14.	
832016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 876 of SEQ ID NO:374, b is an integer of 15 to 890, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:374, and where b is greater than or equal to a + 14.	
832041	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1860 of SEQ ID NO:375, b is an integer of 15 to 1874, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:375, and where b is greater than or equal to a + 14.	R63637, R92994, N30838, N30844, N41366, N41372, AA639771
832044	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2004 of SEQ ID NO:376, b is an integer of 15 to 2018, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:376, and where b is greater than or equal to a + 14.	T56668, R09616, R20197, R44983, R52998, R52997, R44983, H06485, H06543, H09799, H09885, H24790, N57987, N62197, N76494, W02915, W78217, AA041290, AA041323, AA074236, AA075127, AA075212, AA075847, AA088708, AA088793, AA112359, AA121803, AA151677, AA166711, AA167069, AA181608, AA188478, AA194067, AA194182, AA221025, AA221037, AA228036, AA228145, AA557397, AA564567, AA582681, AA582151, AA601549, AA613841, AA832393, AA846987, AA865356, AA866164, AA872667, AA862962, AA911092, AA937359, AI000072, D83877
832049	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 804 of SEQ ID NO:377, b is an integer of 15 to 818, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:377, and where b is greater than or equal to a + 14.	
832122	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2551 of SEQ ID NO:378, b is an integer of 15 to 2565, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:378, and where b is greater than or equal to a + 14.	
832148	Preferably excluded from the present invention are	T78202, R37864, R62706, R78737,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1666 of SEQ ID NO:379, b is an integer of 15 to 1680, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:379, and where b is greater than or equal to a + 14.	R78736, H62109, N50394, N51659, N67973, N80394, W33108, W33107, AA016055, AA074831, AA075097, AA256793, AA256472, AA418825, AA418922, AA430755, AA280663, AA281049, AA467867, AA502148, H71558, AA721278, AA748880, AA809767, AA810852, AA832174, AA911263, AA938484, AA975282, D80672, D81573, D81746, A1096900, C02375
832197	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1253 of SEQ ID NO:380, b is an integer of 15 to 1267, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:380, and where b is greater than or equal to a + 14.	
832237	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1017 of SEQ ID NO:381, b is an integer of 15 to 1031, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:381, and where b is greater than or equal to a + 14.	R36943, R42259, R53230, R42259, H09607, AA150724, AA831055
832246	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1583 of SEQ ID NO:382, b is an integer of 15 to 1597, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:382, and where b is greater than or equal to a + 14.	H13698, H13750, R91283, R91322, H97506, N64810, N75659, W61290, W65386, H54890, AA568261, AA830860, AA863239, AA873329, AA938701, D82264, C18047
832256	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 161 of SEQ ID NO:383, b is an integer of 15 to 175, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:383, and where b is greater than or equal to a + 14.	
832280	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2157 of SEQ ID NO:384, b is an integer of 15 to 2171, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:384, and where b is greater than or equal to a + 14.	H09977, H09978, R89392, R94438, H93033, H93466, H93904, N29334, N53767, N57027, N71868, N71879, N73126, W24652, AA026682, AA047124, AA127259, AA224396, AA224473, AA227220, AA236734, AA236763, AA236910, AA236919
832285	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2350 of SEQ ID NO:385, b is an integer of 15 to 2364, where both a and b correspond to the positions of nucleotide	R12740, R14184, R15171, R26447, R28455, R34165, R35396, R39792, R40473, R49696, R41588, R40473, R49696, R70668, R70669, R79640, R79833, H02312, H08199, H08297, R99351, H84241, H84567, H85554.

	residues shown in SEQ ID NO:385, and where b is greater than or equal to $a + 14$.	N24354, N25230, N32462, N33863, N64676, N70374, N80109, W47526, W47527, W80678, W80934, W93668, AA082195, AA223758, AA243624, AA255527, AA256711, AA262387, AA281015, AA281094, AA281183, AA281203, AA287927, AA287991, AA505084, AA505086, AA525301, AA553559, AA564243, AA582189, AA737010, AA808271, AA872481, AA937541, A1015987, C01015, C20842
832294	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2850 of SEQ ID NO:386, b is an integer of 15 to 2864, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:386, and where b is greater than or equal to $a + 14$.	
832326	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2669 of SEQ ID NO:387, b is an integer of 15 to 2683, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:387, and where b is greater than or equal to $a + 14$.	
832333	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1432 of SEQ ID NO:388, b is an integer of 15 to 1446, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:388, and where b is greater than or equal to $a + 14$.	
832346	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 709 of SEQ ID NO:389, b is an integer of 15 to 723, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:389, and where b is greater than or equal to $a + 14$.	T88928, R12446, R37113, R42462, H15692, H18859, N34664, AA132220, AA224337, AA460720, AA492479
832370	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1032 of SEQ ID NO:390, b is an integer of 15 to 1046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:390, and where b is greater than or equal to $a + 14$.	
832381	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 685 of SEQ ID NO:391, b is an integer of 15 to 699, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:391, and where b is greater than or equal to $a + 14$.	
832394	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1531 of SEQ ID NO:392, b is an integer of 15 to 1545, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:392, and where b is greater than or equal to $a + 14$.	
832454	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 735 of SEQ ID NO:393, b is an integer of 15 to 749, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:393, and where b is greater than or equal to $a + 14$.	T57094, T58711, T68990, T71879, R92183, H93778, N63977, N80768, AA034382, AA034383, AA057664, AA235744, AA425865, AA524693, AA551804, AA523604, AA614639, AA740316, AA872373, AA938571, AA947337, R28997, AA640968, C21135
832465	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 597 of SEQ ID NO:394, b is an integer of 15 to 611, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:394, and where b is greater than or equal to $a + 14$.	R36004, R36378, H71881, H96279, N50049, N63692, W74426, W79180, W87805, AA421015, AA527679, AA833773, AA987375, F19351, AA642491, C14893, C14937
832475	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1842 of SEQ ID NO:395, b is an integer of 15 to 1856, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:395, and where b is greater than or equal to $a + 14$.	
832495	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2637 of SEQ ID NO:396, b is an integer of 15 to 2651, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:396, and where b is greater than or equal to $a + 14$.	
832498	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2493 of SEQ ID NO:397, b is an integer of 15 to 2507, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:397, and where b is greater than or equal to $a + 14$.	T67126, T67127, R13516, R20638, H64071, N22361, N25516, N39506, N75609, N78204, W40313, W45344, AA074739, AA074803, AA143509, AA523999, AA552542, AA554032, N20483, AA588804, AA617733, AA577150, AA577309, AA579423, AA740813, AA835721, AA836640, AA909766, AA936979, AA947310, N26815, A1085484, D78707, W67520, W68152
832501	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 1259 of SEQ ID NO:398, b is an integer of 15 to 1273, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:398, and where b is greater than or equal to a + 14.	
832505	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3760 of SEQ ID NO:399, b is an integer of 15 to 3774, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:399, and where b is greater than or equal to a + 14.	T50501, T50636, T92136, R52390, R59648, H06170, H28886, H28885, R96577, R96600, H84171, H94122, H98228, N36866, N36872, N46136, N46142, N63589, N66323, W48779, W49798, AA029033, AA054487, AA058524, AA084466, AA086177, AA098967, AA099485, AA100345, AA147008, AA147009, AA146910, AA146909, AA160346, AA159865, AA192832, AA203513, AA252521, AA252553, AA463513, AA463570, AA421250, AA425704, AA427774, AA278328, AA278999, AA280712, AA281733, AA281871, AA282407, AA282626, AA283639, AA542810, AA557893, AA568486, AA569759, AA577522, AA659517, AA659737, AA664537, AA713950, AA805488, AA835999, AA876619, AA931568, AA935758, AA946722, A1000603, D82640
832539	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1508 of SEQ ID NO:400, b is an integer of 15 to 1522, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:400, and where b is greater than or equal to a + 14.	H72563, AA160114, AA159654, AA161261, AA165097, AA223618, AA243203
832554	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1356 of SEQ ID NO:401, b is an integer of 15 to 1370, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:401, and where b is greater than or equal to a + 14.	
832569	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1398 of SEQ ID NO:402, b is an integer of 15 to 1412, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:402, and where b is greater than or equal to a + 14.	
832578	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1736 of SEQ ID NO:403, b is an integer of 15 to 1750, where both a and b correspond to the positions of nucleotide	R09545, R09658, R09967, R11471, R16714, R16910, R16965, R19372, R80788, R80988, H28725, H63085, H63169, H75499, H75500, N33554, N41536, N52961, N52966, N74070, W01039, W57770, W57843, W60109,

	residues shown in SEQ ID NO:403, and where b is greater than or equal to a + 14.	W91978, W92107, AA001984, AA004653, AA027155, AA418427, AA281395, AA532870, AA564737, AA588889, AA631841, AA639548, AA765363, AA877896, AA887900, AA974026, A1057270, A1084214, A1094490, A1096750, A1097632, A1096745
832615	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1325 of SEQ ID NO:404, b is an integer of 15 to 1339, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:404, and where b is greater than or equal to a + 14.	
832620	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 468 of SEQ ID NO:405, b is an integer of 15 to 482, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:405, and where b is greater than or equal to a + 14.	
832632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1399 of SEQ ID NO:406, b is an integer of 15 to 1413, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:406, and where b is greater than or equal to a + 14.	
832633	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1679 of SEQ ID NO:407, b is an integer of 15 to 1693, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:407, and where b is greater than or equal to a + 14.	R69173, AA053085, AA053597, AA427705, AA730380, AA865757, AA911497, A1083906
833483	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1328 of SEQ ID NO:408, b is an integer of 15 to 1342, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:408, and where b is greater than or equal to a + 14.	
834574	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2403 of SEQ ID NO:409, b is an integer of 15 to 2417, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:409, and where b is greater than or equal to a + 14.	
834859	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1387 of SEQ ID NO:410, b is an integer of 15 to 1401, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:410, and where b is greater than or equal to a + 14.	
834861	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3002 of SEQ ID NO:411, b is an integer of 15 to 3016, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:411, and where b is greater than or equal to a + 14.	
834890	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 944 of SEQ ID NO:412, b is an integer of 15 to 958, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:412, and where b is greater than or equal to a + 14.	T40255, T40256, T40770, T40778, T40803, T41118, T94280, T94627, R13201, R32388, R32389, R53769, H28669, H39502, H42532, H42533, R82957, R85205, R85206, R88749, R90730, R90754, R91006, R92221, H56130, H56210, H58500, H57659, H69479, H69882, N22547, N31579, N42592, N45537, N48687, N56654, N58050, N69059, N73728, N80748, N92927, N94545, W20471, W30838, W52039, W60171, W68292, W93085, W93140, N91563, AA010850, AA011289, AA054592, AA054780, AA081135, AA081214, AA081655, AA081936, AA082127, AA082262, AA088665, AA088804, AA102560, AA100239, AA114237, AA115714, AA115715, AA127304, AA127303, AA147789, AA148021, AA149821, AA152050, AA160878, AA169126, AA171659, AA172131, AA172285, AA194597, AA243129, AA419357, AA425135, AA426203, AA244212, AA505963, AA508221, AA527434, AA527878, AA565036, F17736, AA582605, AA582728, AA583851, AA586421, AA601920, AA570580, AA574367, AA577515, AA577538, AA565998, AA657417, AA659655, AA662658, AA665113, AA714991, AA770684, AA808865, AA826971, AA838507, AA876809, AA877842, AA878025, AA886042, AA886643, AA877950, AA937751, AA948428, AA947036, AA973473, AA983150, AA989361, A1082367, D78922, D82096, N83321, C04115, R29685, C17110, C18023, C18068, AA093539, AA094947, AA151399, AA654145, AA654136
835079	Preferably excluded from the present invention are	N25566, W00985, AA081340,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 486 of SEQ ID NO:413, b is an integer of 15 to 500, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:413, and where b is greater than or equal to a + 14.	AA152231, AA164282, AA171619, AA187113, AI073932
835554	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3383 of SEQ ID NO:414, b is an integer of 15 to 3397, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:414, and where b is greater than or equal to a + 14.	
835560	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2866 of SEQ ID NO:415, b is an integer of 15 to 2880, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:415, and where b is greater than or equal to a + 14.	
835723	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1602 of SEQ ID NO:416, b is an integer of 15 to 1616, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:416, and where b is greater than or equal to a + 14.	T71562, R11480, R19383, R25309, R46659, R48802, R48913, R50038, R50376, R54963, R46659, R70030, R70077, R70161, R71380, R72303, R72352, R72772, R72773, R73386, R73387, H15775, H15776, H25239, H27204, H30499, H42026, H42613, H43207, H43254, H44314, H44936, H44975, R98394, R98395, R99071, R99271, H58902, H58903, H73590, H73436, H75566, H80599, N40440, N48475, N59703, AA515035, AA515043, AA515450, AA515650, AA515746, AA551788, AA551943, AA554602, AA557281, AA581549, AA581554, AA587399, AA593890, AA593997, AA593998, AA568878, AA568962, AA622458, AA714206, AA728962, AA737738, AA738036, AA738486, AA847538, AA865069, AA872029, AA886612, AA903381, AA916458, AA916464, AA922563, AA928617, AA928314, AA934581, AA973769, AA973767, AA983480, AA991199, AA994932, AA995182, AA999704, AI028371, AA643041
835791	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1801 of SEQ ID NO:417, b is an integer of 15 to 1815, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:417, and where b is greater than or equal to a + 14.	

835817	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1952 of SEQ ID NO:418, b is an integer of 15 to 1966, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:418, and where b is greater than or equal to a + 14.	
835840	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2838 of SEQ ID NO:419, b is an integer of 15 to 2852, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:419, and where b is greater than or equal to a + 14.	T66583, R15957, R22860, R62339, R62341, R62856, AA210836, AA214633, AA256340, AA732582, AA740735
836048	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2691 of SEQ ID NO:420, b is an integer of 15 to 2705, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:420, and where b is greater than or equal to a + 14.	
836898	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1887 of SEQ ID NO:421, b is an integer of 15 to 1901, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:421, and where b is greater than or equal to a + 14.	
836927	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2463 of SEQ ID NO:422, b is an integer of 15 to 2477, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:422, and where b is greater than or equal to a + 14.	
837344	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 763 of SEQ ID NO:423, b is an integer of 15 to 777, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:423, and where b is greater than or equal to a + 14.	
837789	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1635 of SEQ ID NO:424, b is an integer of 15 to 1649, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:424, and where b is greater than or equal to a + 14.	
838549	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1594 of SEQ ID NO:425, b is an integer of 15 to 1608, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:425, and where b is greater than or equal to a + 14.	
838754	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1780 of SEQ ID NO:426, b is an integer of 15 to 1794, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:426, and where b is greater than or equal to a + 14.	
838768	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 756 of SEQ ID NO:427, b is an integer of 15 to 770, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:427, and where b is greater than or equal to a + 14.	
839486	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 498 of SEQ ID NO:428, b is an integer of 15 to 512, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:428, and where b is greater than or equal to a + 14.	
839561	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1456 of SEQ ID NO:429, b is an integer of 15 to 1470, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:429, and where b is greater than or equal to a + 14.	R61634, AA135004, AA159213
839816	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 420 of SEQ ID NO:430, b is an integer of 15 to 434, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:430, and where b is greater than or equal to a + 14.	
840068	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1809 of SEQ ID NO:431, b is an integer of 15 to 1823, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:431, and where b is greater than or equal to a + 14.	
840279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 3377 of SEQ ID NO:432, b is an integer of 15 to 3391, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:432, and where b is greater than or equal to a + 14.	
840489	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2539 of SEQ ID NO:433, b is an integer of 15 to 2553, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:433, and where b is greater than or equal to a + 14.	
840538	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2518 of SEQ ID NO:434, b is an integer of 15 to 2532, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:434, and where b is greater than or equal to a + 14.	<p>T47551, T47552, T64522, T65947, R70190, H97064, N25641, N34240, N48063, N53261, N67904, N92702, N98774, W16899, W20316, W31028, W40137, W45371, W48722, W48577, W68670, W68773, W74242, AA033573, AA033574, AA063270, AA063271, AA065213, AA064894, AA082200, AA083707, AA085441, AA085694, AA088302, AA088303, AA099844, AA099984, AA102604, AA111894, AA112981, AA115039, AA115800, AA115799, AA122221, AA126905, AA126955, AA127109, AA127548, AA127549, AA128933, AA129152, AA129743, AA133290, AA135251, AA151963, AA156321, AA156382, AA160182, AA165104, AA164688, AA173757, AA180038, AA182644, AA190866, AA190959, AA191561, AA191637, AA197348, AA195895, AA258593, AA258622, AA262173, AA464978, AA465047, AA417938, AA418116, AA292727, AA523585, AA525020, AA548516, AA551816, AA554642, AA581720, AA568802, AA579801, AA738216, AA832441, AA903391, AA938688, AA977201, AA987552, AI095102, AI084149, W27768, C05889, C06263, AA089556, AA652586, AA213999, AA213977, AA219123, AA219290, AA435695, D12383, D12389, AA451677, AA453222, AA485641, AA485768, AA488670, AA485947, AA486053, AA486197, AA489511, AA489512, AA489558, AA491452, AA489876, AA600130, AA608644, AA620481, AA664307, AA629754, AA629909, AA677148, AA722910, AA772440, AA773550, AI038219, AI075755, AI081932, AI084706, T10852, T24678, F00208, F00897</p>

840545	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1808 of SEQ ID NO:435, b is an integer of 15 to 1822, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:435, and where b is greater than or equal to a + 14.	
840549	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1016 of SEQ ID NO:436, b is an integer of 15 to 1030, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:436, and where b is greater than or equal to a + 14.	R10733, T86298, R55182, R55183, H00476, H00530, H25856, H25909, H25910, N50923, W84600, W84452, AA227897, D78774, AA486440, AA629249
840551	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1618 of SEQ ID NO:437, b is an integer of 15 to 1632, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:437, and where b is greater than or equal to a + 14.	
840557	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1002 of SEQ ID NO:438, b is an integer of 15 to 1016, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:438, and where b is greater than or equal to a + 14.	
840561	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 580 of SEQ ID NO:439, b is an integer of 15 to 594, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:439, and where b is greater than or equal to a + 14.	
840562	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1566 of SEQ ID NO:440, b is an integer of 15 to 1580, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:440, and where b is greater than or equal to a + 14.	R08937, R09046, R14796, R18307, R31150, R42283, R51828, R54224, R42283, R72104, R72156, R73118, R73171, R73943, H25904, H27191, H27192, H30471, H72478, H72879, H88214, H98231, W45061, W45071, W49842, W67423, W67424, W93880, W94151, AA023007, AA022473, AA032224, AA032282, AA034411, AA035691, AA040428, AA046861, AA046994, AA046313, AA046139, AA053780, AA101657, AA101658, AA167298, AA227543, AA227684, AA458877, AA459067, AA463656, AA464047, AA464754, AA225370, AA225425, AA225400, AA558796, AA582089, AA565830, AA713907,

		AA864510, AA936117, C01002, N86320, C04277, AA652714, AA402391, AA402565, AA479073, AA621791, AA670200, AA456544, AA676732, AA707089, A1014599, A1022852, A1023739, A1091873, A1094288, Z39517, Z43438
840564	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1068 of SEQ ID NO:441, b is an integer of 15 to 1082, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:441, and where b is greater than or equal to a + 14.	
840572	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1227 of SEQ ID NO:442, b is an integer of 15 to 1241, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:442, and where b is greater than or equal to a + 14.	T87514, T87515, H84879, AA001503, AA506411, AA508167, AA715396, AA931268, AA292666, AA478036, AA478193, AA478194, AA707886, AA724969, AA725050, AA779127, AA843885
840600	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 954 of SEQ ID NO:443, b is an integer of 15 to 968, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:443, and where b is greater than or equal to a + 14.	R38172, AA226748, AA484320, AA831852
840604	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1346 of SEQ ID NO:444, b is an integer of 15 to 1360, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:444, and where b is greater than or equal to a + 14.	
840608	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1821 of SEQ ID NO:445, b is an integer of 15 to 1835, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:445, and where b is greater than or equal to a + 14.	
840620	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1341 of SEQ ID NO:446, b is an integer of 15 to 1355, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:446, and where b is greater than or equal to a + 14.	R17303, R41982, R41982, H43756, N62762, AA053677, AA053697, AA084224, AA084019, AA084952, AA419123, AA419160, AA426014, AA425077, AA427847, AA524035, AA565019, AA632254, AA745726, AA835832, AA931712, AA932520, AA937139, AA961716, AA995607, AA453838, AA455030, AA476981, AA479615, AA482659, AA455837,

		AA488554, AA620470, AA781416, AA844227, AI090902, T19161
840625	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 361 of SEQ ID NO:447, b is an integer of 15 to 375, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:447, and where b is greater than or equal to a + 14.	
840626	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1379 of SEQ ID NO:448, b is an integer of 15 to 1393, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:448, and where b is greater than or equal to a + 14.	
840638	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1649 of SEQ ID NO:449, b is an integer of 15 to 1663, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:449, and where b is greater than or equal to a + 14.	H01158, H01159, H05751, H05858, H83341, H83695, N47512, N47513, W39756, W79733, W90027, W90155, AA047691, AA047741, AA086374, AA100549, AA159315, AA159414, AA282525, AA282633, AA595381, AA688093, AA744757, AA865203, AA933811, AA969838, AA975917, F18424, D12197, D12219, AA478596, AA665540, AA909221, AA969720, AI049820
840649	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1366 of SEQ ID NO:450, b is an integer of 15 to 1380, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:450, and where b is greater than or equal to a + 14.	R00133, R22651, R44356, R44356, R56353, R93194, N47106, N50316, N50780, N55139, AA010596, AA010597, AA012940, AA012888, AA013216, AA013313, AA017544, AA017417, AA047814, AA047792, AA235545, AA262268, AA262879, AA563873, AA570239, AA573586, AA827412, AA862337, AA902472, AA962409, AA971292, AA973596, AI056509, AI080455, AA410833, T23822, T16761
840651	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 912 of SEQ ID NO:451, b is an integer of 15 to 926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:451, and where b is greater than or equal to a + 14.	
840666	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1628 of SEQ ID NO:452, b is an integer of 15 to 1642, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:452, and where b is greater than or equal to a + 14.	N32778, N34353, N34537, N41780, N42818, N93337, W25190, AA035229, AA035230, AA044070, AA044162, AA195074, AA195174, AA419441, AA731906, AA761315, AA761330, AA766382, AA766593, AA769537, AA805515, AA806516, AA809893, AA814954, AA857917, N44554.

		AA393941, A1074651, T10618, Z35722
840681	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2240 of SEQ ID NO:453, b is an integer of 15 to 2254, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:453, and where b is greater than or equal to a + 14.	
840682	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1917 of SEQ ID NO:454, b is an integer of 15 to 1931, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:454, and where b is greater than or equal to a + 14.	
840684	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 757 of SEQ ID NO:455, b is an integer of 15 to 771, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:455, and where b is greater than or equal to a + 14.	
840697	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1155 of SEQ ID NO:456, b is an integer of 15 to 1169, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:456, and where b is greater than or equal to a + 14.	R00751, R02584, R02703, R69879, R69927, H13156, H29249, H29248, H41216, R83398, H54666, H54667, H73551, H73552, H90468, H91760, H97869, N31729, N31735, N51232, W32147, W32175, W44313, W45660, W57760, W57761, W68386, W68502, W68752, W68835, W72538, W76163, AA035740, AA043246, AA043585, AA044419, AA043053, AA047593, AA047601, AA088798, AA147253, AA155747, AA160105, AA165689, AA172386, AA173747, AA189005, AA189006, AA471066, AA507210, AA513086, AA516406, AA514685, AA635861, AA657400, AA668796, AA737126, AA768005, AA768358, AA887459, AA977176, D80509, D81008, D81471, D81800, D82666, N83795, AA643662, AA284937, AA290823, AA447984, AA448126, AA676807, AA709464, AA780333, AA843801, AA853391, AA868403, AA917460, T17166, T17177, T16671, T48481, T48507
840698	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3235 of SEQ ID NO:457, b is an integer of 15 to 3249, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:457, and where b is	

	greater than or equal to $a + 14$.	
840708	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1902 of SEQ ID NO:458, b is an integer of 15 to 1916, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:458, and where b is greater than or equal to $a + 14$.	R21272, R45362, R45362, H06049, H13385, AA082768, AA101114, AA131634, AA131718, AA152290, AA150232, AA418083, AA418230, AA422115, AA424919, AA426139, AA741277, AA749290, AA811505, AA836102, AA411231, AA453804, AA453890, AA758905, AA769817, AA770192, AA904708, AA905158, AA969156, A1093952, Z42470, Z41665, Z44053
840714	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2759 of SEQ ID NO:459, b is an integer of 15 to 2773, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:459, and where b is greater than or equal to $a + 14$.	
840716	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2017 of SEQ ID NO:460, b is an integer of 15 to 2031, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:460, and where b is greater than or equal to $a + 14$.	
840721	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1825 of SEQ ID NO:461, b is an integer of 15 to 1839, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:461, and where b is greater than or equal to $a + 14$.	
840735	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 765 of SEQ ID NO:462, b is an integer of 15 to 779, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:462, and where b is greater than or equal to $a + 14$.	T47277, T56085, T93319, T85388, H57620, H58465, N77902, N80219, N93978, W19715, W37380, W37643, W38508, W38722, W47048, W68079, W67976, W69349, W69350, AA025313, AA024560, AA063371, AA063370, AA463222, AA463223, AA424422, AA469264, AA480510, AA507733, AA524348, AA557233, AA602394, AA603318, AA631014, AA569554, AA575944, AA688112, AA911131, AA932225, AA937015, AA994856, A1077707, N92552, W00604, C00184, AA292823, AA401683, AA663906, AA664122, AA771943, AA779608, AA812529, A1028120, A1027559, A1032511, A1033880, A1034204, A1078458, A1041685, D31473, T64469
840738	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1703 of SEQ ID NO:463, b is an integer of 15 to 1717, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:463, and where b is greater than or equal to a + 14.	
840745	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 814 of SEQ ID NO:464, b is an integer of 15 to 828, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:464, and where b is greater than or equal to a + 14.	
840747	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1159 of SEQ ID NO:465, b is an integer of 15 to 1173, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:465, and where b is greater than or equal to a + 14.	
840756	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 507 of SEQ ID NO:466, b is an integer of 15 to 521, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:466, and where b is greater than or equal to a + 14.	AA074254
840776	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1414 of SEQ ID NO:467, b is an integer of 15 to 1428, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:467, and where b is greater than or equal to a + 14.	T47069, T47068, T63511, T63587, T79637, T79722, R36141, R36419, R65831, R65934, R69612, R69701, H00464, H00514, H04572, H04575, H12602, H12652, H13166, H66218, H67195, H67868, H67868, N62959, W92249, W92250, W92609, W95234, AA007598, AA193373, AA195360, AA195359, AA425046, AA430627, AA428172, AA484871, AA557201, AA902998, AA927360, N79862, AA479674, AA477192, AA481418, AA481651, AA495983, AA496377, AA496655, AA912146, AA912181, A1049805, AA693485
840784	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3449 of SEQ ID NO:468, b is an integer of 15 to 3463, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:468, and where b is greater than or equal to a + 14.	
840788	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 607 of SEQ ID	

	NO:469, b is an integer of 15 to 621, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:469, and where b is greater than or equal to a + 14.	
840794	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1819 of SEQ ID NO:470, b is an integer of 15 to 1833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:470, and where b is greater than or equal to a + 14.	
840797	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3188 of SEQ ID NO:471, b is an integer of 15 to 3202, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:471, and where b is greater than or equal to a + 14.	
840799	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 927 of SEQ ID NO:472, b is an integer of 15 to 941, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:472, and where b is greater than or equal to a + 14.	
840818	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1265 of SEQ ID NO:473, b is an integer of 15 to 1279, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:473, and where b is greater than or equal to a + 14.	
840822	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3195 of SEQ ID NO:474, b is an integer of 15 to 3209, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:474, and where b is greater than or equal to a + 14.	T47621, T77305, T83423, R18484, R51973, R51974, R73192, H06082, H12940, H27135, H45895, H45904, N72089, W00342, W52213, W96404, AA045488, AA058907, AA062768, AA069032, AA081439, AA082427, AA084417, AA101216, AA234022, AA534011, AA565390, AA588319, AA588430, AA568701, AA635907, AA579930, AA827039, AA857519, AA872490, AA904077, AA995057, AI073336, N95359, C15883, AA781445, AA906492, AI037943, AI039428
840830	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 819 of SEQ ID NO:475, b is an integer of 15 to 833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:475, and where b is	N33920, N33932, N49642, N49629, AA508747, AA514767, AA583465, AA805203, AA878968, U37231, T24573

	greater than or equal to $a + 14$.	
840846	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1127 of SEQ ID NO:476, b is an integer of 15 to 1141, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:476, and where b is greater than or equal to $a + 14$.	T68706, T68719, T68771, T68784, T73424, T73431, T73486, T73492, T73499, T73535, T89865, R11465, T79345, T79774, T81799, T82119, T82855, T96198, T96454, T96686, T96802, T96920, T97027, T99996, T99997, R00156, R00157, R83404, R85816, R91357, R93314, R94713, R94794, R97348, R99024, R99798, H48280, H48369, H48754, H54738, H54739, H55985, H55984, H56050, H56244, H57662, H57872, H57873, H58502, H60170, H60211, H62933, H69203, H69228, H69229, H71630, H73011, H73012, H81193, H81194, H90826, H91385, N33963, N49672, N49822, N52577, N54836, N58435, N64440, N66934, N69249, N69373, N74062, N75759, N78025, N78145, N94249, N95116, W03303, W01169, W01912, N91401, AA025243, AA026028, AA193126, AA194255, AA236507, AA242995, AA622239, AA575858, AA575872, AA576026, AA576150, AA576597, AA864932, AA877934, AA969761, AA994970, A1017867, D82634, C21067, AA431221, AA779655, AA782374, AA812640, AA923315, AA962377, AA993251, A1018445, A1025584, A1092470, T79311
840848	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1088 of SEQ ID NO:477, b is an integer of 15 to 1102, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:477, and where b is greater than or equal to $a + 14$.	R10066, R10163, T26606, R61067, R72646, H08322, H47858, H47859, R86048, H68866, H68867, H69098, H82364, N58491, N78080, W52876, W60083, AA043086, AA045865, AA045866, AA055712, AA057298, AA058743, AA079887, AA079888, AA099233, AA099234, AA102153, AA113213, AA115932, AA121000, AA131067, AA143412, AA146598, AA155632, AA155688, AA160447, AA173257, AA173248, AA195987, AA196375, AA233537, AA463552, AA503072, AA551794, AA586410, AA594814, AA613123, AA573356, AA580449, AA731195, AA742856, AA827930, AA863440, AA865529, AA876847, AA953614, AA976924, N84278, N88762, C17112, AA219765, AA284503, AA293437, AA293046, AA669435, AA722103, A1027785, A1073617, A1092707, T17392, F08770, D12026
840860	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	T89645, T89919, T93704, R21871, R22387, R78094, R78181, R78515,

	<p>sequence described by the general formula of a-b, where a is any integer between 1 to 4187 of SEQ ID NO:478, b is an integer of 15 to 4201, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:478, and where b is greater than or equal to a + 14.</p>	<p>R78560, H40124, H41731, N28359, N42893, N62851, N64787, N67463, N76199, N77065, N77758, W67341, W68381, AA034244, AA044935, AA045056, AA057392, AA057684, AA071214, AA071442, AA081937, AA082360, AA082229, AA082230, AA082708, AA083297, AA083188, AA127585, AA149575, AA151791, AA167113, AA173360, AA191227, AA195437, AA223329, AA223614, AA243268, AA261939, AA262815, AA262816, AA422160, AA426276, AA225924, AA504466, AA504634, AA522823, AA554566, AA632813, AA576873, AA662886, AA730326, AA748669, AA828942, AA837197, AA857065, AA857683, AA862276, AA864246, AA873317, A1083733, D82604, D82635, N81179, N85023, N85166, N85712, C00193, C00199, C02425, N87331, N88683, N88852, N89408, C02916, C05151, C06382, AA642209, C21319, AA091285, AA091688, AA094300, AA205974, AA206268, AA206598, AA205324, AA649340, AA247212, AA404505, AA421263, AA421361, D11545, AA441853, AA441826, AA463350, AA463858, AA487271, AA487388, AA496439, AA496488, AA634627, AA663685, AA665466, AA456144, AA722996, AA772136, AA772153, AA774179, AA992418, A1076734, T10506, Z30218, Z38961, T16262, T48571, D31110, D45597, F06042, F00682</p>
840861	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 773 of SEQ ID NO:479, b is an integer of 15 to 787, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:479, and where b is greater than or equal to a + 14.</p>	<p>T52180, T52256, T57048, T60934, T60993, T94137, T94228, T91060, T85924, R23216, R23292, R31316, R31576, R62640, R62693, H03198, H18231, H18269, H22414, H26112, H26116, H26378, H40754, H38895, H47721, H48072, R89134, R89141, R91829, R91836, R98452, H65626, H65627, H69728, H71913, H71914, H78844, H80090, H83062, H84585, H87467, H87577, H93457, H93458, N23179, N30549, N32644, N39052, N40455, N48060, N48244, N53258, N53755, N63557, N94559, N94883, N94981, N95791, N42987, W19445, W19573, W23831, W24902, W30850, W32700, W32701, W37523, W56867, W60497, W60972, W61219, W69268, W69346, W80426, W80556, W94817, W95832, W95966, W96035, W96092,</p>

		<p>N90310, AA010147, AA010148, AA025440, AA025757, AA027347, AA027822, AA027874, AA029650, AA029651, AA037779, AA039260, AA046801, AA046818, AA054707, AA058654, AA062684, AA063287, AA074876, AA074979, AA084381, AA085264, AA085328, AA085598, AA122190, AA120978, AA133892, AA129630, AA172403, AA172206, AA190489, AA190525, AA464455, AA464996, AA225769, AA259210, AA483109, AA483741, AA493542, AA502162, AA516183, AA522567, AA526813, AA557654, AA588882, AA593799, AA576216, AA659530, AA662308, AA688246, AA688254, AA687457, AA687516, AA689236, AA728852, AA729032, AA747479, AA747979, AA831447, AA887348, AA903105, AA916516, AA934714, AA953363, AA976759, AA991410, AA991434, AI002147, AI028033, N83338, C02469, R29174, AA090669, AA092066, AA648634, AA443968, AA444149, AA482243, AA482340, AA485406, AA598458, AA644566, AA664032, AA680199, AA676482, AA629708, AA630110, AA457100, AA431269, AA405296, AA405332, AA721997, AA724146, AA774657, AA781529, AA781641, AA781838, AA782849, AA813171, AA843229, AA846744, AA846814, AA854299, AA854765, AA789029, AA993047, AI023973, AI027725, AI031943, AI038463, AI041602, AI085085, AI086504, AI088189</p>
840871	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 717 of SEQ ID NO:480, b is an integer of 15 to 731, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:480, and where b is greater than or equal to a + 14.</p>	<p>H42821, AA028094, AA099211, AA160368, AA223572, AA232552, AA252811</p>
840874	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1105 of SEQ ID NO:481, b is an integer of 15 to 1119, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:481, and where b is greater than or equal to a + 14.</p>	
840878	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,</p>	<p>T40405, T41252, T47240, T47241, T50233, T52891, T57110, T58359, R19508, R43858, R43858, R75598,</p>

	where a is any integer between 1 to 2042 of SEQ ID NO:482, b is an integer of 15 to 2056, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:482, and where b is greater than or equal to a + 14.	R75665, H13192, H13193, N25264, N31900, N42683, N72995, N93388, W25360, W47628, W47629, AA009691, AA009410, AA045777, AA045910, AA063040, AA063076, AA130044, AA149205, AA149206, AA191678, AA252698, AA464304, AA225264, AA514845, AA526726, AA548411, AA548704, AA552050, AA552558, AA568675, AA827017, AA834447, AA838450, AA886357, AA886653, AA887879, AA916602, AA928685, AA968793, A1005016, W28859, AA134038, AA455118, AA496380, AA496656, AA598830, AA653270, AA725217, AA733068, A1004394, A1023815, A1026954, A1040891, Z25388, Z28470, AA702322
840880	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 873 of SEQ ID NO:483, b is an integer of 15 to 887, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:483, and where b is greater than or equal to a + 14.	H02306, H02418, N48196, N53344, AA059013, AA506159, AA613938, AA662759, AA976725, AA854631
840884	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1864 of SEQ ID NO:484, b is an integer of 15 to 1878, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:484, and where b is greater than or equal to a + 14.	
840907	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1552 of SEQ ID NO:485, b is an integer of 15 to 1566, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:485, and where b is greater than or equal to a + 14.	
840926	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3032 of SEQ ID NO:486, b is an integer of 15 to 3046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:486, and where b is greater than or equal to a + 14.	
840932	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1890 of SEQ ID NO:487, b is an integer of 15 to 1904, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:487, and where b is	

	greater than or equal to $a + 14$.	
840940	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 813 of SEQ ID NO:488, b is an integer of 15 to 827, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:488, and where b is greater than or equal to $a + 14$.	
840947	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1912 of SEQ ID NO:489, b is an integer of 15 to 1926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:489, and where b is greater than or equal to $a + 14$.	
840959	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1447 of SEQ ID NO:490, b is an integer of 15 to 1461, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:490, and where b is greater than or equal to $a + 14$.	
840964	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 791 of SEQ ID NO:491, b is an integer of 15 to 805, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:491, and where b is greater than or equal to $a + 14$.	R79226, H12332, H51062, H83364, H89523, N27508, N30527, N40233, N52503, N53855, N94367, AA055215, AA055306, AA188169, AA468498, AA470473, AA563662, AA622643, AA579613, AA668790, AA748160, AA765447, AA873430, AA879079, AA903275, AA970424, N73354, AA402259, AA883758, AA890505, AA906005, A1023931
840979	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2255 of SEQ ID NO:492, b is an integer of 15 to 2269, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:492, and where b is greater than or equal to $a + 14$.	
840984	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4094 of SEQ ID NO:493, b is an integer of 15 to 4108, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:493, and where b is greater than or equal to $a + 14$.	
840986	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2195 of SEQ ID NO:494, b is an integer of 15 to 2209, where both a and b correspond to the positions of nucleotide	H25393, H25394, H25511, H25512, R95750, R95794, H64076, H64131, H68715, H80548, H80604, H94681, H95039, H99481, N28293, N30167, N35782, W47389, W47262, W61304, W65368, AA054346, AA054383.

	residues shown in SEQ ID NO:494, and where b is greater than or equal to a + 14.	AA058320, AA058448, AA512954, AA558416, AA588459, AA935690, AI097565, N87339, AA993027, AA993568, AA701454, AA702350
840988	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1663 of SEQ ID NO:495, b is an integer of 15 to 1677, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:495, and where b is greater than or equal to a + 14.	T87048, R24473, R43337, R43337, N75007, W05750, AA182467, AA227466, AA504464, AA504538, AA923479, AA648887, AA663889, AI027636, AI028506, AI026720, Z42717
840990	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1688 of SEQ ID NO:496, b is an integer of 15 to 1702, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:496, and where b is greater than or equal to a + 14.	
840992	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2362 of SEQ ID NO:497, b is an integer of 15 to 2376, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:497, and where b is greater than or equal to a + 14.	
841009	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 826 of SEQ ID NO:498, b is an integer of 15 to 840, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:498, and where b is greater than or equal to a + 14.	T40334, T41195, T79150, T79231, T85615, T98895, T99485, R25796, H03311, H03312, H11314, H21245, R91754, R91755, R93025, R97834, R97886, R99577, R99583, R99683, R99689, H88057, H97799, H97870, N34019, N35363, N42786, N44738, N52502, N70158, N72884, N74746, N93542, N95357, N98354, W01181, W03108, W15165, W19587, W21350, W24700, W24805, W39226, W48682, W49637, W49739, W51977, W67546, W67528, W67665, W79731, W93828, W93829, AA025348, AA025356, AA024401, AA024402, AA029589, AA029588, AA099331, AA099865, AA121627, AA126717, AA126816, AA126817, AA133155, AA165162, AA165163, AA557332, AA640015, AA579505, AA665011, AA665221, AA738009, AA830748, AA918150, AA918992, AA947223, AA974955, AI083731, N56157, N89240, AA092060, AA094384, AA650291, AA292814, AA402491, F20671, F21115, D11655, D11564, D11605, D12048, AA634049, U54738, AA732766, AA782030, AA843638, AA860477, AA861482, AI018649,

		AI092171, Z28714, T23956, AA694568
841012	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 447 of SEQ ID NO:499, b is an integer of 15 to 461, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:499, and where b is greater than or equal to a + 14.	
841016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2768 of SEQ ID NO:500, b is an integer of 15 to 2782, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:500, and where b is greater than or equal to a + 14.	R21854, R21868, R23349, R27518, R63726, R63775, R65731, R65957, R65958, R66192, R66977, R66978, R67072, R69600, R69690, H12415, H12416, N46541, N47260, N47778, N48572, N51984, N95008, W25613, W31713, W32142, W38029, W38650, W38655, AA034256, AA037658, AA037660, AA039268, AA042908, AA042921, AA063533, AA126558, AA130121, AA130157, AA137270, AA136020, AA232954, AA233044, AA429346, AA429872, AA565520, AA604780, AA610435, AA631349, AA631518, AA740206, AA770618, AA912228, AI079705, N84191, N85956, N92894, W38030, C00380, N83173, C03262, AA092010, U82782, AA247592, AA284977, AA283619, AA291890, AA293636, AA410312, AA410537, AA453566, AA487623, AA626442, AA628932, AA629190, AA629753, AA629916, AA719528, AA843073, AA844228, AA890492, AI024670, AI051881, AI061324, T11149
841017	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1235 of SEQ ID NO:501, b is an integer of 15 to 1249, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:501, and where b is greater than or equal to a + 14.	R21764, R21815, N71125, W17312, AA112660, AA179538, AA179507, AA902202, AA907419, AA913594, AA994481, AI049652
841021	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1344 of SEQ ID NO:502, b is an integer of 15 to 1358, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:502, and where b is greater than or equal to a + 14.	R23836, W38704, AA033686, AA176734, AA192268, AA525913, AA531505, AA532666, AA533781, AA533827, AA533949, AA554396, AA576754, AA906883, N24273, C14272, C14285, C14286, C18998
841032	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 487 of SEQ ID NO:503, b is an integer of 15 to 501, where both a and b correspond to the positions of nucleotide	T41136, T52990, T52991, T61494, T63001, T63145, T87321, T87328, T89480, T84361, R05264, N75935, W05120, W25352, AA191627, AA258512, AA418549, AA224774, AA225253, AA229538, AA229537,

	residues shown in SEQ ID NO:503, and where b is greater than or equal to a + 14.	AA229951, AA230318, AA468106, AA468170, AA482814, AA482855, AA482894, AA482906, AA483676, AA491563, AA491627, AA492175, AA501375, AA502205, AA505498, AA508058, AA508125, AA512979, AA513165, AA523347, AA528170, AA531497, AA542840, AA551430, AA553992, AA554420, AA582164, AA583205, AA593192, AA593362, AA602125, AA603378, AA603728, AA617691, AA622865, AA630937, AA631991, AA570802, AA569520, AA654990, AA664728, AA664864, AA665278, AA729616, AA729639, AA729652, AA730512, AA730705, AA730910, AA737300, AA737303, AA736808, AA736909, AA738098, AA740165, AA740553, AA742574, AA742885, AA746988, AA747057, AA747094, AA747099, AA747961, AA748108, AA804727, AA805835, AA834105, AA838466, AA864527, AA872303, AA875939, AA876612, AA876936, AA879219, AA885735, AA886033, AA888159, AA888528, AA888683, AA903652, AA935001, AA948734, AA947836, AA978250, AA994661, AI073926, AI085517, N83676, N86451, N87989, AA642538, AA090432, AA090481, AA092225, AA091643, AA094678, AA094818, AA095214, AA648652, AA649783, AA650377, AA401641, F21163, AA411822, AA442212, AA609798, AA679909, F22052, AA679265, AA722456, AI003421, AI028430, AI077884, AI086743, T89286, R05321, AA694044
841051	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1997 of SEQ ID NO:504, b is an integer of 15 to 2011, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:504, and where b is greater than or equal to a + 14.	AA427363
841064	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1975 of SEQ ID NO:505, b is an integer of 15 to 1989, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:505, and where b is greater than or equal to a + 14.	R95695, H49073, H61707, H61911, H68517, H89719, H89781, H89828, H90680, N76870, W88654, W88898, AA046748, AA053076, AA053592, AA127256, AA127257, AA187351, AA188218, H67307, AA602545, AA720701, AA742288, N87596, AA094084, AA204976, AA676787, AA703221, AA779414, AI038609, AI074626, AI088527, T17364,

		AA702787
841069	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1071 of SEQ ID NO:506, b is an integer of 15 to 1085, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:506, and where b is greater than or equal to a + 14.	
841072	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1471 of SEQ ID NO:507, b is an integer of 15 to 1485, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:507, and where b is greater than or equal to a + 14.	
841078	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1916 of SEQ ID NO:508, b is an integer of 15 to 1930, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:508, and where b is greater than or equal to a + 14.	T39937, T68962, T84426, R20697, R36425, R45643, R45643, R68137, R70943, R70957, R70996, R71011, H02222, H05658, H05659, H25177, H29362, H54732, H54733, H60311, H60310, H77561, H77562, H78245, H78446, H82436, H82699, N20477, N57742, N59418, N59709, N76617, AA029237, AA055009, AA055434, AA236337, AA425703, AA427773, AA482193, AA482287, AA612777, AA729757, AA737276, AA744359, AA872776, AA972581, C06045, AA446583, AA449748, AA707197, AA757691, AA774691, AA992571, A1003756, A1027513, A1039704, A1042272, A1052652, A1077380, A1083949, AA774036
841080	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1120 of SEQ ID NO:509, b is an integer of 15 to 1134, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:509, and where b is greater than or equal to a + 14.	
841088	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1368 of SEQ ID NO:510, b is an integer of 15 to 1382, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:510, and where b is greater than or equal to a + 14.	R00895, R21561, R42090, R42090, H05080, N79589, N94381, W16578, W42724, W42813, W46346, W46347, W47346, W57707, W57783, AA070469, AA490938, AA586820, AA580196, AA745683, AA809239, AA931405, D11601, AA725448, AA992145, A1023735, A1025359, A1031575, A1033697, A1038145, A1093535, F00072
841092	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1727 of SEQ ID	

	NO:511, b is an integer of 15 to 1741, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:511, and where b is greater than or equal to a + 14.	
841095	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1516 of SEQ ID NO:512, b is an integer of 15 to 1530, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:512, and where b is greater than or equal to a + 14.	W20114, AA255840, AA568302, AA406006, AA434170
841096	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2985 of SEQ ID NO:513, b is an integer of 15 to 2999, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:513, and where b is greater than or equal to a + 14.	
841102	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2034 of SEQ ID NO:514, b is an integer of 15 to 2048, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:514, and where b is greater than or equal to a + 14.	
841104	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3286 of SEQ ID NO:515, b is an integer of 15 to 3300, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:515, and where b is greater than or equal to a + 14.	T93851, R05295, R05354, R71097, R71445, R99396, N53129, W38359, W38417, W38418, W39384, W44785, W44786, W69719, W69847, W73703, AA134718, AA164646, AA164647, AA418958, AA420439, AA420440, AA548241, AA548224, AA558195, W73847, Z19840, AA707354, AA868898, AA917430, AI073454, F09131, F11469, AA700476
841108	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3411 of SEQ ID NO:516, b is an integer of 15 to 3425, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:516, and where b is greater than or equal to a + 14.	T89709, T89806, T91163, T93774, T93819, T95226, R06420, R06475, R23277, R23370, R32742, R32743, R52354, R52355, R64095, R64184, R65984, R65985, R70225, R70226, R76344, R76672, R80205, H00679, H00770, H04254, H24758, H24803, H40273, H38053, H38054, H47116, H47210, R92478, R94873, R94872, H57866, H57867, H59353, H61105, H63261, H63535, H63938, H67759, H67760, H77384, H77385, H82932, H87435, H87541, H88753, H88754, N59081, N59489, N63682, N63939, N66851, N70709, N92122, N99845, W32595, W88585, W90769, W90327, W93082, W93137, AA025425, AA041232, AA114914, AA114913, AA128525, AA235362, AA235944,

		AA235945, AA425197, AA636023, AA639557, AA729723, AA907495, AI056355, AI089809, AA448599, AA449742, AA476262, AA478567, AA478700, AA599706, AA634117, AA677126, AA716562, AA923333, AA948589, AI051569, AI073816, AI074666, AI080341, AI084428, AI090962, AI096407
841118	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1344 of SEQ ID NO:517, b is an integer of 15 to 1358, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:517, and where b is greater than or equal to a + 14.	R20815, R36529, R38448, R46586, R46586, R71122, R71625, R77658, R80438, R80643, H12595, H12644, H99733, N20132, N25939, N29738, N57157, N59874, N67154, N67834, W03438, W04625, W31524, AA044199, AA044996, AA135739, AA135782, AA146912, AA146911, AA173589, AA224431, AA232224, AA256600, AA256599, AA419270, AA419321, AA425195, AA484744, AA507823, AA513832, AA584296, AA600955, AA614813, AA807248, AA904059, AA937796, AA973678, AA983325, AA991604, W01284, C16969, AA476260, AA476318, AA476367, AA609550, AA678511, AA722726, AA904676, AA954468, AI001869, AI031538, Z41297
841119	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1354 of SEQ ID NO:518, b is an integer of 15 to 1368, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:518, and where b is greater than or equal to a + 14.	R18472, W39766, AA076303, AA985235
841124	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 919 of SEQ ID NO:519, b is an integer of 15 to 933, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:519, and where b is greater than or equal to a + 14.	
841137	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1416 of SEQ ID NO:520, b is an integer of 15 to 1430, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:520, and where b is greater than or equal to a + 14.	T65560, R52978, R59392, H24368, H25185, N33308, AA016160, AA019434, AA082036, AA099724, AA099725, AA101466, AA100553, AA100634, AA100635, AA143046, AA150250, AA151129, AA165491, AA172129, AA176104, AA176248, AA176272, AA197310, AA227454, AA232220, AA243156, AA261904, AA262541, AA458854, AA459044, AA481155, AA493247, AA514323, AA522820, AA558368, AA582973, AA604489, AA640528, AA569125.

		AA569824, AA737640, AA743846, AA808232, AA812222, AA847813, AA865060, AA872242, AA872353, AA922866, AA933823, AA988358, A1056397, A1085865, A1088865, AA205921, AA205923, AA205997, AA204887, AA205731, D11887, AA634040, AA703823, AA703893, Z20424, AA707344, AA707416, AA716243, AA683201, AA890456, A1003274, A1076618, A1090177, T10877, Z28746, T25145, Z40353, F11026, F09670, AA699695, AA701137
841143	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1155 of SEQ ID NO:521, b is an integer of 15 to 1169, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:521, and where b is greater than or equal to a + 14.	T52948, T57468, T59332, T91403, T84637, R69314, R69315, R77481, R77675, R77676, H30692, H70576, N24036, N24905, N26173, N35858, N36029, W39771, W45303, W80648, W80649, AA029895, AA029983, AA036639, AA036850, AA043430, AA043431, AA046109, AA046196, AA076106, AA076107, AA083131, AA083181, AA083285, AA083293, AA147761, AA147804, AA155831, AA155741, AA430082, AA581553, AA593886, AA594233, AA604399, AA576339, AA715836, AA730946, AA737298, AA768251, AA872423, AA888276, AA961744, AA962699, AA975874, A1000132, R29417, AA640954, AA094702, AA398483, AA402600, AA489817, AA489948, AA496290, AA663953, AA663986, AA725581, AA771972, AA781165, AA845829, AA772618, AA773208, AA907551, A1003883, A1004593, A1031669, A1052123, A1085380
841148	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2148 of SEQ ID NO:522, b is an integer of 15 to 2162, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:522, and where b is greater than or equal to a + 14.	
841149	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 785 of SEQ ID NO:523, b is an integer of 15 to 799, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:523, and where b is greater than or equal to a + 14.	AA812937
841151	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 1708 of SEQ ID NO:524, b is an integer of 15 to 1722, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:524, and where b is greater than or equal to a + 14.	
841155	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 548 of SEQ ID NO:525, b is an integer of 15 to 562, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:525, and where b is greater than or equal to a + 14.	
841161	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2009 of SEQ ID NO:526, b is an integer of 15 to 2023, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:526, and where b is greater than or equal to a + 14.	H81836, AA015599, AA099033, AA099034, AA211818, AA741499, AA748367, AA768854, AA805297, AA804217, A1000120, A1090415, D79280, D79875, AA628397, AA628438, AA889584, Z36757
841162	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2833 of SEQ ID NO:527, b is an integer of 15 to 2847, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:527, and where b is greater than or equal to a + 14.	T54529, T54568, T39916, T40885, T64421, T64740, T94433, T94519, T94763, T94764, T67443, T67536, T69533, R08782, R08783, T84049, T86084, R18023, R19657, R33054, R33948, R52119, R52216, R53248, R53249, R71311, H04393, H04418, H23196, H23309, H47118, R95161, H54791, H54843, H66487, H66488, H87522, H87523, H92220, H97204, H97637, H98041, N25008, N27036, N32850, N32940, N41677, N41803, N52911, N55243, N55603, N59425, N62367, N67146, N67527, N68040, N68109, N69439, N79136, W03264, W02511, W16533, W16511, W16949, W19590, W20032, W25683, W56022, W57870, W58141, W84752, W84757, W96458, W96558, N89892, N91494, AA035714, AA040577, AA040675, AA043889, AA052991, AA053277, AA053702, AA062923, AA063530, AA074314, AA074909, AA074744, AA076274, AA098982, AA099025, AA146894, AA146893, AA160127, AA160126, AA160195, AA160196, AA169764, AA169385, AA179301, AA223348, AA233558, AA235471, AA460676, AA420533, AA506563, AA523418, AA527621, AA528362, AA531060, AA532619, AA541282, AA552184, AA564466, AA564790, H98795, AA583450, AA613483, AA622733, AA627809, AA577550, AA578980, AA579413, AA714153, AA721494, AA721786, AA737104.

		AA738062, AA745852, AA746662, AA748113, AA814512, AA814515, AA848156, AA858182, AA877787, AA886219, AA886814, AA908510, AA919073, AA953828, AA971838, AA974669, AA974937, AA975070, AA978156, AA985412, AA985429, AA989103, AA989168, AA975750, AI053418, AI053736, AI053892, AI053967, AI053988, AI054073, AI054111, F18748, AI096767, W16689, F17979, W26593, W74635, R29761, AA090571, AA090284, AA092279, AA092676, AA174176, AA206002, AA206857, AA206939, AA204847, AA204862, AA205665, AA205777, C17805, AA215924, AA284942, AA285094, AA292514, AA293872, AA398296, AA401676, AA412021, AA450108, AA450173, AA477960, AA478675, AA479216, AA482218, AA608548, AA634838, AA634910, AA634951, AA644321, AA664196, AA665979, AA668238, AA668579, AA669764, AA669856, AA676279, AA630300, Z20366, AA716371, AA716380, Z19906, AA777040, AA778451, AA781061, AA845834, T25435, Z21568, AA772588, AA917780, AI003327, AI016140, AI024969, AI032559, AI056850, AI088269, AI090536, AI092597, AI093387, T15364, D29035, T27400, T27473, F02321, F06069, T69476, AA773898, AA694154
841163	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 802 of SEQ ID NO:528, b is an integer of 15 to 816, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:528, and where b is greater than or equal to a + 14.	T70512, W58177, W58266, AA027003, AA047260, AA057146, AA076110, AA150122, AA150030, AA424246, AA425670, AA523788, AA554661, AA582491, AA587000, AA633476, AA578397, AA662364, AA687611, AA729856, AA741041, AA806947, AA894899, AA922687, AA934486, AA946779, AA954606, AA962108, AA988276, AI054171, AA436000, AA436099, AA442324, AA451996, AA722958, AA780203, T25797, AI018410, AI024726, AI074321
841169	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 871 of SEQ ID NO:529, b is an integer of 15 to 885, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:529, and where b is greater than or equal to a + 14.	
841172	Preferably excluded from the present invention are	T47968, H14181, H26893, N40884.

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 728 of SEQ ID NO:530, b is an integer of 15 to 742, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:530, and where b is greater than or equal to a + 14.	Z42735
841174	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 511 of SEQ ID NO:531, b is an integer of 15 to 525, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:531, and where b is greater than or equal to a + 14.	
841179	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1911 of SEQ ID NO:532, b is an integer of 15 to 1925, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:532, and where b is greater than or equal to a + 14.	
841183	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 488 of SEQ ID NO:533, b is an integer of 15 to 502, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:533, and where b is greater than or equal to a + 14.	
841186	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1786 of SEQ ID NO:534, b is an integer of 15 to 1800, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:534, and where b is greater than or equal to a + 14.	
841204	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2483 of SEQ ID NO:535, b is an integer of 15 to 2497, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:535, and where b is greater than or equal to a + 14.	
841206	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4076 of SEQ ID NO:536, b is an integer of 15 to 4090, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:536, and where b is greater than or equal to a + 14.	
841207	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	AA215286

	sequence described by the general formula of a-b, where a is any integer between 1 to 572 of SEQ ID NO:537, b is an integer of 15 to 586, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:537, and where b is greater than or equal to a + 14.	
841211	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1236 of SEQ ID NO:538, b is an integer of 15 to 1250, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:538, and where b is greater than or equal to a + 14.	
841225	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1336 of SEQ ID NO:539, b is an integer of 15 to 1350, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:539, and where b is greater than or equal to a + 14.	
841229	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2495 of SEQ ID NO:540, b is an integer of 15 to 2509, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:540, and where b is greater than or equal to a + 14.	
841237	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1729 of SEQ ID NO:541, b is an integer of 15 to 1743, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:541, and where b is greater than or equal to a + 14.	H39746, H38765, H53680, H84385, H84386, H95751, H96427, H96428, N22709, N24033, N27417, N27531, N31183, N34699, N35427, N40348, N46995, N47385, W47664, W52613, W58021, AA020909, AA032219, AA032277, AA036745, AA053732, AA055872, AA057318, AA062713, AA070398, AA134055, AA132315, AA132625, AA149601, AA149602, AA494458, AA516430, AA534386, AA582804, AA581987, AA588838, AA631158, AA635970, AA577392, AA577494, AA857008, AA894813, AA933084, A1000994, N47386, D11495, D11593, D12071, D11877, D11882, D11902, AA456436, AA683214, AA890528, AA983938, A1074406, A1084728
841241	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2196 of SEQ ID NO:542, b is an integer of 15 to 2210, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:542, and where b is greater than or equal to a + 14.	T64820, R18486, R48571, R48670, R51358, R51464, R70428, R71854, R77389, R77390, H18251, H18293, H18401, H18402, H19764, H19765, H21210, H21526, H24560, H25150, H26985, H28104, H30240, H30297, H30868, H30871, H40890, H41878, H41879, H43721, H43811, H43814,

		R84543, R85932, R87323, R93828, H49042, H49101, H51175, H51188, H68511, H75818, H80551, H80607, N41005, N45017, N56601, N70611, N74891, N93043, N93044, N94350, N98497, W04932, W21511, W21512, W24020, W31043, W47411, W47607, W47659, W47660, W48851, W48618, W52281, W56619, W56649, W68334, W68375, W70156, W70195, W84467, W84552, W90400, W94826, W96342, W96343, N91167, AA016293, AA017674, AA025151, AA025152, AA027955, AA031264, AA031395, AA031855, AA031854, AA035782, AA037318, AA040025, AA056359, AA069269, AA069418, AA069509, AA101608, AA114873, AA114837, AA115697, AA133516, AA220968, AA458530, AA460966, AA463596, AA419091, AA428836, AA507951, AA582836, AA640114, AA659114, AA836669, AA903136, AA903220, AA918099, AA928492, AA971856, AA973427, AA994099, A1016016, A1057267, AA069497, AA206877, AA218868, AA284783, AA284712, AA293434, AA293042, AA402851, AA454608, AA496283, AA609652, AA708123, AA757619, AA757695, AA774425, AA774630, AA775465, AA852435, AA852436, AA852604, AA852605, AA868271, AA884190, T03362, A1042345, A1042606, A1066399, A1086541, A1086967, A1091380, A1091725, A1092820, A1092945, T23722, F03416, F04814, F07127, F08608, F12341
841259	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1701 of SEQ ID NO:543, b is an integer of 15 to 1715, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:543, and where b is greater than or equal to a + 14.</p>	
841260	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3095 of SEQ ID NO:544, b is an integer of 15 to 3109, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:544, and where b is greater than or equal to a + 14.</p>	T93673, R01175, R01287, R72262, R72263, H53584, H53905, N57686, N59657, N63715, N98804, W86302, W86653, W87312, AA055614, AA058962, AA058961, AA149239, AA180323, AA460554, AA460555, AA492261, AA596073, AA604012, AA612811, AA617927, AA631804, AA767954, AA769298, AA804811, AA814647, AA833776, AA872768, AA873458, AA876551, AA886069.

		AA932445, AA976417, AA989268, A1055853, D80933, A1088938, A1096484, AA215901, AA393250, AA435612, AA449044, AA449758, AA653318, AA678103, AA678744, AA705036, AA854081, AA789188, AA813062, AA868902, A1023192, A1033456, A1090508, Z28555, T25877, D30980, D31048, D31377, F00724, AA682530, AA694353
841264	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1162 of SEQ ID NO:545, b is an integer of 15 to 1176, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:545, and where b is greater than or equal to a + 14.	
841275	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1721 of SEQ ID NO:546, b is an integer of 15 to 1735, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:546, and where b is greater than or equal to a + 14.	
841311	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1034 of SEQ ID NO:547, b is an integer of 15 to 1048, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:547, and where b is greater than or equal to a + 14.	
841313	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 722 of SEQ ID NO:548, b is an integer of 15 to 736, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:548, and where b is greater than or equal to a + 14.	
841317	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2217 of SEQ ID NO:549, b is an integer of 15 to 2231, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:549, and where b is greater than or equal to a + 14.	T78127, R31279, R31890, R38014, R68187, R68186, R68960, R81444, R81647, H03085, H42975, N22228, N35405, N40226, N52138, N66461, N66470, W48764, W49783, W58388, AA044222, AA044341, AA131687, AA131731, AA224224, AA224527, AA469092, AA580878, AA573581, AA863153, AA903745, AA971415, C03879, AA249392, AA448556, AA449703, F22605, AA723322, AA904943, Z18868, AA971554, AA991799, A1015846, A1037913, A1056007, A1082497, A1090170, A1095394

841322	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1802 of SEQ ID NO:550, b is an integer of 15 to 1816, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:550, and where b is greater than or equal to a + 14.	R21970, R83459, H65911, W76286, AA182592, AA281797, AA281874, AA291943, H65824, AA580660, AA748474, AA829390, AA293389, AA401755, AA910004, AA994494, A1005165, A1081877
841331	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2596 of SEQ ID NO:551, b is an integer of 15 to 2610, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:551, and where b is greater than or equal to a + 14.	
841332	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4007 of SEQ ID NO:552, b is an integer of 15 to 4021, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:552, and where b is greater than or equal to a + 14.	
841338	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1766 of SEQ ID NO:553, b is an integer of 15 to 1780, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:553, and where b is greater than or equal to a + 14.	
841345	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3699 of SEQ ID NO:554, b is an integer of 15 to 3713, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:554, and where b is greater than or equal to a + 14.	
841349	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1983 of SEQ ID NO:555, b is an integer of 15 to 1997, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:555, and where b is greater than or equal to a + 14.	
841355	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 892 of SEQ ID NO:556, b is an integer of 15 to 906, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:556, and where b is greater than or equal to a + 14.	
841417	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3470 of SEQ ID NO:557, b is an integer of 15 to 3484, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:557, and where b is greater than or equal to a + 14.	
841548	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 776 of SEQ ID NO:558, b is an integer of 15 to 790, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:558, and where b is greater than or equal to a + 14.	AA223588
841632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 544 of SEQ ID NO:559, b is an integer of 15 to 558, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:559, and where b is greater than or equal to a + 14.	
841662	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 520 of SEQ ID NO:560, b is an integer of 15 to 534, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:560, and where b is greater than or equal to a + 14.	H15850, H99706, N78646, W74702, W94916, AA809695
841771	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3029 of SEQ ID NO:561, b is an integer of 15 to 3043, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:561, and where b is greater than or equal to a + 14.	T50029, T67900, T74699, T74819, T88802, T81298, T84439, T95656, R06092, R06196, R14563, R14966, R14970, R16465, R38948, R40957, R40957, R63975, R64085, R66362, R66363, R67505, H17644, H17758, R92097, H48240, H48331, H49625, H49715, H61167, H62068, H69147, N25753, N36472, N69035, N71493, N92970, N98567, N99536, W00665, W24251, W40582, W45462, W45538, W45525, W45687, W44315, W57971, W57944, W70012, W70013, W86733, AA044684, AA071192, AA071199, AA190325, AA191520, AA533197, AA558210, AA581106, AA581161, AA577119, AA857551, AA878885, AA936839, AA975697, D78980, W28535, C02075, C17857
841827	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1372 of SEQ ID NO:562, b is an integer of 15 to 1386, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:562, and where b is	

	greater than or equal to $a + 14$.	
841835	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2624 of SEQ ID NO:563, b is an integer of 15 to 2638, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:563, and where b is greater than or equal to $a + 14$.	
842259	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 677 of SEQ ID NO:564, b is an integer of 15 to 691, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:564, and where b is greater than or equal to $a + 14$.	
842463	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1953 of SEQ ID NO:565, b is an integer of 15 to 1967, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:565, and where b is greater than or equal to $a + 14$.	
842595	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1320 of SEQ ID NO:566, b is an integer of 15 to 1334, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:566, and where b is greater than or equal to $a + 14$.	
842722	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1596 of SEQ ID NO:567, b is an integer of 15 to 1610, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:567, and where b is greater than or equal to $a + 14$.	
842815	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1398 of SEQ ID NO:568, b is an integer of 15 to 1412, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:568, and where b is greater than or equal to $a + 14$.	
842818	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1111 of SEQ ID NO:569, b is an integer of 15 to 1125, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:569, and where b is greater than or equal to $a + 14$.	

843251	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1902 of SEQ ID NO:570, b is an integer of 15 to 1916, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:570, and where b is greater than or equal to a + 14.	
843422	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1239 of SEQ ID NO:571, b is an integer of 15 to 1253, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:571, and where b is greater than or equal to a + 14.	
843784	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1999 of SEQ ID NO:572, b is an integer of 15 to 2013, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:572, and where b is greater than or equal to a + 14.	
844017	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 655 of SEQ ID NO:573, b is an integer of 15 to 669, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:573, and where b is greater than or equal to a + 14.	AA075932
844138	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2418 of SEQ ID NO:574, b is an integer of 15 to 2432, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:574, and where b is greater than or equal to a + 14.	T54096, T54187, T54360, T39143, T40432, T90493, T90589, T89428, T89794, T80000, R00221, R00327, R25952, R26450, R26761, R28459, R55293, R55390, R73233, H42630, H44454, H44498, R83525, R86282, H85785, N33586, N34419, N36244, N48653, N49430, W51915, AA055530, AA055939, AA069732, AA100817, AA122084, AA121407, AA126332, AA133329, AA134151, AA134152, AA134714, AA136470, AA136960, AA157850, AA157906, AA157976, AA159365, AA171854, AA187219, AA186342, AA250818, AA464565, AA464666, AA428826, AA429361, AA491863, AA505512, AA524490, AA558038, AA581979, AA588712, AA593885, AA601110, AA573930, AA577156, AA578735, AA689519, AA730155, AA768486, AA805061, AA826981, AA865985, AA931167, AA947324, AA953202, AA961105, AA962413, AA976440, AA977760, AI032134, AI053416, AI053575,

		A1054013, A1054146, A1054281, U46376, W22126, C00371, C05283, AA641416, AA643346, AA292261, AA421818, AA496452, AA496521, AA653437, AA664399, AA680123, AA431832, AA434143, AA678582, AA705952, AA679763, AA733019, AA781645, AA813232, AA833597, AA844624, A1024151, A1038232, A1042551, A1080152, A1086490, T24101, F03522, F07244
844166	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1358 of SEQ ID NO:575, b is an integer of 15 to 1372, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:575, and where b is greater than or equal to a + 14.</p>	
844194	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2006 of SEQ ID NO:576, b is an integer of 15 to 2020, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:576, and where b is greater than or equal to a + 14.</p>	
844394	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3147 of SEQ ID NO:577, b is an integer of 15 to 3161, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:577, and where b is greater than or equal to a + 14.</p>	
844450	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2032 of SEQ ID NO:578, b is an integer of 15 to 2046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:578, and where b is greater than or equal to a + 14.</p>	
844534	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 288 of SEQ ID NO:579, b is an integer of 15 to 302, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:579, and where b is greater than or equal to a + 14.</p>	
844535	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3053 of SEQ ID NO:580, b is an integer of 15 to 3067, where both a and b correspond to the positions of nucleotide</p>	

	residues shown in SEQ ID NO:580, and where b is greater than or equal to a + 14.	
844644	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1560 of SEQ ID NO:581, b is an integer of 15 to 1574, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:581, and where b is greater than or equal to a + 14.	
844653	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 946 of SEQ ID NO:582, b is an integer of 15 to 960, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:582, and where b is greater than or equal to a + 14.	
844659	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 527 of SEQ ID NO:583, b is an integer of 15 to 541, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:583, and where b is greater than or equal to a + 14.	
844796	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2954 of SEQ ID NO:584, b is an integer of 15 to 2968, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:584, and where b is greater than or equal to a + 14.	
844812	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2594 of SEQ ID NO:585, b is an integer of 15 to 2608, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:585, and where b is greater than or equal to a + 14.	
844894	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1879 of SEQ ID NO:586, b is an integer of 15 to 1893, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:586, and where b is greater than or equal to a + 14.	
845361	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2449 of SEQ ID NO:587, b is an integer of 15 to 2463, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:587, and where b is	T93072, T93161, T69748, T70732, R01200, R01312, R05457, R05477, R05584, R43190, R43190, R65942, R75719, R78234, H03875, H03876, H15845, H16155, H17787, H40269, H45881, R84787, R92493, R92931, H58301, H58912, H58913, H62257,

	greater than or equal to $a + 14$.	H67051, H68135, H81385, H83681, H91363, H96711, N20348, N22509, N27952, N28616, N31997, N32005, N36007, N39356, N40718, N70011, N70094, N92576, N99870, W00896, W00925, W04623, W25220, W31522, W37278, W37791, W38868, W52654, W51751, AA017158, AA019458, AA022914, AA022915, AA037370, AA037502, AA045696, AA045697, AA046013, AA054565, AA054625, AA069778, AA079736, AA081087, AA081144, AA100055, AA100504, AA100334, AA115581, AA115554, AA126149, AA126373, AA133101, AA130558, AA136439, AA151673, AA151821, AA151822, AA159031, AA165200, AA165201, AA176477, AA176498, AA176771, AA176830, AA182601, AA176736, AA187943, AA188578, AA188675, AA190342, AA190343, AA195091, AA213662, AA213715, AA232222, AA426516, AA424760, AA483564, AA490859, AA491042, AA505249, AA507988, AA508858, AA513433, AA514771, AA514785, AA514980, AA527545, AA534100, AA554008, AA557148, AA584946, AA586481, AA587849, AA588781, AA593916, AA605049, AA604893, AA617650, AA568567, AA621979, AA627588, AA578585, AA578744, AA661910, AA729355, AA729902, AA736994, AA738388, AA740375, AA741213, AA760943, AA830401, AA834201, AA834208, AA834250, AA864864, AA888527, AA906940, AA922073, AA927272, AA931625, AA933055, AA932772, AA936861, AA938504, AA975187, AA977857, AA975594, A1000724, A1014600, A1017381, A1066441, D82733, U47688, N83708, N83790, N85010, W22533, W23255, N86314, N87393, N88971, AA642249, AA642903, AA090403, AA091011, AA095990, AA205824, AA204931, AA643262, AA648446, AA216706, AA219615, AA249170, C75338, AA599187, AA668746, AA670340, AA405611, AA405150, AA708635, AA716044, AA722076, AA722829, AA725716, AA781064, AA844379, A1037987, A1039577, A1078722, A1077655, A1080306, A1084320, A1085219, A1093296, A1093479, A1095168, A1095267, D29018, F02782,
--	-------------------------------------	---

		F06502, F00762, F00966
845620	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1931 of SEQ ID NO:588, b is an integer of 15 to 1945, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:588, and where b is greater than or equal to a + 14.	
845639	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 802 of SEQ ID NO:589, b is an integer of 15 to 816, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:589, and where b is greater than or equal to a + 14.	
845660	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2293 of SEQ ID NO:590, b is an integer of 15 to 2307, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:590, and where b is greater than or equal to a + 14.	
845720	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1424 of SEQ ID NO:591, b is an integer of 15 to 1438, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:591, and where b is greater than or equal to a + 14.	
845785	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1064 of SEQ ID NO:592, b is an integer of 15 to 1078, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:592, and where b is greater than or equal to a + 14.	
845897	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2478 of SEQ ID NO:593, b is an integer of 15 to 2492, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:593, and where b is greater than or equal to a + 14.	
845922	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1890 of SEQ ID NO:594, b is an integer of 15 to 1904, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:594, and where b is greater than or equal to a + 14.	

846016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 323 of SEQ ID NO:595, b is an integer of 15 to 337, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:595, and where b is greater than or equal to a + 14.	
846040	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1274 of SEQ ID NO:596, b is an integer of 15 to 1288, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:596, and where b is greater than or equal to a + 14.	
846073	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1038 of SEQ ID NO:597, b is an integer of 15 to 1052, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:597, and where b is greater than or equal to a + 14.	T83567, T83771, R51147, N26938, N32715, N36666, W57781, W74108, AA082091, AA425613
846257	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2079 of SEQ ID NO:598, b is an integer of 15 to 2093, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:598, and where b is greater than or equal to a + 14.	

Polynucleotide and Polypeptide Variants

The present invention is directed to variants of the polynucleotide sequence disclosed in SEQ ID NO:X or the complementary strand thereto, and/or the cDNA sequence contained in a cDNA clone contained in the deposit.

5 The present invention also encompasses variants of the cancer polypeptide sequence disclosed in SEQ ID NO:Y, a polypeptide sequence encoded by the polynucleotide sequence in SEQ ID NO:X, and/or a polypeptide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

10 "Variant" refers to a polynucleotide or polypeptide differing from the polynucleotide or polypeptide of the present invention, but retaining essential properties thereof. Generally, variants are overall closely similar, and, in many regions, identical to the polynucleotide or polypeptide of the present invention.

15 The present invention is also directed to nucleic acid molecules which comprise, or alternatively consist of, a nucleotide sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100%, identical to, for example, the nucleotide coding sequence in SEQ ID NO:X or the complementary strand thereto, the nucleotide coding sequence of the related cDNA contained in a deposited library or the complementary strand thereto, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA in the related cDNA contained in a deposited library, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polypeptides encoded by these nucleic acid molecules are also encompassed by the invention. In another embodiment, the invention encompasses nucleic acid molecules which comprise or alternatively consist of, a polynucleotide which hybridizes under stringent hybridization conditions, or alternatively, under low stringency conditions, to the nucleotide coding sequence in SEQ ID NO:X, the nucleotide coding sequence of the related cDNA clone contained in a deposited library, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA in the related cDNA clone contained in a deposited library, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polynucleotides which

20

25

30

hybridize to the complement of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

The present invention is also directed to polypeptides which comprise, or alternatively
5 consist of, an amino acid sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to, for example, the polypeptide sequence shown in SEQ ID NO:Y, a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a polypeptide sequence encoded by the cDNA in the related cDNA clone contained in a deposited library, and/or polypeptide fragments of any of these polypeptides (e.g., those fragments described
10 herein). Polynucleotides which hybridize to the complement of the nucleic acid molecules encoding these polypeptides under stringent hybridization conditions, or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

By a nucleic acid having a nucleotide sequence at least, for example, 95% "identical"
15 to a reference nucleotide sequence of the present invention, it is intended that the nucleotide sequence of the nucleic acid is identical to the reference sequence except that the nucleotide sequence may include up to five point mutations per each 100 nucleotides of the reference nucleotide sequence encoding the polypeptide. In other words, to obtain a nucleic acid having a nucleotide sequence at least 95% identical to a reference nucleotide sequence, up to
20 5% of the nucleotides in the reference sequence may be deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the reference sequence may be inserted into the reference sequence. The query sequence may be, for example, an entire sequence referred to in Table I, an ORF (open reading frame), or any fragment specified as described herein.

25 As a practical matter, whether any particular nucleic acid molecule or polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a nucleotide sequence of the present invention can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global
30 sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci. 6:237-245 (1990)). In a sequence alignment the query and subject sequences are both DNA sequences. An RNA sequence can be

compared by converting U's to T's. The result of said global sequence alignment is in percent identity. Preferred parameters used in a FASTDB alignment of DNA sequences to calculate percent identity are: Matrix=Unitary, k-tuple=4, Mismatch Penalty=1, Joining Penalty=30, Randomization Group Length=0, Cutoff Score=1, Gap Penalty=5, Gap Size
5 Penalty 0.05, Window Size=500 or the length of the subject nucleotide sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence because of 5' or 3' deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for 5' and 3' truncations of the
10 subject sequence when calculating percent identity. For subject sequences truncated at the 5' or 3' ends, relative to the query sequence, the percent identity is corrected by calculating the number of bases of the query sequence that are 5' and 3' of the subject sequence, which are not matched/aligned, as a percent of the total bases of the query sequence. Whether a nucleotide is matched/aligned is determined by results of the FASTDB sequence alignment.
15 This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This corrected score is what is used for the purposes of the present invention. Only bases outside the 5' and 3' bases of the subject sequence, as displayed by the FASTDB alignment, which are not matched/aligned with the query sequence, are calculated for the purposes of
20 manually adjusting the percent identity score.

For example, a 90 base subject sequence is aligned to a 100 base query sequence to determine percent identity. The deletions occur at the 5' end of the subject sequence and therefore, the FASTDB alignment does not show a matched/alignment of the first 10 bases at 5' end. The 10 unpaired bases represent 10% of the sequence (number of bases at the 5' and
25 3' ends not matched/total number of bases in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 bases were perfectly matched the final percent identity would be 90%. In another example, a 90 base subject sequence is compared with a 100 base query sequence. This time the deletions are internal deletions so that there are no bases on the 5' or 3' of the subject sequence which
30 are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only bases 5' and 3' of the subject sequence which are not matched/aligned with the query sequence are manually corrected for. No other

manual corrections are to made for the purposes of the present invention.

By a polypeptide having an amino acid sequence at least, for example, 95% "identical" to a query amino acid sequence of the present invention, it is intended that the amino acid sequence of the subject polypeptide is identical to the query sequence except that
5 the subject polypeptide sequence may include up to five amino acid alterations per each 100 amino acids of the query amino acid sequence. In other words, to obtain a polypeptide having an amino acid sequence at least 95% identical to a query amino acid sequence, up to 5% of the amino acid residues in the subject sequence may be inserted, deleted, (indels) or substituted with another amino acid. These alterations of the reference sequence may occur
10 at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

As a practical matter, whether any particular polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, the amino acid sequence in SEQ ID
15 NO:Y or a fragment thereof, the amino acid sequence encoded by the nucleotide sequence in SEQ ID NO:X or a fragment thereof, or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library, or a fragment thereof, can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present
20 invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci.6:237- 245(1990)). In a sequence alignment the query and subject sequences are either both nucleotide sequences or both amino acid sequences. The result of said global sequence alignment is in percent identity. Preferred parameters used in a
25 FASTDB amino acid alignment are: Matrix=PAM 0, k-tuple=2, Mismatch Penalty=1, Joining Penalty=20, Randomization Group Length=0, Cutoff Score=1, Window Size=sequence length, Gap Penalty=5, Gap Size Penalty=0.05, Window Size=500 or the length of the subject amino acid sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence due to N- or C-terminal
30 deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for N- and C-terminal truncations of the subject sequence when calculating global percent identity. For subject sequences

truncated at the N- and C-termini, relative to the query sequence, the percent identity is corrected by calculating the number of residues of the query sequence that are N- and C-terminal of the subject sequence, which are not matched/aligned with a corresponding subject residue, as a percent of the total bases of the query sequence. Whether a residue is
5 matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This final percent identity score is what is used for the purposes of the present invention. Only residues to the N- and C-termini of the subject sequence, which are not matched/aligned with the
10 query sequence, are considered for the purposes of manually adjusting the percent identity score. That is, only query residue positions outside the farthest N- and C- terminal residues of the subject sequence.

For example, a 90 amino acid residue subject sequence is aligned with a 100 residue query sequence to determine percent identity. The deletion occurs at the N-terminus of the
15 subject sequence and therefore, the FASTDB alignment does not show a matching/alignment of the first 10 residues at the N-terminus. The 10 unpaired residues represent 10% of the sequence (number of residues at the N- and C- termini not matched/total number of residues in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 residues were perfectly matched the final percent
20 identity would be 90%. In another example, a 90 residue subject sequence is compared with a 100 residue query sequence. This time the deletions are internal deletions so there are no residues at the N- or C-termini of the subject sequence which are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only residue positions outside the N- and C-terminal ends of the subject
25 sequence, as displayed in the FASTDB alignment, which are not matched/aligned with the query sequence are manually corrected for. No other manual corrections are to made for the purposes of the present invention.

The variants may contain alterations in the coding regions, non-coding regions, or both. Especially preferred are polynucleotide variants containing alterations which produce
30 silent substitutions, additions, or deletions, but do not alter the properties or activities of the encoded polypeptide. Nucleotide variants produced by silent substitutions due to the degeneracy of the genetic code are preferred. Moreover, variants in which less than 50, less

than 40, less than 30, less than 20, less than 10, or 5-50, 5-25, 5-10, 1-5, or 1-2 amino acids are substituted, deleted, or added in any combination are also preferred. Polynucleotide variants can be produced for a variety of reasons, e.g., to optimize codon expression for a particular host (change codons in the human mRNA to those preferred by a bacterial host such as *E. coli*).

Naturally occurring variants are called "allelic variants," and refer to one of several alternate forms of a gene occupying a given locus on a chromosome of an organism. (Genes II, Lewin, B., ed., John Wiley & Sons, New York (1985).) These allelic variants can vary at either the polynucleotide and/or polypeptide level and are included in the present invention. Alternatively, non-naturally occurring variants may be produced by mutagenesis techniques or by direct synthesis.

Using known methods of protein engineering and recombinant DNA technology, variants may be generated to improve or alter the characteristics of the polypeptides of the present invention. For instance, as discussed herein, one or more amino acids can be deleted from the N-terminus or C-terminus of the polypeptide of the present invention without substantial loss of biological function. The authors of Ron et al., *J. Biol. Chem.* 268: 2984-2988 (1993), reported variant KGF proteins having heparin binding activity even after deleting 3, 8, or 27 amino-terminal amino acid residues. Similarly, Interferon gamma exhibited up to ten times higher activity after deleting 8-10 amino acid residues from the carboxy terminus of this protein. (Dobeli et al., *J. Biotechnology* 7:199-216 (1988).)

Moreover, ample evidence demonstrates that variants often retain a biological activity similar to that of the naturally occurring protein. For example, Gayle and coworkers (*J. Biol. Chem.* 268:22105-22111 (1993)) conducted extensive mutational analysis of human cytokine IL-1a. They used random mutagenesis to generate over 3,500 individual IL-1a mutants that averaged 2.5 amino acid changes per variant over the entire length of the molecule. Multiple mutations were examined at every possible amino acid position. The investigators found that "[m]ost of the molecule could be altered with little effect on either [binding or biological activity]." (See, Abstract.) In fact, only 23 unique amino acid sequences, out of more than 3,500 nucleotide sequences examined, produced a protein that significantly differed in activity from wild-type.

Furthermore, as discussed herein, even if deleting one or more amino acids from the N-terminus or C-terminus of a polypeptide results in modification or loss of one or more

biological functions, other biological activities may still be retained. For example, the ability of a deletion variant to induce and/or to bind antibodies which recognize the secreted form will likely be retained when less than the majority of the residues of the secreted form are removed from the N-terminus or C-terminus. Whether a particular polypeptide lacking N- or C-terminal residues of a protein retains such immunogenic activities can readily be determined by routine methods described herein and otherwise known in the art.

Thus, the invention further includes polypeptide variants which show a functional activity (e.g., biological activity) of the polypeptide of the invention of which they are a variant. Such variants include deletions, insertions, inversions, repeats, and substitutions selected according to general rules known in the art so as have little effect on activity.

The present application is directed to nucleic acid molecules at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein or fragments thereof, (e.g., including but not limited to fragments encoding a polypeptide having the amino acid sequence of an N and/or C terminal deletion), irrespective of whether they encode a polypeptide having functional activity. This is because even where a particular nucleic acid molecule does not encode a polypeptide having functional activity, one of skill in the art would still know how to use the nucleic acid molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer. Uses of the nucleic acid molecules of the present invention that do not encode a polypeptide having functional activity include, inter alia, (1) isolating a gene or allelic or splice variants thereof in a cDNA library; (2) in situ hybridization (e.g., "FISH") to metaphase chromosomal spreads to provide precise chromosomal location of the gene, as described in Verma et al., Human Chromosomes: A Manual of Basic Techniques, Pergamon Press, New York (1988); and (3) Northern Blot analysis for detecting mRNA expression in specific tissues.

Preferred, however, are nucleic acid molecules having sequences at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein, which do, in fact, encode a polypeptide having a functional activity of a polypeptide of the invention.

Of course, due to the degeneracy of the genetic code, one of ordinary skill in the art will immediately recognize that a large number of the nucleic acid molecules having a sequence at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to, for example, the nucleic acid sequence of the cDNA in the related cDNA clone contained in a

deposited library, the nucleic acid sequence referred to in Table I (SEQ ID NO:X), or fragments thereof, will encode polypeptides "having functional activity." In fact, since degenerate variants of any of these nucleotide sequences all encode the same polypeptide, in many instances, this will be clear to the skilled artisan even without performing the above
5 described comparison assay. It will be further recognized in the art that, for such nucleic acid molecules that are not degenerate variants, a reasonable number will also encode a polypeptide having functional activity. This is because the skilled artisan is fully aware of amino acid substitutions that are either less likely or not likely to significantly effect protein function (e.g., replacing one aliphatic amino acid with a second aliphatic amino acid), as
10 further described below.

For example, guidance concerning how to make phenotypically silent amino acid substitutions is provided in Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," *Science* 247:1306-1310 (1990), wherein the authors indicate that there are two main strategies for studying the tolerance of an amino acid
15 sequence to change.

The first strategy exploits the tolerance of amino acid substitutions by natural selection during the process of evolution. By comparing amino acid sequences in different species, conserved amino acids can be identified. These conserved amino acids are likely important for protein function. In contrast, the amino acid positions where substitutions have
20 been tolerated by natural selection indicates that these positions are not critical for protein function. Thus, positions tolerating amino acid substitution could be modified while still maintaining biological activity of the protein.

The second strategy uses genetic engineering to introduce amino acid changes at specific positions of a cloned gene to identify regions critical for protein function. For
25 example, site directed mutagenesis or alanine-scanning mutagenesis (introduction of single alanine mutations at every residue in the molecule) can be used. (Cunningham and Wells, *Science* 244:1081-1085 (1989).) The resulting mutant molecules can then be tested for biological activity.

As the authors state, these two strategies have revealed that proteins are surprisingly
30 tolerant of amino acid substitutions. The authors further indicate which amino acid changes are likely to be permissive at certain amino acid positions in the protein. For example, most buried (within the tertiary structure of the protein) amino acid residues require nonpolar side

chains, whereas few features of surface side chains are generally conserved. Moreover, tolerated conservative amino acid substitutions involve replacement of the aliphatic or hydrophobic amino acids Ala, Val, Leu and Ile; replacement of the hydroxyl residues Ser and Thr; replacement of the acidic residues Asp and Glu; replacement of the amide residues Asn and Gln, replacement of the basic residues Lys, Arg, and His; replacement of the aromatic residues Phe, Tyr, and Trp, and replacement of the small-sized amino acids Ala, Ser, Thr, Met, and Gly. Besides conservative amino acid substitution, variants of the present invention include (i) substitutions with one or more of the non-conserved amino acid residues, where the substituted amino acid residues may or may not be one encoded by the genetic code, or (ii) substitution with one or more of amino acid residues having a substituent group, or (iii) fusion of the mature polypeptide with another compound, such as a compound to increase the stability and/or solubility of the polypeptide (for example, polyethylene glycol), or (iv) fusion of the polypeptide with additional amino acids, such as, for example, an IgG Fc fusion region peptide, or leader or secretory sequence, or a sequence facilitating purification. Such variant polypeptides are deemed to be within the scope of those skilled in the art from the teachings herein.

For example, polypeptide variants containing amino acid substitutions of charged amino acids with other charged or neutral amino acids may produce proteins with improved characteristics, such as less aggregation. Aggregation of pharmaceutical formulations both reduces activity and increases clearance due to the aggregate's immunogenic activity. (Pinckard et al., Clin. Exp. Immunol. 2:331-340 (1967); Robbins et al., Diabetes 36: 838-845 (1987); Cleland et al., Crit. Rev. Therapeutic Drug Carrier Systems 10:307-377 (1993).)

A further embodiment of the invention relates to a polypeptide which comprises the amino acid sequence of a polypeptide having an amino acid sequence which contains at least one amino acid substitution, but not more than 50 amino acid substitutions, even more preferably, not more than 40 amino acid substitutions, still more preferably, not more than 30 amino acid substitutions, and still even more preferably, not more than 20 amino acid substitutions. Of course it is highly preferable for a polypeptide to have an amino acid sequence which comprises the amino acid sequence of a polypeptide of SEQ ID NO:Y, an amino acid sequence encoded by SEQ ID NO:X, and/or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library which contains, in order of ever-increasing preference, at least one, but not more than 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1

amino acid substitutions. In specific embodiments, the number of additions, substitutions, and/or deletions in the amino acid sequence of SEQ ID NO:Y or fragments thereof (e.g., the mature form and/or other fragments described herein), an amino acid sequence encoded by SEQ ID NO:X or fragments thereof, and/or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library or fragments thereof, is 1-5, 5-10, 5-25, 5-50, 10-50 or 50-150, conservative amino acid substitutions are preferable.

Polynucleotide and Polypeptide Fragments

The present invention is also directed to polynucleotide fragments of the cancer polynucleotides (nucleic acids) of the invention. In the present invention, a "polynucleotide fragment" refers, for example, to a polynucleotide having a nucleic acid sequence which: is a portion of the cDNA contained in a deposited cDNA clone; or is a portion of a polynucleotide sequence encoding the polypeptide encoded by the cDNA contained in a deposited cDNA clone; or is a portion of the polynucleotide sequence in SEQ ID NO:X or the complementary strand thereto; or is a polynucleotide sequence encoding a portion of the polypeptide of SEQ ID NO:Y; or is a polynucleotide sequence encoding a portion of a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto. The nucleotide fragments of the invention are preferably at least about 15 nt, and more preferably at least about 20 nt, still more preferably at least about 30 nt, and even more preferably, at least about 40 nt, at least about 50 nt, at least about 75 nt, at least about 100 nt, at least about 125 nt or at least about 150 nt in length. A fragment "at least 20 nt in length," for example, is intended to include 20 or more contiguous bases from, for example, the sequence contained in the cDNA in a related cDNA clone contained in a deposited library, the nucleotide sequence shown in SEQ ID NO:X or the complementary stand thereto. In this context "about" includes the particularly recited value or a value larger or smaller by several (5, 4, 3, 2, or 1) nucleotides. These nucleotide fragments have uses that include, but are not limited to, as diagnostic probes and primers as discussed herein. Of course, larger fragments (e.g., at least 150, 175, 200, 250, 500, 600, 1000, or 2000 nucleotides in length) are also encompassed by the invention.

Moreover, representative examples of polynucleotide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-450, 451-500, 501-550, 551-600, 651-700, 701-750, 751-800, 800-850, 851-900,

901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-
5 2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, and 3551 to the end of SEQ ID NO:X, or the complementary strand thereto. In this context "about" includes the particularly recited range or a range larger or smaller by several (5, 4, 3,
10 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity) of the polypeptide encoded by the polynucleotide of which the sequence is a portion. More preferably, these fragments can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these nucleic acid molecules under stringent hybridization
15 conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides or fragments.

Moreover, representative examples of polynucleotide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-
20 400, 401-450, 451-500, 501-550, 551-600, 651-700, 701-750, 751-800, 800-850, 851-900, 901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-
25 2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, and 3551 to the end of the cDNA nucleotide sequence contained in the deposited cDNA clone, or the complementary strand thereto. In this context "about" includes the particularly
30 recited range, or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity) of the polypeptide encoded by the cDNA

nucleotide sequence contained in the deposited cDNA clone. More preferably, these fragments can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these fragments under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as
5 are polypeptides encoded by these polynucleotides or fragments.

In the present invention, a "polypeptide fragment" refers to an amino acid sequence which is a portion of that contained in SEQ ID NO:Y, a portion of an amino acid sequence encoded by the polynucleotide sequence of SEQ ID NO:X, and/or encoded by the cDNA contained in the related cDNA clone contained in a deposited library. Protein (polypeptide)
10 fragments may be "free-standing," or comprised within a larger polypeptide of which the fragment forms a part or region, most preferably as a single continuous region. Representative examples of polypeptide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, an amino acid sequence from about amino acid number 1-20, 21-40, 41-60, 61-80, 81-100, 102-120, 121-140, 141-160, 161-180,
15 181-200, 201-220, 221-240, 241-260, 261-280, 281-300, 301-320, 321-340, 341-360, 361-380, 381-400, 401-420, 421-440, 441-460, 461-480, 481-500, 501-520, 521-540, 541-560, 561-580, 581-600, 601-620, 621-640, 641-660, 661-680, 681-700, 701-720, 721-740, 741-760, 761-780, 781-800, 801-820, 821-840, 841-860, 861-880, 881-900, 901-920, 921-940, 941-960, 961-980, 981-1000, 1001-1020, 1021-1040, 1041-1060, 1061-1080, 1081-1100,
20 1101-1120, 1121-1140, 1141-1160, 1161-1180, and 1181 to the end of SEQ ID NO:Y. Moreover, polypeptide fragments of the invention may be at least about 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 130, 140, or 150 amino acids in length. In this context "about" includes the particularly recited ranges or values, or ranges or values larger or smaller by several (5, 4, 3, 2, or 1) amino acids, at either terminus or at both
25 termini. Polynucleotides encoding these polypeptide fragments are also encompassed by the invention.

Even if deletion of one or more amino acids from the N-terminus of a protein results in modification or loss of one or more biological functions of the protein, other functional activities (e.g., biological activities, ability to multimerize, ability to bind a ligand) may still
30 be retained. For example, the ability of shortened muteins to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptides generally will be retained when less than the majority of the residues of the complete or mature polypeptide are

removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted N-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

Accordingly, polypeptide fragments of the invention include the secreted protein as well as the mature form. Further preferred polypeptide fragments include the secreted protein or the mature form having a continuous series of deleted residues from the amino or the carboxy terminus, or both. For example, any number of amino acids, ranging from 1-60, can be deleted from the amino terminus of either the secreted polypeptide or the mature form. Similarly, any number of amino acids, ranging from 1-30, can be deleted from the carboxy terminus of the secreted protein or mature form. Furthermore, any combination of the above amino and carboxy terminus deletions are preferred. Similarly, polynucleotides encoding these polypeptide fragments are also preferred.

The present invention further provides polypeptides having one or more residues deleted from the amino terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X, and/or a polypeptide encoded by the cDNA contained in the related cDNA clone contained in a deposited library). In particular, N-terminal deletions may be described by the general formula m-q, where q is a whole integer representing the total number of amino acid residues in a polypeptide of the invention (e.g., the polypeptide disclosed in SEQ ID NO:Y), and m is defined as any integer ranging from 2 to q-6. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Also as mentioned above, even if deletion of one or more amino acids from the C-terminus of a protein results in modification or loss of one or more biological functions of the protein, other functional activities (e.g., biological activities, ability to multimerize, ability to bind a ligand) may still be retained. For example the ability of the shortened mutein to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptide generally will be retained when less than the majority of the residues of the complete or mature polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of a complete polypeptide retains such immunologic

activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted C-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

5 Accordingly, the present invention further provides polypeptides having one or more residues from the carboxy terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X, and/or a polypeptide encoded by the cDNA contained in deposited cDNA clone referenced in Table 1). In particular, C-terminal deletions may be
10 described by the general formula 1-n, where n is any whole integer ranging from 6 to q-1, and where n corresponds to the position of an amino acid residue in a polypeptide of the invention. Polynucleotides encoding these polypeptides are also encompassed by the invention.

 In addition, any of the above described N- or C-terminal deletions can be combined to
15 produce a N- and C-terminal deleted polypeptide. The invention also provides polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini, which may be described generally as having residues m-n of a polypeptide encoded by SEQ ID NO:X (e.g., including, but not limited to, the preferred polypeptide disclosed as SEQ ID NO:Y), and/or the cDNA in the related cDNA clone contained in a deposited library, where n
20 and m are integers as described above. Polynucleotides encoding these polypeptides are also encompassed by the invention.

 Any polypeptide sequence contained in the polypeptide of SEQ ID NO:Y, encoded by the polynucleotide sequences set forth as SEQ ID NO:X, or encoded by the cDNA in the related cDNA clone contained in a deposited library may be analyzed to determine certain
25 preferred regions of the polypeptide. For example, the amino acid sequence of a polypeptide encoded by a polynucleotide sequence of SEQ ID NO:X, or the cDNA in a deposited cDNA clone may be analyzed using the default parameters of the DNASTAR computer algorithm (DNASTAR, Inc., 1228 S. Park St., Madison, WI 53715 USA; <http://www.dnastar.com/>).

 Polypeptide regions that may be routinely obtained using the DNASTAR computer
30 algorithm include, but are not limited to, Garnier-Robson alpha-regions, beta-regions, turn-regions, and coil-regions, Chou-Fasman alpha-regions, beta-regions, and turn-regions, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Eisenberg alpha- and

beta-amphipathic regions, Karplus-Schulz flexible regions, Emini surface-forming regions and Jameson-Wolf regions of high antigenic index. Among highly preferred polynucleotides of the invention in this regard are those that encode polypeptides comprising regions that combine several structural features, such as several (e.g., 1, 2, 3 or 4) of the features set out
5 above.

Additionally, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Emini surface-forming regions, and Jameson-Wolf regions of high antigenic index (i.e., containing four or more contiguous amino acids having an antigenic index of greater than or equal to 1.5, as identified using the default parameters of the Jameson-Wolf program) can routinely be
10 used to determine polypeptide regions that exhibit a high degree of potential for antigenicity. Regions of high antigenicity are determined from data by DNASTAR analysis by choosing values which represent regions of the polypeptide which are likely to be exposed on the surface of the polypeptide in an environment in which antigen recognition may occur in the process of initiation of an immune response.

15 Preferred polypeptide fragments of the invention are fragments comprising, or alternatively consisting of, an amino acid sequence that displays a functional activity of the polypeptide sequence of which the amino acid sequence is a fragment.

By a polypeptide demonstrating a "functional activity" is meant, a polypeptide capable of displaying one or more known functional activities associated with a full-length
20 (complete) protein of the invention. Such functional activities include, but are not limited to, biological activity, antigenicity [ability to bind (or compete with a polypeptide for binding) to an anti-polypeptide antibody], immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide.

25 Other preferred polypeptide fragments are biologically active fragments. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

In preferred embodiments, polypeptides of the invention comprise, or alternatively
30 consist of, one, two, three, four, five or more of the antigenic fragments of the polypeptide of SEQ ID NO:Y, or portions thereof. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Table 4.

Sequence/ Contig ID	Epitope
507291	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 843 as residues: Pro-12 to Pro-20, Lys-27 to Gly-34, Pro-67 to Arg-72, Asp-102 to Thr-111, Asp-136 to Gly-142, Ser-153 to Pro-158.
508000	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 844 as residues: Ala-16 to Trp-35.
518325	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 845 as residues: Glu-60 to Asp-67.
523111	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 846 as residues: Ser-1 to Gln-10.
532211	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 848 as residues: Cys-17 to Arg-22.
532247	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 849 as residues: Val-4 to His-10.
537932	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 850 as residues: Ser-62 to Gly-68.
540117	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 851 as residues: Pro-24 to Arg-30, Met-101 to Phe-106, Thr-138 to Asn-153.
547710	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 852 as residues: Asp-1 to Arg-7, Glu-25 to His-31, Ile-51 to Lys-56, Pro-61 to Pro-67, Gly-113 to Thr-119, Lys-125 to Asp-130, His-335 to Gly-340, Arg-364 to Pro-371.
551747	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 853 as residues: Lys-79 to Ala-88, Ser-109 to Leu-125, Asp-155 to Lys-163, Tyr-211 to Thr-219, Pro-221 to Ala-226.
552799	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 854 as residues: Gln-81 to Thr-114, Gln-200 to Arg-206.
553243	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 855 as residues: Ala-43 to Asp-48, Asp-64 to Lys-69, His-88 to Thr-94, Ala-107 to Phe-113, Leu-117 to Ser-125, Thr-132 to Glu-138, Ser-169 to Trp-181, Ser-194 to Thr-200.
553368	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 856 as residues: Ser-52 to Arg-57, Leu-76 to Gly-82, Ser-91 to Glu-96, Tyr-132 to Ala-147.
554349	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 857 as residues: Ala-31 to Gly-36, Ala-68 to Tyr-75, Gln-121 to Asp-127.
558491	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 858 as residues: Pro-1 to Arg-10.
558983	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 859 as residues: Pro-37 to Gly-42, Val-67 to Lys-84, Gln-122 to Gly-127.
589390	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 862 as residues: Glu-14 to Asn-19, Arg-68 to Ser-74, Ser-79 to Ala-84, Lys-95 to Ile-101, Lys-125 to Glu-138.
596882	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 863 as residues: Lys-15 to Lys-23, Pro-29 to Gly-34.
616289	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 864 as residues: Leu-1 to Pro-13, Thr-64 to Gly-70, Lys-119 to Arg-130.
622140	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 865 as residues: Ser-1 to Lys-6, Pro-16 to Ser-23, Arg-49 to Glu-58.
647714	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 867 as residues: Arg-1 to Gly-9, Glu-27 to Gly-36, Pro-72 to Phe-86, Pro-104 to Cys-111, Gln-145 to Lys-162, Arg-226 to Trp-233.
652156	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 871 as residues: Asn-30 to Ile-43, Ile-76 to Lys-81.
653010	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 872 as

	residues: Ser-1 to Ala-10.
655904	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 873 as residues: Ala-21 to Cys-27, Ser-76 to Gly-87, Ser-112 to Trp-121, Trp-128 to Asn-133, Glu-225 to Cys-231, Tyr-238 to Cys-248, Lys-269 to Asp-279, Phe-292 to Thr-298, Cys-357 to Ala-362, Pro-383 to Pro-388, Lys-412 to Lys-420.
657852	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 874 as residues: Arg-10 to Lys-22, Gln-48 to Glu-53, Arg-73 to Asn-86.
666414	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 875 as residues: Asn-9 to Lys-19, Arg-27 to Gly-32, Ser-58 to Thr-70, Ala-81 to Pro-86.
670188	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 877 as residues: Asn-68 to Ser-75.
670279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 878 as residues: Lys-86 to Lys-91, Glu-101 to Val-120, Ala-130 to Glu-136.
670729	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 879 as residues: Ala-116 to Asp-134.
676496	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 881 as residues: Ile-1 to Arg-8.
678248	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 883 as residues: Ala-16 to Lys-22, Tyr-30 to Asn-35, Asp-61 to Val-70, Arg-129 to Asn-135, Thr-142 to Gly-148.
683668	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 884 as residues: Ser-3 to Gly-28, Gly-46 to Pro-56, Gly-70 to Ile-92, Gln-102 to Ser-117, Ala-123 to Pro-129, Pro-135 to Leu-140, Pro-150 to Asp-158, Pro-165 to Pro-177, Gln-188 to Asp-205, Ile-230 to Arg-245, His-251 to Trp-260, Asp-262 to Cys-267, Asn-296 to Arg-307, Glu-322 to Pro-330, Ile-351 to Asn-357, Asp-363 to Leu-369, Glu-386 to Phe-391, Lys-415 to Ser-420.
693172	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 885 as residues: Arg-11 to Arg-18, Pro-51 to Lys-58.
694303	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 886 as residues: Pro-12 to Ser-17, Leu-30 to Cys-39, Val-49 to Pro-54, Pro-67 to Leu-73, Pro-84 to Gln-90, His-99 to Leu-109.
695042	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 887 as residues: Ser-4 to Trp-28, Pro-51 to Leu-56, Asn-64 to His-70.
699799	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 888 as residues: Gln-17 to Phe-25, Glu-42 to Tyr-48, Val-52 to Gly-57, Pro-67 to Ser-73, Thr-97 to Gln-106, Gln-113 to Leu-123, Arg-171 to Asp-178, Arg-184 to Leu-191, Ile-195 to Phe-203, Lys-212 to Glu-217, Ala-236 to Asp-244, Arg-255 to Leu-260, Lys-266 to His-273, Glu-357 to Glu-363.
703015	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 890 as residues: Pro-27 to Asp-37, Gly-55 to Pro-61, His-96 to Ala-101, Glu-151 to Asn-156, Tyr-166 to Cys-178.
706391	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 891 as residues: Pro-22 to Ala-34, Pro-40 to Glu-52.
706924	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 893 as residues: Gly-1 to Gly-9, Gln-21 to Met-27.
707642	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 894 as residues: Glu-33 to Lys-40, Asn-55 to Lys-64, Tyr-104 to Cys-110, Ser-138 to Arg-148, Arg-157 to Gly-163, Lys-165 to Asn-172.
710369	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 895 as residues: Asn-1 to Thr-10.
718826	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 896 as residues: Ser-57 to Pro-63, Lys-93 to Ser-99.
719790	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 897 as residues: Phe-4 to Gln-23, Glu-47 to Ala-56, Asn-95 to Gln-102, Gln-109 to Glu-115, Arg-168 to Glu-175, Thr-196 to Arg-201, Lys-209 to Asp-215, Val-236 to Val-243.
720222	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 898 as

	residues: Glu-37 to Arg-43, Gly-62 to Pro-67, Gly-95 to Val-101, Gln-109 to Asp-114, Ala-137 to Phe-145, Asp-181 to Ser-188.
724033	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 899 as residues: Glu-55 to Glu-60, Asp-76 to Ser-85, Lys-106 to Asp-111, Gln-131 to Arg-137, Ala-172 to Gly-218.
724767	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 900 as residues: Leu-49 to Tyr-56, Tyr-114 to Glu-136, Arg-142 to Gly-148.
727065	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 901 as residues: Asn-41 to Gly-46, Lys-82 to His-88, Glu-107 to His-112, Leu-127 to Asp-132, Phe-163 to Phe-175, Thr-202 to Ile-209, Lys-229 to Gly-237, Ala-239 to Tyr-245.
727246	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 902 as residues: Pro-2 to Gly-10.
739448	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 908 as residues: His-2 to Leu-8, Gln-33 to Glu-40, Ala-44 to Glu-55, Gly-57 to Ser-67, Glu-70 to Ala-84, Glu-95 to Lys-111, Ile-186 to Asp-205, Leu-232 to Asp-238.
740060	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 910 as residues: Pro-44 to Thr-50, Arg-72 to Lys-80, Tyr-241 to Asn-251, Lys-273 to Gly-282, Ser-302 to Asn-312, Pro-337 to Ser-343, Ile-367 to Asp-376, Gly-395 to Tyr-417, Ser-442 to Gln-448.
741560	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 911 as residues: Gln-33 to Tyr-39, Pro-42 to Phe-47.
742543	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 912 as residues: Phe-10 to Tyr-15, Glu-139 to Asp-144, Glu-166 to Asn-171, Lys-175 to Glu-181.
742831	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 913 as residues: Val-64 to Glu-69.
745327	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 914 as residues: Arg-1 to Pro-13, Pro-54 to Ala-61.
745695	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 915 as residues: Trp-130 to Ser-135, Leu-199 to Thr-210, Ser-221 to Gln-229, Ala-249 to Tyr-255, Pro-257 to Pro-267, Ser-309 to Arg-314.
750316	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 916 as residues: Pro-18 to Asn-24, Thr-65 to Asp-70.
750522	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 917 as residues: Gln-10 to Lys-15.
750583	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 918 as residues: Lys-9 to Thr-15, Gln-32 to Gln-40.
751020	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 919 as residues: Arg-39 to Leu-47, Ser-107 to Ile-117, Pro-135 to Gln-144.
752196	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 920 as residues: Lys-20 to Lys-28.
753084	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 921 as residues: Lys-84 to Thr-98, Arg-128 to Ser-134, Arg-244 to Asn-252, Lys-365 to His-372.
754957	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 922 as residues: Pro-101 to Glu-106, Glu-116 to Asp-127, Ser-199 to Ile-210, Asp-217 to Asp-229, Ser-239 to Gly-244, Gln-262 to Asn-273, Pro-279 to Ser-284, Lys-318 to Arg-326, Lys-334 to Ile-341.
756557	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 923 as residues: Val-13 to Phe-21, Ile-55 to Pro-63, Ser-69 to Leu-74, Arg-82 to Leu-96, Asn-131 to Leu-139, Ile-156 to Thr-164, Thr-241 to Leu-249, Gly-273 to Ser-279, Thr-282 to Arg-289.
756712	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 924 as residues: Ile-4 to Thr-37, Gln-42 to Ser-48, Asn-56 to Lys-69, Ser-79 to Ser-85.
757414	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 925 as residues: Glu-14 to Thr-23, His-50 to Arg-62, Tyr-72 to Cys-78, Gly-121 to Pro-128.

757614	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 926 as residues: Gly-13 to Cys-19, Thr-32 to Glu-38, Val-44 to Gln-53, Lys-55 to Asp-60, Gln-65 to Glu-70, Lys-89 to Glu-105, Glu-112 to Asp-142, Glu-147 to Arg-152, Glu-211 to Leu-216, Leu-227 to Ser-232, Lys-245 to Lys-255, Glu-278 to Tyr-291, Gln-297 to Arg-303.
759878	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 928 as residues: Trp-16 to Glu-21, Trp-45 to Pro-54, Ile-154 to Phe-162, Gly-174 to Leu-181.
760227	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 929 as residues: Arg-99 to Asp-104.
766051	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 931 as residues: Asp-10 to Lys-19.
768053	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 933 as residues: Ile-1 to Tyr-7, Phe-52 to Cys-61, Val-118 to Ser-125.
768055	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 934 as residues: Asp-39 to Ser-46, Lys-92 to Lys-99, Val-165 to Phe-172, Lys-252 to Ala-261, Asn-268 to Ala-273.
769685	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 935 as residues: Pro-129 to Arg-135.
771920	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 936 as residues: Pro-47 to Val-53, Asp-85 to Phe-97, Val-136 to Gly-144, Pro-166 to Glu-172, Leu-190 to Ser-197.
772790	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 937 as residues: Leu-5 to Trp-13, Met-20 to Leu-39, Ile-50 to Pro-63, Glu-66 to Ser-72, Leu-112 to Gln-120, Ala-141 to Lys-146, Tyr-165 to Asp-173.
772916	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 938 as residues: Lys-16 to Arg-25.
773632	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 940 as residues: Arg-1 to His-33.
774364	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 941 as residues: Ser-97 to Asn-103.
775355	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 942 as residues: Ser-40 to Ala-46.
775844	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 943 as residues: Leu-20 to Ser-31, Thr-38 to Val-47.
777760	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 944 as residues: Thr-22 to Ser-28, Thr-35 to Glu-42, Met-47 to Thr-55.
779837	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 945 as residues: Thr-26 to Arg-31, Leu-75 to Lys-100.
780769	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 946 as residues: Gly-1 to Asp-7, Lys-25 to Lys-31, Tyr-65 to Gly-70, Thr-100 to Arg-106, Pro-118 to Glu-124, Lys-162 to Ser-172, Leu-176 to Leu-182.
781445	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 947 as residues: Asn-33 to Lys-38, Leu-67 to Met-73, Ser-111 to Lys-121, Lys-127 to Leu-134, Pro-153 to Trp-158, Lys-237 to Met-249, Pro-280 to Tyr-292.
781531	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 948 as residues: Ala-8 to Pro-23, Gln-56 to Cys-61, Asn-66 to Pro-72.
783018	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 949 as residues: Asn-4 to Leu-17, Gly-19 to Phe-26, Pro-37 to Glu-43, Val-58 to Ser-64, Gln-80 to Gly-85.
783097	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 950 as residues: Pro-1 to Asp-9, Pro-24 to Gly-40, Pro-47 to Thr-55, Gln-62 to Ser-76.
784198	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 951 as residues: Met-1 to Arg-15, Leu-43 to Glu-48, Asp-55 to Asp-62, Ser-111 to Lys-160.
784868	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 952 as residues: Trp-8 to Gly-17, Glu-20 to Arg-35, Gly-40 to Cys-45, Ser-59 to Ser-64, Ala-73 to Leu-78, Val-85 to Leu-91, Arg-130 to Lys-135, Leu-138 to Glu-146, Pro-188 to

	Pro-194, Ser-206 to Cys-212, Ser-232 to Ala-246, Asp-293 to Ser-298.
785428	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 953 as residues: Arg-9 to Met-20, Glu-28 to Gly-33, Asn-49 to Lys-57, Thr-67 to Arg-75, Ser-81 to Leu-87, Glu-103 to Thr-109, Pro-115 to Ile-120, Asn-146 to Ser-174, Ser-177 to His-195, Met-197 to Ile-221, Asp-232 to Glu-240, Glu-289 to Phe-302, Cys-306 to Arg-314, Ser-357 to Ser-366, Lys-385 to Glu-401, Val-419 to Asp-427.
785845	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 954 as residues: Arg-41 to Asp-52, Pro-82 to Arg-94, Pro-102 to Gln-107, Gln-170 to Tyr-181, Glu-248 to Lys-254, Asp-277 to Gly-287, Ala-302 to Arg-308, Thr-367 to Gly-374.
785854	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 955 as residues: Asp-1 to Asp-17, Cys-59 to Asp-65.
787279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 958 as residues: Lys-13 to Lys-20.
789002	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 959 as residues: Met-20 to Glu-29.
789008	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 960 as residues: Ser-24 to Arg-33, Ile-44 to Gly-57, Arg-63 to Asn-72, Ile-76 to Pro-82.
789555	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 961 as residues: Trp-106 to Thr-117, Trp-156 to Gln-163, Gln-173 to Asp-178, Gln-227 to Glu-233, Gln-255 to Glu-261, Glu-297 to Tyr-306, Thr-339 to Val-345, Leu-378 to Ile-385, Asp-414 to Lys-420, Cys-437 to Ile-444, Thr-491 to Gln-497, Glu-509 to Ser-515, Lys-526 to Glu-538.
789631	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 962 as residues: Thr-10 to Gly-18.
789779	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 963 as residues: Glu-1 to Ala-13, Leu-103 to Ser-109.
790387	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 964 as residues: His-1 to Ala-12.
790461	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 965 as residues: Glu-14 to Gly-23, Asp-47 to Met-53, Ala-55 to Thr-60, Pro-67 to Thr-73, Pro-78 to Gly-86, Tyr-91 to Pro-101, Ala-133 to Asn-139, Glu-169 to Gln-182, Glu-189 to Thr-195, Asn-197 to Arg-203, Gln-265 to Asp-271.
790931	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 966 as residues: Val-3 to Glu-13, Pro-29 to Pro-35, Glu-116 to Arg-125.
791176	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 967 as residues: Pro-1 to Pro-10, Pro-17 to Phe-28, Ser-61 to Pro-67.
792539	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 969 as residues: Ser-12 to Trp-17, Gln-20 to Lys-29, Asp-45 to Glu-51, Tyr-75 to Lys-83, Arg-103 to Gly-119, Gln-145 to Lys-155, Lys-166 to Leu-180, Thr-195 to Gly-203, Gln-209 to Val-219, Ser-222 to Ala-244, Leu-251 to Leu-260, Lys-277 to Lys-285.
792749	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 970 as residues: Ala-22 to Asp-41, Thr-61 to Met-66, Asp-191 to Lys-198, Arg-280 to Phe-287, Thr-289 to Lys-299, Pro-325 to Asp-332, Ser-351 to Arg-357.
793206	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 972 as residues: Gly-1 to Arg-6, Gln-11 to Arg-22, Glu-86 to Asp-91.
793626	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 974 as residues: Ser-1 to Gly-13, Gly-17 to Asn-26.
794417	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 975 as residues: Ser-7 to Trp-16.
795197	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 976 as residues: Ser-67 to Glu-73, Arg-129 to Gly-136, Phe-154 to Ala-161, Tyr-198 to Tyr-203, Pro-206 to Asp-212, Glu-222 to Cys-231.
795251	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 977 as residues: Phe-44 to Ser-50, Asp-57 to Pro-62, Asn-80 to His-90, Ser-110 to Ala-115, Ile-141 to Val-148, Glu-155 to Thr-173, Val-202 to Pro-217, Ile-221 to Val-229, Thr-

	233 to Ser-243, Val-253 to Thr-259, Ala-290 to Asn-320, Pro-322 to Ile-330, Ala-333 to Met-344, Val-362 to Leu-367, Asp-397 to Val-402, Glu-422 to Gly-448, Met-453 to Gly-460.
795752	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 978 as residues: Pro-52 to Asn-63, Pro-70 to Ile-79, Arg-93 to Gln-111.
796261	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 979 as residues: His-1 to Val-6, Cys-10 to Ser-15, Gly-26 to Ser-34, Trp-36 to Pro-58, Pro-96 to Thr-102, Pro-111 to Tyr-116, Phe-131 to Gly-138, Pro-184 to Leu-190, Glu-237 to Gly-244, Pro-255 to Lys-267, Lys-271 to Leu-280.
796933	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 980 as residues: Arg-1 to Pro-14, Gln-47 to Cys-52, Asn-57 to Pro-63, Ser-277 to Lys-282.
799424	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 981 as residues: Tyr-18 to Leu-27, Met-50 to Met-60, Leu-169 to His-178, Ser-233 to Ser-241.
799698	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 982 as residues: Pro-16 to Pro-21, Ala-54 to Glu-61, Ala-96 to Gly-105.
800351	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 983 as residues: Gly-21 to Gln-34, His-39 to Lys-53, Ser-63 to Tyr-71.
800573	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 984 as residues: Asp-33 to Arg-39, Ala-43 to Leu-48, Glu-256 to Gln-266, Gly-305 to Ile-311, Pro-314 to Ala-320, Gln-388 to Asn-394.
805815	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 985 as residues: Arg-1 to Lys-22, Ser-34 to Arg-48, Thr-64 to Arg-70, Pro-81 to Phe-89, Arg-148 to Asn-154, Tyr-172 to Asp-185, Ser-205 to Asp-216, Tyr-278 to His-285, His-294 to Pro-299, Glu-326 to Gly-333, Gly-336 to Ser-345.
806445	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 986 as residues: Arg-15 to Gly-24, Lys-26 to Trp-32.
810309	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 987 as residues: Pro-33 to Phe-50, Ile-57 to Gly-62, Gln-72 to Asn-85, Ala-87 to Thr-172.
811022	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 988 as residues: Ala-1 to Met-11, Gln-62 to Trp-68, Ala-89 to Val-99.
811023	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 989 as residues: Tyr-54 to Lys-61, Met-64 to Thr-70.
811143	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 990 as residues: Ala-1 to Ser-7, Ser-19 to Gly-36, Arg-53 to Pro-58, Thr-87 to Glu-102, Arg-115 to Tyr-120, Thr-159 to Thr-164, Ala-171 to Ser-179, Ala-206 to Pro-217, Pro-224 to Ala-233, Arg-253 to Ser-259.
813000	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 993 as residues: Tyr-25 to Lys-30, Lys-36 to Ile-43, Lys-52 to Gln-69, Glu-76 to Asp-81, Arg-92 to Trp-104, Leu-120 to Lys-126, Ser-129 to Ser-135, Ser-139 to Thr-156, Pro-165 to Glu-178, Ser-181 to Thr-186, Tyr-196 to Lys-201, Cys-225 to Lys-230, Glu-234 to Ser-242.
813431	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 995 as residues: Leu-23 to His-29, Pro-38 to Leu-46, Ser-59 to Gly-68, Pro-85 to Lys-108, Arg-119 to Phe-124, Ser-139 to Lys-156.
813450	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 996 as residues: Asn-1 to Trp-10.
813478	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 997 as residues: Ala-8 to Arg-14, Ile-64 to Thr-69, Val-94 to Asp-101, His-112 to Gln-117, Tyr-139 to Glu-145, Tyr-195 to Cys-208, Gly-216 to Gly-223, Asp-297 to Ser-307, Gly-378 to Leu-383, Ile-391 to Pro-404, Asn-451 to Ser-466.
813505	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 998 as residues: Thr-1 to Ala-20, Pro-22 to Lys-27, His-44 to Thr-51, Pro-53 to Thr-60, Arg-62 to Lys-79, Lys-97 to Asn-103, Pro-139 to Lys-144.
815552	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 999 as residues: Pro-1 to Ser-6, Pro-25 to Cys-31, Arg-142 to Lys-150.

815606	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1000 as residues: Arg-1 to Ala-11.
816048	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1001 as residues: Ala-13 to Thr-24, Glu-30 to Gln-39, Arg-69 to Gly-77, Gln-119 to Gly-126, Tyr-156 to Asn-162, Ser-184 to Gly-191.
823981	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1004 as residues: Lys-1 to Cys-7, Ala-11 to Lys-17, Glu-90 to Ile-95, Asn-141 to Arg-148, Leu-158 to Ala-163, Ala-171 to Thr-177.
824364	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1005 as residues: Gln-43 to Gly-54.
824423	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1006 as residues: Cys-33 to Arg-42, Val-53 to Met-63, Lys-71 to Lys-78, Gly-107 to Pro-118, Ala-159 to Leu-165, Val-272 to Arg-284, Pro-422 to Pro-427, Arg-437 to Gln-443, Ala-474 to Asp-482, His-519 to Cys-525, Ala-529 to Gln-535, Arg-540 to Gln-548.
825279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1007 as residues: Ser-8 to Arg-14, Asp-23 to Gly-28, Ser-30 to Pro-37, His-52 to Ala-57, Pro-65 to Ser-74, Pro-112 to Ser-118, Ala-181 to Pro-189.
825548	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1009 as residues: Pro-2 to Ser-9.
825725	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1010 as residues: Pro-1 to Gly-8, Leu-95 to Lys-100, Glu-118 to Thr-125, Ser-162 to Lys-167, Arg-201 to Tyr-206.
827079	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1012 as residues: Arg-9 to Ser-17.
827153	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1013 as residues: Val-32 to Ala-44, Pro-49 to Ser-57, Gln-77 to Gly-82, Asp-116 to Gly-127, Arg-165 to Asn-172.
827351	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1014 as residues: Gly-5 to Lys-11, Ser-59 to Lys-67, Glu-130 to Arg-136, Asn-176 to Leu-183.
827503	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1015 as residues: Asp-61 to Val-67, Arg-113 to Asp-119, Ser-180 to Gly-191, Pro-199 to Ser-211, Ser-228 to Asn-238, Gly-276 to Ser-286, His-343 to Gly-351, Gln-354 to Arg-366, Leu-368 to Gln-382, Pro-393 to Ser-400, Asp-412 to Cys-418, Gly-430 to Leu-435, Gln-445 to Asp-450, Lys-484 to Val-491, Leu-513 to Gly-520.
827563	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1016 as residues: Pro-69 to Ala-81, Pro-84 to Gly-91, Ala-106 to Leu-112, Arg-216 to Lys-224, Trp-239 to Gly-250.
827565	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1017 as residues: Ala-1 to Ser-8, Ser-88 to Gly-96, Asn-121 to Asp-128, Cys-191 to Gly-196, Met-242 to Thr-248.
827893	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1018 as residues: Ser-41 to Ala-50, Glu-72 to His-77, Ala-120 to Glu-125, Thr-144 to Ile-153.
828072	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1019 as residues: Lys-30 to Leu-35.
828241	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1021 as residues: Gly-35 to Phe-45, Pro-47 to Arg-55, Glu-62 to Leu-70, Arg-102 to Tyr-111, Phe-128 to Gln-134, Val-139 to Met-144, Ser-180 to Gly-188, Lys-214 to Leu-219, Ser-241 to Glu-246, Phe-292 to Thr-298.
828287	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1022 as residues: Ala-12 to Thr-21, Ala-23 to Gly-31, Leu-43 to Gly-51, Lys-127 to Val-134.
828371	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1024 as residues: Gln-1 to Ala-6, Lys-50 to Pro-71, Pro-98 to Ser-111, Asp-148 to His-164, Asp-185 to Arg-191, Asp-238 to Gly-244, Pro-262 to Cys-274.
828403	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1025 as residues: Gly-1 to Trp-15, Arg-73 to Leu-82.
828501	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1026 as

	residues: Arg-99 to Arg-105, Pro-171 to Ser-176, Lys-189 to Val-195, Lys-291 to Ala-296.
828527	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1028 as residues: Glu-58 to Cys-63.
828538	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1029 as residues: Pro-9 to Thr-24, Thr-46 to Gly-52, Ser-70 to Thr-76, Ser-142 to Thr-149, Pro-154 to Ser-171, Glu-189 to Ser-196.
828541	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1030 as residues: Arg-9 to Pro-23, Gln-64 to Leu-69, Asp-76 to Asn-83, Lys-88 to Gln-93, Pro-129 to Thr-135, Gly-194 to Gly-203, Asp-223 to Gly-231, Thr-265 to Ile-281, Leu-287 to Lys-297.
828549	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1031 as residues: Pro-22 to Asn-28.
828562	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1032 as residues: Arg-26 to Asp-33, Asp-42 to Pro-58, Thr-63 to Lys-70, Thr-103 to Asp-114.
828576	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1033 as residues: Arg-11 to Gly-17, Pro-26 to Gly-31, Ala-48 to His-58.
828602	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1034 as residues: Tyr-1 to Met-8, Leu-10 to Lys-26, Pro-47 to Pro-54, Lys-128 to Ser-133.
828628	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1035 as residues: Thr-124 to Thr-129, Gly-136 to Phe-142, Asp-164 to His-171, Asp-180 to Tyr-194.
828684	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1037 as residues: Ser-16 to Thr-22, Arg-39 to Ala-51, Arg-60 to Gly-65, Thr-67 to Arg-90, Lys-109 to Gln-125, Ser-146 to Arg-159, Gln-166 to Thr-176, Glu-192 to Tyr-197, Val-267 to His-279, Ala-351 to Gly-356, Phe-363 to Gly-368, Gly-387 to Arg-392, Asp-488 to Ala-498.
828727	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1038 as residues: Gly-14 to Val-21, Asp-40 to Gln-57, Gln-86 to Tyr-93, Gln-98 to Asp-104, Lys-124 to Asp-130, Gln-138 to Cys-156, Tyr-170 to Gln-175, Gln-196 to Ala-201.
828734	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1039 as residues: Asp-5 to Trp-19, Ile-37 to Pro-42, Asp-52 to Asp-72, Glu-85 to Ser-92, Ser-107 to Leu-117, Asp-128 to His-147.
828842	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1041 as residues: Ala-25 to Phe-32, Glu-54 to Ser-61, Thr-74 to Glu-79, Glu-99 to Lys-105, Glu-112 to Glu-121.
828843	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1042 as residues: Pro-3 to Asn-11, Gln-46 to Ala-51, Asn-62 to Lys-74, Val-108 to Gln-113, Arg-119 to Gly-163, Ala-223 to Lys-237.
828851	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1043 as residues: Thr-3 to Lys-8, Leu-63 to Val-70, Lys-141 to Val-149, Ile-326 to Thr-333.
828856	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1044 as residues: Leu-1 to Gly-10.
828862	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1045 as residues: Pro-1 to Pro-9, Arg-81 to Glu-87, Gln-114 to Glu-119.
828870	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1046 as residues: Ser-1 to Gly-18, Trp-25 to Gly-31, Arg-46 to Ser-52, Ala-103 to Ala-108, Ser-154 to Gly-165, Gln-228 to Pro-236, Ser-284 to Gly-291, Ala-321 to Asp-327, Lys-377 to Asn-394, Asp-406 to Ser-416.
828873	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1047 as residues: Tyr-15 to Gly-20, Asn-72 to Asp-80, Pro-105 to Pro-110, Gln-149 to Arg-154, Glu-161 to Gly-167, Ile-312 to Asp-318, Lys-353 to Leu-361, Arg-379 to Thr-385, Pro-423 to Trp-435, Pro-437 to Cys-444, Asn-450 to Met-466.
828892	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1048 as residues: Asp-19 to Asn-25, Gly-67 to Glu-79.
828893	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1049 as

	residues: Ser-55 to Thr-60, Glu-97 to Ser-103, Thr-164 to Glu-170, Gly-192 to Gly-197, Leu-204 to Ser-218, Ala-238 to Ser-250, Asp-265 to Tyr-292, Gly-298 to Gly-307, Gly-351 to Met-359, Phe-389 to Glu-400.
828897	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1050 as residues: Phe-28 to Arg-33.
828910	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1051 as residues: His-1 to Ile-13, Arg-20 to Glu-64, Arg-83 to Gln-89, Tyr-145 to Asp-152.
828927	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1052 as residues: Glu-10 to Pro-21, Thr-54 to Gly-60, Cys-79 to Glu-90, Lys-154 to Lys-159.
828932	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1053 as residues: Arg-1 to Arg-9, Phe-54 to Pro-60, Gln-74 to Gly-90, Asn-114 to Gly-119, Cys-124 to Ser-132, Thr-139 to Leu-151, Asp-171 to Lys-182, Ala-188 to Leu-193, Val-203 to Trp-222, Lys-230 to Glu-236, Glu-244 to Asp-250, Leu-258 to Gly-268, Gly-283 to Asp-288, Ser-291 to Trp-297, Gly-300 to Ala-308.
828933	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1054 as residues: Glu-21 to Ser-34, Thr-130 to Tyr-138.
828941	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1055 as residues: Gly-1 to Ala-6, Pro-15 to Gly-22, Asn-160 to Gln-177, Asn-193 to Asp-199, Glu-205 to Leu-211.
828963	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1057 as residues: Pro-48 to Gly-54, Ser-56 to Ser-76, Lys-102 to Pro-107, Ser-146 to Gly-153, Ser-208 to Arg-213, Tyr-285 to Leu-299, Pro-314 to Phe-319, Asn-322 to Asn-327.
828964	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1058 as residues: Thr-36 to Cys-47.
828966	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1059 as residues: Gly-1 to Ser-16, Met-26 to Pro-31, Lys-128 to Glu-134, His-165 to Gln-170, Asp-207 to Asn-216, Pro-348 to Arg-359, Lys-433 to Ala-439, Gly-448 to Tyr-457.
828967	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1060 as residues: Met-135 to Arg-141, Gly-149 to Lys-166, Ile-188 to Ser-196, Gly-203 to Tyr-213, Gln-267 to Asp-278, Arg-298 to Trp-317, Leu-319 to Leu-326, Gln-344 to Thr-349, Pro-410 to Ser-419, Ala-500 to Ala-510.
828977	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1061 as residues: Gly-32 to Tyr-42, Asn-52 to Glu-58, Ser-78 to Gly-87, Lys-97 to Gly-109, Glu-116 to Arg-127, Pro-147 to Pro-152, Pro-162 to Asn-171, Leu-179 to Glu-185, Ile-203 to Glu-208, Val-222 to Gln-228.
828978	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1062 as residues: Asp-24 to Lys-30, Arg-49 to Lys-62, Arg-121 to Thr-149, Gly-163 to Leu-171, Ala-186 to Glu-195, Glu-216 to Ser-221, Ile-229 to Ser-236, Lys-258 to Lys-264, Lys-305 to Arg-313.
829001	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1064 as residues: Thr-11 to Cys-24, Arg-48 to His-55, Arg-62 to Gly-70.
829003	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1065 as residues: Lys-14 to Gly-22, Ser-61 to Asp-66, Cys-80 to Lys-91, Lys-97 to Arg-107, Gly-135 to Asn-146, Lys-198 to Lys-208, Met-221 to Thr-227, Phe-244 to Gly-256, Asp-292 to Gln-300.
829016	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1066 as residues: Arg-1 to Asp-11, Ala-17 to Gln-25, Glu-30 to His-37, Cys-39 to Thr-44, Asn-86 to Phe-93.
829027	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1067 as residues: Pro-1 to Ser-7, Thr-45 to Leu-63, Arg-113 to Thr-118, Pro-172 to Gly-182.
829028	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1068 as residues: Ser-1 to Gln-19, Gly-32 to Phe-39, Ala-95 to Arg-116, Lys-122 to Glu-142, Ile-148 to Asn-156, Ser-168 to Asn-191, Ala-196 to Thr-204, Ser-289 to Lys-304, Leu-308 to Ser-314, Thr-332 to Ile-341.
829034	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1070 as residues: Ser-32 to Ala-43, Thr-62 to Glu-69, Phe-128 to Thr-156, Thr-179 to His-188,

	Gly-196 to Glu-203, Pro-205 to Ala-219, Gln-221 to Ile-230, Pro-246 to Thr-255, Thr-271 to His-276, Asn-324 to Thr-344, Pro-364 to Ala-370, Tyr-427 to Arg-434, Gly-440 to Pro-445.
829036	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1071 as residues: Leu-16 to Phe-21, Thr-69 to Lys-74, Asn-87 to His-92, Thr-126 to Leu-137, Phe-154 to Lys-164, Ala-171 to Asp-178, Ile-192 to Thr-203, Glu-261 to Ser-273.
829049	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1072 as residues: Gly-50 to Tyr-59.
829073	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1073 as residues: Asn-1 to Met-6, Asn-26 to Ser-35, Pro-43 to Ile-54.
829075	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1074 as residues: Gly-14 to Pro-30, Ser-64 to Ser-69, Asn-97 to Arg-109.
829076	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1075 as residues: Lys-84 to Gly-94, Asn-142 to Ile-147.
829080	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1076 as residues: Gly-13 to Trp-23, Pro-39 to Gly-44.
829087	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1077 as residues: Pro-13 to Arg-24.
829095	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1079 as residues: Pro-8 to Pro-13.
829118	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1081 as residues: Arg-7 to Val-12, Ile-52 to Thr-70, Ser-86 to Asp-91, Thr-126 to Ser-138.
829152	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1082 as residues: Asp-12 to Ser-19.
829160	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1083 as residues: Ala-7 to Arg-20.
829163	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1084 as residues: Ser-23 to Asp-32, Val-36 to Glu-59, Ser-65 to Asn-76, Cys-91 to Ser-102, Pro-108 to Leu-115, Thr-151 to Gln-164, Glu-167 to Lys-176.
829176	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1085 as residues: His-1 to Asn-8, Cys-22 to Arg-27, Gly-34 to Ser-44, Tyr-60 to Ser-65, Ser-118 to Gln-123, Ser-149 to Trp-154, Pro-159 to Gly-168, Gln-207 to Leu-220.
829204	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1086 as residues: Ala-11 to Ser-19, Thr-104 to Lys-133.
829207	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1087 as residues: Lys-5 to Ser-11, Pro-31 to Ser-37, Pro-87 to Asp-92, Asp-115 to Lys-123, Ser-149 to Arg-155, Thr-243 to Pro-253.
829228	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1088 as residues: Pro-1 to Trp-6, Leu-73 to Tyr-79, Glu-108 to Thr-117, Asp-136 to Asp-142, Ser-201 to Pro-207, Leu-224 to Pro-233, Val-242 to Ala-248, Ser-312 to Leu-319, Val-349 to Ser-359, Ala-362 to His-368, Thr-370 to Gly-376, Lys-403 to Tyr-409, Glu-426 to Arg-431, Lys-455 to Asp-460, Arg-499 to Thr-505, Asp-561 to Ser-570, Ser-665 to Ser-673.
829252	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1089 as residues: Thr-9 to Val-16.
829269	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1091 as residues: Ser-1 to Glu-7, Lys-76 to Gln-83.
829277	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1092 as residues: Lys-88 to Phe-97, Thr-106 to Leu-120, Thr-147 to Pro-152, Pro-173 to Met-179.
829290	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1093 as residues: Pro-1 to Pro-19, Pro-25 to Lys-30.
829308	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1096 as residues: Met-26 to Asn-37, Glu-42 to Gln-51, Thr-68 to Ser-95, Ala-97 to Lys-113, Asp-156 to Val-161, Val-208 to Asp-215, Pro-217 to Ala-228.
829349	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1097 as

	residues: Asn-18 to Lys-24, Asp-87 to Asn-94, Glu-116 to Gly-125.
829354	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1098 as residues: Ala-1 to Asn-16, Pro-36 to Arg-43.
829388	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1099 as residues: Glu-91 to Pro-100, Tyr-122 to Thr-127, Thr-168 to Val-173, Thr-210 to Asp-215, Leu-219 to Gly-224, Gly-232 to Val-237.
829626	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1101 as residues: Gly-145 to Ala-151.
829730	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1102 as residues: Pro-22 to His-27, Pro-87 to Asp-93, Arg-109 to Lys-115, Arg-172 to Glu-177, Glu-219 to Asp-226.
829892	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1103 as residues: Tyr-36 to Ala-46, Val-58 to Asn-63, Glu-73 to Asn-78, Asn-90 to Asn-95, Ser-125 to Leu-133, Glu-143 to Pro-150, Phe-186 to Leu-191, Leu-274 to Glu-281, Lys-303 to Phe-308, Thr-323 to Gly-330.
829938	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1105 as residues: Thr-1 to Pro-14, Ser-36 to Thr-57, Ser-81 to Thr-91, Glu-103 to Leu-110, Glu-124 to Tyr-130, Ala-135 to Lys-140, Leu-146 to Glu-162, Lys-167 to Glu-172, Glu-199 to Val-213.
829969	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1106 as residues: Arg-12 to His-21, Arg-77 to Ser-88.
829982	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1107 as residues: Arg-6 to His-14, Ser-40 to Met-47, Thr-68 to Cys-74, Ile-97 to His-115, Gly-118 to Pro-124.
830007	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1108 as residues: Ala-7 to Ala-16.
830019	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1109 as residues: Leu-21 to Pro-27.
830073	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1110 as residues: Gly-16 to Val-22, Pro-45 to Lys-50, Phe-58 to Arg-65, Ser-135 to Gly-141, Gly-153 to Ser-158, Pro-160 to Tyr-168.
830148	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1114 as residues: Asp-63 to Lys-81, Gly-101 to Gly-108, Pro-182 to Ala-200, Pro-210 to Met-216, Pro-235 to Gly-243.
830183	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1117 as residues: Pro-29 to Lys-37, Pro-40 to Val-47, Tyr-62 to His-67.
830194	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1118 as residues: Ala-43 to Lys-51, Glu-66 to Leu-74, His-81 to Glu-88, Arg-98 to Ser-105, Gly-111 to Gln-116, Leu-166 to Lys-182, Leu-261 to Ala-273, Glu-294 to Arg-302, Glu-335 to Asp-347.
830207	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1119 as residues: Pro-14 to Pro-48, Asp-55 to Gly-61, Lys-94 to Asn-99, Ala-107 to Ser-115, Ile-117 to Asn-124, Thr-133 to Cys-139, Thr-142 to Ile-147, Gly-163 to Ser-169.
830242	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1120 as residues: Glu-29 to Lys-34, Leu-151 to Gln-157, Arg-160 to Ser-171, Gln-177 to Pro-190.
830328	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1121 as residues: Pro-18 to Met-24, Glu-66 to Gln-78, Ala-85 to Arg-93, Glu-99 to His-108, Leu-114 to Asp-137, Pro-171 to Gln-176, Gly-205 to Leu-213.
830340	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1122 as residues: Gly-12 to Lys-18, Arg-46 to Glu-56, Leu-67 to Gly-73, Ala-91 to Tyr-112.
830341	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1123 as residues: Leu-14 to Gln-20, Asn-34 to Glu-41, Lys-193 to Asn-198.
830351	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1124 as residues: Pro-1 to Leu-13, Gly-42 to Pro-51, Arg-64 to Ala-69, Met-104 to Asp-109, Cys-125 to Trp-132, Asp-161 to Trp-175, Glu-206 to Glu-218.

830358	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1125 as residues: Cys-75 to Thr-81.
830400	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1127 as residues: Pro-1 to Gly-6, Arg-17 to Arg-33, Glu-151 to Trp-157, Ile-187 to Tyr-193, Lys-249 to Glu-258, Asn-289 to Ser-294, Pro-340 to Lys-353.
830437	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1128 as residues: Ala-87 to Ser-94, Asp-104 to Arg-112, Leu-114 to Asp-119, Ser-186 to Thr-202.
830466	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1130 as residues: Pro-14 to Ile-24, Thr-35 to Phe-42, Ser-45 to Asn-57, Pro-65 to Trp-89.
830497	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1131 as residues: Thr-1 to Leu-9, Ser-46 to Leu-56, Glu-117 to Lys-124, Pro-129 to Asp-135, Ala-144 to Gln-150, Gly-156 to Lys-162, Phe-182 to Pro-187, Pro-196 to Gln-201, Lys-217 to Asp-227.
830511	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1132 as residues: Lys-13 to Cys-44, Lys-101 to Arg-109, Gln-120 to Gly-129.
830540	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1135 as residues: Leu-31 to Lys-37, Arg-48 to Asn-54.
830550	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1136 as residues: Pro-8 to Cys-15, Val-80 to Cys-85.
830567	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1137 as residues: Lys-28 to Leu-33, Pro-60 to Ser-66.
830586	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1138 as residues: Pro-1 to Gln-15, Arg-33 to Leu-40, Arg-72 to Ser-78, Leu-98 to Asp-103, Phe-116 to Gly-124, Pro-152 to Arg-158, Thr-193 to Pro-200, Leu-213 to Phe-219, Asp-229 to Lys-237, Lys-246 to Lys-258, Arg-275 to Thr-280, Thr-306 to Lys-312, Leu-320 to Arg-328, Ala-335 to Asn-340, Gly-342 to Trp-349, Cys-364 to Pro-372.
830632	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1139 as residues: Ala-6 to Thr-14, Arg-143 to Lys-148.
830659	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1142 as residues: Thr-32 to Tyr-40, Ala-67 to Gln-82, Arg-128 to Thr-133, Leu-137 to Thr-146, Pro-187 to Ser-193.
830696	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1143 as residues: Glu-83 to Lys-91.
830743	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1145 as residues: Pro-11 to Phe-16, Thr-48 to Ser-60.
830770	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1146 as residues: Thr-36 to Thr-44.
830830	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1147 as residues: Lys-73 to Thr-78, Pro-84 to Pro-96, Lys-107 to Glu-124, Ile-142 to Cys-153, Asp-179 to Asn-184.
830838	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1148 as residues: Ser-17 to Arg-22, Gly-48 to Val-56, Asn-217 to Asp-223, Thr-238 to Asn-243.
830851	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1149 as residues: Arg-1 to Val-7, Ala-156 to Phe-162, Arg-216 to Lys-239.
830856	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1151 as residues: Trp-29 to Gly-35, Thr-41 to His-47, Val-95 to Lys-111.
830862	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1152 as residues: Arg-14 to Val-22, Ala-24 to Gly-35, Arg-37 to Lys-58, Ala-88 to Ala-94, Lys-164 to Ser-172.
830879	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1153 as residues: Cys-34 to Leu-44, Ser-60 to Gly-69, Asp-118 to Gly-123, Cys-148 to Gln-154.
830919	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1154 as residues: Pro-1 to Ser-41, Arg-53 to Pro-61, Arg-66 to Gln-132.

830969	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1155 as residues: His-17 to Pro-27, Phe-31 to Val-38, Gly-53 to Thr-62.
830991	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1156 as residues: Arg-1 to Pro-14, Ala-44 to Ser-56, His-69 to Lys-75, Gly-89 to Lys-98, Tyr-101 to Tyr-121, Pro-123 to Thr-131, Pro-149 to Gly-171, Tyr-186 to Glu-192.
831002	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1157 as residues: Glu-63 to Asn-73, Pro-114 to Tyr-122, Ser-194 to Glu-201, Ile-263 to Ser-269.
831003	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1158 as residues: Ile-9 to Leu-17, Asp-63 to Gly-70, Leu-112 to Ala-128.
831021	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1159 as residues: Asn-6 to Asp-12.
831036	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1160 as residues: Ser-6 to Ser-25, Tyr-37 to Lys-42, Arg-49 to Tyr-54, Pro-56 to Glu-61, Gln-72 to Cys-77, Lys-104 to Glu-110, Lys-134 to Met-142, Asp-147 to Arg-158, Arg-189 to Asn-194.
831071	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1161 as residues: Thr-41 to Arg-49, Glu-137 to Asp-142, Tyr-158 to Glu-163, Arg-184 to Thr-199, Arg-239 to Gly-253, Pro-297 to Gly-304, Pro-319 to Ile-327, Leu-347 to Val-356, Asn-435 to Leu-441, Asp-443 to Ser-452, Ala-457 to Thr-462, Asp-479 to Arg-484, Gly-510 to His-516, Glu-555 to Thr-565, Asp-597 to Ser-602, Thr-615 to Asp-622, Val-653 to Leu-661, Ala-684 to Arg-697, Ser-704 to Glu-712, Ala-731 to Ala-737, Lys-800 to Met-805.
831099	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1163 as residues: Leu-12 to Gly-18, Leu-93 to Ile-98, Lys-165 to Ser-183, Thr-198 to Lys-211, Glu-232 to Gly-237, Pro-239 to Gly-249, Arg-257 to Asp-278, Cys-292 to Glu-297, Arg-306 to Ser-316, Asp-323 to Asn-331, Glu-347 to Gly-354, Thr-365 to Asn-370, Pro-390 to Thr-396, Asn-420 to Ser-433, Val-440 to Gln-451, His-457 to Asp-465, Phe-533 to Met-538, Ala-540 to Tyr-550, Pro-560 to Lys-565.
831113	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1164 as residues: Ser-26 to Arg-33, Pro-51 to Thr-56, Cys-82 to Asp-94, Pro-104 to Gly-128.
831120	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1165 as residues: Ala-39 to Leu-47, Val-49 to Lys-55, Thr-66 to Asp-75, Thr-85 to Gly-104, Ala-114 to Gly-147, Pro-176 to Thr-199, Ser-205 to Ser-221, Glu-233 to Lys-240, Lys-246 to Asp-251, Glu-256 to Ser-267, Ser-291 to Leu-302, Thr-305 to Asp-324, Cys-336 to Val-345, Phe-367 to Cys-375.
831172	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1166 as residues: Pro-1 to Gly-7, His-119 to Gly-125, His-145 to Asp-151, Leu-173 to Leu-178.
831178	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1167 as residues: Glu-37 to Asn-42, Ser-48 to Thr-54, Pro-101 to Glu-106.
831184	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1168 as residues: Gln-1 to Pro-29.
831203	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1169 as residues: Thr-1 to Ser-6, Leu-10 to Asn-23, Gln-31 to Arg-36, Arg-43 to His-49, Ala-58 to Leu-63, Gln-81 to Asp-105, Glu-113 to Ile-122, Pro-132 to Lys-137, Ser-175 to Gln-181.
831257	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1173 as residues: Arg-87 to Leu-96, His-104 to Lys-112, Asp-144 to Pro-150.
831277	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1174 as residues: Arg-1 to Gly-13.
831317	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1175 as residues: Ser-97 to Lys-102, Thr-108 to Gly-119, Lys-151 to Gly-157, Pro-204 to Glu-210, Gln-224 to Gly-230, Val-238 to Cys-245, Met-279 to Asn-284, Gly-332 to Glu-349.
831339	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1176 as

	residues: Met-1 to His-19, Pro-21 to Pro-27, Ala-49 to Gly-59, Pro-82 to Ala-104.
831363	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1177 as residues: Thr-1 to Ser-14, Thr-82 to Pro-89, Met-102 to Ala-109, Phe-117 to Ile-124, Asp-142 to Arg-148, Thr-196 to Trp-205, Gln-304 to Leu-310, Gln-325 to Ser-331, Gly-387 to Thr-393, Ala-415 to Lys-430, Pro-469 to Pro-477, Gly-500 to Ile-506, Arg-521 to Gly-529, Pro-534 to Gly-541, Gln-553 to Lys-558, Ala-571 to Glu-579.
831385	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1180 as residues: Ser-1 to Thr-9, Ala-32 to Asn-37, Thr-40 to Tyr-49, Gln-71 to Thr-80.
831390	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1181 as residues: Trp-50 to Gly-55, Leu-109 to Val-119, Phe-146 to Asp-158, Ser-165 to Trp-172, Phe-192 to Ile-197, Leu-241 to Asp-252, Lys-268 to Pro-273, Ser-310 to Lys-315, Asp-334 to Ala-342, Pro-348 to Tyr-353.
831391	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1182 as residues: Ser-28 to Pro-38, Pro-45 to Cys-55, Leu-70 to Ser-77, Glu-98 to Phe-104, Asp-112 to Ser-122, Thr-152 to Lys-158.
831405	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1183 as residues: Asp-47 to Ser-55, Glu-86 to Cys-95, Glu-105 to Gly-113, Gln-133 to Asn-138, Arg-144 to Asp-156.
831476	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1185 as residues: Gln-28 to Gly-33, Asp-41 to Trp-47, Asn-51 to Ser-56, Ser-73 to Asn-83, Trp-111 to Asn-117, Leu-133 to Gln-138, Arg-143 to Tyr-150, Thr-156 to Glu-165.
831488	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1186 as residues: Glu-53 to Asn-59, Lys-97 to Phe-104, Lys-133 to Ala-138.
831519	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1188 as residues: Ser-17 to Gly-25, Thr-47 to Leu-59, His-71 to Arg-77, Pro-83 to Gln-90, Tyr-133 to Ser-143, Arg-160 to Gly-169, Pro-188 to Val-193, Glu-202 to Glu-208, Leu-283 to Arg-288, Glu-295 to Leu-301, Ala-327 to Leu-333, Ala-426 to Pro-433, Leu-444 to Leu-456, Asn-492 to Ala-498.
831550	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1190 as residues: Arg-1 to Gly-15, Ser-42 to Trp-51, Pro-59 to Arg-64.
831560	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1191 as residues: Arg-58 to Asp-64.
831570	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1193 as residues: Thr-61 to Cys-74, Gly-92 to Cys-104, Cys-128 to Ser-133, Asn-179 to Gly-186, Ser-198 to Cys-226, Asn-265 to Ser-274, Ser-280 to Ile-285, Ser-291 to Asp-297, Leu-305 to Gly-315, Phe-317 to Gly-333, Asp-336 to Leu-344, Phe-354 to Cys-361.
831596	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1195 as residues: Gln-80 to Gly-85.
831627	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1196 as residues: Arg-1 to Ser-12, Gly-94 to Thr-106, Ser-161 to Leu-169, Ser-183 to Val-188, Glu-199 to Cys-205, Ser-246 to Ile-251, Leu-271 to Thr-276.
831649	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1197 as residues: Tyr-32 to Lys-39.
831664	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1198 as residues: Lys-1 to Asp-42, Arg-71 to Ala-76, Gln-138 to Phe-145, Lys-170 to Thr-178, Cys-186 to Asp-192.
831684	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1200 as residues: Ile-135 to Ala-140, Tyr-151 to Asn-157, Ser-183 to Ile-190, Gly-196 to Lys-201, Lys-226 to Lys-232, Asn-246 to Thr-252, Asp-293 to Gly-300.
831687	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1201 as residues: Ala-56 to Tyr-63.
831726	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1202 as residues: Arg-3 to Arg-15, Lys-34 to Thr-39, Asn-41 to Lys-59, Ala-104 to Glu-110.
831762	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1204 as residues: Pro-83 to Leu-91, His-116 to Ala-122, Pro-141 to Ser-155.
831848	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1206 as

	residues: Gln-16 to Thr-23.
831861	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1207 as residues: Ala-20 to Lys-26, Pro-59 to Pro-67, Ser-104 to Thr-121, Gln-130 to Gln-136.
831866	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1208 as residues: Arg-11 to Ala-24, Ile-39 to Lys-45, Arg-76 to Pro-85, Lys-124 to Lys-130, Pro-139 to Ser-153, Ala-156 to Glu-170, Ser-179 to Thr-184, Asp-234 to Gly-244, Gly-321 to Lys-329.
831899	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1210 as residues: Asp-11 to Trp-16, Pro-37 to Thr-44, Pro-74 to Pro-82, Arg-112 to Gln-119, Cys-126 to Arg-138, Arg-199 to Thr-204.
831913	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1211 as residues: Pro-22 to Cys-27, Glu-54 to Glu-60, Asp-112 to Phe-117, Lys-183 to Asp-189, Gln-277 to Tyr-282, Pro-325 to Arg-331, Gly-336 to Tyr-346.
831985	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1213 as residues: Cys-7 to Asp-12, Pro-21 to Gly-26.
831986	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1214 as residues: Cys-1 to Ser-7, Ala-62 to Gly-72, Pro-83 to Ala-101.
832010	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1215 as residues: Leu-1 to Lys-21, Glu-39 to Cys-47, Lys-49 to Gln-61, His-64 to Gly-76, Thr-83 to Lys-90, His-92 to Ile-99.
832016	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1216 as residues: Phe-28 to Asn-33, Leu-55 to Tyr-80, Pro-126 to Gly-132, Pro-162 to Gly-169, Pro-194 to Arg-201.
832041	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1217 as residues: Lys-55 to Met-63, Arg-120 to Asp-132, Gly-266 to Glu-281, Val-313 to Thr-319, Leu-361 to Ser-370, Tyr-406 to Met-412, Leu-465 to Trp-470.
832049	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1219 as residues: Leu-80 to Lys-87, Lys-102 to Thr-109, Glu-195 to Thr-200, Thr-203 to Asp-209.
832122	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1220 as residues: Asn-29 to Phe-36, Asp-41 to Ser-50.
832197	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1222 as residues: Glu-61 to Leu-70.
832237	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1223 as residues: Lys-28 to Val-35, Arg-41 to Arg-55, Pro-76 to Thr-87.
832246	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1224 as residues: Arg-17 to Asn-23, Arg-90 to Gly-95, Leu-114 to Glu-121, Pro-153 to Asp-158.
832256	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1225 as residues: Gly-15 to Asn-22.
832280	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1226 as residues: Glu-1 to Trp-16, Ala-32 to Glu-38, Ala-49 to Gln-55, Pro-61 to Gln-66, Ala-78 to Asp-100, Leu-107 to Thr-127, Pro-133 to Phe-157, Pro-160 to Thr-171, Leu-179 to Asp-196, Asp-201 to Lys-222, Pro-249 to Ile-254, Val-258 to Val-263, Thr-268 to Ser-277, Thr-279 to Ala-295, Gly-299 to Phe-327, Val-335 to Asp-346, Lys-366 to Asp-378.
832285	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1227 as residues: Phe-18 to Leu-23.
832294	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1228 as residues: Pro-21 to Gln-28, Pro-56 to Leu-64, Glu-79 to Pro-95, Met-125 to Gly-138.
832326	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1229 as residues: Ser-30 to Trp-45, Gln-64 to Cys-72, Pro-74 to Pro-80, Ala-92 to Arg-98, Trp-104 to Ser-112, Ser-129 to Asp-135, Pro-145 to Gln-152, Arg-168 to Gly-173, Gln-176 to Pro-183.
832370	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1232 as residues: Ala-5 to Ala-11, Pro-23 to Pro-36, Glu-72 to Gly-82, Pro-85 to Pro-91, Asp-

	98 to Glu-119, Pro-121 to Glu-127.
832381	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1233 as residues: Arg-1 to Glu-6, Arg-52 to Ala-58, Phe-72 to Leu-79, Gly-88 to Glu-93, Tyr-124 to Arg-134.
832454	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1235 as residues: Ala-23 to Asp-41.
832465	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1236 as residues: Ala-1 to Gly-7, Ala-32 to Val-45, Ile-65 to Ser-75, Ser-93 to Ser-108.
832475	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1237 as residues: Arg-1 to Val-10, Thr-65 to Ser-71, Arg-83 to Tyr-96, Trp-104 to Trp-111.
832495	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1238 as residues: Arg-9 to Arg-14.
832498	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1239 as residues: Pro-26 to Asp-31, Thr-113 to Gly-125, Asn-158 to Glu-163, Asn-288 to Val-293.
832501	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1240 as residues: Ser-8 to Glu-13.
832505	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1241 as residues: Ala-27 to Arg-46, Pro-54 to Arg-76, Arg-134 to Lys-140, Asn-148 to Ser-154, Lys-166 to Thr-172, Pro-175 to Gln-182, Asp-185 to Asp-192.
832554	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1243 as residues: Arg-26 to Val-31, Asn-122 to Thr-128.
832569	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1244 as residues: Gln-6 to Met-16.
832578	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1245 as residues: Arg-15 to Leu-27, Ser-62 to Gly-72, Pro-107 to His-112, Pro-122 to Gln-142, Glu-147 to Arg-158, Lys-177 to Lys-191, Leu-195 to Val-202, Leu-206 to Pro-218, Glu-228 to Gln-233, Asp-239 to Asp-244, Glu-258 to Gln-278.
832615	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1246 as residues: Gln-41 to Ala-48.
832632	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1248 as residues: Asn-60 to Val-70, Glu-93 to Trp-107, Arg-116 to Gln-125, Leu-133 to Lys-141, Lys-162 to Glu-167.
832633	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1249 as residues: Gly-8 to Trp-13, Pro-36 to Gly-41, Pro-91 to Ala-96.
834859	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1252 as residues: Tyr-16 to Leu-22, Asp-24 to Asp-34, Gly-43 to Ala-48, Gly-57 to Thr-68, Gly-118 to Ser-127, Ile-129 to Tyr-134, Pro-139 to Asp-162.
834861	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1253 as residues: Glu-14 to Glu-50, Glu-67 to Asp-74, Leu-89 to Asn-95.
834890	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1254 as residues: Arg-8 to Lys-13, Gly-35 to Lys-42, Ala-48 to Lys-54, Ala-105 to Leu-110, Gly-150 to Val-157, Phe-164 to Asn-173.
835079	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1255 as residues: Ser-53 to Pro-60.
835554	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1256 as residues: Ile-31 to Ile-38, Asp-116 to Arg-121, Phe-246 to Leu-251, Lys-280 to Tyr-291, Met-363 to Arg-373, Gly-381 to Trp-386.
835723	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1258 as residues: Glu-20 to Thr-26, Trp-47 to Ser-57, Pro-98 to Asn-105, Pro-124 to Phe-129, Ala-173 to Val-183, Lys-190 to Ser-196, Asn-277 to Asn-284, Glu-297 to Phe-306, Thr-322 to Lys-327, Gln-372 to Val-383, Pro-387 to Gly-395, Ser-406 to Thr-415, Arg-432 to Thr-442.
835791	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1259 as residues: Ala-4 to Gly-10.
835817	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1260 as

	residues: Glu-37 to Leu-43.
835840	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1261 as residues: Gln-1 to Asn-6, Pro-18 to Ile-31.
836048	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1262 as residues: Lys-1 to Lys-11, Tyr-27 to Glu-35, Glu-61 to Gly-68.
836898	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1263 as residues: Gln-94 to Lys-102, Gly-140 to Thr-154, Arg-173 to Asp-196, Thr-201 to Asp-206, Glu-241 to Gly-248.
836927	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1264 as residues: His-1 to Arg-12.
837344	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1265 as residues: Pro-15 to Ile-24.
837789	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1266 as residues: Ser-1 to Trp-7, Asp-47 to Ile-52, Pro-70 to Ser-80, Cys-89 to Thr-98, Ala-131 to Ser-142, Phe-169 to Cys-176, Gly-183 to Ser-193, Phe-202 to Pro-209, Arg-243 to Ala-249, Ser-256 to Lys-265, Arg-277 to Asp-284.
838754	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1268 as residues: Phe-27 to Ser-37, Tyr-91 to Arg-96, Pro-156 to Gln-164, Cys-207 to Val-216, Met-242 to Tyr-251.
839561	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1271 as residues: Arg-2 to Gly-7, Arg-16 to Gln-22, Phe-41 to Gly-49, Ala-60 to Asn-74, Leu-125 to Gln-131, Asp-170 to Pro-175, Ala-209 to Arg-218, Glu-222 to Glu-258, Ala-265 to Ser-300.
839816	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1272 as residues: His-32 to Arg-37, Ser-42 to Ser-48, Glu-77 to Glu-88.
840068	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1273 as residues: Ala-1 to Gln-14.
840279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1274 as residues: Ala-1 to Asp-15.
840538	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1276 as residues: Ala-8 to Pro-13, Pro-18 to Gln-26, Lys-107 to Pro-114, Ala-149 to Arg-157, Ile-294 to Leu-299, Ser-356 to Pro-363, Pro-384 to Phe-392, Ala-474 to Gly-481, Ala-489 to Tyr-494, Pro-512 to Lys-517, Arg-623 to Thr-630, Lys-673 to Ser-678, Thr-703 to His-709, Arg-714 to Arg-720, Gly-755 to Glu-766.
840549	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1278 as residues: Ala-5 to Lys-15, Pro-28 to Gln-34, Tyr-105 to His-111, Gln-150 to Cys-157.
840557	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1280 as residues: Gly-34 to Leu-40, Thr-125 to Gly-134, Ala-148 to Arg-156, Lys-196 to Lys-215.
840561	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1281 as residues: Ser-21 to Phe-30.
840562	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1282 as residues: Gln-33 to Arg-41, Tyr-66 to Glu-71, Thr-112 to Gly-118, Thr-141 to Gly-148, Thr-160 to Cys-168, Arg-171 to Gly-177, Thr-180 to Pro-191, Glu-217 to Asp-225, Asp-236 to Lys-243.
840564	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1283 as residues: Val-13 to Pro-19, Gln-34 to Gly-39.
840600	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1285 as residues: Leu-26 to Ile-39.
840620	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1288 as residues: Ser-17 to Ser-26, His-32 to Gly-42, Thr-78 to Gln-83, Asp-130 to Leu-136, Arg-158 to Pro-164.
840626	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1290 as residues: Phe-7 to Tyr-13, Pro-19 to Ala-35, Asp-87 to Leu-96, Lys-98 to Glu-105, Glu-120 to Leu-133.
840638	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1291 as

	residues: Gly-8 to Leu-13, Gly-21 to Ser-31, Arg-45 to Arg-54.
840649	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1292 as residues: Asn-30 to Thr-37, Asp-44 to Lys-52, Ser-71 to Asp-80, Glu-127 to Glu-133, Arg-162 to Ala-173, Glu-191 to Leu-199.
840651	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1293 as residues: Gly-14 to Glu-38, Asn-90 to Lys-100, Lys-150 to Val-158, Ser-166 to Gly-175.
840681	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1295 as residues: Thr-25 to Gly-31, Pro-86 to Trp-97, Ser-132 to Phe-138.
840682	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1296 as residues: Arg-12 to Lys-19, Asn-30 to Gly-36, Asp-50 to Gly-57, Glu-64 to Thr-69, Thr-79 to Lys-91, Gln-110 to Thr-115, Arg-223 to Gln-229, Asp-255 to Asp-260, Arg-278 to Gly-287, Glu-294 to Gln-300, Glu-433 to Glu-451, Leu-474 to Glu-479, Asp-490 to Leu-498, Gln-519 to Asp-527, Tyr-566 to Asp-575.
840684	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1297 as residues: Pro-1 to Ala-9, Val-56 to Val-63, Gly-86 to Glu-91.
840697	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1298 as residues: Pro-9 to Arg-15, Pro-36 to Ser-42, Ser-65 to Phe-72, Gly-99 to Ser-105, Ala-122 to Phe-129.
840698	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1299 as residues: Thr-75 to Pro-84, His-94 to Met-99, Asp-149 to Ile-168, Asn-370 to Asn-375, Ser-384 to Lys-392, His-427 to Tyr-438.
840708	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1300 as residues: Ala-27 to Ser-36.
840714	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1301 as residues: Gly-1 to Gly-20, Arg-54 to His-59, Asn-89 to Leu-95, Ser-119 to Lys-125, Trp-127 to Cys-133, Gln-175 to Gln-185, Asp-213 to Lys-222, Pro-267 to Gln-275, Asp-306 to Asp-313, Thr-321 to Cys-331.
840716	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1302 as residues: Asn-40 to Thr-45, His-210 to Pro-215, Glu-369 to Thr-375, Lys-383 to Leu-397, Pro-438 to Ile-447, Pro-510 to Tyr-520, Arg-528 to Arg-533, Thr-549 to Thr-555.
840721	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1303 as residues: Arg-1 to Arg-7, Pro-29 to Lys-56, Asp-103 to Arg-108, Tyr-122 to Ser-127, Gly-219 to Glu-227, Asp-250 to Glu-255, Glu-294 to Pro-301, Ala-321 to Tyr-327, Arg-367 to Pro-373, Glu-396 to Asn-405, Gly-411 to Arg-418, Asn-433 to Lys-441.
840735	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1304 as residues: Glu-1 to Gly-11, Thr-20 to Asp-40, Gly-51 to Glu-61, Ala-64 to Leu-78, Leu-82 to Arg-94.
840738	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1305 as residues: Gln-26 to Asn-34.
840745	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1306 as residues: Gln-7 to Gly-12, Leu-60 to Pro-65, Arg-85 to Lys-99, Ser-132 to Pro-145, Pro-150 to Asp-155, Pro-183 to Asn-193, Arg-200 to Tyr-206.
840747	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1307 as residues: Gln-1 to Asp-15, Ile-35 to Glu-41, Leu-66 to Asn-71, Leu-73 to Pro-79, Gln-87 to Lys-94, Val-117 to Arg-123, Pro-144 to Tyr-150.
840756	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1308 as residues: Arg-8 to Gln-19, Arg-25 to Lys-38.
840776	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1309 as residues: Val-2 to Pro-10, Ser-28 to Ala-33, Pro-39 to Tyr-44, Thr-46 to Trp-55, Ser-64 to Ser-72, Ala-103 to Pro-109, Pro-111 to Gln-118.
840784	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1310 as residues: Pro-9 to Gly-20, Asn-32 to Leu-42, Asn-60 to Lys-70, Pro-76 to Gln-81, Glu-86 to Val-93, Arg-106 to Arg-111, Lys-176 to Asn-183.
840788	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1311 as residues: Ser-1 to Gln-8, Val-40 to Ser-49, Arg-105 to Lys-110.

840794	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1312 as residues: Arg-1 to Gln-14, Arg-43 to Glu-54.
840797	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1313 as residues: Gly-1 to Arg-9, Asn-31 to Asp-37, Arg-44 to Asn-53, Gly-62 to Lys-77, Thr-123 to Ile-137, Gly-389 to Thr-394, Lys-486 to Asn-493, Glu-512 to Phe-520, Met-555 to Lys-560, Leu-618 to Ser-623, Ile-698 to Glu-706, Gly-723 to Leu-730, Ala-773 to Gln-790.
840818	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1315 as residues: Pro-1 to Ile-12, Asp-30 to Tyr-35, Leu-38 to Pro-45, Lys-54 to Thr-60, Thr-75 to Leu-80, Asp-92 to Tyr-100, Ile-133 to Thr-138, Thr-194 to Glu-199, Asp-233 to Leu-239, Met-243 to Ala-251, Asp-254 to Glu-261.
840822	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1316 as residues: Val-100 to Tyr-106, Ala-127 to His-135, Gln-153 to Lys-158, Gly-214 to Glu-219, Gln-236 to His-244, Lys-253 to Tyr-258.
840846	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1318 as residues: Ala-20 to Thr-27, Glu-47 to Tyr-57, Tyr-87 to Lys-95, Pro-121 to Ala-127, Pro-208 to Ala-224.
840848	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1319 as residues: Arg-77 to Asn-82, Glu-119 to Arg-124, Gln-156 to Thr-162, Lys-209 to Lys-215.
840860	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1320 as residues: Ile-27 to Asp-41, Glu-43 to Ala-58, Glu-149 to Glu-154, Lys-158 to Ile-165, Glu-167 to Gly-189, Glu-242 to Phe-247, Arg-259 to Phe-268, Ile-283 to Val-291, Thr-295 to Thr-307, Glu-328 to Asp-338, Asp-372 to Gly-387.
840871	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1322 as residues: Gly-31 to Tyr-38, Leu-40 to Leu-45, Pro-203 to Trp-208.
840874	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1323 as residues: Ala-23 to Gly-28.
840878	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1324 as residues: Thr-40 to Glu-46, Pro-69 to Arg-76, Glu-108 to Asp-150.
840880	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1325 as residues: Ser-5 to Lys-14, Phe-32 to Gln-37.
840884	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1326 as residues: Leu-4 to Ser-10.
840926	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1328 as residues: Met-6 to Thr-15, Ser-17 to Phe-37, Ser-148 to Lys-154, Lys-260 to Phe-276, Glu-285 to Ile-292, Lys-410 to Asp-424.
840932	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1329 as residues: Tyr-75 to Pro-83, Ile-181 to Gln-191, Glu-267 to Leu-275, Met-301 to Ala-307, Phe-322 to Gln-328, Met-371 to Gly-381, Gln-458 to Leu-463, Glu-474 to Lys-480, Lys-551 to Ser-558.
840940	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1330 as residues: Ser-26 to Thr-34, Thr-80 to Lys-88.
840947	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1331 as residues: Ile-1 to Arg-11, Pro-19 to Gln-46, Ala-55 to Pro-62, Cys-65 to Cys-82, Lys-93 to Pro-108.
840964	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1333 as residues: Ser-41 to Cys-46.
840979	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1334 as residues: Tyr-10 to His-27, Tyr-31 to Arg-41, Thr-44 to Leu-61, Cys-68 to Phe-73, Lys-98 to Glu-106, Gln-132 to Val-142, Glu-184 to Leu-191.
840984	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1335 as residues: Arg-38 to Gln-48, Met-137 to Asn-144, Gln-167 to Gln-172, Lys-182 to Gln-189, Gln-196 to Glu-206, Ile-210 to Glu-223, Gln-225 to Arg-246, Glu-250 to Thr-269, Gln-296 to Ile-318, Arg-323 to Glu-328, Tyr-337 to Lys-343, Glu-349 to Thr-357, Ser-393 to Glu-403, Arg-405 to Ile-427, Arg-431 to Glu-442, Leu-446 to Lys-473, Glu-475

	to Leu-486, Ile-488 to Asp-503, Ser-505 to Arg-623, Ala-625 to Asn-631, His-634 to Trp-792, Gly-799 to Gly-870, Arg-872 to Glu-929, Ser-931 to Pro-954, Ala-957 to Ala-977, Glu-982 to Trp-1000.
840986	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1336 as residues: Asp-41 to Tyr-51.
840988	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1337 as residues: Pro-17 to Leu-31, Ser-95 to Val-100, Lys-123 to Gly-129.
840990	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1338 as residues: Met-9 to Glu-16, Glu-41 to Trp-47, Arg-55 to Glu-62, Asp-135 to Ile-146, Gly-154 to Gly-160, Met-207 to Phe-214, Ser-245 to Lys-252, Gln-282 to Gln-288.
841009	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1340 as residues: Glu-12 to Thr-27, Met-45 to Asn-52, Tyr-79 to Thr-87, Asp-97 to Gly-102, Met-112 to Asp-120, Pro-141 to Tyr-155.
841012	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1341 as residues: Lys-36 to Ile-44, Arg-49 to Lys-69.
841016	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1342 as residues: Cys-75 to His-82, Asp-126 to Tyr-135, Pro-144 to Tyr-155, Gly-179 to Trp-198, Tyr-201 to Met-208, Pro-226 to Lys-234, Gln-249 to Asp-267.
841017	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1343 as residues: Gln-1 to Trp-19.
841021	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1344 as residues: Glu-58 to Gly-63, Leu-75 to Leu-82.
841032	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1345 as residues: Pro-1 to Gly-13, Pro-30 to Ser-57, Gln-61 to Thr-77, Arg-82 to Thr-88, Pro-100 to Lys-105, Gly-119 to Gly-126.
841051	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1346 as residues: Asn-1 to Lys-6, Thr-16 to Glu-21, Asn-45 to Ser-58, Asp-68 to Ser-75.
841064	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1347 as residues: Asp-53 to Pro-58, Glu-78 to Lys-85, Pro-95 to Arg-102, Ser-142 to Arg-148, Lys-209 to Arg-214, Lys-241 to Gly-246, Ser-287 to Leu-292, Lys-307 to Val-313, Arg-389 to Gln-394.
841069	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1348 as residues: Thr-1 to Trp-14, Lys-27 to Leu-44, Glu-59 to Arg-73, Lys-87 to Phe-95, Pro-160 to Asn-166, Leu-212 to Ile-220, Arg-236 to Asp-243.
841072	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1349 as residues: Pro-7 to Arg-12, Phe-71 to Gln-76, Arg-82 to Asp-98, Ala-108 to Glu-128.
841078	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1350 as residues: Arg-32 to Ala-39.
841080	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1351 as residues: Glu-1 to Gly-7, Glu-25 to Gly-33, Ala-54 to Phe-60, Gly-64 to Gln-108, Glu-116 to Ser-122, Pro-130 to Asn-138, Gln-141 to Lys-153, Arg-164 to Ser-172, Leu-186 to Met-194, Pro-197 to Tyr-205, Asp-218 to Lys-229, Thr-236 to Ser-246, Ala-259 to Trp-266, Pro-281 to Pro-287, Cys-291 to Gln-298.
841092	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1353 as residues: Glu-45 to Lys-50.
841095	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1354 as residues: Lys-1 to Ser-19, Gly-33 to Gly-63, Gly-77 to Pro-89, Ser-164 to Ser-180, Ser-233 to Lys-238, Lys-267 to Leu-286.
841096	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1355 as residues: Gly-5 to Leu-12, Tyr-18 to Asp-25, Ile-88 to Ala-125, Ser-129 to Tyr-141, Gln-191 to Gln-196, Thr-290 to Asn-296, Thr-301 to Thr-309, Leu-360 to Ala-365, Leu-367 to Gly-378, Pro-398 to Gly-418, Pro-443 to Gly-454.
841102	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1356 as residues: Ser-61 to Leu-71.
841108	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1358 as residues: Ala-8 to Leu-20, Lys-27 to Arg-33, Arg-40 to Ala-50, Asp-77 to Glu-84,

	Asn-99 to Gly-109.
841119	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1360 as residues: Lys-6 to Ala-14, Ile-68 to Asn-73, Val-84 to Leu-90, Glu-110 to Val-116, Leu-182 to Gly-190, Tyr-264 to Phe-270, Ile-300 to Lys-306, Pro-354 to Glu-367.
841124	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1361 as residues: Ser-21 to Thr-26.
841143	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1363 as residues: Thr-1 to Lys-9, Pro-20 to Gly-27, Gly-29 to Gly-52, Arg-54 to Gly-61, Gly-69 to Gly-75, Ser-79 to Gly-96, Val-130 to Arg-135, His-207 to Asp-212, Val-296 to Leu-310, Arg-327 to Asn-334.
841148	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1364 as residues: Pro-1 to Met-43, Pro-55 to Ala-66, Pro-118 to Glu-128, Arg-181 to Lys-192, Tyr-197 to Thr-207, Trp-278 to Cys-284, Arg-334 to Asp-349.
841155	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1367 as residues: Gly-9 to Arg-24, Glu-69 to Met-74, Leu-86 to Leu-92, Asp-95 to Arg-115.
841163	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1370 as residues: Gly-29 to Gly-35, Ala-37 to Ala-48, Arg-97 to Thr-102, Arg-114 to Leu-119, Lys-144 to Lys-155.
841169	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1371 as residues: Ala-31 to Thr-69, Pro-90 to Pro-95, Pro-117 to Trp-126, Pro-128 to Arg-136.
841172	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1372 as residues: Gly-17 to Arg-35, His-76 to Pro-90, Pro-92 to Cys-103.
841174	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1373 as residues: Arg-1 to Arg-8, Arg-14 to Phe-19.
841179	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1374 as residues: Leu-4 to Met-10, Leu-17 to Tyr-36, Arg-38 to Asp-63, Tyr-82 to Glu-90, Pro-97 to Gly-134, Arg-137 to Pro-148, Thr-160 to Lys-171, Tyr-183 to Asn-228, Gln-249 to Asn-258, Arg-263 to Glu-271, Arg-277 to Gln-296, Phe-298 to Asp-320, Glu-322 to Lys-329, Thr-337 to Thr-343, Glu-356 to Arg-363, Gly-371 to Asp-384.
841183	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1375 as residues: His-1 to Ser-27, Arg-60 to Arg-73, Arg-96 to Asp-124, Asp-131 to Gly-143, Lys-145 to Glu-150.
841186	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1376 as residues: Leu-7 to Val-18, Ser-27 to Pro-57, Arg-124 to Thr-135, Pro-212 to Ser-230, Gly-282 to Lys-287, Lys-441 to Lys-448.
841204	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1377 as residues: Lys-29 to Arg-35, Glu-81 to Arg-87, Ala-251 to Glu-261, Thr-266 to Gly-271, Thr-289 to Glu-295, Gly-328 to Tyr-334, Phe-432 to Lys-438, Asn-440 to Trp-458.
841206	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1378 as residues: Val-17 to Pro-25, Thr-55 to Asp-70, Lys-75 to Leu-81.
841207	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1379 as residues: Pro-9 to Glu-15, Arg-22 to Trp-32, Ser-54 to Glu-62, Asn-92 to Gly-103.
841211	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1380 as residues: Arg-7 to Gly-12, Met-42 to Ser-58, Gln-65 to Asn-73, Glu-91 to Ala-99, Pro-103 to Tyr-109, Arg-174 to Ala-179, His-189 to Gln-196, Asn-208 to Pro-219.
841225	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1381 as residues: Ala-32 to Ala-40, Glu-93 to Phe-103, Lys-173 to Thr-189.
841237	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1383 as residues: Arg-2 to Gln-12, Lys-76 to Ala-86, Tyr-155 to Lys-163, Glu-228 to Leu-234, Lys-263 to Lys-273, Ile-286 to Lys-296.
841241	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1384 as residues: Asp-41 to Ile-52, Thr-59 to Lys-64, Glu-75 to Asn-89, Thr-99 to Thr-105.
841259	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1385 as residues: His-1 to Cys-22, Pro-24 to Pro-30, Tyr-84 to Ser-90, Ser-108 to Glu-118, Val-126 to Arg-143, Asp-175 to Gln-181, Ser-217 to Gly-224, Cys-262 to Cys-270.

	Tyr-296 to Glu-302, Thr-317 to Thr-324, Gln-341 to Gln-348, Trp-394 to Pro-399.
841260	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1386 as residues: Ala-25 to Glu-32, Ala-48 to Phe-53, Ser-69 to Ser-76, Asp-80 to Glu-86, Ser-125 to Ser-132, Ser-168 to Glu-179, Asn-201 to Ala-206, Lys-216 to Ile-246, Met-259 to Asn-272, Tyr-277 to Gln-287.
841264	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1387 as residues: Met-34 to Gly-50, Asp-69 to Trp-90, Asp-99 to Lys-107, Val-164 to Thr-170.
841311	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1389 as residues: Arg-4 to Val-15.
841313	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1390 as residues: His-6 to Gly-16, Gly-60 to Pro-95, Pro-125 to Gly-131, Gly-138 to Ala-147, Gln-173 to Glu-178.
841322	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1392 as residues: Lys-6 to Arg-23, Ser-74 to Arg-86, Lys-116 to Lys-122, Ser-127 to His-133, Ser-269 to Pro-275, Glu-344 to Phe-350, Gly-356 to His-362.
841331	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1393 as residues: Ser-45 to Lys-67, Asp-155 to Asp-172, Gln-193 to Ile-199, Gln-271 to Glu-285.
841332	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1394 as residues: Glu-8 to Ser-13, Lys-20 to Glu-27, Arg-81 to Ser-94, Thr-147 to Ile-154, Asn-200 to Glu-212, Asn-235 to Gly-244, Leu-433 to Thr-439, Pro-444 to Asn-455, Ser-470 to Asp-476, Ser-492 to Met-499, Glu-535 to Pro-547, Glu-703 to Thr-709, Glu-719 to Thr-726, Asn-802 to Leu-807, Asn-820 to Arg-825, Lys-830 to Tyr-836, Thr-838 to Thr-850, Ser-882 to Ser-894, Lys-944 to Gly-952, Gly-969 to Val-977, Glu-984 to Asn-990, Arg-996 to Lys-1001, Pro-1032 to Leu-1039, Thr-1050 to Gly-1058, Val-1103 to Arg-1108, Pro-1160 to His-1169, Tyr-1180 to Ser-1187, Glu-1211 to Ser-1217, Pro-1277 to Leu-1282.
841338	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1395 as residues: Ser-13 to Ser-18, Phe-48 to Ser-54.
841345	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1396 as residues: Trp-83 to Thr-89, Ser-135 to Asn-140, Ser-185 to Cys-190, Tyr-209 to Glu-220, Val-224 to Glu-232, Leu-258 to Asn-263, Ser-306 to Asn-312, Thr-319 to Glu-327, Thr-365 to Ile-373, Gly-417 to Cys-429, Lys-439 to Val-445, Lys-464 to Leu-469, Leu-477 to Asn-485, Arg-546 to Val-554, Glu-598 to Gly-607, Pro-634 to Ser-639, Asn-730 to Ala-746, Lys-812 to Gln-817, Glu-819 to Lys-835, Leu-867 to Asn-875, Leu-902 to Arg-910.
841349	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1397 as residues: Asp-13 to Arg-18, Pro-36 to Arg-43, Gly-66 to Ser-74, Gly-87 to Lys-92, Asp-110 to Glu-115.
841417	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1399 as residues: Leu-102 to Ile-111, Pro-131 to Ile-337, Thr-339 to Asp-376.
841632	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1401 as residues: Arg-13 to Gly-40, Arg-46 to Glu-52, Gln-55 to Lys-69.
841771	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1403 as residues: Pro-22 to Gly-30, Asp-45 to Gln-56, Ser-67 to Ser-73.
841827	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1404 as residues: Thr-1 to Ser-20.
841835	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1405 as residues: Tyr-5 to Lys-13, Cys-52 to Arg-61, Cys-85 to Ala-91, Gly-122 to Asn-127.
842259	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1406 as residues: Pro-16 to Gly-23, Glu-37 to Pro-45, Gly-52 to Ser-57.
842463	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1407 as residues: Cys-74 to Tyr-79.
842595	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1408 as residues: Pro-93 to Ala-105, Ser-133 to Ser-142, Arg-150 to Glu-155, Lys-220 to Trp-

	226, Glu-257 to Lys-271, Gln-280 to Leu-289.
842722	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1409 as residues: Glu-9 to Arg-20, Ser-48 to Lys-56, Ile-69 to Glu-81, Pro-83 to Lys-89, Lys-94 to Ile-99, Pro-104 to Gly-110, Glu-116 to Asp-133, Ile-140 to Ser-154, Gln-206 to His-217, Pro-219 to Leu-231, Arg-237 to Lys-243, Gln-247 to Pro-256, Leu-271 to Thr-283, Lys-289 to Lys-294, Ser-338 to Lys-355, Gly-375 to Thr-381, Ser-428 to Pro-454, Gly-460 to Gln-467, Lys-480 to Lys-488.
842818	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1411 as residues: Ala-25 to Ala-30, Lys-32 to Ala-51, Gln-61 to Ala-68, Glu-83 to Lys-91, Phe-99 to Glu-105, Glu-123 to Gly-129.
843251	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1412 as residues: Pro-30 to Ser-40, Lys-47 to Thr-52, Val-59 to Pro-64, Lys-129 to Arg-134, Leu-169 to Asp-177.
843422	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1413 as residues: Thr-9 to Lys-20, Lys-25 to Cys-31, Pro-33 to Tyr-42, Asn-76 to Lys-84, Leu-102 to Trp-112.
843784	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1414 as residues: Leu-16 to Thr-24, Glu-41 to Gln-47, Lys-64 to Cys-72, Thr-87 to Ser-100, Pro-130 to Asn-143, Thr-163 to Asp-170.
844017	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1415 as residues: Leu-11 to Ile-17, Leu-30 to Met-45.
844138	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1416 as residues: Lys-19 to Thr-28, Arg-47 to Gln-52, Leu-73 to Leu-81, Asp-122 to Phe-131, Ala-135 to Ser-148, Pro-155 to Asp-163, Ser-184 to His-191, Leu-219 to Asn-225, Asp-238 to Thr-248, Pro-253 to Cys-259, Cys-356 to His-368, Ser-426 to Gly-435, Pro-467 to Cys-478, Glu-504 to Cys-509, His-553 to Gly-568, Ala-581 to Cys-586, Ala-595 to Cys-600, Arg-602 to Trp-608.
844194	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1418 as residues: Pro-23 to Arg-31, Gln-79 to Gln-85, Cys-93 to Cys-107, Pro-216 to Leu-222.
844394	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1419 as residues: Arg-1 to Phe-11.
844450	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1420 as residues: Ser-37 to Trp-43, Pro-47 to Thr-55, Arg-60 to Lys-69, Tyr-125 to His-131, Pro-187 to Lys-195, Gly-346 to Lys-351.
844535	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1422 as residues: Asp-8 to Ala-18, Ser-47 to Ala-52, Thr-62 to Arg-69, Pro-119 to Asp-126, Trp-164 to Thr-170, Ala-206 to Ala-213, Pro-230 to Gly-235, Lys-304 to Lys-314, Lys-341 to Val-347, Tyr-387 to Thr-398.
844644	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1423 as residues: Ala-9 to Asp-16, Asn-78 to Tyr-86.
844653	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1424 as residues: Arg-1 to Gly-8, Ala-30 to Gln-36.
844796	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1426 as residues: His-12 to His-22.
844812	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1427 as residues: Gly-281 to Arg-290, Ala-349 to Ser-355, Glu-378 to Asp-388.
844894	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1428 as residues: Pro-2 to Phe-8, Ser-13 to Ala-34, Pro-37 to Phe-43, Lys-63 to Gly-73, Cys-88 to Asp-93, Gly-98 to Trp-103, Cys-273 to Ile-287, Ile-290 to Ser-296.
845361	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1429 as residues: Met-10 to Ile-21, Glu-108 to Lys-122, Lys-272 to Gly-280, Gly-298 to Lys-304, Trp-364 to Lys-369.
845620	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1430 as residues: Thr-62 to Ala-67, Leu-96 to Glu-101, Cys-184 to Trp-190.
845639	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1431 as residues: Arg-41 to Arg-48, Met-72 to Val-79, Gln-81 to Trp-89, Ala-96 to Asp-101,

	Arg-110 to Gly-118, Asn-126 to Arg-135, Ala-144 to Asp-149, Leu-199 to Lys-213, Gln-245 to Glu-256, Arg-261 to Thr-267.
845660	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1432 as residues: Gly-5 to Leu-17, Arg-19 to Arg-29, Pro-36 to Arg-50, Arg-60 to Pro-67, Gln-133 to Leu-150, Gln-168 to Phe-187, Pro-189 to Gln-194, Asp-240 to Gly-251, Thr-308 to Cys-317, Val-325 to Glu-331, Leu-354 to Pro-369, Lys-381 to Cys-388, Arg-410 to Phe-417.
845720	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1433 as residues: Thr-1 to Glu-11, Arg-21 to Pro-27, Pro-44 to His-49, Glu-56 to Leu-69, Ala-74 to Gly-80, Phe-82 to Pro-87.
845897	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1435 as residues: Gly-1 to Ser-9, Gly-31 to Ser-38, Arg-52 to Val-68, Leu-71 to Glu-84.
845922	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1436 as residues: Asn-1 to Pro-6, Pro-29 to Gln-36, Glu-95 to Arg-100, Pro-150 to Met-157, Ser-272 to Tyr-278, Gly-289 to Arg-294, Lys-397 to Ser-403.
846040	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1438 as residues: Cys-6 to Ser-16, Glu-52 to Tyr-58, Asn-144 to Lys-153.
846073	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1439 as residues: Arg-6 to Thr-16, Ile-43 to Gln-48, Leu-131 to Gly-139, Gly-147 to Asp-155, Asp-191 to Asp-198, Gly-204 to Thr-214.
846257	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1440 as residues: Lys-24 to Phe-44, Arg-58 to Gly-64, Ser-69 to Val-75, Lys-83 to Leu-90, Lys-93 to Glu-106.
HTXPN06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1441 as residues: Gly-1 to His-8.
HWAFU16R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1443 as residues: Ile-29 to Lys-34.
HOEMT44R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1445 as residues: Asp-73 to Lys-79.
HE2OW04R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1446 as residues: Cys-1 to Asn-6, Met-41 to Thr-51, Lys-77 to Thr-82.
HFCFG25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1447 as residues: Lys-29 to Ile-37, Arg-42 to Lys-47.
HAPQP94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1448 as residues: Pro-18 to Arg-23, Ala-43 to Ser-48.
H2CBI37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1449 as residues: Gly-5 to Lys-19, Phe-26 to Trp-31.
HCRNC25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1451 as residues: Leu-2 to Asn-8.
H2LAY26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1453 as residues: Pro-20 to His-36.
HAPQA06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1454 as residues: Tyr-15 to Ala-22, Ser-68 to Gly-74.
HBGOK18R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1456 as residues: Gly-1 to Tyr-6, Asp-40 to Thr-47, Lys-91 to Glu-97.
HTWKF26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1458 as residues: Gly-31 to Gly-39.
HTAHR89R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1459 as residues: Asp-73 to Gly-78.
HOELC27R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1461 as residues: Asn-19 to Gln-25, Arg-33 to Ala-42, Pro-92 to Lys-99.
HWLVW62R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1463 as residues: Lys-6 to Phe-13, His-25 to Ser-30, Glu-35 to Ala-41, Pro-57 to Gly-62.
HFKHD94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1465 as residues: Leu-1 to Gly-6, Pro-29 to Gly-42, Lys-52 to Gly-62.
HOFOA89R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1467 as

	residues: Ala-20 to Lys-29, Arg-48 to Ile-56.
HCROL58R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1470 as residues: Lys-1 to Ser-16.
HCHMV24R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1473 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41.
HCHPT49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1474 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41, Arg-61 to Arg-70.
HCHPF59R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1477 as residues: Arg-10 to Lys-22.
HS21A81R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1478 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41, Arg-61 to Arg-76.
HCRNC17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1479 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41, Arg-61 to Arg-76, Lys-107 to Pro-112.
HISDJ39R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1480 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41, Arg-61 to Arg-76.
HASCG71R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1482 as residues: Lys-6 to Ile-13.
HOEMO43R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1483 as residues: Lys-31 to Gln-43.
HSYDG18R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1486 as residues: Pro-1 to Glu-7, Asp-42 to Gly-47, Leu-61 to Glu-69, Lys-97 to Ile-107, Asp-115 to Gly-120.
HACAC47R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1490 as residues: Ala-18 to Asp-26.
HLQFY41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1491 as residues: Val-11 to Asp-16, Glu-46 to Arg-51, Pro-55 to Lys-61, Lys-82 to Val-87.
HOFMO83R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1492 as residues: Thr-31 to Asp-39, Thr-52 to Gly-60.
HFTDR22R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1493 as residues: Glu-1 to Trp-13.
HOEKC39R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1495 as residues: Tyr-25 to Phe-32.
HOSNR06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1498 as residues: Thr-1 to Tyr-7.
HCQDL20R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1499 as residues: Ser-12 to His-21.
HFKHD49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1503 as residues: Ala-42 to Glu-68.
H6EAQ15R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1506 as residues: Ala-1 to Leu-9.
HCFLM34R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1507 as residues: Lys-7 to Thr-13, Asp-24 to Thr-30, Gly-39 to Glu-52, Leu-70 to Ile-78.
HKIXL19R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1510 as residues: Thr-2 to Asn-12, Gly-14 to Arg-24.
HAJRB09R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1512 as residues: Pro-1 to Glu-8, Ala-10 to Gly-26.
HAPNI86R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1513 as residues: Glu-53 to Ser-59, His-121 to Gln-130.
HAPRJ22R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1515 as residues: Gly-49 to Glu-64, Phe-76 to Thr-81.
HADGE45R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1518 as residues: Arg-1 to Gln-26, Phe-59 to Lys-68.
HTXPN11R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1519 as residues: Asp-1 to Lys-8, Asp-35 to Glu-41.
HCDBN37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1520 as residues: Cys-1 to Leu-15.

HABGF46R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1527 as residues: Arg-11 to Arg-20, Asn-42 to Pro-57, Arg-64 to Ser-81.
HOELC15R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1528 as residues: His-8 to Gly-18, Gln-56 to Arg-61.
H2LAR26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1529 as residues: Glu-11 to Asn-16, Lys-38 to Glu-43, Ala-62 to Asp-67, Asp-80 to Ser-101.
H2LAV85R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1530 as residues: Pro-14 to Thr-25, Asp-89 to Gln-102, Ile-121 to Thr-131.
HBSDC92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1531 as residues: Arg-1 to Leu-11.
HUTHN01R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1532 as residues: Pro-34 to Ser-42, Cys-82 to Lys-89.
H2LAW03R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1533 as residues: Arg-120 to Arg-127.
HOEMO60R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1534 as residues: Pro-6 to Arg-11, Phe-18 to Asn-23, Leu-36 to Thr-41.
HOELF72R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1537 as residues: Arg-1 to Pro-14, Gln-47 to Cys-52.
HAPNX59R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1538 as residues: Cys-19 to Ser-25, Asp-28 to Trp-34, Lys-71 to Trp-76, Glu-112 to Lys-120.
HBJS17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1539 as residues: His-14 to Glu-26.
H2CBN02R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1542 as residues: Ala-1 to Pro-9, Arg-20 to Val-25.
H2CBV68R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1543 as residues: Pro-41 to Asp-46, Leu-56 to Lys-61, Ala-72 to Thr-83, Lys-100 to Asn-106, Leu-125 to Thr-133.
H6EDK07R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1544 as residues: Glu-32 to Glu-40, Val-45 to Thr-51, Pro-61 to Arg-67.
H2CBN54R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1547 as residues: Cys-36 to Tyr-44, Glu-55 to Asp-61, Arg-79 to Pro-84, Asp-89 to Pro-105, Cys-108 to Ala-118, Lys-126 to Gly-142.
HWHPX50R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1549 as residues: Pro-35 to Tyr-41.
HAPQD84R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1550 as residues: Lys-32 to Glu-39.
HAMGQ78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1554 as residues: Arg-46 to Arg-60, Glu-69 to Gly-78.
HODEV64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1555 as residues: Glu-1 to Gly-27, Asn-34 to Phe-48, Gly-63 to Gly-68.
HOEMK78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1558 as residues: Asp-27 to Gly-34, Ser-41 to Glu-49, Val-55 to Gln-62.
H2CBD13R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1559 as residues: Ile-17 to His-22, Ser-24 to Arg-29.
HCFMU61R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1560 as residues: Ser-10 to Asp-20, Leu-22 to Pro-36, Ser-42 to Lys-57, Gln-102 to Glu-110.
HOSNE94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1561 as residues: Arg-1 to Glu-6, Asp-74 to Ser-79, Asp-122 to Thr-127.
HHBEF47R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1563 as residues: Arg-25 to His-31, Ala-50 to Ala-55.
HOSNR67R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1566 as residues: Val-56 to Cys-61, Thr-108 to Gln-122, Gln-125 to Lys-131, Glu-140 to Leu-146.
H2LAV92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1567 as residues: Leu-3 to Ala-10, Pro-12 to Gly-21, Pro-32 to Pro-38, Ala-58 to Lys-64, Lys-67 to Val-75, Asp-92 to Leu-103.

HCLBZ27R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1570 as residues: Asp-12 to Glu-18, Ala-22 to Ile-28, Ala-48 to Gly-60.
H2LAV11R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1571 as residues: Thr-5 to Thr-14, Arg-20 to His-25, Arg-35 to Gly-40, Lys-58 to Arg-66, His-101 to Ser-107, Arg-111 to Lys-125.
HOEMJ56R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1573 as residues: Lys-27 to Tyr-48.
HDPLP40R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1576 as residues: Gly-1 to Cys-24, Cys-27 to Gly-43, Ala-46 to Trp-54, Ala-56 to Arg-68, Phe-83 to Arg-93.
HABAD57R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1578 as residues: Gly-3 to Gln-16, Pro-36 to Ala-41.
H2CBL68R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1581 as residues: Pro-19 to Val-24, Thr-31 to Gln-38, His-103 to Lys-114, Arg-129 to Leu-137, Pro-139 to Ser-146.
HNTNE17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1582 as residues: Val-8 to Lys-15, Tyr-25 to Asn-35, Lys-48 to Lys-53, Leu-77 to Asn-87, Asp-103 to Glu-108.
HBJLR37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1583 as residues: Asn-1 to His-11, Pro-82 to Glu-89, Pro-91 to Asp-96, Arg-103 to Met-109.
HOSNG20R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1584 as residues: Thr-50 to Lys-55.
HBGNY11R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1586 as residues: Thr-10 to Trp-15, Leu-24 to Ala-30, Leu-32 to Glu-38, Asn-41 to Ala-59, Arg-81 to Asp-89, Lys-104 to Lys-111.
HOEKC80R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1587 as residues: Pro-49 to Phe-55, Gly-82 to Gly-88.
HFCE53R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1589 as residues: Thr-12 to Leu-18.
HWAFF36R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1592 as residues: Glu-2 to Ile-9, Glu-34 to Lys-42.
HTXPF20R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1594 as residues: Gly-4 to Thr-13.
HCRMD09R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1595 as residues: Thr-2 to Asn-10, Glu-22 to Gln-30, Ser-58 to Gln-80, Gln-88 to Phe-96, Thr-99 to Tyr-104, Lys-110 to Asp-115.
HAJRB47R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1596 as residues: Trp-18 to Ser-26, Asp-91 to Trp-99.
HAHCR61R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1603 as residues: Ser-17 to Cys-25.
HAPQK19R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1609 as residues: Arg-1 to Lys-10, Ser-15 to Tyr-22, Gly-25 to Leu-31.
HBGOK25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1615 as residues: Thr-38 to Trp-45, Pro-63 to Gln-70, Pro-78 to Gln-85.
HBJK105R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1619 as residues: Pro-43 to Trp-50.
HBLGD42R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1621 as residues: Pro-17 to Pro-27, Pro-32 to Tyr-38, Ala-44 to Pro-49.
HCHAK80R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1627 as residues: Gln-3 to His-13, Gly-48 to Gly-55.
HCHMW79R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1628 as residues: Ser-16 to His-21, Ala-29 to Thr-35.
HCHOB92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1629 as residues: Lys-20 to Lys-28, Ser-53 to Leu-60.
HCLBO01R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1630 as residues: Leu-1 to Leu-18.

HCRPC63R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1633 as residues: Glu-1 to Arg-28.
HCUDC51R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1634 as residues: Pro-22 to Gly-32, Trp-67 to Lys-81.
HDPFI40R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1635 as residues: Tyr-1 to Phe-6, Pro-9 to Asn-22, Arg-30 to Ala-38, Pro-47 to Lys-69.
HDPNZ54R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1637 as residues: Gly-1 to Ala-8.
HFAUO64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1640 as residues: Asn-7 to Lys-29.
HJMAU64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1645 as residues: Leu-58 to Tyr-69.
HKBAC48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1647 as residues: Ser-16 to His-46, Arg-49 to Thr-58.
HKBAD57R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1648 as residues: Thr-23 to Ser-30.
HODAY16R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1653 as residues: Pro-15 to Thr-20.
HOEMO27R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1655 as residues: Ala-7 to Ser-12.
HOEMO62R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1656 as residues: Ile-3 to Lys-11.
HOENU53R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1658 as residues: Lys-37 to Asn-44.
HOGAP33R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1659 as residues: Gln-29 to Asp-35, Gln-43 to Thr-49.
HOSNF25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1661 as residues: Pro-29 to Arg-36.
HPIAC23R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1663 as residues: Thr-62 to Thr-69.
HRAAD31R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1664 as residues: Val-1 to Thr-6, Arg-64 to Arg-69.
HRADJ57R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1666 as residues: Val-11 to Gln-16.
HROAX48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1667 as residues: Gly-7 to Thr-20.
HTWDH05R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1670 as residues: Ala-5 to Lys-11, Arg-29 to Ser-36.
HUTHF75R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1673 as residues: Lys-40 to Gly-47.
HWAFW07R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1674 as residues: Phe-44 to Arg-49.
HWLLX91R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1676 as residues: Gly-29 to Asp-34.
HMIAI78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1678 as residues: Lys-24 to Arg-29, Cys-34 to Ala-41.
HBGFI39R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1679 as residues: Leu-21 to Asp-38.
HAMHH32R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1680 as residues: Ala-1 to Cys-10, Glu-15 to Gln-21.
HOSNE37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1683 as residues: Lys-17 to Thr-23.
HWAFE41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1684 as residues: Ser-3 to Lys-8, Trp-92 to Leu-97.

The present invention encompasses polypeptides comprising, or alternatively consisting of, an epitope of the polypeptide sequence shown in SEQ ID NO:Y, or an epitope of the polypeptide sequence encoded by the cDNA in the related cDNA clone contained in a deposited library or encoded by a polynucleotide that hybridizes to the complement of an epitope encoding sequence of SEQ ID NO:X, or an epitope encoding sequence contained in the deposited cDNA clone under stringent hybridization conditions, or alternatively, under lower stringency hybridization conditions, as defined supra. The present invention further encompasses polynucleotide sequences encoding an epitope of a polypeptide sequence of the invention (such as, for example, the sequence disclosed in SEQ ID NO:X), polynucleotide sequences of the complementary strand of a polynucleotide sequence encoding an epitope of the invention, and polynucleotide sequences which hybridize to this complementary strand under stringent hybridization conditions or alternatively, under lower stringency hybridization conditions, as defined supra.

The term "epitopes," as used herein, refers to portions of a polypeptide having antigenic or immunogenic activity in an animal, preferably a mammal, and most preferably in a human. In a preferred embodiment, the present invention encompasses a polypeptide comprising an epitope, as well as the polynucleotide encoding this polypeptide. An "immunogenic epitope," as used herein, is defined as a portion of a protein that elicits an antibody response in an animal, as determined by any method known in the art, for example, by the methods for generating antibodies described infra. (See, for example, Geysen et al., Proc. Natl. Acad. Sci. USA 81:3998- 4002 (1983)). The term "antigenic epitope," as used herein, is defined as a portion of a protein to which an antibody can immunospecifically bind its antigen as determined by any method well known in the art, for example, by the immunoassays described herein. Immunospecific binding excludes non-specific binding but does not necessarily exclude cross- reactivity with other antigens. Antigenic epitopes need not necessarily be immunogenic.

Fragments which function as epitopes may be produced by any conventional means. (See, e.g., Houghten, R. A., Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985) further described in U.S. Patent No. 4,631,211.)

In the present invention, antigenic epitopes preferably contain a sequence of at
5 least 4, at least 5, at least 6, at least 7, more preferably at least 8, at least 9, at least
10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 20, at least 25, at
least 30, at least 40, at least 50, and, most preferably, between about 15 to about 30
amino acids. Preferred polypeptides comprising immunogenic or antigenic epitopes
are at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, or 100
10 amino acid residues in length. Additional non-exclusive preferred antigenic epitopes
include the antigenic epitopes disclosed herein, as well as portions thereof. Antigenic
epitopes are useful, for example, to raise antibodies, including monoclonal antibodies,
that specifically bind the epitope. Preferred antigenic epitopes include the antigenic
epitopes disclosed herein, as well as any combination of two, three, four, five or more
15 of these antigenic epitopes. Antigenic epitopes can be used as the target molecules in
immunoassays. (See, for instance, Wilson et al., Cell 37:767-778 (1984); Sutcliffe et
al., Science 219:660-666 (1983)).

Similarly, immunogenic epitopes can be used, for example, to induce
antibodies according to methods well known in the art. (See, for instance, Sutcliffe
20 et al., supra; Wilson et al., supra; Chow et al., Proc. Natl. Acad. Sci. USA 82:910-
914; and Bittle et al., J. Gen. Virol. 66:2347-2354 (1985). Preferred immunogenic
epitopes include the immunogenic epitopes disclosed herein, as well as any
combination of two, three, four, five or more of these immunogenic epitopes. The
polypeptides comprising one or more immunogenic epitopes may be presented for
25 eliciting an antibody response together with a carrier protein, such as an albumin, to
an animal system (such as rabbit or mouse), or, if the polypeptide is of sufficient
length (at least about 25 amino acids), the polypeptide may be presented without a
carrier. However, immunogenic epitopes comprising as few as 8 to 10 amino acids
have been shown to be sufficient to raise antibodies capable of binding to, at the very
30 least, linear epitopes in a denatured polypeptide (e.g., in Western blotting).

Epitope-bearing polypeptides of the present invention may be used to induce antibodies according to methods well known in the art including, but not limited to, in vivo immunization, in vitro immunization, and phage display methods. See, e.g., Sutcliffe et al., supra; Wilson et al., supra, and Bittle et al., J. Gen. Virol., 66:2347-
5 2354 (1985). If in vivo immunization is used, animals may be immunized with free peptide; however, anti-peptide antibody titer may be boosted by coupling the peptide to a macromolecular carrier, such as keyhole limpet hemacyanin (KLH) or tetanus toxoid. For instance, peptides containing cysteine residues may be coupled to a carrier using a linker such as maleimidobenzoyl- N-hydroxysuccinimide ester (MBS),
10 while other peptides may be coupled to carriers using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice are immunized with either free or carrier- coupled peptides, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 µg of peptide or carrier protein and Freund's adjuvant or any other adjuvant known for stimulating an
15 immune response. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of anti-peptide antibody which can be detected, for example, by ELISA assay using free peptide adsorbed to a solid surface. The titer of anti-peptide antibodies in serum from an immunized animal may be increased by selection of anti-peptide antibodies, for instance, by adsorption
20 to the peptide on a solid support and elution of the selected antibodies according to methods well known in the art.

As one of skill in the art will appreciate, and as discussed above, the polypeptides of the present invention, and immunogenic and/or antigenic epitope fragments thereof can be fused to other polypeptide sequences. For example, the
25 polypeptides of the present invention may be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgM), or portions thereof (CH1, CH2, CH3, or any combination thereof and portions thereof) resulting in chimeric polypeptides. Such fusion proteins may facilitate purification and may increase half-life in vivo. This has been shown for chimeric proteins consisting of the first two domains of the human
30 CD4-polypeptide and various domains of the constant regions of the heavy or light

chains of mammalian immunoglobulins. See, e.g., EP 394,827; Traunecker et al., Nature, 331:84-86 (1988). Enhanced delivery of an antigen across the epithelial barrier to the immune system has been demonstrated for antigens (e.g., insulin) conjugated to an FcRn binding partner such as IgG or Fc fragments (see, e.g., PCT Publications WO 96/22024 and WO 99/04813). IgG Fusion proteins that have a disulfide-linked dimeric structure due to the IgG portion disulfide bonds have also been found to be more efficient in binding and neutralizing other molecules than monomeric polypeptides or fragments thereof alone. See, e.g., Fountoulakis et al., J. Biochem., 270:3958-3964 (1995).

10 Similarly, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties. (EP-A 0232 262.) Alternatively, 15 deleting the Fc part after the fusion protein has been expressed, detected, and purified, may be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. (See, 20 D. Bennett et al., J. Molecular Recognition 8:52-58 (1995); K. Johanson et al., J. Biol. Chem. 270:9459-9471 (1995).)

Moreover, the polypeptides of the present invention can be fused to marker sequences, such as a peptide which facilitates purification of the fused polypeptide. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, 25 Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Another peptide tag useful for purification, the "HA" tag, corresponds to an epitope

derived from the influenza hemagglutinin protein. (Wilson et al., Cell 37:767 (1984).)

Thus, any of these above fusions can be engineered using the polynucleotides or the polypeptides of the present invention.

5 Nucleic acids encoding the above epitopes can also be recombined with a gene of interest as an epitope tag (e.g., the hemagglutinin ("HA") tag or flag tag) to aid in detection and purification of the expressed polypeptide. For example, a system described by Janknecht et al. allows for the ready purification of non-denatured fusion proteins expressed in human cell lines (Janknecht et al., Proc. Natl. Acad. Sci. USA
10 88:8972- 897 (1991)). In this system, the gene of interest is subcloned into a vaccinia recombination plasmid such that the open reading frame of the gene is translationally fused to an amino-terminal tag consisting of six histidine residues. The tag serves as a matrix binding domain for the fusion protein. Extracts from cells infected with the recombinant vaccinia virus are loaded onto Ni²⁺ nitriloacetic acid-agarose column
15 and histidine-tagged proteins can be selectively eluted with imidazole-containing buffers.

Additional fusion proteins of the invention may be generated through the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling"). DNA shuffling may be employed to
20 modulate the activities of polypeptides of the invention, such methods can be used to generate polypeptides with altered activity, as well as agonists and antagonists of the polypeptides. See, generally, U.S. Patent Nos. 5,605,793; 5,811,238; 5,830,721; 5,834,252; and 5,837,458, and Patten et al., Curr. Opinion Biotechnol. 8:724-33 (1997); Harayama, Trends Biotechnol. 16(2):76-82 (1998); Hansson, et al., J. Mol.
25 Biol. 287:265-76 (1999); and Lorenzo and Blasco, Biotechniques 24(2):308- 13 (1998) (each of these patents and publications are hereby incorporated by reference in its entirety). In one embodiment, alteration of polynucleotides corresponding to SEQ ID NO:X and the polypeptides encoded by these polynucleotides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA
30 segments by homologous or site-specific recombination to generate variation in the

polynucleotide sequence. In another embodiment, polynucleotides of the invention, or the encoded polypeptides, may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more components, motifs, sections, 5 parts, domains, fragments, etc., of a polynucleotide encoding a polypeptide of the invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules.

As discussed herein, any polypeptide of the present invention can be used to generate fusion proteins. For example, the polypeptide of the present invention, when 10 fused to a second protein, can be used as an antigenic tag. Antibodies raised against the polypeptide of the present invention can be used to indirectly detect the second protein by binding to the polypeptide. Moreover, because secreted proteins target cellular locations based on trafficking signals, polypeptides of the present invention which are shown to be secreted can be used as targeting molecules once fused to other 15 proteins.

Examples of domains that can be fused to polypeptides of the present invention include not only heterologous signal sequences, but also other heterologous functional regions. The fusion does not necessarily need to be direct, but may occur through linker sequences.

20 In certain preferred embodiments, proteins of the invention comprise fusion proteins wherein the polypeptides are N and/or C- terminal deletion mutants. In preferred embodiments, the application is directed to nucleic acid molecules at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to the nucleic acid sequences encoding polypeptides having the amino acid sequence of the specific N- and 25 C-terminal deletions mutants. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Moreover, fusion proteins may also be engineered to improve characteristics of the polypeptide of the present invention. For instance, a region of additional amino acids, particularly charged amino acids, may be added to the N-terminus of the 30 polypeptide to improve stability and persistence during purification from the host cell

or subsequent handling and storage. Also, peptide moieties may be added to the polypeptide to facilitate purification. Such regions may be removed prior to final preparation of the polypeptide. The addition of peptide moieties to facilitate handling of polypeptides are familiar and routine techniques in the art.

5

Vectors, Host Cells, and Protein Production

The present invention also relates to vectors containing the polynucleotide of the present invention, host cells, and the production of polypeptides by recombinant techniques. The vector may be, for example, a phage, plasmid, viral, or retroviral vector. Retroviral vectors may be replication competent or replication defective. In
10 the latter case, viral propagation generally will occur only in complementing host cells.

The polynucleotides of the invention may be joined to a vector containing a selectable marker for propagation in a host. Generally, a plasmid vector is introduced
15 in a precipitate, such as a calcium phosphate precipitate, or in a complex with a charged lipid. If the vector is a virus, it may be packaged in vitro using an appropriate packaging cell line and then transduced into host cells.

The polynucleotide insert should be operatively linked to an appropriate promoter, such as the phage lambda PL promoter, the E. coli lac, trp, phoA and tac
20 promoters, the SV40 early and late promoters and promoters of retroviral LTRs, to name a few. Other suitable promoters will be known to the skilled artisan. The expression constructs will further contain sites for transcription initiation, termination, and, in the transcribed region, a ribosome binding site for translation. The coding portion of the transcripts expressed by the constructs will preferably include a
25 translation initiating codon at the beginning and a termination codon (UAA, UGA or UAG) appropriately positioned at the end of the polypeptide to be translated.

As indicated, the expression vectors will preferably include at least one selectable marker. Such markers include dihydrofolate reductase, G418 or neomycin resistance for eukaryotic cell culture and tetracycline, kanamycin or ampicillin
30 resistance genes for culturing in E. coli and other bacteria. Representative examples

of appropriate hosts include, but are not limited to, bacterial cells, such as *E. coli*, *Streptomyces* and *Salmonella typhimurium* cells; fungal cells, such as yeast cells (e.g., *Saccharomyces cerevisiae* or *Pichia pastoris* (ATCC Accession No. 201178)); insect cells such as *Drosophila* S2 and *Spodoptera* Sf9 cells; animal cells such as CHO, COS, 293, and Bowes melanoma cells; and plant cells. Appropriate culture
5 mediums and conditions for the above-described host cells are known in the art.

Among vectors preferred for use in bacteria include pQE70, pQE60 and pQE-9, available from QIAGEN, Inc.; pBluescript vectors, Phagescript vectors, pNH8A, pNH16a, pNH18A, pNH46A, available from Stratagene Cloning Systems, Inc.; and
10 ptrc99a, pKK223-3, pKK233-3, pDR540, pRIT5 available from Pharmacia Biotech, Inc. Among preferred eukaryotic vectors are pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; and pSVK3, pBPV, pMSG and pSVL available from Pharmacia. Preferred expression vectors for use in yeast systems include, but are not limited to pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalph,
15 pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, pPIC3.5K, pPIC9K, and PAO815 (all available from Invitrogen, Carlsbad, CA). Other suitable vectors will be readily apparent to the skilled artisan.

Introduction of the construct into the host cell can be effected by calcium phosphate transfection, DEAE-dextran mediated transfection, cationic lipid-mediated
20 transfection, electroporation, transduction, infection, or other methods. Such methods are described in many standard laboratory manuals, such as Davis et al., Basic Methods In Molecular Biology (1986). It is specifically contemplated that the polypeptides of the present invention may in fact be expressed by a host cell lacking a recombinant vector.

25 A polypeptide of this invention can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most

preferably, high performance liquid chromatography ("HPLC") is employed for purification.

Polypeptides of the present invention can also be recovered from: products purified from natural sources, including bodily fluids, tissues and cells, whether
5 directly isolated or cultured; products of chemical synthetic procedures; and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect, and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition,
10 polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes. Thus, it is well known in the art that the N-terminal methionine encoded by the translation initiation codon generally is removed with high efficiency from any protein after translation in all eukaryotic cells. While the N-terminal methionine on most proteins also is efficiently removed
15 in most prokaryotes, for some proteins, this prokaryotic removal process is inefficient, depending on the nature of the amino acid to which the N-terminal methionine is covalently linked.

In one embodiment, the yeast *Pichia pastoris* is used to express polypeptides of the invention in a eukaryotic system. *Pichia pastoris* is a methylotrophic yeast
20 which can metabolize methanol as its sole carbon source. A main step in the methanol metabolism pathway is the oxidation of methanol to formaldehyde using O₂. This reaction is catalyzed by the enzyme alcohol oxidase. In order to metabolize methanol as its sole carbon source, *Pichia pastoris* must generate high levels of alcohol oxidase due, in part, to the relatively low affinity of alcohol oxidase for O₂.
25 Consequently, in a growth medium depending on methanol as a main carbon source, the promoter region of one of the two alcohol oxidase genes (*AOX1*) is highly active. In the presence of methanol, alcohol oxidase produced from the *AOX1* gene comprises up to approximately 30% of the total soluble protein in *Pichia pastoris*. See, Ellis, S.B., et al., *Mol. Cell. Biol.* 5:1111-21 (1985); Koutz, P.J., et al., *Yeast*

5:167-77 (1989); Tschopp, J.F., *et al.*, *Nucl. Acids Res.* 15:3859-76 (1987). Thus, a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, under the transcriptional regulation of all or part of the *AOX1* regulatory sequence is expressed at exceptionally high levels in *Pichia* yeast grown in the presence of methanol.

10 In one example, the plasmid vector pPIC9K is used to express DNA encoding a polypeptide of the invention, as set forth herein, in a *Pichea* yeast system essentially as described in "*Pichia* Protocols: Methods in Molecular Biology," D.R. Higgins and J. Cregg, eds. The Humana Press, Totowa, NJ, 1998. This expression vector allows expression and secretion of a polypeptide of the invention by virtue of the strong *AOX1* promoter linked to the *Pichia pastoris* alkaline phosphatase (PHO) secretory signal peptide (i.e., leader) located upstream of a multiple cloning site.

15 Many other yeast vectors could be used in place of pPIC9K, such as, pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalpha, pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, pPIC3.5K, and PAO815, as one skilled in the art would readily appreciate, as long as the proposed expression construct provides appropriately located signals for transcription, translation, secretion (if desired), and the like, including an in-frame AUG as required.

20 In another embodiment, high-level expression of a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, may be achieved by cloning the heterologous polynucleotide of the invention into an expression vector such as, for example, pGAPZ or pGAPZalpha, and growing the yeast culture in the absence of methanol.

25 In addition to encompassing host cells containing the vector constructs discussed herein, the invention also encompasses primary, secondary, and immortalized host cells of vertebrate origin, particularly mammalian origin, that have been engineered to delete or replace endogenous genetic material (e.g., coding sequence), and/or to include genetic material (e.g., heterologous polynucleotide sequences) that is operably associated with polynucleotides of the invention, and

which activates, alters, and/or amplifies endogenous polynucleotides. For example, techniques known in the art may be used to operably associate heterologous control regions (e.g., promoter and/or enhancer) and endogenous polynucleotide sequences via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 5 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989), the disclosures of each of which are incorporated by reference in their entireties).

10 In addition, polypeptides of the invention can be chemically synthesized using techniques known in the art (e.g., see Creighton, 1983, Proteins: Structures and Molecular Principles, W.H. Freeman & Co., N.Y., and Hunkapiller et al., *Nature*, 310:105-111 (1984)). For example, a polypeptide corresponding to a fragment of a polypeptide can be synthesized by use of a peptide synthesizer. Furthermore, if 15 desired, nonclassical amino acids or chemical amino acid analogs can be introduced as a substitution or addition into the polypeptide sequence. Non-classical amino acids include, but are not limited to, to the D-isomers of the common amino acids, 2,4-diaminobutyric acid, α -amino isobutyric acid, 4-aminobutyric acid, Abu, 2-amino butyric acid, g-Abu, e-Ahx, 6-amino hexanoic acid, Aib, 2-amino isobutyric acid, 20 3-amino propionic acid, ornithine, norleucine, norvaline, hydroxyproline, sarcosine, citrulline, homocitrulline, cysteic acid, t-butylglycine, t-butylalanine, phenylglycine, cyclohexylalanine, b-alanine, fluoro-amino acids, designer amino acids such as b-methyl amino acids, Ca-methyl amino acids, Na-methyl amino acids, and amino acid analogs in general. Furthermore, the amino acid can be D (dextrorotary) or L 25 (levorotary).

Non-naturally occurring variants may be produced using art-known mutagenesis techniques, which include, but are not limited to oligonucleotide mediated mutagenesis, alanine scanning, PCR mutagenesis, site directed mutagenesis (see, e.g., Carter et al., *Nucl. Acids Res.* 13:4331 (1986); and Zoller et al., *Nucl. Acids* 30 *Res.* 10:6487 (1982)), cassette mutagenesis (see, e.g., Wells et al., *Gene* 34:315

(1985)), restriction selection mutagenesis (*see, e.g., Wells et al., Philos. Trans. R. Soc. London SerA 317:415 (1986)*).

The invention additionally, encompasses polypeptides of the present invention which are differentially modified during or after translation, e.g., by glycosylation, acetylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to an antibody molecule or other cellular ligand, etc. Any of numerous chemical modifications may be carried out by known techniques, including but not limited, to specific chemical cleavage by cyanogen bromide, trypsin, chymotrypsin, papain, V8 protease, NaBH₄; acetylation, formylation, oxidation, reduction; metabolic synthesis in the presence of tunicamycin; etc.

Additional post-translational modifications encompassed by the invention include, for example, e.g., N-linked or O-linked carbohydrate chains, processing of N-terminal or C-terminal ends), attachment of chemical moieties to the amino acid backbone, chemical modifications of N-linked or O-linked carbohydrate chains, and addition or deletion of an N-terminal methionine residue as a result of procaryotic host cell expression. The polypeptides may also be modified with a detectable label, such as an enzymatic, fluorescent, isotopic or affinity label to allow for detection and isolation of the protein.

Also provided by the invention are chemically modified derivatives of the polypeptides of the invention which may provide additional advantages such as increased solubility, stability and circulating time of the polypeptide, or decreased immunogenicity (*see U.S. Patent No. 4,179,337*). The chemical moieties for derivitization may be selected from water soluble polymers such as polyethylene glycol, ethylene glycol/propylene glycol copolymers, carboxymethylcellulose, dextran, polyvinyl alcohol and the like. The polypeptides may be modified at random positions within the molecule, or at predetermined positions within the molecule and may include one, two, three or more attached chemical moieties.

The polymer may be of any molecular weight, and may be branched or unbranched. For polyethylene glycol, the preferred molecular weight is between

about 1 kDa and about 100 kDa (the term "about" indicating that in preparations of polyethylene glycol, some molecules will weigh more, some less, than the stated molecular weight) for ease in handling and manufacturing. Other sizes may be used, depending on the desired therapeutic profile (e.g., the duration of sustained release
5 desired, the effects, if any on biological activity, the ease in handling, the degree or lack of antigenicity and other known effects of the polyethylene glycol to a therapeutic protein or analog). For example, the polyethylene glycol may have an average molecular weight of about 200; 500; 1000; 1500; 2000; 2500; 3000; 3500; 4000; 4500; 5000; 5500; 6000; 6500; 7000; 7500; 8000; 8500; 9000; 9500; 10,000;
10 10,500; 11,000; 11,500; 12,000; 12,500; 13,000; 13,500; 14,000; 14,500; 15,000; 15,500; 16,000; 16,500; 17,000; 17,500; 18,000; 18,500; 19,000; 19,500; 20,000; 25,000; 30,000; 35,000; 40,000; 50,000; 55,000; 60,000; 65,000; 70,000; 75,000; 80,000; 85,000; 90,000; 95,000; or 100,000 kDa.

As noted above, the polyethylene glycol may have a branched structure.
15 Branched polyethylene glycols are described, for example, in U.S. Patent No. 5,643,575; Morpurgo *et al.*, *Appl. Biochem. Biotechnol.* 56:59-72 (1996); Vorobjev *et al.*, *Nucleosides Nucleotides* 18:2745-2750 (1999); and Caliceti *et al.*, *Bioconjug. Chem.* 10:638-646 (1999), the disclosures of each of which are incorporated herein by reference.

20 The polyethylene glycol molecules (or other chemical moieties) should be attached to the protein with consideration of effects on functional or antigenic domains of the protein. There are a number of attachment methods available to those skilled in the art, e.g., EP 0 401 384, herein incorporated by reference (coupling PEG to G-CSF), see also Malik *et al.*, *Exp. Hematol.* 20:1028-1035 (1992) (reporting
25 pegylation of GM-CSF using tresyl chloride). For example, polyethylene glycol may be covalently bound through amino acid residues via a reactive group, such as, a free amino or carboxyl group. Reactive groups are those to which an activated polyethylene glycol molecule may be bound. The amino acid residues having a free amino group may include lysine residues and the N-terminal amino acid residues;
30 those having a free carboxyl group may include aspartic acid residues glutamic acid

residues and the C-terminal amino acid residue. Sulfhydryl groups may also be used as a reactive group for attaching the polyethylene glycol molecules. Preferred for therapeutic purposes is attachment at an amino group, such as attachment at the N-terminus or lysine group.

5 As suggested above, polyethylene glycol may be attached to proteins via linkage to any of a number of amino acid residues. For example, polyethylene glycol can be linked to a proteins via covalent bonds to lysine, histidine, aspartic acid, glutamic acid, or cysteine residues. One or more reaction chemistries may be employed to attach polyethylene glycol to specific amino acid residues (e.g., lysine,
10 histidine, aspartic acid, glutamic acid, or cysteine) of the protein or to more than one type of amino acid residue (e.g., lysine, histidine, aspartic acid, glutamic acid, cysteine and combinations thereof) of the protein.

One may specifically desire proteins chemically modified at the N-terminus. Using polyethylene glycol as an illustration of the present composition, one may
15 select from a variety of polyethylene glycol molecules (by molecular weight, branching, etc.), the proportion of polyethylene glycol molecules to protein (polypeptide) molecules in the reaction mix, the type of pegylation reaction to be performed, and the method of obtaining the selected N-terminally pegylated protein. The method of obtaining the N-terminally pegylated preparation (i.e., separating this
20 moiety from other monopegylated moieties if necessary) may be by purification of the N-terminally pegylated material from a population of pegylated protein molecules. Selective proteins chemically modified at the N-terminus modification may be accomplished by reductive alkylation which exploits differential reactivity of different types of primary amino groups (lysine versus the N-terminal) available for
25 derivatization in a particular protein. Under the appropriate reaction conditions, substantially selective derivatization of the protein at the N-terminus with a carbonyl group containing polymer is achieved.

As indicated above, pegylation of the proteins of the invention may be accomplished by any number of means. For example, polyethylene glycol may be
30 attached to the protein either directly or by an intervening linker. Linkerless systems

for attaching polyethylene glycol to proteins are described in Delgado *et al.*, *Crit. Rev. Thera. Drug Carrier Sys.* 9:249-304 (1992); Francis *et al.*, *Intern. J. of Hematol.* 68:1-18 (1998); U.S. Patent No. 4,002,531; U.S. Patent No. 5,349,052; WO 95/06058; and WO 98/32466, the disclosures of each of which are incorporated
5 herein by reference.

One system for attaching polyethylene glycol directly to amino acid residues of proteins without an intervening linker employs tresylated MPEG, which is produced by the modification of monmethoxy polyethylene glycol (MPEG) using tresylchloride ($\text{ClSO}_2\text{CH}_2\text{CF}_3$). Upon reaction of protein with tresylated MPEG,
10 polyethylene glycol is directly attached to amine groups of the protein. Thus, the invention includes protein-polyethylene glycol conjugates produced by reacting proteins of the invention with a polyethylene glycol molecule having a 2,2,2-trifluoroethane sulphonyl group.

Polyethylene glycol can also be attached to proteins using a number of
15 different intervening linkers. For example, U.S. Patent No. 5,612,460, the entire disclosure of which is incorporated herein by reference, discloses urethane linkers for connecting polyethylene glycol to proteins. Protein-polyethylene glycol conjugates wherein the polyethylene glycol is attached to the protein by a linker can also be produced by reaction of proteins with compounds such as MPEG-
20 succinimidylsuccinate, MPEG activated with 1,1'-carbonyldiimidazole, MPEG-2,4,5-trichloropenylcarbonate, MPEG-p-nitrophenolcarbonate, and various MPEG-succinate derivatives. A number additional polyethylene glycol derivatives and reaction chemistries for attaching polyethylene glycol to proteins are described in WO 98/32466, the entire disclosure of which is incorporated herein by reference.
25 Pegylated protein products produced using the reaction chemistries set out herein are included within the scope of the invention.

The number of polyethylene glycol moieties attached to each protein of the invention (*i.e.*, the degree of substitution) may also vary. For example, the pegylated proteins of the invention may be linked, on average, to 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12,
30 15, 17, 20, or more polyethylene glycol molecules. Similarly, the average degree of

substitution within ranges such as 1-3, 2-4, 3-5, 4-6, 5-7, 6-8, 7-9, 8-10, 9-11, 10-12, 11-13, 12-14, 13-15, 14-16, 15-17, 16-18, 17-19, or 18-20 polyethylene glycol moieties per protein molecule. Methods for determining the degree of substitution are discussed, for example, in Delgado *et al.*, *Crit. Rev. Thera. Drug Carrier Sys.* 9:249-304 (1992).

The cancer antigen polypeptides of the invention may be in monomers or multimers (i.e., dimers, trimers, tetramers and higher multimers). Accordingly, the present invention relates to monomers and multimers of the polypeptides of the invention, their preparation, and compositions (preferably, Therapeutics) containing them. In specific embodiments, the polypeptides of the invention are monomers, dimers, trimers or tetramers. In additional embodiments, the multimers of the invention are at least dimers, at least trimers, or at least tetramers.

Multimers encompassed by the invention may be homomers or heteromers. As used herein, the term homomer, refers to a multimer containing only polypeptides corresponding to the amino acid sequence of SEQ ID NO:Y or an amino acid sequence encoded by SEQ ID NO:X, and/or an amino acid sequence encoded by the cDNA in a related cDNA clone contained in a deposited library (including fragments, variants, splice variants, and fusion proteins, corresponding to any one of these as described herein). These homomers may contain polypeptides having identical or different amino acid sequences. In a specific embodiment, a homomer of the invention is a multimer containing only polypeptides having an identical amino acid sequence. In another specific embodiment, a homomer of the invention is a multimer containing polypeptides having different amino acid sequences. In specific embodiments, the multimer of the invention is a homodimer (e.g., containing polypeptides having identical or different amino acid sequences) or a homotrimer (e.g., containing polypeptides having identical and/or different amino acid sequences). In additional embodiments, the homomeric multimer of the invention is at least a homodimer, at least a homotrimer, or at least a homotetramer.

As used herein, the term heteromer refers to a multimer containing one or more heterologous polypeptides (i.e., polypeptides of different proteins) in addition to

the polypeptides of the invention. In a specific embodiment, the multimer of the invention is a heterodimer, a heterotrimer, or a heterotetramer. In additional embodiments, the heteromeric multimer of the invention is at least a heterodimer, at least a heterotrimer, or at least a heterotetramer.

5 Multimers of the invention may be the result of hydrophobic, hydrophilic, ionic and/or covalent associations and/or may be indirectly linked, by for example, liposome formation. Thus, in one embodiment, multimers of the invention, such as, for example, homodimers or homotrimers, are formed when polypeptides of the invention contact one another in solution. In another embodiment, heteromultimers
10 of the invention, such as, for example, heterotrimers or heterotetramers, are formed when polypeptides of the invention contact antibodies to the polypeptides of the invention (including antibodies to the heterologous polypeptide sequence in a fusion protein of the invention) in solution. In other embodiments, multimers of the invention are formed by covalent associations with and/or between the polypeptides
15 of the invention. Such covalent associations may involve one or more amino acid residues contained in the polypeptide sequence (e.g., that recited in SEQ ID NO:Y, or contained in a polypeptide encoded by SEQ ID NO:X, and/or by the cDNA in the related cDNA clone contained in a deposited library). In one instance, the covalent associations are cross-linking between cysteine residues located within the
20 polypeptide sequences which interact in the native (i.e., naturally occurring) polypeptide. In another instance, the covalent associations are the consequence of chemical or recombinant manipulation. Alternatively, such covalent associations may involve one or more amino acid residues contained in the heterologous polypeptide sequence in a fusion protein. In one example, covalent associations are between the
25 heterologous sequence contained in a fusion protein of the invention (see, e.g., US Patent Number 5,478,925). In a specific example, the covalent associations are between the heterologous sequence contained in a Fc fusion protein of the invention (as described herein). In another specific example, covalent associations of fusion proteins of the invention are between heterologous polypeptide sequence from
30 another protein that is capable of forming covalently associated multimers, such as for

example, osteoprotegerin (see, e.g., International Publication NO: WO 98/49305, the contents of which are herein incorporated by reference in its entirety). In another embodiment, two or more polypeptides of the invention are joined through peptide linkers. Examples include those peptide linkers described in U.S. Pat. No. 5,073,627
5 (hereby incorporated by reference). Proteins comprising multiple polypeptides of the invention separated by peptide linkers may be produced using conventional recombinant DNA technology.

Another method for preparing multimer polypeptides of the invention involves use of polypeptides of the invention fused to a leucine zipper or isoleucine zipper
10 polypeptide sequence. Leucine zipper and isoleucine zipper domains are polypeptides that promote multimerization of the proteins in which they are found. Leucine zippers were originally identified in several DNA-binding proteins (Landschulz et al., Science 240:1759, (1988)), and have since been found in a variety of different proteins. Among the known leucine zippers are naturally occurring
15 peptides and derivatives thereof that dimerize or trimerize. Examples of leucine zipper domains suitable for producing soluble multimeric proteins of the invention are those described in PCT application WO 94/10308, hereby incorporated by reference. Recombinant fusion proteins comprising a polypeptide of the invention fused to a polypeptide sequence that dimerizes or trimerizes in solution are expressed in suitable
20 host cells, and the resulting soluble multimeric fusion protein is recovered from the culture supernatant using techniques known in the art.

Trimeric polypeptides of the invention may offer the advantage of enhanced biological activity. Preferred leucine zipper moieties and isoleucine moieties are those that preferentially form trimers. One example is a leucine zipper derived from
25 lung surfactant protein D (SPD), as described in Hoppe et al. (FEBS Letters 344:191, (1994)) and in U.S. patent application Ser. No. 08/446,922, hereby incorporated by reference. Other peptides derived from naturally occurring trimeric proteins may be employed in preparing trimeric polypeptides of the invention.

In another example, proteins of the invention are associated by interactions
30 between Flag® polypeptide sequence contained in fusion proteins of the invention

containing Flag® polypeptide sequence. In a further embodiment, associations proteins of the invention are associated by interactions between heterologous polypeptide sequence contained in Flag® fusion proteins of the invention and anti-Flag® antibody.

5 The multimers of the invention may be generated using chemical techniques known in the art. For example, polypeptides desired to be contained in the multimers of the invention may be chemically cross-linked using linker molecules and linker molecule length optimization techniques known in the art (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

10 Additionally, multimers of the invention may be generated using techniques known in the art to form one or more inter-molecule cross-links between the cysteine residues located within the sequence of the polypeptides desired to be contained in the multimer (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Further, polypeptides of the invention may be routinely

15 modified by the addition of cysteine or biotin to the C-terminus or N-terminus of the polypeptide and techniques known in the art may be applied to generate multimers containing one or more of these modified polypeptides (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Additionally, techniques known in the art may be applied to generate liposomes containing the

20 polypeptide components desired to be contained in the multimer of the invention (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

 Alternatively, multimers of the invention may be generated using genetic engineering techniques known in the art. In one embodiment, polypeptides contained

25 in multimers of the invention are produced recombinantly using fusion protein technology described herein or otherwise known in the art (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In a specific embodiment, polynucleotides coding for a homodimer of the invention are generated by ligating a polynucleotide sequence encoding a polypeptide of the

30 invention to a sequence encoding a linker polypeptide and then further to a synthetic

polynucleotide encoding the translated product of the polypeptide in the reverse orientation from the original C-terminus to the N-terminus (lacking the leader sequence) (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In another embodiment, recombinant techniques described
5 herein or otherwise known in the art are applied to generate recombinant polypeptides of the invention which contain a transmembrane domain (or hydrophobic or signal peptide) and which can be incorporated by membrane reconstitution techniques into liposomes (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

10

Antibodies

Further polypeptides of the invention relate to antibodies and T-cell antigen receptors (TCR) which immunospecifically bind a polypeptide, polypeptide fragment, or variant of SEQ ID NO:Y, and/or an epitope, of the present invention (as
15 determined by immunoassays well known in the art for assaying specific antibody-antigen binding). Antibodies of the invention include, but are not limited to, polyclonal, monoclonal, multispecific, human, humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab') fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies (including, e.g., anti-Id
20 antibodies to antibodies of the invention), and epitope-binding fragments of any of the above. The term "antibody," as used herein, refers to immunoglobulin molecules and immunologically active portions of immunoglobulin molecules, i.e., molecules that contain an antigen binding site that immunospecifically binds an antigen. The immunoglobulin molecules of the invention can be of any type (e.g., IgG, IgE, IgM, IgD, IgA and IgY), class (e.g., IgG1, IgG2, IgG3, IgG4, IgA1 and IgA2) or subclass
25 of immunoglobulin molecule.

Most preferably the antibodies are human antigen-binding antibody fragments of the present invention and include, but are not limited to, Fab, Fab' and F(ab')₂, Fd, single-chain Fvs (scFv), single-chain antibodies, disulfide-linked Fvs (sdFv) and
30 fragments comprising either a VL or VH domain. Antigen-binding antibody

fragments, including single-chain antibodies, may comprise the variable region(s) alone or in combination with the entirety or a portion of the following: hinge region, CH1, CH2, and CH3 domains. Also included in the invention are antigen-binding fragments also comprising any combination of variable region(s) with a hinge region, CH1, CH2, and CH3 domains. The antibodies of the invention may be from any animal origin including birds and mammals. Preferably, the antibodies are human, murine (e.g., mouse and rat), donkey, ship rabbit, goat, guinea pig, camel, horse, or chicken. As used herein, "human" antibodies include antibodies having the amino acid sequence of a human immunoglobulin and include antibodies isolated from human immunoglobulin libraries or from animals transgenic for one or more human immunoglobulin and that do not express endogenous immunoglobulins, as described infra and, for example in, U.S. Patent No. 5,939,598 by Kucherlapati et al.

The antibodies of the present invention may be monospecific, bispecific, trispecific or of greater multispecificity. Multispecific antibodies may be specific for different epitopes of a polypeptide of the present invention or may be specific for both a polypeptide of the present invention as well as for a heterologous epitope, such as a heterologous polypeptide or solid support material. See, e.g., PCT publications WO 93/17715; WO 92/08802; WO 91/00360; WO 92/05793; Tutt, et al., J. Immunol. 147:60-69 (1991); U.S. Patent Nos. 4,474,893; 4,714,681; 4,925,648; 5,573,920; 5,601,819; Kostelny et al., J. Immunol. 148:1547-1553 (1992).

Antibodies of the present invention may be described or specified in terms of the epitope(s) or portion(s) of a polypeptide of the present invention which they recognize or specifically bind. The epitope(s) or polypeptide portion(s) may be specified as described herein, e.g., by N-terminal and C-terminal positions, or by size in contiguous amino acid residues. Antibodies which specifically bind any epitope or polypeptide of the present invention may also be excluded. Therefore, the present invention includes antibodies that specifically bind polypeptides of the present invention, and allows for the exclusion of the same.

Antibodies of the present invention may also be described or specified in terms of their cross-reactivity. Antibodies that do not bind any other analog, ortholog,

or homolog of a polypeptide of the present invention are included. Antibodies that bind polypeptides with at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 65%, at least 60%, at least 55%, and at least 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In specific embodiments, antibodies of the present invention cross-react with murine, rat and/or rabbit homologs of human proteins and the corresponding epitopes thereof. Antibodies that do not bind polypeptides with less than 95%, less than 90%, less than 85%, less than 80%, less than 75%, less than 70%, less than 65%, less than 60%, less than 55%, and less than 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In a specific embodiment, the above-described cross-reactivity is with respect to any single specific antigenic or immunogenic polypeptide, or combination(s) of 2, 3, 4, 5, or more of the specific antigenic and/or immunogenic polypeptides disclosed herein. Further included in the present invention are antibodies which bind polypeptides encoded by polynucleotides which hybridize to a polynucleotide of the present invention under stringent hybridization conditions (as described herein). Antibodies of the present invention may also be described or specified in terms of their binding affinity to a polypeptide of the invention. Preferred binding affinities include those with a dissociation constant or K_d less than 5×10^{-2} M, 10^{-2} M, 5×10^{-3} M, 10^{-3} M, 5×10^{-4} M, 10^{-4} M, 5×10^{-5} M, 10^{-5} M, 5×10^{-6} M, 10^{-6} M, 5×10^{-7} M, 10^{-7} M, 5×10^{-8} M, 10^{-8} M, 5×10^{-9} M, 10^{-9} M, 5×10^{-10} M, 10^{-10} M, 5×10^{-11} M, 10^{-11} M, 5×10^{-12} M, 10^{-12} M, 5×10^{-13} M, 10^{-13} M, 5×10^{-14} M, 10^{-14} M, 5×10^{-15} M, or 10^{-15} M.

The invention also provides antibodies that competitively inhibit binding of an antibody to an epitope of the invention as determined by any method known in the art for determining competitive binding, for example, the immunoassays described herein. In preferred embodiments, the antibody competitively inhibits binding to the epitope by at least 95%, at least 90%, at least 85 %, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50%.

Antibodies of the present invention may act as agonists or antagonists of the polypeptides of the present invention. For example, the present invention includes antibodies which disrupt the receptor/ligand interactions with the polypeptides of the invention either partially or fully. Preferably, antibodies of the present invention
5 bind an antigenic epitope disclosed herein, or a portion thereof. The invention features both receptor-specific antibodies and ligand-specific antibodies. The invention also features receptor-specific antibodies which do not prevent ligand binding but prevent receptor activation. Receptor activation (i.e., signaling) may be determined by techniques described herein or otherwise known in the art. For example, receptor
10 activation can be determined by detecting the phosphorylation (e.g., tyrosine or serine/threonine) of the receptor or its substrate by immunoprecipitation followed by western blot analysis (for example, as described supra). In specific embodiments, antibodies are provided that inhibit ligand activity or receptor activity by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 60%, or at
15 least 50% of the activity in absence of the antibody.

The invention also features receptor-specific antibodies which both prevent ligand binding and receptor activation as well as antibodies that recognize the receptor-ligand complex, and, preferably, do not specifically recognize the unbound receptor or the unbound ligand. Likewise, included in the invention are neutralizing
20 antibodies which bind the ligand and prevent binding of the ligand to the receptor, as well as antibodies which bind the ligand, thereby preventing receptor activation, but do not prevent the ligand from binding the receptor. Further included in the invention are antibodies which activate the receptor. These antibodies may act as receptor agonists, i.e., potentiate or activate either all or a subset of the biological activities of
25 the ligand-mediated receptor activation, for example, by inducing dimerization of the receptor. The antibodies may be specified as agonists, antagonists or inverse agonists for biological activities comprising the specific biological activities of the peptides of the invention disclosed herein. The above antibody agonists can be made using methods known in the art. See, e.g., PCT publication WO 96/40281; U.S. Patent No.
30 5,811,097; Deng et al., Blood 92(6):1981-1988 (1998); Chen et al., Cancer Res.

58(16):3668-3678 (1998); Harrop et al., J. Immunol. 161(4):1786-1794 (1998); Zhu et al., Cancer Res. 58(15):3209-3214 (1998); Yoon et al., J. Immunol. 160(7):3170-3179 (1998); Prat et al., J. Cell. Sci. 111(Pt2):237-247 (1998); Pitard et al., J. Immunol. Methods 205(2):177-190 (1997); Liautard et al., Cytokine 9(4):233-241 (1997); Carlson et al., J. Biol. Chem. 272(17):11295-11301 (1997); Taryman et al., Neuron 14(4):755-762 (1995); Muller et al., Structure 6(9):1153-1167 (1998); Bartunek et al., Cytokine 8(1):14-20 (1996) (which are all incorporated by reference herein in their entireties).

Antibodies of the present invention may be used, for example, but not limited to, to purify, detect, and target the polypeptides of the present invention, including both in vitro and in vivo diagnostic and therapeutic methods. For example, the antibodies have use in immunoassays for qualitatively and quantitatively measuring levels of the polypeptides of the present invention in biological samples. See, e.g., Harlow et al., Antibodies: A Laboratory Manual, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988) (incorporated by reference herein in its entirety).

As discussed in more detail below, the antibodies of the present invention may be used either alone or in combination with other compositions. The antibodies may further be recombinantly fused to a heterologous polypeptide at the N- or C-terminus or chemically conjugated (including covalently and non-covalently conjugations) to polypeptides or other compositions. For example, antibodies of the present invention may be recombinantly fused or conjugated to molecules useful as labels in detection assays and effector molecules such as heterologous polypeptides, drugs, radionuclides, or toxins. See, e.g., PCT publications WO 92/08495; WO 91/14438; WO 89/12624; U.S. Patent No. 5,314,995; and EP 396,387.

The antibodies of the invention include derivatives that are modified, i.e., by the covalent attachment of any type of molecule to the antibody such that covalent attachment does not prevent the antibody from generating an anti-idiotypic response. For example, but not by way of limitation, the antibody derivatives include antibodies that have been modified, e.g., by glycosylation, acetylation, pegylation, phosphorylation, amidation, derivatization by known protecting/blocking groups,

proteolytic cleavage, linkage to a cellular ligand or other protein, etc. Any of numerous chemical modifications may be carried out by known techniques, including, but not limited to specific chemical cleavage, acetylation, formylation, metabolic synthesis of tunicamycin, etc. Additionally, the derivative may contain one or more
5 non-classical amino acids.

The antibodies of the present invention may be generated by any suitable method known in the art. Polyclonal antibodies to an antigen-of- interest can be produced by various procedures well known in the art. For example, a polypeptide of the invention can be administered to various host animals including, but not limited
10 to, rabbits, mice, rats, etc. to induce the production of sera containing polyclonal antibodies specific for the antigen. Various adjuvants may be used to increase the immunological response, depending on the host species, and include but are not limited to, Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols,
15 polyanions, peptides, oil emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and corynebacterium parvum. Such adjuvants are also well known in the art.

Monoclonal antibodies can be prepared using a wide variety of techniques known in the art including the use of hybridoma, recombinant, and phage display
20 technologies, or a combination thereof. For example, monoclonal antibodies can be produced using hybridoma techniques including those known in the art and taught, for example, in Harlow et al., *Antibodies: A Laboratory Manual*, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988); Hammerling, et al., in: *Monoclonal Antibodies and T-Cell Hybridomas* 563-681 (Elsevier, N.Y., 1981) (said references incorporated by
25 reference in their entireties). The term "monoclonal antibody" as used herein is not limited to antibodies produced through hybridoma technology. The term "monoclonal antibody" refers to an antibody that is derived from a single clone, including any eukaryotic, prokaryotic, or phage clone, and not the method by which it is produced.

Methods for producing and screening for specific antibodies using hybridoma technology are routine and well known in the art and are discussed in detail in the Examples. In a non-limiting example, mice can be immunized with a polypeptide of the invention or a cell expressing such peptide. Once an immune response is detected, e.g., antibodies specific for the antigen are detected in the mouse serum, the mouse spleen is harvested and splenocytes isolated. The splenocytes are then fused by well known techniques to any suitable myeloma cells, for example cells from cell line SP20 available from the ATCC. Hybridomas are selected and cloned by limited dilution. The hybridoma clones are then assayed by methods known in the art for cells that secrete antibodies capable of binding a polypeptide of the invention. Ascites fluid, which generally contains high levels of antibodies, can be generated by immunizing mice with positive hybridoma clones.

Accordingly, the present invention provides methods of generating monoclonal antibodies as well as antibodies produced by the method comprising culturing a hybridoma cell secreting an antibody of the invention wherein, preferably, the hybridoma is generated by fusing splenocytes isolated from a mouse immunized with an antigen of the invention with myeloma cells and then screening the hybridomas resulting from the fusion for hybridoma clones that secrete an antibody able to bind a polypeptide of the invention.

Antibody fragments which recognize specific epitopes may be generated by known techniques. For example, Fab and F(ab')₂ fragments of the invention may be produced by proteolytic cleavage of immunoglobulin molecules, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')₂ fragments). F(ab')₂ fragments contain the variable region, the light chain constant region and the CH1 domain of the heavy chain.

For example, the antibodies of the present invention can also be generated using various phage display methods known in the art. In phage display methods, functional antibody domains are displayed on the surface of phage particles which carry the polynucleotide sequences encoding them. In a particular embodiment, such phage can be utilized to display antigen binding domains expressed from a repertoire

or combinatorial antibody library (e.g., human or murine). Phage expressing an antigen binding domain that binds the antigen of interest can be selected or identified with antigen, e.g., using labeled antigen or antigen bound or captured to a solid surface or bead. Phage used in these methods are typically filamentous phage including fd and M13 binding domains expressed from phage with Fab, Fv or disulfide stabilized Fv antibody domains recombinantly fused to either the phage gene III or gene VIII protein. Examples of phage display methods that can be used to make the antibodies of the present invention include those disclosed in Brinkman et al., *J. Immunol. Methods* 182:41-50 (1995); Ames et al., *J. Immunol. Methods* 184:177-186 (1995); Kettleborough et al., *Eur. J. Immunol.* 24:952-958 (1994); Persic et al., *Gene* 187 9-18 (1997); Burton et al., *Advances in Immunology* 57:191-280 (1994); PCT application No. PCT/GB91/01134; PCT publications WO 90/02809; WO 91/10737; WO 92/01047; WO 92/18619; WO 93/11236; WO 95/15982; WO 95/20401; and U.S. Patent Nos. 5,698,426; 5,223,409; 5,403,484; 5,580,717; 5,427,908; 5,750,753; 5,821,047; 5,571,698; 5,427,908; 5,516,637; 5,780,225; 5,658,727; 5,733,743 and 5,969,108; each of which is incorporated herein by reference in its entirety.

As described in the above references, after phage selection, the antibody coding regions from the phage can be isolated and used to generate whole antibodies, including human antibodies, or any other desired antigen binding fragment, and expressed in any desired host, including mammalian cells, insect cells, plant cells, yeast, and bacteria, e.g., as described in detail below. For example, techniques to recombinantly produce Fab, Fab' and F(ab')₂ fragments can also be employed using methods known in the art such as those disclosed in PCT publication WO 92/22324; Mullinax et al., *BioTechniques* 12(6):864-869 (1992); and Sawai et al., *AJRI* 34:26-34 (1995); and Better et al., *Science* 240:1041-1043 (1988) (said references incorporated by reference in their entireties).

Examples of techniques which can be used to produce single-chain Fvs and antibodies include those described in U.S. Patents 4,946,778 and 5,258,498; Huston et al., *Methods in Enzymology* 203:46-88 (1991); Shu et al., *PNAS* 90:7995-7999

(1993); and Skerra et al., Science 240:1038-1040 (1988). For some uses, including in vivo use of antibodies in humans and in vitro detection assays, it may be preferable to use chimeric, humanized, or human antibodies. A chimeric antibody is a molecule in which different portions of the antibody are derived from different animal species, such as antibodies having a variable region derived from a murine monoclonal antibody and a human immunoglobulin constant region. Methods for producing chimeric antibodies are known in the art. See e.g., Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Gillies et al., (1989) J. Immunol. Methods 125:191-202; U.S. Patent Nos. 5,807,715; 4,816,567; and 4,816,397, which are incorporated herein by reference in their entirety. Humanized antibodies are antibody molecules from non-human species antibody that binds the desired antigen having one or more complementarity determining regions (CDRs) from the non-human species and a framework regions from a human immunoglobulin molecule. Often, framework residues in the human framework regions will be substituted with the corresponding residue from the CDR donor antibody to alter, preferably improve, antigen binding. These framework substitutions are identified by methods well known in the art, e.g., by modeling of the interactions of the CDR and framework residues to identify framework residues important for antigen binding and sequence comparison to identify unusual framework residues at particular positions. (See, e.g., Queen et al., U.S. Patent No. 5,585,089; Riechmann et al., Nature 332:323 (1988), which are incorporated herein by reference in their entirety.) Antibodies can be humanized using a variety of techniques known in the art including, for example, CDR-grafting (EP 239,400; PCT publication WO 91/09967; U.S. Patent Nos. 5,225,539; 5,530,101; and 5,585,089), veneering or resurfacing (EP 592,106; EP 519,596; Padlan, Molecular Immunology 28(4/5):489-498 (1991); Studnicka et al., Protein Engineering 7(6):805-814 (1994); Roguska. et al., PNAS 91:969-973 (1994)), and chain shuffling (U.S. Patent No. 5,565,332).

Completely human antibodies are particularly desirable for therapeutic treatment of human patients. Human antibodies can be made by a variety of methods known in the art including phage display methods described above using antibody

libraries derived from human immunoglobulin sequences. See also, U.S. Patent Nos. 4,444,887 and 4,716,111; and PCT publications WO 98/46645, WO 98/50433, WO 98/24893, WO 98/16654, WO 96/34096, WO 96/33735, and WO 91/10741; each of which is incorporated herein by reference in its entirety.

5 Human antibodies can also be produced using transgenic mice which are incapable of expressing functional endogenous immunoglobulins, but which can express human immunoglobulin genes. For example, the human heavy and light chain immunoglobulin gene complexes may be introduced randomly or by homologous recombination into mouse embryonic stem cells. Alternatively, the
10 human variable region, constant region, and diversity region may be introduced into mouse embryonic stem cells in addition to the human heavy and light chain genes. The mouse heavy and light chain immunoglobulin genes may be rendered non-functional separately or simultaneously with the introduction of human immunoglobulin loci by homologous recombination. In particular, homozygous
15 deletion of the JH region prevents endogenous antibody production. The modified embryonic stem cells are expanded and microinjected into blastocysts to produce chimeric mice. The chimeric mice are then bred to produce homozygous offspring which express human antibodies. The transgenic mice are immunized in the normal fashion with a selected antigen, e.g., all or a portion of a polypeptide of the invention.
20 Monoclonal antibodies directed against the antigen can be obtained from the immunized, transgenic mice using conventional hybridoma technology. The human immunoglobulin transgenes harbored by the transgenic mice rearrange during B cell differentiation, and subsequently undergo class switching and somatic mutation. Thus, using such a technique, it is possible to produce therapeutically useful IgG,
25 IgA, IgM and IgE antibodies. For an overview of this technology for producing human antibodies, see Lonberg and Huszar, Int. Rev. Immunol. 13:65-93 (1995). For a detailed discussion of this technology for producing human antibodies and human monoclonal antibodies and protocols for producing such antibodies, see, e.g., PCT publications WO 98/24893; WO 92/01047; WO 96/34096; WO 96/33735; European
30 Patent No. 0 598 877; U.S. Patent Nos. 5,413,923; 5,625,126; 5,633,425; 5,569,825;

5,661,016; 5,545,806; 5,814,318; 5,885,793; 5,916,771; and 5,939,598, which are incorporated by reference herein in their entirety. In addition, companies such as Abgenix, Inc. (Freemont, CA) and Genpharm (San Jose, CA) can be engaged to provide human antibodies directed against a selected antigen using technology similar to that described above.

Completely human antibodies which recognize a selected epitope can be generated using a technique referred to as "guided selection." In this approach a selected non-human monoclonal antibody, e.g., a mouse antibody, is used to guide the selection of a completely human antibody recognizing the same epitope. (Jespers et al., Bio/technology 12:899-903 (1988)).

Further, antibodies to the polypeptides of the invention can, in turn, be utilized to generate anti-idiotypic antibodies that "mimic" polypeptides of the invention using techniques well known to those skilled in the art. (See, e.g., Greenspan & Bona, FASEB J. 7(5):437-444; (1989) and Nissinoff, J. Immunol. 147(8):2429-2438 (1991)). For example, antibodies which bind to and competitively inhibit polypeptide multimerization and/or binding of a polypeptide of the invention to a ligand can be used to generate anti-idiotypes that "mimic" the polypeptide multimerization and/or binding domain and, as a consequence, bind to and neutralize polypeptide and/or its ligand. Such neutralizing anti-idiotypes or Fab fragments of such anti-idiotypes can be used in therapeutic regimens to neutralize polypeptide ligand. For example, such anti-idiotypic antibodies can be used to bind a polypeptide of the invention and/or to bind its ligands/receptors, and thereby block its biological activity.

Polynucleotides Encoding Antibodies

The invention further provides polynucleotides comprising a nucleotide sequence encoding an antibody of the invention and fragments thereof. The invention also encompasses polynucleotides that hybridize under stringent or alternatively, under lower stringency hybridization conditions, e.g., as defined supra, to polynucleotides that encode an antibody, preferably, that specifically binds to a

polypeptide of the invention, preferably, an antibody that binds to a polypeptide having the amino acid sequence of SEQ ID NO:Y.

The polynucleotides may be obtained, and the nucleotide sequence of the polynucleotides determined, by any method known in the art. For example, if the
5 nucleotide sequence of the antibody is known, a polynucleotide encoding the antibody may be assembled from chemically synthesized oligonucleotides (e.g., as described in Kutmeier et al., *BioTechniques* 17:242 (1994)), which, briefly, involves the synthesis of overlapping oligonucleotides containing portions of the sequence encoding the antibody, annealing and ligating of those oligonucleotides, and then amplification of
10 the ligated oligonucleotides by PCR.

Alternatively, a polynucleotide encoding an antibody may be generated from nucleic acid from a suitable source. If a clone containing a nucleic acid encoding a particular antibody is not available, but the sequence of the antibody molecule is known, a nucleic acid encoding the immunoglobulin may be chemically synthesized
15 or obtained from a suitable source (e.g., an antibody cDNA library, or a cDNA library generated from, or nucleic acid, preferably poly A+ RNA, isolated from, any tissue or cells expressing the antibody, such as hybridoma cells selected to express an antibody of the invention) by PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the sequence or by cloning using an oligonucleotide probe
20 specific for the particular gene sequence to identify, e.g., a cDNA clone from a cDNA library that encodes the antibody. Amplified nucleic acids generated by PCR may then be cloned into replicable cloning vectors using any method well known in the art.

Once the nucleotide sequence and corresponding amino acid sequence of the
25 antibody is determined, the nucleotide sequence of the antibody may be manipulated using methods well known in the art for the manipulation of nucleotide sequences, e.g., recombinant DNA techniques, site directed mutagenesis, PCR, etc. (see, for example, the techniques described in Sambrook et al., 1990, *Molecular Cloning, A Laboratory Manual*, 2d Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY
30 and Ausubel et al., eds., 1998, *Current Protocols in Molecular Biology*, John Wiley &

Sons, NY, which are both incorporated by reference herein in their entireties), to generate antibodies having a different amino acid sequence. for example to create amino acid substitutions, deletions, and/or insertions.

In a specific embodiment, the amino acid sequence of the heavy and/or light
5 chain variable domains may be inspected to identify the sequences of the complementarity determining regions (CDRs) by methods that are well know in the art, e.g., by comparison to known amino acid sequences of other heavy and light chain variable regions to determine the regions of sequence hypervariability. Using routine recombinant DNA techniques, one or more of the CDRs may be inserted
10 within framework regions, e.g., into human framework regions to humanize a non-human antibody, as described supra. The framework regions may be naturally occurring or consensus framework regions, and preferably human framework regions (see, e.g., Chothia et al., J. Mol. Biol. 278: 457-479 (1998) for a listing of human framework regions). Preferably, the polynucleotide generated by the combination of
15 the framework regions and CDRs encodes an antibody that specifically binds a polypeptide of the invention. Preferably, as discussed supra, one or more amino acid substitutions may be made within the framework regions, and, preferably, the amino acid substitutions improve binding of the antibody to its antigen. Additionally, such methods may be used to make amino acid substitutions or deletions of one or more
20 variable region cysteine residues participating in an intrachain disulfide bond to generate antibody molecules lacking one or more intrachain disulfide bonds. Other alterations to the polynucleotide are encompassed by the present invention and within the skill of the art.

In addition, techniques developed for the production of "chimeric antibodies"
25 (Morrison et al., Proc. Natl. Acad. Sci. 81:851-855 (1984); Neuberger et al., Nature 312:604-608 (1984); Takeda et al., Nature 314:452-454 (1985)) by splicing genes from a mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity can be used. As described supra, a chimeric antibody is a molecule in which different portions are
30 derived from different animal species, such as those having a variable region derived

from a murine mAb and a human immunoglobulin constant region, e.g., humanized antibodies.

Alternatively, techniques described for the production of single chain antibodies (U.S. Patent No. 4,946,778; Bird, Science 242:423- 42 (1988); Huston et al., Proc. Natl. Acad. Sci. USA 85:5879-5883 (1988); and Ward et al., Nature 334:544-54 (1989)) can be adapted to produce single chain antibodies. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide. Techniques for the assembly of functional Fv fragments in E. coli may also be used (Skerra et al., Science 242:1038- 1041 (1988)).

Methods of Producing Antibodies

The antibodies of the invention can be produced by any method known in the art for the synthesis of antibodies, in particular, by chemical synthesis or preferably, by recombinant expression techniques.

Recombinant expression of an antibody of the invention, or fragment, derivative or analog thereof, (e.g., a heavy or light chain of an antibody of the invention or a single chain antibody of the invention), requires construction of an expression vector containing a polynucleotide that encodes the antibody. Once a polynucleotide encoding an antibody molecule or a heavy or light chain of an antibody, or portion thereof (preferably containing the heavy or light chain variable domain), of the invention has been obtained, the vector for the production of the antibody molecule may be produced by recombinant DNA technology using techniques well known in the art. Thus, methods for preparing a protein by expressing a polynucleotide containing an antibody encoding nucleotide sequence are described herein. Methods which are well known to those skilled in the art can be used to construct expression vectors containing antibody coding sequences and appropriate transcriptional and translational control signals. These methods include, for example, in vitro recombinant DNA techniques, synthetic techniques, and in vivo genetic recombination. The invention, thus, provides replicable vectors comprising a

nucleotide sequence encoding an antibody molecule of the invention, or a heavy or light chain thereof, or a heavy or light chain variable domain, operably linked to a promoter. Such vectors may include the nucleotide sequence encoding the constant region of the antibody molecule (see, e.g., PCT Publication WO 86/05807; PCT
5 Publication WO 89/01036; and U.S. Patent No. 5,122,464) and the variable domain of the antibody may be cloned into such a vector for expression of the entire heavy or light chain.

The expression vector is transferred to a host cell by conventional techniques and the transfected cells are then cultured by conventional techniques to produce an
10 antibody of the invention. Thus, the invention includes host cells containing a polynucleotide encoding an antibody of the invention, or a heavy or light chain thereof, or a single chain antibody of the invention, operably linked to a heterologous promoter. In preferred embodiments for the expression of double-chained antibodies, vectors encoding both the heavy and light chains may be co-expressed in the host cell
15 for expression of the entire immunoglobulin molecule, as detailed below.

A variety of host-expression vector systems may be utilized to express the antibody molecules of the invention. Such host-expression systems represent vehicles by which the coding sequences of interest may be produced and subsequently purified, but also represent cells which may, when transformed or transfected with
20 the appropriate nucleotide coding sequences, express an antibody molecule of the invention in situ. These include but are not limited to microorganisms such as bacteria (e.g., *E. coli*, *B. subtilis*) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing antibody coding sequences; yeast (e.g., *Saccharomyces*, *Pichia*) transformed with recombinant yeast
25 expression vectors containing antibody coding sequences; insect cell systems infected with recombinant virus expression vectors (e.g., baculovirus) containing antibody coding sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expression vectors (e.g., Ti plasmid)
30 containing antibody coding sequences; or mammalian cell systems (e.g., COS, CHO,

BHK, 293, 3T3 cells) harboring recombinant expression constructs containing promoters derived from the genome of mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus 7.5K promoter). Preferably, bacterial cells such as *Escherichia coli*,
5 and more preferably, eukaryotic cells, especially for the expression of whole recombinant antibody molecule, are used for the expression of a recombinant antibody molecule. For example, mammalian cells such as Chinese hamster ovary cells (CHO), in conjunction with a vector such as the major intermediate early gene promoter element from human cytomegalovirus is an effective expression system for
10 antibodies (Foecking et al., *Gene* 45:101 (1986); Cockett et al., *Bio/Technology* 8:2 (1990)).

In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the antibody molecule being expressed. For example, when a large quantity of such a protein is to be produced, for the
15 generation of pharmaceutical compositions of an antibody molecule, vectors which direct the expression of high levels of fusion protein products that are readily purified may be desirable. Such vectors include, but are not limited, to the *E. coli* expression vector pUR278 (Ruther et al., *EMBO J.* 2:1791 (1983)), in which the antibody coding sequence may be ligated individually into the vector in frame with the lac Z coding
20 region so that a fusion protein is produced; pIN vectors (Inouye & Inouye, *Nucleic Acids Res.* 13:3101-3109 (1985); Van Heeke & Schuster, *J. Biol. Chem.* 24:5503-5509 (1989)); and the like. pGEX vectors may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by
25 adsorption and binding to matrix glutathione-agarose beads followed by elution in the presence of free glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

In an insect system, *Autographa californica* nuclear polyhedrosis virus
30 (AcNPV) is used as a vector to express foreign genes. The virus grows in

Spodoptera frugiperda cells. The antibody coding sequence may be cloned individually into non-essential regions (for example the polyhedrin gene) of the virus and placed under control of an AcNPV promoter (for example the polyhedrin promoter).

5 In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, the antibody coding sequence of interest may be ligated to an adenovirus transcription/translation control complex, e.g., the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome by in vitro or in vivo
10 recombination. Insertion in a non-essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing the antibody molecule in infected hosts. (e.g., see Logan & Shenk, Proc. Natl. Acad. Sci. USA 81:355-359 (1984)). Specific initiation signals may also be required for efficient translation of inserted antibody coding sequences. These signals include the
15 ATG initiation codon and adjacent sequences. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to ensure translation of the entire insert. These exogenous translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate
20 transcription enhancer elements, transcription terminators, etc. (see Bittner et al., Methods in Enzymol. 153:51-544 (1987)).

 In addition, a host cell strain may be chosen which modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Such modifications (e.g., glycosylation) and processing (e.g.,
25 cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this end, eukaryotic host cells which
30 possess the cellular machinery for proper processing of the primary transcript,

glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include but are not limited to CHO, VERY, BHK, Hela, COS, MDCK, 293, 3T3, WI38, and in particular, breast cancer cell lines such as, for example, BT483, Hs578T, HTB2, BT20 and T47D, and normal mammary gland cell
5 line such as, for example, CRL7030 and Hs578Bst.

For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express the antibody molecule may be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by
10 appropriate expression control elements (e.g., promoter, enhancer, sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection
15 and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which express the antibody molecule. Such engineered cell lines may be particularly useful in screening and evaluation of compounds that interact directly or indirectly with the antibody molecule.

20 A number of selection systems may be used, including but not limited to the herpes simplex virus thymidine kinase (Wigler et al., Cell 11:223 (1977)), hypoxanthine-guanine phosphoribosyltransferase (Szybalska & Szybalski, Proc. Natl. Acad. Sci. USA 48:202 (1992)), and adenine phosphoribosyltransferase (Lowy et al., Cell 22:817 (1980)) genes can be employed in tk-, hgp^rt- or ap^rt- cells, respectively.
25 Also, antimetabolite resistance can be used as the basis of selection for the following genes: dhfr, which confers resistance to methotrexate (Wigler et al., Natl. Acad. Sci. USA 77:357 (1980); O'Hare et al., Proc. Natl. Acad. Sci. USA 78:1527 (1981)); gpt, which confers resistance to mycophenolic acid (Mulligan & Berg, Proc. Natl. Acad. Sci. USA 78:2072 (1981)); neo, which confers resistance to the aminoglycoside G-
30 418 Clinical Pharmacy 12:488-505; Wu and Wu, Biotherapy 3:87-95 (1991);

Tolstoshev. *Ann. Rev. Pharmacol. Toxicol.* 32:573-596 (1993); Mulligan, *Science* 260:926-932 (1993); and Morgan and Anderson, *Ann. Rev. Biochem.* 62:191-217 (1993); May, 1993, *TIB TECH* 11(5):155-215); and hygro, which confers resistance to hygromycin (Santerre et al., *Gene* 30:147 (1984)). Methods commonly known in
5 the art of recombinant DNA technology may be routinely applied to select the desired recombinant clone, and such methods are described, for example, in Ausubel et al. (eds.), *Current Protocols in Molecular Biology*, John Wiley & Sons, NY (1993); Kriegler, *Gene Transfer and Expression, A Laboratory Manual*, Stockton Press, NY (1990); and in Chapters 12 and 13, Dracopoli et al. (eds), *Current Protocols in*
10 *Human Genetics*, John Wiley & Sons, NY (1994); Colberre-Garapin et al., *J. Mol. Biol.* 150:1 (1981), which are incorporated by reference herein in their entireties.

The expression levels of an antibody molecule can be increased by vector amplification (for a review, see Bebbington and Hentschel, *The use of vectors based on gene amplification for the expression of cloned genes in mammalian cells in DNA*
15 *cloning*, Vol.3. (Academic Press, New York, 1987)). When a marker in the vector system expressing antibody is amplifiable, increase in the level of inhibitor present in culture of host cell will increase the number of copies of the marker gene. Since the amplified region is associated with the antibody gene, production of the antibody will also increase (Crouse et al., *Mol. Cell. Biol.* 3:257 (1983)).

20 The host cell may be co-transfected with two expression vectors of the invention, the first vector encoding a heavy chain derived polypeptide and the second vector encoding a light chain derived polypeptide. The two vectors may contain identical selectable markers which enable equal expression of heavy and light chain polypeptides. Alternatively, a single vector may be used which encodes, and is
25 capable of expressing, both heavy and light chain polypeptides. In such situations, the light chain should be placed before the heavy chain to avoid an excess of toxic free heavy chain (Proudfoot, *Nature* 322:52 (1986); Kohler, *Proc. Natl. Acad. Sci. USA* 77:2197 (1980)). The coding sequences for the heavy and light chains may comprise cDNA or genomic DNA.

Once an antibody molecule of the invention has been produced by an animal, chemically synthesized, or recombinantly expressed, it may be purified by any method known in the art for purification of an immunoglobulin molecule, for example, by chromatography (e.g., ion exchange, affinity, particularly by affinity for
5 the specific antigen after Protein A, and sizing column chromatography), centrifugation, differential solubility, or by any other standard technique for the purification of proteins. In addition, the antibodies of the present invention or fragments thereof can be fused to heterologous polypeptide sequences described herein or otherwise known in the art, to facilitate purification.

10 The present invention encompasses antibodies recombinantly fused or chemically conjugated (including both covalently and non-covalently conjugations) to a polypeptide (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention to generate fusion proteins. The fusion does not necessarily need to be direct, but may occur through
15 linker sequences. The antibodies may be specific for antigens other than polypeptides (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention. For example, antibodies may be used to target the polypeptides of the present invention to particular cell types, either in vitro or in vivo, by fusing or conjugating the polypeptides of the present invention
20 to antibodies specific for particular cell surface receptors. Antibodies fused or conjugated to the polypeptides of the present invention may also be used in in vitro immunoassays and purification methods using methods known in the art. See e.g., Harbor et al., supra, and PCT publication WO 93/21232; EP 439,095; Naramura et al., Immunol. Lett. 39:91-99 (1994); U.S. Patent 5,474,981; Gillies et al., PNAS
25 89:1428-1432 (1992); Fell et al., J. Immunol. 146:2446-2452(1991), which are incorporated by reference in their entireties.

The present invention further includes compositions comprising the polypeptides of the present invention fused or conjugated to antibody domains other than the variable regions. For example, the polypeptides of the present invention may
30 be fused or conjugated to an antibody Fc region, or portion thereof. The antibody

portion fused to a polypeptide of the present invention may comprise the constant region, hinge region, CH1 domain, CH2 domain, and CH3 domain or any combination of whole domains or portions thereof. The polypeptides may also be fused or conjugated to the above antibody portions to form multimers. For example,

5 Fc portions fused to the polypeptides of the present invention can form dimers through disulfide bonding between the Fc portions. Higher multimeric forms can be made by fusing the polypeptides to portions of IgA and IgM. Methods for fusing or conjugating the polypeptides of the present invention to antibody portions are known in the art. See, e.g., U.S. Patent Nos. 5,336,603; 5,622,929; 5,359,046; 5,349,053;

10 5,447,851; 5,112,946; EP 307,434; EP 367,166; PCT publications WO 96/04388; WO 91/06570; Ashkenazi et al., Proc. Natl. Acad. Sci. USA 88:10535-10539 (1991); Zheng et al., J. Immunol. 154:5590-5600 (1995); and Vil et al., Proc. Natl. Acad. Sci. USA 89:11337- 11341(1992) (said references incorporated by reference in their entireties).

15 As discussed, supra, the polypeptides corresponding to a polypeptide, polypeptide fragment, or a variant of SEQ ID NO:Y may be fused or conjugated to the above antibody portions to increase the in vivo half life of the polypeptides or for use in immunoassays using methods known in the art. Further, the polypeptides corresponding to SEQ ID NO:Y may be fused or conjugated to the above antibody

20 portions to facilitate purification. One reported example describes chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. (EP 394,827; Traunecker et al., Nature 331:84-86 (1988). The polypeptides of the present invention fused or conjugated to an antibody having

25 disulfide- linked dimeric structures (due to the IgG) may also be more efficient in binding and neutralizing other molecules, than the monomeric secreted protein or protein fragment alone. (Fountoulakis et al., J. Biochem. 270:3958-3964 (1995)). In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties. (EP A

30 232,262). Alternatively, deleting the Fc part after the fusion protein has been

expressed, detected, and purified, would be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to
5 identify antagonists of hIL-5. (See, Bennett et al., J. Molecular Recognition 8:52-58 (1995); Johanson et al., J. Biol. Chem. 270:9459-9471 (1995).

Moreover, the antibodies or fragments thereof of the present invention can be fused to marker sequences, such as a peptide to facilitate purification. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the
10 tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Other peptide tags useful for purification include, but are not limited to, the "HA" tag, which
15 corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson et al., Cell 37:767 (1984)) and the "flag" tag.

The present invention further encompasses antibodies or fragments thereof conjugated to a diagnostic or therapeutic agent. The antibodies can be used diagnostically to, for example, monitor the development or progression of a tumor as
20 part of a clinical testing procedure to, e.g., determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, radioactive materials, positron emitting metals using various positron
25 emission tomographies, and nonradioactive paramagnetic metal ions. The detectable substance may be coupled or conjugated either directly to the antibody (or fragment thereof) or indirectly, through an intermediate (such as, for example, a linker known in the art) using techniques known in the art. See, for example, U.S. Patent No. 4,741,900 for metal ions which can be conjugated to antibodies for use as diagnostics
30 according to the present invention. Examples of suitable enzymes include horseradish

peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine
5 fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include ^{125}I , ^{131}I , ^{111}In or ^{99}Tc .

Further, an antibody or fragment thereof may be conjugated to a therapeutic
10 moiety such as a cytotoxin, e.g., a cytostatic or cytocidal agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example, ^{213}Bi . A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include paclitaxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin,
15 dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (e.g., mechlorethamine,
20 thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclophosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cis-dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic
25 agents (e.g., vincristine and vinblastine).

The conjugates of the invention can be used for modifying a given biological response, the therapeutic agent or drug moiety is not to be construed as limited to classical chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include,
30 for example, a toxin such as abrin, ricin A, pseudomonas exotoxin, or diphtheria

toxin; a protein such as tumor necrosis factor, α -interferon, β -interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator, an apoptotic agent, e.g., TNF- α , TNF- β , AIM I (See, International Publication No. WO 97/33899), AIM II (See, International Publication No. WO 97/34911), Fas
5 Ligand (Takahashi *et al.*, *Int. Immunol.*, 6:1567-1574 (1994)), VEGF (See, International Publication No. WO 99/23105), a thrombotic agent or an anti-angiogenic agent, e.g., angiostatin or endostatin; or, biological response modifiers such as, for example, lymphokines, interleukin-1 ("IL-1"), interleukin-2 ("IL-2"), interleukin-6 ("IL-6"), granulocyte macrophage colony stimulating factor ("GM-
10 CSF"), granulocyte colony stimulating factor ("G-CSF"), or other growth factors.

Antibodies may also be attached to solid supports, which are particularly useful for immunoassays or purification of the target antigen. Such solid supports include, but are not limited to, glass, cellulose, polyacrylamide, nylon, polystyrene, polyvinyl chloride or polypropylene.

15 Techniques for conjugating such therapeutic moiety to antibodies are well known, see, e.g., Arnon *et al.*, "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in *Monoclonal Antibodies And Cancer Therapy*, Reisfeld *et al.* (eds.), pp. 243-56 (Alan R. Liss, Inc. 1985); Hellstrom *et al.*, "Antibodies For Drug Delivery", in *Controlled Drug Delivery* (2nd Ed.), Robinson *et al.* (eds.), pp.
20 623-53 (Marcel Dekker, Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in *Monoclonal Antibodies '84: Biological And Clinical Applications*, Pinchera *et al.* (eds.), pp. 475-506 (1985); "Analysis, Results, And Future Prospective Of The Therapeutic Use Of Radiolabeled Antibody In Cancer Therapy", in *Monoclonal Antibodies For Cancer Detection And Therapy*,
25 Baldwin *et al.* (eds.), pp. 303-16 (Academic Press 1985), and Thorpe *et al.*, "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", *Immunol. Rev.* 62:119-58 (1982).

Alternatively, an antibody can be conjugated to a second antibody to form an antibody heteroconjugate as described by Segal in U.S. Patent No. 4,676,980, which
30 is incorporated herein by reference in its entirety.

An antibody, with or without a therapeutic moiety conjugated to it, administered alone or in combination with cytotoxic factor(s) and/or cytokine(s) can be used as a therapeutic.

5 *Immunophenotyping*

The antibodies of the invention may be utilized for immunophenotyping of cell lines and biological samples. The translation product of the gene of the present invention may be useful as a cell specific marker, or more specifically as a cellular marker that is differentially expressed at various stages of differentiation and/or
10 maturation of particular cell types. Monoclonal antibodies directed against a specific epitope, or combination of epitopes, will allow for the screening of cellular populations expressing the marker. Various techniques can be utilized using monoclonal antibodies to screen for cellular populations expressing the marker(s), and include magnetic separation using antibody-coated magnetic beads, "panning"
15 with antibody attached to a solid matrix (i.e., plate), and flow cytometry (See, e.g., U.S. Patent 5,985,660; and Morrison *et al.*, *Cell*, 96:737-49 (1999)).

These techniques allow for the screening of particular populations of cells, such as might be found with hematological malignancies (i.e. minimal residual disease (MRD) in acute leukemic patients) and "non-self" cells in transplantations to
20 prevent Graft-versus-Host Disease (GVHD). Alternatively, these techniques allow for the screening of hematopoietic stem and progenitor cells capable of undergoing proliferation and/or differentiation, as might be found in human umbilical cord blood.

Assays For Antibody Binding

25 The antibodies of the invention may be assayed for immunospecific binding by any method known in the art. The immunoassays which can be used include but are not limited to competitive and non-competitive assay systems using techniques such as western blots, radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoprecipitation assays, precipitin reactions,
30 gel diffusion precipitin reactions, immunodiffusion assays, agglutination assays,

complement-fixation assays, immunoradiometric assays, fluorescent immunoassays, protein A immunoassays, to name but a few. Such assays are routine and well known in the art (see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, which is incorporated by
5 reference herein in its entirety). Exemplary immunoassays are described briefly below (but are not intended by way of limitation).

Immunoprecipitation protocols generally comprise lysing a population of cells in a lysis buffer such as RIPA buffer (1% NP-40 or Triton X-100, 1% sodium deoxycholate, 0.1% SDS, 0.15 M NaCl, 0.01 M sodium phosphate at pH 7.2, 1%
10 Trasylol) supplemented with protein phosphatase and/or protease inhibitors (e.g., EDTA, PMSF, aprotinin, sodium vanadate), adding the antibody of interest to the cell lysate, incubating for a period of time (e.g., 1-4 hours) at 4° C, adding protein A and/or protein G sepharose beads to the cell lysate, incubating for about an hour or more at 4° C, washing the beads in lysis buffer and resuspending the beads in
15 SDS/sample buffer. The ability of the antibody of interest to immunoprecipitate a particular antigen can be assessed by, e.g., western blot analysis. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the binding of the antibody to an antigen and decrease the background (e.g., pre-clearing the cell lysate with sepharose beads). For further discussion regarding
20 immunoprecipitation protocols see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 10.16.1.

Western blot analysis generally comprises preparing protein samples, electrophoresis of the protein samples in a polyacrylamide gel (e.g., 8%-20% SDS-PAGE depending on the molecular weight of the antigen), transferring the protein
25 sample from the polyacrylamide gel to a membrane such as nitrocellulose, PVDF or nylon, blocking the membrane in blocking solution (e.g., PBS with 3% BSA or non-fat milk), washing the membrane in washing buffer (e.g., PBS-Tween 20), blocking the membrane with primary antibody (the antibody of interest) diluted in blocking buffer, washing the membrane in washing buffer, blocking the membrane with a
30 secondary antibody (which recognizes the primary antibody, e.g., an anti-human

antibody) conjugated to an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) or radioactive molecule (e.g., ^{32}P or ^{125}I) diluted in blocking buffer, washing the membrane in wash buffer, and detecting the presence of the antigen. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected and to reduce the background noise. For further discussion regarding western blot protocols see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 10.8.1.

ELISAs comprise preparing antigen, coating the well of a 96 well microtiter plate with the antigen, adding the antibody of interest conjugated to a detectable compound such as an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) to the well and incubating for a period of time, and detecting the presence of the antigen. In ELISAs the antibody of interest does not have to be conjugated to a detectable compound; instead, a second antibody (which recognizes the antibody of interest) conjugated to a detectable compound may be added to the well. Further, instead of coating the well with the antigen, the antibody may be coated to the well. In this case, a second antibody conjugated to a detectable compound may be added following the addition of the antigen of interest to the coated well. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected as well as other variations of ELISAs known in the art. For further discussion regarding ELISAs see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 11.2.1.

The binding affinity of an antibody to an antigen and the off-rate of an antibody-antigen interaction can be determined by competitive binding assays. One example of a competitive binding assay is a radioimmunoassay comprising the incubation of labeled antigen (e.g., ^3H or ^{125}I) with the antibody of interest in the presence of increasing amounts of unlabeled antigen, and the detection of the antibody bound to the labeled antigen. The affinity of the antibody of interest for a particular antigen and the binding off-rates can be determined from the data by

scatchard plot analysis. Competition with a second antibody can also be determined using radioimmunoassays. In this case, the antigen is incubated with antibody of interest conjugated to a labeled compound (e.g., ^3H or ^{125}I) in the presence of increasing amounts of an unlabeled second antibody.

5

Therapeutic Uses

The present invention is further directed to antibody-based therapies which involve administering antibodies of the invention to an animal, preferably a mammal, and most preferably a human, patient for treating one or more of the disclosed
10 diseases, disorders, or conditions. Therapeutic compounds of the invention include, but are not limited to, antibodies of the invention (including fragments, analogs and derivatives thereof as described herein) and nucleic acids encoding antibodies of the invention (including fragments, analogs and derivatives thereof and anti-idiotypic antibodies as described herein). The antibodies of the invention can be used to treat,
15 inhibit or prevent diseases, disorders or conditions associated with aberrant expression and/or activity of a polypeptide of the invention, including, but not limited to, any one or more of the diseases, disorders, or conditions described herein. The treatment and/or prevention of diseases, disorders, or conditions associated with aberrant expression and/or activity of a polypeptide of the invention includes, but is
20 not limited to, alleviating symptoms associated with those diseases, disorders or conditions. Antibodies of the invention may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

A summary of the ways in which the antibodies of the present invention may be used therapeutically includes binding polynucleotides or polypeptides of the
25 present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g. as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the art will know how to use the antibodies of the present invention for diagnostic, monitoring or therapeutic purposes
30 without undue experimentation.

The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or hematopoietic growth factors (such as, e.g., IL-2, IL-3 and IL-7), for example, which serve to increase the number or activity of effector cells which interact with the antibodies.

The antibodies of the invention may be administered alone or in combination with other types of treatments (e.g., radiation therapy, chemotherapy, hormonal therapy, immunotherapy and anti-tumor agents). Generally, administration of products of a species origin or species reactivity (in the case of antibodies) that is the same species as that of the patient is preferred. Thus, in a preferred embodiment, human antibodies, fragments derivatives, analogs, or nucleic acids, are administered to a human patient for therapy or prophylaxis.

It is preferred to use high affinity and/or potent in vivo inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention, fragments or regions thereof, for both immunoassays directed to and therapy of disorders related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or polypeptides of the invention, including fragments thereof. Preferred binding affinities include those with a dissociation constant or K_d less than 5×10^{-2} M, 10^{-2} M, 5×10^{-3} M, 10^{-3} M, 5×10^{-4} M, 10^{-4} M, 5×10^{-5} M, 10^{-5} M, 5×10^{-6} M, 10^{-6} M, 5×10^{-7} M, 10^{-7} M, 5×10^{-8} M, 10^{-8} M, 5×10^{-9} M, 10^{-9} M, 5×10^{-10} M, 10^{-10} M, 5×10^{-11} M, 10^{-11} M, 5×10^{-12} M, 10^{-12} M, 5×10^{-13} M, 10^{-13} M, 5×10^{-14} M, 10^{-14} M, 5×10^{-15} M, and 10^{-15} M.

25 *Gene Therapy*

In a specific embodiment, nucleic acids comprising sequences encoding antibodies or functional derivatives thereof, are administered to treat, inhibit or prevent a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention, by way of gene therapy. Gene therapy refers to therapy performed by the administration to a subject of an expressed or expressible nucleic

acid. In this embodiment of the invention, the nucleic acids produce their encoded protein that mediates a therapeutic effect.

Any of the methods for gene therapy available in the art can be used according to the present invention. Exemplary methods are described below.

5 For general reviews of the methods of gene therapy, see Goldspiel et al., Clinical Pharmacy 12:488-505 (1993); Wu and Wu, Biotherapy 3:87-95 (1991); Tolstoshev, Ann. Rev. Pharmacol. Toxicol. 32:573-596 (1993); Mulligan, Science 260:926-932 (1993); and Morgan and Anderson, Ann. Rev. Biochem. 62:191-217 (1993); May, TIBTECH 11(5):155-215 (1993). Methods commonly known in the art
10 of recombinant DNA technology which can be used are described in Ausubel et al. (eds.), Current Protocols in Molecular Biology, John Wiley & Sons, NY (1993); and Kriegler, Gene Transfer and Expression, A Laboratory Manual, Stockton Press, NY (1990).

In a preferred aspect, the compound comprises nucleic acid sequences
15 encoding an antibody, said nucleic acid sequences being part of expression vectors that express the antibody or fragments or chimeric proteins or heavy or light chains thereof in a suitable host. In particular, such nucleic acid sequences have promoters operably linked to the antibody coding region, said promoter being inducible or constitutive, and, optionally, tissue-specific. In another particular embodiment,
20 nucleic acid molecules are used in which the antibody coding sequences and any other desired sequences are flanked by regions that promote homologous recombination at a desired site in the genome, thus providing for intrachromosomal expression of the antibody encoding nucleic acids (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra et al., Nature 342:435-438 (1989). In
25 specific embodiments, the expressed antibody molecule is a single chain antibody; alternatively, the nucleic acid sequences include sequences encoding both the heavy and light chains, or fragments thereof, of the antibody.

Delivery of the nucleic acids into a patient may be either direct, in which case the patient is directly exposed to the nucleic acid or nucleic acid-carrying vectors, or
30 indirect, in which case, cells are first transformed with the nucleic acids in vitro, then

transplanted into the patient. These two approaches are known, respectively, as in vivo or ex vivo gene therapy.

In a specific embodiment, the nucleic acid sequences are directly administered in vivo, where it is expressed to produce the encoded product. This can be accomplished by any of numerous methods known in the art, e.g., by constructing them as part of an appropriate nucleic acid expression vector and administering it so that they become intracellular, e.g., by infection using defective or attenuated retrovirals or other viral vectors (see U.S. Patent No. 4,980,286), or by direct injection of naked DNA, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, encapsulation in liposomes, microparticles, or microcapsules, or by administering them in linkage to a peptide which is known to enter the nucleus, by administering it in linkage to a ligand subject to receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)) (which can be used to target cell types specifically expressing the receptors), etc. In another embodiment, nucleic acid-ligand complexes can be formed in which the ligand comprises a fusogenic viral peptide to disrupt endosomes, allowing the nucleic acid to avoid lysosomal degradation. In yet another embodiment, the nucleic acid can be targeted in vivo for cell specific uptake and expression, by targeting a specific receptor (see, e.g., PCT Publications WO 92/06180; WO 92/22635; WO92/20316; WO93/14188, WO 93/20221). Alternatively, the nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra et al., Nature 342:435-438 (1989)).

In a specific embodiment, viral vectors that contains nucleic acid sequences encoding an antibody of the invention are used. For example, a retroviral vector can be used (see Miller et al., Meth. Enzymol. 217:581-599 (1993)). These retroviral vectors contain the components necessary for the correct packaging of the viral genome and integration into the host cell DNA. The nucleic acid sequences encoding the antibody to be used in gene therapy are cloned into one or more vectors, which

facilitates delivery of the gene into a patient. More detail about retroviral vectors can be found in Boesen et al., *Biotherapy* 6:291-302 (1994), which describes the use of a retroviral vector to deliver the *mdr1* gene to hematopoietic stem cells in order to make the stem cells more resistant to chemotherapy. Other references illustrating the use of retroviral vectors in gene therapy are: Clowes et al., *J. Clin. Invest.* 93:644-651 (1994); Kiem et al., *Blood* 83:1467-1473 (1994); Salmons and Gunzberg, *Human Gene Therapy* 4:129-141 (1993); and Grossman and Wilson, *Curr. Opin. in Genetics and Devel.* 3:110-114 (1993).

Adenoviruses are other viral vectors that can be used in gene therapy. Adenoviruses are especially attractive vehicles for delivering genes to respiratory epithelia. Adenoviruses naturally infect respiratory epithelia where they cause a mild disease. Other targets for adenovirus-based delivery systems are liver, the central nervous system, endothelial cells, and muscle. Adenoviruses have the advantage of being capable of infecting non-dividing cells. Kozarsky and Wilson, *Current Opinion in Genetics and Development* 3:499-503 (1993) present a review of adenovirus-based gene therapy. Bout et al., *Human Gene Therapy* 5:3-10 (1994) demonstrated the use of adenovirus vectors to transfer genes to the respiratory epithelia of rhesus monkeys. Other instances of the use of adenoviruses in gene therapy can be found in Rosenfeld et al., *Science* 252:431-434 (1991); Rosenfeld et al., *Cell* 68:143-155 (1992); Mastrangeli et al., *J. Clin. Invest.* 91:225-234 (1993); PCT Publication WO94/12649; and Wang, et al., *Gene Therapy* 2:775-783 (1995). In a preferred embodiment, adenovirus vectors are used.

Adeno-associated virus (AAV) has also been proposed for use in gene therapy (Walsh et al., *Proc. Soc. Exp. Biol. Med.* 204:289-300 (1993); U.S. Patent No. 5,436,146).

Another approach to gene therapy involves transferring a gene to cells in tissue culture by such methods as electroporation, lipofection, calcium phosphate mediated transfection, or viral infection. Usually, the method of transfer includes the transfer of a selectable marker to the cells. The cells are then placed under selection

to isolate those cells that have taken up and are expressing the transferred gene. Those cells are then delivered to a patient.

In this embodiment, the nucleic acid is introduced into a cell prior to administration in vivo of the resulting recombinant cell. Such introduction can be carried out by any method known in the art, including but not limited to transfection, electroporation, microinjection, infection with a viral or bacteriophage vector containing the nucleic acid sequences, cell fusion, chromosome-mediated gene transfer, microcell-mediated gene transfer, spheroplast fusion, etc. Numerous techniques are known in the art for the introduction of foreign genes into cells (see, e.g., Loeffler and Behr, *Meth. Enzymol.* 217:599-618 (1993); Cohen et al., *Meth. Enzymol.* 217:618-644 (1993); Cline, *Pharmac. Ther.* 29:69-92m (1985) and may be used in accordance with the present invention, provided that the necessary developmental and physiological functions of the recipient cells are not disrupted. The technique should provide for the stable transfer of the nucleic acid to the cell, so that the nucleic acid is expressible by the cell and preferably heritable and expressible by its cell progeny.

The resulting recombinant cells can be delivered to a patient by various methods known in the art. Recombinant blood cells (e.g., hematopoietic stem or progenitor cells) are preferably administered intravenously. The amount of cells envisioned for use depends on the desired effect, patient state, etc., and can be determined by one skilled in the art.

Cells into which a nucleic acid can be introduced for purposes of gene therapy encompass any desired, available cell type, and include but are not limited to epithelial cells, endothelial cells, keratinocytes, fibroblasts, muscle cells, hepatocytes; blood cells such as Tlymphocytes, Blymphocytes, monocytes, macrophages, neutrophils, eosinophils, megakaryocytes, granulocytes; various stem or progenitor cells, in particular hematopoietic stem or progenitor cells, e.g., as obtained from bone marrow, umbilical cord blood, peripheral blood, fetal liver, etc.

In a preferred embodiment, the cell used for gene therapy is autologous to the patient.

In an embodiment in which recombinant cells are used in gene therapy, nucleic acid sequences encoding an antibody are introduced into the cells such that they are expressible by the cells or their progeny, and the recombinant cells are then administered in vivo for therapeutic effect. In a specific embodiment, stem or progenitor cells are used. Any stem and/or progenitor cells which can be isolated and maintained in vitro can potentially be used in accordance with this embodiment of the present invention (see e.g. PCT Publication WO 94/08598; Stemple and Anderson, Cell 71:973-985 (1992); Rheinwald, Meth. Cell Bio. 21A:229 (1980); and Pittelkow and Scott, Mayo Clinic Proc. 61:771 (1986)).

10 In a specific embodiment, the nucleic acid to be introduced for purposes of gene therapy comprises an inducible promoter operably linked to the coding region, such that expression of the nucleic acid is controllable by controlling the presence or absence of the appropriate inducer of transcription. Demonstration of Therapeutic or Prophylactic Activity

15 The compounds or pharmaceutical compositions of the invention are preferably tested in vitro, and then in vivo for the desired therapeutic or prophylactic activity, prior to use in humans. For example, in vitro assays to demonstrate the therapeutic or prophylactic utility of a compound or pharmaceutical composition include, the effect of a compound on a cell line or a patient tissue sample. The effect
20 of the compound or composition on the cell line and/or tissue sample can be determined utilizing techniques known to those of skill in the art including, but not limited to, rosette formation assays and cell lysis assays. In accordance with the invention, in vitro assays which can be used to determine whether administration of a specific compound is indicated, include in vitro cell culture assays in which a patient
25 tissue sample is grown in culture, and exposed to or otherwise administered a compound, and the effect of such compound upon the tissue sample is observed.

Therapeutic/Prophylactic Administration and Composition

The invention provides methods of treatment, inhibition and prophylaxis by
30 administration to a subject of an effective amount of a compound or pharmaceutical

composition of the invention, preferably a polypeptide or antibody of the invention. In a preferred aspect, the compound is substantially purified (e.g., substantially free from substances that limit its effect or produce undesired side-effects). The subject is preferably an animal, including but not limited to animals such as cows, pigs, horses,
5 chickens, cats, dogs, etc., and is preferably a mammal, and most preferably human.

Formulations and methods of administration that can be employed when the compound comprises a nucleic acid or an immunoglobulin are described above; additional appropriate formulations and routes of administration can be selected from among those described herein below.

10 Various delivery systems are known and can be used to administer a compound of the invention, e.g., encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the compound, receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)), construction of a nucleic acid as part of a retroviral or other vector, etc. Methods of
15 introduction include but are not limited to intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The compounds or compositions may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together
20 with other biologically active agents. Administration can be systemic or local. In addition, it may be desirable to introduce the pharmaceutical compounds or compositions of the invention into the central nervous system by any suitable route, including intraventricular and intrathecal injection; intraventricular injection may be facilitated by an intraventricular catheter, for example, attached to a reservoir, such
25 as an Ommaya reservoir. Pulmonary administration can also be employed, e.g., by use of an inhaler or nebulizer, and formulation with an aerosolizing agent.

In a specific embodiment, it may be desirable to administer the pharmaceutical compounds or compositions of the invention locally to the area in need of treatment; this may be achieved by, for example, and not by way of limitation, local infusion
30 during surgery, topical application, e.g., in conjunction with a wound dressing after

surgery, by injection, by means of a catheter, by means of a suppository, or by means of an implant, said implant being of a porous, non-porous, or gelatinous material, including membranes, such as sialastic membranes, or fibers. Preferably, when administering a protein, including an antibody, of the invention, care must be taken
5 to use materials to which the protein does not absorb.

In another embodiment, the compound or composition can be delivered in a vesicle, in particular a liposome (see Langer, *Science* 249:1527-1533 (1990); Treat et al., in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 353- 365 (1989); Lopez-Berestein, *ibid.*, pp.
10 317-327; see generally *ibid.*)

In yet another embodiment, the compound or composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton, *CRC Crit. Ref. Biomed. Eng.* 14:201 (1987); Buchwald et al., *Surgery* 88:507 (1980); Saudek et al., *N. Engl. J. Med.* 321:574 (1989)). In another
15 embodiment, polymeric materials can be used (see *Medical Applications of Controlled Release*, Langer and Wise (eds.), CRC Pres., Boca Raton, Florida (1974); *Controlled Drug Bioavailability, Drug Product Design and Performance*, Smolen and Ball (eds.), Wiley, New York (1984); Ranger and Peppas, J., *Macromol. Sci. Rev. Macromol. Chem.* 23:61 (1983); see also Levy et al., *Science* 228:190 (1985); During
20 et al., *Ann. Neurol.* 25:351 (1989); Howard et al., *J. Neurosurg.* 71:105 (1989)). In yet another embodiment, a controlled release system can be placed in proximity of the therapeutic target, i.e., the brain, thus requiring only a fraction of the systemic dose (see, e.g., Goodson, in *Medical Applications of Controlled Release*, *supra*, vol. 2, pp. 115-138 (1984)).

25 Other controlled release systems are discussed in the review by Langer (*Science* 249:1527-1533 (1990)).

In a specific embodiment where the compound of the invention is a nucleic acid encoding a protein, the nucleic acid can be administered *in vivo* to promote expression of its encoded protein, by constructing it as part of an appropriate nucleic
30 acid expression vector and administering it so that it becomes intracellular, e.g., by

use of a retroviral vector (see U.S. Patent No. 4,980,286), or by direct injection. or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, or by administering it in linkage to a homeobox- like peptide which is known to enter the nucleus (see e.g.,
5 Joliot et al., Proc. Natl. Acad. Sci. USA 88:1864-1868 (1991)), etc. Alternatively, a nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination.

The present invention also provides pharmaceutical compositions. Such compositions comprise a therapeutically effective amount of a compound, and a
10 pharmaceutically acceptable carrier. In a specific embodiment, the term "pharmaceutically acceptable" means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the
15 therapeutic is administered. Such pharmaceutical carriers can be sterile liquids, such as water and oils, including those of petroleum, animal, vegetable or synthetic origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water is a preferred carrier when the pharmaceutical composition is administered intravenously. Saline solutions and aqueous dextrose and glycerol solutions can also be employed as
20 liquid carriers, particularly for injectable solutions. Suitable pharmaceutical excipients include starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, water, ethanol and the like. The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH
25 buffering agents. These compositions can take the form of solutions, suspensions, emulsion, tablets, pills, capsules, powders, sustained-release formulations and the like. The composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium stearate,
30 sodium saccharine, cellulose, magnesium carbonate, etc. Examples of suitable

pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin. Such compositions will contain a therapeutically effective amount of the compound, preferably in purified form, together with a suitable amount of carrier so as to provide the form for proper administration to the patient. The formulation
5 should suit the mode of administration.

In a preferred embodiment, the composition is formulated in accordance with routine procedures as a pharmaceutical composition adapted for intravenous administration to human beings. Typically, compositions for intravenous administration are solutions in sterile isotonic aqueous buffer. Where necessary, the
10 composition may also include a solubilizing agent and a local anesthetic such as lignocaine to ease pain at the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free concentrate in a hermetically sealed container such as an ampoule or sachette indicating the quantity of active agent. Where the
15 composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water or saline. Where the composition is administered by injection, an ampoule of sterile water for injection or saline can be provided so that the ingredients may be mixed prior to administration.

The compounds of the invention can be formulated as neutral or salt forms.
20 Pharmaceutically acceptable salts include those formed with anions such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with cations such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

25 The amount of the compound of the invention which will be effective in the treatment, inhibition and prevention of a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention can be determined by standard clinical techniques. In addition, in vitro assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the
30 formulation will also depend on the route of administration, and the seriousness of

the disease or disorder, and should be decided according to the judgment of the practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from in vitro or animal model test systems.

For antibodies, the dosage administered to a patient is typically 0.1 mg/kg to 5 100 mg/kg of the patient's body weight. Preferably, the dosage administered to a patient is between 0.1 mg/kg and 20 mg/kg of the patient's body weight, more preferably 1 mg/kg to 10 mg/kg of the patient's body weight. Generally, human antibodies have a longer half-life within the human body than antibodies from other species due to the immune response to the foreign polypeptides. Thus, lower dosages 10 of human antibodies and less frequent administration is often possible. Further, the dosage and frequency of administration of antibodies of the invention may be reduced by enhancing uptake and tissue penetration (e.g., into the brain) of the antibodies by modifications such as, for example, lipidation.

The invention also provides a pharmaceutical pack or kit comprising one or 15 more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration.

20

Diagnosis and Imaging

Labeled antibodies, and derivatives and analogs thereof, which specifically bind to a polypeptide of interest can be used for diagnostic purposes to detect, diagnose, or monitor diseases, disorders, and/or conditions associated with the 25 aberrant expression and/or activity of a polypeptide of the invention. The invention provides for the detection of aberrant expression of a polypeptide of interest, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level,

whereby an increase or decrease in the assayed polypeptide gene expression level compared to the standard expression level is indicative of aberrant expression.

The invention provides a diagnostic assay for diagnosing a disorder, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level, whereby an increase or decrease in the assayed polypeptide gene expression level compared to the standard expression level is indicative of a particular disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

Antibodies of the invention can be used to assay protein levels in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen, et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, et al., J. Cell Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine (125I, 121I), carbon (14C), sulfur (35S), tritium (3H), indium (112In), and technetium (99Tc); luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

One aspect of the invention is the detection and diagnosis of a disease or disorder associated with aberrant expression of a polypeptide of interest in an animal, preferably a mammal and most preferably a human. In one embodiment, diagnosis comprises: a) administering (for example, parenterally, subcutaneously, or intraperitoneally) to a subject an effective amount of a labeled molecule which specifically binds to the polypeptide of interest; b) waiting for a time interval

following the administering for permitting the labeled molecule to preferentially concentrate at sites in the subject where the polypeptide is expressed (and for unbound labeled molecule to be cleared to background level); c) determining background level; and d) detecting the labeled molecule in the subject, such that
5 detection of labeled molecule above the background level indicates that the subject has a particular disease or disorder associated with aberrant expression of the polypeptide of interest. Background level can be determined by various methods including, comparing the amount of labeled molecule detected to a standard value previously determined for a particular system.

10 It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of ^{99m}Tc. The labeled antibody or antibody fragment will then preferentially
15 accumulate at the location of cells which contain the specific protein. In vivo tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments." (Chapter 13 in Tumor Imaging: The Radiochemical Detection of Cancer, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982).

20 Depending on several variables, including the type of label used and the mode of administration, the time interval following the administration for permitting the labeled molecule to preferentially concentrate at sites in the subject and for unbound labeled molecule to be cleared to background level is 6 to 48 hours or 6 to 24 hours or 6 to 12 hours. In another embodiment the time interval following administration is 5
25 to 20 days or 5 to 10 days.

In an embodiment, monitoring of the disease or disorder is carried out by repeating the method for diagnosing the disease or disease, for example, one month after initial diagnosis, six months after initial diagnosis, one year after initial diagnosis, etc.

Presence of the labeled molecule can be detected in the patient using methods known in the art for in vivo scanning. These methods depend upon the type of label used. Skilled artisans will be able to determine the appropriate method for detecting a particular label. Methods and devices that may be used in the diagnostic methods of
5 the invention include, but are not limited to, computed tomography (CT), whole body scan such as position emission tomography (PET), magnetic resonance imaging (MRI), and sonography.

In a specific embodiment, the molecule is labeled with a radioisotope and is detected in the patient using a radiation responsive surgical instrument (Thurston et al., U.S. Patent No. 5,441,050). In another embodiment, the molecule is labeled with
10 a fluorescent compound and is detected in the patient using a fluorescence responsive scanning instrument. In another embodiment, the molecule is labeled with a positron emitting metal and is detected in the patent using positron emission-tomography. In yet another embodiment, the molecule is labeled with a paramagnetic label and is
15 detected in a patient using magnetic resonance imaging (MRI).

Kits

The present invention provides kits that can be used in the above methods. In one embodiment, a kit comprises an antibody of the invention, preferably a purified
20 antibody, in one or more containers. In a specific embodiment, the kits of the present invention contain a substantially isolated polypeptide comprising an epitope which is specifically immunoreactive with an antibody included in the kit. Preferably, the kits of the present invention further comprise a control antibody which does not react with the polypeptide of interest. In another specific embodiment, the kits of the present
25 invention contain a means for detecting the binding of an antibody to a polypeptide of interest (e.g., the antibody may be conjugated to a detectable substrate such as a fluorescent compound, an enzymatic substrate, a radioactive compound or a luminescent compound, or a second antibody which recognizes the first antibody may be conjugated to a detectable substrate).

In another specific embodiment of the present invention, the kit is a diagnostic kit for use in screening serum containing antibodies specific against proliferative and/or cancerous polynucleotides and polypeptides. Such a kit may include a control antibody that does not react with the polypeptide of interest. Such a kit may include a substantially isolated polypeptide antigen comprising an epitope which is specifically immunoreactive with at least one anti-polypeptide antigen antibody. Further, such a kit includes means for detecting the binding of said antibody to the antigen (e.g., the antibody may be conjugated to a fluorescent compound such as fluorescein or rhodamine which can be detected by flow cytometry). In specific embodiments, the kit may include a recombinantly produced or chemically synthesized polypeptide antigen. The polypeptide antigen of the kit may also be attached to a solid support.

In a more specific embodiment the detecting means of the above-described kit includes a solid support to which said polypeptide antigen is attached. Such a kit may also include a non-attached reporter-labeled anti-human antibody. In this embodiment, binding of the antibody to the polypeptide antigen can be detected by binding of the said reporter-labeled antibody.

In an additional embodiment, the invention includes a diagnostic kit for use in screening serum containing antigens of the polypeptide of the invention. The diagnostic kit includes a substantially isolated antibody specifically immunoreactive with polypeptide or polynucleotide antigens, and means for detecting the binding of the polynucleotide or polypeptide antigen to the antibody. In one embodiment, the antibody is attached to a solid support. In a specific embodiment, the antibody may be a monoclonal antibody. The detecting means of the kit may include a second, labeled monoclonal antibody. Alternatively, or in addition, the detecting means may include a labeled, competing antigen.

In one diagnostic configuration, test serum is reacted with a solid phase reagent having a surface-bound antigen obtained by the methods of the present invention. After binding with specific antigen antibody to the reagent and removing unbound serum components by washing, the reagent is reacted with reporter-labeled anti-human antibody to bind reporter to the reagent in proportion to the amount of

bound anti-antigen antibody on the solid support. The reagent is again washed to remove unbound labeled antibody, and the amount of reporter associated with the reagent is determined. Typically, the reporter is an enzyme which is detected by incubating the solid phase in the presence of a suitable fluorometric, luminescent or colorimetric substrate (Sigma, St. Louis, MO).

The solid surface reagent in the above assay is prepared by known techniques for attaching protein material to solid support material, such as polymeric beads, dip sticks, 96-well plate or filter material. These attachment methods generally include non-specific adsorption of the protein to the support or covalent attachment of the protein, typically through a free amine group, to a chemically reactive group on the solid support, such as an activated carboxyl, hydroxyl, or aldehyde group. Alternatively, streptavidin coated plates can be used in conjunction with biotinylated antigen(s).

Thus, the invention provides an assay system or kit for carrying out this diagnostic method. The kit generally includes a support with surface-bound recombinant antigens, and a reporter-labeled anti-human antibody for detecting surface-bound anti-antigen antibody.

Uses of the Polynucleotides

Each of the polynucleotides identified herein can be used in numerous ways as reagents. The following description should be considered exemplary and utilizes known techniques.

The cancer antigen polynucleotides of the present invention are useful for chromosome identification. There exists an ongoing need to identify new chromosome markers, since few chromosome marking reagents, based on actual sequence data (repeat polymorphisms), are presently available. Each sequence is specifically targeted to and can hybridize with a particular location on an individual human chromosome, thus each polynucleotide of the present invention can routinely be used as a chromosome marker using techniques known in the art.

Briefly, sequences can be mapped to chromosomes by preparing PCR primers (preferably at least 15 bp (e.g., 15-25 bp) from the sequences shown in SEQ ID NO:X, or the complement thereto. Primers can optionally be selected using computer analysis so that primers do not span more than one predicted exon in the genomic DNA. These primers are then used for PCR screening of somatic cell hybrids
5 containing individual human chromosomes. Only those hybrids containing the human gene corresponding to SEQ ID NO:X will yield an amplified fragment.

Similarly, somatic hybrids provide a rapid method of PCR mapping the polynucleotides to particular chromosomes. Three or more clones can be assigned
10 per day using a single thermal cycler. Moreover, sublocalization of the polynucleotides can be achieved with panels of specific chromosome fragments. Other gene mapping strategies that can be used include in situ hybridization, prescreening with labeled flow-sorted chromosomes, preselection by hybridization to construct chromosome specific-cDNA libraries, and computer mapping techniques
15 (See, e.g., Shuler, Trends Biotechnol 16:456-459 (1998) which is hereby incorporated by reference in its entirety).

Precise chromosomal location of the polynucleotides can also be achieved using fluorescence in situ hybridization (FISH) of a metaphase chromosomal spread. This technique uses polynucleotides as short as 500 or 600 bases; however,
20 polynucleotides 2,000-4,000 bp are preferred. For a review of this technique, see Verma et al., "Human Chromosomes: a Manual of Basic Techniques," Pergamon Press, New York (1988).

For chromosome mapping, the polynucleotides can be used individually (to mark a single chromosome or a single site on that chromosome) or in panels (for
25 marking multiple sites and/or multiple chromosomes).

Thus, the present invention also provides a method for chromosomal localization which involves (a) preparing PCR primers from the polynucleotide sequences in Table 3 and SEQ ID NO:X and (b) screening somatic cell hybrids containing individual chromosomes.

The polynucleotides of the present invention would likewise be useful for radiation hybrid mapping, HAPPY mapping, and long range restriction mapping. For a review of these techniques and others known in the art, see, e.g. Dear, "Genome Mapping: A Practical Approach," IRL Press at Oxford University Press, London (1997); Aydin, J. Mol. Med. 77:691-694 (1999); Hacia et al., Mol. Psychiatry 3:483-492 (1998); Herrick et al., Chromosome Res. 7:409-423 (1999); Hamilton et al., Methods Cell Biol. 62:265-280 (2000); and/or Ott, J. Hered. 90:68-70 (1999) each of which is hereby incorporated by reference in its entirety.

Once a polynucleotide has been mapped to a precise chromosomal location, the physical position of the polynucleotide can be used in linkage analysis. Linkage analysis establishes coinheritance between a chromosomal location and presentation of a particular disease. (Disease mapping data are found, for example, in V. McKusick, Mendelian Inheritance in Man (available on line through Johns Hopkins University Welch Medical Library).) Assuming 1 megabase mapping resolution and one gene per 20 kb, a cDNA precisely localized to a chromosomal region associated with the disease could be one of 50-500 potential causative genes.

Thus, once coinheritance is established, differences in a polynucleotide of the invention and the corresponding gene between affected and unaffected individuals can be examined. First, visible structural alterations in the chromosomes, such as deletions or translocations, are examined in chromosome spreads or by PCR. If no structural alterations exist, the presence of point mutations are ascertained. Mutations observed in some or all affected individuals, but not in normal individuals, indicates that the mutation may cause the disease. However, complete sequencing of the polypeptide and the corresponding gene from several normal individuals is required to distinguish the mutation from a polymorphism. If a new polymorphism is identified, this polymorphic polypeptide can be used for further linkage analysis.

Furthermore, increased or decreased expression of the gene in affected individuals as compared to unaffected individuals can be assessed using the polynucleotides of the invention. Any of these alterations (altered expression,

chromosomal rearrangement, or mutation) can be used as a diagnostic or prognostic marker.

Thus, the invention provides a method of detecting increased or decreased expression levels of the cancer polynucleotides in affected individuals as compared to
5 unaffected individuals using polynucleotides of the present invention and techniques known in the art, including but not limited to the method described in Example 11. Any of these alterations (altered expression, chromosomal rearrangement, or mutation) can be used as a diagnostic or prognostic marker.

Thus, the invention also provides a diagnostic method useful during diagnosis
10 of a tissue specific disorder, including cancer, involving measuring the expression level of cancer polynucleotides in tissues or other cells or body fluid from an individual and comparing the measured gene expression level with a standard cancer polynucleotide expression level, whereby an increase or decrease in the gene expression level compared to the standard is indicative of a tissue specific disorder.

15 In still another embodiment, the invention includes a kit for analyzing samples for the presence of proliferative and/or cancerous polynucleotides derived from a test subject. In a general embodiment, the kit includes at least one polynucleotide probe containing a nucleotide sequence that will specifically hybridize with a polynucleotide of the invention and a suitable container. In a specific embodiment,
20 the kit includes two polynucleotide probes defining an internal region of the polynucleotide of the invention, where each probe has one strand containing a 31'mer-end internal to the region. In a further embodiment, the probes may be useful as primers for polymerase chain reaction amplification.

Where a diagnosis of a tissue specific disorder, including, for example,
25 diagnosis of a tumor, has already been made according to conventional methods, the present invention is useful as a prognostic indicator, whereby patients exhibiting enhanced or depressed cancer polynucleotide expression will experience a worse clinical outcome relative to patients expressing the gene at a level nearer the standard level.

By "measuring the expression level of cancer polynucleotides" is intended qualitatively or quantitatively measuring or estimating the level of the cancer polypeptide or the level of the mRNA encoding the cancer polypeptide in a first biological sample either directly (e.g., by determining or estimating absolute protein
5 level or mRNA level) or relatively (e.g., by comparing to the cancer polypeptide level or mRNA level in a second biological sample). Preferably, the cancer polypeptide level or mRNA level in the first biological sample is measured or estimated and compared to a standard cancer polypeptide level or mRNA level, the standard being taken from a second biological sample obtained from an individual not having the
10 tissue specific disorder or being determined by averaging levels from a population of individuals not having the tissue specific disorder. As will be appreciated in the art, once a standard cancer polypeptide level or mRNA level is known, it can be used repeatedly as a standard for comparison.

By "biological sample" is intended any biological sample obtained from an
15 individual, body fluid, cell line, tissue culture, or other source which contains a cancer polypeptide or the corresponding mRNA. As indicated, biological samples include body fluids (such as sputum, breast milk, vaginal pool, bile, semen, lymph, sera, plasma, urine, synovial fluid and spinal fluid) which contain the cancer polypeptide, and other tissue sources found to express the cancer polypeptide. Methods for
20 obtaining tissue biopsies and body fluids from mammals are well known in the art. Where the biological sample is to include mRNA, a tissue biopsy is the preferred source.

The method(s) provided above may preferably be applied in a diagnostic method and/or kits in which polynucleotides and/or polypeptides of the invention are
25 attached to a solid support. In one exemplary method, the support may be a "gene chip" or a "biological chip" as described in US Patents 5,837,832, 5,874,219, and 5,856,174. Further, such a gene chip with cancer antigen polynucleotides attached may be used to identify polymorphisms between the cancer antigen polynucleotide sequences, with polynucleotides isolated from a test subject. The knowledge of such
30 polymorphisms (i.e. their location, as well as, their existence) would be beneficial in

identifying disease loci for many disorders, such as for example, in neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal disorders, pulmonary disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions. Such a method is described in
5 US Patents 5,858,659 and 5,856,104. The US Patents referenced supra are hereby incorporated by reference in their entirety herein.

The present invention encompasses cancer polynucleotides that are chemically synthesized, or reproduced as peptide nucleic acids (PNA), or according to other methods known in the art. The use of PNAs would serve as the preferred form if the
10 polynucleotides of the invention are incorporated onto a solid support, or gene chip. For the purposes of the present invention, a peptide nucleic acid (PNA) is a polyamide type of DNA analog and the monomeric units for adenine, guanine, thymine and cytosine are available commercially (Perceptive Biosystems). Certain components of DNA, such as phosphorus, phosphorus oxides, or deoxyribose
15 derivatives, are not present in PNAs. As disclosed by P. E. Nielsen, M. Egholm, R. H. Berg and O. Buchardt, Science 254, 1497 (1991); and M. Egholm, O. Buchardt, L.Christensen, C. Behrens, S. M. Freier, D. A. Driver, R. H. Berg, S. K. Kim, B. Norden, and P. E. Nielsen, Nature 365, 666 (1993), PNAs bind specifically and tightly to complementary DNA strands and are not degraded by nucleases. In fact,
20 PNA binds more strongly to DNA than DNA itself does. This is probably because there is no electrostatic repulsion between the two strands, and also the polyamide backbone is more flexible. Because of this, PNA/DNA duplexes bind under a wider range of stringency conditions than DNA/DNA duplexes, making it easier to perform multiplex hybridization. Smaller probes can be used than with DNA due to the strong
25 binding. In addition, it is more likely that single base mismatches can be determined with PNA/DNA hybridization because a single mismatch in a PNA/DNA 15-mer lowers the melting point ($T_{sub.m}$) by 8°-20° C, vs. 4°-16° C for the DNA/DNA 15-mer duplex. Also, the absence of charge groups in PNA means that hybridization can be done at low ionic strengths and reduce possible interference by salt during the
30 analysis.

The present invention have uses which include, but are not limited to, detecting cancer in mammals. In particular the invention is useful during diagnosis of pathological cell proliferative neoplasias which include, but are not limited to: acute myelogenous leukemias including acute monocytic leukemia, acute myeloblastic leukemia, acute promyelocytic leukemia, acute myelomonocytic leukemia, acute erythroleukemia, acute megakaryocytic leukemia, and acute undifferentiated leukemia, etc.; and chronic myelogenous leukemias including chronic myelomonocytic leukemia, chronic granulocytic leukemia, etc. Preferred mammals include monkeys, apes, cats, dogs, cows, pigs, horses, rabbits and humans. Particularly preferred are humans.

Pathological cell proliferative disorders are often associated with inappropriate activation of proto-oncogenes. (Germann, E. P. et al., "The Etiology of Acute Leukemia: Molecular Genetics and Viral Oncology," in Neoplastic Diseases of the Blood, Vol 1., Wiernik, P. H. et al. eds., 161-182 (1985)). Neoplasias are now believed to result from the qualitative alteration of a normal cellular gene product, or from the quantitative modification of gene expression by insertion into the chromosome of a viral sequence, by chromosomal translocation of a gene to a more actively transcribed region, or by some other mechanism. (Germann et al., supra) It is likely that mutated or altered expression of specific genes is involved in the pathogenesis of some leukemias, among other tissues and cell types. (Germann et al., supra) Indeed, the human counterparts of the oncogenes involved in some animal neoplasias have been amplified or translocated in some cases of human leukemia and carcinoma. (Germann et al., supra)

For example, c-myc expression is highly amplified in the non-lymphocytic leukemia cell line HL-60. When HL-60 cells are chemically induced to stop proliferation, the level of c-myc is found to be downregulated. (International Publication Number WO 91/15580). However, it has been shown that exposure of HL-60 cells to a DNA construct that is complementary to the 5' end of c-myc or c-myb blocks translation of the corresponding mRNAs which downregulates expression of the c-myc or c-myb proteins and causes arrest of cell proliferation and

differentiation of the treated cells. (International Publication Number WO 91/15580; Wickstrom et al., Proc. Natl. Acad. Sci. 85:1028 (1988); Anfossi et al., Proc. Natl. Acad. Sci. 86:3379 (1989)). However, the skilled artisan would appreciate the present invention's usefulness is not limited to treatment of proliferative disorders of
5 hematopoietic cells and tissues, in light of the numerous cells and cell types of varying origins which are known to exhibit proliferative phenotypes.

In addition to the foregoing, a cancer antigen polynucleotide can be used to control gene expression through triple helix formation or through antisense DNA or RNA. Antisense techniques are discussed, for example, in Okano, J. Neurochem. 56:
10 560 (1991); "Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance Lee et al., Nucleic Acids Research 6: 3073 (1979); Cooney et al., Science 241: 456 (1988); and Dervan et al., Science 251: 1360 (1991). Both methods rely on binding of the polynucleotide to a complementary DNA or RNA. For these
15 techniques, preferred polynucleotides are usually oligonucleotides 20 to 40 bases in length and complementary to either the region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxy-nucleotides as
20 Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988).) Triple helix formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. The oligonucleotide described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of
25 polypeptide of the present invention antigens. Both techniques are effective in model systems, and the information disclosed herein can be used to design antisense or triple helix polynucleotides in an effort to treat disease, and in particular, for the treatment of proliferative diseases and/or conditions.

Polynucleotides of the present invention are also useful in gene therapy. One
30 goal of gene therapy is to insert a normal gene into an organism having a defective

gene, in an effort to correct the genetic defect. The polynucleotides disclosed in the present invention offer a means of targeting such genetic defects in a highly accurate manner. Another goal is to insert a new gene that was not present in the host genome, thereby producing a new trait in the host cell.

5 The polynucleotides are also useful for identifying individuals from minute biological samples. The United States military, for example, is considering the use of restriction fragment length polymorphism (RFLP) for identification of its personnel. In this technique, an individual's genomic DNA is digested with one or more restriction enzymes, and probed on a Southern blot to yield unique bands for
10 identifying personnel. This method does not suffer from the current limitations of "Dog Tags" which can be lost, switched, or stolen, making positive identification difficult. The polynucleotides of the present invention can be used as additional DNA markers for RFLP.

 The polynucleotides of the present invention can also be used as an alternative
15 to RFLP, by determining the actual base-by-base DNA sequence of selected portions of an individual's genome. These sequences can be used to prepare PCR primers for amplifying and isolating such selected DNA, which can then be sequenced. Using this technique, individuals can be identified because each individual will have a unique set of DNA sequences. Once an unique ID database is established for an
20 individual, positive identification of that individual, living or dead, can be made from extremely small tissue samples.

 Forensic biology also benefits from using DNA-based identification techniques as disclosed herein. DNA sequences taken from very small biological samples such as tissues, e.g., hair or skin, or body fluids, e.g., blood, saliva, semen,
25 synovial fluid, amniotic fluid, breast milk, lymph, pulmonary sputum or surfactant, urine, fecal matter, etc., can be amplified using PCR. In one prior art technique, gene sequences amplified from polymorphic loci, such as DQa class II HLA gene, are used in forensic biology to identify individuals. (Erlich, H., PCR Technology, Freeman and Co. (1992).) Once these specific polymorphic loci are amplified, they are
30 digested with one or more restriction enzymes, yielding an identifying set of bands on

a Southern blot probed with DNA corresponding to the DQa class II HLA gene. Similarly, polynucleotides of the present invention can be used as polymorphic markers for forensic purposes.

There is also a need for reagents capable of identifying the source of a particular tissue. Such need arises, for example, in forensics when presented with tissue of unknown origin. Appropriate reagents can comprise, for example, DNA probes or primers specific to cancer polynucleotides prepared from the sequences of the present invention. Panels of such reagents can identify tissue by species and/or by organ type. In a similar fashion, these reagents can be used to screen tissue cultures for contamination.

The polynucleotides of the present invention are also useful as hybridization probes for differential identification of the tissue(s) or cell type(s) present in a biological sample. Similarly, polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays) or cell type(s) (e.g., immunocytochemistry assays). In addition, for a number of disorders of the above tissues or cells, significantly higher or lower levels of gene expression of the polynucleotides/polypeptides of the present invention may be detected in certain tissues (e.g., tissues expressing polypeptides and/or polynucleotides of the present invention, cancer tissues and/or cancerous and/or wounded tissues) or bodily fluids (e.g., semen, vaginal pool, breast milk, bile, lymph, serum, plasma, urine, synovial fluid or spinal fluid) taken from an individual having such a disorder, relative to a "standard" gene expression level, i.e., the expression level in healthy tissue from an individual not having the disorder.

Thus, the invention provides a diagnostic method of a disorder, which involves: (a) assaying gene expression level in cells or body fluid of an individual; (b) comparing the gene expression level with a standard gene expression level, whereby an increase or decrease in the assayed gene expression level compared to the standard expression level is indicative of a disorder.

In the very least, the polynucleotides of the present invention can be used as molecular weight markers on Southern gels, as diagnostic probes for the presence of a specific mRNA in a particular cell type, as a probe to "subtract-out" known sequences in the process of discovering novel polynucleotides, for selecting and making
5 oligomers for attachment to a "gene chip" or other support, to raise anti-DNA antibodies using DNA immunization techniques, and as an antigen to elicit an immune response.

Uses of the Polypeptides

10 Each of the polypeptides identified herein can be used in numerous ways. The following description should be considered exemplary and utilizes known techniques.

Polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays such as, for example, ABC
15 immunoperoxidase (Hsu et al., J. Histochem. Cytochem. 29:577-580 (1981)) or cell type(s) (e.g., immunocytochemistry assays).

Antibodies can be used to assay levels of polypeptides encoded by polynucleotides of the invention in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen, et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, et al., J. Cell. Biol. 105:3087-3096
20 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine
25 (^{131}I , ^{125}I , ^{123}I , ^{121}I), carbon (^{14}C), sulfur (^{35}S), tritium (^3H), indium ($^{115\text{m}}\text{In}$, $^{113\text{m}}\text{In}$, ^{112}In , ^{111}In), and technetium (^{99}Tc , $^{99\text{m}}\text{Tc}$), thallium (^{201}Tl), gallium (^{68}Ga , ^{67}Ga), palladium (^{103}Pd), molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{18}F), ^{153}Sm , ^{177}Lu , ^{159}Gd , ^{149}Pm , ^{140}La , ^{175}Yb , ^{166}Ho , ^{90}Y , ^{47}Sc , ^{186}Re , ^{188}Re , ^{142}Pr , ^{105}Rh , ^{97}Ru ;
luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and
30 rhodamine, and biotin.

In addition to assaying levels of polypeptide of the present invention in a biological sample, proteins can also be detected in vivo by imaging. Antibody labels or markers for in vivo imaging of protein include those detectable by X-radiography, NMR or ESR. For X-radiography, suitable labels include radioisotopes such as barium or cesium, which emit detectable radiation but are not overtly harmful to the subject. Suitable markers for NMR and ESR include those with a detectable characteristic spin, such as deuterium, which may be incorporated into the antibody by labeling of nutrients for the relevant hybridoma.

A protein-specific antibody or antibody fragment which has been labeled with an appropriate detectable imaging moiety, such as a radioisotope (for example, ^{131}I , ^{112}In , $^{99\text{m}}\text{Tc}$, (^{131}I , ^{125}I , ^{123}I , ^{121}I), carbon (^{14}C), sulfur (^{35}S), tritium (^3H), indium ($^{115\text{m}}\text{In}$, $^{113\text{m}}\text{In}$, ^{112}In , ^{111}In), and technetium (^{99}Tc , $^{99\text{m}}\text{Tc}$), thallium (^{201}Tl), gallium (^{68}Ga , ^{67}Ga), palladium (^{103}Pd), molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{18}F , ^{153}Sm , ^{177}Lu , ^{159}Gd , ^{149}Pm , ^{140}La , ^{175}Yb , ^{166}Ho , ^{90}Y , ^{47}Sc , ^{186}Re , ^{188}Re , ^{142}Pr , ^{105}Rh , ^{97}Ru), a radio-opaque substance, or a material detectable by nuclear magnetic resonance, is introduced (for example, parenterally, subcutaneously or intraperitoneally) into the mammal to be examined for immune system disorder. It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of $^{99\text{m}}\text{Tc}$. The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which express the polypeptide encoded by a polynucleotide of the invention. *In vivo* tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments" (Chapter 13 in *Tumor Imaging: The Radiochemical Detection of Cancer*, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (e.g., polypeptides encoded by polynucleotides of the invention and/or

antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate
5 episomally and that can be transcribed) into the targeted cell.

In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention in association with toxins or cytotoxic prodrugs.

10 By "toxin" is meant one or more compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not
15 limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNase, alpha toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin.
20 "Toxin" also includes a cytostatic or cytotoxic agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example, ^{213}Bi , or other radioisotopes such as, for example, ^{103}Pd , ^{133}Xe , ^{131}I , ^{68}Ge , ^{57}Co , ^{65}Zn , ^{85}Sr , ^{32}P , ^{35}S , ^{90}Y , ^{153}Sm , ^{153}Gd , ^{169}Yb , ^{51}Cr , ^{54}Mn , ^{75}Se , ^{113}Sn , $^{90}\text{Yttrium}$, ^{117}Tin , $^{186}\text{Rhenium}$, $^{166}\text{Holmium}$, and $^{188}\text{Rhenium}$; luminescent labels, such as luminol; and fluorescent
25 labels, such as fluorescein and rhodamine, and biotin.

Techniques known in the art may be applied to label polypeptides of the invention (including antibodies). Such techniques include, but are not limited to, the use of bifunctional conjugating agents (see e.g., U.S. Patent Nos. 5,756,065; 5,714,631; 5,696,239; 5,652,361; 5,505,931; 5,489,425; 5,435,990; 5,428,139;

5,342,604; 5,274,119; 4,994,560; and 5,808,003; the contents of each of which are hereby incorporated by reference in its entirety).

Thus, the invention provides a diagnostic method of a disorder, which involves (a) assaying the expression level of a cancer polypeptide of the present invention in cells or body fluid of an individual; and (b) comparing the assayed polypeptide expression level with a standard polypeptide expression level, whereby an increase or decrease in the assayed polypeptide expression level compared to the standard expression level is indicative of a disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

Moreover, cancer antigen polypeptides of the present invention can be used to treat or prevent diseases or conditions such as, for example, neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal disorders, pulmonary disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions. For example, patients can be administered a polypeptide of the present invention in an effort to replace absent or decreased levels of the polypeptide (e.g., insulin), to supplement absent or decreased levels of a different polypeptide (e.g., hemoglobin S for hemoglobin B, SOD, catalase, DNA repair proteins), to inhibit the activity of a polypeptide (e.g., an oncogene or tumor suppressor), to activate the activity of a polypeptide (e.g., by binding to a receptor), to reduce the activity of a membrane bound receptor by competing with it for free ligand (e.g., soluble TNF receptors used in reducing inflammation), or to bring about a desired response (e.g., blood vessel growth inhibition, enhancement of the immune response to proliferative cells or tissues).

Similarly, antibodies directed to a polypeptide of the present invention can also be used to treat disease (as described supra, and elsewhere herein). For example,

administration of an antibody directed to a polypeptide of the present invention can bind, and/or neutralize the polypeptide, and/or reduce overproduction of the polypeptide. Similarly, administration of an antibody can activate the polypeptide, such as by binding to a polypeptide bound to a membrane (receptor).

5 At the very least, the polypeptides of the present invention can be used as molecular weight markers on SDS-PAGE gels or on molecular sieve gel filtration columns using methods well known to those of skill in the art. Polypeptides can also be used to raise antibodies, which in turn are used to measure protein expression from a recombinant cell, as a way of assessing transformation of the host cell. Moreover,
10 the polypeptides of the present invention can be used to test the following biological activities.

Gene Therapy Methods

 Another aspect of the present invention is to gene therapy methods for treating
15 or preventing disorders, diseases and conditions. The gene therapy methods relate to the introduction of nucleic acid (DNA, RNA and antisense DNA or RNA) sequences into an animal to achieve expression of the polypeptide of the present invention. This method requires a polynucleotide which codes for a polypeptide of the present invention operatively linked to a promoter and any other genetic elements necessary
20 for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques are known in the art, see, for example, WO90/11092, which is herein incorporated by reference.

 Thus, for example, cells from a patient may be engineered with a polynucleotide (DNA or RNA) comprising a promoter operably linked to a
25 polynucleotide of the present invention ex vivo, with the engineered cells then being provided to a patient to be treated with the polypeptide of the present invention. Such methods are well-known in the art. For example, see Belldgrun, A., et al., J. Natl. Cancer Inst. 85: 207-216 (1993); Ferrantini, M. et al., Cancer Research 53: 1107-1112 (1993); Ferrantini, M. et al., J. Immunology 153: 4604-4615 (1994); Kaido, T., et al.,
30 Int. J. Cancer 60: 221-229 (1995); Ogura, H., et al., Cancer Research 50: 5102-5106

(1990); Santodonato, L., et al., Human Gene Therapy 7:1-10 (1996); Santodonato, L., et al., Gene Therapy 4:1246-1255 (1997); and Zhang, J.-F. et al., Cancer Gene Therapy 3: 31-38 (1996)), which are herein incorporated by reference. In one embodiment, the cells which are engineered are arterial cells. The arterial cells may
5 be reintroduced into the patient through direct injection to the artery, the tissues surrounding the artery, or through catheter injection.

As discussed in more detail below, the polynucleotide constructs can be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver,
10 and the like). The polynucleotide constructs may be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

In one embodiment, the polynucleotide of the present invention is delivered as a naked polynucleotide. The term "naked" polynucleotide, DNA or RNA refers to sequences that are free from any delivery vehicle that acts to assist, promote or
15 facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotide of the present invention can also be delivered in liposome formulations and lipofectin formulations and the like can be prepared by methods well known to those skilled in the art. Such methods are described, for example, in
20 U.S. Patent Nos. 5,593,972, 5,589,466, and 5,580,859, which are herein incorporated by reference.

The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Appropriate vectors include pWLNEO,
25 pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; pSVK3, pBPV, pMSG and pSVL available from Pharmacia; and pEF1/V5, pcDNA3.1, and pRc/CMV2 available from Invitrogen. Other suitable vectors will be readily apparent to the skilled artisan.

Any strong promoter known to those skilled in the art can be used for driving
30 the expression of the polynucleotide sequence. Suitable promoters include adenoviral

promoters, such as the adenoviral major late promoter; or heterologous promoters, such as the cytomegalovirus (CMV) promoter; the respiratory syncytial virus (RSV) promoter; inducible promoters, such as the MMT promoter, the metallothionein promoter; heat shock promoters; the albumin promoter; the ApoA1 promoter; human
5 globin promoters; viral thymidine kinase promoters, such as the Herpes Simplex thymidine kinase promoter; retroviral LTRs; the b-actin promoter; and human growth hormone promoters. The promoter also may be the native promoter for the polynucleotide of the present invention.

Unlike other gene therapy techniques, one major advantage of introducing
10 naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

The polynucleotide construct can be delivered to the interstitial space of tissues
15 within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular, fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in
20 the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the
25 tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. In vivo muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked nucleic acid sequence injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 mg/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as
5 the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration.

The preferred route of administration is by the parenteral route of injection
10 into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked DNA constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

15 The naked polynucleotides are delivered by any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, and so-called "gene guns". These delivery methods are known in the art.

The constructs may also be delivered with delivery vehicles such as viral
20 sequences, viral particles, liposome formulations, lipofectin, precipitating agents, etc. Such methods of delivery are known in the art.

In certain embodiments, the polynucleotide constructs are complexed in a liposome preparation. Liposomal preparations for use in the instant invention include cationic (positively charged), anionic (negatively charged) and neutral preparations.
25 However, cationic liposomes are particularly preferred because a tight charge complex can be formed between the cationic liposome and the polyanionic nucleic acid. Cationic liposomes have been shown to mediate intracellular delivery of plasmid DNA (Felgner et al., Proc. Natl. Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference); mRNA (Malone et al., Proc. Natl. Acad. Sci. USA
30 (1989) 86:6077-6081, which is herein incorporated by reference); and purified

transcription factors (Debs et al., J. Biol. Chem. (1990) 265:10189-10192, which is herein incorporated by reference), in functional form.

Cationic liposomes are readily available. For example, N[1-2,3-dioleoyloxy)propyl]-N,N,N-triethylammonium (DOTMA) liposomes are particularly useful and are available under the trademark Lipofectin, from GIBCO
5 BRL, Grand Island, N.Y. (See, also, Felgner et al., Proc. Natl Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference). Other commercially available liposomes include transfectace (DDAB/DOPE) and DOTAP/DOPE (Boehringer).

10 Other cationic liposomes can be prepared from readily available materials using techniques well known in the art. See, e.g. PCT Publication No. WO 90/11092 (which is herein incorporated by reference) for a description of the synthesis of DOTAP (1,2-bis(oleoyloxy)-3-(trimethylammonio)propane) liposomes. Preparation of DOTMA liposomes is explained in the literature, see, e.g., P. Felgner et al., Proc.
15 Natl. Acad. Sci. USA 84:7413-7417, which is herein incorporated by reference. Similar methods can be used to prepare liposomes from other cationic lipid materials.

Similarly, anionic and neutral liposomes are readily available, such as from Avanti Polar Lipids (Birmingham, Ala.), or can be easily prepared using readily available materials. Such materials include phosphatidyl, choline, cholesterol,
20 phosphatidyl ethanolamine, dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), dioleoylphosphatidyl ethanolamine (DOPE), among others. These materials can also be mixed with the DOTMA and DOTAP starting materials in appropriate ratios. Methods for making liposomes using these materials are well known in the art.

25 For example, commercially dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), and dioleoylphosphatidyl ethanolamine (DOPE) can be used in various combinations to make conventional liposomes, with or without the addition of cholesterol. Thus, for example, DOPG/DOPC vesicles can be prepared by drying 50 mg each of DOPG and DOPC under a stream of nitrogen
30 gas into a sonication vial. The sample is placed under a vacuum pump overnight and

is hydrated the following day with deionized water. The sample is then sonicated for 2 hours in a capped vial, using a Heat Systems model 350 sonicator equipped with an inverted cup (bath type) probe at the maximum setting while the bath is circulated at 15EC. Alternatively, negatively charged vesicles can be prepared without sonication
5 to produce multilamellar vesicles or by extrusion through nucleopore membranes to produce unilamellar vesicles of discrete size. Other methods are known and available to those of skill in the art.

The liposomes can comprise multilamellar vesicles (MLVs), small unilamellar vesicles (SUVs), or large unilamellar vesicles (LUVs), with SUVs being preferred.
10 The various liposome-nucleic acid complexes are prepared using methods well known in the art. See, e.g., Straubinger et al., *Methods of Immunology* (1983), 101:512-527, which is herein incorporated by reference. For example, MLVs containing nucleic acid can be prepared by depositing a thin film of phospholipid on the walls of a glass tube and subsequently hydrating with a solution of the material to be encapsulated.
15 SUVs are prepared by extended sonication of MLVs to produce a homogeneous population of unilamellar liposomes. The material to be entrapped is added to a suspension of preformed MLVs and then sonicated. When using liposomes containing cationic lipids, the dried lipid film is resuspended in an appropriate solution such as sterile water or an isotonic buffer solution such as 10 mM Tris/NaCl, sonicated, and
20 then the preformed liposomes are mixed directly with the DNA. The liposome and DNA form a very stable complex due to binding of the positively charged liposomes to the cationic DNA. SUVs find use with small nucleic acid fragments. LUVs are prepared by a number of methods, well known in the art. Commonly used methods include Ca^{2+} -EDTA chelation (Papahadjopoulos et al., *Biochim. Biophys. Acta*
25 (1975) 394:483; Wilson et al., *Cell* (1979) 17:77); ether injection (Deamer, D. and Bangham, A., *Biochim. Biophys. Acta* (1976) 443:629; Ostro et al., *Biochem. Biophys. Res. Commun.* (1977) 76:836; Fraley et al., *Proc. Natl. Acad. Sci. USA* (1979) 76:3348); detergent dialysis (Enoch, H. and Strittmatter, P., *Proc. Natl. Acad. Sci. USA* (1979) 76:145); and reverse-phase evaporation (REV) (Fraley et al., *J. Biol.*
30 *Chem.* (1980) 255:10431; Szoka, F. and Papahadjopoulos, D., *Proc. Natl. Acad. Sci.*

USA (1978) 75:145; Schaefer-Ridder et al., Science (1982) 215:166), which are herein incorporated by reference.

Generally, the ratio of DNA to liposomes will be from about 10:1 to about 1:10. Preferably, the ration will be from about 5:1 to about 1:5. More preferably, the
5 ration will be about 3:1 to about 1:3. Still more preferably, the ratio will be about 1:1.

U.S. Patent No. 5,676,954 (which is herein incorporated by reference) reports on the injection of genetic material, complexed with cationic liposomes carriers, into mice. U.S. Patent Nos. 4,897,355, 4,946,787, 5,049,386, 5,459,127, 5,589,466, 5,693,622, 5,580,859, 5,703,055, and international publication no. WO 94/9469
10 (which are herein incorporated by reference) provide cationic lipids for use in transfecting DNA into cells and mammals. U.S. Patent Nos. 5,589,466, 5,693,622, 5,580,859, 5,703,055, and international publication no. WO 94/9469 (which are herein incorporated by reference) provide methods for delivering DNA-cationic lipid complexes to mammals.

15 In certain embodiments, cells are engineered, ex vivo or in vivo, using a retroviral particle containing RNA which comprises a sequence encoding a polypeptide of the present invention. Retroviruses from which the retroviral plasmid vectors may be derived include, but are not limited to, Moloney Murine Leukemia Virus, spleen necrosis virus, Rous sarcoma Virus, Harvey Sarcoma Virus, avian
20 leukosis virus, gibbon ape leukemia virus, human immunodeficiency virus, Myeloproliferative Sarcoma Virus, and mammary tumor virus.

The retroviral plasmid vector is employed to transduce packaging cell lines to form producer cell lines. Examples of packaging cells which may be transfected include, but are not limited to, the PE501, PA317, R-2, R-AM, PA12, T19-14X, VT-
25 19-17-H2, RCRE, RCRIP, GP+E-86, GP+envAm12, and DAN cell lines as described in Miller, Human Gene Therapy 1:5-14 (1990), which is incorporated herein by reference in its entirety. The vector may transduce the packaging cells through any means known in the art. Such means include, but are not limited to, electroporation, the use of liposomes, and CaPO₄ precipitation. In one alternative, the retroviral

plasmid vector may be encapsulated into a liposome, or coupled to a lipid, and then administered to a host.

The producer cell line generates infectious retroviral vector particles which include polynucleotide encoding a polypeptide of the present invention. Such retroviral vector particles then may be employed, to transduce eukaryotic cells, either in vitro or in vivo. The transduced eukaryotic cells will express a polypeptide of the present invention.

In certain other embodiments, cells are engineered, ex vivo or in vivo, with polynucleotide contained in an adenovirus vector. Adenovirus can be manipulated such that it encodes and expresses a polypeptide of the present invention, and at the same time is inactivated in terms of its ability to replicate in a normal lytic viral life cycle. Adenovirus expression is achieved without integration of the viral DNA into the host cell chromosome, thereby alleviating concerns about insertional mutagenesis. Furthermore, adenoviruses have been used as live enteric vaccines for many years with an excellent safety profile (Schwartz, A. R. et al. (1974) Am. Rev. Respir. Dis.109:233-238). Finally, adenovirus mediated gene transfer has been demonstrated in a number of instances including transfer of alpha-1-antitrypsin and CFTR to the lungs of cotton rats (Rosenfeld, M. A. et al. (1991) Science 252:431-434; Rosenfeld et al., (1992) Cell 68:143-155). Furthermore, extensive studies to attempt to establish adenovirus as a causative agent in human cancer were uniformly negative (Green, M. et al. (1979) Proc. Natl. Acad. Sci. USA 76:6606).

Suitable adenoviral vectors useful in the present invention are described, for example, in Kozarsky and Wilson, Curr. Opin. Genet. Devel. 3:499-503 (1993); Rosenfeld et al., Cell 68:143-155 (1992); Engelhardt et al., Human Genet. Ther. 4:759-769 (1993); Yang et al., Nature Genet. 7:362-369 (1994); Wilson et al., Nature 365:691-692 (1993); and U.S. Patent No. 5,652,224, which are herein incorporated by reference. For example, the adenovirus vector Ad2 is useful and can be grown in human 293 cells. These cells contain the E1 region of adenovirus and constitutively express Ela and Elb, which complement the defective adenoviruses by providing the

products of the genes deleted from the vector. In addition to Ad2, other varieties of adenovirus (e.g., Ad3, Ad5, and Ad7) are also useful in the present invention.

Preferably, the adenoviruses used in the present invention are replication deficient. Replication deficient adenoviruses require the aid of a helper virus and/or
5 packaging cell line to form infectious particles. The resulting virus is capable of infecting cells and can express a polynucleotide of interest which is operably linked to a promoter, but cannot replicate in most cells. Replication deficient adenoviruses may be deleted in one or more of all or a portion of the following genes: E1a, E1b, E3, E4, E2a, or L1 through L5.

10 In certain other embodiments, the cells are engineered, ex vivo or in vivo, using an adeno-associated virus (AAV). AAVs are naturally occurring defective viruses that require helper viruses to produce infectious particles (Muzyczka, N., Curr. Topics in Microbiol. Immunol. 158:97 (1992)). It is also one of the few viruses that may integrate its DNA into non-dividing cells. Vectors containing as little as 300
15 base pairs of AAV can be packaged and can integrate, but space for exogenous DNA is limited to about 4.5 kb. Methods for producing and using such AAVs are known in the art. See, for example, U.S. Patent Nos. 5,139,941, 5,173,414, 5,354,678, 5,436,146, 5,474,935, 5,478,745, and 5,589,377.

For example, an appropriate AAV vector for use in the present invention will
20 include all the sequences necessary for DNA replication, encapsidation, and host-cell integration. The polynucleotide construct is inserted into the AAV vector using standard cloning methods, such as those found in Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press (1989). The recombinant AAV vector is then transfected into packaging cells which are infected with a helper
25 virus, using any standard technique, including lipofection, electroporation, calcium phosphate precipitation, etc. Appropriate helper viruses include adenoviruses, cytomegaloviruses, vaccinia viruses, or herpes viruses. Once the packaging cells are transfected and infected, they will produce infectious AAV viral particles which contain the polynucleotide construct. These viral particles are then used to transduce
30 eukaryotic cells, either ex vivo or in vivo. The transduced cells will contain the

polynucleotide construct integrated into its genome, and will express a polypeptide of the invention.

Another method of gene therapy involves operably associating heterologous control regions and endogenous polynucleotide sequences (e.g. encoding a polypeptide of the present invention) via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989). This method involves the activation of a gene which is present in the target cells, but which is not normally expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made, using standard techniques known in the art, which contain the promoter with targeting sequences flanking the promoter. Suitable promoters are described herein. The targeting sequence is sufficiently complementary to an endogenous sequence to permit homologous recombination of the promoter-targeting sequence with the endogenous sequence. The targeting sequence will be sufficiently near the 5' end of the desired endogenous polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination.

The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter. The amplified promoter and targeting sequences are digested and ligated together.

The promoter-targeting sequence construct is delivered to the cells, either as naked polynucleotide, or in conjunction with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, whole viruses, lipofection, precipitating agents, etc., described in more detail above. The P promoter-targeting sequence can

be delivered by any method, included direct needle injection, intravenous injection, topical administration, catheter infusion, particle accelerators, etc. The methods are described in more detail below.

The promoter-targeting sequence construct is taken up by cells. Homologous
5 recombination between the construct and the endogenous sequence takes place, such that an endogenous sequence is placed under the control of the promoter. The promoter then drives the expression of the endogenous sequence.

Preferably, the polynucleotide encoding a polypeptide of the present invention contains a secretory signal sequence that facilitates secretion of the protein.
10 Typically, the signal sequence is positioned in the coding region of the polynucleotide to be expressed towards or at the 5' end of the coding region. The signal sequence may be homologous or heterologous to the polynucleotide of interest and may be homologous or heterologous to the cells to be transfected. Additionally, the signal sequence may be chemically synthesized using methods known in the art.

15 Any mode of administration of any of the above-described polynucleotides constructs can be used so long as the mode results in the expression of one or more molecules in an amount sufficient to provide a therapeutic effect. This includes direct needle injection, systemic injection, catheter infusion, biolistic injectors, particle accelerators (i.e., "gene guns"), gelfoam sponge depots, other commercially available
20 depot materials, osmotic pumps (e.g., Alza minipumps), oral or suppositorial solid (tablet or pill) pharmaceutical formulations, and decanting or topical applications during surgery. For example, direct injection of naked calcium phosphate-precipitated plasmid into rat liver and rat spleen or a protein-coated plasmid into the portal vein has resulted in gene expression of the foreign gene in the
25 rat livers (Kaneda et al., Science 243:375 (1989)).

A preferred method of local administration is by direct injection. Preferably, a recombinant molecule of the present invention complexed with a delivery vehicle is administered by direct injection into or locally within the area of arteries. Administration of a composition locally within the area of arteries refers to injecting
30 the composition centimeters and preferably, millimeters within arteries.

Another method of local administration is to contact a polynucleotide construct of the present invention in or around a surgical wound. For example, a patient can undergo surgery and the polynucleotide construct can be coated on the surface of tissue inside the wound or the construct can be injected into areas of tissue
5 inside the wound.

Therapeutic compositions useful in systemic administration, include recombinant molecules of the present invention complexed to a targeted delivery vehicle of the present invention. Suitable delivery vehicles for use with systemic administration comprise liposomes comprising ligands for targeting the vehicle to a
10 particular site.

Preferred methods of systemic administration, include intravenous injection, aerosol, oral and percutaneous (topical) delivery. Intravenous injections can be performed using methods standard in the art. Aerosol delivery can also be performed using methods standard in the art (see, for example, Stribling et al., Proc. Natl. Acad.
15 Sci. USA 189:11277-11281, 1992, which is incorporated herein by reference). Oral delivery can be performed by complexing a polynucleotide construct of the present invention to a carrier capable of withstanding degradation by digestive enzymes in the gut of an animal. Examples of such carriers, include plastic capsules or tablets, such as those known in the art. Topical delivery can be performed by mixing a
20 polynucleotide construct of the present invention with a lipophilic reagent (e.g., DMSO) that is capable of passing into the skin.

Determining an effective amount of substance to be delivered can depend upon a number of factors including, for example, the chemical structure and biological activity of the substance, the age and weight of the animal, the precise
25 condition requiring treatment and its severity, and the route of administration. The frequency of treatments depends upon a number of factors, such as the amount of polynucleotide constructs administered per dose, as well as the health and history of the subject. The precise amount, number of doses, and timing of doses will be determined by the attending physician or veterinarian.

Therapeutic compositions of the present invention can be administered to any animal, preferably to mammals and birds. Preferred mammals include humans, dogs, cats, mice, rats, rabbits sheep, cattle, horses and pigs, with humans being particularly preferred.

5

Biological Activities

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, can be used in assays to test for one or more biological activities. If these polynucleotides or polypeptides, or agonists or antagonists of the present invention,
10 do exhibit activity in a particular assay, it is likely that these molecules may be involved in the diseases associated with the biological activity. Thus, the polynucleotides and polypeptides, and agonists or antagonists could be used to treat the associated disease.

15

Immune Activity

A polypeptide or polynucleotide, or agonists or antagonists of the present invention may be useful in treating deficiencies or disorders of the immune system, by activating or inhibiting the proliferation, differentiation, or mobilization (chemotaxis) of immune cells. Immune cells develop through a process called
20 hematopoiesis, producing myeloid (platelets, red blood cells, neutrophils, and macrophages) and lymphoid (B and T lymphocytes) cells from pluripotent stem cells. The etiology of these immune deficiencies or disorders may be genetic, somatic, such as cancer or some autoimmune disorders, acquired (e.g., by chemotherapy or toxins), or infectious. Moreover, polynucleotides or polypeptides, or agonists or antagonists
25 of the present invention can be used as a marker or detector of a particular immune system disease or disorder.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention may be useful in treating or detecting deficiencies or disorders of hematopoietic cells. Polynucleotides or polypeptides, or agonists or antagonists of the
30 present invention could be used to increase differentiation and proliferation of

hematopoietic cells, including the pluripotent stem cells, in an effort to treat those disorders associated with a decrease in certain (or many) types hematopoietic cells. Examples of immunologic deficiency syndromes include, but are not limited to: blood protein disorders (e.g. agammaglobulinemia, dysgammaglobulinemia), ataxia
5 telangiectasia, common variable immunodeficiency, Digeorge Syndrome, HIV infection, HTLV-BLV infection, leukocyte adhesion deficiency syndrome, lymphopenia, phagocyte bactericidal dysfunction, severe combined immunodeficiency (SCIDs), Wiskott-Aldrich Disorder, anemia, thrombocytopenia, or hemoglobinuria.

10 Moreover, polynucleotides or polypeptides, or agonists or antagonists of the present invention could also be used to modulate hemostatic (the stopping of bleeding) or thrombolytic activity (clot formation). For example, by increasing hemostatic or thrombolytic activity, polynucleotides or polypeptides, or agonists or antagonists of the present invention could be used to treat blood coagulation disorders
15 (e.g., afibrinogenemia, factor deficiencies), blood platelet disorders (e.g. thrombocytopenia), or wounds resulting from trauma, surgery, or other causes. Alternatively, polynucleotides or polypeptides, or agonists or antagonists of the present invention that can decrease hemostatic or thrombolytic activity could be used to inhibit or dissolve clotting. These molecules could be important in the treatment of
20 heart attacks (infarction), strokes, or scarring.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be useful in treating or detecting autoimmune disorders. Many autoimmune disorders result from inappropriate recognition of self as foreign material by immune cells. This inappropriate recognition results in an immune response
25 leading to the destruction of the host tissue. Therefore, the administration of polynucleotides or polypeptides, or agonists or antagonists of the present invention that can inhibit an immune response, particularly the proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing autoimmune disorders.

Examples of autoimmune disorders that can be treated or detected include, but are not limited to: Addison's Disease, hemolytic anemia, antiphospholipid syndrome, rheumatoid arthritis, dermatitis, allergic encephalomyelitis, glomerulonephritis, Goodpasture's Syndrome, Graves' Disease, Multiple Sclerosis, Myasthenia Gravis, 5 Neuritis, Ophthalmia, Bullous Pemphigoid, Pemphigus, Polyendocrinopathies, Purpura, Reiter's Disease, Stiff-Man Syndrome, Autoimmune Thyroiditis, Systemic Lupus Erythematosus, Autoimmune Pulmonary Inflammation, Guillain-Barre Syndrome, insulin dependent diabetes mellitus, and autoimmune inflammatory eye disease.

10 Similarly, allergic reactions and conditions, such as asthma (particularly allergic asthma) or other respiratory problems, may also be treated by polynucleotides or polypeptides, or agonists or antagonists of the present invention. Moreover, these molecules can be used to treat anaphylaxis, hypersensitivity to an antigenic molecule, or blood group incompatibility.

15 Polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be used to treat and/or prevent organ rejection or graft-versus-host disease (GVHD). Organ rejection occurs by host immune cell destruction of the transplanted tissue through an immune response. Similarly, an immune response is also involved in GVHD, but, in this case, the foreign transplanted immune cells 20 destroy the host tissues. The administration of polynucleotides or polypeptides, or agonists or antagonists of the present invention that inhibits an immune response, particularly the proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing organ rejection or GVHD.

25 Similarly, polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be used to modulate inflammation. For example, polynucleotides or polypeptides, or agonists or antagonists of the present invention may inhibit the proliferation and differentiation of cells involved in an inflammatory response. These molecules can be used to treat inflammatory conditions, both chronic and acute conditions, including chronic prostatitis, granulomatous prostatitis and 30 malacoplakia, inflammation associated with infection (e.g., septic shock, sepsis, or

systemic inflammatory response syndrome (SIRS)), ischemia-reperfusion injury, endotoxin lethality, arthritis, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine induced lung injury, inflammatory bowel disease, Crohn's disease, or resulting from over production of cytokines (e.g., TNF or IL-1.)

5

Hyperproliferative Disorders

Polynucleotides or polypeptides, or agonists or antagonists of the present invention can be used to treat or detect hyperproliferative disorders, including neoplasms. Polynucleotides or polypeptides, or agonists or antagonists of the present
10 invention may inhibit the proliferation of the disorder through direct or indirect interactions. Alternatively, Polynucleotides or polypeptides, or agonists or antagonists of the present invention may proliferate other cells which can inhibit the hyperproliferative disorder.

For example, by increasing an immune response, particularly increasing
15 antigenic qualities of the hyperproliferative disorder or by proliferating, differentiating, or mobilizing T-cells, hyperproliferative disorders can be treated. This immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, decreasing an immune response may also be a method of treating hyperproliferative disorders, such
20 as a chemotherapeutic agent.

Examples of hyperproliferative disorders that can be treated or detected by Polynucleotides or polypeptides, or agonists or antagonists of the present invention include, but are not limited to neoplasms located in the: colon, abdomen, bone, breast, digestive system, liver, pancreas, peritoneum, endocrine glands (adrenal, parathyroid,
25 pituitary, testicles, ovary, thymus, thyroid), eye, head and neck, nervous (central and peripheral), lymphatic system, pelvic, skin, soft tissue, spleen, thoracic, and urogenital.

Similarly, other hyperproliferative disorders can also be treated or detected by polynucleotides or polypeptides, or agonists or antagonists of the present invention.
30 Examples of such hyperproliferative disorders include, but are not limited to:

hypergammaglobulinemia, lymphoproliferative disorders, paraproteinemias, purpura, sarcoidosis, Sezary Syndrome, Waldenström's Macroglobulinemia, Gaucher's Disease, histiocytosis, and any other hyperproliferative disease, besides neoplasia, located in an organ system listed above.

- 5 One preferred embodiment utilizes polynucleotides of the present invention to inhibit aberrant cellular division, by gene therapy using the present invention, and/or protein fusions or fragments thereof.

 Thus, the present invention provides a method for treating cell proliferative disorders by inserting into an abnormally proliferating cell a polynucleotide of the present invention, wherein said polynucleotide represses said expression.

10

 Another embodiment of the present invention provides a method of treating cell-proliferative disorders in individuals comprising administration of one or more active gene copies of the present invention to an abnormally proliferating cell or cells. In a preferred embodiment, polynucleotides of the present invention is a DNA construct comprising a recombinant expression vector effective in expressing a DNA sequence encoding said polynucleotides. In another preferred embodiment of the present invention, the DNA construct encoding the polynucleotides of the present invention is inserted into cells to be treated utilizing a retrovirus, or more preferably an adenoviral vector (See G. J. Nabel, et. al., PNAS 1999 96: 324-326, which is hereby incorporated by reference). In a most preferred embodiment, the viral vector is defective and will not transform non-proliferating cells, only proliferating cells. Moreover, in a preferred embodiment, the polynucleotides of the present invention inserted into proliferating cells either alone, or in combination with or fused to other polynucleotides, can then be modulated via an external stimulus (i.e. magnetic, specific small molecule, chemical, or drug administration, etc.), which acts upon the promoter upstream of said polynucleotides to induce expression of the encoded protein product. As such the beneficial therapeutic affect of the present invention may be expressly modulated (i.e. to increase, decrease, or inhibit expression of the present invention) based upon said external stimulus.

15

20

25

Polynucleotides of the present invention may be useful in repressing expression of oncogenic genes or antigens. By "repressing expression of the oncogenic genes " is intended the suppression of the transcription of the gene, the degradation of the gene transcript (pre-message RNA), the inhibition of splicing, the
5 destruction of the messenger RNA, the prevention of the post-translational modifications of the protein, the destruction of the protein, or the inhibition of the normal function of the protein.

For local administration to abnormally proliferating cells, polynucleotides of the present invention may be administered by any method known to those of skill in
10 the art including, but not limited to transfection, electroporation, microinjection of cells, or in vehicles such as liposomes, lipofectin, or as naked polynucleotides, or any other method described throughout the specification. The polynucleotide of the present invention may be delivered by known gene delivery systems such as, but not limited to, retroviral vectors (Gilboa, J. Virology 44:845 (1982); Hocke, Nature
15 320:275 (1986); Wilson, et al., Proc. Natl. Acad. Sci. U.S.A. 85:3014), vaccinia virus system (Chakrabarty et al., Mol. Cell Biol. 5:3403 (1985) or other efficient DNA delivery systems (Yates et al., Nature 313:812 (1985)) known to those skilled in the art. These references are exemplary only and are hereby incorporated by reference. In order to specifically deliver or transfect cells which are abnormally proliferating
20 and spare non-dividing cells, it is preferable to utilize a retrovirus, or adenoviral (as described in the art and elsewhere herein) delivery system known to those of skill in the art. Since host DNA replication is required for retroviral DNA to integrate and the retrovirus will be unable to self replicate due to the lack of the retrovirus genes needed for its life cycle. Utilizing such a retroviral delivery system for
25 polynucleotides of the present invention will target said gene and constructs to abnormally proliferating cells and will spare the non-dividing normal cells.

The polynucleotides of the present invention may be delivered directly to cell proliferative disorder/disease sites in internal organs, body cavities and the like by use of imaging devices used to guide an injecting needle directly to the disease site. The

polynucleotides of the present invention may also be administered to disease sites at the time of surgical intervention.

By "cell proliferative disease" is meant any human or animal disease or disorder, affecting any one or any combination of organs, cavities, or body parts, which is characterized by single or multiple local abnormal proliferations of cells, groups of cells, or tissues, whether benign or malignant.

Any amount of the polynucleotides of the present invention may be administered as long as it has a biologically inhibiting effect on the proliferation of the treated cells. Moreover, it is possible to administer more than one of the polynucleotide of the present invention simultaneously to the same site. By "biologically inhibiting" is meant partial or total growth inhibition as well as decreases in the rate of proliferation or growth of the cells. The biologically inhibitory dose may be determined by assessing the effects of the polynucleotides of the present invention on target malignant or abnormally proliferating cell growth in tissue culture, tumor growth in animals and cell cultures, or any other method known to one of ordinary skill in the art.

The present invention is further directed to antibody-based therapies which involve administering of anti-polypeptides and anti-polynucleotide antibodies to a mammalian, preferably human, patient for treating one or more of the described disorders. Methods for producing anti-polypeptides and anti-polynucleotide antibodies polyclonal and monoclonal antibodies are described in detail elsewhere herein. Such antibodies may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

A summary of the ways in which the antibodies of the present invention may be used therapeutically includes binding polynucleotides or polypeptides of the present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g. as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the art will know how to use the antibodies of

the present invention for diagnostic, monitoring or therapeutic purposes without undue experimentation.

In particular, the antibodies, fragments and derivatives of the present invention are useful for treating a subject having or developing cell proliferative and/or differentiation disorders as described herein. Such treatment comprises administering
5 a single or multiple doses of the antibody, or a fragment, derivative, or a conjugate thereof.

The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or
10 hematopoietic growth factors, for example., which serve to increase the number or activity of effector cells which interact with the antibodies.

It is preferred to use high affinity and/or potent in vivo inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention, fragments or regions thereof, for both immunoassays directed to and
15 therapy of disorders related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or polypeptides, including fragments thereof. Preferred binding affinities include those with a dissociation constant or K_d less than $5 \times 10^{-6}M$, $10^{-6}M$, $5 \times 10^{-7}M$, $10^{-7}M$, $5 \times 10^{-8}M$, $10^{-8}M$, $5 \times 10^{-9}M$, $10^{-9}M$,
20 $5 \times 10^{-10}M$, $10^{-10}M$, $5 \times 10^{-11}M$, $10^{-11}M$, $5 \times 10^{-12}M$, $10^{-12}M$, $5 \times 10^{-13}M$, $10^{-13}M$, $5 \times 10^{-14}M$, $10^{-14}M$, $5 \times 10^{-15}M$, and $10^{-15}M$.

Moreover, polypeptides of the present invention are useful in inhibiting the angiogenesis of proliferative cells or tissues, either alone, as a protein fusion, or in combination with other polypeptides directly or indirectly, as described elsewhere
25 herein. In a most preferred embodiment, said anti-angiogenesis effect may be achieved indirectly, for example, through the inhibition of hematopoietic, tumor-specific cells, such as tumor-associated macrophages (See Joseph IB, et al. J Natl Cancer Inst, 90(21):1648-53 (1998), which is hereby incorporated by reference). Antibodies directed to polypeptides or polynucleotides of the present invention may
30 also result in inhibition of angiogenesis directly, or indirectly (See Witte L, et al.,

Cancer Metastasis Rev. 17(2):155-61 (1998), which is hereby incorporated by reference)).

Polypeptides, including protein fusions, of the present invention, or fragments thereof may be useful in inhibiting proliferative cells or tissues through the induction of apoptosis. Said polypeptides may act either directly, or indirectly to induce apoptosis of proliferative cells and tissues, for example in the activation of a death-domain receptor, such as tumor necrosis factor (TNF) receptor-1, CD95 (Fas/APO-1), TNF-receptor-related apoptosis-mediated protein (TRAMP) and TNF-related apoptosis-inducing ligand (TRAIL) receptor-1 and -2 (See Schulze-Osthoff K, et.al., Eur J Biochem 254(3):439-59 (1998), which is hereby incorporated by reference). Moreover, in another preferred embodiment of the present invention, said polypeptides may induce apoptosis through other mechanisms, such as in the activation of other proteins which will activate apoptosis, or through stimulating the expression of said proteins, either alone or in combination with small molecule drugs or adjuvants, such as apoptonin, galectins, thioredoxins, antiinflammatory proteins (See for example, Mutat Res 400(1-2):447-55 (1998), Med Hypotheses.50(5):423-33 (1998), Chem Biol Interact. Apr 24;111-112:23-34 (1998), J Mol Med.76(6):402-12 (1998), Int J Tissue React;20(1):3-15 (1998), which are all hereby incorporated by reference).

Polypeptides, including protein fusions to, or fragments thereof, of the present invention are useful in inhibiting the metastasis of proliferative cells or tissues. Inhibition may occur as a direct result of administering polypeptides, or antibodies directed to said polypeptides as described elsewhere herein, or indirectly, such as activating the expression of proteins known to inhibit metastasis, for example alpha 4 integrins, (See, e.g., Curr Top Microbiol Immunol 1998;231:125-41, which is hereby incorporated by reference). Such therapeutic affects of the present invention may be achieved either alone, or in combination with small molecule drugs or adjuvants.

In another embodiment, the invention provides a method of delivering compositions containing the polypeptides of the invention (e.g., compositions containing polypeptides or polypeptide antibodies associated with heterologous

polypeptides, heterologous nucleic acids, toxins, or prodrugs) to targeted cells expressing the polypeptide of the present invention. Polypeptides or polypeptide antibodies of the invention may be associated with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions. Polypeptides, protein fusions to, or fragments thereof, of the present invention are useful in enhancing the immunogenicity and/or antigenicity of proliferating cells or tissues, either directly, such as would occur if the polypeptides of the present invention 'vaccinated' the immune response to respond to proliferative antigens and immunogens, or indirectly, such as in activating the expression of proteins known to enhance the immune response (e.g. chemokines), to said antigens and immunogens.

Cardiovascular Disorders

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, may be used to treat cardiovascular disorders, including peripheral artery disease, such as limb ischemia.

Cardiovascular disorders include cardiovascular abnormalities, such as arterio-arterial fistula, arteriovenous fistula, cerebral arteriovenous malformations, congenital heart defects, pulmonary atresia, and Scimitar Syndrome. Congenital heart defects include aortic coarctation, cor triatriatum, coronary vessel anomalies, crisscross heart, dextrocardia, patent ductus arteriosus, Ebstein's anomaly, Eisenmenger complex, hypoplastic left heart syndrome, levocardia, tetralogy of fallot, transposition of great vessels, double outlet right ventricle, tricuspid atresia, persistent truncus arteriosus, and heart septal defects, such as aortopulmonary septal defect, endocardial cushion defects, Lutembacher's Syndrome, trilog of Fallot, ventricular heart septal defects.

Cardiovascular disorders also include heart disease, such as arrhythmias, carcinoid heart disease, high cardiac output, low cardiac output, cardiac tamponade, endocarditis (including bacterial), heart aneurysm, cardiac arrest, congestive heart failure, congestive cardiomyopathy, paroxysmal dyspnea, cardiac edema, heart hypertrophy, congestive cardiomyopathy, left ventricular hypertrophy, right

ventricular hypertrophy, post-infarction heart rupture, ventricular septal rupture, heart valve diseases, myocardial diseases, myocardial ischemia, pericardial effusion, pericarditis (including constrictive and tuberculous), pneumopericardium, postpericardiotomy syndrome, pulmonary heart disease, rheumatic heart disease,
5 ventricular dysfunction, hyperemia, cardiovascular pregnancy complications, Scimitar Syndrome, cardiovascular syphilis, and cardiovascular tuberculosis.

Arrhythmias include sinus arrhythmia, atrial fibrillation, atrial flutter, bradycardia, extrasystole, Adams-Stokes Syndrome, bundle-branch block, sinoatrial block, long QT syndrome, parasystole, Lown-Ganong-Levine Syndrome, Mahaim-type pre-excitation syndrome, Wolff-Parkinson-White syndrome, sick sinus
10 syndrome, tachycardias, and ventricular fibrillation. Tachycardias include paroxysmal tachycardia, supraventricular tachycardia, accelerated idioventricular rhythm, atrioventricular nodal reentry tachycardia, ectopic atrial tachycardia, ectopic junctional tachycardia, sinoatrial nodal reentry tachycardia, sinus tachycardia,
15 Torsades de Pointes, and ventricular tachycardia.

Heart valve disease include aortic valve insufficiency, aortic valve stenosis, hear murmurs, aortic valve prolapse, mitral valve prolapse, tricuspid valve prolapse, mitral valve insufficiency, mitral valve stenosis, pulmonary atresia, pulmonary valve insufficiency, pulmonary valve stenosis, tricuspid atresia, tricuspid valve
20 insufficiency, and tricuspid valve stenosis.

Myocardial diseases include alcoholic cardiomyopathy, congestive cardiomyopathy, hypertrophic cardiomyopathy, aortic subvalvular stenosis, pulmonary subvalvular stenosis, restrictive cardiomyopathy, Chagas cardiomyopathy, endocardial fibroelastosis, endomyocardial fibrosis, Kearns Syndrome, myocardial
25 reperfusion injury, and myocarditis.

Myocardial ischemias include coronary disease, such as angina pectoris, coronary aneurysm, coronary arteriosclerosis, coronary thrombosis, coronary vasospasm, myocardial infarction and myocardial stunning.

Cardiovascular diseases also include vascular diseases such as aneurysms,
30 angiodyplasia, angiomatosis, bacillary angiomatosis, Hippel-Lindau Disease,

Klippel-Trenaunay-Weber Syndrome. Sturge-Weber Syndrome, angioneurotic edema, aortic diseases, Takayasu's Arteritis, aortitis, Leriche's Syndrome, arterial occlusive diseases, arteritis, enarteritis, polyarteritis nodosa, cerebrovascular disorders, diabetic angiopathies, diabetic retinopathy, embolisms, thrombosis, erythromelalgia, hemorrhoids, hepatic veno-occlusive disease, hypertension, hypotension, ischemia, peripheral vascular diseases, phlebitis, pulmonary veno-occlusive disease, Raynaud's disease, CREST syndrome, retinal vein occlusion, Scimitar syndrome, superior vena cava syndrome, telangiectasia, atacia telangiectasia, hereditary hemorrhagic telangiectasia, varicocele, varicose veins, varicose ulcer, vasculitis, and venous insufficiency.

Aneurysms include dissecting aneurysms, false aneurysms, infected aneurysms, ruptured aneurysms, aortic aneurysms, cerebral aneurysms, coronary aneurysms, heart aneurysms, and iliac aneurysms.

Arterial occlusive diseases include arteriosclerosis, intermittent claudication, carotid stenosis, fibromuscular dysplasias, mesenteric vascular occlusion, Moyamoya disease, renal artery obstruction, retinal artery occlusion, and thromboangiitis obliterans.

Cerebrovascular disorders include carotid artery diseases, cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformation, cerebral artery diseases, cerebral embolism and thrombosis, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, cerebral hemorrhage, epidural hematoma, subdural hematoma, subarachnoid hemorrhage, cerebral infarction, cerebral ischemia (including transient), subclavian steal syndrome, periventricular leukomalacia, vascular headache, cluster headache, migraine, and vertebrobasilar insufficiency.

Embolisms include air embolisms, amniotic fluid embolisms, cholesterol embolisms, blue toe syndrome, fat embolisms, pulmonary embolisms, and thromboembolisms. Thrombosis include coronary thrombosis, hepatic vein thrombosis, retinal vein occlusion, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, and thrombophlebitis.

Ischemia includes cerebral ischemia, ischemic colitis, compartment syndromes, anterior compartment syndrome, myocardial ischemia, reperfusion injuries, and peripheral limb ischemia. Vasculitis includes aortitis, arteritis, Behcet's Syndrome, Churg-Strauss Syndrome, mucocutaneous lymph node syndrome, 5 thromboangiitis obliterans, hypersensitivity vasculitis, Schoenlein-Henoch purpura, allergic cutaneous vasculitis, and Wegener's granulomatosis.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, are especially effective for the treatment of critical limb ischemia and coronary disease.

10 Polypeptides may be administered using any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, biolistic injectors, particle accelerators, gelfoam sponge depots, other commercially available depot materials, osmotic pumps, oral or suppository solid pharmaceutical formulations, decanting or 15 topical applications during surgery, aerosol delivery. Such methods are known in the art. Polypeptides may be administered as part of a Therapeutic, described in more detail below. Methods of delivering polynucleotides are described in more detail herein.

20 Anti-Angiogenesis Activity

The naturally occurring balance between endogenous stimulators and inhibitors of angiogenesis is one in which inhibitory influences predominate. Rastinejad *et al.*, *Cell* 56:345-355 (1989). In those rare instances in which neovascularization occurs under normal physiological conditions, such as wound 25 healing, organ regeneration, embryonic development, and female reproductive processes, angiogenesis is stringently regulated and spatially and temporally delimited. Under conditions of pathological angiogenesis such as that characterizing solid tumor growth, these regulatory controls fail. Unregulated angiogenesis becomes pathologic and sustains progression of many neoplastic and non-neoplastic diseases. 30 A number of serious diseases are dominated by abnormal neovascularization

including solid tumor growth and metastases, arthritis, some types of eye disorders, and psoriasis. See, e.g., reviews by Moses *et al.*, *Biotech.* 9:630-634 (1991); Folkman *et al.*, *N. Engl. J. Med.*, 333:1757-1763 (1995); Auerbach *et al.*, *J. Microvasc. Res.* 29:401-411 (1985); Folkman, *Advances in Cancer Research*, eds. Klein and
5 Weinhouse, Academic Press, New York, pp. 175-203 (1985); Patz, *Am. J. Ophthalmol.* 94:715-743 (1982); and Folkman *et al.*, *Science* 221:719-725 (1983). In a number of pathological conditions, the process of angiogenesis contributes to the disease state. For example, significant data have accumulated which suggest that the growth of solid tumors is dependent on angiogenesis. Folkman and Klagsbrun,
10 *Science* 235:442-447 (1987).

The polynucleotides encoding a polypeptide of the present invention may be administered along with other polynucleotides encoding an angiogenic protein. Examples of angiogenic proteins include, but are not limited to, acidic and basic fibroblast growth factors, VEGF-1, VEGF-2, VEGF-3, epidermal growth factor alpha
15 and beta, platelet-derived endothelial cell growth factor, platelet-derived growth factor, tumor necrosis factor alpha, hepatocyte growth factor, insulin like growth factor, colony stimulating factor, macrophage colony stimulating factor, granulocyte/macrophage colony stimulating factor, and nitric oxide synthase.

The present invention provides for treatment of diseases or disorders
20 associated with neovascularization by administration of the polynucleotides and/or polypeptides of the invention, as well as agonists or antagonists of the present invention. Malignant and metastatic conditions which can be treated with the polynucleotides and polypeptides, or agonists or antagonists of the invention include, but are not limited to, malignancies, solid tumors, and cancers described herein and
25 otherwise known in the art (for a review of such disorders, see Fishman *et al.*, *Medicine*, 2d Ed., J. B. Lippincott Co., Philadelphia (1985)). Thus, the present invention provides a method of treating an angiogenesis-related disease and/or disorder, comprising administering to an individual in need thereof a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist of the
30 invention. For example, polynucleotides, polypeptides, antagonists and/or agonists

may be utilized in a variety of additional methods in order to therapeutically treat a cancer or tumor. Cancers which may be treated with polynucleotides, polypeptides, antagonists and/or agonists include, but are not limited to solid tumors, including prostate, lung, breast, ovarian, stomach, pancreas, larynx, esophagus, testes, liver, parotid, biliary tract, colon, rectum, cervix, uterus, endometrium, kidney, bladder, thyroid cancer; primary tumors and metastases; melanomas; glioblastoma; Kaposi's sarcoma; leiomyosarcoma; non-small cell lung cancer; colorectal cancer; advanced malignancies; and blood born tumors such as leukemias. For example, polynucleotides, polypeptides, antagonists and/or agonists may be delivered topically, in order to treat cancers such as skin cancer, head and neck tumors, breast tumors, and Kaposi's sarcoma.

Within yet other aspects, polynucleotides, polypeptides, antagonists and/or agonists may be utilized to treat superficial forms of bladder cancer by, for example, intravesical administration. Polynucleotides, polypeptides, antagonists and/or agonists may be delivered directly into the tumor, or near the tumor site, via injection or a catheter. Of course, as the artisan of ordinary skill will appreciate, the appropriate mode of administration will vary according to the cancer to be treated. Other modes of delivery are discussed herein.

Polynucleotides, polypeptides, antagonists and/or agonists may be useful in treating other disorders, besides cancers, which involve angiogenesis. These disorders include, but are not limited to: benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; arteriosclerotic plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uveitis and Pterygia (abnormal blood vessel growth) of the eye; rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization;

telangiectasia; hemophilic joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis.

For example, within one aspect of the present invention methods are provided for treating hypertrophic scars and keloids, comprising the step of administering a polynucleotide, polypeptide, antagonist and/or agonist of the invention to a hypertrophic scar or keloid.

Within one embodiment of the present invention polynucleotides, polypeptides, antagonists and/or agonists are directly injected into a hypertrophic scar or keloid, in order to prevent the progression of these lesions. This therapy is of particular value in the prophylactic treatment of conditions which are known to result in the development of hypertrophic scars and keloids (e.g., burns), and is preferably initiated after the proliferative phase has had time to progress (approximately 14 days after the initial injury), but before hypertrophic scar or keloid development. As noted above, the present invention also provides methods for treating neovascular diseases of the eye, including for example, corneal neovascularization, neovascular glaucoma, proliferative diabetic retinopathy, retrolental fibroplasia and macular degeneration.

Moreover, Ocular disorders associated with neovascularization which can be treated with the polynucleotides and polypeptides of the present invention (including agonists and/or antagonists) include, but are not limited to: neovascular glaucoma, diabetic retinopathy, retinoblastoma, retrolental fibroplasia, uveitis, retinopathy of prematurity macular degeneration, corneal graft neovascularization, as well as other eye inflammatory diseases, ocular tumors and diseases associated with choroidal or iris neovascularization. See, e.g., reviews by Waltman *et al.*, *Am. J. Ophthalmol.* 85:704-710 (1978) and Gartner *et al.*, *Surv. Ophthalmol.* 22:291-312 (1978).

Thus, within one aspect of the present invention methods are provided for treating neovascular diseases of the eye such as corneal neovascularization (including corneal graft neovascularization), comprising the step of administering to a patient a therapeutically effective amount of a compound (as described above) to the cornea, such that the formation of blood vessels is inhibited. Briefly, the cornea is a tissue which normally lacks blood vessels. In certain pathological conditions however,

capillaries may extend into the cornea from the pericorneal vascular plexus of the limbus. When the cornea becomes vascularized, it also becomes clouded, resulting in a decline in the patient's visual acuity. Visual loss may become complete if the cornea completely opacitates. A wide variety of disorders can result in corneal
5 neovascularization, including for example, corneal infections (e.g., trachoma, herpes simplex keratitis, leishmaniasis and onchocerciasis), immunological processes (e.g., graft rejection and Stevens-Johnson's syndrome), alkali burns, trauma, inflammation (of any cause), toxic and nutritional deficiency states, and as a complication of wearing contact lenses.

10 Within particularly preferred embodiments of the invention, may be prepared for topical administration in saline (combined with any of the preservatives and antimicrobial agents commonly used in ocular preparations), and administered in eyedrop form. The solution or suspension may be prepared in its pure form and administered several times daily. Alternatively, anti-angiogenic compositions,
15 prepared as described above, may also be administered directly to the cornea. Within preferred embodiments, the anti-angiogenic composition is prepared with a muco-adhesive polymer which binds to cornea. Within further embodiments, the anti-angiogenic factors or anti-angiogenic compositions may be utilized as an adjunct to conventional steroid therapy. Topical therapy may also be useful prophylactically in
20 corneal lesions which are known to have a high probability of inducing an angiogenic response (such as chemical burns). In these instances the treatment, likely in combination with steroids, may be instituted immediately to help prevent subsequent complications.

Within other embodiments, the compounds described above may be injected
25 directly into the corneal stroma by an ophthalmologist under microscopic guidance. The preferred site of injection may vary with the morphology of the individual lesion, but the goal of the administration would be to place the composition at the advancing front of the vasculature (i.e., interspersed between the blood vessels and the normal cornea). In most cases this would involve perilimbic corneal injection to "protect" the
30 cornea from the advancing blood vessels. This method may also be utilized shortly

after a corneal insult in order to prophylactically prevent corneal neovascularization. In this situation the material could be injected in the perilimbic cornea interspersed between the corneal lesion and its undesired potential limbic blood supply. Such methods may also be utilized in a similar fashion to prevent capillary invasion of transplanted corneas. In a sustained-release form injections might only be required 2-3 times per year. A steroid could also be added to the injection solution to reduce inflammation resulting from the injection itself.

Within another aspect of the present invention, methods are provided for treating neovascular glaucoma, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eye, such that the formation of blood vessels is inhibited. In one embodiment, the compound may be administered topically to the eye in order to treat early forms of neovascular glaucoma. Within other embodiments, the compound may be implanted by injection into the region of the anterior chamber angle. Within other embodiments, the compound may also be placed in any location such that the compound is continuously released into the aqueous humor. Within another aspect of the present invention, methods are provided for treating proliferative diabetic retinopathy, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eyes, such that the formation of blood vessels is inhibited.

Within particularly preferred embodiments of the invention, proliferative diabetic retinopathy may be treated by injection into the aqueous humor or the vitreous, in order to increase the local concentration of the polynucleotide, polypeptide, antagonist and/or agonist in the retina. Preferably, this treatment should be initiated prior to the acquisition of severe disease requiring photocoagulation.

Within another aspect of the present invention, methods are provided for treating retrolental fibroplasia, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eye, such that the formation of blood vessels is inhibited. The

compound may be administered topically, via intravitreal injection and/or via intraocular implants.

Additionally, disorders which can be treated with the polynucleotides, polypeptides, agonists and/or antagonists include, but are not limited to, hemangioma, arthritis, psoriasis, angiofibroma, atherosclerotic plaques, delayed wound healing,
5 granulations, hemophilic joints, hypertrophic scars, nonunion fractures, Osler-Weber syndrome, pyogenic granuloma, scleroderma, trachoma, and vascular adhesions.

Moreover, disorders and/or states, which can be treated with the polynucleotides, polypeptides, agonists and/or antagonists include, but are not
10 limited to, solid tumors, blood born tumors such as leukemias, tumor metastasis, Kaposi's sarcoma, benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas, rheumatoid arthritis, psoriasis, ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma,
15 retrolental fibroplasia, rubeosis, retinoblastoma, and uveitis, delayed wound healing, endometriosis, vasculogenesis, granulations, hypertrophic scars (keloids), nonunion fractures, scleroderma, trachoma, vascular adhesions, myocardial angiogenesis, coronary collaterals, cerebral collaterals, arteriovenous malformations, ischemic limb angiogenesis, Osler-Webber Syndrome, plaque neovascularization, telangiectasia,
20 hemophilic joints, angiofibroma fibromuscular dysplasia, wound granulation, Crohn's disease, atherosclerosis, birth control agent by preventing vascularization required for embryo implantation controlling menstruation, diseases that have angiogenesis as a pathologic consequence such as cat scratch disease (Rochelominalia quintosa), ulcers (*Helicobacter pylori*), Bartonellosis and bacillary
25 angiomatosis.

In one aspect of the birth control method, an amount of the compound sufficient to block embryo implantation is administered before or after intercourse and fertilization have occurred, thus providing an effective method of birth control, possibly a "morning after" method. Polynucleotides, polypeptides, agonists and/or
30 antagonists may also be used in controlling menstruation or administered as either a

peritoneal lavage fluid or for peritoneal implantation in the treatment of endometriosis.

Polynucleotides, polypeptides, agonists and/or agonists of the present invention may be incorporated into surgical sutures in order to prevent stitch
5 granulomas.

Polynucleotides, polypeptides, agonists and/or agonists may be utilized in a wide variety of surgical procedures. For example, within one aspect of the present invention a compositions (in the form of, for example, a spray or film) may be utilized to coat or spray an area prior to removal of a tumor, in order to isolate normal
10 surrounding tissues from malignant tissue, and/or to prevent the spread of disease to surrounding tissues. Within other aspects of the present invention, compositions (e.g., in the form of a spray) may be delivered via endoscopic procedures in order to coat tumors, or inhibit angiogenesis in a desired locale. Within yet other aspects of the present invention, surgical meshes which have been coated with anti- angiogenic
15 compositions of the present invention may be utilized in any procedure wherein a surgical mesh might be utilized. For example, within one embodiment of the invention a surgical mesh laden with an anti-angiogenic composition may be utilized during abdominal cancer resection surgery (e.g., subsequent to colon resection) in order to provide support to the structure, and to release an amount of the anti-
20 angiogenic factor.

Within further aspects of the present invention, methods are provided for treating tumor excision sites, comprising administering a polynucleotide, polypeptide, agonist and/or agonist to the resection margins of a tumor subsequent to excision, such that the local recurrence of cancer and the formation of new blood vessels at the
25 site is inhibited. Within one embodiment of the invention, the anti-angiogenic compound is administered directly to the tumor excision site (e.g., applied by swabbing, brushing or otherwise coating the resection margins of the tumor with the anti-angiogenic compound). Alternatively, the anti-angiogenic compounds may be incorporated into known surgical pastes prior to administration. Within particularly

preferred embodiments of the invention, the anti-angiogenic compounds are applied after hepatic resections for malignancy, and after neurosurgical operations.

Within one aspect of the present invention, polynucleotides, polypeptides, agonists and/or agonists may be administered to the resection margin of a wide variety of tumors, including for example, breast, colon, brain and hepatic tumors. For
5 example, within one embodiment of the invention, anti-angiogenic compounds may be administered to the site of a neurological tumor subsequent to excision, such that the formation of new blood vessels at the site are inhibited.

The polynucleotides, polypeptides, agonists and/or agonists of the present
10 invention may also be administered along with other anti-angiogenic factors. Representative examples of other anti-angiogenic factors include: Anti-Invasive Factor, retinoic acid and derivatives thereof, paclitaxel, Suramin, Tissue Inhibitor of Metalloproteinase-1, Tissue Inhibitor of Metalloproteinase-2, Plasminogen Activator Inhibitor-1, Plasminogen Activator Inhibitor-2, and various forms of the lighter "d
15 group" transition metals.

Lighter "d group" transition metals include, for example, vanadium, molybdenum, tungsten, titanium, niobium, and tantalum species. Such transition metal species may form transition metal complexes. Suitable complexes of the above-mentioned transition metal species include oxo transition metal complexes.

Representative examples of vanadium complexes include oxo vanadium
20 complexes such as vanadate and vanadyl complexes. Suitable vanadate complexes include metavanadate and orthovanadate complexes such as, for example, ammonium metavanadate, sodium metavanadate, and sodium orthovanadate. Suitable vanadyl complexes include, for example, vanadyl acetylacetonate and vanadyl sulfate
25 including vanadyl sulfate hydrates such as vanadyl sulfate mono- and trihydrates.

Representative examples of tungsten and molybdenum complexes also include oxo complexes. Suitable oxo tungsten complexes include tungstate and tungsten oxide complexes. Suitable tungstate complexes include ammonium tungstate, calcium tungstate, sodium tungstate dihydrate, and tungstic acid. Suitable tungsten
30 oxides include tungsten (IV) oxide and tungsten (VI) oxide. Suitable oxo

molybdenum complexes include molybdate, molybdenum oxide, and molybdenyl complexes. Suitable molybdate complexes include ammonium molybdate and its hydrates, sodium molybdate and its hydrates, and potassium molybdate and its hydrates. Suitable molybdenum oxides include molybdenum (VI) oxide, molybdenum (VI) oxide, and molybdic acid. Suitable molybdenyl complexes include, for example, molybdenyl acetylacetonate. Other suitable tungsten and molybdenum complexes include hydroxo derivatives derived from, for example, glycerol, tartaric acid, and sugars.

A wide variety of other anti-angiogenic factors may also be utilized within the context of the present invention. Representative examples include platelet factor 4; protamine sulphate; sulphated chitin derivatives (prepared from queen crab shells), (Murata et al., Cancer Res. 51:22-26, 1991); Sulphated Polysaccharide Peptidoglycan Complex (SP- PG) (the function of this compound may be enhanced by the presence of steroids such as estrogen, and tamoxifen citrate); Staurosporine; modulators of matrix metabolism, including for example, proline analogs, cishydroxyproline, d,L-3,4-dehydroproline, Thiaproline, alpha,alpha-dipyridyl, aminopropionitrile fumarate; 4-propyl-5-(4-pyridinyl)-2(3H)-oxazolone; Methotrexate; Mitoxantrone; Heparin; Interferons; 2 Macroglobulin-serum; ChIMP-3 (Pavloff et al., J. Bio. Chem. 267:17321-17326, 1992); Chymostatin (Tomkinson et al., Biochem J. 286:475-480, 1992); Cyclodextrin Tetradecasulfate; Eponemycin; Camptothecin; Fumagillin (Ingber et al., Nature 348:555-557, 1990); Gold Sodium Thiomalate ("GST"; Matsubara and Ziff, J. Clin. Invest. 79:1440-1446, 1987); anticollagenase-serum; alpha2-antiplasmin (Holmes et al., J. Biol. Chem. 262(4):1659-1664, 1987); Bisantrene (National Cancer Institute); Lobenzarit disodium (N-(2)-carboxyphenyl-4-chloroanthronilic acid disodium or "CCA"; Takeuchi et al., Agents Actions 36:312-316, 1992); Thalidomide; Angostatic steroid; AGM-1470; carboxynaminolmidazole; and metalloproteinase inhibitors such as BB94.

Diseases at the Cellular Level

Diseases associated with increased cell survival or the inhibition of apoptosis that could be treated or detected by polynucleotides or polypeptides, as well as antagonists or agonists of the present invention, include cancers (such as follicular lymphomas, carcinomas with p53 mutations, and hormone-dependent tumors, including, but not limited to colon cancer, cardiac tumors, pancreatic cancer, melanoma, retinoblastoma, glioblastoma, lung cancer, intestinal cancer, testicular cancer, stomach cancer, neuroblastoma, myxoma, myoma, lymphoma, endothelioma, osteoblastoma, osteoclastoma, osteosarcoma, chondrosarcoma, adenoma, breast cancer, prostate cancer, Kaposi's sarcoma and ovarian cancer); autoimmune disorders (such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease, polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis) and viral infections (such as herpes viruses, pox viruses and adenoviruses), inflammation, graft v. host disease, acute graft rejection, and chronic graft rejection. In preferred embodiments, polynucleotides, polypeptides, and/or antagonists of the invention are used to inhibit growth, progression, and/or metasis of cancers, in particular those listed above.

Additional diseases or conditions associated with increased cell survival that could be treated or detected by polynucleotides or polypeptides, or agonists or antagonists of the present invention include, but are not limited to, progression, and/or metastases of malignancies and related disorders such as leukemia (including acute leukemias (e.g., acute lymphocytic leukemia, acute myelocytic leukemia (including myeloblastic, promyelocytic, myelomonocytic, monocytic, and erythroleukemia)) and chronic leukemias (e.g., chronic myelocytic (granulocytic) leukemia and chronic lymphocytic leukemia)), polycythemia vera, lymphomas (e.g., Hodgkin's disease and non-Hodgkin's disease), multiple myeloma, Waldenstrom's macroglobulinemia, heavy chain disease, and solid tumors including, but not limited to, sarcomas and carcinomas such as fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma,

lymphangiosarcoma, lymphangioendotheliosarcoma, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilm's tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, menangioma, melanoma, neuroblastoma, and retinoblastoma.

Diseases associated with increased apoptosis that could be treated or detected by polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, include AIDS; neurodegenerative disorders (such as Alzheimer's disease, Parkinson's disease, Amyotrophic lateral sclerosis, Retinitis pigmentosa, Cerebellar degeneration and brain tumor or prior associated disease); autoimmune disorders (such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease, polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis) myelodysplastic syndromes (such as aplastic anemia), graft v. host disease, ischemic injury (such as that caused by myocardial infarction, stroke and reperfusion injury), liver injury (e.g., hepatitis related liver injury, ischemia/reperfusion injury, cholestosis (bile duct injury) and liver cancer); toxin-induced liver disease (such as that caused by alcohol), septic shock, cachexia and anorexia.

25

Wound Healing and Epithelial Cell Proliferation

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to stimulate epithelial cell proliferation and basal keratinocytes for the purpose of wound

30

healing, and to stimulate hair follicle production and healing of dermal wounds. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may be clinically useful in stimulating wound healing including surgical wounds, excisional wounds, deep wounds involving damage of the dermis and epidermis, eye tissue wounds, dental tissue wounds, oral cavity wounds, diabetic
5 ulcers, dermal ulcers, cubitus ulcers, arterial ulcers, venous stasis ulcers, burns resulting from heat exposure or chemicals, and other abnormal wound healing conditions such as uremia, malnutrition, vitamin deficiencies and complications associated with systemic treatment with steroids, radiation therapy and antineoplastic
10 drugs and antimetabolites. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote dermal reestablishment subsequent to dermal loss

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to increase the adherence of skin grafts to a wound
15 bed and to stimulate re-epithelialization from the wound bed. The following are types of grafts that polynucleotides or polypeptides, agonists or antagonists of the present invention, could be used to increase adherence to a wound bed: autografts, artificial skin, allografts, autodermic graft, autoepidermic grafts, avacular grafts, Blair-Brown grafts, bone graft, brephoplastic grafts, cutis graft, delayed graft, dermic graft,
20 epidermic graft, fascia graft, full thickness graft, heterologous graft, xenograft, homologous graft, hyperplastic graft, lamellar graft, mesh graft, mucosal graft, Ollier-Thiersch graft, omentoplastic graft, patch graft, pedicle graft, penetrating graft, split skin graft, thick split graft. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, can be used to promote skin strength and to
25 improve the appearance of aged skin.

It is believed that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, will also produce changes in hepatocyte proliferation, and epithelial cell proliferation in the lung, breast, pancreas, stomach, small intestine, and large intestine. Polynucleotides or polypeptides, as well as
30 agonists or antagonists of the present invention, could promote proliferation of

epithelial cells such as sebocytes, hair follicles, hepatocytes, type II pneumocytes, mucin-producing goblet cells, and other epithelial cells and their progenitors contained within the skin, lung, liver, and gastrointestinal tract. Polynucleotides or polypeptides, agonists or antagonists of the present invention, may promote
5 proliferation of endothelial cells, keratinocytes, and basal keratinocytes.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to reduce the side effects of gut toxicity that result from radiation, chemotherapy treatments or viral infections. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may have a
10 cytoprotective effect on the small intestine mucosa. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may also stimulate healing of mucositis (mouth ulcers) that result from chemotherapy and viral infections.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could further be used in full regeneration of skin in full and partial
15 thickness skin defects, including burns, (i.e., repopulation of hair follicles, sweat glands, and sebaceous glands), treatment of other skin defects such as psoriasis. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat epidermolysis bullosa, a defect in adherence of the epidermis to the underlying dermis which results in frequent, open and painful blisters
20 by accelerating reepithelialization of these lesions. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to treat gastric and duodenal ulcers and help heal by scar formation of the mucosal lining and regeneration of glandular mucosa and duodenal mucosal lining more rapidly. Inflammatory bowel diseases, such as Crohn's disease and ulcerative colitis, are
25 diseases which result in destruction of the mucosal surface of the small or large intestine, respectively. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote the resurfacing of the mucosal surface to aid more rapid healing and to prevent progression of inflammatory bowel disease. Treatment with polynucleotides or polypeptides, agonists or
30 antagonists of the present invention, is expected to have a significant effect on the

production of mucus throughout the gastrointestinal tract and could be used to protect the intestinal mucosa from injurious substances that are ingested or following surgery. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat diseases associate with the under expression.

5 Moreover, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to prevent and heal damage to the lungs due to various pathological states. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, which could stimulate proliferation and differentiation and promote the repair of alveoli and brochiolar epithelium to prevent
10 or treat acute or chronic lung damage. For example, emphysema, which results in the progressive loss of aveoli, and inhalation injuries, i.e., resulting from smoke inhalation and burns, that cause necrosis of the bronchiolar epithelium and alveoli could be effectively treated using polynucleotides or polypeptides, agonists or antagonists of the present invention. Also, polynucleotides or polypeptides, as well as
15 agonists or antagonists of the present invention, could be used to stimulate the proliferation of and differentiation of type II pneumocytes, which may help treat or prevent disease such as hyaline membrane diseases, such as infant respiratory distress syndrome and bronchopulmonary displasia, in premature infants.

 Polynucleotides or polypeptides, as well as agonists or antagonists of the
20 present invention, could stimulate the proliferation and differentiation of hepatocytes and, thus, could be used to alleviate or treat liver diseases and pathologies such as fulminant liver failure caused by cirrhosis, liver damage caused by viral hepatitis and toxic substances (i.e., acetaminophen, carbon tetraholoride and other hepatotoxins known in the art).

25 In addition, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used treat or prevent the onset of diabetes mellitus. In patients with newly diagnosed Types I and II diabetes, where some islet cell function remains, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to maintain the islet function so as to alleviate,
30 delay or prevent permanent manifestation of the disease. Also, polynucleotides or

polypeptides, as well as agonists or antagonists of the present invention, could be used as an auxiliary in islet cell transplantation to improve or promote islet cell function.

5 Neurological Diseases

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to
10 stimulate neurological cell proliferation and/or differentiation. Therefore, polynucleotides, polypeptides, agonists and/or antagonists of the invention may be used to treat and/or detect neurologic diseases. Moreover, polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used as a marker or detector of a particular nervous system disease or disorder.

15 Examples of neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include brain diseases, such as metabolic brain diseases which includes phenylketonuria such as maternal phenylketonuria, pyruvate carboxylase deficiency, pyruvate dehydrogenase complex deficiency, Wernicke's Encephalopathy, brain
20 edema, brain neoplasms such as cerebellar neoplasms which include infratentorial neoplasms, cerebral ventricle neoplasms such as choroid plexus neoplasms, hypothalamic neoplasms, supratentorial neoplasms, canavan disease, cerebellar diseases such as cerebellar ataxia which include spinocerebellar degeneration such as ataxia telangiectasia, cerebellar dyssynergia, Friederich's Ataxia, Machado-Joseph
25 Disease, olivopontocerebellar atrophy, cerebellar neoplasms such as infratentorial neoplasms, diffuse cerebral sclerosis such as encephalitis periaxialis, globoid cell leukodystrophy, metachromatic leukodystrophy and subacute sclerosing panencephalitis, cerebrovascular disorders (such as carotid artery diseases which include carotid artery thrombosis, carotid stenosis and Moyamoya Disease, cerebral
30 amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformations, cerebral artery diseases, cerebral embolism and

thrombosis such as carotid artery thrombosis, sinus thrombosis and Wallenberg's Syndrome, cerebral hemorrhage such as epidural hematoma, subdural hematoma and subarachnoid hemorrhage, cerebral infarction, cerebral ischemia such as transient cerebral ischemia, Subclavian Steal Syndrome and vertebrobasilar insufficiency, 5 vascular dementia such as multi-infarct dementia, periventricular leukomalacia, vascular headache such as cluster headache, migraine, dementia such as AIDS Dementia Complex, presenile dementia such as Alzheimer's Disease and Creutzfeldt-Jakob Syndrome, senile dementia such as Alzheimer's Disease and progressive supranuclear palsy, vascular dementia such as multi-infarct dementia, encephalitis 10 which include encephalitis periaxialis, viral encephalitis such as epidemic encephalitis, Japanese Encephalitis, St. Louis Encephalitis, tick-borne encephalitis and West Nile Fever, acute disseminated encephalomyelitis, meningoencephalitis such as uveomeningoencephalitic syndrome, Postencephalitic Parkinson Disease and subacute sclerosing panencephalitis, encephalomalacia such as periventricular 15 leukomalacia, epilepsy such as generalized epilepsy which includes infantile spasms, absence epilepsy, myoclonic epilepsy which includes MERRF Syndrome, tonic-clonic epilepsy, partial epilepsy such as complex partial epilepsy, frontal lobe epilepsy and temporal lobe epilepsy, post-traumatic epilepsy, status epilepticus such as Epilepsia Partialis Continua, Hallervorden-Spatz Syndrome, hydrocephalus such as 20 Dandy-Walker Syndrome and normal pressure hydrocephalus, hypothalamic diseases such as hypothalamic neoplasms, cerebral malaria, narcolepsy which includes cataplexy, bulbar poliomyelitis, cerebri pseudotumor, Rett Syndrome, Reye's Syndrome, thalamic diseases, cerebral toxoplasmosis, intracranial tuberculoma and Zellweger Syndrome, central nervous system infections such as AIDS Dementia 25 Complex, Brain Abscess, subdural empyema, encephalomyelitis such as Equine Encephalomyelitis, Venezuelan Equine Encephalomyelitis, Necrotizing Hemorrhagic Encephalomyelitis, Visna, cerebral malaria, meningitis such as arachnoiditis, aseptic meningitis such as viral meningitis which includes lymphocytic choriomeningitis. Bacterial meningitis which includes Haemophilus Meningitis, Listeria Meningitis, 30 Meningococcal Meningitis such as Waterhouse-Friderichsen Syndrome,

Pneumococcal Meningitis and meningeal tuberculosis, fungal meningitis such as Cryptococcal Meningitis, subdural effusion, meningoencephalitis such as uve-meningoencephalitic syndrome, myelitis such as transverse myelitis, neurosyphilis such as tabes dorsalis, poliomyelitis which includes bulbar poliomyelitis, and

5 postpoliomyelitis syndrome, prion diseases (such as Creutzfeldt-Jakob Syndrome, Bovine Spongiform Encephalopathy, Gerstmann-Straussler Syndrome, Kuru, Scrapie) cerebral toxoplasmosis, central nervous system neoplasms such as brain neoplasms that include cerebellar neoplasms such as infratentorial neoplasms, cerebral ventricle neoplasms such as choroid plexus neoplasms, hypothalamic neoplasms and

10 supratentorial neoplasms, meningeal neoplasms, spinal cord neoplasms which include epidural neoplasms, demyelinating diseases such as Canavan Diseases, diffuse cerebral sclerolosis which includes adrenoleukodystrophy, encephalitis periaxialis, globoid cell leukodystrophy, diffuse cerebral sclerosis such as metachromatic leukodystrophy, allergic encephalomyelitis, necrotizing hemorrhagic

15 encephalomyelitis, progressive multifocal leukoencephalopathy, multiple sclerosis, central pontine myelinolysis, transverse myelitis, neuromyelitis optica, Scrapie, Swayback, Chronic Fatigue Syndrome, Visna, High Pressure Nervous Syndrome, Meningism, spinal cord diseases such as amyotonia congenita, amyotrophic lateral sclerosis, spinal muscular atrophy such as Werdnig-Hoffmann Disease, spinal cord

20 compression, spinal cord neoplasms such as epidural neoplasms, syringomyelia, Tabes Dorsalis, Stiff-Man Syndrome, mental retardation such as Angelman Syndrome, Cri-du-Chat Syndrome, De Lange's Syndrome, Down Syndrome, Gangliosidoses such as gangliosidoses G(M1), Sandhoff Disease, Tay-Sachs Disease, Hartnup Disease, homocystinuria, Laurence-Moon- Biedl Syndrome, Lesch-Nyhan

25 Syndrome, Maple Syrup Urine Disease, mucopolipidosis such as fucosidosis, neuronal ceroid-lipofuscinosis, oculocerebrorenal syndrome, phenylketonuria such as maternal phenylketonuria, Prader-Willi Syndrome, Rett Syndrome, Rubinstein-Taybi Syndrome, Tuberous Sclerosis, WAGR Syndrome, nervous system abnormalities such as holoprosencephaly, neural tube defects such as anencephaly which includes

30 hydrangencephaly, Arnold-Chairi Deformity, encephalocele, meningocele,

meningomyelocele, spinal dysraphism such as spina bifida cystica and spina bifida occulta, hereditary motor and sensory neuropathies which include Charcot-Marie Disease, Hereditary optic atrophy, Refsum's Disease, hereditary spastic paraplegia, Werdnig-Hoffmann Disease, Hereditary Sensory and Autonomic Neuropathies such

5 as Congenital Analgesia and Familial Dysautonomia, Neurologic manifestations (such as agnosia that include Gerstmann's Syndrome, Amnesia such as retrograde amnesia, apraxia, neurogenic bladder, cataplexy, communicative disorders such as hearing disorders that includes deafness, partial hearing loss, loudness recruitment and tinnitus, language disorders such as aphasia which include agraphia, anomia,

10 broca aphasia, and Wernicke Aphasia, Dyslexia such as Acquired Dyslexia, language development disorders, speech disorders such as aphasia which includes anomia, broca aphasia and Wernicke Aphasia, articulation disorders, communicative disorders such as speech disorders which include dysarthria, echolalia, mutism and stuttering, voice disorders such as aphonia and hoarseness, decerebrate state, delirium,

15 fasciculation, hallucinations, meningism, movement disorders such as angelman syndrome, ataxia, athetosis, chorea, dystonia, hypokinesia, muscle hypotonia, myoclonus, tic, torticollis and tremor, muscle hypertonia such as muscle rigidity such as stiff-man syndrome, muscle spasticity, paralysis such as facial paralysis which includes Herpes Zoster Oticus, Gastroparesis, Hemiplegia, ophthalmoplegia such as

20 diplopia, Duane's Syndrome, Horner's Syndrome, Chronic progressive external ophthalmoplegia such as Kearns Syndrome, Bulbar Paralysis, Tropical Spastic Paraparesis, Paraplegia such as Brown-Sequard Syndrome, quadriplegia, respiratory paralysis and vocal cord paralysis, paresis, phantom limb, taste disorders such as ageusia and dysgeusia, vision disorders such as amblyopia, blindness, color vision

25 defects, diplopia, hemianopsia, scotoma and subnormal vision, sleep disorders such as hypersomnia which includes Kleine-Levin Syndrome, insomnia, and somnambulism, spasm such as trismus, unconsciousness such as coma, persistent vegetative state and syncope and vertigo, neuromuscular diseases such as amyotonia congenita, amyotrophic lateral sclerosis, Lambert-Eaton Myasthenic Syndrome, motor neuron

30 disease, muscular atrophy such as spinal muscular atrophy, Charcot-Marie Disease

- and Werdnig-Hoffmann Disease, Postpoliomyelitis Syndrome, Muscular Dystrophy, Myasthenia Gravis, Myotonia Atrophica, Myotonia Confenita, Nemaline Myopathy, Familial Periodic Paralysis, Multiplex Paramyoclonus, Tropical Spastic Paraparesis and Stiff-Man Syndrome, peripheral nervous system diseases such as acrodynia, amyloid neuropathies, autonomic nervous system diseases such as Adie's Syndrome, Barre-Lieou Syndrome, Familial Dysautonomia, Horner's Syndrome, Reflex Sympathetic Dystrophy and Shy-Drager Syndrome, Cranial Nerve Diseases such as Acoustic Nerve Diseases such as Acoustic Neuroma which includes Neurofibromatosis 2, Facial Nerve Diseases such as Facial Neuralgia, Melkersson-Rosenthal Syndrome, ocular motility disorders which includes amblyopia, nystagmus, oculomotor nerve paralysis, ophthalmoplegia such as Duane's Syndrome, Horner's Syndrome, Chronic Progressive External Ophthalmoplegia which includes Kearns Syndrome, Strabismus such as Esotropia and Exotropia, Oculomotor Nerve Paralysis, Optic Nerve Diseases such as Optic Atrophy which includes Hereditary Optic Atrophy, Optic Disk Drusen, Optic Neuritis such as Neuromyelitis Optica, Papilledema, Trigeminal Neuralgia, Vocal Cord Paralysis, Demyelinating Diseases such as Neuromyelitis Optica and Swayback, Diabetic neuropathies such as diabetic foot, nerve compression syndromes such as carpal tunnel syndrome, tarsal tunnel syndrome, thoracic outlet syndrome such as cervical rib syndrome, ulnar nerve compression syndrome, neuralgia such as causalgia, cervico-brachial neuralgia, facial neuralgia and trigeminal neuralgia, neuritis such as experimental allergic neuritis, optic neuritis, polyneuritis, polyradiculoneuritis and radiculities such as polyradiculitis, hereditary motor and sensory neuropathies such as Charcot-Marie Disease, Hereditary Optic Atrophy, Refsum's Disease, Hereditary Spastic Paraplegia and Werdnig-Hoffmann Disease, Hereditary Sensory and Autonomic Neuropathies which include Congenital Analgesia and Familial Dysautonomia, POEMS Syndrome, Sciatica, Gustatory Sweating and Tetany).

Infectious Disease

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention can be used to treat or detect infectious agents. For example, by increasing the immune response, particularly increasing the proliferation and differentiation of B and/or T cells, infectious diseases may be treated. The immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may also directly inhibit the infectious agent, without necessarily eliciting an immune response.

Viruses are one example of an infectious agent that can cause disease or symptoms that can be treated or detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention. Examples of viruses, include, but are not limited to Examples of viruses, include, but are not limited to the following DNA and RNA viruses and viral families: Arbovirus, Adenoviridae, Arenaviridae, Arterivirus, Birnaviridae, Bunyaviridae, Caliciviridae, Circoviridae, Coronaviridae, Dengue, EBV, HIV, Flaviviridae, Hepadnaviridae (Hepatitis), Herpesviridae (such as, Cytomegalovirus, Herpes Simplex, Herpes Zoster), Mononegavirus (e.g., Paramyxoviridae, Morbillivirus, Rhabdoviridae), Orthomyxoviridae (e.g., Influenza A, Influenza B, and parainfluenza), Papiloma virus, Papovaviridae, Parvoviridae, Picornaviridae, Poxviridae (such as Smallpox or Vaccinia), Reoviridae (e.g., Rotavirus), Retroviridae (HTLV-I, HTLV-II, Lentivirus), and Togaviridae (e.g., Rubivirus). Viruses falling within these families can cause a variety of diseases or symptoms, including, but not limited to: arthritis, bronchiollitis, respiratory syncytial virus, encephalitis, eye infections (e.g., conjunctivitis, keratitis), chronic fatigue syndrome, hepatitis (A, B, C, E, Chronic Active, Delta), Japanese B encephalitis, Junin, Chikungunya, Rift Valley fever, yellow fever, meningitis, opportunistic infections (e.g., AIDS), pneumonia, Burkitt's Lymphoma, chickenpox, hemorrhagic fever, Measles, Mumps, Parainfluenza, Rabies, the common cold, Polio, leukemia, Rubella, sexually transmitted diseases, skin diseases (e.g., Kaposi's, warts), and viremia. polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases. In specific

embodiments, polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat: meningitis, Dengue, EBV, and/or hepatitis (e.g., hepatitis B). In an additional specific embodiment polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat patients nonresponsive to one or more
5 other commercially available hepatitis vaccines. In a further specific embodiment polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat AIDS.

Similarly, bacterial or fungal agents that can cause disease or symptoms and that can be treated or detected by a polynucleotide or polypeptide and/or agonist or
10 antagonist of the present invention include, but not limited to, include, but not limited to, the following Gram-Negative and Gram-positive bacteria and bacterial families and fungi: Actinomycetales (e.g., Corynebacterium, Mycobacterium, Nocardia), Cryptococcus neoformans, Aspergillosis, Bacillaceae (e.g., Anthrax, Clostridium), Bacteroidaceae, Blastomycosis, Bordetella, Borrelia (e.g., Borrelia burgdorferi),
15 Brucellosis, Candidiasis, Campylobacter, Coccidioidomycosis, Cryptococcosis, Dermatocycoses, E. coli (e.g., Enterotoxigenic E. coli and Enterohemorrhagic E. coli), Enterobacteriaceae (Klebsiella, Salmonella (e.g., Salmonella typhi, and Salmonella paratyphi), Serratia, Yersinia), Erysipelothrix, Helicobacter, Legionellosis, Leptospirosis, Listeria, Mycoplasmatales, Mycobacterium leprae,
20 Vibrio cholerae, Neisseriaceae (e.g., Acinetobacter, Gonorrhea, Meningococcal), Meisseria meningitidis, Pasteurellacea Infections (e.g., Actinobacillus, Heamophilus (e.g., Heamophilus influenza type B), Pasteurella), Pseudomonas, Rickettsiaceae, Chlamydiaceae, Syphilis, Shigella spp., Staphylococcal, Meningiococcal, Pneumococcal and Streptococcal (e.g., Streptococcus pneumoniae and Group B
25 Streptococcus). These bacterial or fungal families can cause the following diseases or symptoms, including, but not limited to: bacteremia, endocarditis, eye infections (conjunctivitis, tuberculosis, uveitis), gingivitis, opportunistic infections (e.g., AIDS related infections), paronychia, prosthesis-related infections, Reiter's Disease, respiratory tract infections, such as Whooping Cough or Empyema, sepsis, Lyme
30 Disease, Cat-Scratch Disease, Dysentery, Paratyphoid Fever, food poisoning,

Typhoid, pneumonia, Gonorrhea, meningitis (e.g., meningitis types A and B), Chlamydia, Syphilis, Diphtheria, Leprosy, Paratuberculosis, Tuberculosis, Lupus, Botulism, gangrene, tetanus, impetigo, Rheumatic Fever, Scarlet Fever, sexually transmitted diseases, skin diseases (e.g., cellulitis, dermatocycoses), toxemia, urinary tract infections, wound infections. Polynucleotides or polypeptides, agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases. In specific embodiments, Polynucleotides, polypeptides, agonists or antagonists of the invention are used to treat: tetanus, Diphtheria, botulism, and/or meningitis type B.

Moreover, parasitic agents causing disease or symptoms that can be treated or detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention include, but not limited to, the following families or class: Amebiasis, Babesiosis, Coccidiosis, Cryptosporidiosis, Dientamoebiasis, Dourine, Ectoparasitic, Giardiasis, Helminthiasis, Leishmaniasis, Theileriasis, Toxoplasmosis, Trypanosomiasis, and Trichomonas and Sporozoans (e.g., Plasmodium virax, Plasmodium falciparum, Plasmodium malariae and Plasmodium ovale). These parasites can cause a variety of diseases or symptoms, including, but not limited to: Scabies, Trombiculiasis, eye infections, intestinal disease (e.g., dysentery, giardiasis), liver disease, lung disease, opportunistic infections (e.g., AIDS related), malaria, pregnancy complications, and toxoplasmosis. polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention of the present invention could either be by administering an effective amount of a polypeptide to the patient, or by removing cells from the patient, supplying the cells with a polynucleotide of the present invention, and returning the engineered cells to the patient (ex vivo therapy). Moreover, the polypeptide or polynucleotide of the present invention can be used as an antigen in a vaccine to raise an immune response against infectious disease.

Regeneration

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention can be used to differentiate, proliferate, and attract cells, leading to the regeneration of tissues. (See, Science 276:59-87 (1997).) The regeneration of
5 tissues could be used to repair, replace, or protect tissue damaged by congenital defects, trauma (wounds, burns, incisions, or ulcers), age, disease (e.g. osteoporosis, osteoarthritis, periodontal disease, liver failure), surgery, including cosmetic plastic surgery, fibrosis, reperfusion injury, or systemic cytokine damage.

Tissues that could be regenerated using the present invention include organs
10 (e.g., pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac), vasculature (including vascular and lymphatics), nervous, hematopoietic, and skeletal (bone, cartilage, tendon, and ligament) tissue. Preferably, regeneration occurs without or decreased scarring. Regeneration also may include angiogenesis.

Moreover, polynucleotides or polypeptides, as well as agonists or antagonists
15 of the present invention, may increase regeneration of tissues difficult to heal. For example, increased tendon/ligament regeneration would quicken recovery time after damage. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could also be used prophylactically in an effort to avoid damage. Specific diseases that could be treated include of tendinitis, carpal tunnel syndrome,
20 and other tendon or ligament defects. A further example of tissue regeneration of non-healing wounds includes pressure ulcers, ulcers associated with vascular insufficiency, surgical, and traumatic wounds.

Similarly, nerve and brain tissue could also be regenerated by using
polynucleotides or polypeptides, as well as agonists or antagonists of the present
25 invention, to proliferate and differentiate nerve cells. Diseases that could be treated using this method include central and peripheral nervous system diseases, neuropathies, or mechanical and traumatic disorders (e.g., spinal cord disorders, head trauma, cerebrovascular disease, and stroke). Specifically, diseases associated with peripheral nerve injuries, peripheral neuropathy (e.g., resulting from chemotherapy or
30 other medical therapies), localized neuropathies, and central nervous system diseases

(e.g., Alzheimer's disease, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager syndrome), could all be treated using the polynucleotides or polypeptides, as well as agonists or antagonists of the present invention.

5

Chemotaxis

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may have chemotaxis activity. A chemotaxic molecule attracts or mobilizes cells (e.g., monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial cells) to a particular site in the body, such as inflammation, infection, or site of hyperproliferation. The mobilized cells can then fight off and/or heal the particular trauma or abnormality.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may increase chemotaxic activity of particular cells. These chemotactic molecules can then be used to treat inflammation, infection, hyperproliferative disorders, or any immune system disorder by increasing the number of cells targeted to a particular location in the body. For example, chemotaxic molecules can be used to treat wounds and other trauma to tissues by attracting immune cells to the injured location. Chemotactic molecules of the present invention can also attract fibroblasts, which can be used to treat wounds.

It is also contemplated that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may inhibit chemotactic activity. These molecules could also be used to treat disorders. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could be used as an inhibitor of chemotaxis.

Binding Activity

A polypeptide of the present invention may be used to screen for molecules that bind to the polypeptide or for molecules to which the polypeptide binds. The binding of the polypeptide and the molecule may activate (agonist), increase, inhibit

(antagonist), or decrease activity of the polypeptide or the molecule bound. Examples of such molecules include antibodies, oligonucleotides, proteins (e.g., receptors), or small molecules.

Preferably, the molecule is closely related to the natural ligand of the polypeptide, e.g., a fragment of the ligand, or a natural substrate, a ligand, a structural or functional mimetic. (See, Coligan et al., Current Protocols in Immunology 1(2):Chapter 5 (1991).) Similarly, the molecule can be closely related to the natural receptor to which the polypeptide binds, or at least, a fragment of the receptor capable of being bound by the polypeptide (e.g., active site). In either case, the molecule can be rationally designed using known techniques.

Preferably, the screening for these molecules involves producing appropriate cells which express the polypeptide. Preferred cells include cells from mammals, yeast, *Drosophila*, or *E. coli*. Cells expressing the polypeptide (or cell membrane containing the expressed polypeptide) are then preferably contacted with a test compound potentially containing the molecule to observe binding, stimulation, or inhibition of activity of either the polypeptide or the molecule.

The assay may simply test binding of a candidate compound to the polypeptide, wherein binding is detected by a label, or in an assay involving competition with a labeled competitor. Further, the assay may test whether the candidate compound results in a signal generated by binding to the polypeptide.

Alternatively, the assay can be carried out using cell-free preparations, polypeptide/molecule affixed to a solid support, chemical libraries, or natural product mixtures. The assay may also simply comprise the steps of mixing a candidate compound with a solution containing a polypeptide, measuring polypeptide/molecule activity or binding, and comparing the polypeptide/molecule activity or binding to a standard.

Preferably, an ELISA assay can measure polypeptide level or activity in a sample (e.g., biological sample) using a monoclonal or polyclonal antibody. The antibody can measure polypeptide level or activity by either binding, directly or indirectly, to the polypeptide or by competing with the polypeptide for a substrate.

Additionally, the receptor to which the polypeptide of the present invention binds can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting (Coligan, et al., Current Protocols in Immun., 1(2), Chapter 5, (1991)). For example, expression cloning is employed
5 wherein polyadenylated RNA is prepared from a cell responsive to the polypeptides, for example, NIH3T3 cells which are known to contain multiple receptors for the FGF family proteins, and SC-3 cells, and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the polypeptides. Transfected cells which are grown on glass slides are
10 exposed to the polypeptide of the present invention, after they have been labelled. The polypeptides can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase.

Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and
15 re-transfected using an iterative sub-pooling and re-screening process, eventually yielding a single clones that encodes the putative receptor.

As an alternative approach for receptor identification, the labeled polypeptides can be photoaffinity linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE analysis and
20 exposed to X-ray film. The labeled complex containing the receptors of the polypeptides can be excised, resolved into peptide fragments, and subjected to protein microsequencing. The amino acid sequence obtained from microsequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the genes encoding the putative receptors.

25 Moreover, the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling") may be employed to modulate the activities of the polypeptide of the present invention thereby effectively generating agonists and antagonists of the polypeptide of the present invention. *See generally*, U.S. Patent Nos. 5,605,793, 5,811,238, 5,830,721,
30 5,834,252, and 5,837,458, and Patten, P. A., *et al.*, *Curr. Opinion Biotechnol.* 8:724-

33 (1997); Harayama, S. *Trends Biotechnol.* 16(2):76-82 (1998); Hansson, L. O., *et al.*, *J. Mol. Biol.* 287:265-76 (1999); and Lorenzo, M. M. and Blasco, R. *Biotechniques* 24(2):308-13 (1998) (each of these patents and publications are hereby incorporated by reference). In one embodiment, alteration of polynucleotides and
5 corresponding polypeptides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA segments into a desired molecule by homologous, or site-specific, recombination. In another embodiment, polynucleotides and corresponding polypeptides may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior
10 to recombination. In another embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of the polypeptide of the present invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules. In preferred embodiments, the heterologous molecules are family members. In further preferred embodiments,
15 the heterologous molecule is a growth factor such as, for example, platelet-derived growth factor (PDGF), insulin-like growth factor (IGF-I), transforming growth factor (TGF)-alpha, epidermal growth factor (EGF), fibroblast growth factor (FGF), TGF-beta, bone morphogenetic protein (BMP)-2, BMP-4, BMP-5, BMP-6, BMP-7, activins A and B, decapentaplegic(dpp), 60A, OP-2, dorsalin, growth differentiation
20 factors (GDFs), nodal, MIS, inhibin-alpha, TGF-beta1, TGF-beta2, TGF-beta3, TGF-beta5, and glial-derived neurotrophic factor (GDNF).

Other preferred fragments are biologically active fragments of the polypeptide of the present invention. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present
25 invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

Additionally, this invention provides a method of screening compounds to identify those which modulate the action of the polypeptide of the present invention. An example of such an assay comprises combining a mammalian fibroblast cell, a the
30 polypeptide of the present invention, the compound to be screened and $^3\text{[H]}$

thymidine under cell culture conditions where the fibroblast cell would normally proliferate. A control assay may be performed in the absence of the compound to be screened and compared to the amount of fibroblast proliferation in the presence of the compound to determine if the compound stimulates proliferation by determining the uptake of $^3\text{[H]}$ thymidine in each case. The amount of fibroblast cell proliferation is measured by liquid scintillation chromatography which measures the incorporation of $^3\text{[H]}$ thymidine. Both agonist and antagonist compounds may be identified by this procedure.

In another method, a mammalian cell or membrane preparation expressing a receptor for a polypeptide of the present invention is incubated with a labeled polypeptide of the present invention in the presence of the compound. The ability of the compound to enhance or block this interaction could then be measured. Alternatively, the response of a known second messenger system following interaction of a compound to be screened and the receptor is measured and the ability of the compound to bind to the receptor and elicit a second messenger response is measured to determine if the compound is a potential agonist or antagonist. Such second messenger systems include but are not limited to, cAMP guanylate cyclase, ion channels or phosphoinositide hydrolysis.

All of these above assays can be used as diagnostic or prognostic markers. The molecules discovered using these assays can be used to treat disease or to bring about a particular result in a patient (e.g., blood vessel growth) by activating or inhibiting the polypeptide/molecule. Moreover, the assays can discover agents which may inhibit or enhance the production of the polypeptides of the invention from suitably manipulated cells or tissues.

Therefore, the invention includes a method of identifying compounds which bind to a polypeptide of the invention comprising the steps of: (a) incubating a candidate binding compound with a polypeptide of the present invention; and (b) determining if binding has occurred. Moreover, the invention includes a method of identifying agonists/antagonists comprising the steps of: (a) incubating a candidate compound with a polypeptide of the present invention, (b) assaying a biological

activity, and (b) determining if a biological activity of the polypeptide has been altered.

Targeted Delivery

5 In another embodiment, the invention provides a method of delivering compositions to targeted cells expressing a receptor for a polypeptide of the invention, or cells expressing a cell bound form of a polypeptide of the invention.

 As discussed herein, polypeptides or antibodies of the invention may be associated with heterologous polypeptides, heterologous nucleic acids, toxins, or
10 prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions. In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (including antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic
15 protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

 In another embodiment, the invention provides a method for the specific
20 destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention (e.g., polypeptides of the invention or antibodies of the invention) in association with toxins or cytotoxic prodrugs.

 By "toxin" is meant compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of
25 toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced
30 endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNase, alpha

toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. By "cytotoxic prodrug" is meant a non-toxic compound that is converted by an enzyme, normally present in the cell, into a cytotoxic compound. Cytotoxic prodrugs that may be used
5 according to the methods of the invention include, but are not limited to, glutamyl derivatives of benzoic acid mustard alkylating agent, phosphate derivatives of etoposide or mitomycin C, cytosine arabinoside, daunorubisin, and phenoxyacetamide derivatives of doxorubicin.

10 Drug Screening

Further contemplated is the use of the polypeptides of the present invention, or the polynucleotides encoding these polypeptides, to screen for molecules which modify the activities of the polypeptides of the present invention. Such a method would include contacting the polypeptide of the present invention with a selected
15 compound(s) suspected of having antagonist or agonist activity, and assaying the activity of these polypeptides following binding.

This invention is particularly useful for screening therapeutic compounds by using the polypeptides of the present invention, or binding fragments thereof, in any of a variety of drug screening techniques. The polypeptide or fragment employed in
20 such a test may be affixed to a solid support, expressed on a cell surface, free in solution, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. One may measure, for example, the formulation
25 of complexes between the agent being tested and a polypeptide of the present invention.

Thus, the present invention provides methods of screening for drugs or any other agents which affect activities mediated by the polypeptides of the present invention. These methods comprise contacting such an agent with a polypeptide of
30 the present invention or a fragment thereof and assaying for the presence of a

complex between the agent and the polypeptide or a fragment thereof, by methods well known in the art. In such a competitive binding assay, the agents to screen are typically labeled. Following incubation, free agent is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of a particular agent to bind to the polypeptides of the present invention.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the polypeptides of the present invention, and is described in great detail in European Patent Application 84/03564, published on September 13, 1984, which is incorporated herein by reference herein. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The peptide test compounds are reacted with polypeptides of the present invention and washed. Bound polypeptides are then detected by methods well known in the art. Purified polypeptides are coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies may be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding polypeptides of the present invention specifically compete with a test compound for binding to the polypeptides or fragments thereof. In this manner, the antibodies are used to detect the presence of any peptide which shares one or more antigenic epitopes with a polypeptide of the invention.

Antisense And Ribozyme (Antagonists)

In specific embodiments, antagonists according to the present invention are nucleic acids corresponding to the sequences contained in SEQ ID NO:X, or the complementary strand thereof, and/or to nucleotide sequences contained in the cDNA contained in the related cDNA clone identified in Table 1. In one embodiment, antisense sequence is generated internally, by the organism, in another embodiment, the antisense sequence is separately administered (see, for example, O'Connor, J.,

Neurochem. 56:560 (1991). Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Antisense technology can be used to control gene expression through antisense DNA or RNA, or through triple-helix formation. Antisense techniques are discussed for example, in Okano, J., Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance, Lee et al., Nucleic Acids Research 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1300 (1991). The methods are based on binding of a polynucleotide to a complementary DNA or RNA.

For example, the use of c-myc and c-myb antisense RNA constructs to inhibit the growth of the non-lymphocytic leukemia cell line HL-60 and other cell lines was previously described. (Wickstrom et al. (1988); Anfossi et al. (1989)). These experiments were performed in vitro by incubating cells with the oligoribonucleotide. A similar procedure for in vivo use is described in WO 91/15580. Briefly, a pair of oligonucleotides for a given antisense RNA is produced as follows: A sequence complimentary to the first 15 bases of the open reading frame is flanked by an EcoRI site on the 5' end and a HindIII site on the 3' end. Next, the pair of oligonucleotides is heated at 90°C for one minute and then annealed in 2X ligation buffer (20mM TRIS HCl pH 7.5, 10mM MgCl₂, 10mM dithiothreitol (DTT) and 0.2 mM ATP) and then ligated to the EcoRI/Hind III site of the retroviral vector PMV7 (WO 91/15580).

For example, the 5' coding portion of a polynucleotide that encodes the polypeptide of the present invention may be used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription thereby preventing transcription and the production of the receptor. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into receptor polypeptide.

In one embodiment, the antisense nucleic acid of the invention is produced intracellularly by transcription from an exogenous sequence. For example, a vector or a portion thereof, is transcribed, producing an antisense nucleic acid (RNA) of the

invention. Such a vector would contain a sequence encoding the antisense nucleic acid. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors
5 can be plasmid, viral, or others known in the art, used for replication and expression in vertebrate cells. Expression of the sequence encoding the polypeptide of the present invention or fragments thereof, can be by any promoter known in the art to act in vertebrate, preferably human cells. Such promoters can be inducible or constitutive. Such promoters include, but are not limited to, the SV40 early promoter
10 region (Bernoist and Chambon, Nature 29:304-310 (1981), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto et al., Cell 22:787-797 (1980), the herpes thymidine promoter (Wagner et al., Proc. Natl. Acad. Sci. U.S.A. 78:1441-1445 (1981), the regulatory sequences of the metallothionein gene (Brinster, et al., Nature 296:39-42 (1982)), etc.

15 The antisense nucleic acids of the invention comprise a sequence complementary to at least a portion of an RNA transcript of a gene of the present invention. However, absolute complementarity, although preferred, is not required. A sequence "complementary to at least a portion of an RNA," referred to herein, means a sequence having sufficient complementarity to be able to hybridize with the
20 RNA, forming a stable duplex; in the case of double stranded antisense nucleic acids, a single strand of the duplex DNA may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid. Generally, the larger the hybridizing nucleic acid, the more base mismatches with a RNA it may contain and still form a
25 stable duplex (or triplex as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

Oligonucleotides that are complementary to the 5' end of the message, e.g., the
30 5' untranslated sequence up to and including the AUG initiation codon, should work most efficiently at inhibiting translation. However, sequences complementary to the

3' untranslated sequences of mRNAs have been shown to be effective at inhibiting translation of mRNAs as well. See generally, Wagner, R., 1994, *Nature* 372:333-335. Thus, oligonucleotides complementary to either the 5'- or 3'- non- translated, non-coding regions of polynucleotide sequences described herein could be used in an antisense approach to inhibit translation of endogenous mRNA. Oligonucleotides complementary to the 5' untranslated region of the mRNA should include the complement of the AUG start codon. Antisense oligonucleotides complementary to mRNA coding regions are less efficient inhibitors of translation but could be used in accordance with the invention. Whether designed to hybridize to the 5'-, 3'- or coding region of mRNA of the present invention, antisense nucleic acids should be at least six nucleotides in length, and are preferably oligonucleotides ranging from 6 to about 50 nucleotides in length. In specific aspects the oligonucleotide is at least 10 nucleotides, at least 17 nucleotides, at least 25 nucleotides or at least 50 nucleotides.

The polynucleotides of the invention can be DNA or RNA or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotide can be modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors in vivo), or agents facilitating transport across the cell membrane (see, e.g., Letsinger et al., 1989, *Proc. Natl. Acad. Sci. U.S.A.* 86:6553-6556; Lemaitre et al., 1987, *Proc. Natl. Acad. Sci.* 84:648-652; PCT Publication No. WO88/09810, published December 15, 1988) or the blood-brain barrier (see, e.g., PCT Publication No. WO89/10134, published April 25, 1988), hybridization-triggered cleavage agents. (See, e.g., Krol et al., 1988, *BioTechniques* 6:958-976) or intercalating agents. (See, e.g., Zon, 1988, *Pharm. Res.* 5:539-549). To this end, the oligonucleotide may be conjugated to another molecule, e.g., a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

The antisense oligonucleotide may comprise at least one modified base moiety which is selected from the group including, but not limited to, 5-fluorouracil,

5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 5 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, 10 queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

The antisense oligonucleotide may also comprise at least one modified sugar moiety selected from the group including, but not limited to, arabinose, 15 2-fluoroarabinose, xylulose, and hexose.

In yet another embodiment, the antisense oligonucleotide comprises at least one modified phosphate backbone selected from the group including, but not limited to, a phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a 20 phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

In yet another embodiment, the antisense oligonucleotide is an a-anomeric oligonucleotide. An a-anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual b-units, the strands 25 run parallel to each other (Gautier et al., 1987, Nucl. Acids Res. 15:6625-6641). The oligonucleotide is a 2'-O-methylribonucleotide (Inoue et al., 1987, Nucl. Acids Res. 15:6131-6148), or a chimeric RNA-DNA analogue (Inoue et al., 1987, FEBS Lett. 215:327-330).

Polynucleotides of the invention may be synthesized by standard methods 30 known in the art, e.g. by use of an automated DNA synthesizer (such as are

commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothioate oligonucleotides may be synthesized by the method of Stein et al. (1988, Nucl. Acids Res. 16:3209), methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85:7448-7451), etc.

While antisense nucleotides complementary to the coding region sequence could be used, those complementary to the transcribed untranslated region are most preferred.

Potential antagonists according to the invention also include catalytic RNA, or a ribozyme (See, e.g., PCT International Publication WO 90/11364, published October 4, 1990; Sarver et al, Science 247:1222-1225 (1990). While ribozymes that cleave mRNA at site specific recognition sequences can be used to destroy mRNAs, the use of hammerhead ribozymes is preferred. Hammerhead ribozymes cleave mRNAs at locations dictated by flanking regions that form complementary base pairs with the target mRNA. The sole requirement is that the target mRNA have the following sequence of two bases: 5'-UG-3'. The construction and production of hammerhead ribozymes is well known in the art and is described more fully in Haseloff and Gerlach, Nature 334:585-591 (1988). There are numerous potential hammerhead ribozyme cleavage sites within the nucleotide sequence of SEQ ID NO:X. Preferably, the ribozyme is engineered so that the cleavage recognition site is located near the 5' end of the mRNA; i.e., to increase efficiency and minimize the intracellular accumulation of non-functional mRNA transcripts.

As in the antisense approach, the ribozymes of the invention can be composed of modified oligonucleotides (e.g. for improved stability, targeting, etc.) and should be delivered to cells which express in vivo. DNA constructs encoding the ribozyme may be introduced into the cell in the same manner as described above for the introduction of antisense encoding DNA. A preferred method of delivery involves using a DNA construct "encoding" the ribozyme under the control of a strong constitutive promoter, such as, for example, pol III or pol II promoter, so that transfected cells will produce sufficient quantities of the ribozyme to destroy

endogenous messages and inhibit translation. Since ribozymes unlike antisense molecules, are catalytic, a lower intracellular concentration is required for efficiency.

Antagonist/agonist compounds may be employed to inhibit the cell growth and proliferation effects of the polypeptides of the present invention on neoplastic
5 cells and tissues, i.e. stimulation of angiogenesis of tumors, and, therefore, retard or prevent abnormal cellular growth and proliferation, for example, in tumor formation or growth.

The antagonist/agonist may also be employed to prevent hyper-vascular diseases, and prevent the proliferation of epithelial lens cells after extracapsular
10 cataract surgery. Prevention of the mitogenic activity of the polypeptides of the present invention may also be desirable in cases such as restenosis after balloon angioplasty.

The antagonist/agonist may also be employed to prevent the growth of scar tissue during wound healing.

15 The antagonist/agonist may also be employed to treat the diseases described herein.

Thus, the invention provides a method of treating disorders or diseases, including but not limited to the disorders or diseases listed throughout this application, associated with overexpression of a polynucleotide of the present
20 invention by administering to a patient (a) an antisense molecule directed to the polynucleotide of the present invention, and/or (b) a ribozyme directed to the polynucleotide of the present invention.

Other Activities

25 A polypeptide, polynucleotide, agonist, or antagonist of the present invention, as a result of the ability to stimulate vascular endothelial cell growth, may be employed in treatment for stimulating re-vascularization of ischemic tissues due to various disease conditions such as thrombosis, arteriosclerosis, and other cardiovascular conditions. The polypeptide, polynucleotide, agonist, or antagonist of

the present invention may also be employed to stimulate angiogenesis and limb regeneration, as discussed above.

5 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for treating wounds due to injuries, burns, post-operative tissue repair, and ulcers since they are mitogenic to various cells of different origins, such as fibroblast cells and skeletal muscle cells, and therefore, facilitate the repair or replacement of damaged or diseased tissue.

10 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed stimulate neuronal growth and to treat and prevent neuronal damage which occurs in certain neuronal disorders or neuro-degenerative conditions such as Alzheimer's disease, Parkinson's disease, and AIDS-related complex. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may have the ability to stimulate chondrocyte growth, therefore, they may be employed to enhance bone and periodontal regeneration and aid in tissue transplants or bone
15 grafts.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be also be employed to prevent skin aging due to sunburn by stimulating keratinocyte growth.

20 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for preventing hair loss, since FGF family members activate hair-forming cells and promotes melanocyte growth. Along the same lines, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be employed to stimulate growth and differentiation of hematopoietic cells and bone marrow cells when used in combination with other cytokines.

25 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to maintain organs before transplantation or for supporting cell culture of primary tissues. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for inducing tissue of mesodermal origin to differentiate in early embryos.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also increase or decrease the differentiation or proliferation of embryonic stem cells, besides, as discussed above, hematopoietic lineage.

5 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used to modulate mammalian characteristics, such as body height, weight, hair color, eye color, skin, percentage of adipose tissue, pigmentation, size, and shape (e.g., cosmetic surgery). Similarly, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to modulate mammalian metabolism affecting catabolism, anabolism, processing, utilization, and storage of
10 energy.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to change a mammal's mental state or physical state by influencing biorhythms, circadian rhythms, depression (including depressive disorders), tendency for violence, tolerance for pain, reproductive capabilities (preferably by Activin or
15 Inhibin-like activity), hormonal or endocrine levels, appetite, libido, memory, stress, or other cognitive qualities.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used as a food additive or preservative, such as to increase or decrease storage capabilities, fat content, lipid, protein, carbohydrate, vitamins, minerals,
20 cofactors or other nutritional components.

The above-recited applications have uses in a wide variety of hosts. Such hosts include, but are not limited to, human, murine, rabbit, goat, guinea pig, camel, horse, mouse, rat, hamster, pig, micro-pig, chicken, goat, cow, sheep, dog, cat, non-human primate, and human. In specific embodiments, the host is a mouse, rabbit,
25 goat, guinea pig, chicken, rat, hamster, pig, sheep, dog or cat. In preferred embodiments, the host is a mammal. In most preferred embodiments, the host is a human.

Other Preferred Embodiments

Other preferred embodiments of the claimed invention include an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 50 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

Also preferred is a nucleic acid molecule wherein said sequence of contiguous nucleotides is included in the nucleotide sequence of SEQ ID NO:X in the range of positions identified as "Start" and "End" in columns 7 and 8 as defined for SEQ ID NO:X in Table 1.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 150 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

Further preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 500 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the nucleotide sequence of SEQ ID NO:X in the range of positions identified as "Start" and "End" in columns 7 and 8 as defined for SEQ ID NO:X in Table 1.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

Also preferred is an isolated nucleic acid molecule which hybridizes under stringent hybridization conditions to a nucleic acid molecule comprising a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in

the related cDNA clone contained in the deposit, wherein said nucleic acid molecule which hybridizes does not hybridize under stringent hybridization conditions to a nucleic acid molecule having a nucleotide sequence consisting of only A residues or of only T residues.

5 Also preferred is a composition of matter comprising a DNA molecule which comprises a cDNA clone contained in the deposit.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides in the nucleotide sequence of the cDNA in the related cDNA clone
10 contained in the deposit.

Also preferred is an isolated nucleic acid molecule, wherein said sequence of at least 50 contiguous nucleotides is included in the nucleotide sequence of an open reading frame sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

15 Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to sequence of at least 150 contiguous nucleotides in the nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is an isolated nucleic acid molecule
20 comprising a nucleotide sequence which is at least 95% identical to sequence of at least 500 contiguous nucleotides in the nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete
25 nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is a method for detecting in a biological sample a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence
30 selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the

complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit; which method comprises a step of comparing a nucleotide sequence of at least one nucleic acid molecule in said sample with a sequence selected from said group and determining whether the sequence of
5 said nucleic acid molecule in said sample is at least 95% identical to said selected sequence.

Also preferred is the above method wherein said step of comparing sequences comprises determining the extent of nucleic acid hybridization between nucleic acid molecules in said sample and a nucleic acid molecule comprising said sequence
10 selected from said group. Similarly, also preferred is the above method wherein said step of comparing sequences is performed by comparing the nucleotide sequence determined from a nucleic acid molecule in said sample with said sequence selected from said group. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

15 A further preferred embodiment is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting nucleic acid molecules in said sample, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the
20 complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

Also preferred is the above method for identifying the species, tissue or cell type of a biological sample which comprises a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide
25 sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleotide sequence of SEQ ID NO:X; or the cDNA in the related cDNA clone identified in Table I which encodes a
30 protein, wherein the method comprises a step of detecting in a biological sample

obtained from said subject nucleic acid molecules, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide
5 sequence of the cDNA in the related cDNA clone contained in the deposit.

Also preferred is the above method for diagnosing a pathological condition which comprises a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous
10 nucleotides in a sequence selected from said group.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a
15 sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is a composition of matter comprising isolated nucleic acid
20 molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a DNA microarray or "chip" of at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 100, 150, 200, 250, 300, 500, 1000, 2000, 3000 or 4000 nucleotide sequences, wherein at least one sequence in said DNA microarray or "chip" is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected
25 from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the cDNA clone referenced in Table 1. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is an isolated polypeptide comprising an amino acid sequence
30 at least 90% identical to a sequence of at least about 10 contiguous amino acids in the

polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Also preferred is an isolated polypeptide comprising an amino acid sequence
5 at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is an isolated polypeptide comprising an amino acid
10 sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is an isolated polypeptide comprising an amino acid
15 sequence at least 95% identical to the complete amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is an isolated polypeptide comprising an amino acid
20 sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the complete amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

Also preferred is a polypeptide wherein said sequence of contiguous amino
acids is included in the amino acid sequence of a portion of said polypeptide encoded by the cDNA clone referenced in Table 1; a polypeptide encoded by SEQ ID NO:X;
25 and/or the polypeptide sequence of SEQ ID NO:Y.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

5 Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

Further preferred is an isolated antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a
10 sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is a method for detecting in a biological sample a
15 polypeptide comprising an amino acid sequence which is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1; which method comprises a step of comparing an amino acid
20 sequence of at least one polypeptide molecule in said sample with a sequence selected from said group and determining whether the sequence of said polypeptide molecule in said sample is at least 90% identical to said sequence of at least 10 contiguous amino acids.

Also preferred is the above method wherein said step of comparing an amino
25 acid sequence of at least one polypeptide molecule in said sample with a sequence selected from said group comprises determining the extent of specific binding of polypeptides in said sample to an antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a
30 polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X;

and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is the above method wherein said step of comparing sequences is performed by comparing the amino acid sequence determined from a polypeptide molecule in said sample with said sequence selected from said group.

Also preferred is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting polypeptide molecules in said sample, if any, comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is the above method for identifying the species, tissue or cell type of a biological sample, which method comprises a step of detecting polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the above group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleic acid sequence identified in Table 1 encoding a polypeptide, which method comprises a step of detecting in a biological sample obtained from said subject polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

In any of these methods, the step of detecting said polypeptide molecules includes using an antibody.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a nucleotide sequence encoding a polypeptide wherein said polypeptide comprises an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence
5 selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is an isolated nucleic acid molecule, wherein said nucleotide sequence encoding a polypeptide has been optimized for expression of said
10 polypeptide in a prokaryotic host.

Also preferred is an isolated nucleic acid molecule, wherein said polypeptide comprises an amino acid sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

15 Further preferred is a method of making a recombinant vector comprising inserting any of the above isolated nucleic acid molecule into a vector. Also preferred is the recombinant vector produced by this method. Also preferred is a method of making a recombinant host cell comprising introducing the vector into a host cell, as well as the recombinant host cell produced by this method.

20 Also preferred is a method of making an isolated polypeptide comprising culturing this recombinant host cell under conditions such that said polypeptide is expressed and recovering said polypeptide. Also preferred is this method of making an isolated polypeptide, wherein said recombinant host cell is a eukaryotic cell and said polypeptide is a human protein comprising an amino acid sequence selected from
25 the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1. The isolated polypeptide produced by this method is also preferred.

Also preferred is a method of treatment of an individual in need of an
30 increased level of a protein activity, which method comprises administering to such

an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to increase the level of said protein activity in said individual.

- 5 Also preferred is a method of treatment of an individual in need of a decreased level of a protein activity, which method comprised administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to decrease the level of
- 10 said protein activity in said individual.

 Having generally described the invention, the same will be more readily understood by reference to the following examples, which are provided by way of illustration and are not intended as limiting.

*Examples**Example 1: Isolation of a Selected cDNA Clone From the Deposited Sample*

5 Each deposited cDNA clone is contained in a plasmid vector. Table 5 identifies the vectors used to construct the cDNA library from which each clone was isolated. In many cases, the vector used to construct the library is a phage vector from which a plasmid has been excised. The following correlates the related plasmid for each phage vector used in constructing the cDNA library. For example, where a
 10 particular clone is identified in Table 5 as being isolated in the vector "Lambda Zap," the corresponding deposited clone is in "pBluescript."

	<u>Vector Used to Construct Library</u>	<u>Corresponding Deposited Plasmid</u>
	Lambda Zap	pBluescript (pBS)
	Uni-Zap XR	pBluescript (pBS)
15	Zap Express	pBK
	lafmid BA	plafmid BA
	pSport1	pSport1
	pCMVSPORT 2.0	pCMVSPORT 2.0
	pCMVSPORT 3.0	pCMVSPORT 3.0
20	pCR [®] 2.1	pCR [®] 2.1

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., Nucleic Acids Res. 16:7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., Nucleic Acids Res. 25 17:9494 (1989)) and pBK (Alting-Mees, M. A. et al., Strategies 5:58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Both can be transformed into E. coli strain XL-1 Blue, also available from Stratagene. pBS comes in 4 forms SK+, SK-, KS+
 30 and KS. The S and K refers to the orientation of the polylinker to the T7 and T3

primer sequences which flank the polylinker region ("S" is for SacI and "K" is for KpnI which are the first sites on each respective end of the linker). "+" or "-" refer to the orientation of the fl origin of replication ("ori"), such that in one orientation, single stranded rescue initiated from the fl ori generates sense strand DNA and in the
5 other, antisense.

Vectors pSport1, pCMVSPORT 2.0 and pCMVSPORT 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into E. coli strain DH10B, also available from Life Technologies. (See, for instance, Gruber, C. E., et
10 al., Focus 15:59 (1993).) Vector lacmid BA (Bento Soares, Columbia University, NY) contains an ampicillin resistance gene and can be transformed into E. coli strain XL-1 Blue. Vector pCR[®]2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into E. coli strain DH10B, available from Life Technologies. (See, for
15 instance, Clark, J. M., Nuc. Acids Res. 16:9677-9686 (1988) and Mead, D. et al., Bio/Technology 9: (1991).) Preferably, a polynucleotide of the present invention does not comprise the phage vector sequences identified for the particular clone in Table 5, as well as the corresponding plasmid vector sequences designated above.

The deposited material in the sample assigned the ATCC Deposit Number
20 cited by reference to Table 2 and 5 for any given cDNA clone also may contain one or more additional plasmids, each comprising a cDNA clone different from that given clone. Thus, deposits sharing the same ATCC Deposit Number contain at least a plasmid for each cDNA clone referenced in Table 1.

TABLE 5

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HUKA HUKB HUKC HUKD HUKF HUKG	Human Uterine Cancer	Lambda ZAP II	LP01
HCNA HCNB	Human Colon	Lambda Zap II	LP01
HFFA	Human Fetal Brain, random primed	Lambda Zap II	LP01
HTWA	Resting T-Cell	Lambda ZAP II	LP01
HBQA	Early Stage Human Brain, random primed	Lambda ZAP II	LP01
HLMB HLMF HLMG HLMH HLMI HLMJ HLMM HLMN	breast lymph node CDNA library	Lambda ZAP II	LP01
HCQA HCQB	human colon cancer	Lambda ZAP II	LP01
HMEA HMEC HMED HMEF HMEG HMEI HMEJ HMEK HMEL	Human Microvascular Endothelial Cells, fract. A	Lambda ZAP II	LP01
HUSA HUSC	Human Umbilical Vein Endothelial Cells, fract. A	Lambda ZAP II	LP01
HLQA HLQB	Hepatocellular Tumor	Lambda ZAP II	LP01
HHGA HHGB HHGC HHGD	Hemangiopericytoma	Lambda ZAP II	LP01
HSDM	Human Striatum Depression, re-rescue	Lambda ZAP II	LP01
HUSH	H Umbilical Vein Endothelial Cells, frac A, re-excision	Lambda ZAP II	LP01
HSGS	Salivary gland, subtracted	Lambda ZAP II	LP01
HFXA HFXB HFXC HFXD HFXE HFXF HFXG HFXH	Brain frontal cortex	Lambda ZAP II	LP01
HPQA HPQB HPQC	PERM TF274	Lambda ZAP II	LP01
HFXJ HFXK	Brain Frontal Cortex, re-excision	Lambda ZAP II	LP01
HCWA HCWB HCWC HCWD HCWE HCWF HCWG HCWH HCWI HCWJ HCWK	CD34 positive cells (Cord Blood)	ZAP Express	LP02
HCUA HCUB HCUC	CD34 depleted Buffy Coat (Cord Blood)	ZAP Express	LP02
HRSM	A-14 cell line	ZAP Express	LP02
HRSA	A1-CELL LINE	ZAP Express	LP02
HCUD HCUE HCUF HCUG HCUH HCUI	CD34 depleted Buffy Coat (Cord Blood), re-excision	ZAP Express	LP02
HBXE HBXF HBXG	H. Whole Brain #2, re-excision	ZAP Express	LP02
HRLM	L8 cell line	ZAP Express	LP02
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT > 1.5Kb	ZAP Express	LP02
HUDA HUDB HUDC	Testes	ZAP Express	LP02
HHTM HHTN HHTO	H. hypothalamus, frac A, re-excision	ZAP Express	LP02
HHTL	H. hypothalamus, frac A	ZAP Express	LP02
HASA HASD	Human Adult Spleen	Uni-ZAP XR	LP03
HFKC HFKD HFKE HFKF HFKG	Human Fetal Kidney	Uni-ZAP XR	LP03
HE8A HE8B HE8C HE8D HE8E HE8F HE8M HE8N	Human 8 Week Whole Embryo	Uni-ZAP XR	LP03
HGBA HGBD HGBE HGBF HGBG HGBH HGBI	Human Gall Bladder	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HLHA HLHB HLHC HLHD HLHE HLHF HLHG HLHH HLHQ	Human Fetal Lung III	Uni-ZAP XR	LP03
HPMA HPMB HPMC HPMD HPME HPMF HPMG HPMH	Human Placenta	Uni-ZAP XR	LP03
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP03
HSIA HSIC HSID HSIE	Human Adult Small Intestine	Uni-ZAP XR	LP03
HTEA HTEB HTEC HTED HTEE HTEF HTEG HTEH HTEI HTEJ HTEK	Human Testes	Uni-ZAP XR	LP03
HTPA HTPB HTPC HTPD HTPF	Human Pancreas Tumor	Uni-ZAP XR	LP03
HTTA HTTB HTTC HTTD HTTE HTTF	Human Testes Tumor	Uni-ZAP XR	LP03
HAPA HAPB HAPC HAPM	Human Adult Pulmonary	Uni-ZAP XR	LP03
HETA HETB HETC HETD HETE HETF HETG HETH HETI	Human Endometrial Tumor	Uni-ZAP XR	LP03
HHFB HHFC HHFD HHFE HHFF HHFG HHFH HHFI	Human Fetal Heart	Uni-ZAP XR	LP03
HHPB HHPD HHPF HHPG HHPH	Human Hippocampus	Uni-ZAP XR	LP03
HCE1 HCE2 HCE3 HCE4 HCE5 HCEB HCEC HCED HCEE HCEF HCEG	Human Cerebellum	Uni-ZAP XR	LP03
HUVB HUV C HUVD HUVE	Human Umbilical Vein. Endo. remake	Uni-ZAP XR	LP03
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP03
HTAA HTAB HTAC HTAD HTAE	Human Activated T-Cells	Uni-ZAP XR	LP03
HFEA HFEB HFEC	Human Fetal Epithelium (Skin)	Uni-ZAP XR	LP03
HJPA HJPB HJPC HJPD	HUMAN JURKAT MEMBRANE BOUND POLYSOMES	Uni-ZAP XR	LP03
HESA	Human epithelioid sarcoma	Uni-Zap XR	LP03
HLTA HLTB HLTC HLTD HLTE HLTF	Human T-Cell Lymphoma	Uni-ZAP XR	LP03
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP03
HRDA HRDB HRDC HRDD HRDE HRDF	Human Rhabdomyosarcoma	Uni-ZAP XR	LP03
HCAA HCAB HCAC	Cem cells cyclohexamide treated	Uni-ZAP XR	LP03
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP03
HSUA HSUB HSUC HSUM	Supt Cells, cyclohexamide treated	Uni-ZAP XR	LP03
HT4A HT4C HT4D	Activated T-Cells, 12 hrs.	Uni-ZAP XR	LP03
HE9A HE9B HE9C HE9D HE9E HE9F HE9G HE9H HE9M HE9N	Nine Week Old Early Stage Human	Uni-ZAP XR	LP03
HATA HATB HATC HATD HATE	Human Adrenal Gland Tumor	Uni-ZAP XR	LP03
HT5A	Activated T-Cells, 24 hrs.	Uni-ZAP XR	LP03
HFGA HFGM	Human Fetal Brain	Uni-ZAP XR	LP03
HNEA HNEB HNEC HNED HNEE	Human Neutrophil	Uni-ZAP XR	LP03
HBGB HBGD	Human Primary Breast Cancer	Uni-ZAP XR	LP03
HBNA HBNB	Human Normal Breast	Uni-ZAP XR	LP03
HCAS	Cem Cells, cyclohexamide treated, subtra	Uni-ZAP XR	LP03
HHPS	Human Hippocampus, subtracted	pBS	LP03
HKCS HKCU	Human Colon Cancer, subtracted	pBS	LP03
HRGS	Raji cells, cyclohexamide treated,	pBS	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
	subtracted		
HSUT	Supt cells, cyclohexamide treated, differentially expressed	pBS	LP03
HT4S	Activated T-Cells, 12 hrs, subtracted	Uni-ZAP XR	LP03
HCDA HCDB HCDC HCDD HCDE	Human Chondrosarcoma	Uni-ZAP XR	LP03
HOAA HOAB HOAC	Human Osteosarcoma	Uni-ZAP XR	LP03
HTLA HTLB HTLC HTLD HTLE HTLF	Human adult testis, large inserts	Uni-ZAP XR	LP03
HLMA HLMD HLMD	Breast Lymph node cDNA library	Uni-ZAP XR	LP03
H6EA H6EB H6EC	HL-60, PMA 4H	Uni-ZAP XR	LP03
HTXA HTXB HTXC HTXD HTXE HTXF HTXG HTXH	Activated T-Cell (12hs)/Thiouridine labelledEco	Uni-ZAP XR	LP03
HNFA HNFH HNFC HNFD HNFE HNFF HNFG HNFH HNFJ	Human Neutrophil, Activated	Uni-ZAP XR	LP03
HTOB HTOC	HUMAN TONSILS, FRACTION 2	Uni-ZAP XR	LP03
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP03
HOPB	Human OB HOS control fraction I	Uni-ZAP XR	LP03
HORB	Human OB HOS treated (10 nM E2) fraction I	Uni-ZAP XR	LP03
HSVA HSVB HSVC	Human Chronic Synovitis	Uni-ZAP XR	LP03
HROA	HUMAN STOMACH	Uni-ZAP XR	LP03
HBJA HBJB HBJC HBJD HBJE HBJF HBJG HBJH HBJI HBJJ HBJK	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP03
HCRA HCRB HCRC	human corpus colosum	Uni-ZAP XR	LP03
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP03
HDSA	Dermatofibrosarcoma Protuberance	Uni-ZAP XR	LP03
HMWA HMWB HMWC HMWD HMWE HMWF HMWG HMWH HMWI HMWJ	Bone Marrow Cell Line (RS4;11)	Uni-ZAP XR	LP03
HSOA	stomach cancer (human)	Uni-ZAP XR	LP03
HERA	SKIN	Uni-ZAP XR	LP03
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP03
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP03
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP03
HBCA HBCB	H. Lymph node breast Cancer	Uni-ZAP XR	LP03
HPWT	Human Prostate BPH, re-excision	Uni-ZAP XR	LP03
HFVG HFVH HFVI	Fetal Liver, subtraction II	pBS	LP03
HNFI	Human Neutrophils, Activated, re-excision	pBS	LP03
HBMB HBMC HBMD	Human Bone Marrow, re-excision	pBS	LP03
HKML HKMM HKMN	H. Kidney Medulla, re-excision	pBS	LP03
HKIX HKIY	H. Kidney Cortex, subtracted	pBS	LP03
HADT	H. Amygdala Depression, subtracted	pBS	LP03
H6AS	HL-60, untreated, subtracted	Uni-ZAP XR	LP03
H6ES	HL-60, PMA 4H, subtracted	Uni-ZAP XR	LP03
H6BS	HL-60, RA 4h, Subtracted	Uni-ZAP XR	LP03
H6CS	HL-60, PMA 1d, subtracted	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HTXJ HTXK	Activated T-cell(12h)/Thiouridine-re-excision	Uni-ZAP XR	LP03
HMSA HMSB HMSC HMSD HMSE HMSF HMSG HMSH HMSI HMSJ HMSK	Monocyte activated	Uni-ZAP XR	LP03
HAGA HAGB HAGC HAGD HAGE HAGF	Human Amygdala	Uni-ZAP XR	LP03
HSRA HSRB HSRE	STROMAL -OSTEOCLASTOMA	Uni-ZAP XR	LP03
HSRD HSRF HSRG HSRH	Human Osteoclastoma Stromal Cells - unamplified	Uni-ZAP XR	LP03
HSQA HSQB HSQC HSQD HSQE HSQF HSQG	Stromal cell TF274	Uni-ZAP XR	LP03
HSKA HSKB HSKC HSKD HSKE HSKF HSKZ	Smooth muscle, serum treated	Uni-ZAP XR	LP03
HSLA HSLB HSLC HSLD HSLF HSLG	Smooth muscle control	Uni-ZAP XR	LP03
HSDA HSDD HSDE HSDF HSDG HSDH	Spinal cord	Uni-ZAP XR	LP03
HPWS	Prostate-BPH subtracted II	pBS	LP03
HSKW HSKX HSKY	Smooth Muscle- HASTE normalized	pBS	LP03
HFPB HFPC HFPD	H. Frontal cortex.epileptic;re-excision	Uni-ZAP XR	LP03
HSDI HSDJ HSDK	Spinal Cord, re-excision	Uni-ZAP XR	LP03
HSKN HSKO	Smooth Muscle Serum Treated, Norm	pBS	LP03
HSKG HSKH HSKI	Smooth muscle, serum induced, re-exc	pBS	LP03
HFCB HFCE HFCD HFCE HFCF	Human Fetal Brain	Uni-ZAP XR	LP04
HPTA HPTB HPTD	Human Pituitary	Uni-ZAP XR	LP04
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP04
HE6B HE6C HE6D HE6E HE6F HE6G HE6S	Human Whole Six Week Old Embryo	Uni-ZAP XR	LP04
HSSA HSSB HSSC HSSD HSSE HSSF HSSG HSSH HSSI HSSJ HSSK	Human Synovial Sarcoma	Uni-ZAP XR	LP04
HE7T	7 Week Old Early Stage Human, subtracted	Uni-ZAP XR	LP04
HEPA HEPB HEPC	Human Epididymus	Uni-ZAP XR	LP04
HSNA HSNB HSNB HSNM HSNM	Human Synovium	Uni-ZAP XR	LP04
HPFB HPFC HPFD HPFE	Human Prostate Cancer, Stage C fraction	Uni-ZAP XR	LP04
HE2A HE2D HE2E HE2H HE2I HE2M HE2N HE2O	12 Week Old Early Stage Human	Uni-ZAP XR	LP04
HE2B HE2C HE2F HE2G HE2P HE2Q	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP04
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP04
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP04
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP04
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP04
HBSD	Bone Cancer, re-excision	Uni-ZAP XR	LP04
HSGB	Salivary gland, re-excision	Uni-ZAP XR	LP04
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP04
HSXA HSXB HSXC HSXD	Human Substantia Nigra	Uni-ZAP XR	LP04
HSJA HSJB HSJC	Smooth muscle, IL1b induced	Uni-ZAP XR	LP04

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HOUA HOUB HOUC HOUD HOUE	Adipocytes	Uni-ZAP XR	LP04
HPWA HPWB HPWC HPWD HPWE	Prostate BPH	Uni-ZAP XR	LP04
HELA HELB HELC HELD HELE HELF HELG HELH	Endothelial cells-control	Uni-ZAP XR	LP04
HEMA HEMB HEMC HEMD HEME HEMF HEMG HEMH	Endothelial-induced	Uni-ZAP XR	LP04
HBIA HBIB HBIC	Human Brain, Striatum	Uni-ZAP XR	LP04
HHS A HHSB HHSC HHSD HHSE	Human Hypothalamus.Schizophrenia	Uni-ZAP XR	LP04
HNGA HNGB HNGC HNGD HNGE HNGF HNGG HNGH HNGI HNGJ	neutrophils control	Uni-ZAP XR	LP04
HNHA HNHB HNHC HNHD HNHE HNHF HNHG HNH H NHI HNHI	Neutrophils IL-1 and LPS induced	Uni-ZAP XR	LP04
HSDB HSDC	STRIATUM DEPRESSION	Uni-ZAP XR	LP04
HHPT	Hypothalamus	Uni-ZAP XR	LP04
HSAT HSAU HSAV HSAW HSAX HSAY HSAZ	Anergic T-cell	Uni-ZAP XR	LP04
HBMS HBMT HBMU HBMV HBMW HBMX	Bone marrow	Uni-ZAP XR	LP04
HOEA HOEB HOEC HOED HOEE HOEF HOEJ	Osteoblasts	Uni-ZAP XR	LP04
HAIA HAIB HAIC HAID HAIE HAIF	Epithelial-TNF α and INF induced	Uni-ZAP XR	LP04
HTGA HTGB HTGC HTGD	Apoptotic T-cell	Uni-ZAP XR	LP04
HMCA HMCB HMCC HMCD HMCE	Macrophage-oxLDL	Uni-ZAP XR	LP04
HMAA HMAB HMAG HMAD HMAE HMAF HMAG	Macrophage (GM-CSF treated)	Uni-ZAP XR	LP04
HPHA	Normal Prostate	Uni-ZAP XR	LP04
HPIA HPIB HPIC	LNCAP prostate cell line	Uni-ZAP XR	LP04
HPJA HPJB HPJC	PC3 Prostate cell line	Uni-ZAP XR	LP04
HOSE HOSF HOSG	Human Osteoclastoma, re-excision	Uni-ZAP XR	LP04
HTGE HTGF	Apoptotic T-cell, re-excision	Uni-ZAP XR	LP04
HMAJ HMAK	H Macrophage (GM-CSF treated), re-excision	Uni-ZAP XR	LP04
HACB HACC HACD	Human Adipose Tissue, re-excision	Uni-ZAP XR	LP04
HFPA	H. Frontal Cortex, Epileptic	Uni-ZAP XR	LP04
HFAA HFAB HFAC HFAD HFAE	Alzheimers, spongy change	Uni-ZAP XR	LP04
HFAM	Frontal Lobe, Dementia	Uni-ZAP XR	LP04
HMIA HMIB HMIC	Human Manic Depression Tissue	Uni-ZAP XR	LP04
HTSA HTSE HTSF HTSG HTSH	Human Thymus	pBS	LP05
HPBA HPBB HPBC HPBD HPBE	Human Pineal Gland	pBS	LP05
HSAA HSAB HSAC	HSA 172 Cells	pBS	LP05
HSBA HSBB HSBC HSBM	HSC172 cells	pBS	LP05
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBS	LP05
HJBA HJBB HJBC HJBD	Jurkat T-Cell, S phase	pBS	LP05
HAFA HAFB	Aorta endothelial cells + TNF- α	pBS	LP05
HAWA HAWB HAWC	Human White Adipose	pBS	LP05
HTNA HTNB	Human Thyroid	pBS	LP05
HONA	Normal Ovary, Premenopausal	pBS	LP05

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HARA HARB	Human Adult Retina	pBS	LP05
HLJA HLJB	Human Lung	pCMVSPORT 1	LP06
HOFM HOFN HOFO	H. Ovarian Tumor, II, OV5232	pCMVSPORT 2.0	LP07
HOGA HOGB HOGC	OV 10-3-95	pCMVSPORT 2.0	LP07
HCGL	CD34+cells. II	pCMVSPORT 2.0	LP07
HDLA	Hodgkin's Lymphoma I	pCMVSPORT 2.0	LP07
HDTA HDTB HDTC HDTD HDTE	Hodgkin's Lymphoma II	pCMVSPORT 2.0	LP07
HKAA HKAB HKAC HKAD HKAE HKAF HKAG HKAH	Keratinocyte	pCMVSPORT2.0	LP07
HCIM	CAPFINDER, Crohn's Disease, lib 2	pCMVSPORT 2.0	LP07
HKAL	Keratinocyte, lib 2	pCMVSPORT2.0	LP07
HKAT	Keratinocyte, lib 3	pCMVSPORT2.0	LP07
HNDA	Nasal polyps	pCMVSPORT2.0	LP07
HDRA	H. Primary Dendritic Cells, lib 3	pCMVSPORT2.0	LP07
HOHA HOHB HOHC	Human Osteoblasts II	pCMVSPORT2.0	LP07
HLDA HLDB HLDC	Liver, Hepatoma	pCMVSPORT3.0	LP08
HLDN HLDO HLDP	Human Liver, normal	pCMVSPORT3.0	LP08
HMTA	pBMC stimulated w/ poly I/C	pCMVSPORT3.0	LP08
HNTA	NTERA2, control	pCMVSPORT3.0	LP08
HDP A HDPB HDP C HDPD HDPF HDPG HDPH HDPI HDPJ HDPK	Primary Dendritic Cells, lib 1	pCMVSPORT3.0	LP08
HDP M HDPN HDPO HDPP	Primary Dendritic cells, frac 2	pCMVSPORT3.0	LP08
HMUA HMUB HMUC	Myeloid Progenitor Cell Line	pCMVSPORT3.0	LP08
HHEA HHEB HHEC HHED	T Cell helper I	pCMVSPORT3.0	LP08
HHEM HHEN HHEO HHEP	T cell helper II	pCMVSPORT3.0	LP08
HEQA HEQB HEQC	Human endometrial stromal cells	pCMVSPORT3.0	LP08
HJMA HJMB	Human endometrial stromal cells- treated with progesterone	pCMVSPORT3.0	LP08
HSWA HSWB HSWC	Human endometrial stromal cells- treated with estradiol	pCMVSPORT3.0	LP08
HSYA HSYB HSYC	Human Thymus Stromal Cells	pCMVSPORT3.0	LP08
HLWA HLWB HLWC	Human Placenta	pCMVSPORT3.0	LP08
HRAA HRAB HRAC	Rejected Kidney, lib 4	pCMVSPORT3.0	LP08
HMTM	PCR, pBMC I/C treated	PCR11	LP09
HMJA	H. Meningioma, M6	pSPORT 1	LP10
HMKA HMKB HMKC HMKD HMKE	H. Meningioma, M1	pSPORT 1	LP10
HUSG HUSI	Human umbilical vein endothelial cells, IL-4 induced	pSPORT 1	LP10
HUSX HUSY	Human Umbilical Vein Endothelial Cells, uninduced	pSPORT 1	LP10
HOFA	Ovarian Tumor I, OV5232	pSPORT 1	LP10
HCFA HCFB HCFC HCFD	T-Cell PHA 16 hrs	pSPORT 1	LP10
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSPORT 1	LP10
HADA HADC HADD HADE HADF HADG	Human Adipose	pSPORT 1	LP10
HOVA HOVB HOVC	Human Ovary	pSPORT 1	LP10

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HTWB HTWC HTWD HTWE HTWF	Resting T-Cell Library, II	pSport 1	LP10
HMMA	Spleen metastatic melanoma	pSport 1	LP10
HLYA HLYB HLYC HLYD HLYE	Spleen, Chronic lymphocytic leukemia	pSport 1	LP10
HCGA	CD34+ cell, I	pSport 1	LP10
HEOM HEON	Human Eosinophils	pSport 1	LP10
HTDA	Human Tonsil, Lib 3	pSport 1	LP10
HSPA	Salivary Gland, Lib 2	pSport 1	LP10
HCHA HCHB HCHC	Breast Cancer cell line, MDA 36	pSport 1	LP10
HCHM HCHN	Breast Cancer Cell line, angiogenic	pSport 1	LP10
HCIA	Crohn's Disease	pSport 1	LP10
HDAA HDAB HDAC	HEL cell line	pSport 1	LP10
HABA	Human Astrocyte	pSport 1	LP10
HUFA HUFB HUFC	Ulcerative Colitis	pSport 1	LP10
HNTM	NTERA2 + retinoic acid, 14 days	pSport 1	LP10
HDQA	Primary Dendritic cells, CapFinder2, frac 1	pSport 1	LP10
HDQM	Primary Dendritic Cells, CapFinder, frac 2	pSport 1	LP10
HLDX	Human Liver, normal, CapFinder	pSport 1	LP10
HULA HULB HULC	Human Dermal Endothelial Cells, untreated	pSport 1	LP10
HUMA	Human Dermal Endothelial cells, treated	pSport 1	LP10
HCJA	Human Stromal Endometrial fibroblasts, untreated	pSport 1	LP10
HCJM	Human Stromal endometrial fibroblasts, treated w/ estradiol	pSport 1	LP10
HEDA	Human Stromal endometrial fibroblasts, treated with progesterone	pSport 1	LP10
HFNA	Human ovary tumor cell OV350721	pSport 1	LP10
HKGA HKGB HKGC HKGD	Merkel Cells	pSport 1	LP10
HISA HISB HISC	Pancreas Islet Cell Tumor	pSport 1	LP10
HLSA	Skin, burned	pSport 1	LP10
HBZA	Prostate, BPH, Lib 2	pSport 1	LP10
HBZS	Prostate BPH, Lib 2, subtracted	pSport 1	LP10
HFIA HFIB HFIC	Synovial Fibroblasts (control)	pSport 1	LP10
HFIH HFII HFIJ	Synovial hypoxia	pSport 1	LP10
HFIT HFIU HFIV	Synovial IL-1/TNF stimulated	pSport 1	LP10
HGCA	Mesangial cell, frac 1	pSport 1	LP10
HMVA HMVB HMVC	Bone Marrow Stromal Cell, untreated	pSport 1	LP10
HFIX HFIIY HFIZ	Synovial Fibroblasts (IL1/TNF), subt	pSport 1	LP10
HFOX HFOY HFOZ	Synovial hypoxia-RSF subtracted	pSport 1	LP10
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP11
HLIA HLIB HLIC	Human Liver	pCMV Sport 1	LP012
HHBA HHBB HHBC HHBD HHBE	Human Heart	pCMV Sport 1	LP012
HBBA HBBB	Human Brain	pCMV Sport 1	LP012
HLJA HLJB HLJC HLJD HLJE	Human Lung	pCMV Sport 1	LP012

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HOGA HOGB HOGC	Ovarian Tumor	pCMVSPORT 2.0	LP012
HTJM	Human Tonsils, Lib 2	pCMVSPORT 2.0	LP012
HAMF HAMG	KMH2	pCMVSPORT 3.0	LP012
HAJA HAJB HAJC	L428	pCMVSPORT 3.0	LP012
HWBA HWBB HWBC HWBD HWBE	Dendritic cells, pooled	pCMVSPORT 3.0	LP012
HWAA HWAB HWAC HWAD HWAE	Human Bone Marrow, treated	pCMVSPORT 3.0	LP012
HYAA HYAB HYAC	B Cell lymphoma	pCMVSPORT 3.0	LP012
HWHG HWHH HWHI	Healing groin wound, 6.5 hours post incision	pCMVSPORT 3.0	LP012
HWHP HWHQ HWHR	Healing groin wound: 7.5 hours post incision	pCMVSPORT 3.0	LP012
HARM	Healing groin wound - zero hr post-incision (control)	pCMVSPORT 3.0	LP012
HBIM	Olfactory epithelium: nasalcavity	pCMVSPORT 3.0	LP012
HWDA	Healing Abdomen wound; 70&90 min post incision	pCMVSPORT 3.0	LP012
HWEA	Healing Abdomen Wound; 15 days post incision	pCMVSPORT 3.0	LP012
HWJA	Healing Abdomen Wound; 21&29 days	pCMVSPORT 3.0	LP012
HNAL	Human Tongue, frac 2	pSport1	LP012
HMJA	H. Meningioma, M6	pSport1	LP012
HMKA HMKB HMKC HMKD HMKE	H. Meningioma, M1	pSport1	LP012
HOFA	Ovarian Tumor I, OV5232	pSport1	LP012
HCFA HCFB HCFC HCFD	T-Cell PHA 16 hrs	pSport1	LP012
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSport1	LP012
HMMA HMMB HMMC	Spleen metastatic melanoma	pSport1	LP012
HTDA	Human Tonsil, Lib 3	pSport1	LP012
HDBA	Human Fetal Thymus	pSport1	LP012
HDLA	Pericardium	pSport1	LP012
HBZA	Prostate.BPH, Lib 2	pSport1	LP012
HWCA	Larynx tumor	pSport1	LP012
HWKA	Normal lung	pSport1	LP012
HSMB	Bone marrow stroma, treated	pSport1	LP012
HBHM	Normal trachea	pSport1	LP012
HLFC	Human Larynx	pSport1	LP012
HLRB	Siebben Polyposis	pSport1	LP012
HNIA	Mammary Gland	pSport1	LP012
HNJB	Palate carcinoma	pSport1	LP012
HNKA	Palate normal	pSport1	LP012
HMZA	Pharynx carcinoma	pSport1	LP012
HABG	Cheek Carcinoma	pSport1	LP012
HMZM	Pharynx Carcinoma	pSport1	LP012
HDRM	Larynx Carcinoma	pSport1	LP012
HVAA	Pancreas normal PCA4 No	pSport1	LP012
HICA	Tongue carcinoma	pSport1	LP012
HUKA HUKB HUKC HUKD HUKF	Human Uterine Cancer	Lambda ZAP II	LP013
HFFA	Human Fetal Brain, random primed	Lambda ZAP II	LP013
HTUA	Activated T-cell labeled with 4-thioluri	Lambda ZAP II	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HBQA	Early Stage Human Brain. random primed	Lambda ZAP II	LP013
HMEB	Human microvascular Endothelial cells, fract. B	Lambda ZAP II	LP013
HUSH	Human Umbilical Vein Endothelial cells, fract. A, re-excision	Lambda ZAP II	LP013
HLQC HLQD	Hepatocellular tumor. re-excision	Lambda ZAP II	LP013
HTWJ HTWK HTWL	Resting T-cell, re-excision	Lambda ZAP II	LP013
HF6S	Human Whole 6 week Old Embryo (II), sub	pBluescript	LP013
HHPS	Human Hippocampus, subtracted	pBluescript	LP013
HLIS	LNCAP. differential expression	pBluescript	LP013
HLHS HLHT	Early Stage Human Lung, Subtracted	pBluescript	LP013
HSUS	Supt cells, cyclohexamide treated, subtracted	pBluescript	LP013
HSUT	Supt cells, cyclohexamide treated, differentially expressed	pBluescript	LP013
HSDS	H. Striatum Depression, subtracted	pBluescript	LP013
HPTZ	Human Pituitary, Subtracted VII	pBluescript	LP013
HSDX	H. Striatum Depression, sub II	pBluescript	LP013
HSDZ	H. Striatum Depression, sub	pBluescript	LP013
HPBA HPBB HPBC HPBD HPBE	Human Pineal Gland	pBluescript SK-	LP013
HRTA	Colorectal Tumor	pBluescript SK-	LP013
HSBA HSBB HSBC HSBM	HSC172 cells	pBluescript SK-	LP013
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBluescript SK-	LP013
HJBA HJBB HJBC HJBD	Jurkat T-cell, S1 phase	pBluescript SK-	LP013
HTNA HTNB	Human Thyroid	pBluescript SK-	LP013
HAHA HAHB	Human Adult Heart	Uni-ZAP XR	LP013
HE6A	Whole 6 week Old Embryo	Uni-ZAP XR	LP013
HFCA HFCE HFCC HFCD HFCE	Human Fetal Brain	Uni-ZAP XR	LP013
HFKC HFKD HFKE HFKF HFKG	Human Fetal Kidney	Uni-ZAP XR	LP013
HGBA HGBD HGBE HGBF HGBG	Human Gall Bladder	Uni-ZAP XR	LP013
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP013
HTEA HTEB HTEC HTED HTEE	Human Testes	Uni-ZAP XR	LP013
HTTA HTTB HTTC HTTD HTTE	Human Testes Tumor	Uni-ZAP XR	LP013
HYBA HYBB	Human Fetal Bone	Uni-ZAP XR	LP013
HFLA	Human Fetal Liver	Uni-ZAP XR	LP013
HHFB HHFC HHFD HHFE HHFF	Human Fetal Heart	Uni-ZAP XR	LP013
HUVB HUVB HUVB HUVB	Human Umbilical Vein, End. remake	Uni-ZAP XR	LP013
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP013
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP013
HTAA HTAB HTAC HTAD HTAE	Human Activated T-cells	Uni-ZAP XR	LP013
HFEA HFEB HFEC	Human Fetal Epithelium (skin)	Uni-ZAP XR	LP013
HJPA HJPB HJPC HJPD	Human Jurkat Membrane Bound Polysomes	Uni-ZAP XR	LP013
HESA	Human Epithelioid Sarcoma	Uni-ZAP XR	LP013
HALS	Human Adult Liver, Subtracted	Uni-ZAP XR	LP013
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP013
HCAA HCAB HCAC	Cem cells, cyclohexamide treated	Uni-ZAP XR	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP013
HE9A HE9B HE9C HE9D HE9E	Nine Week Old Early Stage Human	Uni-ZAP XR	LP013
HSFA	Human Fibrosarcoma	Uni-ZAP XR	LP013
HATA HATB HATC HATD HATE	Human Adrenal Gland Tumor	Uni-ZAP XR	LP013
HTRA	Human Trachea Tumor	Uni-ZAP XR	LP013
HE2A HE2D HE2E HE2H HE2I	12 Week Old Early Stage Human	Uni-ZAP XR	LP013
HE2B HE2C HE2F HE2G HE2P	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP013
HNEA HNEB HNEC HNED HNEE	Human Neutrophil	Uni-ZAP XR	LP013
HBGA	Human Primary Breast Cancer	Uni-ZAP XR	LP013
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP013
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP013
HOAA HOAB HOAC	Human Osteosarcoma	Uni-ZAP XR	LP013
HTOA HTOD HTOE HTOF HTOG	human tonsils	Uni-ZAP XR	LP013
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP013
HOPB	Human OB HOS control fraction I	Uni-ZAP XR	LP013
HOQB	Human OB HOS treated (1 nM E2) fraction I	Uni-ZAP XR	LP013
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP013
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP013
HROA HROC	HUMAN STOMACH	Uni-ZAP XR	LP013
HBJA HBJB HBJC HBJD HBJE	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP013
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP013
HCPA	Corpus Callosum	Uni-ZAP XR	LP013
HSOA	stomach cancer (human)	Uni-ZAP XR	LP013
HERA	SKIN	Uni-ZAP XR	LP013
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP013
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP013
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP013
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP013
HAPN HAPO HAPP HAPQ HAPR	Human Adult Pulmonary;re-excision	Uni-ZAP XR	LP013
HLTG HLTH	Human T-cell lymphoma;re-excision	Uni-ZAP XR	LP013
HAHC HAHD HAHE	Human Adult Heart;re-excision	Uni-ZAP XR	LP013
HAGA HAGB HAGC HAGD HAGE	Human Amygdala	Uni-ZAP XR	LP013
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP013
HSJA HSJB HSJC	Smooth muscle, IL1b induced	Uni-ZAP XR	LP013
HPWA HPWB HPWC HPWD HPWE	Prostate BPH	Uni-ZAP XR	LP013
HPJA HPJB HPJC	LNCAP prostate cell line	Uni-ZAP XR	LP013
HPJA HPJB HPJC	PC3 Prostate cell line	Uni-ZAP XR	LP013
HBTA	Bone Marrow Stroma, TNF&LPS ind	Uni-ZAP XR	LP013
HMCF HMCB HMCH HMCJ HMCJ	Macrophage-oxLDL; re-excision	Uni-ZAP XR	LP013
HAGG HAGH HAGI	Human Amygdala;re-excision	Uni-ZAP XR	LP013
HACA	H. Adipose Tissue	Uni-ZAP XR	LP013
HKFB	K562 + PMA (36 hrs),re-excision	ZAP Express	LP013
HCWT HCWU HCWV	CD34 positive cells (cord blood),re-ex	ZAP Express	LP013
HBWA	Whole brain	ZAP Express	LP013
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT > 1.5Kb	ZAP Express	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HAVM	Temporal cortex-Alzheimer	pT-Adv	LP014
HAVT	Hippocampus, Alzheimer Subtracted	pT-Adv	LP014
HHAS	CHME Cell Line	Uni-ZAP XR	LP014
HBJR	Larynx normal	pSport 1	LP014
HWLE HWLF HWLG HWLH	Colon Normal	pSport 1	LP014
HCRM HCRN HCRO	Colon Carcinoma	pSport 1	LP014
HWLI HWLJ HWLK	Colon Normal	pSport 1	LP014
HWL HWLR HWLS HWLT	Colon Tumor	pSport 1	LP014
HBFM	Gastrocnemius Muscle	pSport 1	LP014
HBOD HBOE	Quadriceps Muscle	pSport 1	LP014
HBKD HBKE	Soleus Muscle	pSport 1	LP014
HCCM	Pancreatic Langerhans	pSport 1	LP014
HWGA	Larynx carcinoma	pSport 1	LP014
HWGM HWGN	Larynx carcinoma	pSport 1	LP014
HWLA HWLB HWLC	Normal colon	pSport 1	LP014
HWLM HWLN	Colon Tumor	pSport 1	LP014
HVAM HVAN HVAO	Pancreas Tumor	pSport 1	LP014
HWGQ	Larynx carcinoma	pSport 1	LP014
HAQM HAQN	Salivary Gland	pSport 1	LP014
HASM	Stomach; normal	pSport 1	LP014
HBCM	Uterus; normal	pSport 1	LP014
HCDM	Testis; normal	pSport 1	LP014
HDJM	Brain; normal	pSport 1	LP014
HEFM	Adrenal Gland; normal	pSport 1	LP014
HBAA	Rectum normal	pSport 1	LP014
HFDM	Rectum tumour	pSport 1	LP014
HGAM	Colon, normal	pSport 1	LP014
HHMM	Colon, tumour	pSport 1	LP014
HCLB HCLC	Human Lung Cancer	Lambda Zap II	LP015
HRLA	L1 Cell line	ZAP Express	LP015
HHAM	Hypothalamus, Alzheimer's	pCMVSPORT 3.0	LP015
HKBA	Ku 812F Basophils Line	pSport 1	LP015
HS2S	Saos2, Dexamethosone Treated	pSport 1	LP016
HA5A	Lung Carcinoma A549 TNFalpha activated	pSport 1	LP016
HTFM	TF-1 Cell Line GM-CSF Treated	pSport 1	LP016
HYAS	Thyroid Tumour	pSport 1	LP016
HUTS	Larynx Normal	pSport 1	LP016
HXOA	Larynx Tumor	pSport 1	LP016
HEAH	Ea.hy.926 cell line	pSport 1	LP016
HINA	Adenocarcinoma Human	pSport 1	LP016
HRMA	Lung Mesothelium	pSport 1	LP016
HLCL	Human Pre-Differentiated Adipocytes	Uni-Zap XR	LP017
HS2A	Saos2 Cells	pSport 1	LP020
HS2I	Saos2 Cells; Vitamin D3 Treated	pSport 1	LP020
HUCM	CHME Cell Line, untreated	pSport 1	LP020
HEPN	Aryepiglottis Normal	pSport 1	LP020

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HPSN	Sinus Piniformis Tumour	pSport 1	LP020
HNSA	Stomach Normal	pSport 1	LP020
HNSM	Stomach Tumour	pSport 1	LP020
HNLA	Liver Normal Met5No	pSport 1	LP020
HUTA	Liver Tumour Met 5 Tu	pSport 1	LP020
HOCN	Colon Normal	pSport 1	LP020
HOCT	Colon Tumour	pSport 1	LP020
HTNT	Tongue Tumour	pSport 1	LP020
HLXN	Larynx Normal	pSport 1	LP020
HLXT	Larynx Tumour	pSport 1	LP020
HTYN	Thymus	pSport 1	LP020
HPLN	Placenta	pSport 1	LP020
HTNG	Tongue Normal	pSport 1	LP020
HZAA	Thyroid Normal (SDCA2 No)	pSport 1	LP020
HWES	Thyroid Thyroiditis	pSport 1	LP020
HFHD	Ficoll Human Stromal Cells, 5Fu treated	pTrip1Ex2	LP021
HFHM, HFHN	Ficoll Human Stromal Cells, Untreated	pTrip1Ex2	LP021
HPCI	Hep G2 Cells, lambda library	lambda Zap-CMV XR	LP021
HBCA, HBCB, HBCC	H. Lymph node breast Cancer	Uni-ZAP XR	LP021
HCOK	Chondrocytes	pSPORT1	LP022
HDCA, HDCB, HDCC	Dendritic Cells From CD34 Cells	pSPORT1	LP022
HDMA, HDMB	CD40 activated monocyte dendritic cells	pSPORT1	LP022
HDDM, HDDN, HDDO	LPS activated derived dendritic cells	pSPORT1	LP022
HPCR	Hep G2 Cells, PCR library	lambda Zap-CMV XR	LP022
HAAA, HAAB, HAAC	Lung, Cancer (4005313A3): Invasive Poorly Differentiated Lung Adenocarcinoma	pSPORT1	LP022
HIPA, HIPB, HIPC	Lung, Cancer (4005163 B7): Invasive, Poorly Diff. Adenocarcinoma, Metastatic	pSPORT1	LP022
HOOH, HOOI	Ovary, Cancer: (4004562 B6) Papillary Serous Cystic Neoplasm, Low Malignant Pot	pSPORT1	LP022
HIDA	Lung, Normal: (4005313 B1)	pSPORT1	LP022
HUJA, HUJB, HUJC, HUJD, HUJE	B-Cells	pCMVSPORT 3.0	LP022
HNOA, HNOB, HNOC, HNOD	Ovary, Normal: (9805C040R)	pSPORT1	LP022
HNLM	Lung, Normal: (4005313 B1)	pSPORT1	LP022
HSCL	Stromal Cells	pSPORT1	LP022
HAAX	Lung, Cancer: (4005313 A3) Invasive Poorly-differentiated Metastatic lung adenocarcinoma	pSPORT1	LP022
HUUA, HUUB, HUUC, HUUD	B-cells (unstimulated)	pTrip1Ex2	LP022
HWWA, HWWB, HWWC, HWWD, HWE, HWWF, HWWG	B-cells (stimulated)	pSPORT1	LP022
HCCC	Colon, Cancer: (9808C064R)	pCMVSPORT 3.0	LP023
HPDO HPDP HPDQ HPDR HPD	Ovary, Cancer (9809C332): Poorly differentiated adenocarcinoma	pSport 1	LP023

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HPCO HPCP HPCQ HPCT	Ovary, Cancer (15395A1F): Grade II Papillary Carcinoma	pSport 1	LP023
HOCM HOCO HOCQ HOCQ	Ovary, Cancer: (15799A1F) Poorly differentiated carcinoma	pSport 1	LP023
HCBM HCBN HCBO	Breast, Cancer: (4004943 A5)	pSport 1	LP023
HNBT HNBU HNBV	Breast, Normal: (4005522B2)	pSport 1	LP023
HBCP HBCQ	Breast, Cancer: (4005522 A2)	pSport 1	LP023
HBCJ	Breast, Cancer: (9806C012R)	pSport 1	LP023
HSAM HSAN	Stromal cells 3.88	pSport 1	LP023
HVCA HVCB HVCC HVCD	Ovary, Cancer: (4004332 A2)	pSport 1	LP023
HSCK HSEN HSEO	Stromal cells (HBM3.18)	pSport 1	LP023
HSCP HSCQ	stromal cell clone 2.5	pSport 1	LP023
HUXA	Breast Cancer: (4005385 A2)	pSport 1	LP023
HCOM HCON HCOO HCOP HCOQ	Ovary, Cancer (4004650 A3): Well-Differentiated Micropapillary Serous Carcinoma	pSport 1	LP023
HBNM	Breast, Cancer: (9802C020E)	pSport 1	LP023
HVVA HVVB HVVC HVVD HVVE	Human Bone Marrow, treated	pSport 1	LP023

Two approaches can be used to isolate a particular clone from the deposited sample of plasmid DNAs cited for that clone in Table 5. First, a plasmid is directly isolated by screening the clones using a polynucleotide probe corresponding to the nucleotide sequence of SEQ ID NO:X.

5 Particularly, a specific polynucleotide with 30-40 nucleotides is synthesized using an Applied Biosystems DNA synthesizer according to the sequence reported. The oligonucleotide is labeled, for instance, with ^{32}P - γ -ATP using T4 polynucleotide kinase and purified according to routine methods. (E.g., Maniatis et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press, Cold Spring, NY (1982).) The plasmid
10 mixture is transformed into a suitable host, as indicated above (such as XL-1 Blue (Stratagene)) using techniques known to those of skill in the art, such as those provided by the vector supplier or in related publications or patents cited above. The transformants are plated on 1.5% agar plates (containing the appropriate selection agent, e.g., ampicillin) to a density of about 150 transformants (colonies) per plate. These plates are screened using
15 Nylon membranes according to routine methods for bacterial colony screening (e.g., Sambrook et al., *Molecular Cloning: A Laboratory Manual*, 2nd Edit., (1989), Cold Spring Harbor Laboratory Press, pages 1.93 to 1.104), or other techniques known to those of skill in the art.

 Alternatively, two primers of 17-20 nucleotides derived from both ends of the
20 nucleotide sequence of SEQ ID NO:X are synthesized and used to amplify the desired cDNA using the deposited cDNA plasmid as a template. The polymerase chain reaction is carried out under routine conditions, for instance, in 25 μl of reaction mixture with 0.5 μg of the above cDNA template. A convenient reaction mixture is 1.5-5 mM MgCl_2 , 0.01% (w/v) gelatin, 20 μM each of dATP, dCTP, dGTP, dTTP, 25 pmol of each primer and 0.25 Unit of
25 Taq polymerase. Thirty five cycles of PCR (denaturation at 94°C for 1 min; annealing at 55°C for 1 min; elongation at 72°C for 1 min) are performed with a Perkin-Elmer Cetus automated thermal cycler. The amplified product is analyzed by agarose gel electrophoresis and the DNA band with expected molecular weight is excised and purified. The PCR
30 product is verified to be the selected sequence by subcloning and sequencing the DNA product.

 Several methods are available for the identification of the 5' or 3' non-coding portions of a gene which may not be present in the deposited clone. These methods include but are not

limited to, filter probing, clone enrichment using specific probes, and protocols similar or identical to 5' and 3' "RACE" protocols which are well known in the art. For instance, a method similar to 5' RACE is available for generating the missing 5' end of a desired full-length transcript. (Fromont-Racine et al., Nucleic Acids Res. 21(7):1683-1684 (1993).)

5 Briefly, a specific RNA oligonucleotide is ligated to the 5' ends of a population of RNA presumably containing full-length gene RNA transcripts. A primer set containing a primer specific to the ligated RNA oligonucleotide and a primer specific to a known sequence of the gene of interest is used to PCR amplify the 5' portion of the desired full-length gene. This amplified product may then be sequenced and used to generate the full
10 length gene.

This above method starts with total RNA isolated from the desired source, although poly-A⁺ RNA can be used. The RNA preparation can then be treated with phosphatase if necessary to eliminate 5' phosphate groups on degraded or damaged RNA which may interfere with the later RNA ligase step. The phosphatase should then be inactivated and the
15 RNA treated with tobacco acid pyrophosphatase in order to remove the cap structure present at the 5' ends of messenger RNAs. This reaction leaves a 5' phosphate group at the 5' end of the cap cleaved RNA which can then be ligated to an RNA oligonucleotide using T4 RNA ligase.

This modified RNA preparation is used as a template for first strand cDNA synthesis
20 using a gene specific oligonucleotide. The first strand synthesis reaction is used as a template for PCR amplification of the desired 5' end using a primer specific to the ligated RNA oligonucleotide and a primer specific to the known sequence of the gene of interest. The resultant product is then sequenced and analyzed to confirm that the 5' end sequence belongs to the desired gene.

25

Example 2: Isolation of Genomic Clones Corresponding to a Polynucleotide

A human genomic P1 library (Genomic Systems, Inc.) is screened by PCR using primers selected for the sequence corresponding to SEQ ID NO:X, according to the method
30 described in Example 1. (See also, Sambrook.)

Example 3: Tissue specific expression analysis

The Human Genome Sciences, Inc. (HGS) database is derived from sequencing tissue specific cDNA libraries. Libraries generated from a particular tissue are selected and the specific tissue expression pattern of EST groups or assembled contigs within these libraries is determined by comparison of the expression patterns of those groups or contigs within the entire database. ESTs which show tissue specific expression are selected.

The original clone from which the specific EST sequence was generated, is obtained from the catalogued library of clones and the insert amplified by PCR using methods known in the art. The PCR product is denatured then transferred in 96 well format to a nylon membrane (Schleicher and Scheull) generating an array filter of tissue specific clones. Housekeeping genes, maize genes, and known tissue specific genes are included on the filters. These targets can be used in signal normalization and to validate assay sensitivity. Additional targets are included to monitor probe length and specificity of hybridization.

Radioactively labeled hybridization probes are generated by first strand cDNA synthesis per the manufacturer's instructions (Life Technologies) from mRNA/RNA samples prepared from the specific tissue being analyzed. The hybridization probes are purified by gel exclusion chromatography, quantitated, and hybridized with the array filters in hybridization bottles at 65°C overnight. The filters are washed under stringent conditions and signals are captured using a Fuji phosphorimager.

Data is extracted using AIS software and following background subtraction, signal normalization is performed. This includes a normalization of filter-wide expression levels between different experimental runs. Genes that are differentially expressed in the tissue of interest are identified and the full length sequence of these clones is generated.

Example 4: Chromosomal Mapping of the Polynucleotides

An oligonucleotide primer set is designed according to the sequence at the 5' end of SEQ ID NO:X. This primer preferably spans about 100 nucleotides. This primer set is then used in a polymerase chain reaction under the following set of conditions : 30 seconds, 95°C; 1 minute, 56°C; 1 minute, 70°C. This cycle is repeated 32 times followed by one 5 minute

cycle at 70°C. Human, mouse, and hamster DNA is used as template in addition to a somatic cell hybrid panel containing individual chromosomes or chromosome fragments (Bios, Inc). The reactions is analyzed on either 8% polyacrylamide gels or 3.5 % agarose gels. Chromosome mapping is determined by the presence of an approximately 100 bp PCR
5 fragment in the particular somatic cell hybrid.

Example 5: Bacterial Expression of a Polypeptide

A polynucleotide encoding a polypeptide of the present invention is amplified using
10 PCR oligonucleotide primers corresponding to the 5' and 3' ends of the DNA sequence, as outlined in Example 1, to synthesize insertion fragments. The primers used to amplify the cDNA insert should preferably contain restriction sites, such as BamHI and XbaI, at the 5' end of the primers in order to clone the amplified product into the expression vector. For example, BamHI and XbaI correspond to the restriction enzyme sites on the bacterial
15 expression vector pQE-9. (Qiagen, Inc., Chatsworth, CA). This plasmid vector encodes antibiotic resistance (Amp^r), a bacterial origin of replication (ori), an IPTG-regulatable promoter/operator (P/O), a ribosome binding site (RBS), a 6-histidine tag (6-His), and restriction enzyme cloning sites.

The pQE-9 vector is digested with BamHI and XbaI and the amplified fragment is
20 ligated into the pQE-9 vector maintaining the reading frame initiated at the bacterial RBS. The ligation mixture is then used to transform the E. coli strain M15/rep4 (Qiagen, Inc.) which contains multiple copies of the plasmid pREP4, which expresses the lacI repressor and also confers kanamycin resistance (Kan^r). Transformants are identified by their ability to grow on LB plates and ampicillin/kanamycin resistant colonies are selected. Plasmid DNA is
25 isolated and confirmed by restriction analysis.

Clones containing the desired constructs are grown overnight (O/N) in liquid culture in LB media supplemented with both Amp (100 ug/ml) and Kan (25 ug/ml). The O/N culture is used to inoculate a large culture at a ratio of 1:100 to 1:250. The cells are grown to an optical density 600 (O.D.⁶⁰⁰) of between 0.4 and 0.6. IPTG (Isopropyl-B-D-thiogalacto
30 pyranoside) is then added to a final concentration of 1 mM. IPTG induces by inactivating the lacI repressor, clearing the P/O leading to increased gene expression.

Cells are grown for an extra 3 to 4 hours. Cells are then harvested by centrifugation (20 mins at 6000Xg). The cell pellet is solubilized in the chaotropic agent 6 Molar Guanidine HCl by stirring for 3-4 hours at 4°C. The cell debris is removed by centrifugation, and the supernatant containing the polypeptide is loaded onto a nickel-nitrilo-tri-acetic acid ("Ni-NTA") affinity resin column (available from QIAGEN, Inc., *supra*). Proteins with a 6 x His tag bind to the Ni-NTA resin with high affinity and can be purified in a simple one-step procedure (for details see: The QIAexpressionist (1995) QIAGEN, Inc., *supra*).

Briefly, the supernatant is loaded onto the column in 6 M guanidine-HCl, pH 8, the column is first washed with 10 volumes of 6 M guanidine-HCl, pH 8, then washed with 10 volumes of 6 M guanidine-HCl pH 6, and finally the polypeptide is eluted with 6 M guanidine-HCl, pH 5.

The purified protein is then renatured by dialyzing it against phosphate-buffered saline (PBS) or 50 mM Na-acetate, pH 6 buffer plus 200 mM NaCl. Alternatively, the protein can be successfully refolded while immobilized on the Ni-NTA column. The recommended conditions are as follows: renature using a linear 6M-1M urea gradient in 500 mM NaCl, 20% glycerol, 20 mM Tris/HCl pH 7.4, containing protease inhibitors. The renaturation should be performed over a period of 1.5 hours or more. After renaturation the proteins are eluted by the addition of 250 mM imidazole. Imidazole is removed by a final dialyzing step against PBS or 50 mM sodium acetate pH 6 buffer plus 200 mM NaCl. The purified protein is stored at 4°C or frozen at -80°C.

In addition to the above expression vector, the present invention further includes an expression vector comprising phage operator and promoter elements operatively linked to a polynucleotide of the present invention, called pHE4a. (ATCC Accession Number 209645, deposited on February 25, 1998.) This vector contains: 1) a neomycinphosphotransferase gene as a selection marker, 2) an E. coli origin of replication, 3) a T5 phage promoter sequence, 4) two lac operator sequences, 5) a Shine-Delgarno sequence, and 6) the lactose operon repressor gene (*lacIq*). The origin of replication (*oriC*) is derived from pUC19 (LTI, Gaithersburg, MD). The promoter sequence and operator sequences are made synthetically.

DNA can be inserted into the pHEa by restricting the vector with NdeI and XbaI, BamHI, XhoI, or Asp718, running the restricted product on a gel, and isolating the larger fragment (the stuffer fragment should be about 310 base pairs). The DNA insert is generated according to the PCR protocol described in Example 1, using PCR primers having restriction

sites for NdeI (5' primer) and XbaI, BamHI, XhoI, or Asp718 (3' primer). The PCR insert is gel purified and restricted with compatible enzymes. The insert and vector are ligated according to standard protocols.

The engineered vector could easily be substituted in the above protocol to express
5 protein in a bacterial system.

Example 6: Purification of a Polypeptide from an Inclusion Body

The following alternative method can be used to purify a polypeptide expressed in *E*
10 *coli* when it is present in the form of inclusion bodies. Unless otherwise specified, all of the following steps are conducted at 4-10°C.

Upon completion of the production phase of the *E. coli* fermentation, the cell culture is cooled to 4-10°C and the cells harvested by continuous centrifugation at 15,000 rpm (Heraeus Sepatech). On the basis of the expected yield of protein per unit weight of cell
15 paste and the amount of purified protein required, an appropriate amount of cell paste, by weight, is suspended in a buffer solution containing 100 mM Tris, 50 mM EDTA, pH 7.4. The cells are dispersed to a homogeneous suspension using a high shear mixer.

The cells are then lysed by passing the solution through a microfluidizer (Microfluidics, Corp. or APV Gaulin, Inc.) twice at 4000-6000 psi. The homogenate is then
20 mixed with NaCl solution to a final concentration of 0.5 M NaCl, followed by centrifugation at 7000 xg for 15 min. The resultant pellet is washed again using 0.5M NaCl, 100 mM Tris, 50 mM EDTA, pH 7.4.

The resulting washed inclusion bodies are solubilized with 1.5 M guanidine hydrochloride (GuHCl) for 2-4 hours. After 7000 xg centrifugation for 15 min., the pellet is
25 discarded and the polypeptide containing supernatant is incubated at 4°C overnight to allow further GuHCl extraction.

Following high speed centrifugation (30,000 xg) to remove insoluble particles, the GuHCl solubilized protein is refolded by quickly mixing the GuHCl extract with 20 volumes of buffer containing 50 mM sodium, pH 4.5, 150 mM NaCl, 2 mM EDTA by vigorous
30 stirring. The refolded diluted protein solution is kept at 4°C without mixing for 12 hours prior to further purification steps.

To clarify the refolded polypeptide solution, a previously prepared tangential filtration unit equipped with 0.16 μm membrane filter with appropriate surface area (e.g., Filtron), equilibrated with 40 mM sodium acetate, pH 6.0 is employed. The filtered sample is loaded onto a cation exchange resin (e.g., Poros HS-50, Perseptive Biosystems). The column is washed with 40 mM sodium acetate, pH 6.0 and eluted with 250 mM, 500 mM, 1000 mM, and 1500 mM NaCl in the same buffer, in a stepwise manner. The absorbance at 280 nm of the effluent is continuously monitored. Fractions are collected and further analyzed by SDS-PAGE.

Fractions containing the polypeptide are then pooled and mixed with 4 volumes of water. The diluted sample is then loaded onto a previously prepared set of tandem columns of strong anion (Poros HQ-50, Perseptive Biosystems) and weak anion (Poros CM-20, Perseptive Biosystems) exchange resins. The columns are equilibrated with 40 mM sodium acetate, pH 6.0. Both columns are washed with 40 mM sodium acetate, pH 6.0, 200 mM NaCl. The CM-20 column is then eluted using a 10 column volume linear gradient ranging from 0.2 M NaCl, 50 mM sodium acetate, pH 6.0 to 1.0 M NaCl, 50 mM sodium acetate, pH 6.5. Fractions are collected under constant A_{280} monitoring of the effluent. Fractions containing the polypeptide (determined, for instance, by 16% SDS-PAGE) are then pooled.

The resultant polypeptide should exhibit greater than 95% purity after the above refolding and purification steps. No major contaminant bands should be observed from Commassie blue stained 16% SDS-PAGE gel when 5 μg of purified protein is loaded. The purified protein can also be tested for endotoxin/LPS contamination, and typically the LPS content is less than 0.1 ng/ml according to LAL assays.

Example 7: Cloning and Expression of a Polypeptide in a Baculovirus Expression System

In this example, the plasmid shuttle vector pA2 is used to insert a polynucleotide into a baculovirus to express a polypeptide. This expression vector contains the strong polyhedrin promoter of the *Autographa californica* nuclear polyhedrosis virus (AcMNPV) followed by convenient restriction sites such as BamHI, Xba I and Asp718. The polyadenylation site of the simian virus 40 ("SV40") is used for efficient polyadenylation. For easy selection of recombinant virus, the plasmid contains the beta-galactosidase gene from *E. coli* under control of a weak *Drosophila* promoter in the same orientation, followed by the

polyadenylation signal of the polyhedrin gene. The inserted genes are flanked on both sides by viral sequences for cell-mediated homologous recombination with wild-type viral DNA to generate a viable virus that express the cloned polynucleotide.

Many other baculovirus vectors can be used in place of the vector above, such as pAc373, pVL941, and pAcIM1, as one skilled in the art would readily appreciate, as long as the construct provides appropriately located signals for transcription, translation, secretion and the like, including a signal peptide and an in-frame AUG as required. Such vectors are described, for instance, in Luckow et al., *Virology* 170:31-39 (1989).

Specifically, the cDNA sequence contained in the deposited clone, including the AUG initiation codon, is amplified using the PCR protocol described in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the pA2 vector does not need a second signal peptide. Alternatively, the vector can be modified (pA2 GP) to include a baculovirus leader sequence, using the standard methods described in Summers et al., "A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures," Texas Agricultural Experimental Station Bulletin No. 1555 (1987).

The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("GeneClean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

The plasmid is digested with the corresponding restriction enzymes and optionally, can be dephosphorylated using calf intestinal phosphatase, using routine procedures known in the art. The DNA is then isolated from a 1% agarose gel using a commercially available kit ("GeneClean" BIO 101 Inc., La Jolla, Ca.).

The fragment and the dephosphorylated plasmid are ligated together with T4 DNA ligase. *E. coli* HB101 or other suitable *E. coli* hosts such as XL-1 Blue (Stratagene Cloning Systems, La Jolla, CA) cells are transformed with the ligation mixture and spread on culture plates. Bacteria containing the plasmid are identified by digesting DNA from individual colonies and analyzing the digestion product by gel electrophoresis. The sequence of the cloned fragment is confirmed by DNA sequencing.

Five μ g of a plasmid containing the polynucleotide is co-transfected with 1.0 μ g of a commercially available linearized baculovirus DNA ("BaculoGold™ baculovirus DNA", Pharmingen, San Diego, CA), using the lipofection method described by Felgner et al., *Proc.*

Natl. Acad. Sci. USA 84:7413-7417 (1987). One μg of BaculoGold™ virus DNA and 5 μg of the plasmid are mixed in a sterile well of a microtiter plate containing 50 μl of serum-free Grace's medium (Life Technologies Inc., Gaithersburg, MD). Afterwards, 10 μl Lipofectin plus 90 μl Grace's medium are added, mixed and incubated for 15 minutes at room temperature. Then the transfection mixture is added drop-wise to Sf9 insect cells (ATCC CRL 1711) seeded in a 35 mm tissue culture plate with 1 ml Grace's medium without serum. The plate is then incubated for 5 hours at 27° C. The transfection solution is then removed from the plate and 1 ml of Grace's insect medium supplemented with 10% fetal calf serum is added. Cultivation is then continued at 27° C for four days.

After four days the supernatant is collected and a plaque assay is performed, as described by Summers and Smith, *supra*. An agarose gel with "Blue Gal" (Life Technologies Inc., Gaithersburg) is used to allow easy identification and isolation of gal-expressing clones, which produce blue-stained plaques. (A detailed description of a "plaque assay" of this type can also be found in the user's guide for insect cell culture and baculovirology distributed by Life Technologies Inc., Gaithersburg, page 9-10.) After appropriate incubation, blue stained plaques are picked with the tip of a micropipettor (e.g., Eppendorf). The agar containing the recombinant viruses is then resuspended in a microcentrifuge tube containing 200 μl of Grace's medium and the suspension containing the recombinant baculovirus is used to infect Sf9 cells seeded in 35 mm dishes. Four days later the supernatants of these culture dishes are harvested and then they are stored at 4° C.

To verify the expression of the polypeptide, Sf9 cells are grown in Grace's medium supplemented with 10% heat-inactivated FBS. The cells are infected with the recombinant baculovirus containing the polynucleotide at a multiplicity of infection ("MOI") of about 2. If radiolabeled proteins are desired, 6 hours later the medium is removed and is replaced with SF900 II medium minus methionine and cysteine (available from Life Technologies Inc., Rockville, MD). After 42 hours, 5 μCi of ^{35}S -methionine and 5 μCi ^{35}S -cysteine (available from Amersham) are added. The cells are further incubated for 16 hours and then are harvested by centrifugation. The proteins in the supernatant as well as the intracellular proteins are analyzed by SDS-PAGE followed by autoradiography (if radiolabeled).

Microsequencing of the amino acid sequence of the amino terminus of purified protein may be used to determine the amino terminal sequence of the produced protein.

Example 8: Expression of a Polypeptide in Mammalian Cells

The polypeptide of the present invention can be expressed in a mammalian cell. A typical mammalian expression vector contains a promoter element, which mediates the initiation of transcription of mRNA, a protein coding sequence, and signals required for the termination of transcription and polyadenylation of the transcript. Additional elements include enhancers, Kozak sequences and intervening sequences flanked by donor and acceptor sites for RNA splicing. Highly efficient transcription is achieved with the early and late promoters from SV40, the long terminal repeats (LTRs) from Retroviruses, e.g., RSV, HTLVI, HIVI and the early promoter of the cytomegalovirus (CMV). However, cellular elements can also be used (e.g., the human actin promoter).

Suitable expression vectors for use in practicing the present invention include, for example, vectors such as pSVL and pMSG (Pharmacia, Uppsala, Sweden), pRSVcat (ATCC 37152), pSV2dhfr (ATCC 37146), pBC12MI (ATCC 67109), pCMVSPORT 2.0, and pCMVSPORT 3.0. Mammalian host cells that could be used include, human Hela, 293, H9 and Jurkat cells, mouse NIH3T3 and C127 cells, Cos 1, Cos 7 and CV1, quail QC1-3 cells, mouse L cells and Chinese hamster ovary (CHO) cells.

Alternatively, the polypeptide can be expressed in stable cell lines containing the polynucleotide integrated into a chromosome. The co-transfection with a selectable marker such as DHFR, gpt, neomycin, hygromycin allows the identification and isolation of the transfected cells.

The transfected gene can also be amplified to express large amounts of the encoded protein. The DHFR (dihydrofolate reductase) marker is useful in developing cell lines that carry several hundred or even several thousand copies of the gene of interest. (See, e.g., Alt, F. W., et al., J. Biol. Chem. 253:1357-1370 (1978); Hamlin, J. L. and Ma, C., Biochem. et Biophys. Acta, 1097:107-143 (1990); Page, M. J. and Sydenham, M. A., Biotechnology 9:64-68 (1991).) Another useful selection marker is the enzyme glutamine synthase (GS) (Murphy et al., Biochem J. 227:277-279 (1991); Bebbington et al., Bio/Technology 10:169-175 (1992). Using these markers, the mammalian cells are grown in selective medium and the cells with the highest resistance are selected. These cell lines contain the amplified gene(s) integrated into a chromosome. Chinese hamster ovary (CHO) and NSO cells are often used for the production of proteins.

Derivatives of the plasmid pSV2-dhfr (ATCC Accession No. 37146), the expression vectors pC4 (ATCC Accession No. 209646) and pC6 (ATCC Accession No. 209647) contain the strong promoter (LTR) of the Rous Sarcoma Virus (Cullen et al., Molecular and Cellular Biology, 438-447 (March, 1985)) plus a fragment of the CMV-enhancer (Boshart et al., Cell 41:521-530 (1985).) Multiple cloning sites, e.g., with the restriction enzyme cleavage sites BamHI, XbaI and Asp718, facilitate the cloning of the gene of interest. The vectors also contain the 3' intron, the polyadenylation and termination signal of the rat preproinsulin gene, and the mouse DHFR gene under control of the SV40 early promoter.

Specifically, the plasmid pC6, for example, is digested with appropriate restriction enzymes and then dephosphorylated using calf intestinal phosphates by procedures known in the art. The vector is then isolated from a 1% agarose gel.

A polynucleotide of the present invention is amplified according to the protocol outlined in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the vector does not need a second signal peptide. Alternatively, if a naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. (See, e.g., WO 96/34891.)

The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("Geneclean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

The amplified fragment is then digested with the same restriction enzyme and purified on a 1% agarose gel. The isolated fragment and the dephosphorylated vector are then ligated with T4 DNA ligase. *E. coli* HB101 or XL-1 Blue cells are then transformed and bacteria are identified that contain the fragment inserted into plasmid pC6 using, for instance, restriction enzyme analysis.

Chinese hamster ovary cells lacking an active DHFR gene is used for transfection. Five μ g of the expression plasmid pC6 or pC4 is cotransfected with 0.5 μ g of the plasmid pSVneo using lipofectin (Felgner et al., *supra*). The plasmid pSV2-neo contains a dominant selectable marker, the *neo* gene from Tn5 encoding an enzyme that confers resistance to a group of antibiotics including G418. The cells are seeded in alpha minus MEM supplemented with 1 mg/ml G418. After 2 days, the cells are trypsinized and seeded in hybridoma cloning plates (Greiner, Germany) in alpha minus MEM supplemented with 10, 25, or 50 ng/ml of methotrexate plus 1 mg/ml G418. After about 10-14 days single clones

are trypsinized and then seeded in 6-well petri dishes or 10 ml flasks using different concentrations of methotrexate (50 nM, 100 nM, 200 nM, 400 nM, 800 nM). Clones growing at the highest concentrations of methotrexate are then transferred to new 6-well plates containing even higher concentrations of methotrexate (1 μ M, 2 μ M, 5 μ M, 10 mM, 20 mM). The same procedure is repeated until clones are obtained which grow at a concentration of 100 - 200 μ M. Expression of the desired gene product is analyzed, for instance, by SDS-PAGE and Western blot or by reversed phase HPLC analysis.

Example 9: Protein Fusions

10

The polypeptides of the present invention are preferably fused to other proteins. These fusion proteins can be used for a variety of applications. For example, fusion of the present polypeptides to His-tag, HA-tag, protein A, IgG domains, and maltose binding protein facilitates purification. (See Example 5; see also EP A 394,827; Traunecker, et al., Nature 331:84-86 (1988).) Similarly, fusion to IgG-1, IgG-3, and albumin increases the halflife time in vivo. Nuclear localization signals fused to the polypeptides of the present invention can target the protein to a specific subcellular localization, while covalent heterodimer or homodimers can increase or decrease the activity of a fusion protein. Fusion proteins can also create chimeric molecules having more than one function. Finally, fusion proteins can increase solubility and/or stability of the fused protein compared to the non-fused protein. All of the types of fusion proteins described above can be made by modifying the following protocol, which outlines the fusion of a polypeptide to an IgG molecule, or the protocol described in Example 5.

25 Briefly, the human Fc portion of the IgG molecule can be PCR amplified, using primers that span the 5' and 3' ends of the sequence described below. These primers also should have convenient restriction enzyme sites that will facilitate cloning into an expression vector, preferably a mammalian expression vector.

30 For example, if pC4 (Accession No. 209646) is used, the human Fc portion can be ligated into the BamHI cloning site. Note that the 3' BamHI site should be destroyed. Next, the vector containing the human Fc portion is re-restricted with BamHI, linearizing the vector, and a polynucleotide of the present invention, isolated by the PCR protocol described in Example 1, is ligated into this BamHI site. Note that the polynucleotide is cloned without

a stop codon, otherwise a fusion protein will not be produced.

If the naturally occurring signal sequence is used to produce the polypeptide of the present invention, pC4 does not need a second signal peptide. Alternatively, if the naturally occurring signal sequence is not used, the vector can be modified to include a heterologous
5 signal sequence. (See, e.g., WO 96/34891.)

Human IgG Fc region:

```
GGGATCCGGAGCCCAAATCTTCTGACAAAACCTCACACATGCCCACCGTGCCCAG
CACCTGAATTTCGAGGGTGCACCGTCAGTCTTCCTCTTCCCCCAAACCCAAGGA
10 CACCCTCATGATCTCCCGGACTCCTGAGGTCACATGCGTGGTGGTGGACGTAAGC
CACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCAT
AATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTC
AGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGC
AAGGTCTCCAACAAAGCCCTCCCAACCCCCATCGAGAAAACCATCTCCAAAGCC
15 AAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAG
CTGACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCAAGC
GACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGAC
CACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACC
GTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCAT
20 GAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAAT
GAGTGCGACGGCCGCGACTCTAGAGGAT (SEQ ID NO:1685)
```

Example 10: Production of an Antibody from a Polypeptide

25 a) Hybridoma Technology

The antibodies of the present invention can be prepared by a variety of methods. (See, Current Protocols, Chapter 2.) As one example of such methods, cells expressing polypeptide of the present invention are administered to an animal to induce the production of sera containing polyclonal antibodies. In a preferred method, a preparation of polypeptide
30 of the present invention is prepared and purified to render it substantially free of natural contaminants. Such a preparation is then introduced into an animal in order to produce polyclonal antisera of greater specific activity.

Monoclonal antibodies specific for polypeptide of the present invention are prepared using hybridoma technology. (Kohler et al., *Nature* 256:495 (1975); Kohler et al., *Eur. J. Immunol.* 6:511 (1976); Kohler et al., *Eur. J. Immunol.* 6:292 (1976); Hammerling et al., in: *Monoclonal Antibodies and T-Cell Hybridomas*, Elsevier, N.Y., pp. 563-681 (1981)). In general, an animal (preferably a mouse) is immunized with polypeptide of the present invention or, more preferably, with a secreted polypeptide of the present invention-expressing cell. Such polypeptide-expressing cells are cultured in any suitable tissue culture medium, preferably in Earle's modified Eagle's medium supplemented with 10% fetal bovine serum (inactivated at about 56°C), and supplemented with about 10 g/l of nonessential amino acids, about 1,000 U/ml of penicillin, and about 100 µg/ml of streptomycin.

The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention; however, it is preferable to employ the parent myeloma cell line (SP2O), available from the ATCC. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands et al. (*Gastroenterology* 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding the polypeptide of the present invention.

Alternatively, additional antibodies capable of binding to polypeptide of the present invention can be produced in a two-step procedure using anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method, protein specific antibodies are used to immunize an animal, preferably a mouse. The splenocytes of such an animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to the polypeptide of the present invention-specific antibody can be blocked by polypeptide of the present invention. Such antibodies comprise anti-idiotypic antibodies to the polypeptide of the present invention-specific antibody and are used to immunize an animal to induce formation of further polypeptide of the present invention-specific antibodies.

For in vivo use of antibodies in humans, an antibody is "humanized". Such antibodies can be produced using genetic constructs derived from hybridoma cells producing the monoclonal antibodies described above. Methods for producing chimeric and humanized

antibodies are known in the art and are discussed herein. (See, for review, Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., WO 8702671; Boulianne et al., Nature 312:643 (1984); Neuberger et al., Nature 314:268 (1985).)

b) Isolation Of Antibody Fragments Directed Against Polypeptide of the Present Invention From A Library Of scFvs

Naturally occurring V-genes isolated from human PBLs are constructed into a library of antibody fragments which contain reactivities against polypeptide of the present invention to which the donor may or may not have been exposed (see e.g., U.S. Patent 5,885,793 incorporated herein by reference in its entirety).

Rescue of the Library. A library of scFvs is constructed from the RNA of human PBLs as described in PCT publication WO 92/01047. To rescue phage displaying antibody fragments, approximately 109 E. coli harboring the phagemid are used to inoculate 50 ml of 2xTY containing 1% glucose and 100 µg/ml of ampicillin (2xTY-AMP-GLU) and grown to an O.D. of 0.8 with shaking. Five ml of this culture is used to inoculate 50 ml of 2xTY-AMP-GLU, 2 x 10⁸ TU of delta gene 3 helper (M13 delta gene III, see PCT publication WO 92/01047) are added and the culture incubated at 37°C for 45 minutes without shaking and then at 37°C for 45 minutes with shaking. The culture is centrifuged at 4000 r.p.m. for 10 min. and the pellet resuspended in 2 liters of 2xTY containing 100 µg/ml ampicillin and 50 ug/ml kanamycin and grown overnight. Phage are prepared as described in PCT publication WO 92/01047.

M13 delta gene III is prepared as follows: M13 delta gene III helper phage does not encode gene III protein, hence the phage(mid) displaying antibody fragments have a greater avidity of binding to antigen. Infectious M13 delta gene III particles are made by growing the helper phage in cells harboring a pUC19 derivative supplying the wild type gene III protein during phage morphogenesis. The culture is incubated for 1 hour at 37° C without shaking and then for a further hour at 37°C with shaking. Cells are spun down (IEC-Centra 8,400 r.p.m. for 10 min), resuspended in 300 ml 2xTY broth containing 100 µg ampicillin/ml and 25 µg kanamycin/ml (2xTY-AMP-KAN) and grown overnight, shaking at 37°C. Phage particles are purified and concentrated from the culture medium by two PEG-precipitations

(Sambrook et al., 1990), resuspended in 2 ml PBS and passed through a 0.45 μ m filter (Minisart NML; Sartorius) to give a final concentration of approximately 10¹³ transducing units/ml (ampicillin-resistant clones).

Panning of the Library. Immunotubes (Nunc) are coated overnight in PBS with 4 ml of either 100 μ g/ml or 10 μ g/ml of a polypeptide of the present invention. Tubes are blocked with 2% Marvel-PBS for 2 hours at 37°C and then washed 3 times in PBS. Approximately 10¹³ TU of phage is applied to the tube and incubated for 30 minutes at room temperature tumbling on an over and under turntable and then left to stand for another 1.5 hours. Tubes are washed 10 times with PBS 0.1% Tween-20 and 10 times with PBS. Phage are eluted by adding 1 ml of 100 mM triethylamine and rotating 15 minutes on an under and over turntable after which the solution is immediately neutralized with 0.5 ml of 1.0M Tris-HCl, pH 7.4. Phage are then used to infect 10 ml of mid-log E. coli TG1 by incubating eluted phage with bacteria for 30 minutes at 37°C. The E. coli are then plated on TYE plates containing 1% glucose and 100 μ g/ml ampicillin. The resulting bacterial library is then rescued with delta gene 3 helper phage as described above to prepare phage for a subsequent round of selection. This process is then repeated for a total of 4 rounds of affinity purification with tube-washing increased to 20 times with PBS, 0.1% Tween-20 and 20 times with PBS for rounds 3 and 4.

Characterization of Binders. Eluted phage from the 3rd and 4th rounds of selection are used to infect E. coli HB 2151 and soluble scFv is produced (Marks, et al., 1991) from single colonies for assay. ELISAs are performed with microtitre plates coated with either 10 pg/ml of the polypeptide of the present invention in 50 mM bicarbonate pH 9.6. Clones positive in ELISA are further characterized by PCR fingerprinting (see, e.g., PCT publication WO 92/01047) and then by sequencing. These ELISA positive clones may also be further characterized by techniques known in the art, such as, for example, epitope mapping, binding affinity, receptor signal transduction, ability to block or competitively inhibit antibody/antigen binding, and competitive agonistic or antagonistic activity.

Example 11: Method of Determining Alterations in a Gene Corresponding to a Polynucleotide

RNA isolated from entire families or individual patients presenting with a phenotype of interest (such as a disease) is be isolated. cDNA is then generated from these RNA samples using protocols known in the art. (See, Sambrook.) The cDNA is then used as a template for PCR, employing primers surrounding regions of interest in SEQ ID NO:X; and/or the nucleotide sequence of the related cDNA in the cDNA clone contained in a deposited library. Suggested PCR conditions consist of 35 cycles at 95 degrees C for 30 seconds; 60-120 seconds at 52-58 degrees C; and 60-120 seconds at 70 degrees C, using buffer solutions described in Sidransky et al., Science 252:706 (1991).

PCR products are then sequenced using primers labeled at their 5' end with T4 polynucleotide kinase, employing SequiTherm Polymerase. (Epicentre Technologies). The intron-exon borders of selected exons is also determined and genomic PCR products analyzed to confirm the results. PCR products harboring suspected mutations is then cloned and sequenced to validate the results of the direct sequencing.

PCR products is cloned into T-tailed vectors as described in Holton et al., Nucleic Acids Research, 19:1156 (1991) and sequenced with T7 polymerase (United States Biochemical). Affected individuals are identified by mutations not present in unaffected individuals.

Genomic rearrangements are also observed as a method of determining alterations in a gene corresponding to a polynucleotide. Genomic clones isolated according to Example 2 are nick-translated with digoxigenindeoxy-uridine 5'-triphosphate (Boehringer Mannheim), and FISH performed as described in Johnson et al., Methods Cell Biol. 35:73-99 (1991). Hybridization with the labeled probe is carried out using a vast excess of human cot-1 DNA for specific hybridization to the corresponding genomic locus.

Chromosomes are counterstained with 4,6-diamino-2-phenylidole and propidium iodide, producing a combination of C- and R-bands. Aligned images for precise mapping are obtained using a triple-band filter set (Chroma Technology, Brattleboro, VT) in combination with a cooled charge-coupled device camera (Photometrics, Tucson, AZ) and variable excitation wavelength filters. (Johnson et al., Genet. Anal. Tech. Appl., 8:75 (1991).) Image collection, analysis and chromosomal fractional length measurements are performed using the ISee Graphical Program System. (Inovision Corporation, Durham, NC.) Chromosome alterations of the genomic region hybridized by the probe are identified as insertions, deletions, and translocations. These alterations are used as a diagnostic marker for an

associated disease.

Example 12: Method of Detecting Abnormal Levels of a Polypeptide in a Biological Sample

5 A polypeptide of the present invention can be detected in a biological sample, and if an increased or decreased level of the polypeptide is detected, this polypeptide is a marker for a particular phenotype. Methods of detection are numerous, and thus, it is understood that one skilled in the art can modify the following assay to fit their particular needs.

For example, antibody-sandwich ELISAs are used to detect polypeptides in a sample,
10 preferably a biological sample. Wells of a microtiter plate are coated with specific antibodies, at a final concentration of 0.2 to 10 ug/ml. The antibodies are either monoclonal or polyclonal and are produced by the method described in Example 10. The wells are blocked so that non-specific binding of the polypeptide to the well is reduced.

The coated wells are then incubated for > 2 hours at RT with a sample containing the
15 polypeptide. Preferably, serial dilutions of the sample should be used to validate results. The plates are then washed three times with deionized or distilled water to remove unbounded polypeptide.

Next, 50 ul of specific antibody-alkaline phosphatase conjugate, at a concentration of
25-400 ng, is added and incubated for 2 hours at room temperature. The plates are again
20 washed three times with deionized or distilled water to remove unbounded conjugate.

Add 75 ul of 4-methylumbelliferyl phosphate (MUP) or p-nitrophenyl phosphate
(NPP) substrate solution to each well and incubate 1 hour at room temperature. Measure the
reaction by a microtiter plate reader. Prepare a standard curve, using serial dilutions of a
control sample, and plot polypeptide concentration on the X-axis (log scale) and fluorescence
25 or absorbance of the Y-axis (linear scale). Interpolate the concentration of the polypeptide in
the sample using the standard curve.

Example 13: Formulation

30 The invention also provides methods of treatment and/or prevention of diseases or disorders (such as, for example, any one or more of the diseases or disorders disclosed

herein) by administration to a subject of an effective amount of a Therapeutic. By therapeutic is meant a polynucleotides or polypeptides of the invention (including fragments and variants), agonists or antagonists thereof, and/or antibodies thereto, in combination with a pharmaceutically acceptable carrier type (e.g., a sterile carrier).

5 The Therapeutic will be formulated and dosed in a fashion consistent with good medical practice, taking into account the clinical condition of the individual patient (especially the side effects of treatment with the Therapeutic alone), the site of delivery, the method of administration, the scheduling of administration, and other factors known to practitioners. The "effective amount" for purposes herein is thus determined by such
10 considerations.

As a general proposition, the total pharmaceutically effective amount of the Therapeutic administered parenterally per dose will be in the range of about 1 ug/kg/day to 10 mg/kg/day of patient body weight, although, as noted above, this will be subject to therapeutic discretion. More preferably, this dose is at least 0.01 mg/kg/day, and most
15 preferably for humans between about 0.01 and 1 mg/kg/day for the hormone. If given continuously, the Therapeutic is typically administered at a dose rate of about 1 ug/kg/hour to about 50 ug/kg/hour, either by 1-4 injections per day or by continuous subcutaneous infusions, for example, using a mini-pump. An intravenous bag solution may also be employed. The length of treatment needed to observe changes and the interval following
20 treatment for responses to occur appears to vary depending on the desired effect.

Therapeutics can be are administered orally, rectally, parenterally, intracisternally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), buccally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material
25 or formulation auxiliary of any. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics are administered orally,
30 rectally, parenterally, intracisternally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), buccally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler,

diluent, encapsulating material or formulation auxiliary of any type. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics include suitable polymeric materials (such as, for example, semi-permeable polymer matrices in the form of shaped articles, e.g., films, or microcapsules), suitable hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, and sparingly soluble derivatives (such as, for example, a sparingly soluble salt).

Sustained-release matrices include polylactides (U.S. Pat. No. 3,773,919, EP 58,481), copolymers of L-glutamic acid and gamma-ethyl-L-glutamate (Sidman et al., *Biopolymers* 22:547-556 (1983)), poly (2- hydroxyethyl methacrylate) (Langer et al., *J. Biomed. Mater. Res.* 15:167-277 (1981), and Langer, *Chem. Tech.* 12:98-105 (1982)), ethylene vinyl acetate (Langer et al., *Id.*) or poly-D- (-)-3-hydroxybutyric acid (EP 133,988).

Sustained-release Therapeutics also include liposomally entrapped Therapeutics of the invention (*see generally*, Langer, *Science* 249:1527-1533 (1990); Treat et al., in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 317 -327 and 353-365 (1989)). Liposomes containing the Therapeutic are prepared by methods known per se: DE 3,218,121; Epstein et al., *Proc. Natl. Acad. Sci. (USA)* 82:3688-3692 (1985); Hwang et al., *Proc. Natl. Acad. Sci.(USA)* 77:4030-4034 (1980); EP 52,322; EP 36,676; EP 88,046; EP 143,949; EP 142,641; Japanese Pat. Appl. 83-118008; U.S. Pat. Nos. 4,485,045 and 4,544,545; and EP 102,324. Ordinarily, the liposomes are of the small (about 200-800 Angstroms) unilamellar type in which the lipid content is greater than about 30 mol. percent cholesterol, the selected proportion being adjusted for the optimal Therapeutic.

In yet an additional embodiment, the Therapeutics of the invention are delivered by way of a pump (*see* Langer, *supra*; Sefton, *CRC Crit. Ref. Biomed. Eng.* 14:201 (1987); Buchwald et al., *Surgery* 88:507 (1980); Saudek et al., *N. Engl. J. Med.* 321:574 (1989)).

Other controlled release systems are discussed in the review by Langer (*Science* 249:1527-1533 (1990)).

For parenteral administration, in one embodiment, the Therapeutic is formulated generally by mixing it at the desired degree of purity, in a unit dosage injectable form

(solution, suspension, or emulsion), with a pharmaceutically acceptable carrier, i.e., one that is non-toxic to recipients at the dosages and concentrations employed and is compatible with other ingredients of the formulation. For example, the formulation preferably does not include oxidizing agents and other compounds that are known to be deleterious to the

5 Therapeutic.

Generally, the formulations are prepared by contacting the Therapeutic uniformly and intimately with liquid carriers or finely divided solid carriers or both. Then, if necessary, the product is shaped into the desired formulation. Preferably the carrier is a parenteral carrier, more preferably a solution that is isotonic with the blood of the recipient. Examples of such
10 carrier vehicles include water, saline, Ringer's solution, and dextrose solution. Non-aqueous vehicles such as fixed oils and ethyl oleate are also useful herein, as well as liposomes.

The carrier suitably contains minor amounts of additives such as substances that enhance isotonicity and chemical stability. Such materials are non-toxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate,
15 succinate, acetic acid, and other organic acids or their salts; antioxidants such as ascorbic acid; low molecular weight (less than about ten residues) polypeptides, e.g., polyarginine or tripeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids, such as glycine, glutamic acid, aspartic acid, or arginine; monosaccharides, disaccharides, and other carbohydrates including
20 cellulose or its derivatives, glucose, manose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; counterions such as sodium; and/or nonionic surfactants such as polysorbates, poloxamers, or PEG.

The Therapeutic is typically formulated in such vehicles at a concentration of about 0.1 mg/ml to 100 mg/ml, preferably 1-10 mg/ml, at a pH of about 3 to 8. It will be
25 understood that the use of certain of the foregoing excipients, carriers, or stabilizers will result in the formation of polypeptide salts.

Any pharmaceutical used for therapeutic administration can be sterile. Sterility is readily accomplished by filtration through sterile filtration membranes (e.g., 0.2 micron membranes). Therapeutics generally are placed into a container having a sterile access port,
30 for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

Therapeutics ordinarily will be stored in unit or multi-dose containers, for example,

sealed ampoules or vials, as an aqueous solution or as a lyophilized formulation for reconstitution. As an example of a lyophilized formulation, 10-ml vials are filled with 5 ml of sterile-filtered 1% (w/v) aqueous Therapeutic solution, and the resulting mixture is lyophilized. The infusion solution is prepared by reconstituting the lyophilized Therapeutic
5 using bacteriostatic Water-for-Injection.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the Therapeutics of the invention. Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products,
10 which notice reflects approval by the agency of manufacture, use or sale for human administration. In addition, the Therapeutics may be employed in conjunction with other therapeutic compounds.

The Therapeutics of the invention may be administered alone or in combination with adjuvants. Adjuvants that may be administered with the Therapeutics of the invention
15 include, but are not limited to, alum, alum plus deoxycholate (ImmunoAg), MTP-PE (Biocine Corp.), QS21 (Genentech, Inc.), BCG, and MPL. In a specific embodiment, Therapeutics of the invention are administered in combination with alum. In another specific embodiment, Therapeutics of the invention are administered in combination with QS-21. Further adjuvants that may be administered with the Therapeutics of the invention include,
20 but are not limited to, Monophosphoryl lipid immunomodulator, AdjuVax 100a, QS-21, QS-18, CRL1005, Aluminum salts, MF-59, and Virosomal adjuvant technology. Vaccines that may be administered with the Therapeutics of the invention include, but are not limited to, vaccines directed toward protection against MMR (measles, mumps, rubella), polio, varicella, tetanus/diphtheria, hepatitis A, hepatitis B, haemophilus influenzae B, whooping
25 cough, pneumonia, influenza, Lyme's Disease, rotavirus, cholera, yellow fever, Japanese encephalitis, poliomyelitis, rabies, typhoid fever, and pertussis. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined
30 agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

The Therapeutics of the invention may be administered alone or in combination with other therapeutic agents. Therapeutic agents that may be administered in combination with the Therapeutics of the invention, include but not limited to, other members of the TNF family, chemotherapeutic agents, antibiotics, steroidal and non-steroidal anti-inflammatories, conventional immunotherapeutic agents, cytokines and/or growth factors. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

In one embodiment, the Therapeutics of the invention are administered in combination with members of the TNF family. TNF, TNF-related or TNF-like molecules that may be administered with the Therapeutics of the invention include, but are not limited to, soluble forms of TNF-alpha, lymphotoxin-alpha (LT-alpha, also known as TNF-beta), LT-beta (found in complex heterotrimer LT-alpha2-beta), OPGL, FasL, CD27L, CD30L, CD40L, 4-1BBL, DcR3, OX40L, TNF-gamma (International Publication No. WO 96/14328), AIM-I (International Publication No. WO 97/33899), endokine-alpha (International Publication No. WO 98/07880), TR6 (International Publication No. WO 98/30694), OPG, and neutrokin-alpha (International Publication No. WO 98/18921, OX40, and nerve growth factor (NGF), and soluble forms of Fas, CD30, CD27, CD40 and 4-1BB, TR2 (International Publication No. WO 96/34095), DR3 (International Publication No. WO 97/33904), DR4 (International Publication No. WO 98/32856), TR5 (International Publication No. WO 98/30693), TR6 (International Publication No. WO 98/30694), TR7 (International Publication No. WO 98/41629), TRANK, TR9 (International Publication No. WO 98/56892), TR10 (International Publication No. WO 98/54202), 312C2 (International Publication No. WO 98/06842), and TR12, and soluble forms CD154, CD70, and CD153.

In certain embodiments, Therapeutics of the invention are administered in combination with antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors. Nucleoside reverse transcriptase inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, RETROVIR™ (zidovudine/AZT), VIDEX™

(didanosine/ddI), HIVID™ (zalcitabine/ddC), ZERIT™ (stavudine/d4T), EPIVIR™ (lamivudine/3TC), and COMBIVIR™ (zidovudine/lamivudine). Non-nucleoside reverse transcriptase inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, VIRAMUNE™ (nevirapine), RESCRIPTOR™ (delavirdine), and SUSTIVA™ (efavirenz). Protease inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, CRIXIVAN™ (indinavir), NORVIR™ (ritonavir), INVIRASE™ (saquinavir), and VIRACEPT™ (nelfinavir). In a specific embodiment, antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors may be used in any combination with Therapeutics of the invention to treat AIDS and/or to prevent or treat HIV infection.

In other embodiments, Therapeutics of the invention may be administered in combination with anti-opportunistic infection agents. Anti-opportunistic agents that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, ATOVAQUONE™, ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, ETHAMBUTOL™, RIFABUTIN™, CLARITHROMYCIN™, AZITHROMYCIN™, GANCICLOVIR™, FOSCARNET™, CIDOFOVIR™, FLUCONAZOLE™, ITRACONAZOLE™, KETOCONAZOLE™, ACYCLOVIR™, FAMCICLOVIR™, PYRIMETHAMINE™, LEUCOVORIN™, NEUPOGEN™ (filgrastim/G-CSF), and LEUKINE™ (sargramostim/GM-CSF). In a specific embodiment, Therapeutics of the invention are used in any combination with TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, and/or ATOVAQUONE™ to prophylactically treat or prevent an opportunistic *Pneumocystis carinii* pneumonia infection. In another specific embodiment, Therapeutics of the invention are used in any combination with ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, and/or ETHAMBUTOL™ to prophylactically treat or prevent an opportunistic *Mycobacterium avium* complex infection. In another specific embodiment, Therapeutics of the invention are used in any combination with RIFABUTIN™, CLARITHROMYCIN™, and/or AZITHROMYCIN™ to prophylactically treat or prevent an opportunistic *Mycobacterium tuberculosis* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with GANCICLOVIR™,

FOSCARNET™, and/or CIDOFOVIR™ to prophylactically treat or prevent an opportunistic cytomegalovirus infection. In another specific embodiment, Therapeutics of the invention are used in any combination with FLUCONAZOLE™, ITRACONAZOLE™, and/or KETOCONAZOLE™ to prophylactically treat or prevent an opportunistic fungal infection.

- 5 In another specific embodiment, Therapeutics of the invention are used in any combination with ACYCLOVIR™ and/or FAMCICOLVIR™ to prophylactically treat or prevent an opportunistic herpes simplex virus type I and/or type II infection. In another specific embodiment, Therapeutics of the invention are used in any combination with PYRIMETHAMINE™ and/or LEUCOVORIN™ to prophylactically treat or prevent an
- 10 opportunistic *Toxoplasma gondii* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with LEUCOVORIN™ and/or NEUPOGEN™ to prophylactically treat or prevent an opportunistic bacterial infection.

In a further embodiment, the Therapeutics of the invention are administered in combination with an antiviral agent. Antiviral agents that may be administered with the

15 Therapeutics of the invention include, but are not limited to, acyclovir, ribavirin, amantadine, and remantidine.

In a further embodiment, the Therapeutics of the invention are administered in combination with an antibiotic agent. Antibiotic agents that may be administered with the Therapeutics of the invention include, but are not limited to, amoxicillin, beta-lactamases,

20 aminoglycosides, beta-lactam (glycopeptide), beta-lactamases, Clindamycin, chloramphenicol, cephalosporins, ciprofloxacin, ciprofloxacin, erythromycin, fluoroquinolones, macrolides, metronidazole, penicillins, quinolones, rifampin, streptomycin, sulfonamide, tetracyclines, trimethoprim, trimethoprim-sulfamthoxazole, and vancomycin.

Conventional nonspecific immunosuppressive agents, that may be administered in

25 combination with the Therapeutics of the invention include, but are not limited to, steroids, cyclosporine, cyclosporine analogs, cyclophosphamide methylprednisone, prednisone, azathioprine, FK-506, 15-deoxyspergualin, and other immunosuppressive agents that act by suppressing the function of responding T cells.

In specific embodiments, Therapeutics of the invention are administered in

30 combination with immunosuppressants. Immunosuppressants preparations that may be administered with the Therapeutics of the invention include, but are not limited to, ORTHOCLONE™ (OKT3), SANDIMMUNE™/NEORAL™/SANGDYA™ (cyclosporin),

PROGRAF™ (tacrolimus), CELLCEPT™ (mycophenolate), Azathioprine, glucocorticosteroids, and RAPAMUNE™ (sirolimus). In a specific embodiment, immunosuppressants may be used to prevent rejection of organ or bone marrow transplantation.

In an additional embodiment, Therapeutics of the invention are administered alone or
5 in combination with one or more intravenous immune globulin preparations. Intravenous immune globulin preparations that may be administered with the Therapeutics of the invention include, but not limited to, GAMMAR™, IVEEGAM™, SANDOGLOBULIN™, GAMMAGARD S/D™, and GAMIMUNE™. In a specific embodiment, Therapeutics of the invention are administered in combination with intravenous immune globulin preparations in
10 transplantation therapy (e.g., bone marrow transplant).

In an additional embodiment, the Therapeutics of the invention are administered alone or in combination with an anti-inflammatory agent. Anti-inflammatory agents that may be administered with the Therapeutics of the invention include, but are not limited to, glucocorticoids and the nonsteroidal anti-inflammatories, aminoarylcarboxylic acid
15 derivatives, arylacetic acid derivatives, arylbutyric acid derivatives, arylcarboxylic acids, arylpropionic acid derivatives, pyrazoles, pyrazolones, salicylic acid derivatives, thiazinecarboxamides, e-acetamidocaproic acid, S-adenosylmethionine, 3-amino-4-hydroxybutyric acid, amixetrine, bendazac, benzydamine, bucolome, difenpiramide, ditazol, emorfazone, guaiazulene, nabumetone, nimesulide, orgotein, oxaceprol, paranyline,
20 perisoxal, pifoxime, proquazone, proxazole, and tenidap.

In another embodiment, compositions of the invention are administered in combination with a chemotherapeutic agent. Chemotherapeutic agents that may be administered with the Therapeutics of the invention include, but are not limited to, antibiotic derivatives (e.g., doxorubicin, bleomycin, daunorubicin, and dactinomycin); antiestrogens
25 (e.g., tamoxifen); antimetabolites (e.g., fluorouracil, 5-FU, methotrexate, floxuridine, interferon alpha-2b, glutamic acid, plicamycin, mercaptopurine, and 6-thioguanine); cytotoxic agents (e.g., carmustine, BCNU, lomustine, CCNU, cytosine arabinoside, cyclophosphamide, estramustine, hydroxyurea, procarbazine, mitomycin, busulfan, cis-platin, and vincristine sulfate); hormones (e.g., medroxyprogesterone, estramustine phosphate sodium, ethinyl estradiol, estradiol, megestrol acetate, methyltestosterone, diethylstilbestrol
30 diphosphate, chlorotrianisene, and testolactone); nitrogen mustard derivatives (e.g., mephallen, chorambucil, mechlorethamine (nitrogen mustard) and thiotepa); steroids and

combinations (e.g., bethamethasone sodium phosphate); and others (e.g., dicarbazine, asparaginase, mitotane, vincristine sulfate, vinblastine sulfate, and etoposide).

In a specific embodiment, Therapeutics of the invention are administered in combination with CHOP (cyclophosphamide, doxorubicin, vincristine, and prednisone) or
5 any combination of the components of CHOP. In another embodiment, Therapeutics of the invention are administered in combination with Rituximab. In a further embodiment, Therapeutics of the invention are administered with Rituxmab and CHOP, or Rituxmab and any combination of the components of CHOP.

In an additional embodiment, the Therapeutics of the invention are administered in
10 combination with cytokines. Cytokines that may be administered with the Therapeutics of the invention include, but are not limited to, IL2, IL3, IL4, IL5, IL6, IL7, IL10, IL12, IL13, IL15, anti-CD40, CD40L, IFN-gamma and TNF-alpha. In another embodiment, Therapeutics of the invention may be administered with any interleukin, including, but not limited to, IL-1alpha, IL-1beta, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11,
15 IL-12, IL-13, IL-14, IL-15, IL-16, IL-17, IL-18, IL-19, IL-20, and IL-21.

In an additional embodiment, the Therapeutics of the invention are administered in combination with angiogenic proteins. Angiogenic proteins that may be administered with the Therapeutics of the invention include, but are not limited to, Glioma Derived Growth Factor (GDGF), as disclosed in European Patent Number EP-399816; Platelet Derived
20 Growth Factor-A (PDGF-A), as disclosed in European Patent Number EP-682110; Platelet Derived Growth Factor-B (PDGF-B), as disclosed in European Patent Number EP-282317; Placental Growth Factor (PIGF), as disclosed in International Publication Number WO 92/06194; Placental Growth Factor-2 (PIGF-2), as disclosed in Hauser et al., Growth Factors, 4:259-268 (1993); Vascular Endothelial Growth Factor (VEGF), as disclosed in International
25 Publication Number WO 90/13649; Vascular Endothelial Growth Factor-A (VEGF-A), as disclosed in European Patent Number EP-506477; Vascular Endothelial Growth Factor-2 (VEGF-2), as disclosed in International Publication Number WO 96/39515; Vascular Endothelial Growth Factor B (VEGF-3); Vascular Endothelial Growth Factor B-186 (VEGF-B186), as disclosed in International Publication Number WO 96/26736; Vascular Endothelial
30 Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/02543; Vascular Endothelial Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/07832; and Vascular Endothelial Growth Factor-E (VEGF-E), as

disclosed in German Patent Number DE19639601. The above mentioned references are incorporated herein by reference herein.

In an additional embodiment, the Therapeutics of the invention are administered in combination with hematopoietic growth factors. Hematopoietic growth factors that may be administered with the Therapeutics of the invention include, but are not limited to, LEUKINE™ (SARGRAMOSTIM™) and NEUPOGEN™ (FILGRASTIM™).

In an additional embodiment, the Therapeutics of the invention are administered in combination with Fibroblast Growth Factors. Fibroblast Growth Factors that may be administered with the Therapeutics of the invention include, but are not limited to, FGF-1, FGF-2, FGF-3, FGF-4, FGF-5, FGF-6, FGF-7, FGF-8, FGF-9, FGF-10, FGF-11, FGF-12, FGF-13, FGF-14, and FGF-15.

In additional embodiments, the Therapeutics of the invention are administered in combination with other therapeutic or prophylactic regimens, such as, for example, radiation therapy.

Example 14: Method of Treating Decreased Levels of the Polypeptide

The present invention relates to a method for treating an individual in need of an increased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an agonist of the invention (including polypeptides of the invention). Moreover, it will be appreciated that conditions caused by a decrease in the standard or normal expression level of a polypeptide of the present invention in an individual can be treated by administering the agonist or antagonist of the present invention. Thus, the invention also provides a method of treatment of an individual in need of an increased level of the polypeptide comprising administering to such an individual a Therapeutic comprising an amount of the agonist or antagonist to increase the activity level of the polypeptide in such an individual.

For example, a patient with decreased levels of a polypeptide receives a daily dose 0.1-100 ug/kg of the agonist or antagonist for six consecutive days. The exact details of the dosing scheme, based on administration and formulation, are provided in Example 13.

Example 15: Method of Treating Increased Levels of the Polypeptide

The present invention also relates to a method of treating an individual in need of a decreased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an antagonist of the invention (including polypeptides and antibodies of the invention).

In one example, antisense technology is used to inhibit production of a polypeptide of the present invention. This technology is one example of a method of decreasing levels of a polypeptide, due to a variety of etiologies, such as cancer.

For example, a patient diagnosed with abnormally increased levels of a polypeptide is administered intravenously antisense polynucleotides at 0.5, 1.0, 1.5, 2.0 and 3.0 mg/kg day for 21 days. This treatment is repeated after a 7-day rest period if the treatment was well tolerated. The formulation of the antisense polynucleotide is provided in Example 13.

Example 16: Method of Treatment Using Gene Therapy-Ex Vivo

One method of gene therapy transplants fibroblasts, which are capable of expressing a polypeptide, onto a patient. Generally, fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in tissue-culture medium and separated into small pieces. Small chunks of the tissue are placed on a wet surface of a tissue culture flask, approximately ten pieces are placed in each flask. The flask is turned upside down, closed tight and left at room temperature over night. After 24 hours at room temperature, the flask is inverted and the chunks of tissue remain fixed to the bottom of the flask and fresh media (e.g., Ham's F12 media, with 10% FBS, penicillin and streptomycin) is added. The flasks are then incubated at 37 degree C for approximately one week.

At this time, fresh media is added and subsequently changed every several days. After an additional two weeks in culture, a monolayer of fibroblasts emerge. The monolayer is trypsinized and scaled into larger flasks.

pMV-7 (Kirschmeier, P.T. et al., DNA, 7:219-25 (1988)), flanked by the long terminal repeats of the Moloney murine sarcoma virus, is digested with EcoRI and HindIII and subsequently treated with calf intestinal phosphatase. The linear vector is fractionated on agarose gel and purified, using glass beads.

The cDNA encoding a polypeptide of the present invention can be amplified using

PCR primers which correspond to the 5' and 3' end sequences respectively as set forth in Example 1 using primers and having appropriate restriction sites and initiation/stop codons, if necessary. Preferably, the 5' primer contains an EcoRI site and the 3' primer includes a HindIII site. Equal quantities of the Moloney murine sarcoma virus linear backbone and the amplified EcoRI and HindIII fragment are added together, in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The ligation mixture is then used to transform bacteria HB101, which are then plated onto agar containing kanamycin for the purpose of confirming that the vector has the gene of interest properly inserted.

10 The amphotropic pA317 or GP+am12 packaging cells are grown in tissue culture to confluent density in Dulbecco's Modified Eagles Medium (DMEM) with 10% calf serum (CS), penicillin and streptomycin. The MSV vector containing the gene is then added to the media and the packaging cells transduced with the vector. The packaging cells now produce infectious viral particles containing the gene (the packaging cells are now referred to as producer cells).

15 Fresh media is added to the transduced producer cells, and subsequently, the media is harvested from a 10 cm plate of confluent producer cells. The spent media, containing the infectious viral particles, is filtered through a millipore filter to remove detached producer cells and this media is then used to infect fibroblast cells. Media is removed from a sub-confluent plate of fibroblasts and quickly replaced with the media from the producer cells. This media is removed and replaced with fresh media. If the titer of virus is high, then virtually all fibroblasts will be infected and no selection is required. If the titer is very low, then it is necessary to use a retroviral vector that has a selectable marker, such as neo or his. Once the fibroblasts have been efficiently infected, the fibroblasts are analyzed to determine whether protein is produced.

25 The engineered fibroblasts are then transplanted onto the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads.

Example 17: Gene Therapy Using Endogenous Genes Corresponding To Polynucleotides of the Invention

30 Another method of gene therapy according to the present invention involves operably

associating the endogenous polynucleotide sequence of the invention with a promoter via homologous recombination as described, for example, in U.S. Patent NO: 5,641,670, issued June 24, 1997; International Publication NO: WO 96/29411, published September 26, 1996; International Publication NO: WO 94/12650, published August 4, 1994; Koller et al., *Proc. Natl. Acad. Sci. USA*, 86:8932-8935 (1989); and Zijlstra et al., *Nature*, 342:435-438 (1989). This method involves the activation of a gene which is present in the target cells, but which is not expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made which contain a promoter and targeting sequences, which are homologous to the 5' non-coding sequence of endogenous polynucleotide sequence, flanking the promoter. The targeting sequence will be sufficiently near the 5' end of the polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination. The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter.

The amplified promoter and the amplified targeting sequences are digested with the appropriate restriction enzymes and subsequently treated with calf intestinal phosphatase. The digested promoter and digested targeting sequences are added together in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The construct is size fractionated on an agarose gel then purified by phenol extraction and ethanol precipitation.

In this Example, the polynucleotide constructs are administered as naked polynucleotides via electroporation. However, the polynucleotide constructs may also be administered with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, precipitating agents, etc. Such methods of delivery are known in the art.

Once the cells are transfected, homologous recombination will take place which results in the promoter being operably linked to the endogenous polynucleotide sequence. This results in the expression of polynucleotide corresponding to the polynucleotide in the cell. Expression may be detected by immunological staining, or any other method known in the art.

Fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in DMEM + 10% fetal calf serum. Exponentially growing or early stationary phase fibroblasts are trypsinized and rinsed from the plastic surface with nutrient medium. An aliquot of the cell suspension is removed for counting, and the remaining cells are subjected to centrifugation. The supernatant is aspirated and the pellet is resuspended in 5 ml of electroporation buffer (20 mM HEPES pH 7.3, 137 mM NaCl, 5 mM KCl, 0.7 mM Na₂HPO₄, 6 mM dextrose). The cells are recentrifuged, the supernatant aspirated, and the cells resuspended in electroporation buffer containing 1 mg/ml acetylated bovine serum albumin. The final cell suspension contains approximately 3×10^6 cells/ml. Electroporation should be performed immediately following resuspension.

Plasmid DNA is prepared according to standard techniques. For example, to construct a plasmid for targeting to the locus corresponding to the polynucleotide of the invention, plasmid pUC18 (MBI Fermentas, Amherst, NY) is digested with HindIII. The CMV promoter is amplified by PCR with an XbaI site on the 5' end and a BamHI site on the 3' end. Two non-coding sequences are amplified via PCR: one non-coding sequence (fragment 1) is amplified with a HindIII site at the 5' end and an Xba site at the 3' end; the other non-coding sequence (fragment 2) is amplified with a BamHI site at the 5' end and a HindIII site at the 3' end. The CMV promoter and the fragments (1 and 2) are digested with the appropriate enzymes (CMV promoter - XbaI and BamHI; fragment 1 - XbaI; fragment 2 - BamHI) and ligated together. The resulting ligation product is digested with HindIII, and ligated with the HindIII-digested pUC18 plasmid.

Plasmid DNA is added to a sterile cuvette with a 0.4 cm electrode gap (Bio-Rad). The final DNA concentration is generally at least 120 µg/ml. 0.5 ml of the cell suspension (containing approximately 1.5×10^6 cells) is then added to the cuvette, and the cell suspension and DNA solutions are gently mixed. Electroporation is performed with a Gene-Pulser apparatus (Bio-Rad). Capacitance and voltage are set at 960 µF and 250-300 V, respectively. As voltage increases, cell survival decreases, but the percentage of surviving cells that stably incorporate the introduced DNA into their genome increases dramatically. Given these parameters, a pulse time of approximately 14-20 mSec should be observed.

Electroporated cells are maintained at room temperature for approximately 5 min, and the contents of the cuvette are then gently removed with a sterile transfer pipette. The cells are added directly to 10 ml of prewarmed nutrient media (DMEM with 15% calf serum) in a

10 cm dish and incubated at 37 degree C. The following day, the media is aspirated and replaced with 10 ml of fresh media and incubated for a further 16-24 hours.

The engineered fibroblasts are then injected into the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads. The fibroblasts now produce the protein product. The fibroblasts can then be introduced into a patient as described above.

Example 18: Method of Treatment Using Gene Therapy - In Vivo

Another aspect of the present invention is using *in vivo* gene therapy methods to treat disorders, diseases and conditions. The gene therapy method relates to the introduction of naked nucleic acid (DNA, RNA, and antisense DNA or RNA) sequences into an animal to increase or decrease the expression of the polypeptide. The polynucleotide of the present invention may be operatively linked to a promoter or any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques and methods are known in the art, see, for example, WO90/11092, WO98/11779; U.S. Patent NO. 5693622, 5705151, 5580859; Tabata et al., Cardiovasc. Res. 35(3):470-479 (1997); Chao et al., Pharmacol. Res. 35(6):517-522 (1997); Wolff, Neuromuscul. Disord. 7(5):314-318 (1997); Schwartz et al., Gene Ther. 3(5):405-411 (1996); Tsurumi et al., Circulation 94(12):3281-3290 (1996) (incorporated herein by reference).

The polynucleotide constructs may be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, intestine and the like). The polynucleotide constructs can be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

The term "naked" polynucleotide, DNA or RNA, refers to sequences that are free from any delivery vehicle that acts to assist, promote, or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotides of the present invention may also be delivered in liposome formulations (such as those taught in Felgner P.L. et al. (1995) Ann. NY Acad. Sci. 772:126-139 and Abdallah B. et al. (1995) Biol. Cell 85(1):1-7) which can be prepared by methods well known to those skilled in the art.

The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that

allow for replication. Any strong promoter known to those skilled in the art can be used for driving the expression of DNA. Unlike other gene therapies techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

The polynucleotide construct can be delivered to the interstitial space of tissues within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. *In vivo* muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked polynucleotide injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 g/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration. The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked polynucleotide constructs can be delivered to

arteries during angioplasty by the catheter used in the procedure.

The dose response effects of injected polynucleotide in muscle *in vivo* is determined as follows. Suitable template DNA for production of mRNA coding for polypeptide of the present invention is prepared in accordance with a standard recombinant DNA methodology.

- 5 The template DNA, which may be either circular or linear, is either used as naked DNA or complexed with liposomes. The quadriceps muscles of mice are then injected with various amounts of the template DNA.

- 10 Five to six week old female and male Balb/C mice are anesthetized by intraperitoneal injection with 0.3 ml of 2.5% Avertin. A 1.5 cm incision is made on the anterior thigh, and the quadriceps muscle is directly visualized. The template DNA is injected in 0.1 ml of carrier in a 1 cc syringe through a 27 gauge needle over one minute, approximately 0.5 cm from the distal insertion site of the muscle into the knee and about 0.2 cm deep. A suture is placed over the injection site for future localization, and the skin is closed with stainless steel clips.

- 15 After an appropriate incubation time (e.g., 7 days) muscle extracts are prepared by excising the entire quadriceps. Every fifth 15 um cross-section of the individual quadriceps muscles is histochemically stained for protein expression. A time course for protein expression may be done in a similar fashion except that quadriceps from different mice are harvested at different times. Persistence of DNA in muscle following injection may be
20 determined by Southern blot analysis after preparing total cellular DNA and HIRT supernatants from injected and control mice. The results of the above experimentation in mice can be use to extrapolate proper dosages and other treatment parameters in humans and other animals using naked DNA.

25 *Example 19: Transgenic Animals*

- The polypeptides of the invention can also be expressed in transgenic animals. Animals of any species, including, but not limited to, mice, rats, rabbits, hamsters, guinea pigs, pigs, micro-pigs, goats, sheep, cows and non-human primates, e.g., baboons, monkeys,
30 and chimpanzees may be used to generate transgenic animals. In a specific embodiment, techniques described herein or otherwise known in the art, are used to express polypeptides of the invention in humans, as part of a gene therapy protocol.

Any technique known in the art may be used to introduce the transgene (i.e., polynucleotides of the invention) into animals to produce the founder lines of transgenic animals. Such techniques include, but are not limited to, pronuclear microinjection (Paterson et al., Appl. Microbiol. Biotechnol. 40:691-698 (1994); Carver et al., Biotechnology (NY) 11:1263-1270 (1993); Wright et al., Biotechnology (NY) 9:830-834 (1991); and Hoppe et al., U.S. Pat. No. 4,873,191 (1989)); retrovirus mediated gene transfer into germ lines (Van der Putten et al., Proc. Natl. Acad. Sci., USA 82:6148-6152 (1985)), blastocysts or embryos; gene targeting in embryonic stem cells (Thompson et al., Cell 56:313-321 (1989)); electroporation of cells or embryos (Lo, 1983, Mol Cell. Biol. 3:1803-1814 (1983)); introduction of the polynucleotides of the invention using a gene gun (see, e.g., Ulmer et al., Science 259:1745 (1993); introducing nucleic acid constructs into embryonic pluripotent stem cells and transferring the stem cells back into the blastocyst; and sperm-mediated gene transfer (Lavitrano et al., Cell 57:717-723 (1989); etc. For a review of such techniques, see Gordon, "Transgenic Animals," Intl. Rev. Cytol. 115:171-229 (1989), which is incorporated by reference herein in its entirety.

Any technique known in the art may be used to produce transgenic clones containing polynucleotides of the invention, for example, nuclear transfer into enucleated oocytes of nuclei from cultured embryonic, fetal, or adult cells induced to quiescence (Campell et al., Nature 380:64-66 (1996); Wilmut et al., Nature 385:810-813 (1997)).

The present invention provides for transgenic animals that carry the transgene in all their cells, as well as animals which carry the transgene in some, but not all their cells, i.e., mosaic animals or chimeric. The transgene may be integrated as a single transgene or as multiple copies such as in concatamers, e.g., head-to-head tandems or head-to-tail tandems. The transgene may also be selectively introduced into and activated in a particular cell type by following, for example, the teaching of Lasko et al. (Lasko et al., Proc. Natl. Acad. Sci. USA 89:6232-6236 (1992)). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art. When it is desired that the polynucleotide transgene be integrated into the chromosomal site of the endogenous gene, gene targeting is preferred. Briefly, when such a technique is to be utilized, vectors containing some nucleotide sequences homologous to the endogenous gene are designed for the purpose of integrating, via homologous recombination with chromosomal sequences, into and disrupting the function of the nucleotide sequence of

the endogenous gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous gene in only that cell type, by following, for example, the teaching of Gu et al. (Gu et al., Science 265:103-106 (1994)). The regulatory sequences required for such a cell-type specific inactivation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art.

Once transgenic animals have been generated, the expression of the recombinant gene may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to analyze animal tissues to verify that integration of the transgene has taken place. The level of mRNA expression of the transgene in the tissues of the transgenic animals may also be assessed using techniques which include, but are not limited to, Northern blot analysis of tissue samples obtained from the animal, *in situ* hybridization analysis, and reverse transcriptase-PCR (rt-PCR). Samples of transgenic gene-expressing tissue may also be evaluated immunocytochemically or immunohistochemically using antibodies specific for the transgene product.

Once the founder animals are produced, they may be bred, inbred, outbred, or crossbred to produce colonies of the particular animal. Examples of such breeding strategies include, but are not limited to: outbreeding of founder animals with more than one integration site in order to establish separate lines; inbreeding of separate lines in order to produce compound transgenics that express the transgene at higher levels because of the effects of additive expression of each transgene; crossing of heterozygous transgenic animals to produce animals homozygous for a given integration site in order to both augment expression and eliminate the need for screening of animals by DNA analysis; crossing of separate homozygous lines to produce compound heterozygous or homozygous lines; and breeding to place the transgene on a distinct background that is appropriate for an experimental model of interest.

Transgenic animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

Example 20: Knock-Out Animals

Endogenous gene expression can also be reduced by inactivating or "knocking out" the gene and/or its promoter using targeted homologous recombination. (E.g., see Smithies et al., Nature 317:230-234 (1985); Thomas & Capecchi, Cell 51:503-512 (1987); Thompson et al., Cell 5:313-321 (1989); each of which is incorporated by reference herein in its entirety). For example, a mutant, non-functional polynucleotide of the invention (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous polynucleotide sequence (either the coding regions or regulatory regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express polypeptides of the invention *in vivo*. In another embodiment, techniques known in the art are used to generate knockouts in cells that contain, but do not express the gene of interest. Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the targeted gene. Such approaches are particularly suited in research and agricultural fields where modifications to embryonic stem cells can be used to generate animal offspring with an inactive targeted gene (e.g., see Thomas & Capecchi 1987 and Thompson 1989, *supra*). However this approach can be routinely adapted for use in humans provided the recombinant DNA constructs are directly administered or targeted to the required site *in vivo* using appropriate viral vectors that will be apparent to those of skill in the art.

In further embodiments of the invention, cells that are genetically engineered to express the polypeptides of the invention, or alternatively, that are genetically engineered not to express the polypeptides of the invention (e.g., knockouts) are administered to a patient *in vivo*. Such cells may be obtained from the patient (i.e., animal, including human) or an MHC compatible donor and can include, but are not limited to fibroblasts, bone marrow cells, blood cells (e.g., lymphocytes), adipocytes, muscle cells, endothelial cells etc. The cells are genetically engineered *in vitro* using recombinant DNA techniques to introduce the coding sequence of polypeptides of the invention into the cells, or alternatively, to disrupt the coding sequence and/or endogenous regulatory sequence associated with the polypeptides of the invention, e.g., by transduction (using viral vectors, and preferably vectors that integrate the transgene into the cell genome) or transfection procedures, including, but not limited to, the use of plasmids, cosmids, YACs, naked DNA, electroporation, liposomes, etc. The coding sequence of the polypeptides of the invention can be placed under the control of a strong constitutive or inducible promoter or promoter/enhancer to achieve expression, and

preferably secretion, of the polypeptides of the invention. The engineered cells which express and preferably secrete the polypeptides of the invention can be introduced into the patient systemically, e.g., in the circulation, or intraperitoneally.

Alternatively, the cells can be incorporated into a matrix and implanted in the body, 5 e.g., genetically engineered fibroblasts can be implanted as part of a skin graft; genetically engineered endothelial cells can be implanted as part of a lymphatic or vascular graft. (See, for example, Anderson et al. U.S. Patent No. 5,399,349; and Mulligan & Wilson, U.S. Patent No. 5,460,959 each of which is incorporated by reference herein in its entirety).

When the cells to be administered are non-autologous or non-MHC compatible cells, 10 they can be administered using well known techniques which prevent the development of a host immune response against the introduced cells. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular environment, does not allow the introduced cells to be recognized by the host immune system.

Transgenic and "knock-out" animals of the invention have uses which include, but are 15 not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

20

Example 22: Assays Detecting Stimulation or Inhibition of B cell Proliferation and Differentiation

Generation of functional humoral immune responses requires both soluble and 25 cognate signaling between B-lineage cells and their microenvironment. Signals may impart a positive stimulus that allows a B-lineage cell to continue its programmed development, or a negative stimulus that instructs the cell to arrest its current developmental pathway. To date, numerous stimulatory and inhibitory signals have been found to influence B cell responsiveness including IL-2, IL-4, IL-5, IL-6, IL-7, IL10, IL-13, IL-14 and IL-15. 30 Interestingly, these signals are by themselves weak effectors but can, in combination with various co-stimulatory proteins, induce activation, proliferation, differentiation, homing, tolerance and death among B cell populations.

One of the best studied classes of B-cell co-stimulatory proteins is the TNF-superfamily. Within this family CD40, CD27, and CD30 along with their respective ligands CD154, CD70, and CD153 have been found to regulate a variety of immune responses. Assays which allow for the detection and/or observation of the proliferation and differentiation of these B-cell populations and their precursors are valuable tools in determining the effects various proteins may have on these B-cell populations in terms of proliferation and differentiation. Listed below are two assays designed to allow for the detection of the differentiation, proliferation, or inhibition of B-cell populations and their precursors.

10 **In Vitro Assay-** Agonists or antagonists of the invention can be assessed for its ability to induce activation, proliferation, differentiation or inhibition and/or death in B-cell populations and their precursors. The activity of the agonists or antagonists of the invention on purified human tonsillar B cells, measured qualitatively over the dose range from 0.1 to 10,000 ng/mL, is assessed in a standard B-lymphocyte co-stimulation assay in which purified
15 tonsillar B cells are cultured in the presence of either formalin-fixed *Staphylococcus aureus* Cowan I (SAC) or immobilized anti-human IgM antibody as the priming agent. Second signals such as IL-2 and IL-15 synergize with SAC and IgM crosslinking to elicit B cell proliferation as measured by tritiated-thymidine incorporation. Novel synergizing agents can be readily identified using this assay. The assay involves isolating human tonsillar B cells by
20 magnetic bead (MACS) depletion of CD3-positive cells. The resulting cell population is greater than 95% B cells as assessed by expression of CD45R(B220).

Various dilutions of each sample are placed into individual wells of a 96-well plate to which are added 10^5 B-cells suspended in culture medium (RPMI 1640 containing 10% FBS, 5×10^{-5} M 2ME, 100U/ml penicillin, 10ug/ml streptomycin, and 10^{-5} dilution of SAC) in a
25 total volume of 150ul. Proliferation or inhibition is quantitated by a 20h pulse (1uCi/well) with 3H-thymidine (6.7 Ci/mM) beginning 72h post factor addition. The positive and negative controls are IL2 and medium respectively.

30 **In Vivo Assay-** BALB/c mice are injected (i.p.) twice per day with buffer only, or 2 mg/Kg of agonists or antagonists of the invention, or truncated forms thereof. Mice receive this treatment for 4 consecutive days, at which time they are sacrificed and various tissues and serum collected for analyses. Comparison of H&E sections from normal spleens and spleens treated with agonists or antagonists of the invention identify the results of the activity

of the agonists or antagonists on spleen cells, such as the diffusion of peri-arterial lymphatic sheaths, and/or significant increases in the nucleated cellularity of the red pulp regions, which may indicate the activation of the differentiation and proliferation of B-cell populations. Immunohistochemical studies using a B cell marker, anti-CD45R(B220), are used to
5 determine whether any physiological changes to splenic cells, such as splenic disorganization, are due to increased B-cell representation within loosely defined B-cell zones that infiltrate established T-cell regions.

Flow cytometric analyses of the spleens from mice treated with agonist or antagonist is used to indicate whether the agonists or antagonists specifically increases the proportion of
10 ThB+, CD45R(B220)dull B cells over that which is observed in control mice. Likewise, a predicted consequence of increased mature B-cell representation in vivo is a relative increase in serum Ig titers. Accordingly, serum IgM and IgA levels are compared between buffer and agonists or antagonists-treated mice.

The studies described in this example tested activity of agonists or antagonists of the
15 invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 23: T Cell Proliferation Assay

20 A CD3-induced proliferation assay is performed on PBMCs and is measured by the uptake of ^3H -thymidine. The assay is performed as follows. Ninety-six well plates are coated with 100 μl /well of mAb to CD3 (HIT3a, Pharmingen) or isotype-matched control mAb (B33.1) overnight at 4 degrees C (1 $\mu\text{g}/\text{ml}$ in .05M bicarbonate buffer, pH 9.5), then washed three times with PBS. PBMC are isolated by F/H gradient centrifugation from
25 human peripheral blood and added to quadruplicate wells (5×10^4 /well) of mAb coated plates in RPMI containing 10% FCS and P/S in the presence of varying concentrations of agonists or antagonists of the invention (total volume 200 μl). Relevant protein buffer and medium alone are controls. After 48 hr. culture at 37 degrees C, plates are spun for 2 min. at 1000 rpm and 100 μl of supernatant is removed and stored -20 degrees C for measurement of IL-2
30 (or other cytokines) if effect on proliferation is observed. Wells are supplemented with 100 μl of medium containing 0.5 uCi of ^3H -thymidine and cultured at 37 degrees C for 18-24 hr. Wells are harvested and incorporation of ^3H -thymidine used as a measure of proliferation.

Anti-CD3 alone is the positive control for proliferation. IL-2 (100 U/ml) is also used as a control which enhances proliferation. Control antibody which does not induce proliferation of T cells is used as the negative controls for the effects of agonists or antagonists of the invention.

- 5 The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

10 *Example 24: Effect of Agonists or Antagonists of the Invention on the Expression of MHC Class II, Costimulatory and Adhesion Molecules and Cell Differentiation of Monocytes and Monocyte-Derived Human Dendritic Cells*

- Dendritic cells are generated by the expansion of proliferating precursors found in the peripheral blood: adherent PBMC or elutriated monocytic fractions are cultured for 7-10 days with GM-CSF (50 ng/ml) and IL-4 (20 ng/ml). These dendritic cells have the characteristic phenotype of immature cells (expression of CD1, CD80, CD86, CD40 and MHC class II antigens). Treatment with activating factors, such as TNF- α , causes a rapid change in surface phenotype (increased expression of MHC class I and II, costimulatory and adhesion molecules, downregulation of FC γ RII, upregulation of CD83). These changes correlate with increased antigen-presenting capacity and with functional maturation of the dendritic cells.
- 15
- 20

- FACS analysis of surface antigens is performed as follows. Cells are treated 1-3 days with increasing concentrations of agonist or antagonist of the invention or LPS (positive control), washed with PBS containing 1% BSA and 0.02 mM sodium azide, and then incubated with 1:20 dilution of appropriate FITC- or PE-labeled monoclonal antibodies for 30 minutes at 4 degrees C. After an additional wash, the labeled cells are analyzed by flow cytometry on a FACScan (Becton Dickinson).
- 25

- Effect on the production of cytokines. Cytokines generated by dendritic cells, in particular IL-12, are important in the initiation of T-cell dependent immune responses. IL-12 strongly influences the development of Th1 helper T-cell immune response, and induces cytotoxic T and NK cell function. An ELISA is used to measure the IL-12 release as follows. Dendritic cells (10^6 /ml) are treated with increasing concentrations of agonists or antagonists of the
- 30

invention for 24 hours. LPS (100 ng/ml) is added to the cell culture as positive control. Supernatants from the cell cultures are then collected and analyzed for IL-12 content using commercial ELISA kit (e.g., R & D Systems (Minneapolis, MN)). The standard protocols provided with the kits are used.

5

Effect on the expression of MHC Class II, costimulatory and adhesion molecules. Three major families of cell surface antigens can be identified on monocytes: adhesion molecules, molecules involved in antigen presentation, and Fc receptor. Modulation of the expression of MHC class II antigens and other costimulatory molecules, such as B7 and ICAM-1, may result in changes in the antigen presenting capacity of monocytes and ability to induce T cell activation. Increase expression of Fc receptors may correlate with improved monocyte cytotoxic activity, cytokine release and phagocytosis.

FACS analysis is used to examine the surface antigens as follows. Monocytes are treated 1-5 days with increasing concentrations of agonists or antagonists of the invention or LPS (positive control), washed with PBS containing 1% BSA and 0.02 mM sodium azide, and then incubated with 1:20 dilution of appropriate FITC- or PE-labeled monoclonal antibodies for 30 minutes at 4 degreesC. After an additional wash, the labeled cells are analyzed by flow cytometry on a FACScan (Becton Dickinson).

Monocyte activation and/or increased survival. Assays for molecules that activate (or alternatively, inactivate) monocytes and/or increase monocyte survival (or alternatively, decrease monocyte survival) are known in the art and may routinely be applied to determine whether a molecule of the invention functions as an inhibitor or activator of monocytes. Agonists or antagonists of the invention can be screened using the three assays described below. For each of these assays, Peripheral blood mononuclear cells (PBMC) are purified from single donor leukopacks (American Red Cross, Baltimore, MD) by centrifugation through a Histopaque gradient (Sigma). Monocytes are isolated from PBMC by counterflow centrifugal elutriation.

Monocyte Survival Assay. Human peripheral blood monocytes progressively lose viability when cultured in absence of serum or other stimuli. Their death results from internally regulated process (apoptosis). Addition to the culture of activating factors, such as TNF-alpha

dramatically improves cell survival and prevents DNA fragmentation. Propidium iodide (PI) staining is used to measure apoptosis as follows. Monocytes are cultured for 48 hours in polypropylene tubes in serum-free medium (positive control), in the presence of 100 ng/ml TNF-alpha (negative control), and in the presence of varying concentrations of the compound to be tested. Cells are suspended at a concentration of 2×10^6 /ml in PBS containing PI at a final concentration of 5 µg/ml, and then incubated at room temperature for 5 minutes before FACScan analysis. PI uptake has been demonstrated to correlate with DNA fragmentation in this experimental paradigm.

10 Effect on cytokine release. An important function of monocytes/macrophages is their regulatory activity on other cellular populations of the immune system through the release of cytokines after stimulation. An ELISA to measure cytokine release is performed as follows. Human monocytes are incubated at a density of 5×10^5 cells/ml with increasing concentrations of agonists or antagonists of the invention and under the same conditions, but
15 in the absence of agonists or antagonists. For IL-12 production, the cells are primed overnight with IFN (100 U/ml) in presence of agonist or antagonist of the invention. LPS (10 ng/ml) is then added. Conditioned media are collected after 24h and kept frozen until use. Measurement of TNF-alpha, IL-10, MCP-1 and IL-8 is then performed using a commercially available ELISA kit (e. g, R & D Systems (Minneapolis, MN)) and applying the standard
20 protocols provided with the kit.

Oxidative burst. Purified monocytes are plated in 96-w plate at 2×10^5 cell/well. Increasing concentrations of agonists or antagonists of the invention are added to the wells in a total volume of 0.2 ml culture medium (RPMI 1640 + 10% FCS, glutamine and antibiotics). After
25 3 days incubation, the plates are centrifuged and the medium is removed from the wells. To the macrophage monolayers, 0.2 ml per well of phenol red solution (140 mM NaCl, 10 mM potassium phosphate buffer pH 7.0, 5.5 mM dextrose, 0.56 mM phenol red and 19 U/ml of HRPO) is added, together with the stimulant (200 nM PMA). The plates are incubated at 37°C for 2 hours and the reaction is stopped by adding 20 µl 1N NaOH per well. The
30 absorbance is read at 610 nm. To calculate the amount of H_2O_2 produced by the macrophages, a standard curve of a H_2O_2 solution of known molarity is performed for each experiment.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

5

Example 25: Biological Effects of Agonists or Antagonists of the Invention

Astrocyte and Neuronal Assays.

Agonists or antagonists of the invention, expressed in *Escherichia coli* and purified
10 as described above, can be tested for activity in promoting the survival, neurite outgrowth, or phenotypic differentiation of cortical neuronal cells and for inducing the proliferation of glial fibrillary acidic protein immunopositive cells, astrocytes. The selection of cortical cells for the bioassay is based on the prevalent expression of FGF-1 and FGF-2 in cortical structures and on the previously reported enhancement of cortical neuronal survival resulting from
15 FGF-2 treatment. A thymidine incorporation assay, for example, can be used to elucidate an agonist or antagonist of the invention's activity on these cells.

Moreover, previous reports describing the biological effects of FGF-2 (basic FGF) on cortical or hippocampal neurons *in vitro* have demonstrated increases in both neuron survival and neurite outgrowth (Walicke et al., "Fibroblast growth factor promotes survival of
20 dissociated hippocampal neurons and enhances neurite extension." *Proc. Natl. Acad. Sci. USA* 83:3012-3016. (1986), assay herein incorporated by reference in its entirety). However, reports from experiments done on PC-12 cells suggest that these two responses are not necessarily synonymous and may depend on not only which FGF is being tested but also on which receptor(s) are expressed on the target cells. Using the primary cortical neuronal
25 culture paradigm, the ability of an agonist or antagonist of the invention to induce neurite outgrowth can be compared to the response achieved with FGF-2 using, for example, a thymidine incorporation assay.

Fibroblast and endothelial cell assays.

30 Human lung fibroblasts are obtained from Clonetics (San Diego, CA) and maintained in growth media from Clonetics. Dermal microvascular endothelial cells are obtained from

Cell Applications (San Diego, CA). For proliferation assays, the human lung fibroblasts and dermal microvascular endothelial cells can be cultured at 5,000 cells/well in a 96-well plate for one day in growth medium. The cells are then incubated for one day in 0.1% BSA basal medium. After replacing the medium with fresh 0.1% BSA medium, the cells are incubated with the test proteins for 3 days. Alamar Blue (Alamar Biosciences, Sacramento, CA) is added to each well to a final concentration of 10%. The cells are incubated for 4 hr. Cell viability is measured by reading in a CytoFluor fluorescence reader. For the PGE₂ assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or agonists or antagonists of the invention with or without IL-1 α for 24 hours. The supernatants are collected and assayed for PGE₂ by EIA kit (Cayman, Ann Arbor, MI). For the IL-6 assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or with or without agonists or antagonists of the invention IL-1 α for 24 hours. The supernatants are collected and assayed for IL-6 by ELISA kit (Endogen, Cambridge, MA).

Human lung fibroblasts are cultured with FGF-2 or agonists or antagonists of the invention for 3 days in basal medium before the addition of Alamar Blue to assess effects on growth of the fibroblasts. FGF-2 should show a stimulation at 10 - 2500 ng/ml which can be used to compare stimulation with agonists or antagonists of the invention.

Parkinson Models.

The loss of motor function in Parkinson's disease is attributed to a deficiency of striatal dopamine resulting from the degeneration of the nigrostriatal dopaminergic projection neurons. An animal model for Parkinson's that has been extensively characterized involves the systemic administration of 1-methyl-4 phenyl 1,2,3,6-tetrahydropyridine (MPTP). In the CNS, MPTP is taken-up by astrocytes and catabolized by monoamine oxidase B to 1-methyl-4-phenyl pyridine (MPP⁺) and released. Subsequently, MPP⁺ is actively accumulated in dopaminergic neurons by the high-affinity reuptake transporter for dopamine. MPP⁺ is then concentrated in mitochondria by the electrochemical gradient and selectively inhibits nicotinamide adenine disphosphate: ubiquinone oxidoreductionase (complex I), thereby interfering with electron transport and eventually generating oxygen radicals.

It has been demonstrated in tissue culture paradigms that FGF-2 (basic FGF) has trophic activity towards nigral dopaminergic neurons (Ferrari et al., Dev. Biol. 1989). Recently, Dr. Unsicker's group has demonstrated that administering FGF-2 in gel foam implants in the striatum results in the near complete protection of nigral dopaminergic neurons from the toxicity associated with MPTP exposure (Otto and Unsicker, J. Neuroscience, 1990).

Based on the data with FGF-2, agonists or antagonists of the invention can be evaluated to determine whether it has an action similar to that of FGF-2 in enhancing dopaminergic neuronal survival *in vitro* and it can also be tested *in vivo* for protection of dopaminergic neurons in the striatum from the damage associated with MPTP treatment. The potential effect of an agonist or antagonist of the invention is first examined *in vitro* in a dopaminergic neuronal cell culture paradigm. The cultures are prepared by dissecting the midbrain floor plate from gestation day 14 Wistar rat embryos. The tissue is dissociated with trypsin and seeded at a density of 200,000 cells/cm² on polyorthinine-laminin coated glass coverslips. The cells are maintained in Dulbecco's Modified Eagle's medium and F12 medium containing hormonal supplements (N1). The cultures are fixed with paraformaldehyde after 8 days *in vitro* and are processed for tyrosine hydroxylase, a specific marker for dopaminergic neurons, immunohistochemical staining. Dissociated cell cultures are prepared from embryonic rats. The culture medium is changed every third day and the factors are also added at that time.

Since the dopaminergic neurons are isolated from animals at gestation day 14, a developmental time which is past the stage when the dopaminergic precursor cells are proliferating, an increase in the number of tyrosine hydroxylase immunopositive neurons would represent an increase in the number of dopaminergic neurons surviving *in vitro*. Therefore, if an agonist or antagonist of the invention acts to prolong the survival of dopaminergic neurons, it would suggest that the agonist or antagonist may be involved in Parkinson's Disease.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 26: The Effect of Agonists or Antagonists of the Invention on the Growth of Vascular Endothelial Cells

On day 1, human umbilical vein endothelial cells (HUVEC) are seeded at 2.5×10^4 cells/35 mm dish density in M199 medium containing 4% fetal bovine serum (FBS), 16 units/ml heparin, and 50 units/ml endothelial cell growth supplements (ECGS, Biotechnology, Inc.). On day 2, the medium is replaced with M199 containing 10% FBS, 8 units/ml heparin. An agonist or antagonist of the invention, and positive controls, such as VEGF and basic FGF (bFGF) are added, at varying concentrations. On days 4 and 6, the medium is replaced. On day 8, cell number is determined with a Coulter Counter.

An increase in the number of HUVEC cells indicates that the compound of the invention may proliferate vascular endothelial cells, while a decrease in the number of HUVEC cell indicates that the compound of the invention inhibits vascular endothelial cells.

The studies described in this example tested activity of a polypeptide of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), agonists, and/or antagonists of the invention.

Example 27: Rat Corneal Wound Healing Model

This animal model shows the effect of an agonist or antagonist of the invention on neovascularization. The experimental protocol includes:

- a) Making a 1-1.5 mm long incision from the center of cornea into the stromal layer.
- b) Inserting a spatula below the lip of the incision facing the outer corner of the eye.
- c) Making a pocket (its base is 1-1.5 mm from the edge of the eye).
- d) Positioning a pellet, containing 50ng- 5ug of an agonist or antagonist of the invention, within the pocket.
- e) Treatment with an agonist or antagonist of the invention can also be applied topically to the corneal wounds in a dosage range of 20mg - 500mg (daily treatment for five days).

The studies described in this example tested activity of agonists or antagonists of the

invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 28: Diabetic Mouse and Glucocorticoid-Impaired Wound Healing Models

5

A. Diabetic db+/db+ Mouse Model.

To demonstrate that an agonist or antagonist of the invention accelerates the healing process, the genetically diabetic mouse model of wound healing is used. The full thickness wound healing model in the db+/db+ mouse is a well characterized, clinically relevant and
10 reproducible model of impaired wound healing. Healing of the diabetic wound is dependent on formation of granulation tissue and re-epithelialization rather than contraction (Gartner, M.H. *et al.*, *J. Surg. Res.* 52:389 (1992); Greenhalgh, D.G. *et al.*, *Am. J. Pathol.* 136:1235 (1990)).

The diabetic animals have many of the characteristic features observed in Type II
15 diabetes mellitus. Homozygous (db+/db+) mice are obese in comparison to their normal heterozygous (db+/+m) littermates. Mutant diabetic (db+/db+) mice have a single autosomal recessive mutation on chromosome 4 (db+) (Coleman *et al.* *Proc. Natl. Acad. Sci. USA* 77:283-293 (1982)). Animals show polyphagia, polydipsia and polyuria. Mutant diabetic mice (db+/db+) have elevated blood glucose, increased or normal insulin levels, and
20 suppressed cell-mediated immunity (Mandel *et al.*, *J. Immunol.* 120:1375 (1978); Debray-Sachs, M. *et al.*, *Clin. Exp. Immunol.* 51(1):1-7 (1983); Leiter *et al.*, *Am. J. of Pathol.* 114:46-55 (1985)). Peripheral neuropathy, myocardial complications, and microvascular lesions, basement membrane thickening and glomerular filtration abnormalities have been described in these animals (Norido, F. *et al.*, *Exp. Neurol.* 83(2):221-232 (1984); Robertson *et al.*,
25 *Diabetes* 29(1):60-67 (1980); Giacomelli *et al.*, *Lab Invest.* 40(4):460-473 (1979); Coleman, D.L., *Diabetes* 31 (Suppl):1-6 (1982)). These homozygous diabetic mice develop hyperglycemia that is resistant to insulin analogous to human type II diabetes (Mandel *et al.*, *J. Immunol.* 120:1375-1377 (1978)).

The characteristics observed in these animals suggests that healing in this model may
30 be similar to the healing observed in human diabetes (Greenhalgh, *et al.*, *Am. J. of Pathol.* 136:1235-1246 (1990)).

Genetically diabetic female C57BL/KsJ (db+/db+) mice and their non-diabetic

(db+/+m) heterozygous littermates are used in this study (Jackson Laboratories). The animals are purchased at 6 weeks of age and are 8 weeks old at the beginning of the study. Animals are individually housed and received food and water ad libitum. All manipulations are performed using aseptic techniques. The experiments are conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

Wounding protocol is performed according to previously reported methods (Tsuboi, R. and Rifkin, D.B., *J. Exp. Med.* 172:245-251 (1990)). Briefly, on the day of wounding, animals are anesthetized with an intraperitoneal injection of Avertin (0.01 mg/mL), 2,2,2-tribromoethanol and 2-methyl-2-butanol dissolved in deionized water. The dorsal region of the animal is shaved and the skin washed with 70% ethanol solution and iodine. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is then created using a Keyes tissue punch. Immediately following wounding, the surrounding skin is gently stretched to eliminate wound expansion. The wounds are left open for the duration of the experiment. Application of the treatment is given topically for 5 consecutive days commencing on the day of wounding. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.

Wounds are visually examined and photographed at a fixed distance at the day of surgery and at two day intervals thereafter. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

An agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.

Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for histology and immunohistochemistry. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.

Three groups of 10 animals each (5 diabetic and 5 non-diabetic controls) are evaluated: 1) Vehicle placebo control, 2) untreated group, and 3) treated group.

Wound closure is analyzed by measuring the area in the vertical and horizontal axis and

obtaining the total square area of the wound. Contraction is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm², the corresponding size of the dermal punch. Calculations are made using the following formula:

5

$$[\text{Open area on day 8}] - [\text{Open area on day 1}] / [\text{Open area on day 1}]$$

Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using a Reichert-Jung microtome. Routine hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds are used to assess whether the healing process and the morphologic appearance of the repaired skin is altered by treatment with an agonist or antagonist of the invention. This assessment included verification of the presence of cell accumulation, inflammatory cells, capillaries, fibroblasts, re-epithelialization and epidermal maturity (Greenhalgh, D.G. *et al.*, *Am. J. Pathol.* 136:1235 (1990)). A calibrated lens micrometer is used by a blinded observer.

Tissue sections are also stained immunohistochemically with a polyclonal rabbit anti-human keratin antibody using ABC Elite detection system. Human skin is used as a positive tissue control while non-immune IgG is used as a negative control. Keratinocyte growth is determined by evaluating the extent of reepithelialization of the wound using a calibrated lens micrometer.

Proliferating cell nuclear antigen/cyclin (PCNA) in skin specimens is demonstrated by using anti-PCNA antibody (1:50) with an ABC Elite detection system. Human colon cancer served as a positive tissue control and human brain tissue is used as a negative tissue control. Each specimen included a section with omission of the primary antibody and substitution with non-immune mouse IgG. Ranking of these sections is based on the extent of proliferation on a scale of 0-8, the lower side of the scale reflecting slight proliferation to the higher side reflecting intense proliferation.

Experimental data are analyzed using an unpaired t test. A p value of < 0.05 is considered significant.

B. Steroid Impaired Rat Model

The inhibition of wound healing by steroids has been well documented in various *in vitro* and *in vivo* systems (Wahl, Glucocorticoids and Wound healing. In: Anti-Inflammatory Steroid Action: Basic and Clinical Aspects. 280-302 (1989); Wahl *et al.*, *J. Immunol.* 115: 476-481 (1975); Werb *et al.*, *J. Exp. Med.* 147:1684-1694 (1978)). Glucocorticoids retard wound healing by inhibiting angiogenesis, decreasing vascular permeability (Ebert *et al.*, *Am. Intern. Med.* 37:701-705 (1952)), fibroblast proliferation, and collagen synthesis (Beck *et al.*, *Growth Factors.* 5: 295-304 (1991); Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978)) and producing a transient reduction of circulating monocytes (Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", In: Antiinflammatory Steroid Action: Basic and Clinical Aspects, Academic Press, New York, pp. 280-302 (1989)). The systemic administration of steroids to impaired wound healing is a well establish phenomenon in rats (Beck *et al.*, *Growth Factors.* 5: 295-304 (1991); Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", In: Antiinflammatory Steroid Action: Basic and Clinical Aspects, Academic Press, New York, pp. 280-302 (1989); Pierce *et al.*, *Proc. Natl. Acad. Sci. USA* 86: 2229-2233 (1989)).

To demonstrate that an agonist or antagonist of the invention can accelerate the healing process, the effects of multiple topical applications of the agonist or antagonist on full thickness excisional skin wounds in rats in which healing has been impaired by the systemic administration of methylprednisolone is assessed.

Young adult male Sprague Dawley rats weighing 250-300 g (Charles River Laboratories) are used in this example. The animals are purchased at 8 weeks of age and are 9 weeks old at the beginning of the study. The healing response of rats is impaired by the systemic administration of methylprednisolone (17mg/kg/rat intramuscularly) at the time of wounding. Animals are individually housed and received food and water *ad libitum*. All manipulations are performed using aseptic techniques. This study is conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

The wounding protocol is followed according to section A, above. On the day of wounding, animals are anesthetized with an intramuscular injection of ketamine (50 mg/kg) and xylazine (5 mg/kg). The dorsal region of the animal is shaved and the skin washed with 70% ethanol and iodine solutions. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is created using a Keyes tissue punch. The

wounds are left open for the duration of the experiment. Applications of the testing materials are given topically once a day for 7 consecutive days commencing on the day of wounding and subsequent to methylprednisolone administration. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.

5 Wounds are visually examined and photographed at a fixed distance at the day of wounding and at the end of treatment. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

10 The agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.

 Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for
15 histology. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.

 Four groups of 10 animals each (5 with methylprednisolone and 5 without glucocorticoid) are evaluated: 1) Untreated group 2) Vehicle placebo control 3) treated groups.

20 Wound closure is analyzed by measuring the area in the vertical and horizontal axis and obtaining the total area of the wound. Closure is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm², the corresponding size of the dermal punch. Calculations are made using the following formula:

25

$$[\text{Open area on day 8}] - [\text{Open area on day 1}] / [\text{Open area on day 1}]$$

Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using an Olympus microtome. Routine
30 hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds allows assessment of whether the healing process and the morphologic appearance of the repaired skin is improved by treatment with an agonist or

antagonist of the invention. A calibrated lens micrometer is used by a blinded observer to determine the distance of the wound gap.

Experimental data are analyzed using an unpaired t test. A p value of < 0.05 is considered significant.

- 5 The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 29: Lymphedema Animal Model

10

- The purpose of this experimental approach is to create an appropriate and consistent lymphedema model for testing the therapeutic effects of an agonist or antagonist of the invention in lymphangiogenesis and re-establishment of the lymphatic circulatory system in the rat hind limb. Effectiveness is measured by swelling volume of the affected limb, quantification of the amount of lymphatic vasculature, total blood plasma protein, and histopathology. Acute lymphedema is observed for 7-10 days. Perhaps more importantly, the chronic progress of the edema is followed for up to 3-4 weeks.

- Prior to beginning surgery, blood sample is drawn for protein concentration analysis. Male rats weighing approximately ~350g are dosed with Pentobarbital. Subsequently, the right legs are shaved from knee to hip. The shaved area is swabbed with gauze soaked in 70% EtOH. Blood is drawn for serum total protein testing. Circumference and volumetric measurements are made prior to injecting dye into paws after marking 2 measurement levels (0.5 cm above heel, at mid-pt of dorsal paw). The intradermal dorsum of both right and left paws are injected with 0.05 ml of 1% Evan's Blue. Circumference and volumetric measurements are then made following injection of dye into paws.

- Using the knee joint as a landmark, a mid-leg inguinal incision is made circumferentially allowing the femoral vessels to be located. Forceps and hemostats are used to dissect and separate the skin flaps. After locating the femoral vessels, the lymphatic vessel that runs along side and underneath the vessel(s) is located. The main lymphatic vessels in this area are then electrically coagulated or suture ligated.

 Using a microscope, muscles in back of the leg (near the semitendinosus and adductors) are bluntly dissected. The popliteal lymph node is then located. The 2 proximal

and 2 distal lymphatic vessels and distal blood supply of the popliteal node are then and ligated by suturing. The popliteal lymph node, and any accompanying adipose tissue, is then removed by cutting connective tissues.

Care is taken to control any mild bleeding resulting from this procedure. After
5 lymphatics are occluded, the skin flaps are sealed by using liquid skin (Vetbond) (AJ Buck). The separated skin edges are sealed to the underlying muscle tissue while leaving a gap of ~0.5 cm around the leg. Skin also may be anchored by suturing to underlying muscle when necessary.

To avoid infection, animals are housed individually with mesh (no bedding).
10 Recovering animals are checked daily through the optimal edematous peak, which typically occurred by day 5-7. The plateau edematous peak are then observed. To evaluate the intensity of the lymphedema, the circumference and volumes of 2 designated places on each paw before operation and daily for 7 days are measured. The effect plasma proteins on lymphedema is determined and whether protein analysis is a useful testing perimeter is also
15 investigated. The weights of both control and edematous limbs are evaluated at 2 places. Analysis is performed in a blind manner.

Circumference Measurements: Under brief gas anesthetic to prevent limb movement, a cloth tape is used to measure limb circumference. Measurements are done at the ankle bone and dorsal paw by 2 different people then those 2 readings are averaged. Readings are
20 taken from both control and edematous limbs.

Volumetric Measurements: On the day of surgery, animals are anesthetized with Pentobarbital and are tested prior to surgery. For daily volumetrics animals are under brief halothane anesthetic (rapid immobilization and quick recovery), both legs are shaved and equally marked using waterproof marker on legs. Legs are first dipped in water, then dipped
25 into instrument to each marked level then measured by Buxco edema software(Chen/Victor). Data is recorded by one person, while the other is dipping the limb to marked area.

Blood-plasma protein measurements: Blood is drawn, spun, and serum separated prior to surgery and then at conclusion for total protein and Ca²⁺ comparison.

Limb Weight Comparison: After drawing blood, the animal is prepared for tissue
30 collection. The limbs are amputated using a quillitine, then both experimental and control legs are cut at the ligature and weighed. A second weighing is done as the tibio-cacaneal joint is disarticulated and the foot is weighed.

Histological Preparations: The transverse muscle located behind the knee (popliteal) area is dissected and arranged in a metal mold, filled with freezeGel, dipped into cold methylbutane, placed into labeled sample bags at - 80EC until sectioning. Upon sectioning, the muscle is observed under fluorescent microscopy for lymphatics..

- 5 The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

10 *Example 30: Suppression of TNF alpha-induced adhesion molecule expression by a Agonist or Antagonist of the Invention*

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and
15 pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the
20 local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Tumor necrosis factor alpha (TNF-a), a potent proinflammatory cytokine, is a stimulator of all three CAMs on endothelial cells and may be involved in a wide variety of inflammatory responses, often resulting in a pathological outcome.

- 25 The potential of an agonist or antagonist of the invention to mediate a suppression of TNF-a induced CAM expression can be examined. A modified ELISA assay which uses ECs as a solid phase absorbent is employed to measure the amount of CAM expression on TNF-a treated ECs when co-stimulated with a member of the FGF family of proteins.

To perform the experiment, human umbilical vein endothelial cell (HUVEC) cultures
30 are obtained from pooled cord harvests and maintained in growth medium (EGM-2; Clonetics, San Diego, CA) supplemented with 10% FCS and 1% penicillin/streptomycin in a 37 degree C humidified incubator containing 5% CO₂. HUVECs are seeded in 96-well

plates at concentrations of 1×10^4 cells/well in EGM medium at 37 degree C for 18-24 hrs or until confluent. The monolayers are subsequently washed 3 times with a serum-free solution of RPMI-1640 supplemented with 100 U/ml penicillin and 100 mg/ml streptomycin, and treated with a given cytokine and/or growth factor(s) for 24 h at 37 degree C. Following incubation, the cells are then evaluated for CAM expression.

Human Umbilical Vein Endothelial cells (HUVECs) are grown in a standard 96 well plate to confluence. Growth medium is removed from the cells and replaced with 90 ul of 199 Medium (10% FBS). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 ul volumes). Plates are incubated at 37 degree C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100 μ l of 0.1% paraformaldehyde-PBS(with Ca^{++} and Mg^{++}) is added to each well. Plates are held at 4°C for 30 min.

Fixative is then removed from the wells and wells are washed 1X with PBS(+Ca,Mg)+0.5% BSA and drained. Do not allow the wells to dry. Add 10 μ l of diluted primary antibody to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10 μ g/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA.

Then add 20 μ l of diluted ExtrAvidin-Alkaline Phosphatase (1:5,000 dilution) to each well and incubated at 37°C for 30 min. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA. 1 tablet of p-Nitrophenol Phosphate pNPP is dissolved in 5 ml of glycine buffer (pH 10.4). 100 μ l of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphatase in glycine buffer: $1:5,000$ (10^0) $> 10^{-0.5} > 10^{-1} > 10^{-1.5}$. 5 μ l of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 μ l of pNPP reagent must then be added to each of the standard wells. The plate must be incubated at 37°C for 4h. A volume of 50 μ l of 3M NaOH is added to all wells. The results are quantified on a plate reader at 405 nm. The background subtraction option is used on blank wells filled with glycine buffer only. The template is set up to indicate the concentration of AP-conjugate in each standard well [5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

The studies described in this example tested activity of agonists or antagonists of the

invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 31: Production Of Polypeptide of the Invention For High-Throughput Screening Assays

The following protocol produces a supernatant containing polypeptide of the present invention to be tested. This supernatant can then be used in the Screening Assays described in Examples 33-42.

10 First, dilute Poly-D-Lysine (644 587 Boehringer-Mannheim) stock solution (1mg/ml in PBS) 1:20 in PBS (w/o calcium or magnesium 17-516F Biowhittaker) for a working solution of 50ug/ml. Add 200 ul of this solution to each well (24 well plates) and incubate at RT for 20 minutes. Be sure to distribute the solution over each well (note: a 12-channel pipetter may be used with tips on every other channel). Aspirate off the Poly-D-Lysine
15 solution and rinse with 1ml PBS (Phosphate Buffered Saline). The PBS should remain in the well until just prior to plating the cells and plates may be poly-lysine coated in advance for up to two weeks.

Plate 293T cells (do not carry cells past P+20) at 2×10^5 cells/well in .5ml DMEM(Dulbecco's Modified Eagle Medium)(with 4.5 G/L glucose and L-glutamine (12-604F Biowhittaker))/10% heat inactivated FBS(14-503F Biowhittaker)/1x Penstrep(17-602E Biowhittaker). Let the cells grow overnight.

The next day, mix together in a sterile solution basin: 300 ul Lipofectamine (18324-012 Gibco/BRL) and 5ml Optimem I (31985070 Gibco/BRL)/96-well plate. With a small volume multi-channel pipetter, aliquot approximately 2ug of an expression vector containing
25 a polynucleotide insert, produced by the methods described in Examples 8-10, into an appropriately labeled 96-well round bottom plate. With a multi-channel pipetter, add 50ul of the Lipofectamine/Optimem I mixture to each well. Pipette up and down gently to mix. Incubate at RT 15-45 minutes. After about 20 minutes, use a multi-channel pipetter to add 150ul Optimem I to each well. As a control, one plate of vector DNA lacking an insert
30 should be transfected with each set of transfections.

Preferably, the transfection should be performed by tag-teaming the following tasks. By tag-teaming, hands on time is cut in half, and the cells do not spend too much time on

PBS. First, person A aspirates off the media from four 24-well plates of cells, and then person B rinses each well with .5-1ml PBS. Person A then aspirates off PBS rinse, and person B, using a 12-channel pipetter with tips on every other channel, adds the 200ul of DNA/Lipofectamine/Optimem 1 complex to the odd wells first, then to the even wells, to
5 each row on the 24-well plates. Incubate at 37 degree C for 6 hours.

While cells are incubating, prepare appropriate media, either 1%BSA in DMEM with 1x penstrep, or HGS CHO-5 media (116.6 mg/L of CaCl₂ (anhyd); 0.00130 mg/L CuSO₄-5H₂O; 0.050 mg/L of Fe(NO₃)₃-9H₂O; 0.417 mg/L of FeSO₄-7H₂O; 311.80 mg/L of KCl; 28.64 mg/L of MgCl₂; 48.84 mg/L of MgSO₄; 6995.50 mg/L of NaCl; 2400.0 mg/L of
10 NaHCO₃; 62.50 mg/L of NaH₂PO₄-H₂O; 71.02 mg/L of Na₂HPO₄; .4320 mg/L of ZnSO₄-7H₂O; .002 mg/L of Arachidonic Acid; 1.022 mg/L of Cholesterol; .070 mg/L of DL-alpha-Tocopherol-Acetate; 0.0520 mg/L of Linoleic Acid; 0.010 mg/L of Linolenic Acid; 0.010 mg/L of Myristic Acid; 0.010 mg/L of Oleic Acid; 0.010 mg/L of Palmitic Acid; 0.010 mg/L of Palmitic Acid; 100 mg/L of Pluronic F-68; 0.010 mg/L of Stearic Acid; 2.20 mg/L of
15 Tween 80; 4551 mg/L of D-Glucose; 130.85 mg/ml of L- Alanine; 147.50 mg/ml of L- Arginine-HCL; 7.50 mg/ml of L-Asparagine-H₂O; 6.65 mg/ml of L-Aspartic Acid; 29.56 mg/ml of L-Cystine-2HCL-H₂O; 31.29 mg/ml of L-Cystine-2HCL; 7.35 mg/ml of L- Glutamic Acid; 365.0 mg/ml of L-Glutamine; 18.75 mg/ml of Glycine; 52.48 mg/ml of L- Histidine-HCL-H₂O; 106.97 mg/ml of L-Isoleucine; 111.45 mg/ml of L-Leucine; 163.75
20 mg/ml of L-Lysine HCL; 32.34 mg/ml of L-Methionine; 68.48 mg/ml of L-Phenylalanine; 40.0 mg/ml of L-Proline; 26.25 mg/ml of L-Serine; 101.05 mg/ml of L-Threonine; 19.22 mg/ml of L-Tryptophan; 91.79 mg/ml of L-Tyrosine-2Na-2H₂O; and 99.65 mg/ml of L- Valine; 0.0035 mg/L of Biotin; 3.24 mg/L of D-Ca Pantothenate; 11.78 mg/L of Choline Chloride; 4.65 mg/L of Folic Acid; 15.60 mg/L of i-Inositol; 3.02 mg/L of Niacinamide; 3.00
25 mg/L of Pyridoxal HCL; 0.031 mg/L of Pyridoxine HCL; 0.319 mg/L of Riboflavin; 3.17 mg/L of Thiamine HCL; 0.365 mg/L of Thymidine; 0.680 mg/L of Vitamin B₁₂; 25 mM of HEPES Buffer; 2.39 mg/L of Na Hypoxanthine; 0.105 mg/L of Lipoic Acid; 0.081 mg/L of Sodium Putrescine-2HCL; 55.0 mg/L of Sodium Pyruvate; 0.0067 mg/L of Sodium Selenite; 20uM of Ethanolamine; 0.122 mg/L of Ferric Citrate; 41.70 mg/L of Methyl-B-Cyclodextrin
30 complexed with Linoleic Acid; 33.33 mg/L of Methyl-B-Cyclodextrin complexed with Oleic Acid; 10 mg/L of Methyl-B-Cyclodextrin complexed with Retinal Acetate. Adjust

osmolarity to 327 mOsm) with 2mm glutamine and 1x penstrep. (BSA (81-068-3 Bayer) 100gm dissolved in 1L DMEM for a 10% BSA stock solution). Filter the media and collect 50 ul for endotoxin assay in 15ml polystyrene conical.

5 The transfection reaction is terminated, preferably by tag-teaming, at the end of the incubation period. Person A aspirates off the transfection media, while person B adds 1.5ml appropriate media to each well. Incubate at 37 degree C for 45 or 72 hours depending on the media used: 1%BSA for 45 hours or CHO-5 for 72 hours.

10 On day four, using a 300ul multichannel pipetter, aliquot 600ul in one 1ml deep well plate and the remaining supernatant into a 2ml deep well. The supernatants from each well can then be used in the assays described in Examples 33-40.

It is specifically understood that when activity is obtained in any of the assays described below using a supernatant, the activity originates from either the polypeptide of the present invention directly (e.g., as a secreted protein) or by polypeptide of the present invention inducing expression of other proteins, which are then secreted into the supernatant.
15 Thus, the invention further provides a method of identifying the protein in the supernatant characterized by an activity in a particular assay.

Example 32: Construction of GAS Reporter Construct

20 One signal transduction pathway involved in the differentiation and proliferation of cells is called the Jaks-STATs pathway. Activated proteins in the Jaks-STATs pathway bind to gamma activation site "GAS" elements or interferon-sensitive responsive element ("ISRE"), located in the promoter of many genes. The binding of a protein to these elements alter the expression of the associated gene.

25 GAS and ISRE elements are recognized by a class of transcription factors called Signal Transducers and Activators of Transcription, or "STATs." There are six members of the STATs family. Stat1 and Stat3 are present in many cell types, as is Stat2 (as response to IFN-alpha is widespread). Stat4 is more restricted and is not in many cell types though it has been found in T helper class I, cells after treatment with IL-12. Stat5 was originally called
30 mammary growth factor, but has been found at higher concentrations in other cells including myeloid cells. It can be activated in tissue culture cells by many cytokines.

The STATs are activated to translocate from the cytoplasm to the nucleus upon

tyrosine phosphorylation by a set of kinases known as the Janus Kinase ("Jaks") family. Jaks represent a distinct family of soluble tyrosine kinases and include Tyk2, Jak1, Jak2, and Jak3. These kinases display significant sequence similarity and are generally catalytically inactive in resting cells.

5 The Jaks are activated by a wide range of receptors summarized in the Table below. (Adapted from review by Schidler and Darnell, *Ann. Rev. Biochem.* 64:621-51 (1995).) A cytokine receptor family, capable of activating Jaks, is divided into two groups: (a) Class 1 includes receptors for IL-2, IL-3, IL-4, IL-6, IL-7, IL-9, IL-11, IL-12, IL-15, Epo, PRL, GH, G-CSF, GM-CSF, LIF, CNTF, and thrombopoietin; and (b) Class 2 includes IFN- α , IFN- γ ,
10 and IL-10. The Class 1 receptors share a conserved cysteine motif (a set of four conserved cysteines and one tryptophan) and a WSXWS motif (a membrane proximal region encoding Trp-Ser-Xxx-Trp-Ser (SEQ ID NO:1686)).

 Thus, on binding of a ligand to a receptor, Jaks are activated, which in turn activate STATs, which then translocate and bind to GAS elements. This entire process is
15 encompassed in the Jaks-STATs signal transduction pathway.

 Therefore, activation of the Jaks-STATs pathway, reflected by the binding of the GAS or the ISRE element, can be used to indicate proteins involved in the proliferation and differentiation of cells. For example, growth factors and cytokines are known to activate the Jaks-STATs pathway. (See Table below.) Thus, by using GAS elements linked to reporter
20 molecules, activators of the Jaks-STATs pathway can be identified.

	<u>Ligand</u>	<u>JAKs</u>				<u>STATS GAS(elements) or ISRE</u>	
		<u>tyk2</u>	<u>Jak1</u>	<u>Jak2</u>	<u>Jak3</u>		
	<u>IFN family</u>						
5	IFN-a/B	+	+	-	-	1,2,3	ISRE
	IFN-g		+	+	-	1	GAS
	(IRF1>Lys6>IFP)						
	Il-10	+	?	?	-	1,3	
10	<u>gp130 family</u>						
	IL-6 (Pleiotrohic)	+	+	+	?	1,3	GAS
	(IRF1>Lys6>IFP)						
	Il-11(Pleiotrohic)	?	+	?	?	1,3	
	OnM(Pleiotrohic)	?	+	+	?	1,3	
15	LIF(Pleiotrohic)	?	+	+	?	1,3	
	CNTF(Pleiotrohic)	-/+	+	+	?	1,3	
	G-CSF(Pleiotrohic)	?	+	?	?	1,3	
	IL-12(Pleiotrohic)	+	-	+	+	1,3	
20	<u>g-C family</u>						
	IL-2 (lymphocytes)	-	+	-	+	1,3,5	GAS
	IL-4 (lymph/myeloid)	-	+	-	+	6	GAS (IRF1 = IFP
	>>Ly6)(IgH)						
	IL-7 (lymphocytes)	-	+	-	+	5	GAS
25	IL-9 (lymphocytes)	-	+	-	+	5	GAS
	IL-13 (lymphocyte)	-	+	?	?	6	GAS
	IL-15	?	+	?	+	5	GAS
	<u>gp140 family</u>						
30	IL-3 (myeloid)	-	-	+	-	5	GAS
	(IRF1>IFP>>Ly6)						
	IL-5 (myeloid)	-	-	+	-	5	GAS
	GM-CSF (myeloid)	-	-	+	-	5	GAS

To construct a synthetic GAS containing promoter element, which is used in the Biological Assays described in Examples 33-34, a PCR based strategy is employed to generate a GAS-SV40 promoter sequence. The 5' primer contains four tandem copies of the GAS binding site found in the IRF1 promoter and previously demonstrated to bind STATs upon induction with a range of cytokines (Rothman et al., Immunity 1:457-468 (1994).), although other GAS or ISRE elements can be used instead. The 5' primer also contains 18bp of sequence complementary to the SV40 early promoter sequence and is flanked with an XhoI site. The sequence of the 5' primer is:

10 5':GCGCCTCGAGATTTCCCCGAAATCTAGATTTCCCCGAAATGATTTCCCC
GAAATGATTTCCCCGAAATATCTGCCATCTCAATTAG:3' (SEQ ID NO:1687)

The downstream primer is complementary to the SV40 promoter and is flanked with a Hind III site: 5':GCGGCAAGCTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO:1688)

15 PCR amplification is performed using the SV40 promoter template present in the B-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is digested with XhoI/Hind III and subcloned into BLSK2-. (Stratagene.) Sequencing with forward and reverse primers confirms that the insert contains the following sequence:

20 5':CTCGAGATTTCCCCGAAATCTAGATTTCCCCGAAATGATTTCCCCGAAA
TGATTTCCCCGAAATATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCCG
CCCCTAACTCCGCCCATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCT
CCGCCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCC
TCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTA
25 GGCTTTTGCAAAAAGCTT:3' (SEQ ID NO:1689)

With this GAS promoter element linked to the SV40 promoter, a GAS:SEAP2 reporter construct is next engineered. Here, the reporter molecule is a secreted alkaline phosphatase, or "SEAP." Clearly, however, any reporter molecule can be instead of SEAP, in this or in any of the other Examples. Well known reporter
30 molecules that can be used instead of SEAP include chloramphenicol

acetyltransferase (CAT), luciferase, alkaline phosphatase, B-galactosidase, green fluorescent protein (GFP), or any protein detectable by an antibody.

The above sequence confirmed synthetic GAS-SV40 promoter element is subcloned into the pSEAP-Promoter vector obtained from Clontech using HindIII and
5 XhoI, effectively replacing the SV40 promoter with the amplified GAS:SV40 promoter element, to create the GAS-SEAP vector. However, this vector does not contain a neomycin resistance gene, and therefore, is not preferred for mammalian expression systems.

Thus, in order to generate mammalian stable cell lines expressing the GAS-
10 SEAP reporter, the GAS-SEAP cassette is removed from the GAS-SEAP vector using Sall and NotI, and inserted into a backbone vector containing the neomycin resistance gene, such as pGFP-1 (Clontech), using these restriction sites in the multiple cloning site, to create the GAS-SEAP/Neo vector. Once this vector is transfected into mammalian cells, this vector can then be used as a reporter molecule for GAS binding
15 as described in Examples 33-34.

Other constructs can be made using the above description and replacing GAS with a different promoter sequence. For example, construction of reporter molecules containing NFK-B and EGR promoter sequences are described in Examples 35 and 36. However, many other promoters can be substituted using the protocols described
20 in these Examples. For instance, SRE, IL-2, NFAT, or Osteocalcin promoters can be substituted, alone or in combination (e.g., GAS/NF-KB/EGR, GAS/NF-KB, IL-2/NFAT, or NF-KB/GAS). Similarly, other cell lines can be used to test reporter construct activity, such as HELA (epithelial), HUVEC (endothelial), Reh (B-cell), Saos-2 (osteoblast), HUVAC (aortic), or Cardiomyocyte.

25

Example 33: High-Throughput Screening Assay for T-cell Activity.

The following protocol is used to assess T-cell activity by identifying factors, and determining whether supernate containing a polypeptide of the invention
30 proliferates and/or differentiates T-cells. T-cell activity is assessed using the

GAS/SEAP/Neo construct produced in Example 32. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The T-cell used in this assay is Jurkat T-cells (ATCC Accession No. TIB-152), although Molt-3 cells (ATCC Accession No. CRL-1552) and Molt-4 cells (ATCC
5 Accession No. CRL-1582) cells can also be used.

Jurkat T-cells are lymphoblastic CD4+ Th1 helper cells. In order to generate stable cell lines, approximately 2 million Jurkat cells are transfected with the GAS-SEAP/neo vector using DMRIE-C (Life Technologies)(transfection procedure described below). The transfected cells are seeded to a density of approximately
10 20,000 cells per well and transfectants resistant to 1 mg/ml gentamicin selected. Resistant colonies are expanded and then tested for their response to increasing concentrations of interferon gamma. The dose response of a selected clone is demonstrated.

Specifically, the following protocol will yield sufficient cells for 75 wells
15 containing 200 ul of cells. Thus, it is either scaled up, or performed in multiple to generate sufficient cells for multiple 96 well plates. Jurkat cells are maintained in RPMI + 10% serum with 1%Pen-Strep. Combine 2.5 mls of OPTI-MEM (Life Technologies) with 10 ug of plasmid DNA in a T25 flask. Add 2.5 ml OPTI-MEM containing 50 ul of DMRIE-C and incubate at room temperature for 15-45 mins.

20 During the incubation period, count cell concentration, spin down the required number of cells (10^7 per transfection), and resuspend in OPTI-MEM to a final concentration of 10^7 cells/ml. Then add 1ml of 1×10^7 cells in OPTI-MEM to T25 flask and incubate at 37 degree C for 6 hrs. After the incubation, add 10 ml of RPMI + 15% serum.

25 The Jurkat:GAS-SEAP stable reporter lines are maintained in RPMI + 10% serum, 1 mg/ml Gentamicin, and 1% Pen-Strep. These cells are treated with supernatants containing polypeptide of the present invention or polypeptide of the present invention induced polypeptides as produced by the protocol described in Example 31.

30 On the day of treatment with the supernatant, the cells should be washed and

resuspended in fresh RPMI + 10% serum to a density of 500,000 cells per ml. The exact number of cells required will depend on the number of supernatants being screened. For one 96 well plate, approximately 10 million cells (for 10 plates, 100 million cells) are required.

- 5 Transfer the cells to a triangular reservoir boat, in order to dispense the cells into a 96 well dish, using a 12 channel pipette. Using a 12 channel pipette, transfer 200 ul of cells into each well (therefore adding 100, 000 cells per well).

 After all the plates have been seeded, 50 ul of the supernatants are transferred directly from the 96 well plate containing the supernatants into each well using a 12
10 channel pipette. In addition, a dose of exogenous interferon gamma (0.1, 1.0, 10 ng) is added to wells H9, H10, and H11 to serve as additional positive controls for the assay.

 The 96 well dishes containing Jurkat cells treated with supernatants are placed in an incubator for 48 hrs (note: this time is variable between 48-72 hrs). 35 ul
15 samples from each well are then transferred to an opaque 96 well plate using a 12 channel pipette. The opaque plates should be covered (using sellophene covers) and stored at -20 degree C until SEAP assays are performed according to Example 37. The plates containing the remaining treated cells are placed at 4 degree C and serve as a source of material for repeating the assay on a specific well if desired.

- 20 As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate Jurkat T cells. Over 30 fold induction is typically observed in the positive control wells.

 The above protocol may be used in the generation of both transient, as well as, stable transfected cells, which would be apparent to those of skill in the art.

25

Example 34: High-Throughput Screening Assay Identifying Myeloid Activity

 The following protocol is used to assess myeloid activity of polypeptide of the present invention by determining whether polypeptide of the present invention
30 proliferates and/or differentiates myeloid cells. Myeloid cell activity is assessed using

the GAS/SEAP/Neo construct produced in Example 32. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The myeloid cell used in this assay is U937, a pre-monocyte cell line, although TF-1, HL60, or KG1 can be used.

- 5 To transiently transfect U937 cells with the GAS/SEAP/Neo construct produced in Example 32, a DEAE-Dextran method (Kharbanda et. al., 1994, Cell Growth & Differentiation, 5:259-265) is used. First, harvest 2×10^7 U937 cells and wash with PBS. The U937 cells are usually grown in RPMI 1640 medium containing 10% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml
10 penicillin and 100 mg/ml streptomycin.

Next, suspend the cells in 1 ml of 20 mM Tris-HCl (pH 7.4) buffer containing 0.5 mg/ml DEAE-Dextran, 8 ug GAS-SEAP2 plasmid DNA, 140 mM NaCl, 5 mM KCl, 375 uM $\text{Na}_2\text{HPO}_4 \cdot 7\text{H}_2\text{O}$, 1 mM MgCl_2 , and 675 uM CaCl_2 . Incubate at 37 degrees C for 45 min.

- 15 Wash the cells with RPMI 1640 medium containing 10% FBS and then resuspend in 10 ml complete medium and incubate at 37 degree C for 36 hr.

The GAS-SEAP/U937 stable cells are obtained by growing the cells in 400 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 400 ug/ml G418 for couple of passages.

- 20 These cells are tested by harvesting 1×10^8 cells (this is enough for ten 96-well plates assay) and wash with PBS. Suspend the cells in 200 ml above described growth medium, with a final density of 5×10^5 cells/ml. Plate 200 ul cells per well in the 96-well plate (or 1×10^5 cells/well).

- Add 50 ul of the supernatant prepared by the protocol described in Example
25 31. Incubate at 37 degree C for 48 to 72 hr. As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate U937 cells. Over 30 fold induction is typically observed in the positive control wells. SEAP assay the supernatant according to the protocol described in Example 37.

- 30 *Example 35: High-Throughput Screening Assay Identifying Neuronal Activity.*

When cells undergo differentiation and proliferation, a group of genes are activated through many different signal transduction pathways. One of these genes, EGR1 (early growth response gene 1), is induced in various tissues and cell types upon activation. The promoter of EGR1 is responsible for such induction. Using the EGR1 promoter linked to reporter molecules, activation of cells can be assessed by polypeptide of the present invention.

Particularly, the following protocol is used to assess neuronal activity in PC12 cell lines. PC12 cells (rat phenochromocytoma cells) are known to proliferate and/or differentiate by activation with a number of mitogens, such as TPA (tetradecanoyl phorbol acetate), NGF (nerve growth factor), and EGF (epidermal growth factor). The EGR1 gene expression is activated during this treatment. Thus, by stably transfecting PC12 cells with a construct containing an EGR promoter linked to SEAP reporter, activation of PC12 cells by polypeptide of the present invention can be assessed.

The EGR/SEAP reporter construct can be assembled by the following protocol. The EGR-1 promoter sequence (-633 to +1)(Sakamoto K et al., Oncogene 6:867-871 (1991)) can be PCR amplified from human genomic DNA using the following primers:

5' GCGCTCGAGGGATGACAGCGATAGAACCCCGG -3' (SEQ ID NO: 1690)

5' GCGAAGCTTCGCGACTCCCCGGATCCGCCTC-3' (SEQ ID NO: 1691)

Using the GAS:SEAP/Neo vector produced in Example 32, EGR1 amplified product can then be inserted into this vector. Linearize the GAS:SEAP/Neo vector using restriction enzymes XhoI/HindIII, removing the GAS/SV40 stuffer. Restrict the EGR1 amplified product with these same enzymes. Ligate the vector and the EGR1 promoter.

To prepare 96 well-plates for cell culture, two mls of a coating solution (1:30 dilution of collagen type I (Upstate Biotech Inc. Cat#08-115) in 30% ethanol (filter

sterilized)) is added per one 10 cm plate or 50 ml per well of the 96-well plate, and allowed to air dry for 2 hr.

PC12 cells are routinely grown in RPMI-1640 medium (Bio Whittaker) containing 10% horse serum (JRH BIOSCIENCES, Cat. # 12449-78P), 5% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml penicillin and 100 ug/ml streptomycin on a precoated 10 cm tissue culture dish. One to four split is done every three to four days. Cells are removed from the plates by scraping and resuspended with pipetting up and down for more than 15 times.

Transfect the EGR/SEAP/Neo construct into PC12 using the Lipofectamine protocol described in Example 31. EGR-SEAP/PC12 stable cells are obtained by growing the cells in 300 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 300 ug/ml G418 for couple of passages.

To assay for neuronal activity, a 10 cm plate with cells around 70 to 80% confluent is screened by removing the old medium. Wash the cells once with PBS (Phosphate buffered saline). Then starve the cells in low serum medium (RPMI-1640 containing 1% horse serum and 0.5% FBS with antibiotics) overnight.

The next morning, remove the medium and wash the cells with PBS. Scrape off the cells from the plate, suspend the cells well in 2 ml low serum medium. Count the cell number and add more low serum medium to reach final cell density as 5×10^5 cells/ml.

Add 200 ul of the cell suspension to each well of 96-well plate (equivalent to 1×10^5 cells/well). Add 50 ul supernatant produced by Example 31, 37 degree C for 48 to 72 hr. As a positive control, a growth factor known to activate PC12 cells through EGR can be used, such as 50 ng/ul of Neuronal Growth Factor (NGF). Over fifty-fold induction of SEAP is typically seen in the positive control wells. SEAP assay the supernatant according to Example 37.

Example 36: High-Throughput Screening Assay for T-cell Activity

NF-KB (Nuclear Factor KB) is a transcription factor activated by a wide variety of agents including the inflammatory cytokines IL-1 and TNF, CD30 and CD40, lymphotoxin-alpha and lymphotoxin-beta, by exposure to LPS or thrombin, and by expression of certain viral gene products. As a transcription factor, NF-KB
5 regulates the expression of genes involved in immune cell activation, control of apoptosis (NF- KB appears to shield cells from apoptosis), B and T-cell development, anti-viral and antimicrobial responses, and multiple stress responses.

In non-stimulated conditions, NF- KB is retained in the cytoplasm with I-KB (Inhibitor KB). However, upon stimulation, I- KB is phosphorylated and degraded,
10 causing NF- KB to shuttle to the nucleus, thereby activating transcription of target genes. Target genes activated by NF- KB include IL-2, IL-6, GM-CSF, ICAM-1 and class I MHC.

Due to its central role and ability to respond to a range of stimuli, reporter constructs utilizing the NF-KB promoter element are used to screen the supernatants
15 produced in Example 31. Activators or inhibitors of NF-KB would be useful in treating, preventing, and/or diagnosing diseases. For example, inhibitors of NF-KB could be used to treat those diseases related to the acute or chronic activation of NF-KB, such as rheumatoid arthritis.

To construct a vector containing the NF-KB promoter element, a PCR based
20 strategy is employed. The upstream primer contains four tandem copies of the NF-KB binding site (GGGGACTTTCCC) (SEQ ID NO:1692), 18 bp of sequence complementary to the 5' end of the SV40 early promoter sequence, and is flanked with an XhoI site:

5':GCGGCCTCGAGGGGACTTTCCCGGGGACTTTCCGGGGACTTTCCGGGAC
25 TTTCCATCCTGCCATCTCAATTAG:3' (SEQ ID NO:1693)

The downstream primer is complementary to the 3' end of the SV40 promoter and is flanked with a Hind III site:

5':GCGGCAAGCTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO:1688)

PCR amplification is performed using the SV40 promoter template present in
30 the pB-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is

digested with XhoI and Hind III and subcloned into BLSK2-. (Stratagene)
Sequencing with the T7 and T3 primers confirms the insert contains the following
sequence:

5':CTCGAGGGGACTTTCCCGGGGACTTTCCCGGGGACTTTCCCGGGGACTTTCC
5 ATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCC
ATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCTGA
CTAATTTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTA
TTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAA
GCTT:3' (SEQ ID NO:1694)

10 Next, replace the SV40 minimal promoter element present in the pSEAP2-
promoter plasmid (Clontech) with this NF-KB/SV40 fragment using XhoI and
HindIII. However, this vector does not contain a neomycin resistance gene, and
therefore, is not preferred for mammalian expression systems.

15 In order to generate stable mammalian cell lines, the NF-KB/SV40/SEAP
cassette is removed from the above NF-KB/SEAP vector using restriction enzymes
Sall and NotI, and inserted into a vector containing neomycin resistance. Particularly,
the NF-KB/SV40/SEAP cassette was inserted into pGFP-1 (Clontech), replacing the
GFP gene, after restricting pGFP-1 with Sall and NotI.

20 Once NF-KB/SV40/SEAP/Neo vector is created, stable Jurkat T-cells are
created and maintained according to the protocol described in Example 33. Similarly,
the method for assaying supernatants with these stable Jurkat T-cells is also described
in Example 33. As a positive control, exogenous TNF alpha (0.1, 1, 10 ng) is added to
wells H9, H10, and H11, with a 5-10 fold activation typically observed.

25 *Example 37: Assay for SEAP Activity*

30 As a reporter molecule for the assays described in Examples 33-36, SEAP
activity is assayed using the Tropix Phospho-light Kit (Cat. BP-400) according to the
following general procedure. The Tropix Phospho-light Kit supplies the Dilution,
Assay, and Reaction Buffers used below.

Prime a dispenser with the 2.5x Dilution Buffer and dispense 15 ul of 2.5x dilution buffer into Optiplates containing 35 ul of a supernatant. Seal the plates with a plastic sealer and incubate at 65 degree C for 30 min. Separate the Optiplates to avoid uneven heating.

- 5 Cool the samples to room temperature for 15 minutes. Empty the dispenser and prime with the Assay Buffer. Add 50 ml Assay Buffer and incubate at room temperature 5 min. Empty the dispenser and prime with the Reaction Buffer (see the table below). Add 50 ul Reaction Buffer and incubate at room temperature for 20 minutes. Since the intensity of the chemiluminescent signal is time dependent, and it takes about 10 minutes to read 5 plates on luminometer, one should treat 5 plates at each time and start the second set 10 minutes later.

Read the relative light unit in the luminometer. Set H12 as blank, and print the results. An increase in chemiluminescence indicates reporter activity.

15 Reaction Buffer Formulation:

# of plates	Rxn buffer diluent (ml)	CSPD (ml)
10	60	3
11	65	3.25
12	70	3.5
13	75	3.75
14	80	4
15	85	4.25
16	90	4.5
17	95	4.75
18	100	5
19	105	5.25
20	110	5.5
21	115	5.75
22	120	6

521

23	125	6.25
24	130	6.5
25	135	6.75
26	140	7
27	145	7.25
28	150	7.5
29	155	7.75
30	160	8
31	165	8.25
32	170	8.5
33	175	8.75
34	180	9
35	185	9.25
36	190	9.5
37	195	9.75
38	200	10
39	205	10.25
40	210	10.5
41	215	10.75
42	220	11
43	225	11.25
44	230	11.5
45	235	11.75
46	240	12
47	245	12.25
48	250	12.5
49	255	12.75
50	260	13

Example 38: High-Throughput Screening Assay Identifying Changes in Small

Molecule Concentration and Membrane Permeability

Binding of a ligand to a receptor is known to alter intracellular levels of small molecules, such as calcium, potassium, sodium, and pH, as well as alter membrane potential. These alterations can be measured in an assay to identify supernatants which bind to receptors of a particular cell. Although the following protocol describes an assay for calcium, this protocol can easily be modified to detect changes in potassium, sodium, pH, membrane potential, or any other small molecule which is detectable by a fluorescent probe.

10 The following assay uses Fluorometric Imaging Plate Reader ("FLIPR") to measure changes in fluorescent molecules (Molecular Probes) that bind small molecules. Clearly, any fluorescent molecule detecting a small molecule can be used instead of the calcium fluorescent molecule, fluo-4 (Molecular Probes, Inc.; catalog no. F-14202), used here.

15 For adherent cells, seed the cells at 10,000 -20,000 cells/well in a Co-star black 96-well plate with clear bottom. The plate is incubated in a CO₂ incubator for 20 hours. The adherent cells are washed two times in Biotek washer with 200 ul of HBSS (Hank's Balanced Salt Solution) leaving 100 ul of buffer after the final wash.

20 A stock solution of 1 mg/ml fluo-4 is made in 10% pluronic acid DMSO. To load the cells with fluo-4, 50 ul of 12 ug/ml fluo-4 is added to each well. The plate is incubated at 37 degrees C in a CO₂ incubator for 60 min. The plate is washed four times in the Biotek washer with HBSS leaving 100 ul of buffer.

For non-adherent cells, the cells are spun down from culture media. Cells are re-suspended to $2-5 \times 10^6$ cells/ml with HBSS in a 50-ml conical tube. 4 ul of 1 mg/ml fluo-4 solution in 10% pluronic acid DMSO is added to each ml of cell suspension. The tube is then placed in a 37 degrees C water bath for 30-60 min. The cells are washed twice with HBSS, resuspended to 1×10^6 cells/ml, and dispensed into a microplate. 100 ul/well. The plate is centrifuged at 1000 rpm for 5 min. The plate is then washed once in Denley Cell Wash with 200 ul, followed by an aspiration step to 30 100 ul final volume.

For a non-cell based assay, each well contains a fluorescent molecule, such as fluo-4. The supernatant is added to the well, and a change in fluorescence is detected.

To measure the fluorescence of intracellular calcium, the FLIPR is set for the following parameters: (1) System gain is 300-800 mW; (2) Exposure time is 0.4 second; (3) Camera F/stop is F/2; (4) Excitation is 488 nm; (5) Emission is 530 nm; and (6) Sample addition is 50 ul. Increased emission at 530 nm indicates an extracellular signaling event caused by the a molecule, either polypeptide of the present invention or a molecule induced by polypeptide of the present invention, which has resulted in an increase in the intracellular Ca^{++} concentration.

Example 40: High-Throughput Screening Assay Identifying Tyrosine Kinase Activity

The Protein Tyrosine Kinases (PTK) represent a diverse group of transmembrane and cytoplasmic kinases. Within the Receptor Protein Tyrosine Kinase (RPTK) group are receptors for a range of mitogenic and metabolic growth factors including the PDGF, FGF, EGF, NGF, HGF and Insulin receptor subfamilies. In addition there are a large family of RPTKs for which the corresponding ligand is unknown. Ligands for RPTKs include mainly secreted small proteins, but also membrane-bound and extracellular matrix proteins.

Activation of RPTK by ligands involves ligand-mediated receptor dimerization, resulting in transphosphorylation of the receptor subunits and activation of the cytoplasmic tyrosine kinases. The cytoplasmic tyrosine kinases include receptor associated tyrosine kinases of the src-family (e.g., src, yes, lck, lyn, fyn) and non-receptor linked and cytosolic protein tyrosine kinases, such as the Jak family, members of which mediate signal transduction triggered by the cytokine superfamily of receptors (e.g., the Interleukins, Interferons, GM-CSF, and Leptin).

Because of the wide range of known factors capable of stimulating tyrosine kinase activity, identifying whether polypeptide of the present invention or a molecule induced by polypeptide of the present invention is capable of activating tyrosine

kinase signal transduction pathways is of interest. Therefore, the following protocol is designed to identify such molecules capable of activating the tyrosine kinase signal transduction pathways.

Seed target cells (e.g., primary keratinocytes) at a density of approximately
5 25,000 cells per well in a 96 well Loprodyne Silent Screen Plates purchased from Nalge Nunc (Naperville, IL). The plates are sterilized with two 30 minute rinses with 100% ethanol, rinsed with water and dried overnight. Some plates are coated for 2 hr with 100 ml of cell culture grade type I collagen (50 mg/ml), gelatin (2%) or polylysine (50 mg/ml), all of which can be purchased from Sigma Chemicals (St.
10 Louis, MO) or 10% Matrigel purchased from Becton Dickinson (Bedford, MA), or calf serum, rinsed with PBS and stored at 4 degree C. Cell growth on these plates is assayed by seeding 5,000 cells/well in growth medium and indirect quantitation of cell number through use of alamarBlue as described by the manufacturer Alamar Biosciences, Inc. (Sacramento, CA) after 48 hr. Falcon plate covers #3071 from
15 Becton Dickinson (Bedford, MA) are used to cover the Loprodyne Silent Screen Plates. Falcon Microtest III cell culture plates can also be used in some proliferation experiments.

To prepare extracts, A431 cells are seeded onto the nylon membranes of Loprodyne plates (20,000/200ml/well) and cultured overnight in complete medium.
20 Cells are quiesced by incubation in serum-free basal medium for 24 hr. After 5-20 minutes treatment with EGF (60ng/ml) or 50 ul of the supernatant produced in Example 31, the medium was removed and 100 ml of extraction buffer ((20 mM HEPES pH 7.5, 0.15 M NaCl, 1% Triton X-100, 0.1% SDS, 2 mM Na₃VO₄, 2 mM Na₄P₂O₇ and a cocktail of protease inhibitors (# 1836170) obtained from
25 Boehringer Mannheim (Indianapolis, IN) is added to each well and the plate is shaken on a rotating shaker for 5 minutes at 4°C. The plate is then placed in a vacuum transfer manifold and the extract filtered through the 0.45 mm membrane bottoms of each well using house vacuum. Extracts are collected in a 96-well catch/assay plate in the bottom of the vacuum manifold and immediately placed on
30 ice. To obtain extracts clarified by centrifugation, the content of each well, after

detergent solubilization for 5 minutes, is removed and centrifuged for 15 minutes at 4 degree C at 16,000 x g.

Test the filtered extracts for levels of tyrosine kinase activity. Although many methods of detecting tyrosine kinase activity are known, one method is described here.

Generally, the tyrosine kinase activity of a supernatant is evaluated by determining its ability to phosphorylate a tyrosine residue on a specific substrate (a biotinylated peptide). Biotinylated peptides that can be used for this purpose include PSK1 (corresponding to amino acids 6-20 of the cell division kinase cdc2-p34) and PSK2 (corresponding to amino acids 1-17 of gastrin). Both peptides are substrates for a range of tyrosine kinases and are available from Boehringer Mannheim.

The tyrosine kinase reaction is set up by adding the following components in order. First, add 10ul of 5uM Biotinylated Peptide, then 10ul ATP/Mg₂₊ (5mM ATP/50mM MgCl₂), then 10ul of 5x Assay Buffer (40mM imidazole hydrochloride, pH7.3, 40 mM beta-glycerophosphate, 1mM EGTA, 100mM MgCl₂, 5 mM MnCl₂, 0.5 mg/ml BSA), then 5ul of Sodium Vanadate(1mM), and then 5ul of water. Mix the components gently and preincubate the reaction mix at 30 degree C for 2 min. Initial the reaction by adding 10ul of the control enzyme or the filtered supernatant.

The tyrosine kinase assay reaction is then terminated by adding 10 ul of 120mM EDTA and place the reactions on ice.

Tyrosine kinase activity is determined by transferring 50 ul aliquot of reaction mixture to a microtiter plate (MTP) module and incubating at 37 degree C for 20 min. This allows the streptavidin coated 96 well plate to associate with the biotinylated peptide. Wash the MTP module with 300ul/well of PBS four times. Next add 75 ul of anti-phosphotyrosine antibody conjugated to horse radish peroxidase(anti-P-Tyr-POD(0.5u/ml)) to each well and incubate at 37 degree C for one hour. Wash the well as above.

Next add 100ul of peroxidase substrate solution (Boehringer Mannheim) and incubate at room temperature for at least 5 mins (up to 30 min). Measure the absorbance of the sample at 405 nm by using ELISA reader. The level of bound

peroxidase activity is quantitated using an ELISA reader and reflects the level of tyrosine kinase activity.

Example 41: High-Throughput Screening Assay Identifying Phosphorylation Activity

5

As a potential alternative and/or compliment to the assay of protein tyrosine kinase activity described in Example 40, an assay which detects activation (phosphorylation) of major intracellular signal transduction intermediates can also be used. For example, as described below one particular assay can detect tyrosine phosphorylation of the Erk-1 and Erk-2 kinases. However, phosphorylation of other molecules, such as Raf, JNK, p38 MAP, Map kinase kinase (MEK), MEK kinase, Src, Muscle specific kinase (MuSK), IRAK, Tec, and Janus, as well as any other phosphoserine, phosphotyrosine, or phosphothreonine molecule, can be detected by substituting these molecules for Erk-1 or Erk-2 in the following assay.

15 Specifically, assay plates are made by coating the wells of a 96-well ELISA plate with 0.1ml of protein G (1ug/ml) for 2 hr at room temp, (RT). The plates are then rinsed with PBS and blocked with 3% BSA/PBS for 1 hr at RT. The protein G plates are then treated with 2 commercial monoclonal antibodies (100ng/well) against Erk-1 and Erk-2 (1 hr at RT) (Santa Cruz Biotechnology). (To detect other molecules, this step can easily be modified by substituting a monoclonal antibody detecting any of the above described molecules.) After 3-5 rinses with PBS, the plates are stored at 4 degree C until use.

25 A431 cells are seeded at 20,000/well in a 96-well Loprodyne filterplate and cultured overnight in growth medium. The cells are then starved for 48 hr in basal medium (DMEM) and then treated with EGF (6ng/well) or 50 ul of the supernatants obtained in Example 31 for 5-20 minutes. The cells are then solubilized and extracts filtered directly into the assay plate.

30 After incubation with the extract for 1 hr at RT, the wells are again rinsed. As a positive control, a commercial preparation of MAP kinase (10ng/well) is used in place of A431 extract. Plates are then treated with a commercial polyclonal (rabbit)

antibody (1 µg/ml) which specifically recognizes the phosphorylated epitope of the Erk-1 and Erk-2 kinases (1 hr at RT). This antibody is biotinylated by standard procedures. The bound polyclonal antibody is then quantitated by successive incubations with Europium-streptavidin and Europium fluorescence enhancing reagent in the Wallac DELFIA instrument (time-resolved fluorescence). An increased fluorescent signal over background indicates a phosphorylation by polypeptide of the present invention or a molecule induced by polypeptide of the present invention.

Example 42: Assay for the Stimulation of Bone Marrow CD34+ Cell Proliferation

10

This assay is based on the ability of human CD34+ to proliferate in the presence of hematopoietic growth factors and evaluates the ability of isolated polypeptides expressed in mammalian cells to stimulate proliferation of CD34+ cells.

It has been previously shown that most mature precursors will respond to only a single signal. More immature precursors require at least two signals to respond. Therefore, to test the effect of polypeptides on hematopoietic activity of a wide range of progenitor cells, the assay contains a given polypeptide in the presence or absence of other hematopoietic growth factors. Isolated cells are cultured for 5 days in the presence of Stem Cell Factor (SCF) in combination with tested sample. SCF alone has a very limited effect on the proliferation of bone marrow (BM) cells, acting in such conditions only as a "survival" factor. However, combined with any factor exhibiting stimulatory effect on these cells (e.g., IL-3), SCF will cause a synergistic effect. Therefore, if the tested polypeptide has a stimulatory effect on a hematopoietic progenitors, such activity can be easily detected. Since normal BM cells have a low level of cycling cells, it is likely that any inhibitory effect of a given polypeptide, or agonists or antagonists thereof, might not be detected. Accordingly, assays for an inhibitory effect on progenitors is preferably tested in cells that are first subjected to *in vitro* stimulation with SCF+IL+3, and then contacted with the compound that is being evaluated for inhibition of such induced proliferation.

30 Briefly, CD34+ cells are isolated using methods known in the art. The cells

are thawed and resuspended in medium (QBSF 60 serum-free medium with 1% L-glutamine (500ml) Quality Biological, Inc., Gaithersburg, MD Cat# 160-204-101). After several gentle centrifugation steps at 200 x g, cells are allowed to rest for one hour. The cell count is adjusted to 2.5×10^5 cells/ml. During this time, 100 μ l of
5 sterile water is added to the peripheral wells of a 96-well plate. The cytokines that can be tested with a given polypeptide in this assay is rhSCF (R&D Systems, Minneapolis, MN, Cat# 255-SC) at 50 ng/ml alone and in combination with rhSCF and rhIL-3 (R&D Systems, Minneapolis, MN, Cat# 203-ML) at 30 ng/ml. After one hour, 10 μ l of prepared cytokines, 50 μ l of the supernatants prepared in Example 31
10 (supernatants at 1:2 dilution = 50 μ l) and 20 μ l of diluted cells are added to the media which is already present in the wells to allow for a final total volume of 100 μ l. The plates are then placed in a 37°C/5% CO₂ incubator for five days.

Eighteen hours before the assay is harvested, 0.5 μ Ci/well of [3H] Thymidine is added in a 10 μ l volume to each well to determine the proliferation rate. The
15 experiment is terminated by harvesting the cells from each 96-well plate to a filtermat using the Tomtec Harvester 96. After harvesting, the filtermats are dried, trimmed and placed into OmniFilter assemblies consisting of one OmniFilter plate and one OmniFilter Tray. 60 μ l Microscint is added to each well and the plate sealed with TopSeal-A press-on sealing film. A bar code 15 sticker is affixed to the first plate for
20 counting. The sealed plates is then loaded and the level of radioactivity determined via the Packard Top Count and the printed data collected for analysis. The level of radioactivity reflects the amount of cell proliferation.

The studies described in this example test the activity of a given polypeptide to stimulate bone marrow CD34+ cell proliferation. One skilled in the art could
25 easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof. As a nonlimiting example, potential antagonists tested in this assay would be expected to inhibit cell proliferation in the presence of cytokines and/or to increase the inhibition of cell proliferation in the presence of cytokines and a given polypeptide.
30 In contrast, potential agonists tested in this assay would be expected to enhance cell

proliferation and/or to decrease the inhibition of cell proliferation in the presence of cytokines and a given polypeptide.

The ability of a gene to stimulate the proliferation of bone marrow CD34+ cells indicates that polynucleotides and polypeptides corresponding to the gene are
5 useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein.

Example 43: Assay for Extracellular Matrix Enhanced Cell Response (EMECR)

10

The objective of the Extracellular Matrix Enhanced Cell Response (EMECR) assay is to identify gene products (e.g., isolated polypeptides) that act on the hematopoietic stem cells in the context of the extracellular matrix (ECM) induced signal.

15

Cells respond to the regulatory factors in the context of signal(s) received from the surrounding microenvironment. For example, fibroblasts, and endothelial and epithelial stem cells fail to replicate in the absence of signals from the ECM. Hematopoietic stem cells can undergo self-renewal in the bone marrow, but not in *in vitro* suspension culture. The ability of stem cells to undergo self-renewal *in vitro* is
20 dependent upon their interaction with the stromal cells and the ECM protein fibronectin (fn). Adhesion of cells to fn is mediated by the $\alpha_5\beta_1$ and $\alpha_4\beta_1$ integrin receptors, which are expressed by human and mouse hematopoietic stem cells. The factor(s) which integrate with the ECM environment and responsible for stimulating stem cell self-renewal has not yet been identified. Discovery of such factors should
25 be of great interest in gene therapy and bone marrow transplant applications

Briefly, polystyrene, non tissue culture treated, 96-well plates are coated with fn fragment at a coating concentration of $0.2 \mu\text{g}/\text{cm}^2$. Mouse bone marrow cells are plated (1,000 cells/well) in 0.2 ml of serum-free medium. Cells cultured in the presence of IL-3 (5 ng/ml) + SCF (50 ng/ml) would serve as the positive control,

conditions under which little self-renewal but pronounced differentiation of the stem cells is to be expected. Gene products of the invention (e.g., including, but not limited to, polynucleotides and polypeptides of the present invention, and supernatants produced in Example 31), are tested with appropriate negative controls in the presence and absence of SCF(5.0 ng/ml), where test factor supernates represent 10% of the total assay volume. The plated cells are then allowed to grow by incubating in a low oxygen environment (5% CO₂, 7% O₂, and 88% N₂) tissue culture incubator for 7 days. The number of proliferating cells within the wells is then quantitated by measuring thymidine incorporation into cellular DNA. Verification of the positive hits in the assay will require phenotypic characterization of the cells, which can be accomplished by scaling up of the culture system and using appropriate antibody reagents against cell surface antigens and FACScan.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

If a particular polypeptide of the present invention is found to be a stimulator of hematopoietic progenitors, polynucleotides and polypeptides corresponding to the gene encoding said polypeptide may be useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein. The gene product may also be useful in the expansion of stem cells and committed progenitors of various blood lineages, and in the differentiation and/or proliferation of various cell types.

Additionally, the polynucleotides and/or polypeptides of the gene of interest and/or agonists and/or antagonists thereof, may also be employed to inhibit the proliferation and differentiation of hematopoietic cells and therefore may be employed to protect bone marrow stem cells from chemotherapeutic agents during chemotherapy. This antiproliferative effect may allow administration of higher doses of chemotherapeutic agents and, therefore, more effective chemotherapeutic treatment.

Moreover, polynucleotides and polypeptides corresponding to the gene of interest may also be useful for the treatment and diagnosis of hematopoietic related disorders such as, for example, anemia, pancytopenia, leukopenia, thrombocytopenia or leukemia since stromal cells are important in the production of cells of hematopoietic lineages. The uses include bone marrow cell ex-vivo culture, bone marrow transplantation, bone marrow reconstitution, radiotherapy or chemotherapy of neoplasia.

Example 44: Human Dermal Fibroblast and Aortic Smooth Muscle Cell Proliferation

10

The polypeptide of interest is added to cultures of normal human dermal fibroblasts (NHDF) and human aortic smooth muscle cells (AoSMC) and two co-assays are performed with each sample. The first assay examines the effect of the polypeptide of interest on the proliferation of normal human dermal fibroblasts (NHDF) or aortic smooth muscle cells (AoSMC). Aberrant growth of fibroblasts or smooth muscle cells is a part of several pathological processes, including fibrosis, and restenosis. The second assay examines IL6 production by both NHDF and SMC. IL6 production is an indication of functional activation. Activated cells will have increased production of a number of cytokines and other factors, which can result in a proinflammatory or immunomodulatory outcome. Assays are run with and without co-TNF α stimulation, in order to check for costimulatory or inhibitory activity.

Briefly, on day 1, 96-well black plates are set up with 1000 cells/well (NHDF) or 2000 cells/well (AoSMC) in 100 μ l culture media. NHDF culture media contains: Clonetics FB basal media, 1mg/ml hFGF, 5mg/ml insulin, 50mg/ml gentamycin, 2%FBS, while AoSMC culture media contains Clonetics SM basal media, 0.5 μ g/ml hEGF, 5mg/ml insulin, 1 μ g/ml hFGF, 50mg/ml gentamycin, 50 μ g/ml Amphotericin B, 5%FBS. After incubation at 37°C for at least 4-5 hours, culture media is aspirated and replaced with growth arrest media. Growth arrest media for NHDF contains fibroblast basal media, 50mg/ml gentamycin, 2% FBS, while growth arrest media for AoSMC contains SM basal media, 50mg/ml gentamycin, 50 μ g/ml Amphotericin B,

30

0.4% FBS. Incubate at 37°C until day 2.

On day 2, serial dilutions and templates of the polypeptide of interest are designed such that they always include media controls and known-protein controls. For both stimulation and inhibition experiments, proteins are diluted in growth arrest
5 media. For inhibition experiments, TNFa is added to a final concentration of 2ng/ml (NHDF) or 5ng/ml (AoSMC). Add 1/3 vol media containing controls or polypeptides of the present invention and incubate at 37°C/5% CO₂ until day 5.

Transfer 60µl from each well to another labeled 96-well plate, cover with a plate-sealer, and store at 4°C until Day 6 (for IL6 ELISA). To the remaining 100 µl in
10 the cell culture plate, aseptically add Alamar Blue in an amount equal to 10% of the culture volume (10µl). Return plates to incubator for 3 to 4 hours. Then measure fluorescence with excitation at 530nm and emission at 590nm using the CytoFluor. This yields the growth stimulation/inhibition data.

On day 5, the IL6 ELISA is performed by coating a 96 well plate with 50-100
15 ul/well of Anti-Human IL6 Monoclonal antibody diluted in PBS, pH 7.4, incubate ON at room temperature.

On day 6, empty the plates into the sink and blot on paper towels. Prepare Assay Buffer containing PBS with 4% BSA. Block the plates with 200 µl/well of Pierce Super Block blocking buffer in PBS for 1-2 hr and then wash plates with wash
20 buffer (PBS, 0.05% Tween-20). Blot plates on paper towels. Then add 50 µl/well of diluted Anti-Human IL-6 Monoclonal, Biotin-labeled antibody at 0.50 mg/ml. Make dilutions of IL-6 stock in media (30, 10, 3, 1, 0.3, 0 ng/ml). Add duplicate samples to top row of plate. Cover the plates and incubate for 2 hours at RT on shaker. Plates are washed with wash buffer and blotted on paper towels. Dilute EU-labeled Streptavidin
25 1:1000 in Assay buffer, and add 100 µl/well. Cover the plate and incubate 1 h at RT. Plates are again washed with wash buffer and blotted on paper towels. Add 100 µl/well of Enhancement Solution and shake for 5 minutes. Read the plate on the Wallac DELFIA Fluorometer. Readings from triplicate samples in each assay are tabulated and averaged.

30 A positive result in this assay suggests AoSMC cell proliferation and that the

polypeptide of the present invention may be involved in dermal fibroblast proliferation and/or smooth muscle cell proliferation. A positive result also suggests many potential uses of polypeptides, polynucleotides, agonists and/or antagonists of the polynucleotide/polypeptide of the present invention which gives a positive result.

5 For example, inflammation and immune responses, wound healing, and angiogenesis, as detailed throughout this specification. Particularly, polypeptides of the present invention and polynucleotides of the present invention may be used in wound healing and dermal regeneration, as well as the promotion of vasculargenesis, both of the blood vessels and lymphatics. The growth of vessels can be used in the treatment of,

10 for example, cardiovascular diseases. Additionally, antagonists of polypeptides and polynucleotides of the invention may be useful in treating diseases, disorders, and/or conditions which involve angiogenesis by acting as an anti-vascular (e.g., anti-angiogenesis). These diseases, disorders, and/or conditions are known in the art and/or are described herein, such as, for example, malignancies, solid tumors, benign

15 tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; arteriosclerotic plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uveitis and Pterygia (abnormal blood vessel growth) of the eye;

20 rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization; telangiectasia;

25 hemophiliac joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis. Moreover, antagonists of polypeptides and polynucleotides of the invention may be useful in treating anti-hyperproliferative diseases and/or anti-inflammatory known in the art and/or described herein.

One skilled in the art could easily modify the exemplified studies to test the

30 activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or

antagonists and fragments and variants thereof.

Example 45: Cellular Adhesion Molecule (CAM) Expression on Endothelial Cells

5

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Briefly, endothelial cells (e.g., Human Umbilical Vein Endothelial cells (HUVECs)) are grown in a standard 96 well plate to confluence, growth medium is removed from the cells and replaced with 100 μ l of 199 Medium (10% fetal bovine serum (FBS)). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 μ l volumes). Plates are then incubated at 37°C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100 μ l of 0.1% paraformaldehyde-PBS(with Ca++ and Mg++) is added to each well. Plates are held at 4°C for 30 min. Fixative is removed from the wells and wells are washed 1X with PBS(+Ca,Mg) + 0.5% BSA and drained. 10 μ l of diluted primary antibody is added to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10 μ g/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed three times with PBS(+Ca,Mg) + 0.5% BSA. 20 μ l of diluted ExtrAvidin-Alkaline

Phosphatase (1:5,000 dilution, referred to herein as the working dilution) are added to each well and incubated at 37°C for 30 min. Wells are washed three times with PBS(+Ca,Mg)+0.5% BSA. Dissolve 1 tablet of p-Nitrophenol Phosphate pNPP per 5 ml of glycine buffer (pH 10.4). 100 µl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphatase in glycine buffer: 1:5,000 (10^0) > $10^{-0.5}$ > 10^{-1} > $10^{-1.5}$. 5 µl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 µl of pNPP reagent is then added to each of the standard wells. The plate is incubated at 37°C for 4h. A volume of 50 µl of 3M NaOH is added to all wells. The plate is read on a plate reader at 405 nm using the background subtraction option on blank wells filled with glycine buffer only. Additionally, the template is set up to indicate the concentration of AP-conjugate in each standard well [5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

Example 46: Alamar Blue Endothelial Cells Proliferation Assay

This assay may be used to quantitatively determine protein mediated inhibition of bFGF-induced proliferation of Bovine Lymphatic Endothelial Cells (LECs), Bovine Aortic Endothelial Cells (BAECs) or Human Microvascular Uterine Myometrial Cells (UTMECs). This assay incorporates a fluorometric growth indicator based on detection of metabolic activity. A standard Alamar Blue Proliferation Assay is prepared in EGM-2MV with 10 ng /ml of bFGF added as a source of endothelial cell stimulation. This assay may be used with a variety of endothelial cells with slight changes in growth medium and cell concentration. Dilutions of the protein batches to be tested are diluted as appropriate. Serum-free medium (GIBCO SFM) without bFGF is used as a non-stimulated control and Angiostatin or TSP-1 are included as a known inhibitory controls.

Briefly, LEC, BAECs or UTMECs are seeded in growth media at a density of 5000 to 2000 cells/well in a 96 well plate and placed at 37-C overnight. After the

overnight incubation of the cells, the growth media is removed and replaced with GIBCO EC-SFM. The cells are treated with the appropriate dilutions of the protein of interest or control protein sample(s) (prepared in SFM) in triplicate wells with additional bFGF to a concentration of 10 ng/ ml. Once the cells have been treated
5 with the samples, the plate(s) is/are placed back in the 37° C incubator for three days. After three days 10 ml of stock alamar blue (Biosource Cat# DAL1100) is added to each well and the plate(s) is/are placed back in the 37°C incubator for four hours. The plate(s) are then read at 530nm excitation and 590nm emission using the CytoFluor fluorescence reader. Direct output is recorded in relative fluorescence units.

10 Alamar blue is an oxidation-reduction indicator that both fluoresces and changes color in response to chemical reduction of growth medium resulting from cell growth. As cells grow in culture, innate metabolic activity results in a chemical reduction of the immediate surrounding environment. Reduction related to growth causes the indicator to change from oxidized (non-fluorescent blue) form to reduced
15 (fluorescent red) form. i.e. stimulated proliferation will produce a stronger signal and inhibited proliferation will produce a weaker signal and the total signal is proportional to the total number of cells as well as their metabolic activity. The background level of activity is observed with the starvation medium alone. This is compared to the output observed from the positive control samples (bFGF in growth medium) and
20 protein dilutions.

Example 47: Detection of Inhibition of a Mixed Lymphocyte Reaction

This assay can be used to detect and evaluate inhibition of a Mixed
25 Lymphocyte Reaction (MLR) by gene products (e.g., isolated polypeptides). Inhibition of a MLR may be due to a direct effect on cell proliferation and viability, modulation of costimulatory molecules on interacting cells, modulation of adhesiveness between lymphocytes and accessory cells, or modulation of cytokine production by accessory cells. Multiple cells may be targeted by these polypeptides

since the peripheral blood mononuclear fraction used in this assay includes T, B and natural killer lymphocytes, as well as monocytes and dendritic cells.

Polypeptides of interest found to inhibit the MLR may find application in diseases associated with lymphocyte and monocyte activation or proliferation. These
5 include, but are not limited to, diseases such as asthma, arthritis, diabetes, inflammatory skin conditions, psoriasis, eczema, systemic lupus erythematosus, multiple sclerosis, glomerulonephritis, inflammatory bowel disease, crohn's disease, ulcerative colitis, arteriosclerosis, cirrhosis, graft vs. host disease, host vs. graft disease, hepatitis, leukemia and lymphoma.

10 Briefly, PBMCs from human donors are purified by density gradient centrifugation using Lymphocyte Separation Medium (LSM[®], density 1.0770 g/ml, Organon Teknika Corporation, West Chester, PA). PBMCs from two donors are adjusted to 2×10^6 cells/ml in RPMI-1640 (Life Technologies, Grand Island, NY) supplemented with 10% FCS and 2 mM glutamine. PBMCs from a third donor is
15 adjusted to 2×10^5 cells/ml. Fifty microliters of PBMCs from each donor is added to wells of a 96-well round bottom microtiter plate. Dilutions of test materials (50 μ l) is added in triplicate to microtiter wells. Test samples (of the protein of interest) are added for final dilution of 1:4; rhIL-2 (R&D Systems, Minneapolis, MN, catalog number 202-IL) is added to a final concentration of 1 μ g/ml; anti-CD4 mAb (R&D
20 Systems, clone 34930.11, catalog number MAB379) is added to a final concentration of 10 μ g/ml. Cells are cultured for 7-8 days at 37°C in 5% CO₂, and 1 μ C of [³H] thymidine is added to wells for the last 16 hrs of culture. Cells are harvested and thymidine incorporation determined using a Packard TopCount. Data is expressed as the mean and standard deviation of triplicate determinations.

25 Samples of the protein of interest are screened in separate experiments and compared to the negative control treatment, anti-CD4 mAb, which inhibits proliferation of lymphocytes and the positive control treatment, IL-2 (either as recombinant material or supernatant), which enhances proliferation of lymphocytes.

One skilled in the art could easily modify the exemplified studies to test the
30 activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or

antagonists and fragments and variants thereof.

It will be clear that the invention may be practiced otherwise than as particularly described in the foregoing description and examples. Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

The entire disclosure of each document cited (including patents, patent applications, journal articles, abstracts, laboratory manuals, books, or other disclosures) in the Background of the Invention, Detailed Description, and Examples is hereby incorporated herein by reference. Further, the hard copy of the sequence listing submitted herewith and the corresponding computer readable form are both incorporated herein by reference in their entireties. Moreover, the hard copy of and the corresponding computer readable form of the Sequence Listing of Serial No. 60/124,270 are also incorporated herein by reference in their entireties.

539

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
--	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> . line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209059
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Jenifer Powell PCT/International Processing Div. (703) 835-6080</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
--	--

ATCC Deposit No. 209059**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209059

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

542

Applicant's or agent's file reference number	PA106PCT	International application I	UNASSIGNED
---	----------	-----------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209060
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer For International Processing Div. (703) 305-3030</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

ATCC Deposit No. 209060**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2**ATCC Deposit No. 209060****DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

545

Applicant's or agent's file reference number	PA106PCT	International application N°	UNASSIGNED
--	----------	------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209061</u>
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only <input checked="" type="checkbox"/> This sheet was received with the international application Authorized officer <u>PCT/Internat'l Appl Processing Div.</u> <u>(703) 305-3639</u>	For International Bureau use only <input type="checkbox"/> This sheet was received by the International Bureau on: Authorized officer
--	---

ATCC Deposit No. 209061**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2
ATCC Deposit No. 209061

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

548

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209062
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<input checked="" type="checkbox"/> For receiving Office use only This sheet was received with the international application Jeryl McDowell Authorized officer PCT/Internat'l Appl Processing Div. (703) 305-3639	<input type="checkbox"/> For International Bureau use only This sheet was received by the International Bureau on: Authorized officer
--	---

ATCC Deposit No. 209062**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2**ATCC Deposit No. 209062****DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

551

Applicant's or agent's file reference number	PA106PCT	International application number	UNASSIGNED
--	----------	----------------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209063
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer PCT/International Appl Processing Div. (703) 305-3639	Authorized officer

ATCC Deposit No. 209063**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209063

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

554

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209064</u>
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
<u>Europe</u> In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only <input checked="" type="checkbox"/> This sheet was received with the international application Authorized officer <u>Legal Coun.</u> <u>PCT/Internal Appl Processing Div.</u> <u>(703) 305-3639</u>	For International Bureau use only <input type="checkbox"/> This sheet was received by the International Bureau on: Authorized officer
---	--

ATCC Deposit No. 209064**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2
ATCC Deposit No. 209064

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA106PCT	International application*	UNASSIGNED
---	----------	----------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209065</u>
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
<u>Europe</u> In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") 	

For receiving Office use only <input checked="" type="checkbox"/> This sheet was received with the international application Authorized officer <u>PCT/US00/05882</u> Processing Div. <u>(703) 305-3639</u>	For International Bureau use only <input type="checkbox"/> This sheet was received by the International Bureau on: Authorized officer
--	--

ATCC Deposit No. 209065**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2
ATCC Deposit No. 209065

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

560

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209066</u>
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
<u>Europe</u> In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") 	

For receiving Office use only <input checked="" type="checkbox"/> This sheet was received with the international application Authorized officer <u>PA106PCT</u> <u>PCT/Int. Appl. Processing Div.</u> <u>(703) 305-3639</u>	For International Bureau use only <input type="checkbox"/> This sheet was received by the International Bureau on: Authorized officer
---	--

ATCC Deposit No. 209066**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209066

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

563

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209067
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only <input checked="" type="checkbox"/> This sheet was received with the international application Authorized officer Processing Div. (703) 305-6639	For International Bureau use only <input type="checkbox"/> This sheet was received by the International Bureau on: Authorized officer
---	--

ATCC Deposit No. 209067**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2**ATCC Deposit No. 209067****DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

566

Applicant's or agent's file reference number	PA106PCT	International application?	UNASSIGNED
--	----------	----------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209068
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>_____ Authorized officer PCT/US00/05882 Processing Div. (703) 393-3339</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on: _____</p> <p>_____ Authorized officer</p>
--	--

ATCC Deposit No. 209068**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209068

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

569

Applicant's or agent's file reference number	PA106PCT	International application?	UNASSIGNED
--	----------	----------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209069
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer PCT/Internat'l Appl Processing Div. (703) 305-8639</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

ATCC Deposit No. 209069**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209069

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

572

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 12 January 1998	Accession Number 209579
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Joni M. Dowell PCT/Internat'l Appl Processing Div. (703) 305-3639	Authorized officer

ATCC Deposit No. 209579**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209579

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

575

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
--	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>12 January 1998</u>	Accession Number <u>209578</u>
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
<u>Europe</u> In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") 	

<input checked="" type="checkbox"/> For receiving Office use only
<input checked="" type="checkbox"/> This sheet was received with the international application
Authorized officer <u>Jerry McConell</u> <u>PCT/Interna. Appl. Processing Div.</u> <u>(703) 305-6000</u>

<input type="checkbox"/> For International Bureau use only
<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer

ATCC Deposit No. 209578**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209578

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

578

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 16 July 1998	Accession Number 203067
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<input checked="" type="checkbox"/> For receiving Office use only
<input checked="" type="checkbox"/> This sheet was received with the international application
Authorized officer Jeryl McDowell PCT/International Appl Processing Div. (703) 305-3639

<input type="checkbox"/> For International Bureau use only
<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer

ATCC Deposit No. 203067**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 203067

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office, before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

581

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 16 July 1998	Accession Number 203068
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer <u>Jerald M. Dowell</u> PCT/International Appl Processing Div. (703) 305-3339</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
--	--

ATCC Deposit No. 203068**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2**ATCC Deposit No. 203068****DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

584

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 1 February 1999	Accession Number 203609
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<input checked="" type="checkbox"/> For receiving Office use only This sheet was received with the international application Jeryl McDowell Authorized officer PCT/Internat'l Appl Processing Div. (703) 305-3339	<input type="checkbox"/> For International Bureau use only This sheet was received by the International Bureau on: Authorized officer
--	---

ATCC Deposit No. 203609**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2
ATCC Deposit No. 203609

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

587

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
--	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 1 February 1999	Accession Number 203610
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Joni McConell PCT/International Appl Processing Div. (703) 305-3339</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
--	--

ATCC Deposit No. 203610**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 203610

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

590

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 17 November 1998	Accession Number 203485
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<input checked="" type="checkbox"/> For receiving Office use only This sheet was received with the international application	<input type="checkbox"/> For International Bureau use only This sheet was received by the International Bureau on:
Authorized officer: PCT/International Appl Processing Div. (703) 305-3639	Authorized officer

ATCC Deposit No. 203485**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement; or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2
ATCC Deposit No. 203485

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

593

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 18 June 1999	Accession Number PTA-252
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Jeryl McDowell PCT/International Appl Processing Div. (703) 305-3839</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

ATCC Deposit No. PTA-252**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. PTA-252

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

596

Applicant's or agent's file reference number	PA106PCT	International application'	UNASSIGNED
---	----------	----------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 18 June 1999	Accession Number PTA-253
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
<u>Jerry McDowell</u> Authorized officer, Appl Processing Div. (703) 305-3639	Authorized officer

ATCC Deposit No. PTA-253**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2**ATCC Deposit No. PTA-253****DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

599

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
---	----------	---------------------------	------------

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 22 December 1999	Accession Number PTA-1081
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer Jeryl McDermott PCT/Internat'l Appl Processing Div. (703) 305-3639</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

ATCC Deposit No. PTA-1081**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2
ATCC Deposit No. PTA-1081

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

What Is Claimed Is:

1. An isolated nucleic acid molecule comprising a polynucleotide having a nucleotide sequence at least 95% identical to a sequence selected from the group consisting of:
- 5 (a) a polynucleotide fragment of SEQ ID NO:X or a polynucleotide fragment of the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- (b) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- 10 (c) a polynucleotide encoding a polypeptide fragment of a polypeptide encoded by SEQ ID NO:X or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- 15 (d) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y or a polypeptide domain encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- (e) a polynucleotide encoding a polypeptide epitope of SEQ ID NO:Y or a polypeptide epitope encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
- 20 (f) a polynucleotide encoding a polypeptide of SEQ ID NO:Y or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X, having biological activity;
- (g) a polynucleotide which is a variant of SEQ ID NO:X;
- 25 (h) a polynucleotide which is an allelic variant of SEQ ID NO:X;
- (i) a polynucleotide which encodes a species homologue of the SEQ ID NO:Y;
- (j) a polynucleotide capable of hybridizing under stringent conditions to any one of the polynucleotides specified in (a)-(i), wherein said polynucleotide does not hybridize under stringent conditions to a nucleic acid molecule having a nucleotide
- 30

sequence of only A residues or of only T residues.

2. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding a protein.

5

3. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding the sequence identified as SEQ ID NO:Y or the polypeptide encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X.

10

4. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises the entire nucleotide sequence of SEQ ID NO:X or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X.

15

5. The isolated nucleic acid molecule of claim 2, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.

20 6. The isolated nucleic acid molecule of claim 3, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.

25 7. A recombinant vector comprising the isolated nucleic acid molecule of claim 1.

8. A method of making a recombinant host cell comprising the isolated nucleic acid molecule of claim 1.

30 9. A recombinant host cell produced by the method of claim 8.

10. The recombinant host cell of claim 9 comprising vector sequences.
11. An isolated polypeptide comprising an amino acid sequence at least
5 95% identical to a sequence selected from the group consisting of:
- (a) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
 - (b) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone, having biological activity;
 - 10 (c) a polypeptide domain of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
 - (d) a polypeptide epitope of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
 - (e) a full length protein of SEQ ID NO:Y or of the sequence encoded by the
15 cDNA included in the related cDNA clone;
 - (f) a variant of SEQ ID NO:Y;
 - (g) an allelic variant of SEQ ID NO:Y; or
 - (h) a species homologue of the SEQ ID NO:Y.
- 20 12. The isolated polypeptide of claim 11, wherein the full length protein comprises sequential amino acid deletions from either the C-terminus or the N-terminus.
13. An isolated antibody that binds specifically to the isolated polypeptide
25 of claim 11.
14. A recombinant host cell that expresses the isolated polypeptide of claim 11.
- 30 15. A method of making an isolated polypeptide comprising:

(a) culturing the recombinant host cell of claim 14 under conditions such that said polypeptide is expressed; and

(b) recovering said polypeptide.

5 16. The polypeptide produced by claim 15.

17. A method for preventing, treating, or ameliorating a medical condition, comprising administering to a mammalian subject a therapeutically effective amount of the polypeptide of claim 11 or the polynucleotide of claim 1.

10

18. A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:

(a) determining the presence or absence of a mutation in the polynucleotide of claim 1; and

15 (b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or absence of said mutation.

19. A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:

20 (a) determining the presence or amount of expression of the polypeptide of claim 11 in a biological sample; and

(b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or amount of expression of the polypeptide.

25 20. A method for identifying a binding partner to the polypeptide of claim 11 comprising:

(a) contacting the polypeptide of claim 11 with a binding partner; and

(b) determining whether the binding partner effects an activity of the polypeptide.

30

21. The gene corresponding to the cDNA sequence of SEQ ID NO:Y.
22. A method of identifying an activity in a biological assay, wherein the method comprises:
- 5 (a) expressing SEQ ID NO:X in a cell;
- (b) isolating the supernatant;
- (c) detecting an activity in a biological assay; and
- (d) identifying the protein in the supernatant having the activity.
- 10 23. The product produced by the method of claim 20.

SEQUENCE LISTING

<110> Craig Rosen,
Steve Ruben

<120> Human Cancer Associated Gene Sequences and Polypeptides

<130> PA106PCT

<140> Unassigned

<141> 2000-03-08

<150> 60/124,270

<151> 1999-03-12

<160> 1694

<170> PatentIn Ver. 2.0

<210> 1

<211> 556

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (546)

<223> n equals a,t,g, or c

<400> 1

```
gaagagagac tgggttattc ctcccatcag ctgcccagaa aatgaaaaag gccatttcc 60
taaaaacctg gttcagatca aatccaacaa agacaaagaa ggcaagggtt tctacagcat 120
cactggccaa ggagctgaca caccctgtg tgggtgtcttt attattgaaa gagaaacagg 180
atggctgaag gtgacagagc ctctggatag agaacgcatt gccacatata ctctcttctc 240
tcacgctgtg tcatccaacg ggaatgcagt tgaggatcca atggagattt tgatcacggt 300
aaccgatcag aatgacaaca agcccgaatt caccagaggag gtctttaagg ggtctgtcat 360
ggaaggtgct cttccaggaa cctctgtaat ggaggtcaca gccacagacg cggacgatgg 420
atgtggaaca cctacaatgc cgccatcgct tacaccatcc tcagcccaag atccctgagc 480
tccttgacaa aaatatgttc accattaaca ggaacacagg rgtcatcagt gttgtcacca 540
cttggn ttgg ccgaga                                     556
```

<210> 2

<211> 2662

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2662)

<223> n equals a,t,g, or c

<400> 2

```
ggctgtggga actcctgggg gaggtggagg tggagccgta ccaggatattt cagccatgtc 60
ccgcggwgat ctgwgccaga gagccaagga tttgagtaaa cggagcttct caagtcagcg 120
gccaggcatg gaacggcaga atcggcgccc tggcccaggg ggcaaggctg gcagcagtgg 180
cagcagcagt ggaggaggcg gtgggkgtcc tggagggaagg accgggccag gacgaggcga 240
caagaggagc tggccctctc ccaagaaccg aagtcgtcct ccagaggarc gtcccccggg 300
gcttcccctg cttccccac ctcccagcag ttctgtgtct tccgcctgga ccaagttatc 360
cacagcaacc ctgctggcat ccaacargct ctggcccagc ttagtarccg tcaarggagt 420
gtaactgcac caggggggtca tccaaggcac aagcctgggc ctccccaaag ccctcagggc 480
ccctctccta ggcccccaac ccgatacagag cccagagggg tcaacagcgg cctcagttct 540
gacccccact ttraggagcc ggggccaatg gtgagagggg tgggtgggac tctcggggac 600
tctgccgggg ttagtccctt tccccctaaa cgtcgggagc ggcctcccag aaaaccagag 660
ctgctacagg aggaatcttt gccacctcct catagctctg gattcttggg ctctaagcct 720
gagggcccag gcctcaggc agagtcaga gatacaggca cagaggccct gacccctcac 780
atctggaacc gtttacatac tgccactagc cgaaagagtt accggcccag ctccatggag 840
ccttgatgg agccctgag tctttttgag gatgtggctg gcacagaaat gagtcatgtc 900
gacagtgggg tggacctgag tggggattct caggtgtcat caggtccctg cagccagcga 960
agttcccctg atggaggact caagggggca gcagagggac ccccaagag gcctggaggc 1020
tcctcacccc tgaatgtgtg tccttgtgag ggtccacctg gctctgaacc tcctaggaga 1080
ccaccacctg cccccacga tggggacaga aaggagctgc cccgggagca gcctctgccc 1140
cctggcccca ttggcacaga acgatcacag crtacagacc gaggcacaga gcctggcccc 1200
attcgcccat cccatcgacc tgggtcccca gtccagtttg gcaactartga caaggactca 1260
gacttacgcc tagtggtagg agacagcttg aaagcagaga aggagctaac agcatcagtc 1320
actgaggcca ttctgtatc acgagactgg gagctgttcc ccagtgtgtc tgccctctgt 1380
gagccacaat ccaagaacct ggattctggg cactgtgtcc cggagcccag ctccctcaggc 1440
cagcgctgt atctgaggt tttctatggc agtgtggggc cttccagttc tcagatctct 1500
gggggagcca tggactctca attacatcca aacagtggag gcttcgccc tgggacacc 1560
tcactgcacc ctacagatc acagccccta tacctacccc csggcccagc cctccctca 1620
gcactgtct ctggggtagc tctcaagggc cagtttcttg atttctccac aatgcaagct 1680
acagagctgg ggaagttgcc ggctggagga gttctctacc ctccaccttc cttcctctac 1740
tctccggctt tctgccccag tcctttgcct gacacatcgt tgcttcagggt acgccaggat 1800
ctgccatccc cttcggattt ttattctact cctctgcagc ctggtggcca aagtggcttt 1860
ctccctcag gggctcctgc cagcagatgc ttctacccat ggtagactca cagctgcctg 1920
tgggtgaactt tggctccctg ccgccagcac cacctcctgc cccacctccc ctttctctgt 1980
tacctgtggg ccctgtctg cagcccccca gcctggctgt gcggcccca cctgtcctg 2040
ctactcgggt gctgccttca cctgccaggc ccttccccgc tagcttgggg cgagcagagc 2100
tgcatccagt ggaactaaag ccgttcagg attatcaaaa actgagcagc aaccttgggg 2160
gacctggatc atcacggact cccccaactg gaaggtcctt ctctggcctc aattcccgtc 2220
tcaaggccac gccttccacc tacagtggag tcttcgcgac ccagcgctc gacctttacc 2280
agcaggcctc cccaccagat gccctgcgct ggatacctaa gccttgggar cggacagggc 2340
cgccacctcg agaaggggcc tcccagcggg cagaggagcc tgggtcccga ggggacaagg 2400
agcctgggtt gccccacccc cgctgaggga gttcctcttg cccctaccc ccggggcttg 2460
tatatagatt ataaatatat aagggggaaa ggggtggcg gggaggggtt gtggggcttg 2520
ggcctcactt cccctcctcc ccctccccct ggtccccgt ccttgggggt gtttgtaaa 2580
aaagagtaat aaaggattt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2640
aaaaaaaaa aaaaaaaaaa tn 2662
```

<210> 3

<211> 338

<212> DNA

<213> Homo sapiens

<400> 3
gtgctttgtg ctttgtgcat gtggtaggca gaacactacc atatgtcccc acatacttac 60
actagacctt ggagcaagag caagaacagc aaaagcacag cgcttttgaa cccaaaagac 120
aagctccctt cttcctgcgt tgtccctcca gctscctctg ctgaccaggt ttagcatcat 180
gtgctctgta aaggaggaat tctggagagt ccagtccatt attacagagc tagtactgaa 240
gggtgagttt ggagttgaag aggcaatgaa attgataact ggcacagaag ccaaataata 300
gagtattgac taaataatag ctaagtacaa gaacacag 338

<210> 4
<211> 813
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (784)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (787)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (793)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (807)
<223> n equals a,t,g, or c

<400> 4
aattcggcac gagccacctt gacctcctaa agtgctagga ttacaggcat gagccactgt 60
accatacccc tgggaggggt ttgaagagt acatgttatg atttaggttt tagcacaacc 120
ccctcagacc actctgtgga gaacagactg tcagggaacg tgggtggagg cagagagacc 180
agaaagattc caggaggaca gatgtggtgg gacaaggttg gggagacact gaagccaagg 240
ccctgatcac ccctcctcac agctccagcc tctcaactyc agcctctctc acttatttgt 300
tccatgtttg tccatcatga gcctcctcaa caagcccaag agtgagatga cccagagga 360
gctgcagaag cgagaggagg aggaatttaa caccgggtcca ctctctgtgc tcacacagtc 420
agtcaagaac aatacccaag tgetcatcaa ctgccgaac aataagaaac tcctgggccc 480
cgtgaaggcc ttcgataggc actgcaacat ggtgctggag aacgtgaagg agatgtggac 540
tgaggtaccc aagagtggca agggcaagaa gaagtccaag ccagtcaaca aagaccgcta 600
catctccaag atgttcctgc gcggggactc agtcatcgtg gtccctgcga acccgctcat 660
cgccggcaag taggggcccgc ctgtctgttg acagaactca ctctctgtgc ctatgaagac 720
cgctgccatt ggtgttgaga ataataaagc tctgtgtttt tttctaaaaa aaaaaaaaaa 780
aaanytnccg gcngaagctt tttccntta ggg 813

<210> 5

<211> 901
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (838)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (846)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (870)
<223> n equals a,t,g, or c

<400> 5
gcccgaatgg cgcccgacaa gsgcccggcg gctggacctc ggtcgcgagc tgccatggcc 60
cagtggagga agaagaaagg gctccggaag cgccgaggcg cgccctccca ggcccgcgcc 120
agcaactcgg aggacggcga gtttgagatc caggcggaag atgacgcccg ggcccggaag 180
ctgggacctg gaagaccctt gccacacctc cccacctcgg aatgcacctc ggatgtggag 240
ccggacaccc gggagatggg gcgtgcccag aacaagaaga agaagaagtc tggaggcttc 300
cagtccatgg gcctgagcta cccgggtgtc aaaggcatca tgaagaaggg gtacaagggtg 360
ccaacaccca tccagaggaa gaccatcccc gtgatcttgg atggcaagga cgtgggtggc 420
atggcccgga cgggcagtgg caagacagcc tgcttcctcc tcccaatgtt cgagcggctc 480
aagaccaca gtgcccagac cggggcccg cccatccct ctcgccgacc cgagarctgg 540
ccctgcagac cctgaagtgc actaaggagc taggcaagtt cactggcctc aagactgccc 600
tgatcctggg tggagacagg atggaagacc agtttgcagc cctgcacgaa aatcccagca 660
taattattgc cagccccgga cgggttgggc atgtggctgt ggaaatragc ctgaagctgc 720
agagtgtgga atacgtrgtg ttcgatgaag ctgaccggct ttttraaatg ggtttcgcag 780
agcagctgca ggagatcatc gcccgctctc cggggggcca ccagacgggtg ctgttctncg 840
ccacgntgcc caaactgctg gtggaatttn cccgggctgg cctcacggag cccgtgctca 900
t 901

<210> 6
<211> 731
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (106)
<223> n equals a,t,g, or c

<400> 6
ggcacgagcg agctcagagt gtgcccgtg cgccgcccgt gtccgtacct gccgcccgcg 60
ccaccgccac catgcccaac ttcgccggca cctggaagat gcgcanagcg agaatttcga 120
cgagctgctg aaggcactgg gtgtgaacgc catgctgagg aaagtggccg tagcggctgc 180

```

gtccaagccg cacgtggaga tccgccagga cggggatcag ttctacatca agacatccac 240
cacgggtgcg accactgaga tcaacttcaa ggtcggagaa ggctttgagg aggagaccgt 300
ggacggacgc aagtgcagga gtttagccac ttgggagaat gagaacaaga tccactgcac 360
gcaaactctt cttgaagggg acggcccca aacctactgg acccgtgagc tggccaacga 420
tgaacttata ctgacgtttg gcgccgatga cgtggtctgc accagaattt atgtccgaga 480
gtgaaggcag ctggcttgct cctactttca ggaagggatg caggctcccc tgaggaatat 540
gtcatagtgc tgagctgcca gtggaccgcc cttttccct accaatatta ggtgatcccc 600
ttttcccat gacaatgttg tagtgtcccc caccaccacc ccccaggcct tgggtgcctct 660
tgtatcccta gtgtccata gtttggcatt tgcacggtt cgaagtcatt aaactggtta 720
gacgtgtctc a 731

```

<210> 7

<211> 2774

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2652)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2698)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2714)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2756)

<223> n equals a,t,g, or c

<400> 7

```

ggcagagtca cttttgagta tttcagcctc ttcattgaatc tatctccctc tctttgattt 60
catgtaatat ctccctaaat atttctttgc atatgtgggc aagtgtacgt gtgtgtgtgt 120
catgtgtggc agaggggctt cctaaccct gcctgatagg tgcagaacgt cggctatcag 180
agcaagcatt gtggagcggg tmcttatgcc aggctgccat gtgagatgat ccaagaccaa 240
aacaaggccc tagactgcag taaaaccacag aactcaagta gggcagaagg tggaggctc 300
atatggwtg aaggcccaaa gtataagaca gatggtttga gacttgagac ccgaggacta 360
agatggaaag ccatgttcc aagatagata gaagcctcag gcctgaaacc aacaaaagcc 420
tcaagagcca agaaaacaga ggggtggcctg aattggaccg aagcctgagt tggatggaag 480
tctcaaggct tgagttagaa gtcttaagac ctgggacagg acacatggaa ggcctaagaa 540
ctgagacttg tgacacaagg ccaacgacct aagattagcc cagggttgta gctggaagac 600
ctacaacca aggatggaag gccctgtca caaagcctac ctatgatgat agaggacca 660
agcgaaaaag gtatctcaag actaacggcc ggaatctgga ggcccatgac ccagaacca 720
ggaaggatag aagcttgaag acctggggaa atcccaagat gagaacccta aaccctacct 780
ctttctatt gtttacactt ctactctta gatatttcca gttctcctgt ttatctttaa 840

```

```

gcctgattct tttgagatgt actttttgat gttgccgggtt accttttagat tgacagtatt 900
atgcctgggc cagtcttgag ccagctttaa atcacagctt ttacctattt gttaggctat 960
agtgttttgt aaacttctgt ttctattcac atcttctcca cttgagagag acaccaaagt 1020
ccagtcagta tctaactctg cttttgttaa cttccctcag gagcagacat tcatataggt 1080
gatactgtat ttcagtcctt tcttttgacc ccagaagccc tagactgaga agataaaatg 1140
gtcaggttgt tgggraaaaa aaagtgccag gctctctaga gaaaaatgtg aagagatgct 1200
ccaggccaat gagaagaatt agacaagaaa tacacagatg tgccagactt ctgagaagca 1260
cctgccagca acagcttcct tctttgagct taggtgagca ggattctggg gtttgggatt 1320
tctagtgatg gttatggaaa gggtgactgt gcctgggaca aagcgagggtc ccaaggggac 1380
agcctgaact ccctgctcat agtagtgccc aaataatttg gtggactgtg ccaacgctac 1440
tcctggggtt aatacccatc tctaggctta aagatgagag aacctgggac tgttgagcat 1500
gtttaatact ttccttgatt tttttcttcc tgtttatgtg ggaagtgtat ttaaagtact 1560
gataatgtgt atgaaagcac tgtaaaacat aagagaaaaa ccaattagtg tattggcaat 1620
catgcagtta acatttgaaa gtgcagtgtg aattgtgaag cattatgtaa atcaggggtc 1680
cacagttttt ctgtaagggg tcaaatcata aatacttttag actgtgggcc atatggtttc 1740
tgttacatat ttgtttttta aacaacgttt ttataagggtc aaaatcattc ttagtttttg 1800
agccaattgg atttggcctg ctgttcatag cttaccaccc cctgatgtat tatttgttat 1860
tcagagaaaaa tttctgaata ctactagttt ccttttctgt gcctgtccct gtgctaggca 1920
ctaaaaatgc aatgattatt gatattctagg tgacctgaaa aaaaatagtg aatgtgcttt 1980
gtaaaactgt aagcacttgt attctactgt gataagcgtt gtggatacaa agaaaggagc 2040
aagcataaaa aagtgtctct tcaaaaggat atagtactat gcagacacaa ggaattgttt 2100
gataaatgaa taaattatat gtatatttga ggccaatttg tgtttgctgc tctggtaatt 2160
ttgagtaaaa atgcagtatt ccaggtatca gaaacgaaaa cacatggaaa ctgcttttaa 2220
actttaaaat aactgaaaa cataagggtc taagcttggt gtggtcacct ataattgtgcc 2280
agataccatg ctgggtgcta gagctaccaa agggggaaaa gtattctcat agaacaaaaa 2340
atttcagaaa ggtgcatatt aaagtgtctt gtaaaactaa gcatgatata aatgtcaatg 2400
ggctacatat ttatgaatga atgaatggat gaatgaatat taagtgcctc ttacatacca 2460
gctatttttg gtactgtaaa atacaagatt aattctccta tgtaataaga ggaaagttaa 2520
tcctctatac tattcagatg taaggaatga tatattgctt aattttaaac aatcaagact 2580
ttactggtga ggtaagtta aattattact gatacatttt tcccaggtaa ccaggaagag 2640
ctagtatgag gnaatgaakt aatarcttar acccaagttc ccaagatcgg ccgaaccngg 2700
ccgcctocta gganggattc cccccgaagg gggccccaag ccttacgcgt ggccangggc 2760
gacggtccaa aggc 2774

```

<210> 8

<211> 2613

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (896)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1246)

<223> n equals a,t,g, or c

<400> 8

tcgaccacg cgtccgccc cgcgtccgtg gcgaacgagg ttatcaagt caaggctgca 60

gttgcttggg aggctggaaa gcctctctcc atagaggaga tagaggtggc acccccaaag 120
gctcatgaag ttcgaatcaa gatcattgcc actgcgggtt gccacaccga tgcctatacc 180
ctgagtggag ctgatactga ggggtgtttt ccagtgatct tgggacatga aggtgctgga 240
attgtggaaa gtgttgggtga gggagtact aagctgaagg cgggtgacac tgtcatccca 300
ctttacatcc cacagtgtgg agaatgcaaa tttgtctaa atcctaaaac taacctttgc 360
cagaagataa gagtcaactca agggaaagga ttaatgccag atggtaccag cagatttact 420
tgcaaaggaa agacaatttt gcattacatg ggaaccagca cttttctga atacacagtt 480
gtggctgata tctctgttgc taaaatagat cctttagcac ctttgataa agtctgcctt 540
ctaggttgtg gcatttcaac cggttatggt gctgctgtga acactgccaa gttggagcct 600
ggctctgttt gtgccgtctt tggctctggga ggagtcggat tggcagttat catgggctgt 660
aaagtggctg gtgcttcccg gatcattggt gtggacatca ataaagataa atttgcaagg 720
gccaaagagt ttggagccac tgaatgtatt aacctcagg attttagtaa acccatccag 780
gaagtgtctca ttgagatgac cgatggagga gtggactatt cctttgaatg tattggtaat 840
gtgaaggta tgagagcagc acttgaggca tgtcacaagg gctggggcgt cacgtncgtg 900
gttgagtag ctgcttcagg tgaagaaatt gccactcgtc cattccagct ggtaacaggt 960
cgcacatgga aaggcactgc ctttgaggga tggaaagagt tagaaagtgt cccaaagtgt 1020
gtgtctgaat atatgtccaa aaagataaaa gttgatgaat ttgtgactca caatctgtct 1080
tttgatgaaa tcaacaaagc ctttgaactg atgcattctg gaaagagcat tcgaactgtt 1140
gtaaaagatt aattcaaaaag agaaaaataa tgtccatcct gtcgtgatgt gataggagca 1200
gcttaacagg caggggagaag cgcctccaac ctacacagcct cgtagnrctt cacagctact 1260
ccagaaaata gggttatgtg tgtcattcat gaatctctat aatcaaggac aaggataatt 1320
cagtcataaa cctgttttct ggatgtctct ccacataaat aattgctagt ttattaagga 1380
atattttaac ataataaaaag taatttctac atttgtgtgg aaattgtctt gttttatgct 1440
gtcatcattg tcacgggttg tctgcccatt atcttcatc tgcaaggga agggaaagga 1500
agcagggcag tgggtgggtg ctgaaacctc agaaacataa cgttgaactt ttaagggtct 1560
cagtcctcgt tgattaaaga acagatccta gccatcagtg acaaagttaa tcaggacca 1620
agtctgcttc tgtgatatta tctttaaggg aggtactgtg cctgttcat acctgtacc 1680
caaattccta ggatggcatc tgccttcag ggggcactaa aatgtattat tgaaacagca 1740
ttctgggctt aaatagggtg atgtatgtgt tgggtgtgac tgtactattt ctagtatagt 1800
gaactacata ctgaatatcc aagttctcag cacctacttt tgtcaaatct taacattttg 1860
ccacttcgag atcacattgc cattctctcc ctccagaggt aacaattatc cacaatttga 1920
tgtttatcat tctgtgttg ttgtactttc actgtgtata acctaaacca tctactcttt 1980
agtcattgtt tatataattt taagcctcat actgtctcat tctacagctt ttttactca 2040
ttattgtata attatatctg aagctctcgt tcattaattt tagtcctgtg tagcagaatt 2100
caattacggg aactaccata atttatctgt tctccagttg aaggcatgaa gttgttgcca 2160
gtttctgtat tataaactg tagtgaaca ttcttctgca ttgggctcwc tgcgtgttac 2220
ctaagacgta tcacagaata aacacattta gccttataga cattgccaaa ttgctcttca 2280
aagtaaatgt gagtttttgt gaattacatg agtatggaat ggtgttttat tatgacttta 2340
gtttgcattt tctcaattc tcgttaaatt cttcattcta atggacattt tattgtgaag 2400
aacctgttca tatcctgtgc tcaactttgt attgaattat ttttctctga ataattttta 2460
ggagttcttt tattctagac atcaatcatt tgtcagtttt atatgttgca aatatcttct 2520
agtctatctt gtgacttttc ttttacttt atggtatttt gttgaataaa gttttaatgt 2580
agtcacataa aaaaaaaaaa aaaaaaaaaa aaa 2613

<210> 9

<211> 1101

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (730)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (983)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1055)

<223> n equals a,t,g, or c

<400> 9

```
gtcggcacgc ccttcgggac gagctggagg cagagcgtga gtacaaagt atcggcctcg 60
gccgcacgca gtagccccc tactccccgg ccaagtcagg gcctccctct tcccgcggag 120
tcgcaaccac gggtagctcg ttaggtaac ggcaggtcca ggcctccgca tgagcgagg 180
ccccccgcgc gacctgaat ggcccgggcg cgcgcggtcg tgtgggagtt gtagtcctcc 240
gtccccgtcc gcgcggactc cgtttcccggt ggtgccccgg gcggcccgt tccggcgag 300
ttagttacga gtcggcgcac gcggcctcgg tccggttgac ttgcgggacc atggaggcg 360
gcttcgggctc cgatttcggg ggctccggca gcgggaagct ggaccaggg ctcataatgg 420
agcaggtgaa agtgcagatc gccgtggcca acgcgcagga gctgctgcag aggatgacgg 480
acaagtgttt ccggaagtgt atagggaaac ctgggggctc cctggacaac tccgagcaga 540
agtgcacgcg catgtgcag gaccgctaca tggacgcctg gaacaccgtg tctcgcgcct 600
acaactcgcg gctgcagcgg gaacgagcca acatgtgacc ggcgagcgcg ggccacccca 660
ccctgttcat ttccataaac gtgctttgag aggcgggggtc cgcagtgacg tactgcctgc 720
ccgggggctn aggagggtgg caccgggtgct gggacacagc ggactgtgtc ctgccaccc 780
ccgcgcctgc ccctgccag ccagtgagc ttggatctcg ggggtgtggg gccctgtgcc 840
ttcctgaagt gctggcagcc agtggcacct ccttcaggcm tttgggkat tcccctagt 900
tgcccaagtc agcctcatat tctgggcgga cagcttgtct ggacttcgga gttgggggtg 960
gtcagacacc acaggagctg tcnacctctg cggatgggca aataaattgg tggaggacgg 1020
agaaaaacct ctttatttcc ctccctgagg gtctntggga agaggtgacg cgtgtccctg 1080
gaaccccagc tcggagggtc t 1101
```

<210> 10

<211> 1373

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1364)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1373)

<223> n equals a,t,g, or c

<400> 10

```
ggattccccg gtcgacccac gcgtccgagc catcattgcc aagaccttca agggccgagg 60
```

```
gatcacgggg gtagaagata aggagtcttg gcatgggaag cccctcccca aaaacatggc 120
tgagcagatc atccaggaga tctacagcca gatccagagc aaaaagaaga tcctggcaac 180
ccctccacag gaggacgcac cctcagtga cattgccaac atccgcatgc ccagcctgcc 240
cagctacaaa gttggggaca agatagccac ccgcaaggcc tacgggcagg cactggccaa 300
gctgggccat gccagtgacc gcatcatcgc cctggatggg gacacaaaaa attccacctt 360
ctcggagatc ttcaaaaagg agcaccggga ccgcttcacg gagtgtctaca ttgctgagca 420
gaacatggtg agcatcgcgg tgggctgtgc caccgcgaac aggacggtgc ccttctgcag 480
cacttttgca gcctcttca cgcgggcctt tgaccagatt cgcattggccg ccatctccga 540
gagcaacatc aacctctgcg gctcccactg cggcgtttcc atcggggaag acgggccctc 600
ccagatggcc ctagaagatc tggctatgtt tcggtcagtc ccacatcaa ctgtcttcta 660
cccaagtgat ggcgttgcta cagagaaggc agtggaacta gccgccaata caaagggtat 720
ctgtctcatc cggaccagcc gccagaaaa tgccatcacc tataacaaca atgaggactt 780
ccaggtcgga caagccaagg tggctctgaa gagcaaggat gaccagggtga ccgttatcgg 840
ggctggggcg accctgcacg aggccttggc cgctgccgaa ctgtgaaga aagaaaagat 900
caacatccgc gtgcttgacc ccttcaccat caagcccctg gacagaaaac tcattctcga 960
cagcgctcgt gccaccaagg gcaggatcct caccgtggag gaccattatt atgaagggtg 1020
cattggtgag gctgtgtcca gtgcagtagt gggcgagcct ggcatcactg tcaccacct 1080
ggcagttaac cgggtacca gaagtgggaa gccggctgag ctgtgaaga tgtttggtat 1140
cgacagggat gccattgcac aagctgtgag gggcctcacc accaaggcct agggcgggta 1200
tgaagtgtgg ggcgggggtc tatacattcc tgagattctg ggaagggtgc tcaaagatgt 1260
actgagagga ggggtaata tatgttttga gaaaaatgaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aanaaaaaa aan 1373
```

<210> 11

<211> 3804

<212> DNA

<213> Homo sapiens

<400> 11

```
tcgaccacg cgtccgcaaa gctgaagtcg gctaggtttg caaagctgtg ggctgagcac 60
tcaggcaatc acactctcag aaactgcggc ggctctggac tgcagcctcc caaggctcca 120
tgccagacaa agcatgcgtg tcacacttgc tacaatagcc tggatggttt cttttgtctc 180
caattattca cacacagcaa atattttgcc agatatcgaa aatgaagatt tcatcaaaga 240
ctgcgttcga atccataaca agttccgac agagggtgaaa ccaacagcca gtgatatget 300
atacatgact tgggacccag cactagccca aattgcaaaa gcatgggcca gcaattgcc 360
gttttcacat aatacacggc tgaagccacc ccacaagctg caccacaaact tcacttccact 420
gggagagaa atctggactg ggtctgtgcc cattttttct gtgtcttccg ccatcacaaa 480
ctggtatgac gaaatccagg actatgactt caagactcgg atatgcaaaa aagtctgtgg 540
ccactacact caggttggtt gggcagatag ttacaaaagt ggctgcgcag ttcaattttg 600
ccctaaagt tctggctttg acgctctttc caatggagca cattttatat gcaactacgg 660
accaggaggg aattacccaa cttggccata taagagagga gccacctkca gtgcctgccc 720
caataatgac aagtgttttg acaatctctg tgtaaccga cagcgagacc aagtcaaacg 780
ttactactct gttgtatatc caggctggcc catatatcca cgtaacagat acacttctct 840
ctttctcatt gtttaattcag taattctaact actgtctgtt ataattacca ttttggtaca 900
gcacaagtac cctaatttag ttcttttgga ctaatacaat tcaggaaaga aaaaacccaa 960
aaaccaacct cattcacata tggctttttt tttaaccaat aacaattagg tgtacttcta 1020
ttttaaaaaa tttcagaaaa aaatatatgt tatagcaata ctcttactca aaagaagaaa 1080
tttcttaact ctatcagata aactcatctt tagtataaat aagcattatt tgcagggttc 1140
cacagggtga cttttagtaa gtaacctaac ccatgtttca gcttctaaat ctgcaaaatg 1200
agcarggtac agtagcacat ttttaggtga ttcttagtaa ctccagtagc cttcattagt 1260
taaaaacatt attatttttt gcatgtgtct tcgactctaa atatctggtt ttccctgtct 1320
```


ttttggttta ctacttcccc agattcagaa cagaggagta actaggggat ctgatttttag 1380
aggccttaat tttctgttca tggactgtta aaagtaaaac caaactttca aaagggataa 1440
acctaaatat ttacttggtta tcattagaga ggaacatca aatgctggga catcattact 1500
aaccaatagc atcagacact ggatttaatg gataatcaca atggctgtaa tgtatacaaa 1560
gacatatata ccackttcta gtataaaattt ttcaaaaaat acaataataa tataatttat 1620
aaagaacact cttctatgaa caaccaccac caccaaaaaa gaaaaagccc tcagaaaatt 1680
tctcacaat aaggcaacta atgcctgata tctcaaaatc ctttacaaaa ggagatagtt 1740
ctagtcaagg agttttgggt atgttacttt tttttcttct ttttcttttc atctgcctcc 1800
atcttaagtg caatttcttc agctgtaaga gctcccagtt tottattctt tgctttctta 1860
accttttcct tgatgctggc cacatcaatt ttagtttcag tagaagctag acaaattaaa 1920
agcacaacac atgtaatact ttagatttta ccaagtaaaa caaagaatat atgtttaaca 1980
aagaatatat gtttaaggca gtttaacttca gagtattctt ataattgaat aattgaaagr 2040
tgatcacagt ataaaatata aaaacacttg cctaaagcag ttagaaattt cttcagatta 2100
agataaaaca aatcataaaa tactttatat attagtacaa gtatacataa aaatggcmta 2160
aatggcataa ttgaaccaat tactggattc aactatatta agactatttc cttaaatcct 2220
acttcagact aaattatttt acctacattc ttttccatat tttggaactt ctgagtcatt 2280
attttccayc ttgcacatta aaataattta aaattacatg tatcccttct caataagttt 2340
aatcagctaa ccctaagcta gaggtcaaaa tctacttcct ctaatatcaa aacgaaaatt 2400
taaaagtttc caaatattaa ttcaatatta attgaatatt caatgaattc atttaagtgt 2460
agattaattc attgaatatt aattcratga atgactaatt aatagtattt taacaagatt 2520
ttggtatatt taacaacatt ttggtataaa agacaataat ttgagagtgt gtggaagtcc 2580
ccctaataga agccaactat ctaatcaatg ccaaaagtgt gaacaaaata gagaaaggaa 2640
gcagtgaaaa agaatgcaac tttttcttac cattcaaaag acaggatcac agcataaaag 2700
aatcataaga taaaacatca aactaccag caacctgaga agcacagagt gttaaagcct 2760
ccaccgtgtg gagaaactaa attagggtaa ctgctattg agtatattga gtacctcaa 2820
agcactcaac tgacaggttt tacagactgg aaattataat acttatgaca tttctacctt 2880
ttatataacc aataatctac catagaatgt agtattytta aagctattaa caagcaatat 2940
attaaaataa taatgtatta tatctgtttc tgaccagtc tatgtacaat attgctgggtg 3000
agccctctcc cttcagtggtg tcaactgttg actttggagg gttacttttag gaagaggata 3060
agtgttacca caggggaaaa aaatgcagaa gaggatgcat cagaagaaat ggcattgacaa 3120
tgttttctct tagtgtcttt taaatactag gttagtgcga aagtgatttc tgccatttaa 3180
aaaccacaat cactttcgca ctaatagctc ctgaataaga cctgtcagca tccttttagtc 3240
taaggtgatg agaaatccat gttaccgata tagaagccaa actctaagcc aagatcacat 3300
aaagagaaga aaaagtacaa cttctgataa ttctcttttg agaggcatga cagcagagct 3360
cagggatctt cttgcatttc tacagaagat gcaactggctg ccctgggttt gtatctttca 3420
caacaaagag tcttttccaa gcacagacca gaggtcagga gaggactgtc aatccagttt 3480
gcaactgaaat aggcattagc tgcctctaaa ttataaatta tctcagccat cccttgctct 3540
taggrttagt aattaatgaa atgctaagag aactgatgaa aagatacaac tgtttcttaa 3600
aaagattcag acaaatttat tatgggttta cttttcctaa ttaataaaga cttttacatc 3660
atagaaagca ttaccttcct taggtttcac aattgggttt tccttaggtg gaataaatgc 3720
tttgtttctt tcctcttgct tcttactgat ggcttctgct tgtttagcct acattaataa 3780
ataaaaaata tatcagttaa atgt 3804

<210> 12

<211> 2157

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (806)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (846)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1517)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2110)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2137)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2150)

<223> n equals a,t,g, or c

<400> 12

```
gcgcacgggt cactcccgt gtatattaag gcgccggcga kcgccggcctg aggctgctcc 60
cggacaaggg caacgagcgt ttctgttggga cttctcgact tgagtgcccg cctccttcgc 120
cgccgcctct gcagtccctca gcgcagtctt tccacaggag ccagcatact tcctgaacat 180
ggagagtgtt gttcgcgcgt gccattctt atcccgagtc ccccgagcct ttctgcagaa 240
agcaggcaaa tctctgttgt tctatgcca aaactgccc aagatgatgg aagttggggc 300
caagccagcc cctcgggcat tgtccactgc agcagtacac taccaacaga tcaaagaaac 360
ccctccggcc agtgagaaa acaaaactgc taaggccaag gtccaacaga ctctgatgg 420
atcccagcag agtccagatg gcacacagct tccgtctgga cacccttgc ctgccacaag 480
ccagggcact gcaagcaaat gccctttcct ggcagcacag atgaatcaga gaggcagcag 540
tgtctcttgc aaagccagtc ttgagcttca ggaggatgtg caggaaatga atgccgtgag 600
gaaagagggt gctgaaacct cagcaggccc cagtgtggtt agtgtgaaaa ccgatggagg 660
ggatcccagt ggactgctga agaacttcca ggacatyatg caaaagcaaa gaccagaaa 720
agtgtctcat cttcttcaag ataacttgc aaaatctgtt tccacttttc agtatgatcg 780
tttctttgag aaaaaaattg atgagnaaaa agaattgacca cacctatcga gtttttaaaa 840
ctgtgnaacc ggcgagcaca catcttcccc atggcagatg actattcaga ctccctcatc 900
accaaaaagc aagtgtcagt ctggtgcagt aatgactacc taggaatgag tcgccacca 960
cgggtgtgtg gggcagttat ggacactttg aaacaacatg gtgctggggc aggtggtact 1020
agaaatatct ctggaactag taaattccat gtggacttag agcgggagct ggcagacctc 1080
```

```

catgggaaag atgccgcact cttgttttcc tcgtgctttg tggccaatga ctcaaccctc 1140
ttcacccctgg ctaagatgat gccaggctgt gagatttact ctgattcttg gaaccatgcc 1200
tccatgatcc aagggaattcg aaacagccga gtgccaaagt acatcttccg ccacaatgat 1260
gtcagccacc tcagagaact gctgcaaaga tctgaccctc cagtcccca gattgtggca 1320
tttgaaactg tccattcaat ggatggggcg gtgtgcccac tggaagagct gtgtgatgtg 1380
gcccattgagt ttggagcaat caccttcgtg gatgaggtcc acgcaggggg ctttatgggg 1440
ctcgaggcgg agggattggg gatcgggatg gagtcatgcc aaaaatggac atcatttctg 1500
gaacacttgg caaagcnttt ggttgkttg gaggtacat cgccagcacg agttctctga 1560
ttgacaccgt acggtcctat gctgctggct tcatcttcac cacctctctg ccaccatgc 1620
tgctggctgg agccctggag tctgtgcgga tcctgaagag cgctgaggga cgggtgcttc 1680
gccgccagca ccagcgcaac gtcaaactca tgagacagat gctaattgat gccggcctcc 1740
ctgttgcca ctgccccagc cacatcatcc ctgtgcgggt tgcagatgct gctaaaaaca 1800
cagaagtctg tratgaacta atgagcagac ataacatcta cgtgcaagca atcaattacc 1860
ctacggtgcc ccggggagaa gagctcctac ggattgcccc caccctcac cacacacccc 1920
agatgatgaa ctacttcctt gagaatctgc tagtcacatg gaagcaagtg gggctgggaa 1980
ctgaagcctc attccttcag ctggagtggc aatttcttgc arggagggcc aytgcatttg 2040
aagtgatgag tgaaagagag aagtyctatt tttcttcagg gttttgaggc aagtttgggt 2100
attctgggtt agggcntgag gcattggacc ttcattnttt ttcaatttan accccag 2157

```

<210> 13

<211> 1117

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1102)

<223> n equals a,t,g, or c

<400> 13

```

ggcagagcct ggactcccgt gagctggaag gaacagattt aatatctagg ggctgggtat 60
ccccacatca ctcatattggg ggggtcaagg acccgggcaa tatagtattc tgctcagtgt 120
ctggagatca tctaccagg ctggggcttc tgggacaggc gaggaccac ggaccctgga 180
agagctggtc caggggactg aactcccggc atctttacag agcagagcat gatcacattc 240
ctgccgctgc tgctggggct cagcctgggc tgcacaggag cagggtggctt cgtggcccat 300
gtgaaagca cctgtctgtt ggatgatgct gggactccaa aggatttcac atactgcac 360
tccttcaaca aggatctgct gacctgctgg gatccagagg agaataagat ggccccttgc 420
gaatttgggg tgctgaatag cttggcgaat gtcctctcac agcacctcaa ccaaaaagac 480
accctgatgc agcgttgcg caatgggctt cagaattgtg ccacacacac ccagcccttc 540
tggggatcac tgaccaacag gacacggcca ccatctgtgc aagtagccaa aaccactcct 600
tttaacacga gggagcctgt gatgctggcc tgctatgtgt ggggcttcta tccagcagaa 660
gtgactatca cgtggaggaa gaacgggaag cttgtcatgc ctcacagcag tgcgcacaa 720
actgccagc ccaatggaga ctggacatac cagaccctct cccatttagc cttaaccccc 780
tcttacgggg acacttacac ctgktgtgta gagcacattg gggctcctga gccatcctt 840
cgggactgga cacctgggct gtccccatg cagaccctga aggttctgt gtctgcagt 900
actctgggcc tgggcctcat catcttctct cttgtgtgta tcagctggcg gagagctggc 960
cactctagtt acactcctct tcctgggtcc aattattcag aaggatggca catttcctag 1020
aggcagaatc tacaacttcc actccaagtg agaaggagrt tcaaactcaa tgrtgstacc 1080
awgcctctcc aacatcttca ancccctgac attatatt 1117

```

<210> 14

<211> 885
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (869)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (884)
<223> n equals a,t,g, or c

<400> 14
gtggtggctc gtttcatccg catctaccca ctcacctgga atggcagcct gtgcatgcgc 60
ctggagggtgc tggggtgctc tgtggcccct gtctacagct actacgcaca gaatgagggtg 120
gtggccaccg atgacctgga tttccggcac cacagctaca aggacatgcg ccagctcatg 180
aagggtggtga acgaggagtgc cccaccatc acccgcaact acagcctggg caagagctca 240
cgaggcctca agatctatgc catggagatc tcagacaacc ctggggagca tgaactgggg 300
gagcccgagt tccgctacac tgctgggatc catggcaacg aggtgctggg ccgagagctg 360
ttgctgctgc tcatgcagta cctgtgccga gaggaccgag atgggaaccc acgtgtgcgc 420
agctggtgca ggacacacgc atccacctgg tgccctcact gaacctgat ggctacgagg 480
tggcagcgca gatgggctca gagtttgga actgggcgct gggactgtgg actgaggagg 540
gctttgacat ctttgaagat ttcccgatc tcaactctgt gctctgggga gctgaggaga 600
ggaaatgggt cccctaccgg gtccccaaca ataacttgcc catccctgaa cgctaccttt 660
cgccagatgc caccgtatcc acggagggtcc gggccatcat tgccctgatg gagaagaacc 720
ccttcgtgct gggagcaaat ctgaacggcg gcgagcggt agtatcctac ccctacgata 780
tggcccgcac gccttaccca ggagcagctg ctggccgcac catggcagca rcccgggggg 840
aggatgagga cgaggtytcc ragggccang agattccaga ccang 885

<210> 15
<211> 1024
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (938)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1005)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1012)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1019)

<223> n equals a,t,g, or c

<400> 15

```
cttgcctttc ccagaaggct gtgcgtgctc ctgcgttyct ccgcggtctt ccgagcggtc 60
gcgtgaactg cttcctgcag gctggccatg gcgcttcacg ttcccaaggc tccgggcttt 120
gccagatgct caaggaggga gcgaaacact tttcaggatt agaagaggct gtgtatagaa 180
acatacaagc ttgcaaggag cttgccc aaa ccactcgtac agcatatgga ccaaattgaa 240
tgaacaaaat ggttatcaac cacttggaga agttgtttgt gacaaacgat gcagcaacta 300
ttttaagaga actagaagta cagcatcctg ctgcaaaaat gattgtaatg gcttctcata 360
tgcaagagca agaagttgga gatggcaca actttgttct ggtatttgct ggagctctcc 420
tggaattagc tgaagaactt ctgaggattg gcctgtcagt ttcagaggct atagaaggtt 480
atgaaatagc ctgcagaaaa gctcatgaga ttcttcctaa tttggtatgt tgttctgcaa 540
aaaaccttcg agatattgat gaagtctcat ctctacttcg tacctccata atgagtaaac 600
aatatggtaa tgaagtattt ctggccaagc ttattgctca ggcattgcgt tctatttttc 660
ctgattccgg ccatttcaat gttgataaca tcagagtttg taaaattctg ggctctggta 720
tcagttcctc ttcagtattg catggcatgg tttttaagaa ggaaaccgaa gtgatgtaac 780
atctgtcaaa gatgcaaaaa tagcagtgtc ctcttgcctt tttgatggca tgataacaga 840
aactaaggga acagtgttga taaagactgc tgaagrattg atgaatttta gtaagggagr 900
agaaacctca tggrrgcaca agtcaaagct attgctgnta ctggtgcaat gtcgagtaca 960
ggtggcaagt ggcagacatg gtctcatatg caataaatta attcntgtag gnggtaacnc 1020
aaat 1024
```

<210> 16

<211> 545

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (476)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (507)
<223> n equals a,t,g, or c

<400> 16
cccgactcac tacccccccc ctccccccgc ctgccggccn ccggnccgga attccccgggt 60
cgaccacacgc gtccggagag gagccccagc cttggggattc ccaagtgtt tcattcagtg 120
atcaggactg aacacagagg actcaccatg gagtttgggc tgagctggat ttctcttget 180
gctattttaa aaggtgtcca gtgtgaggtg cagctggtgg agtctggggg aggcttggtg 240
aagcctgggg ggtcccttag actctcctgt gcagcctctg gattcacttt cagtaacgcc 300
tggtgagct gggtcgccca ggctccaggg aaggggctgg agtgggttgg ccgtattaaa 360
agcaaaactg atggtgggac aacagactac gctgcacccg tgnaaaggca gattcaccat 420
ctcaagagat gattcaaaaa acacgytgta tytgcaaatg aacagcctga aaaccngagg 480
acacagccgt gtattactgt accacangac ccctaattac tatgatagta rtgcaaaaag 540
ctttt 545

<210> 17
<211> 623
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (15)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (613)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (616)
<223> n equals a,t,g, or c

<400> 17
cggattcgcg gccgntcgac gccgagctgg gtgcggtgag gcgcgcagat caccgcgggtt 60
cctgggcagg gcacggaagg ctaagcaagg ctgacctgct gcagctccc cctcgtgcgc 120
tcgccccacc cggccgcgc cccgagcgctc gagaaagtcc tctcgggaga agcagcgct 180
gttccccggg cagatccagg ttcaggctct ggctataagt caccatggca cagcaagctg 240
ccgataagta tctctatgtg gataaaaact tcatcaacaa tccgctggcc caggccgact 300
gggctgccaa gaagctggta tgggtgcctt ccgacaagag tggctttgag ccagccagcc 360
tcaaggagga rgtgggcgaa gaggccatcg tggagctggt ggagaatggg aagaaggtga 420
aggtgaacaa ggatgacatc cagaagatga acccgcccaa gttctccaag gtggaggaca 480
tggcagagct cacgtgcctc aacgaagcct cgggtgttga caacctcaag gacggttact 540
actcagggt catctacgta agtggctgcc gtggcaccgc gcaggctggg tctgagggt 600
ccgaggtggg ggnngngggc ggt 623

<210> 18
<211> 559

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (371)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (531)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (544)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (547)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (556)
<223> n equals a,t,g, or c

<400> 18
cccacgcgtc cgcccacgcg tccggtgaga taggtaggca agtgtggaca aagataaaac 60
tgaaaaacca ctgcaaaggt tgaggtaaga caccataagc cgctgaacta agacaaagtc 120
attagtaatt ttaaaatgag grtgggaatt aactaacaga actgatagga agtggttaaca 180
tacaacaggg gagtctaaga tggcttccaa ttttcaacta gaggggtaag ggtaccatta 240
acttaagatc attaatacag raaaattaat cagatttggg gtttaccag gtttgctttt 300
ggttgtaaca atgatatatg ataaaattaa atgrataaat aagtgratgc actggtgaat 360
taatgagctg ntctcattaa gaccagagta cttatttata acaaaagtaa cttttccott 420
tccttggtgta catcaaactg tactccacag ataacagaca ccagtgagtt tttcatggtt 480
aaaaaaagccc caactttgac ctataaatgt ggaccaagaa attaaaataa nctggaacca 540
gcgngcnacg gtattngga 559

<210> 19
<211> 1355
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (55)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (1045)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1355)
<223> n equals a,t,g, or c

<400> 19
cagcccatgg tgtcacctcg gccccggaca acaggcccg cttgggctcc accgncctc 60
cagtcacaa tgtcacctcg gcctcaggct ctgcatcagg ctccagcttct actctgggtg 120
acaacggcac ctctgccagg gctaccacaa cccagccag caagagcact ccattctcaa 180
ttcccagcca ccactctgat actcctacca cccttgccag ccatagcacc aagactgatg 240
ccagtagcac tcaccatagc acggtacctc ctctcacctc ctccaatcac agcacttctc 300
cccagttgtc tactgggggtc tctttctttt tcctgtcttt tcacatttca aacctccagt 360
ttaattcctc tctggaagat cccagcaccg actactacca agagctgcag agagacattt 420
ctgaaatgtt tttgcagatt tataaacaag ggggttttct gggcctctcc aatattaagt 480
tcaggccagg atctgtgggtg gtacaattga ctctggcctt ccgagaaggt accatcaatg 540
tccacgacgt ggagacacag ttcaatcagt ataaaacgga agcagcctct cgatataacc 600
tgacgatctc agacgtcagc gtgagtgatg tgccatttcc tttctctgcc cagtctgggg 660
ctgggggtgcc aggtctggggc atcgcgctgc tgggtgctggt ctgtgttctg gttgcgctgg 720
ccattgtcta tctcattgcc ttggctgtct gtcagtgccg ccgaaagaac tacgggcagc 780
tggacatctt tccagcccgg gatacctacc atcctatgag cgagtacccc acctaccaca 840
cccattggcg ctatgtgccc cctagcagta ccgatcgtag cccctatgag aagggtttctg 900
caggtaatgg tggcagcagc ctctcttaca caaacccagc agtggcagcc acttctgcc 960
acttgtaggg gcacgtcgcc cgctgagctg agtggccagc cagtgccatt ccactccact 1020
caggttcttc agggccagag ccctngcacc ctggttgggc tggtagctg ggagttcagg 1080
tgggtgctc acagctcctt cagaggcccc accaatttct cggacacttc tcagtgtgtg 1140
gaagctcatg tgggcccctga ggctcatgcc tgggaagtg tgtgggtggg gctcccagga 1200
ggactggccc agagagccct gagatagcgg ggatcctgaa ctggactgaa taaaacgtgg 1260
tctccactg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaan 1355

<210> 20
<211> 1280
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1043)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1162)
<223> n equals a,t,g, or c

<400> 20
aattcggcac gaggcttacc caggctctgc tcggggctgg ggagaacacc aaaacaaacc 60

tggagagcat cctctcttac cccaaggact tcacctgtgt ccaccaggcc ctgaagggct 120
tcacgaccaa aggtgtcacc tcagtctctc agatcttcca cagcccagac ctggccataa 180
gggacacctt tgtgaatgcc tctcggaccc tgtacagcag cagccccaga gtcctaagca 240
acaacagtga cgccaacttg gagctcatca acacctgggt ggccaagaac accaacaaca 300
agatcagccg gctgctagac agtctgccct ccgatacccg ccttgtctct ctcaatgcta 360
tctacctgag tgccaagtgg aagacaacat ttgatcccaa gaaaaccaga atggaaccct 420
ttcacttcaa aaactcagtt ataaaagtgc ccatgatgaa tagcaagaag taccctgtgg 480
cccatttcat tgaccaaact ttgaaagcca aggtggggca gctgcagctc tcccacaatc 540
tgagtttggg gatcctggta ccccagaacc tgaaacatcg tcttgaagac atggaacagg 600
ctctcagccc ttctgttttc aaggccatca tggagaaact ggagatgtcc aagttccagc 660
ccactctcct aacactaccc cgcatacaag tgacgaccag ccaggatatg ctctcaatca 720
tggagaaatt ggaattcttc gatttttctt atgaccttaa cctgtgtggg ctgacagagg 780
accagatctc tcaggtttct gcgatgcagc accagacagt gctggaactg acagagactg 840
gggtggaggc ggctgcagcc tccgccatct ctgtggcccg caccctgctg gtctttgaag 900
tgacgagccc cttctctctc rtgctctggg accagcagca caagttccct gtcttcatgg 960
ggcgagtata tgaccccagg gcctgagacc tgacggatca ggtagggcg agcgctacct 1020
ctccagcctc agctctcagt ttnagccctg ctgctgcctg cctggacttg gccctgccca 1080
cctcctgcct cagggtgtccg ctatccacca aaagggtccc ctgagggctc gggcaaggga 1140
cctgcttcta ttagcccttc tnccatgccc tgccatgctc tccaaaccac tttttgcagc 1200
tttctctagt tcaagttcac cagactctat aaataaaacc tgacagacca tgaaaaaaaa 1260
aaaaaaaaac tcaagactag 1280

<210> 21

<211> 1191

<212> DNA

<213> Homo sapiens

<400> 21

gcaattcctt ctggcttcct gtgacctcac gcaagaaaag gttgtgtact aaatgaatct 60
gctttaactt gctctccttc ctcgggggat acaccttttt aagaaagcct gtcccttacc 120
ttgaagcaca aacataattct catttttatt ctccaatac cttgaagggt ttcttctgca 180
catgtatttg tttgatctgc cttttgtgcg tgggggtggga gttaggtagg aatcttaag 240
tggagagcca gtttcttccc aaattactga cctaaccat ccttaacccc cagttcaagg 300
ccacctttgt gatagtgaag cttccacatg ctactcagc cccttctgct ctctcttctt 360
ctctactgtg catgtcggct tgtacttttg ccagtttctc taaagacaca accagagtgg 420
gggtggctgtg tgtgcacaac ttcaacttta catgtggggc tgagtccta tgttgatat 480
ccttgtgcaa aagcacaata tgtaattgc tatagctttt aaaaaataa ttaatagttt 540
ttcataatca aattttcttg cttttttgtt ttttcaaaa agcatacttt tattgaagaa 600
taaaccctt atatatgtac acttatttat aactatgaac gcctgaacta ggatagaaat 660
gcattgtgta tattacaaaa cataacaaaa ataatagggg tagggagggt cagatgttgg 720
tcaaaggata taaacctgca gttctatgat gaataagttc tggacatctg gaatacagca 780
tggtgactat acttagtaat actatattgt acacttgaag cttactgaaa gagtaaact 840
caagtgttct caccacacaa acccaaagg aactatgttc tcaccacaca aaccacaaagg 900
gaactatgta ttaattagct tgattgtggg aaccatttca caatgtatac atttgccaaa 960
acattatgtt gtatacctgg aatatataat tttatttatc aattatacct caataaagct 1020
gaaagagggg attactaatt cccacaaaat acagatttaa caaaaacttt tattcaacaa 1080
acagtgttat gaagttgtaa attggaaaca aaagaaataa aatttcatcc acagtcttct 1140
catcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaactcgtag g 1191

<210> 22

<211> 853

<212> DNA

<213> Homo sapiens

<400> 22

```
cttacacagc agcaacagcc tgctacaggg ccacagccat ctctgggagt tagttttgga 60
acgccattcg gctcaggtat tggcactggc ttgcaatcaa gtggcttagg ttcttcaaac 120
cttgaggagat ttggaactag ctctgggtttt ggatgcagca ccacaggggc ctccacattt 180
ggattttgaa caacaaataa accctcagga agtcttagtg caggcttttg cagctcaagt 240
acatctgggt ttaacttcag caatcctggc atcacggcat cagctgggtt gacttttggg 300
gtgtccaatc ctgcctctgc aggttttga acaggaggac aactccttca gttgaagaaa 360
cctccagctg graacaaaag aggaaaaaga taaacatggg ttgatgtgtt gagagaatcc 420
atagcagcac cgttcattct atgagtctat ttttctaata atgcagtaat taaattgcat 480
cccaggagat ttataaagtt ttgatatttt tccctactct ggratttgaa ctttcttcat 540
gttttgccata ctgaacawct ttttcttgtt ggaatttaaa gtccagctgt gttttctttt 600
taatttgatt ctcagtgtaa gaaatgttct gattacatca ctgattggtt atggttagaa 660
accattaacc taaaacttac tatttaacct agtgtttttg ttgatgaggt ttacattatg 720
tgaatacatg cacatttggt tcttatacag gtggtgtgaa ctctagggcc tatactagaa 780
tcaatttggt ccttggttaa ggccctttga attatactgc agggcatctt gtgaatatgt 840
atgtaaatat ata 853
```

<210> 23

<211> 474

<212> DNA

<213> Homo sapiens

<400> 23

```
ggcacgagct cgtccggccc gtgggtctga cggcttgagt agcgctaggg agaatccctg 60
caggtaatat ttgacttttg cttcatatta atctgagtgg aaaataaaag ggccctcttc 120
tcctctcgct tcctgcccgg gcaggcgcca tggcggaagc tcggcgacgg gcgcctgcgg 180
agaggcgatg gcagcggcgg aaggctcctc gggcccggcg ggcttgactc tgggcccggag 240
cttctcgaac taccggccct tcgagcccca ggcttgggc ctcagcccga gctggcggct 300
gacgggcttc tccggcatga agggctgagg ctgcaaggct ccgcagaggg gctgctcaaa 360
ctcctggcgg gactgamcgg gccggacktk cggccccgct ggcccggggc ctkgtkggk 420
gccargaara agcgtcccag gaagccggcc tgccggcaag agcgggcccc agcc 474
```

<210> 24

<211> 2280

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<400> 24

```
ctctccccct ccnaccctc ccgtccaag attcgccgcc gccgccggcg cagccgcagg 60
agtagccgcc gccggagccg cgcgcacca tggccgagaa cccagcttg gagaaccacc 120
gcatcaagag cttcaagaac aagggccgg atgtggaaac aatgcgaaga catagaaatg 180
aagtgcaggt ggaactgcgg aagaacaaa gagatgaaca cttattgaaa aagagaaatg 240
ttccccaaga agaaagtcta gaagattcag atgttgatgc tgattttaaa gcacaaaatg 300
```

```

taaccctaga agctatatattg cagaatgccca caagtgataa cccagtggtc caattgagtg 360
ctgtccaggc agcaagaaaa ctgttatcca gtgacagaaa tccaccgatt gatgacttaa 420
taaaatctgg gattttacca attctagtca aatgtctaga aagggatgat aatccttcat 480
tacagtttga agctgcttgg gcattaacta acatagcatc aggracttct gcacagactc 540
aagctgttgt gcagtctaatt gcagtacctc tttttctgag acttcttcgt tcaccacatc 600
agaatgtttg tgaacaagca gtatgggctt tgggaaacat tatagggtgat ggtcctcaat 660
gtagagatta tgtcatatca ctgggagttg tcaaacctct tctgtccttc atcagtcctt 720
ccatcccat caccttctct cggaacgtca catgggtcat tgtcaatctc tgcaggaata 780
aggatcccc accgcctatg gagacagttc aggagatttt gccagcttta tgtgtcctca 840
tataccatac agatataaac attctttag acactgtttg ggctctgtca tacttgacag 900
atggaggtaa tgaacagata cagatggtta ttgattcagg agttgtgccc tttcttgtgc 960
cccttctgag ccatacaggaa gtcaaagttc aaacagcagc cctcagagca gttggcaaca 1020
tagtgactgg caccgacgag cagaccaggt ttgttctcaa ttgtgatgtc ctgtcacact 1080
tcccaaatct ctatcacac ccaaaagaga agataataa ggaagcagtg tggttccttt 1140
ccaacataac agcaggcaac cagcaacaag ttcaagctgt aatagatgct ggattaattc 1200
ctatgataat tcatcagctt gctaaggggg actttggaac acaaaaagaa gctgcttggg 1260
caatcagcaa cttaacaata agtggcagaa aagatcaggt tgagtacctt gtacagcaga 1320
atgtaatacc accgttctgt aatttactgt cagtgaagaa ttctcaagtg gttcaggtgg 1380
ttctagatgg tctaaaaaac attctgataa tggccggtga tgaagcaagc acaatagctg 1440
aaataataga ggaatgtgga ggtttggaga aaattgaagt ttacagcaa catgaaaatg 1500
aagacatata taaattagca tttgaaatca tagatcagta tttctctggt gatgatattg 1560
atgaagatcc ctgcctcatt cctgaagcaa cacaaggagg tacctacaat tttratccaa 1620
cagccaacct tcaaacaaaa gaatttaatt tttaaattca gttgagtga gcatctttcc 1680
cacattcaat atgaagcacc accagatggc taccaaatga taagaacaac agcaacmaa 1740
ggctccaaaa cacacatgcc tctttgtttt gatgcttcta aagcaagcca tgtctcagtc 1800
actttgcagt tgccaaaagt cactatcaca tggactgtaa atgcatatgc atgatttctt 1860
aaactgtttt agaactctcc ttaacaatct caactacctt atttttcctt gttccctggt 1920
gccacaggct gacaactgca gtctccagtt tagaataaat attccatagt ggtgacatgt 1980
cagctgcccc ctgatactcc tttggaaaat ggtgcgctgt ggatcaagac actttggtat 2040
gatgcataca caagttggaa gactaaagag gtgcagtgtg atctgagcct ccatcattgt 2100
cctccacaaa catattttca tattctttat gtggaagaat agattttaaa gtacaagcca 2160
aatgattttt attggtggaa ctgacacaaa aaaagtaact taaaaacaag aaacttggtt 2220
attgaataaa cagataagtt taaaaaaaaa aaaaactact tcatctacca gtaattgatg 2280

```

<210> 25

<211> 1061

<212> DNA

<213> Homo sapiens

<400> 25

```

cgaccgggcc cagtgcgcag gcgcgggaaa gttgaactaa taaagtttgt acgagttcag 60
tggaggagac cgcaagttga gtggaggagg cggcggtggg gccccggacc aggtgcctcc 120
atggcaggct ctgaagagct ggggctccgg gaagacacgc tgagggtcct agctgccttc 180
cttaggcgtg gtgaggctgc cgggtctcct gttccaactc cacctagaag cctgccccaa 240
gaagagccaa cagacttcct gagccgcctt cgaagatgtc ttccctgctc cctggggcga 300
ggagcagccc cctctgagtc cctcggcctt tatgcttctg ccatccgccc ctgctatggt 360
ttagagcctg gccagctac tccagacttc tagtctttgg tggcccagcg gctggaacag 420
ctggtccaag agcagctgaa atctccgccc agcccagaat tacagggtcc cccatcgaca 480
gagaagggaag ccatactgcg gaggctggtg gccctgctgg aggaggaggc agaagtcatt 540
aaccagaagc tggcctcgga ccccgccctg cgcacaagct ggtccgcctg tcctccgact 600
ctttcgcccc cctggtggag ctgttctgta gccgggatga cagctctcgc ccaagccgag 660

```

```

catgccccgg gccccgcct cttccccgg agccccctggc ccgcctggcc ctagccatgg 720
agctgagccg gcgcgtggcc gggctggggg gcaccctggc cggactcagc gtggagcacg 780
tgcacagctt cagccctgg atccaggcca cgggggctgg gagggcatcc tggtgttttc 840
accctgggac ttgaacttgc cattggactg agctctttct cagaagctgc tacaagatga 900
cacctcatgt ccctgccttc ttcgtgtgct ttccaagtc ttcctattcc actcagggct 960
gtgggggtgt ggttgcccta cctgtttttg ccaaaaataa attgtttaa acttttctta 1020
ttaaaaacgt taaaaaaaaa aaaaaaaaaam aggggggccg c 1061

```

<210> 26

<211> 1572

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1491)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1527)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1555)

<223> n equals a,t,g, or c

<400> 26

```

gtttgtcagt ctcggcggng gcggcggngg tggcggcggc ggcgatccac agtgattcgg 60
ccgccgcgcc ggggggtggg ggggctgcgc gggacttttt tttttttcag actgaccgcg 120
gggcagctgc ggacatgtcg accccggccc ggaggaggct catgcgggat ttcaagcggg 180
tacaagagga cccacctgtg ggtgtcagtg gcgcaccatc tgaaaacaac atcatgcagt 240
ggaatgcagt tatatttggg ccagaaggga caccttttga agatgggtact tttaaactag 300
taatagaatt ttctgaagaa tatccaaaata aaccaccaac tgtaggtttt ttatccaaaa 360
tgtttcatcc aaatgtgtat gctgatggtg gcatatgttt agatatcctt cagaatcgat 420
ggagtccaac atatgatgta tcttctatct taacatcaat tcagtctctg ctggatgaac 480
cgaatcctaa cagtccagcc aatagccagg cagcacagct ttatcaggaa aacaaacgag 540
aataatgagaa aagagttttc gccattgttg aacaaagctg gaatgattca taatagacaa 600
ctggtctgtt aatctttttc atcattgttg tgtataattt acctctcatt agaaaggcta 660
acaaatttta agtgccacag gttttaagga ttctgcagaa aaaaaagaaa aaagtccttc 720

```

```
agtttagaac ctacaaaagc ttgtgtatct tgattaatgt actttttatt gcatgggtgtg 780
aactaagtta ttgctgcata aatttgtaat atatcctgtt tgtatttttt tccaagtgtg 840
taatgttggt gtggagtttt catgacagaa tatacacatt ttgtaaatct gtactttttt 900
caaataattga atgccttatt tttgaattct ttagattttt aaattggaga aaagcactta 960
aagtttttta tatatgaata ttacatgtaa agctgttaaa atacataact tcagtgtcaag 1020
agactttgtc acttatttcc ttatgtgtgt aggaggggtt aataagtctc tagctctcca 1080
tctattgata gtttcattta caatttcaaa agaacattct tatattttat caaggaagtc 1140
ttcaaatttg attctaaata gcgattataa tctccaactt tattttgaat gtacctctat 1200
tagtttcaat tgagtaattc tagacataac tggtttgact ctgtccaact ctgtatttag 1260
gccatttggt acagtttctt catgcattac ttactgttaa aactgtacct ttgtcgattt 1320
cacagttggc acttctgcc a tgagcagaga actgatgcga cttgttttgc tgcttggtag 1380
cactttaaaa aattttttga ttaatgaagg aaagtaaaac cataaacatt tgccaaaaat 1440
tcatgcccc gtattaggca atggaattag gttgcattgg gtttgaggaa ngggcacatt 1500
ggggggggga atcttggggg gttaacnttt aaattatttt gggaaaattt acccntttta 1560
tggccatggc ct 1572
```

<210> 27

<211> 2005

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1976)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1977)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1978)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1979)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1986)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1988)

<223> n equals a,t,g, or c

<400> 27

```
gcggacgcgt gggtcgccma cgcgygcgca agcagcgggt tagtggtcgc gcgcccagacc 60
tccgcagtc cagccgagcc gcgacccttc cggcgcgtccc caccaccact cgccgccatg 120
cgccctccgcc gcctagcgct gttcccgggt gtggcgctgc ttcttgccgc ggcccgccctc 180
gcgcgtgcct ccgacgtgct agaactcacg gacgacaact tcgagagtcg catctccgac 240
acgggctctg cgggcctcat gctcgtcgag ttcttcgcyc cctggtgtgg aactgcaag 300
agacttgcac ctgagtatga agctgcagct accagattaa aaggaatagt cccattagca 360
aaggttgatt gcactgccaa cactaacacc tgtaataaat atggagtcag tggatatcca 420
accctgaaga tatttagaga tgggaagaa gcagggtgctt atgatggacc taggactgct 480
gatggaattg tcagccactt gaagaagcag gcaggaccag cttcagtgcc tctcaggact 540
gaggaagaat ttaagaaatt cattaagtgt aaagatgcct ctatagtagg ttttttcgat 600
gattcattca gtgaggctca ctccgagttc ctaaaagcag ccagcaactt gagggataac 660
taccgatttg cacatacgaa tgttgagtct ctggtgaacg agtatgatga taatggagag 720
ggtatcatct tatttcgtcc ttcacatctc actaacaagt ttgaggacaa gactgtggca 780
tatacagagc aaaaaatgac cagtggcaaa attaaaaagt ttatccagga aaacattttt 840
ggtatctgcc ctacatgac agaagacaat aaagatttga tacagggcaa ggacttactt 900
attgcttact atgatgtgga ctatgaaaag aacgctaaag gttccaacta ctggagaaac 960
agggtaatga tgggtggcaaa gaaattcctg gatgctgggc acaaaactcaa ctttgctgta 1020
gctagccgca aaacctttag ccatgaactt tctgattttg gcttgagagag cactgctgga 1080
gagattcctg ttgttgctat cagaactgct aaaggagaga agtttgctcat gcaggaggag 1140
ttctcgctgt atgggaaggc tctggagagg ttcctgcagg attactttga tggcaatctg 1200
aagagatacc tgaagtctga acctatccca gagagcaatg atgggcctgt gaaggtagtg 1260
gtagcagaga attttgatga aatagtgaat aatgaaaata aagatgtgct gattgaattt 1320
tatgcccctt ggtgtggtca ytgtaagaac ctggagccca agtataaaga acttggcgag 1380
aagctcagca aagaccctaa tatcgtcata gccaaagatg atgccacagc caatgatgtg 1440
ccttctccat atgaagtcag aggttttcct accatatact tctctccagc caacaagaag 1500
ctaaatccaa agaaatatga aggtggccgt gaattaaagt attttattag ctatctacaa 1560
agagaagcta caaaccccc tgtaattcaa gaagaaaaac ccaagaagaa gaagaaggca 1620
caggaggatc tctaaagcag tagccaaaca ccactttgta aaaggactct tccatcagag 1680
atgggaaaac cattggggag gactaggacc catatgggaa ttattacctc tcagggccga 1740
gaggacagaa tggatataat ctgaatcctg ttaaattttc tctaaactgt ttcttagctg 1800
cactgtttat ggaaatacca ggaccagttt atgtttgtgg ttttgggaaa aattatttgt 1860
gttgggggaa atgtgtggg ggtgggggtg agttgggggt attttcta attttttgt 1920
catttggaac agtgacaata aatgagacc ctttaaaaaa aaaaaaaa aaaaannnn 1980
gggggncc cagtcaccatt cgccc 2005
```

<210> 28

<211> 1408

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<400> 28

```
cccgcagaca ngcaattttc acctgtgagg tccctgggtg ctactacttt gsataccacg 60
ttcactgcaa ggggggcaac gtgtgggttg ctctattcaa gaacaacgag cccgtgatgt 120
acacgtacga cgagtacaaa aagggtcttc tggaccaggc atctgggagt gcagtgtgct 180
tgctcaggcc cgagagaccg tgttctcca gatgccctca gaacaggctg caggactgta 240
```

```
tgccgggagcag tatgtccact cctccttttc aggatattta ttgtatccca tgtaaaaaaca 300
aaaaaaca aaaacaaagaa aagaaagaga ttttatagaa gaaaatgaca caccaaaaaa 360
tccaaatgaa aaacataatt gcttcaaac acttacacag ttggaaagt atatgtaagt 420
gaaaatttg accattgtgt acaataaaa actaagatgc atgtttaata ctccacacag 480
cagcctgtaa ttgcgaatga tgggatatag ttatgtatca agtactgaca ctgggttgta 540
cccactggaa tcatattagc tgttttatgt tataatgctc cacagtaacc tgcttattca 600
gatcagtc aaatatatcag tatgaaagat catagctaata gaaaggcact cactcatatt 660
gtttacttta aaatatattat aaatatgcct taaagaaata caaatgataa caattacata 720
ccgtatttac ttgcttaatt tcctctgtat ttgtgtagat actttgacat ggaatatatg 780
gtggggagac ccgtagtgt accgccccag tgggaggggg ccctgggacc ctggtaatgc 840
tttagtcaaa gggatatctc tctgtatca gaggtgtgt cttttagtaa caggagtcct 900
cgtcagaatt gcgtgtctgt tgtctctaaa agaattgggtg aaccaatcgg ctttgtgtaa 960
tttattcagt gccttctctg taccaagcac tgggtaaggc acttttgtgg agcattagac 1020
agtaaccctc aaggagctag agaaccggat gggagacatg agcggtaatt aactcacttg 1080
ttccccagag ttctatttg ttttgatttt ctttttctgt gacttatttt cctattttct 1140
ttctccatg taattttcac tatggcccaa ctaataataa cacctgggaa attacaagga 1200
aaaaaaatc ttctctaat aactttccaa atttgtgaa tatttatttg taatagcagt 1260
tatcagttat gcttatatag cattaaaaat tctctcctt tgactacaca cacaaccaca 1320
gtgtggttct aatcatggag atatcagtaa tttttagtaa ctgatttttg aggacatttc 1380
tctgttttagc atgtatgcaa actggata 1408
```

<210> 29

<211> 917

<212> DNA

<213> Homo sapiens

<400> 29

```
ggcacgagcg aggggaggag ccgctggctc ccagccccgc cgcgatgagc ctgggccgcc 60
tttgccgcct actgaagccg gcgctgctct gtggggctct ggccgcgcct ggccctggccg 120
ggaccatgtg cgcgtcccgg gacgactggc gctgtgcgct ccatgcacga kttttccgcc 180
aaggacatcg acgggcacat ggtaacctg gacaagtacc ggggcttcgt gtgcacgtc 240
accaacgtgg cctcccagtg aggcaagacc gaagtaaaact aactcagct cgtcgacctg 300
cacgcccagc acgctgagtg tggtttgcgg atcctggcct tcccgtgtaa ccagttcggg 360
aagcaggagc caggagtaaa cgaagagatc aaagagtctg ccgcgggcta caacgtcaaa 420
ttcgatatgt tcagcaagat ctgctggaac ggggacgacg cccaccgcgt gtggaagtgg 480
atgaagatcc aaccaaggg caagggcatc ctgggaaatg ccatcaagtg gaacttcacc 540
aagttcctca tcgacaagaa cgctgctgtg gtgaagcgtc acggaccat ggaggagccc 600
ctggtgatag agaaggacct gcccactat ttctagctcc acaagtgtgt ggccccgccc 660
gagcccctgc ccacgcccty ggagccttcc accggcactc atgacggcct gcctgcaaac 720
ctgctggtgg ggcagaccgg aaaatccagc gtgcaccccg ccggaggaag gtcccatggc 780
ctgctgggct tggctcggcg cccccacccc tggctacctt gtgggaataa acagacaaat 840
tagcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaaaaaaa aaaaaaa 917
```

<210> 30

<211> 577

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (534)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (568)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (575)

<223> n equals a,t,g, or c

<400> 30

```
aattcggcac gaggtcatct ggtggaaaag gagactttaa gattgttttag ggctgggcgg 60
ggtgactcac atctgtaatc ccagcacttt gggaggccaa ggcaggcaga acacttgaag 120
gagttcaaga ccagcgtggc caacgtggtg aaccctgtct ctactaaaaa tacaaaaatt 180
gttttagctct gtttttcata atagaaatag aaaaggtaaa attgcttttc ttctgaaaag 240
aacaagtatt gttcatccaa gaagggtttt tgtgactgaa tcagcagtcg ctgccctagt 300
catagctgtg cttcagaaac ctacgcatga ttagtgttkg agcmmaacaa ggragcaaag 360
caaatwcwgt ttttgaaatt ctatctgttg cttgaactat tttgtaataa ttaaactttg 420
gatgttgaga aatcacaaact ttattggtac acttcattgc aacttgaaat tccatgggtc 480
ttaaagtgag attggaattc naatgggcgg cctttaaaaa gtaattccca accnttaagg 540
ttaaaaccca ggaaattggg gccaatcnaa aaccngg 577
```

<210> 31

<211> 2059

<212> DNA

<213> Homo sapiens

<400> 31

```
tgggagtaaa aatgtgtctt cagagactgt gaacatcacc atcactcaag gtttggcagt 60
gtcaaccatc tcatcattct ttccacctgg gtaccaagtc tctttctgct tggatgatgg 120
actccttttt gcagtggaca caggactata tttctctgtg aagacaaaca ttcgaagctc 180
aacaagagac tgggaaggacc ataaatttaa atggagaaa gaccctcaag acaaagacc 240
cccatcccat gggggtaata agagcagtag cagcagcatc tctgaacatt tctctggatt 300
tgcaacccca tcatcctcag gcctctctac aagcagcagg aaacatagaa ctacagagcca 360
gatcccttat ccaactctcg acttttcctt ggtctccagt ggaagggaaa agcccatgat 420
cttcaagcag ggaagcccca gtgagtagct gcattcctag aaattgaagt ttcagrgeta 480
cacaaacamt tttctgtccc aaccgttccc tcacagcaaa gcaacaatac aggctagggg 540
tgaaggagga gtgcaaaara gtgtcccac cctcctgccc cccgcaccgt ttgcccaccc 600
ttcgggaagac ccagtgtgtg gatgagtatg agtgtgcctg caactgtgtc aatccacagt 660
gagctgtccc cttgggtact tggcctcaac cgccaccaat gactgtggct gtaccacaac 720
cacctgcctt cccgacaagg tgtgtgtcca ccgaagcacc atctaccctg tgggccagtt 780
ctgggaggag ggctgcgatg tgtgcacctg caccgacatg gaggatgccg tgatgggcct 840
ccgcgtggcc cagtgtctcc agaagccctg tgaggacagc tgctcggtcgg gcttcactta 900
```



```
cgttctgcat gaaggcgagt gctgtggaag gtgcctgccca tctgcctgtg aggtgggtgac 960
tggctcaccg cgggggggact cccagtcttc ctggaagagt gtcggctccc agtgggcctc 1020
cccgagaaac ccctgcctca tcaatgagtg tgtccgagtg aaggaggagg tctttataca 1080
acaaaggaaac gtctcctgcc cccagctgga ggtccctgtc tgccctcgg gctttcagct 1140
gagctgtaag acctcagcgt gctgcccgaag ctgtcgctgt gagcgcatgg aggcctgcat 1200
gctcaatggc actgtcattg ggcccgggaa gactgtgatg atcgatgtgt gcacgacctg 1260
ccgctgcatg gtgcagggtg gggtcattctc tggattcaag ctggagtgcg ggaagaccac 1320
ctgcaacccc tgccccctgg gttacaagga agaaaataac acagggtgaat gttgtgggag 1380
atgtttgcct acggcttgca ccattcagct aagaggagga cagatcatga cactgaagcg 1440
tgatgagacg ctccaggatg gctgtgatac tcacttctgc aaggatcaatg agagaggaga 1500
gtacttctgg gagaagaggg tcacaggctg cccacccttt gatgaacaca agtgtctggc 1560
tgaggagggt aaaattatga aaattccagg cacctgctgt gacacatgtg agggagcctga 1620
gtgcaacgac atcactgcca ggctgcagta tgtcaagggtg ggaagctgta agtctgaagt 1680
agagggtgat atccactact gccagggcaa atgtgccagc aaagccatgt actccattga 1740
catcaacgat gtgcaggacc agtgtctctg ctgctctccg acacggacgg agcccatgca 1800
gggtggccctg cactgcacca atggctctgt tgtgtaccat gaggttctca atgccatgga 1860
gtgcaaatgc tccccagga agtgcagcaa gtgaggctgc tgcagctgca tgggtgcctg 1920
ctgtgcctg ccttgcctga tggccaggcc agagtgtctg cagtcctctg catgttctgc 1980
tcttggtgcc ttctgagccc acaataaagg ctgagctctt atcttgcaaa aaaaaaaaaa 2040
aaaaaaaaaa aaaaaaaaaa 2059
```

<210> 32

<211> 549

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (378)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (537)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (546)

<223> n equals a,t,g, or c

<400> 32
gcagcgaggg agctgctctg ctacgtacga aaccccgacc cagaagcagg tcgtctacga 60
atggttttagc gccaggttcc ccacgaacgt gcggtgcgtg acgggcgagg gggcgggccgc 120
tctagaggat ccaagcttac gtacgcgtgc atgcgacgtc atagctcttc tatagtgtca 180
cctaaattca attcactggc cgtcgtttta caacgtcgtg actgggaaaa ccctggcggt 240
acccaactta atcgcccttg agcacatccc cctttcgcca gctggcgtaa tagcgaagag 300
gcccgcaccg attcgccctt tcccaacagt tgcgcactg gaatggcgaa tggggacgcg 360
ccctgtatgg gcgcgttnaa gcgcggcggg tgtggtggtt acgcgcagtg gacccgctac 420
acttgccagc gccctagcgc ccgctccttt cgctttcttc ccttcctttc tcgccacgtt 480
cgccggcttt ccccttnaag ctctaaatcg gtgggctccc tttagggtgc ctatttngtg 540
ctttanggt 549

<210> 33
<211> 841
<212> DNA
<213> Homo sapiens

<400> 33
gctttgaacc tcaacagcca gctgaacata cccaaagaca caagccaact gaagaaacat 60
atcaccttgc tctgcgatag attatccaaa ggtggccgtc tctgcctaag taccgatgca 120
gcagccccac agaccatggt catgccaggt ggttgacta caatcccaga gtcagaccta 180
gaagaaagat cagtagaaca agactctaca gaactgttta ccaaccacag acatctcact 240
gcagagacac ccaggcctgt ttcacccctc caaggagtct cggaataatt ccaagtagag 300
ttgtttggtt gagaggaaca tccccatctc aaggcgaac ctgtgtgaac ctcatgccaa 360
gcacagatat arggctggcg cagggtgctt cyaaagctya ccttcctgga gatgacatgc 420
atagaaagag gggttgggac tttttacttc actaggagaa cttgtaacac catggggaag 480
tcagctgaaa cttgtcttgt ttgcccagga aaggaagtag ttgccttttg tcatccatct 540
gctaatagtc acagaataca gtgaaatgac atagttttgg gttagatttt ataatgcaa 600
gattcagatc caaaataatt tcatacccca ttttttcaca gaattcttat atagtaaatg 660
tatcaagttt aataaagcat ctcatgttca aataatatct tggattttat ttataattag 720
agggatttat gagtgattgc tctacattat ttcttcaaag gaaaggaaa gaattgaaga 780
ctttgtctact ctctggtgtaag acttgaatgt gattatttta taaataaaa aaccactatg 840
a 841

<210> 34
<211> 863
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (19)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (29)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<400> 34

```
accaaaaaag ctttgagant ttccaaccnc cggtttgagg ccnngttttt tagaactnag 60
tggaatcccc ccggggcttt caaggaattc ggcacgagtt tgcttaggcg cagacgggga 120
agcggagcca acatgccagt ggcccggagc tgggtttgtc gcaaaactta tgtgaccccg 180
cggagaccct tcgagaaatc tcgtctcgac caagagctga agctgacgg cgagtatggg 240
ctccggaaca aacgtgaggt ctggagggtc aaatttaccg tggccaagat ccgcaaggcc 300
gcccgggaac tgctgacgct tgatgagaag gaccacggc gtctgttcga aggcaacgcc 360
ctgctgcggc ggctgggtccg cattgggttg ctggatgagg gcaagatgaa gctggattac 420
atcctggggc tgaagataga ggatttctta gagagacgcc tgcagacca ggtcttcaag 480
ctgggcttgg ccaagtccat ccaccacgct cgcgtgctga tccgccagcg ccatatcagg 540
gtccgcaagc aggtggtgaa catcccgctc ttcattgtcc gcctggattc ccagaagcac 600
atcgacttct ctctgcgctc tccctacggg ggtggccgcc cgggccgcgt gaagaggaa 660
aatgccaaga agggccaggg tggggctggg gctggagacg acgaggagga ggattaagtc 720
cacctgtccc tcctgggctg ctggattgtc tcgttttctt gccaaataaa caggatcagc 780
gctttacaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 840
aaaaaaaaa aaaaaaaaaa ttt 863
```

<210> 35

<211> 1230

<212> DNA

<213> Homo sapiens

<400> 35

```
tgcaggaatt cggcacgagc ccagcgccgc cgccatgtcc tccgggggcta gcgcgagcgc 60
cctgcagcgc ttggtagagc agctcaagtt ggaggctggc gtggagagga tcaaggcttc 120
tcaggcagct gcagagcttc aacagtactg tatgcagaat gcctgcaagg atgccctgct 180
gggtgggtgtt ccagctggaa gtaaccctt cggggagcct agatcctgtg ctttactctg 240
aagactctag gagagaagtt tgctgaggaa tgccttcaag cacaaagtga tgaatgactg 300
ccttcaagtc tcaagaaaac acttttccct aacttttaga gatatttcag ccttttcctg 360
tggcctggtc ctatagccaa aatcacagat attcatgagt ttctacttga gtgagaaaac 420
tgggtgaagg aatagaattt taaatagtaa taactgcttg tttttttgt gcaagtactt 480
ttatacataa gataaataaa aaccttacca ccaaacatac caaatgcac ctctttcata 540
agtgaattac taagatttct atacctggaa tatcatgtat gtttcattta ctggatgttt 600
acattttagg aaggaaaata gtttgtttta tttaaacaac tgaatactta taaactgttg 660
ttcctggaag ttattttatt cataaaaaat ttgttctttt ctcatgaatt tataattcct 720
aaatgaagac cagaaagtac aaattgctgg gaggaagaat aggcctttatt aatcaactga 780
tgtcttgatt tttctaaatg ggaagattgc tttattttta acactaatta tgggagcaga 840
ttcttagcaa acttcttttg aaaagttaat gttatgatgt gcattaggct gcccacgt 900
gtataataa gaagcagatt tgattttgt attcttacgt ttctctgctt tgtagtgtg 960
gctgtactta aagaaataca gaatttcata tatttaaaaa tgtttaaaaat gtgaccaca 1020
gaacattgta aatgattaaa aactaacatg aaaatattac aacctaaaag aattcttaac 1080
ttcacaaagt ttttacttcg acgatgtgcc tttgatttaa tttgggacac ttttttagaa 1140
ggatacatta ttcgtgtttg caacggtctt tgaagagctt ggaaataaaa tttctgctta 1200
```

attaatcatt tttctatgac agcaaaaaaa

1230

<210> 36

<211> 640

<212> DNA

<213> Homo sapiens

<400> 36

caacccaaat cgctcactat agggaaagct ggtcgcctgc aggtaccggt ccggaattcc 60
cgggtcgacc cagcgctccg gctgtctgaa gatagatcgc catcatgaac gacaccgtaa 120
ctatccgcac tagaaagttc atgaccaacc gactacttca gaggaacaa atggtcattg 180
atgtccttca ccccggaag gcgacagtgc ctaagacaga aattcgggaa aaactagcca 240
aaatgtacaa gaccacaccg gatgtcatct ttgtatttg attcagaact cattttggtg 300
gtggcaagac aactggcttt ggcatgattt atgattccct ggattatgca aagaaaaatg 360
aacccaaaa tagacttgca agacatggcc tgtatgagaa gaaaaagacc tcaagaaagc 420
aacgaaagga acgcaagaac agaatagaaga aagtcagggg gactgcaaag gccaatgttg 480
gtgctggcaa aaagccgaag gagtaaaggt gctgcaatga tgttagctgt ggccactgtg 540
gatttttcgc aagaacatta ataaactaaa aacttcaaaa aaaaaaaaaa aaaaaaaaaa 600
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg 640

<210> 37

<211> 597

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (556)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (558)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (567)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (590)
<223> n equals a,t,g, or c

<400> 37
ggtgagaccn tctanaatat ggttccccgg gntgccgatt cgccaagggtg ctcggtcctt 60
ccgaggaagc taaggtgctg ttgggggtgag gccctcactt catccggcga ctagcaccgc 120
gtccggcagc gccagcccta cactcgcccg cgccatggcc tctgtctccg agctcgctg 180
catctactcg gccctcattc tgcacgacga tgaggtgaca gtcacggagg ataagatcaa 240
tgccctcatt aaagcagccg gtgtaaatgt tgagcctttt tggcctggct tgtttgcaaa 300
ggccctggcc aacgtcaaca ttgggagcct catctgcaat gtaggggccg gtggacctgc 360
tccagcagct ggtgctgcac cagcaggagg tcctgcccc tccactgctg ctgctccagc 420
tgaggagaag aaagtgggaag caaagaaaga agaatccgag gagtctgatg atgacatggg 480
ctttgtgtct tttgactaaa cctcttttat aacatgttca ataaaaagct gaactttaaa 540
aaaaaaaaaa aaaaancncg ggggggnccg ctttaaaggg tccaagttan gtacggg 597

<210> 38
<211> 624
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (79)
<223> n equals a,t,g, or c

<400> 38
ggaccccgtc gccctcctga tgctgctcgt ggacgctgat cagccggagc ccatgcgcac 60
ggggcgcgcg agctcgcgnt cttcctgacc cccgakcctg gggccgaggc gaaggagggtg 120
gaggagacca tcgagggcat gctcctcagg ctggaagagt tttgcagcct ggctgacctg 180
atcaggagtg atacttcaca gatcctggag gaaaacatcc cagtccttaa ggccaaactg 240
acagaaatgc gtggcatcta tgccaaagtg gaccggctag aggccttcgt caagatgggt 300
ggacaccacg tcgccttcct ggaagcagac gtgcttcagg ctgagcggga ccatggggcc 360
ttccctcagg ccctgcggag gtggctggga tccgcaggct cccctcctc aggaacaagt 420
camctgsacc kgtgcccgtg acgtacgagc tgcccacact gtataggacg gaggactatt 480
ttcctgtgga cgccgggkaa gcacagcamc amccccgcac ctgccctcgg cctttgtgag 540
ctttgtgggc tcccatcag gaacactgga aagtgcatt gtgtacacgc tgcagcttgg 600
gggttttttc tttgtattgc tggt 624

<210> 39
<211> 1029
<212> DNA
<213> Homo sapiens

<400> 39
ggccctcga gggatcctct agagcggccg ccgactagtg agctcgtcga cccgggaatt 60

```

cgcgggccgcg tcgacgctca gtcttccacc aaaggccggt cagttctcct gggtccagc 120
ctcctgcaag gactgcaaga rttttcctcc gcagctctga rtctccactt ttttggtgga 180
gaaaggctgc aaaaagaaaa agagacgcag tgagtgggaa aagtatgcat cctattcaaa 240
cctaattgaa tcgargarcc caggacaca cgccttcagg tttgctcarg ggttcattt 300
tggtgcttag acaaattcaa aatgaggaaa catcggcact tgcccttagt ggccgtcttt 360
tgctcttttc tctcaggctt tcctacaact catgcccagc agcagcaagc agtcattgaa 420
gtcaacaaga gagacatagt ctctctggtg gatggtcat ctgactggg actggccaac 480
ttcaatgcca tccgagactt cattgctaaa gtcattccaga ggctggaaat cggacaggat 540
cttatccagg tggcagtggc ccagtatgca gacactgtga ggctgaatt ttatttcaat 600
acccatccaa caaaaagggr agtcataacc gctgtgcgga aaatgaagcc cctggamggs 660
tcggccctgt acacgggctc tgctctagac tttgttcgta acaacctatt cagcagttca 720
gccggctacc gggctgccga ggggattcct aagcttttgk tgctgatcac aggtggtaag 780
tccctagatg aaatcagcca gcctgccag gagctgaaga gaagcagcat aatggccttt 840
gccattggga acaagggtgc cgatcaggct gagctggaag agatcgcttt cgactcctcc 900
ctggtgttca tcccagctga gtccgagcc gccccattgc aaggcatgct gcctggcttg 960
ctggcacctc tcaggaccct ctctggaacc cctgaagttc actcaaacia aagggatato 1020
atctttctg 1029

```

<210> 40

<211> 1107

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1098)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1106)

<223> n equals a,t,g, or c

<400> 40

```

tgaatggctt atttaaataa gttggatcta tggactctcc acagcctaga tattatccta 60
ctgaagatgt gcctcgaaaag ctgttgagcc acggcaaaaa acccttcagt cagcacgtga 120
gaaaactgcg agccagcatt acccccggga ccattctgat catcctcact ggacgccaca 180
ggggcaagggt gagagtacct gtgcttgggg cgcttcactg cagctgcctg gggcgcctgg 240
tggcaatgcg tttgcacgct aggtgtactt ttcctttatt tacctatggt tggggcaagg 300
ggaaatgata tgcaagatac aacttagttg ttgcaataa gaagtgtaat ccatggtgat 360
ttattagcca tttcctgctg ttgatwatgt tacacatgty catttactca aaaacgtgtt 420
tatgtctgga gtactacctt agtagcttgc tgtggttgct tccagaactg ccgagctgta 480
tacatataca tgtagaaatt tccttaccm aatttagatg cctgtgawtt tawgaatcag 540
aagycagttt taawtgcmga aaacyaatta ttytctttt amcttacaag aggggtggtt 600
tcctgaagca gctggctagt ggcttattac ttgtgactgg acctctggtc ctcaatcgag 660
ttctctacg aagaacacac cagaaatttg tcattgccac ttcaacaaaa atcgatatca 720
gcaatgtaaa aatcccaaaa catcttactg atgcttactt caagaagaag aagctgcgga 780
agccagaca ccaggaagggt gagatcttcg acacagaaaa agagaaatat gagattacgg 840
agcagcgcaa gattgatcag aaagctgtgg actcacaat tttaccaaaa atcaaagcta 900
ttcctcagct ccagggtac ctgcgatctg tgtttgctct gacgaatgga atttatctc 960
acaaattgggt gttctaaatg tcttaagaac ctaattaaat agctgactac aaaaaaaaa 1020

```

aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa cccccggggg 1080
gggcccgggt cccatttngc cctttng 1107

<210> 41

<211> 1051

<212> DNA

<213> Homo sapiens

<400> 41

cttggaagtc agtcgtagtc ctgcgagtc cggggggagc tggaagtgc catccacgac 60
agaacaaata ttcggtgctt ttacctacct acaacgagcg cgagaacctg ccgctcatcg 120
tgtggctgct ggtgaaaagc ttctccgaga gtggaatcaa ctatgaaatt ataatacatg 180
atgatggaag cccagatgga acaagggatg ttgctgaaca gttggagaag atctatgggt 240
cagacagaat tcttctaaga ccacgagaga aaaagttggg actaggaact gcataatattc 300
atggaatgaa acatgccaca ggaaactaca tcattattat ggatgctgat ctctcacacc 360
atccaaaatt tattcctgaa tttattagga agcaaaagga gggtaatttt gatattgtct 420
ctggaactcg ctacaaagga aatggagggtg tataatggctg ggatttgaaa agaaaaataa 480
tcagccgtgg ggccaatttt ttaactcaga tcttgctgag accaggagca tctgatttaa 540
caggaagttt cagattatac cgaaaagaag ttctagagaa attaatagaa aaatgtgttt 600
ctaaaggcta cgtcttccag atggagatga ttgttcgggc aagacagttg aattatacta 660
ttggcgaggt tccaatatca tttgtggatc gtgtttatgg tgaatccaag ttggggaggaa 720
atgaaatagt atctttcttg aaaggattat tgactctttt tgctactaca taaaagaaag 780
atactcattt atagtacgt tcatttcagg ttaaactga aagaagcctg gttactgatt 840
tgtataaaat gtactcttaa agtataaaat ataaggtaag gtaaatctca tgcattcttt 900
tatgaagacc acctatttta tatttcaaat taaataattt taaagttgct ggcctaataa 960
gcaatgttct caattttcgt tttcattttg ctgtattgag acctataaat aaatgtatat 1020
ttttttttgc ataaarwaaa aaaaaaaaac c 1051

<210> 42

<211> 2192

<212> DNA

<213> Homo sapiens

<400> 42

ggcgaacctg gtgatgctgg tgctaaaggc gatgctggtc cccctggccc tgccggaccc 60
gctggacccc ctggcccat tggtaatgtt ggtgctcctg gagccaaagg tgctcgcggc 120
aggctggtcc cctggtgct actggtttcc ctggtgctgc tggccgagtc ggtcctcctg 180
gcccctctgg aaatgctgga cccctggcc ctctggtcc tgctggcaaa gaaggcggca 240
aaggtcccg tggtagact ggccctgctg gacgtcctgg tgaagttggt cccctggtc 300
cccctggccc tgctggcgag aaaggatccc ctggtgctga tggctcctgct ggtgctcctg 360
gtactcccg gectcaagggt attgctggac agcgtggtg ggtcggcctg cctggtcaga 420
gaggagagag aggtctccct ggtcttccctg gcccctctgg tgaacctggc aaacaaggtc 480
cctctggagc aagtggtgaa cgtgggtccc ctggtcccat gggccccctt ggattggctg 540
gacccctggt tgaatctgga cgtgaggggg ctccctggtgc cgaagttccc ctggacgaga 600
cggttctcct ggcgccaagg gtgaccgtgg tgagaccggc cccgtgagc cccctggtgc 660
tcttggtgct cctggtgccc ctggcccctg tggccctgct ggcaagagtg gtgatcgtgg 720
tgagactggt cctgctggtc ccgcccgtcc tgctggccct gttggcgccc gtggccccgc 780
cggaccacca ggccccgtg gtgacaaggg tgagacaggc gaacagggcg acagaggcat 840
aaagggtcac cgtggcttct ctggccctcca ggggtccccc ggccctcctg gctctcctgg 900
tgaacaagggt cctctggag cctctggtcc tgctggtccc cgaggtcccc ctggtcttgc 960
tggtgctcct ggcaaaagtg gactcaacgg tctccctggc cccattgggc cccctggtcc 1020

```
tcgcggctgc actggtgatg ctggtcctgt tgggtccccc ggccctcctg gacctcctgg 1080
tccccctggt cctcccagcg ctggtttcga cttcagcttc ctgccccagc cacctcaaga 1140
gaaggctcac gatggtggcc gctactaccg ggctgatgat gccaatgtgg ttcgtgaccg 1200
tgacctcgag gtggacacca ccctcaagag cctgagccag cagatcgaga acatccggag 1260
cccagagggc agccgcaaga accccgcccg cacctgccgt gacctcaaga tgtgccactc 1320
tgactggaag agtggagagt actggattga ccccaaccaa ggctgcaacc tggatgccat 1380
caaagtcttc tgcaacatgg agactgggtga gacctgcgtg taccctactc agcccagtg 1440
ggcccagaag aactggtaca tcagcaagaa ccccaaggac aagaggcatg tytggttcgg 1500
cgagagcatg accgatggat tccagttcga gtatggcgcc cagggtctcc accctgccga 1560
tgtggccatc cagctgacct tcctgcgcct gatgtccacc gaggcctccc agaacatcac 1620
ctaccactgc aagaacagcg tggcctacat ggaccagcag actggcaacc tcaagaagge 1680
cctgctcttc cagggtccca acgagatcga gatccgcgcc gagggcaaca gccgcttcac 1740
ctacagcgct actgtcgatg gctgcacgag tcacaccgga gcctggggca agacagtgat 1800
tgaatacaaa accaccaaga cctccgcct gccatcatc gatgtggccc ccttgacgt 1860
tggtgcccc aaccaggaat tcggcttcga cggtggccct gtctgcttc tgtaaacctc 1920
ctccatccca acctggctcc ctcccaccca accaacttcc ccccaaccc ggaaacagac 1980
aagcaaccca aactgaaccc cctcaaaagc caaaaaatgg gagacaattt cacatggact 2040
ttggaaaata tttttttcct ttgcattcat ctctcaaaact tagtttttat ctttgaccaa 2100
ccgaacatga ccaaaaacca aaagtgcatt caaccttacc aaaaaaaaaa aaaaaaaaaa 2160
actcgggggg ggcccgtac caattggcct aa 2192
```

<210> 43
<211> 353
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (37)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (348)
<223> n equals a,t,g, or c

```
<400> 43
tctctaatac gactcactat agggaaagct gggtacnctg cagggtaccgg tccggaattc 60
ccgggtcgac ccacgcgtcc ggtggggcct caccaagttc aatgctgatg aatttgaaga 120
catggtggct gaaaagcggc tcatcccaga tggctgtggg gtcaagtaca tccccagtcg 180
tgccctctg gacaagtggc ggccctgca ctcatgaggg cttccaatgt gctgcccccc 240
tcttaatact caccaataaa ttctacttcc tgtccaaaaa aaaaaaaaaa aaaaaaaaaa 300
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaanaa aag 353
```

<210> 44
<211> 3490
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature

<222> (782)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1311)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2298)

<223> n equals a,t,g, or c

<400> 44

```
acaaaaat ttcacataca gtagcctgcc agtacggtcc ggaaattccc gggtcgaccc 60
acgcgtccgg tgaaaactgt tgcattattc ctccatcctg tctggaatac accaggtcaa 120
caccagagat ctcagatcag aatcagagat ctcagagggg aataagttca tcctcatggg 180
atgggtgagg gcakgaaagc ggctgggctc ttggacacct gggtctcaga gaaccctgtg 240
atgatcacc aagccccagg ctgtcttagc ccctggagtt cagaagtcct ctctgtaaag 300
cctgcctccc amtargtcaa gaggaactag agtacctttg gatttatcag gaccctcatg 360
tttaaatggg tatttccctt tgggaaaact tcagaaactg atgtatcaaa tgaggccctg 420
tgccctcgat ctatttccct ctctccttctg acctcctccc aggcactctt acttctagcc 480
gaactcttag ctctgggcag atctccaagc gcctggagtg ctttttagca gagacacctc 540
gttaagctcc gggatgacct tgtaggagat ctgtctccct gtgcctggag agttacagcc 600
agcaagggtg ccccatctta gagtggtgtg tccaaacgtg aggtggcttc ctagttacat 660
gaggatgtga tccaggaaat ccagtttgga ggcttgatgt gggttttgac ctggcctcag 720
ccttggggct gtttttccct gttgccccgc tctagacttt tagcagatct gcagcccaca 780
gnkctttttt ggaaggagtg gcttccctgca ggtgttccac ctgcyttcgg agcctgccac 840
ccaggccctc agaactgagc cacaggctgc tctggccagg agagaaacag ctctgtgtgt 900
ctgcattggg ggaggtacat tctgtcatct tctcaccccc tcaaccagga actggggatt 960
tgggatgaga tatggtcaga cttgtagata accccaaaga tgtgaagatc gcttgtgaaa 1020
ccattttgaa tgaatagatt ggtttccctg ggctccctcc aaacctggcc aagcccagct 1080
tccgaagcag gaaccagcac tgtctctgtg cctgactcac agcatatagg tcaggaaaga 1140
atggagacgg cattcttgga cttcactggg gctgtctgat tggatgggaa accttctgga 1200
agaggcagat ggggggtcaaa ccactgcctt ggccccagga aggggcatag gtaggtctga 1260
acaactgccg caagaccact acatgactta gggaacttga aaccaactgg nctcatggag 1320
aaaacaaatt tgacttgga aagggtattat gtaggaataa tgtttggaact tgatttcccc 1380
acgtcataat gaagaatgga agtttgatc tgctcctcgt caggcgcagc atctctgaag 1440
cttggaagc tgtcttccag cagcctccgt ggctcgggt tcctaccggc ttctctgcat 1500
ttggtctgct gatcatgttg ccataatgtg tatggaaagt gtacacattc ttactggtta 1560
aagacgacta ccaggtatct aactgtttta acattgagtt tgtgtgtgtg tgtgtatgtt 1620
tgtgtgtttt gtatattgtt tacattttga gaggtagcat tctgtttcaa atgctttttg 1680
ttttctgac agtattgttg actgggtcat aacattttga gctgtggttt ggtggatttt 1740
caattttttt ttttaaaggc cattcgctgt gctatcttca aaaccttgag tttggcccc 1800
aatttttggc attcaaatgt ttaaaagcta tttatcttgg tttatacaag tttcctttct 1860
cttctttttg tcatggtatt ctatttggtc tgcaagttga atgtagagaa agtggactga 1920
tccccaaagc gttgtctgcc cccactctt cctccttggg tcccgccatt cttttactgg 1980
gcagtcgagg ggaagtgcg ggaagtgcg ggcctcagcc tcaactccctg gggccatgaa 2040
gaaaagctaa acagctctcat ggcatctcag aataatgttg ggtctcccaa gaagaaagg 2100
gtaagaataa cgacatggct gattagcgga ggccaggata gggctaaggc caggattcct 2160
ggctggcatc cagtcacccc ttctcccatc cttccccctc ttcttccaca agtccgcagc 2220
```

```

cgagacactg tagtctccca gccacagtga tgagtgccct ggagactcca ctgacctcta 2280
gatgaaggcc cctggccntg gttcctgtta attaacctct gggctcttga gtcccccagc 2340
acaaacttct ttctgttacc ctgcggcttg gggtcacagg gcatgccggg aagccacagc 2400
tgagggggcg agactgaagc agtgtctcac ctctccttct ttagctcagg ggttgctggt 2460
ctgtggcagg cgccacgagt gggccctgtg gctgttctca gtggcagtct cttaagttcc 2520
caccacaggc agctctttat cccctctccc tacttsactc tttctcttgc ctgtgctttt 2580
ggcctcaaac aggcctgctg gtagcgctca gggcgtaggg ctacactcct gccctgcctt 2640
tcctgtcttc atggtctgcc agggcatacc ttggggagggt ggaccaaaga ccaggaactt 2700
tttgacagtag ccagtcctac ccccagttg tctttttacc aattcagggg gggagagaaa 2760
actgcagcac ccagcatgt gagttactca ggtgttgggg gctagaaggg acagtgcgtt 2820
taaacaacac tcagagctct ggcttaaac ctgtggcccc ccaagtctag gagcctcatc 2880
tcttcctggc agtcatggcg gcaggagggt ctgaaaggga aaacccttcc agacaactgt 2940
tccccaatct accagccatc tgcagggggt agtgaccgtg gccctctccc tcctctagaa 3000
tgtgccactt atgaagagtg ccccatgggg aaaaggagac tcagctgtcc cttggcagct 3060
tgtgccagta tcccagggca gaagtttcca caggagcctc ttgcccttgc gcagagccac 3120
tgtgagaggc ggtgggagcc aacacccttg ggggaggggg cagtactgct cggcacatcc 3180
cagcatcagg tcagatcayt gaaattaaaa aatgtgaatt aagttcatat ccaccttttg 3240
gggaagcagg acaaaccacc accccaccaa gtgtgtgact tctccatata cactgcagt 3300
ttccattttt taaatgggaa ttttcaatcc cctgtgcttg tctaactgtc gctttaaaaa 3360
gtttgagacc ctgttactgt ttgaaaatgc atgcatgtta cgatgaatct ccaacctgag 3420
gaaaaaaaata aaactcaaaa agctttgtgt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3480
aaaaaaaaact 3490

```

<210> 45

<211> 781

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (750)

<223> n equals a,t,g, or c

<400> 45

```

gtcagatggt ccttttccca aatcattatt cctttggcca gaagggttga cttgatacct 60
tccagcagcc tggagcctca tggccaaacc aggtcctcag gcatcccagg atttccaggc 120
atcagatgga ggggtgagggc tgcccagcaa atgtcagtgt gtgtcaacat ttactgcagg 180
ttcagagctc cctccagggt ccctgagtac atcatgtgct cctgagagtt ttaagggaaa 240
gccaaagtaa gacgtgatga tgttctaaac ccaagcaatt aataaaygcc acggaaatca 300
gtcattcact taccaagtat ttctctgctt tctgccatgt cacgggsgca tgatccccctg 360
gagattgagg gaaataagat cacaggagct cccagtctga gtgagaaaag gcagctgctc 420
tgtgtgtact tgcaactggac ctgggaatgg cctaaggaga caagcattga gggctgagct 480
cagaagccag ggagaagagc tcagaacccc aggagaggag ctcaagaacc tgggagagga 540
gctcagaacc ctgggagggc ttggtaacct tcgaggatgt ggccgtggag ttcaccagg 600
aggagtgggc gttgctggac cctgcccata ggacactgta cagggatgtg atgctggaga 660
actgcaggac ctggcctcac targgtgtcg tgtaataaaa cccagtctga tatccagtt 720
ggamcaagac aagaagktgg tgacagaggn aagaggaatc taccaagcac ctgtccagat 780
t 781

```

<210> 46

<211> 1431

<212> DNA

<213> Homo sapiens

<400> 46

```
gggtcgaccc acgcgtccgc ttcagagaag aatttctctt tagttctttg caagaaggta 60
gagataaaga cactttttca aaaatggcaa tggatcaga attcctcaag caggcctggt 120
ttattgaaaa tgaagagcag gaatatgttc aaactgtgaa gtcattccaa ggtgggtccc 180
gatcagcggg gagcccttat cctaccttca atccatcctc ggatgtcgct gccttgcata 240
aggccataat ggttaaagggt gtggatgaag caaccatcat tgacattcta actaagcgaa 300
acaatgcaca gcgtcaacag atcaaagcag catatctcca ggaaacagga aagcccctgg 360
atgaaacact gaagaaagcc cttacagggtc accttgagga ggttgtttta gctctgctaa 420
aaactccagc gcaatttgat gctgatgaac ttcgtgctgc catgaagggc cttggaactg 480
atgaagatac tctaattgag attttggcat caagaactaa caaagaaatc agagacatta 540
acagggctca cagagaggaa ctgaagagag atctggccaa agacataacc tcagacacat 600
ctggagattt tcggaacgct ttgctttctc ttgctaaggg tgaccgatct gaggactttg 660
gtgtgaatga agacttggct gattcagatg ccagggcctt gtatgaagca ggagaaagga 720
gaaaggggac agacgtaaac gtgttcaata ccattcctac caccagaagc tatccacaac 780
ttcgcagagt gtttcagaaa tacaccaagt acagtaagca tgacatgaac aaagttcttg 840
acctggagtt gaaaggtgac attgagaaat gcctcacagc tatcgtgaag tgcgccacaa 900
gcaaaccagc tttctttgca gagaagcttc atcaagccat gaaaggtgtt ggaactcgcc 960
ataaggcatt gatcaggatt atggtttccc gttctgaaat tgacatgaat gatatcaaag 1020
cattctatca gaagatgtat ggtatctccc ttgccaagc catcctggat gaaaccaaag 1080
gagattatga gaaaatcctg gtggctcttt gtggaggaaa ctaaaccatt ccttgatggt 1140
ctcaagctat gatcagaaga ctttaattat atattttcat cctataagct taaataggaa 1200
agtttcttca acaggattac agtgtagcta cctacatgct gaaaaatata gccttttaaat 1260
catttttata ttataactct gtataataga gataagtcca ttttttaaaa atgttttccc 1320
caaaccataa aacctatac aagttgttct agtaacaata catgagaaag atgtctatgt 1380
agctgaaaat aaaatgacgt cacaagacaa aaaaaaaaaa aaaaaaaaaa a 1431
```

<210> 47

<211> 1913

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1878)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1896)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1905)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1907)

<223> n equals a,t,g, or c

<400> 47

```
cccacgcgtc cggccagctc attgctctta tagcctgtga ggnagraaga aacatttgcy 60
agccaggcta gtgacagaaa tggattcgaa ataycagtgt gtgaagctga atgatggtca 120
cttcatgcct gtcctgggat ttggcaccta tgcgcctgca gaggttccta aaagtaaagc 180
tytagaggcc rycaaattgg caatwgaagc yggsttcrc catattgatt ctgcwcatkt 240
wtacaataat gaggagcagg ttggactggc catccgaagc aagattgcag atggcagtg 300
gaagagagaa gacatattct acacttcaaa gctttggwgc aattcccatc gaccagagtt 360
gggtccgacca gccttgaaaa ggctactgaa aaatcttcaa ttggattatg ttgacctcta 420
ycttattcat tttccagtgt ctgtaaagcc aggtgaggaa gtgatcccaa aagatgaaaa 480
tggaaaaata ctatttgaca cagtggatct ctgtgccacr tgggaggccg tggagaagt 540
taaagatgca ggattggcca agtccatcgg ggtgtccaac ttcaaccrca ggcagctgga 600
gatgatcctc aacaagccag ggctcaagta caagcctgtc tgcaaccagg tggaatgtca 660
tccttacttc aaccagagaa aactgctgga tttctgcaag tcaaaagaca ttgttctgg 720
tgcctatagt gctctgggat ccaycagaga agaaccatgg gtggaccgca actccccgg 780
gctcttgagg gaccagtcct tttgtgcctt ggcaaaaaag cacaagcgaa cccagccct 840
gattgcctcg cgctaccagc trcagcgtgg ggttgtggtc ctggccaaga gctacaatga 900
gcagcgcatac agacagaacg tgcaggtgtt tgaattccag ttgacttcag aggagatgaa 960
agccatagat ggccataaaca gaaatgtgcg atatttgacc cttgatattt ttgctggccc 1020
ccctaattat ccattttctg atgaatatta acatggaggg cattgcatga ggtctgccag 1080
aaggccctgc gtgtggatgg tgacacagag gatggctcta tgctggtgac tggacacatc 1140
gcctctggtt aaatctctcc tgcttggyga yttcagyaag ctacagcwaa gccatyggc 1200
crgaaargaa agacaataat tttgtttttt cattttgaaa aaattaaatg ctctctccta 1260
aagattcttc acctacttct gtctccataa cttctatggt ttctttcctt ctgacacact 1320
agtgtcccta aattgtgatt tgctatacag tttagggccg ggttggaag atgttaacaa 1380
ccatttaaga ttcatttctg cagtgggagt ggggtggagt tcaccctctg ggaaaggggc 1440
aggtgacagg tatttatcag tcagtgcctc tctagctctt gtaggaagaa gcacacgcag 1500
gatggagtct agaggatgag cgatattgac tagcaattca tgggctccct ccagcagtcg 1560
gagggtcaga gtttctggag ccttgggagg aggcattccct gtgagggggg gttagggaga 1620
tgggagggca ccaggaaaag tgattagaag tcaggtatgg gaaggctaaa taggacagag 1680
tcgagtacat ctctgcttgg aaaaacatat caacaccctt ttttttgaa cattatatct 1740
tgttcataaa agaaaacttt ccacattgtt ttaacaaacc ccacagctgg agagttcagg 1800
cctggaatct ttgatgtgt gccagttca cagattggac cctattgggt tgtggtgggg 1860
ccagggcatac caaagacntc attggactaa ttcacnttc ccggnanagc ccc 1913
```

<210> 48

<211> 1761

<212> DNA

<213> Homo sapiens

<400> 48

```
cgaggagctc tgaggctctat gctcagctgt gcaacgtggc tcgcattgag gcagagcggg 60
aggccggggg ccacttccgg ccaggctatg agtatggccc cgggcccgat gacctgcact 120
acagcatcta tggcccagat gggggcccct tctacaacta cctgggcccc gaggacaccg 180
```

```
tccctgagcc tgccttcccc aacacagccg gtcactcagc ggaccgcaca cccatccttg 240
agtctccttt gcagccctca gaactccagc cccactacgt ggccagccat ccagagcccc 300
cagccggctt cgaagggtt caggcgagg agtgcggcat cctgaacggc tgtgagaatg 360
gccgctgtgt gcgcgtgctg gagggttaca cctgtgactg ttttgagggc ttccagctgg 420
atgcggccca catggcctgc gtagatgtga atgagtgtga tgacttgaac gggcctgctg 480
tgctctgtgt ccatggttac tgcgagaaca cagagggctc ctaccgctgc cactgctccc 540
cgggatatgt ggctgaggca gggccccccc actgcactgc caaggagtag cagtcagggg 600
tcagtgtggc aactacctgg aaatggcctc cagtcacagg caggggcctt gaggatgatt 660
tcctagctgg gaagacaccg tgacatcagg ccagagggtt ccaatcagcc ttgcctgctt 720
tcatctctcc cagcttagcc tctggctgta agcttcggctc attgcctcca tgcccttget 780
tggtccaagc accaccaatc gctttaatgc ttcagccacc gcatgaggcc ctgtccacca 840
cctttcctgg ccttgctatg ggatgcttac caaaggatgg cctcatcca ccctcccaag 900
ctgtgcragc atgcaaggcc ccatggctca cactgcagac acccctttcc agccacaatc 960
caccatcatc ctgacgatcc cacaactggg acagaggcta catctgccct agggagggtc 1020
ttcagaatct gtggagcaag aaaggatttg gggaagcttg gggactgact ccagagcccc 1080
ctcctaagaa ccatcaccac cactcagcca atctgttctg ggccctgatt ttgccacacc 1140
tccatcctgt agccattct ctgaccccaa ggagtggcag aagatccctt cactcagaga 1200
agcaaggctg atattagctt gttgaatgta agagacaaa atgaagaaga acaaagagcc 1260
tgagaaagca gcaaggagac atgatgaaaa atacgtggag ttgatgagaa aggggagcca 1320
aggctttata cgtctaaaga aaatattcag tagctgaatc cgcccagtga tagcctgtgg 1380
gcaccagcag caagggtctg catgggatac agyaccatc tacaaagacc tctattacat 1440
aaacactgct tcttacagga acaaaacctc ttctgggatc tccttttgtg aaaaccagtt 1500
tgatgtgcta aaagtaaaaa gtctattttc cagtgtggtc ttgttcagaa gcagccagat 1560
ttccaatgtt gtttttcccc tccactcaga aaccctgccc ctttcccttc agaaaacgat 1620
ggcaggcatt cctctgagtt tacaagcaga gactcactcc aacccaaact agctgggagt 1680
tcagaacccat ggtggaataa agaaatgtgc atctggtcaa aaaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaaa aaaaaaaaaa g 1761
```

<210> 49

<211> 956

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<400> 49

```
tgcaggagtt cggcacgagg gtatttagag cgcaggncgt acggggccgga tcgccttcgc 60
cgccgcccgc ccgcaaacct tcgtgcccg cccgtcctcg ccccgcctc cgccaccgcc 120
tcggcccgca gagcttgccc cctccccacc cgcagacatg tccgagtcga agagcgcccc 180
cgagtatgct tcgtttttcg ccgtcatggg cgcctcggcc gccatggtct tcagcgccct 240
gggcgctgcc tatggcacag ccaagagcgg taccggcatt gcggccatgt ctgtcatgcg 300
gccggagcag atcatgaagt ccatcatccc agtggtcatg gctggcatca tngycatcta 360
cggcctggtg gtggcagtc tcatcgccaa ctccctgaat gacgacatca gcctctacaa 420
```

```

gagcttcctc cagctgggag ccggcctgag cgtgggcctg agcggcctgg cagccggctt 480
tgccatcggc atcgtggggg acgctggcgt gcggggcaac gccagcagc cccgactatt 540
cgtgggcatg atcctgattc tcattctcgc cgaggtgctc ggctctacg gtctcatcgt 600
cgccctcatc ctctccacaa agtagaccct ctccgagccc accagccaca gaatattatg 660
traagaccac cctcctcat cgccctcca ggccccggc gccccacccc ctagagtgt 720
ctgtgtatgc ggatgattta gaattgtcat ttctctttac tggatgttta tttataaaga 780
tctggcctgt tcctgcgtct gcggagcggc ccttgtctcc cagctatcta taaccttagc 840
tagagtgtcg ccttgtgggt tcctgttgct gagacttcct ggatggagcc gccctcaccg 900
wmcgkcccgt gccctgcgc ggagctgtgt ccaataaagt tcttgatgt gaaaaa 956

```

<210> 50

<211> 563

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (510)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (519)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (530)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (558)

<223> n equals a,t,g, or c

<400> 50

```

cggacgcgtg ggcgcctcc gaatccagag aggcgctgct gacaccgcc ccacaccgcc 60
gccacaccgc cgctgcctca gtcatgccga agcagcagtt ctctgtggac atgacctgtg 120
gaggctgtgc tgaagctgtc tctcgggtcc tcaataagct tggaggagt aagtatgaca 180
ttgacctgcc caacaagaag gtctgcattg aatctgagca cagcatggac actctgcttg 240
caaccctgaa gaaaacagga aagactgttt cctaccttg ccttgagtag caggggcctg 300
gtccccacag cccacaggat ggaccaaagg gggcaggatg ctgacctccc cgctggcttc 360
cagacagacc tgggacttgg cagtcatgcc gggatgatgt gttcctgcgg agaccctcag 420
ttgtcctatt ccttcctagc ttccctgcaa taaaatcaag ctgcttttgt tggaaaaaaa 480
aaaaaaaaa gggggcgtct aaaaaccaan ttatttcnt gatgaaatcn acctcttgt 540
tccattcat ccggcctnaa aaa 563

```

<210> 51

<211> 3215

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3196)

<223> n equals a,t,g, or c

<400> 51

```
gcctcgggtg ggggtgggagc ggggggggaca gtgccccggg aacccgggtg gtcacacaca 60
cgactcgcgc ctgtcagtag tggacattgt aatccagtcg gcttggttct gcagcattcc 120
cgctcccttc cctccatagc cacgctccaa accccagggt agccatggcc gggtaaagca 180
agggccattt agattaggaa ggtttttaag atccgcaatg tggagcagca gccactgcac 240
aggaggaggt gacaaacccat ttccaacagc aacacagcca ctaaaacaca aaaaggggga 300
ttgggcggaag agtgagagcc agcagcaaaa actacatttt gcaacttggt ggtgtggatc 360
tattggctga tctatgcctt tcaactagaa aattctaatt attggcaagt cacgttggtt 420
tcaggtccag agtagtttct ttctgtctgc tttaaatggr aacagactca taccacactt 480
acaattaagg tcaagcccag aaagtataaa gtgcagggag gaaaagtga agtccattat 540
gtaatagtga cagcaaaggg accaggggag aggcattgcc ttctctgccc acagtctttc 600
cgtgtgattg tctttgaatc tgaatcagcc agtctcagat gcccacaaagt ttcggttcct 660
atgagcccg ggcattgatc gatccccaag acatgtggag gggcagcctg tgcctgcctt 720
tgtgtcagaa aaaggaaacc acagtgcagc tgagagagac ggcgattttc gggctgagaa 780
ggcagtagtt ttcaaaacac atagttaaaa aagaaacaaa tgaaaaaaat tttagaacag 840
tccagcaaat tgctagtcag ggtgaattgt gaaattgggt gaagagctta sgattctaatt 900
ctcatgtttt ttctttttca ctttttttaa agaacaatga caaacaccca cttatttttc 960
aaggttttaa aacagtctac attgagcatt tgaaagggtg gctagaacaa ggtctcctga 1020
tccgtccgag gctgcttccc agaggagcag ctctccccag gcatttgcca agggaggcgg 1080
atctccctgg tagttagct gtgtggcttt ccttcctgaa gagtccgtgg ttgccctaga 1140
acctaaccac ccctagcaaa actcacagag ctttccgttt ttttctttcc tgtaaagaaa 1200
catttccttt gaacttgatt gcctatggat caaagaaatt cagaacagcc tgcctgtccc 1260
cccgactttt ttacatatat ttgtttcatt tctgcagatg gaaagttgac atgggtgggg 1320
tgtcccatc cagcgagaga gtttcaaaa caaaacatct ctgcagtttt tcccaagtrc 1380
cctgagatac ttcccaagc ccttatgttt aatcagcgat gtatataagc cagtctactt 1440
agacaaactt acccttcttg tccaatgtac aggaagtagt tctaaaaaaa atgcatatta 1500
atcttctccc ccaaagccgg attcttaatt ctctgcaaca ctttgaggac atttatgatt 1560
gtccctctgg gccaatgctt ataccagtg aggatgctgc agtgaggctg taaagtggcc 1620
ccctgcggcc ctagectgac ccggaggaaa ggatggtaga ttctgttaac tcttgaagac 1680
tccagtatga aaatcagcat gccgcctag ttacctaccg gagagttatc ctgataaatt 1740
aacctctcac agttagtgat cctgtccttt taacaccttt tttgtgggtt tctctctgac 1800
ctttcatcgt aaagtgtctg ggaccttaag tgatttgctt gtaatttttg atgattaaaa 1860
aatgtgtata tatattagct aattagaaat attctacttc tctgttgta aactgaaatt 1920
cagagcaagt tcctgagtgc gtggatctgg gtcttagttc tggttgattc actcaagagt 1980
tcagtgtcga tacgtatctg ctcatattga caaagtgcct catgcaaccg ggccctctct 2040
ctgcggcaga gtcccttagtg gaggggttta cctggaacat tagtagttac cacagaatac 2100
ggaagagcag gtgactgtgc tgtgcagctc tctaaatggg aattctcagg taggaagcaa 2160
cagcttcaga aagagctcaa aataaattgg aaatgtgaat cgcagctgtg ggttttacca 2220
ccgtctgtct cagagtccca ggaccttgag tgtcattagt tactttattg aagggttttg 2280
acctatagca gctttgtctc tgtcacatca gcaatttcag aaccaaagg gaggtctctc 2340
gtaggcacag agctgcacta tcacgagcct ttgtttttct ccacaaagta tctaacaaaa 2400
ccaatgtgca gactgattg cctggtcatt ggtctccgag agaggaggtt tgcctgtgat 2460
ttcctaatta tcgctagggc caaggtggga tttgtaaagc tttacartaa tcattctgga 2520
tagagtctcg ggaggtcctt ggcagaactc agttaaatct ttgaagaata tttgtagtta 2580
tcttagaaga tagcatggga ggtgaggatt ccaaaaacat tttattttta aaatatcctg 2640
```

tgtaacactt ggctcttggg acctgtgggt tagcatcaag ttctccccag ggtagaattc 2700
aatcagagct ccagtttgca tttggatgtg taaattacag taatcccatt tcccaaact 2760
aaaatctgtt tttctcatca gactctgagt aactggttgc tgtgtcataa ctcatagat 2820
gcaggaggct caggatgatc gtttgaggag agcaccctag gcagcctgca ggaataaca 2880
tactggccgt tctgacctgt tgccagcaga tacacaggac atggatgaaa ttcccgtttc 2940
ctctagtttc ttctgtagt actcctcttt tagatcctaa gtctcttaca aaagctttga 3000
atactgtgaa aatgttttac attccatttc atttgtgtg tttttttaac tgcattttac 3060
cagatgtttt gatgttatcg cttatgttaa tagtaattcc cgtacgtgtt cattttattt 3120
tcatgctttt tcagccatgt atcaatattc acttgactaa aatcactcaa ttaatcaawa 3180
aaaaaaaaaa aaaccncggg ggggggcccgaacc 3215

<210> 52

<211> 626

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (571)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (572)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (573)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (618)

<223> n equals a,t,g, or c

<400> 52

cagtttgtgt attgcggcaa gaaggcccag ctcaacattg gcaatgtgct ccctgtgggc 60
accatgacct aggtgtacaat cgtgtgctgc ctggaggaga agcctggaga ccgtggcaag 120
ctggcccggg catcaggga ctatgccacc gttatctccc acaaccctga gaccaagaag 180
accgtgtga agctgccctc cggctccaag aaggttatct cctcagccaa cagagctgtg 240
gttgggtgtg tggctggagg tgccgaatt gacaaaccca tcttgaaggc tggccgggcg 300
taccacaaat ataaggcaaa gaggaactgc tggccacgag tacggggtgt ggccatgaat 360
cctgtggagc atccttttgg aggtggcaac caccagcaca tcggcaagcc ctccaccatc 420
cgcagagatg ccctgtctgg ccgcaaagtg ggtctcattg ctgcccgccg gactggacgt 480
ctccggggaa ccaagactgt gcaggagaaa gagaactagt gctgagggcc tcaataaagt 540
ttgtgtttat gccaaaaaaa aaaaaaaa nnnngggggc cgctttarag rwtcctccaa 600
ggggccaact tacccttnca tgcaaa 626

<210> 53

<211> 920

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (617)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (621)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (725)
<223> n equals a,t,g, or c

<400> 53
atgagggtctc ggctacagca agaagtagag gagcagctca aaaagaaatg ttctactctg 60
ctctgtctact atgatcccaa ttcagatgct gacagtgaag ccgtgaaggc agcaaagggtg 120
tggaactctg cagagtcctg gtgggtgagc agcagcagtg ccasgatgcc aagagccagc 180
agaaggagca gatgttgctg ctggagaaka agagtgtctg ttactccag gtgcttctcc 240
gctgcctcac tttgctgcag aggtctcttc aagaacaccg gctgaagact caatccgagc 300
tagaccgcat caatgcccag tacctggaag tcaagtgcgg tgctatgac ctttaagctga 360
ggatggagga gctaaagatt ttgtccgaca cttacactgt tgagaaagtg gaagttcatc 420
gtctgattag ggaccgtttg gagggagcca ttcacctaca ggagcaggac atggagaact 480
caagacaggt cctgaactcc tatgaggtcc ttggggagga gtttgacagg ctggtgaaag 540
agtacaccgt actcaagcag gcaacagaga acaagcgggtg ggccctccag gagttcagca 600
aggtctaccg ttgagcntcg ncagggccag gagacatggc ttctgcatag ctgctgcctc 660
ctaattcttc tgctagtggg accaccttca cctggggctg ccttcagtac aagggagtgt 720
ggaanattstt acgcttgaaa cactgcagtc atttaggcac tctcctgggt tctctttatt 780
ttttatgact ggccctcttc tgaaaaatct agcaaggaga tttatataat ttttatgcat 840
agctgtgtgt cagtgtcagc cctgtattgt atttgattat ctccctgaata aagttatgat 900
attawaaaaa aaaaaaaaaa 920

<210> 54
<211> 1090
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1024)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1034)
<223> n equals a,t,g, or c

<400> 54

```
gagtaaccca gaaatgatgt tgcatttttt gctttacctg ataattgaaa ctttcaacaa 60
tctctggagt gactttttct cctcgaattg aaacaagtct atggcaaaag aagctgcatt 120
tttttcacaa aagggaagat ggtaacaatg gtcacttcaa acttttgggc taaattatat 180
gtacacagaa atgttcaaaa tcatagtttt aatgtgtttt gaaaaggcca cacaattata 240
ctttatcttt tcttaataat cctgcaaatc tctgccctgg aatccgaaat ctgaaaatgt 300
actggcctga acaaaaattg ttttgtgtgt tagagttata aatcattaat ctttatttcg 360
gggtggtttac gtttatgcca gttcctttat atttaaattt cttgttttat atattttgaa 420
tgtctttata gatttcttta aatttcctta tagaaccatt aatagaaaat cattacattt 480
aaaatatacc ttacagcaaa agcatccaaa taagtatagg gtttatgtcc ttatttttct 540
ttcagctgaa tacgaatgaa cacagtgggt gaatttctga agggaagtga tgaaattata 600
tttatttcag tgggcacttt tccattttac cactgtacca ttatttggtt cctggagtta 660
tacctaat ttcatatat tactgttaaa ttaccaacac aaggcaattt atttgaaaga 720
ttccgtttat cctgccattg ctttgaaaag cagcaggaaa cgaaatcctt tgacttgtat 780
cagcttctgc agagcatctt tgttttcctt tgtcctttgt ttccctacctt ttgaatcaga 840
ttccgtttta gtcaggaaga cttcttgga ccattcttag taacctgaaa tttctttttt 900
aattgcatga agtggattga tcatgagcaa atgatgtgct tatttctccc tcaactgtga 960
atatctttga acttgctgtt ttcaatatgg gcagcacaaa ggtgagagat acatattaat 1020
agtngtatgt attnctctta tacattagat acctatattt aaatgaaagg gccaatattg 1080
aaacatatac                                     1090
```

<210> 55

<211> 1464

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (766)

<223> n equals a,t,g, or c

<400> 55

```
ccgctccgga attcccgggt cgacccacgc gtccgccac gcgtcgccca cgcgtccggg 60
gacgtctca gctctcggcg cacggcccag cttccttcaa aatgtctact gtacacgaaa 120
tcctgtgcaa gctcagcttg gaggtgatc actctacacc cccaagtga tatgggtctg 180
tcaaagccta tactaacttt gatgctgagc gggatgcttt gaacattgaa acagccatca 240
agaccaaagg tgtggatgag gtcaccattg tcaacatttt gaccaaccgc agcaatgcac 300
agagacagga tattgccttc gcctaccaga gaaggaccaa aaaggaaact gcacagcac 360
tgaagtcagc cttatctggc cacctggaga cggatgattt gggcctattg aagacacctg 420
ctcagtatga cgcttctgag ctaaaagctt ccatgaaggg gctgggaacc gacgaggact 480
ctctcattga gatcatctgc tccagaacca accaggagct gcaggaaatt aacagagtct 540
acaaggaaat gtacaagact gatctggaga aggacattat ttcggacaca tctggtgact 600
tccgcaagct gatggttgcc ctggcaaaag gtagaagagc agaggatggc tctgtcattg 660
attatgaact gattgaccaa gatgctcggg atctctatga cgctggagtg aagaggaaaag 720
gaactgatgt tcccaagtgg atcagcatca tgaccgagcg gactgncccc acctccagaa 780
agtatttgat aggtacaaga gttacagccc ttatgacatg ttgaaagca tcaggaaaaga 840
ggttaaagga gacctggaaa atgctttcct gaacctgggt cagtgcattc agaacaagcc 900
cctgtatttt gctgacggc tgtatgactc catgaagggc aaggggacgc gagataaggt 960
cctgatcaga atcatgggtct ccgcagtgat agtggaactg ttgaaaatta ggtctgaatt 1020
caagagaaag tacggcaagt ccctgtacta ttatatccag caagacacta agggcgacta 1080
ccagaaagcg ctgctgtacc tgtgtggtgg agatgactga agcccgacac ggcctgagcg 1140
```

tccagaaatg gtgctcacca tgcttccagc taacaggtct agaaaaccag cttgcgaata 1200
acagtccccg tggccatccc tgtgaggggtg acgttagcat taccaccaac ctcatcttag 1260
ttgcctaagc attgcctggc cttcctgtct agtctctcct gtaagccaaa gaaatgaaca 1320
ttccaaggag ttggaagtga agtctatgat gtgaaacact ttgcctcctg tgtactgtgt 1380
cataaacaga tgaataaact gaatttgtac tttaaaaaa aaaaaaaaaa aactyrgggg 1440
ggggcccgka cccattggcc ttag 1464

<210> 56

<211> 985

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (647)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (875)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (962)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (973)

<223> n equals a,t,g, or c

<400> 56

agaagttgct agtggtcaat gcagctgggg tgaaacccca ggggcaaggt ggctggcttt 60
gatctggacg ggacgctcat caccacacgc tctgggaagg tctttccac tggccccagt 120
gactggagga tcttgtaccc agagattccc cgtaagctcc gagagctgga agccgagggc 180
tacaagctgg tgatcttcac caaccagatg agcatcgggc gcgggaagct gccagccgag 240
gagttcaagg ccaaggtgga ggctgtggtg gagaagctgg gggccccctt ccaggtgctg 300
gtggccacgc acgcaggctt gtaccggaag ccggtgacgg gcatgtggga ccatctgcag 360
gagcaggcca acgacggcac gcccatatcc atcggggaca gcatctttgt gggagacgca 420
gccggacgcc cggccaactg ggccccgggg cggaagaaga aagacttctc ctgcgccgat 480
cgctgtttg ccctcaacct tggcctgccc ttcgccacgc ctgaggagtt ctttctcaag 540
tggccagcag ccggtctcga gctcccagcc tttgatccga ggactgtctc ccgctcaggg 600
cctctctgcc tccccagtc cagggccctc ctgagcgcca cccggangtg gttgtcgcag 660
tgggattccc tggggccggg aagtcacact ttctcaagaa gcacctcgtg tcggcccgat 720
atgtccacgt gaacaggac acgctaggct cctggcagcg ctgtgtgacc acgtgtgara 780
cagccctgaa gcaagggaac cgggtcgcca tcgacaacac aaaccagac gccgcgagcc 840
gcgccaggta cgtccartgt gcccgagccg cggngtacc cctgccgctg cttcctcttc 900
accgccactc tggagcaggc gcgccacaac aaccgggtga gcccgcttca gcccgggaca 960
cnccccgggg atngcacccc ctgga 985

<210> 57
<211> 1246
<212> DNA
<213> Homo sapiens

<400> 57
ctcagagtcg cgaggccgga cgcagcgcgc gccgcccac tcgcccagc cgccgccatg 60
aaggccgtg tgcagcgcgt caccggggcc agcgtcacag ttggaggaga gcagattagt 120
gccattggaa ggggcatatg tgtgttgctg ggtatttccc ttgaggatac gcagaaggaa 180
ctggaacaca tgggccgaaa gattctaaac ctgcgtgtat ttgaggatga gagtgggaa 240
cactggtcga agagtgtgat ggacaaacag tacgagattc tgtgtgtcag ccagtttacc 300
ctccagtgtg tcttgaagg aaacaagcct gatttccacc tagcaatgcc cacggagcag 360
gcagagggct tctacaacag ctctctggag cagctgcgta aaacatacag gccggagctt 420
atcaaagatg gcaagtttg ggcctacatg caggtgcaca ttcagaatga tgggcctgtg 480
accatagagc tggaatcgcc agctcccggc actgctacct ctgacccaaa gcagctgtca 540
aagctcga aaacagcagc gaggaagaa aagaccagag ctaagggacc ttctgaattc 600
aagcaaggaa agaaacactc cccgaaaaga agaccgcagt gccagcagc gggctgaggg 660
cgacgtgtcc tctgaacggg agccgtagct caggaggcag aattcagtgt gttatcattg 720
ggcagaactg gatcctgaaa aattcaagat gctaagcacc tacactactt taagaatttg 780
gaactgaaac atgaagagga agacagaaat aagaatttgg gaacctgaat agctctgcaa 840
aaaacacca aaggaccgtt tatcgttttc tgtgtgtgct gtggtggagt gatgcagtgg 900
gcactkccsg tgggccaggg ggcgggtgcg catgtggtag aagggtgtgc ctcgtgcctc 960
ccccacagaa aggttttgtt ggtttctacc acatcttggc ttgcttttgg aacaggctgg 1020
ccccagcatc atttgtcatc aagtccactg tgggttatcc tgcgtgtcca tggcggggg 1080
tctccaayac actcacactg tccatgttct ttttattgcc agggcccgtg ttgaagtgtc 1140
aagagagcaa tcatcaatga taatgtattg tgtgagacct ttgcatcttg taaattttct 1200
cttttttcta aaaataaata ataataaaat cctaaatctc aacaaa 1246

<210> 58
<211> 1966
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1926)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1942)
<223> n equals a,t,g, or c

<400> 58
gggagaaaga tccttcactc acagaaccag ttattagggg gttaatgaaa ttttggccta 60
aaacatgtag tcaaaaagag gtcattgtcc ttggggactg gaagaaatat tggatgtgat 120
tgaaccttca caatttgtta aaatccaaga acctttgttt aaacaaatcg ccaagtgtgt 180
atctagcccc cattttcagg tggcagaaa agcactctat tattggaata atgaatacat 240
catgagtttg atagargaaa actctaactg catccttccc atcatgtttt ccagccttta 300
taggatttca aaagaacatt ggaatccggc tattgtggcg ttggtgtaca atgtgttgaa 360
ggcattttat gaaatgaaca gcacatgtt tgacgagctg acagccacat acaagtcaga 420

```
tcgtcagcgt gagaaaaaga aagaaaagga gcgtgaagaa ttgtggaaaa aattggagga 480
tctggaggtta aagagaggtc ttagacgtga tggaaataatt ccaacttaac aaaaacaatg 540
acaacaacat tactaacctg tggagtcaca cgtttatgta gtagaagatg gagcaacagt 600
tttctgtatt gtgcaacttt acagtagatt tcacctttgt ttcattatta cagcagcact 660
gtatatacct gtctctaagt aaaggaaaaa acaaaataag gacttcaatc caaagtttgg 720
acagtagatg gacttctcag aactttgcaa acataatcat tgttctcacc ctctttttaa 780
aaaaaaaaatc ggctttcaaa gatctgttga tgaattgtct atgttaaaat tccattatcg 840
ggagttcctt atttatcact agcagagagt atgatacaat tttcaaatgt gaacaatctt 900
aaatttagct tgtctttctg ctaagctgtt aaatgtatgt atagtaaagg aagaaaaaaa 960
gactgtcatt tccttataag tttgtgtaac atcctcctct ggataacttg actgtaattt 1020
racatctttt tcttttgcac atcttcctga gttgaatgtc cacgtggaat ggggtcatga 1080
attataaaag tccctgataa aagttttgtt tactggggtg aacatctttc cagtaaccag 1140
gtagtctctg tactccttta gttttaaaat taggagttaa gagagaagag gtgataaaca 1200
tagtagggaa gggaatatcg gattcatgca tcagtttatg gtgaatccaa atcaatgtct 1260
tgaatccttt gaaaacaggc actgggacat cacaggcttc agtacctgac cagtattagt 1320
tgcataatc attgaacaca cataccagag atgttttaga aatgtgagaa aaacatcctt 1380
ttggaccatt tgaataaaga aagacaaaca ctaaaacaata caaccatgaa attgatcacc 1440
gggattgcaa atctaattgg gaaaagagtt gagcaaacag cttggactgt ttggagttgt 1500
tgccttactt ttaatatgt atttataaag tattccagca aaagaggatg tagcctctgg 1560
gaaaaaacia acatgttaca gtgttttttg tagattctcg ttctatatct catcacagcg 1620
ccagccctgt ttttagccgg aaaggattca ggataaacat tattatgcat tctgaattgg 1680
atgcatattc ctaactactg tatttggtac caaaagtggg tctacaaatg ctactgaaaa 1740
aaatctggaa attcctaattg tcctgagtat taataataaa gtttaaaaat gcttttatat 1800
caaagtgca tcgtgaccaa attgttttaa aaaaaaaaac aaaaaaaca aaatctaggg 1860
ctgtatttta tatatatata tatatatata tatatatata tatatatata 1920
cttatnggac tctctgcttt gntattttaa taaaaaatct tacatc 1966
```

<210> 59

<211> 1611

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<400> 59

```
cgcgtcngtg cgaattcggc acgaggggac ttcccagagc tcacaatgga gggtgatggg 60
aaggtagagt caattatgaa gaggacagct ttggtagcca atacctcaa tatgcctgtt 120
gctgctagag aagccyctat ttatactgga atcacactgt cagagtactt ccgtgacatg 180
ggctatcatg tcagtatgat ggctgactct acctctagat gggctgaggc cttagagaaa 240
tctctggctg ttttagctgaa atgcctgcag atagtggata tccagcctat cttgggtgcc 300
gtctggcctc gttttatgaa cgagcaggca gggtgaaatg tcttgaaaat cctgaaagag 360
aaggagtggt cagcattgta ggagcagttt ctccacctgg tgggtgattt tctgatccag 420
ttacatctgc cactcttggt atcgttcagg tgttctgggg cttagataag aaactagctc 480
aacgtaagca tttccctctt gtcaattggc tcatcagcta cagcaagtat atgcgtgcct 540
tgatgaata ctatgacaaa cacttcacag agttcgttcc tctgaggacg aaagctaagg 600
aaattctgca ggaagaagaa gacctggcag aaattgtaca gcttgtggga aaggcttctt 660
tggcagaaac agataaaatc actctggagg tagcaaaact tatcaaagat gatttcctac 720
aacaaaatgg atatactcct tatgacaggt tctgcccatt ctacaagaca gtagggatgc 780
```

```

tgtccaacat gattgcattt tatgatatgg ctgtagagtg gtttgaaacc actgcccaga 840
gtgacaataa aatcacatgg tccattattc gtgagcacat gggagacatc ctctataaac 900
tttctcccat gaaattcaag gatccactga aagatggtga ggcaaagatc aaaagcgact 960
atgcacaact tcttgaagac atgcagaatg cattccgtag ccttgaagat tagaagcctt 1020
gaagattaca actgtgattt ccttttcctc agcaagctcc tatgtgtata ttttcctgaa 1080
tttctcatct caaacccttt gcttctttat tgtgcagctt tgagactagt gcctatgtgt 1140
gttatttgtt tccctgtttt ttggtaggt cttatataaa acaaaccattc ctttgttcta 1200
gtgttgtgaa gggcctccct ctccctttat ctgaagtggg gaatatagta aatatacatt 1260
ctggttacac tactgtaaac ttgtatgtag ggtgatgacc ctctttgtcc taggtgtacc 1320
ctttctcat ctctattaaa ttgtaaacag gactactgca tgtactctct ttgcagtga 1380
tttggaatgg aaggccagggt ttctataact tttgaacagg tactttgtga aatgactcaa 1440
tttctattgt ggtaagctca ttggcagctt agcattttgc aaaggaattg ctttgcagga 1500
aatatttaat tttcaaaaac ataattgatta atgttccaat tatgcatcac ttccccagk 1560
ataaaycagg aatgkttgtg agaaaccatt gggaactata ctctttttta a 1611

```

<210> 60

<211> 1849

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (977)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1846)

<223> n equals a,t,g, or c

<400> 60

```

gattcccggg tcgaccacg cgtccgcgcg gaatctcagt tagcgggtgga gaggcagtat 60
gtccggttca atggcgactg cggaagctag cggcagcgan tgggaaaggg caggaagtcg 120
agacctcagt cacctattac cggttggagg aggtggcaaa gcgcaactcc ttgaaggaaac 180
tgtggcttgt gatccatggg cgagtctacg atgtcaccgc ctccctcaac gagcacctg 240
gaggagaaga ggttctgctg gaacaagctg gtgtagatgc aagtgaagc tttgaagatg 300
taggacactc ttctgatgcc agagaaatgc taaagcagta ctacattggt gatatccatc 360
cgagtgcct taaacctgaa agtggttagca aggacccttc aaaaaatgat acatgcaaaa 420
gttgctgggc atattggatt ttacctatca taggcgctgt tctcttaggt ttctgtacc 480
gctactacac atcgaaaagc aaatcctcct gaggagcct tgctgaagtt agaaagtgca 540
tccacttttg ggcgaaaact agagacttgc ttgggggctg cagaagtgcc ctctcctcga 600
atcctgccag ttgcattctt ccccttgga gccaaagacga ttggccagac atcacctcag 660
atctgagacc agcgtcttcc atctctcaga gccttactcc caaagtacct gctcactgtt 720
ccgtgttgaa caattgccgg tgtttcctct cttcactggt ttccatgagt acccttatat 780
ttcacaaact tctgttcata agttatagtg acattgctct ttggtaaaaa tgccctgctt 840
ccaatacttt gattgcatat tagacattct taacaggcgc gcagtctagt gttgaaagtt 900

```

```
ttatttttcc atttttcttt taagtaaatt ttttttaaaa aattctgatt tagggctagg 960
tgtggtggct cagggcngta atcckggcac ttkgggrggc caagtgagg agatcgsttg 1020
aggccaagag ttcaagacca gcctgggcaa catagcgaga cccctatctg tattaaaaaa 1080
aaatctgatt taattctttt atttatcata aggggtttta ttcctgaagt aaaggtttgc 1140
acctattaaa cttaaaactg ccaaatgatt ttgtttcttt tatgtgcgtg ataaaaatac 1200
aaagaatggt gtggccacct cctccctttc aagctagggc agcaggtagc tcttcccagc 1260
ccctgagccc agccccttcc caagtgggtgc cggacaaaaa actacatggc cctttcgtgt 1320
cttgggggtg gaaaggagg gatgaattgg ggtgatagaa ccctggtgaa ttcagagtaa 1380
tctttcttta gaaaactggt gttttctaaa gaaacaggat aggagtttag agaaggcacc 1440
aaagctttca ctttggtttg gcaccagttt ctaaccatct gttttttcta ccctagctat 1500
cttttattgg taaaatataa atgtataatt atgtttgtag agctttacca aggagtttcc 1560
ctcctttttt gtttgttgat tagcaaattt ttgattctcc attttccaaa agtaagagac 1620
tccagcatgg ccttctgttt gccccgcagt aaagtaactt ccatataaaa tgggtatttg 1680
aagtgaagat tcatgacaac agaccgtttt ccatttcata tgtattttat ctccgtgact 1740
ccaacttggt ggtttgttct gtttttccat gagaataaaa tactggcggg ttttttcaaa 1800
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaggngnga 1849
```

<210> 61
<211> 233
<212> DNA
<213> Homo sapiens

```
<400> 61
aagggtcggc ctctcaaagt gctgggatta caggcattag ccactgtgcc tggccaagaa 60
taaaaatttt ttaatcttga gaaraaacat acagktcata catataaaaa gccttgaaaa 120
tattattccc ttgactcac taattacact gctggaatat aaagaaatga tcctaaatat 180
atatgtagtt ttatggtcct aaatatgtat aaagctttat gatcactcgt gcc 233
```

<210> 62
<211> 2333
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (6)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (7)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2327)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2331)

<223> n equals a,t,g, or c

<400> 62

```
cgncgnnccg cgancccacg cgtccggtgg aagatatgtg gacttagtcc cactacaacc 60
ttagccatat attttgaggt tgtcaatcag cataatgctc caattcytca aggagggcgt 120
ggtgcaatcc agtttgtgac tcagtatcag cattcaagtg ggcagagacg catccgagtg 180
accaccattg ctaggaaactg ggcagatgct caaactcaaa tccaaaacat tgctgcatct 240
tttgaccagg aggcagctgc cattcttatg gcccggttag caatatatag agcagaaaca 300
gaagaaggct cagatgtgct taggtggctg gacagacagc tcattcgact gtgtcagaaa 360
tttgagagaat atcataaaga tgaccaagt tccttcagat tttcagaaac tttctccctt 420
tatccacagt ttatgtttca tttaagaaga tcttctttcc tgcaagtttt taacaatagt 480
cctgatgaga gtccatatta tcgtcaccat tttatgcgtc aagatctgac ccagtctcta 540
attatgattc agcctatcct gtatgcgtat tcttttagtg gaccaccaga gccggttctt 600
cttgatagca gtagcattct tgcagatcgt attcttctca tggacacatt cttccagatt 660
ttgatttate atggtgagac catagcacag tggcggaagt caggatacca ggatatgcct 720
gagtatgaaa atttccgccca cttctgcaa gccccagtgg atgatgcaca ggaaattctt 780
cactccagat ttccaatgcc aagatacatt gacactgaac atggaggcag ccaggcccgt 840
ttcctccttt caaaagtcaa cccttcacag actcataata atatgtatgc ctgggggcag 900
gagtctggag cacctattct tacagatgat gttagtttac aagtgtttat ggatcacttg 960
aagaaacttg ctgtgtccag tgctgcttga agtgctaata atgttaaaga cacttaagaa 1020
gatgaaataa tattcaaatt tcattttttc ctttttccat ttatctgttg aaaccaacag 1080
atatgtctct atattttttg tatttagtatg gtttgagaca acatatggaa aatgttcaca 1140
tttgtagatt aagctggaat tataatgaga gcaataagaa caaatttatt ttgcttacca 1200
cagtgttata gctggttcta gaaatttgaa gtctttataa ctttaattatg ttttaataaaa 1260
aatagagtct gcctcgact acagatgtaa ctcatgtgta tattgcagac agacccaaag 1320
tggcactgaa ttttcttgct caccitttaa aaacttggtc ctttaatttta gccagaaagc 1380
aaaaaaacaa tagtaatgat aaatgtgaac atttttgctt attcattgaa tatttttctg 1440
taattttcag cacttatgta tacacttttt ctgtacttac taggttaagg cagatttatt 1500
tttatgattt gtttaggaat tatttgattt tataatggta attttcatga tgataatgtt 1560
tttggttatt tggaaagata gtttagagat gaaagggttt tttgggtaac aatcccgcag 1620
ctgacaaaaa atgtgaaatt tccacaaaat atccaactta tgtgactaaa cgcagtagtt 1680
tttttaaaag gggagataga aaataaatgg ttttgttgga gtgcatttta gtaagccttt 1740
gcagtaaaat gacggttgta actactaaac caaatttagt tttcacagca tggttttggt 1800
gttttcccct ttttttcag aggtaaattt tgcattatat ccttcagtat ttttaacacta 1860
ttttggcagt ttacacatta ctttttggtt ttccctcctt tttgtgaaat gtattaagtt 1920
gtggttctta ttgaaacagt attatataat gtttgcttaa ttatatcatg tgatgctcag 1980
ttctattttg atttattcat tagtattcac ttttaccttt aaagtttact tgtagcaaat 2040
atgtttacat tgataaagcc agatatgttt tgacaatgaa atttacatat caagtactgc 2100
aaataaaaag tgggtgctatg atatatgctt agggagacag ttttaatgat tgtacttgca 2160
tgaacacaat catatgatgg taaagcagaa acttaagaaa aaattgttta tgtgttatat 2220
tcaattagct taaataagtt gctttgttat attttatttg aattgaacta cgctaggcct 2280
```


aaatgccaat aaaatataact ttctactgtt aaaaaaaaaa aataaanacc nta 2333

<210> 63

<211> 1470

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1410)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1419)

<223> n equals a,t,g, or c

<400> 63

```

gcttcctgct gccacccctg tggttctgca gccccagtgcc caagtacttc ttcaagatgg 60
ccttctacaa tggttgatc ctcttcctgg ctgtgctcgc catccctgtg tgtgccgtgc 120
gaggacgcaa cgtcgagaac atgamgatct tgcgtctaata gctgctccac atcaaatacc 180
tgtacgggat ccgagtgagg gtgcgagggg ctcaccactt ccctccctcg cagccctatg 240
ttgttgtctc caaccaccag agctctctcg atctgcttgg gatgatggag gtactgccag 300
gccgctgtgt gccattggcc aagcgcgagc tactgtgggc tggctctgcc gggctggcct 360
gctggctggc aggagtcac ttcatcgacc ggaagcgcac gggggatgcc atcagtgtca 420
tgtctgaggt cggccagacc ctgctcacc aggacgtgag ggtctgggtg ttctctgagg 480
gaacgagaaa ccacaatggc tccatgctgc ccttcaaacg tggcgccctc catcttgacg 540
tgcaggccca ggttccatt gtcccatag tcatgtctc ctaccaagac ttctactgca 600
agaaggagcg tcgcttcacc tcgggacaat gtcaggtgcg ggtgctgccc ccagtgccca 660
cggaagggtc gacaccagat gacgtcccag ctctggctga cagagtccgg cactccatgc 720
tcactgtttt ccgggaaatc tccactgatg gccgggggtg tggtgactat ctgaagaagc 780
ctggggggcg tgggtgaacc ctggctctga gctctcctcc catctgtccc catcttcctc 840
cccacaccta cccacccagt gggccctgaa gcagggcmaa accctcttcc ttgtctcccc 900
tctccccact tattctctc tttggaatct tcaacttctg aagtgaatgt ggatacagcg 960
ccactcctgc cccctcttgg ccccatccat ggactcttgc ctcggtgcag tctccactct 1020
tgacccccac ctctactgt cttgtctgtg ggacagttgc ctccccctca tctccagtga 1080
ctcagcctac acaaggagg ggaacattcc atccccagtg gactctcttc ctatgtggtc 1140
ttctctaccc ctctaccca cattggccag tggactcacc cattcttttg aacaaatccc 1200
ccccactcca aagtccatgg attcaatgga ctcacccatt tgtgaggagg acttctcgcc 1260
ctctggctgg aagctgatac ctgaagcact cccaggctca tcmtgggagc ttctctcagc 1320
accttcacct tccctcccag tgtagcctcc tgtcagtggt ggctggagcc ttctaattca 1380
gaggtctcat gctgcctct gccagatgn ccangggtn tgcamtytyt ggggatacca 1440
gttcagtctc camatttytg ggttttytgt 1470

```

<210> 64

<211> 939

<212> DNA
 <213> Homo sapiens

<220>
 <221> misc feature
 <222> (3)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (4)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (11)
 <223> n equals a,t,g, or c

<400> 64
 agnntaccgg ntccggaatt cccgggtcgg acccacgcgt ccggtctcct cagaagtcgc 60
 tttagctcttc ggtggttggt acacgtccgg aggcctagcc gtcgcgtacc taggatgccg 120
 cgtggaagcc gaagccgcac ctcccgcacg gccctccgg ccagccgggc ccctcagatg 180
 agagctgcac ccaggccagc accagtcgct cagccaccag cagcggcacc cccatctgca 240
 gttggctctt ctgctgctgc gccccggcag ccagggtctga tggcccagat ggcaaccact 300
 gcagctggcg tggctgtggg ctctgctgtg gggcacacat tgggtcacgc cattactggg 360
 ggcttcagtg gaggaagtaa tgctgagcct gcgaggcctg acatcactta ccaggagcct 420
 cagggaaccc agccagcaca gcagcagcag ccttgccctc atgagatcaa acagtttctg 480
 gagtgtgcc agaaccaggg tgacatcaag ctctgtgagg gtttcaatga ggtgctgaaa 540
 cagtgccgac ttgcaaacgg attggcctaa tgaagaagt caacctggag agatggaaaa 600
 tcagctctca taactaagtt aatttagtat aaaaatagaa ttgatatga ggtataaaag 660
 tgtaaccatc agttaaacct ctctgtcat tcctagcttc cttgcttcag aattgaaatg 720
 gaagtggggg tgctccctact ctgtagaatc tgggactggg caaatgtttg tgtggcctcc 780
 ttaaaactagc tgttatgtta tgattttatt ctttgtgagt taattagaat aaagtcattt 840
 tcttccaagg tatggttcat ttagtctata gtctctggtt atgaaattag catcctccca 900
 gatctgacag ctccctgagg ggttatataa ggagtagct 939

<210> 65
 <211> 2068
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc feature
 <222> (308)
 <223> n equals a,t,g, or c

<400> 65
 gtaggaagtg tctgtagccg cagctgcgsg tccgggattc ccagccatgg cagattcctc 60
 cgggcagcag gctcctgact acagggtccat tctgagcatt agtgacgarg cagccagggc 120
 acaagccctg aacgagcacc tcagcacgcg tagtatgtcc aggggtactc actgtcccg 180
 gcagacgtgg acgcgttcag gcagctctcg gcccgcgccg ctgaccccca gctcttccac 240

```
gtggctcggg ggttcaggca catagaagcg ctccctgggta rcccctgtgg caaaggccag 300
ccctgcangc tyccaagcar gcaaaggccg gcgtgtgcag cccagtggt cccctcctgc 360
tgggaccas catgcagact ccacctttac aacagcctca ccaggaacaa ggaagtgttc 420
atacctcaag atgggaaaaa ggtgacgtgg tattgtgtgt ggccaaccgt ctatgacgca 480
tctcacatgg ggcacgccag gtcctacatc tcttttgata tcttgagaag agtggtgaag 540
gattacttca aatttgatgt cttttattgc atgaacatta cggatattga tgacaagatc 600
atcaagaggg cccggcagaa ccacctgttc gagcagtatc gggagaagag gcctgaagcg 660
gcacagctct tggaggatgt tcaggccgcc ctgaagccat tttcagtaaa attaaatgag 720
accacggatc ccgataaaaa gcagatgttc gaacggattc agcacgcagt gcagcttgcc 780
acagagccac ttgagaaagc tgtgcagtcc agactcacgg gagaggaagt caacagctgt 840
gtggaggtgt tgctggaaga agccaaggat ttgctctctg actggctgga ttctacactt 900
ggctgtgatg tcactgacaa ttccatcttc tccaagctgc ccaagttctg ggagggggac 960
ttccacagag acatggaagc tctgaatgtt ctccctccag atgtcttaac ccgggttagt 1020
gagtatgtgc cagaaattgt gaactttgtc cagaagattg tggacaacgg ttacggctat 1080
gtctccaatg ggtctgtcta ctttgataca gcgaagtgtt cttctagcga gaagcactcc 1140
tatgggaagc tgggtgcctga ggccgttga gatcagaaag cccttcaaga aggggaaggt 1200
gacctgagca tctctgcaga ccgcctgagt gagaagcgtc ctcccaacga cttgcctta 1260
tggaaggcct ctaagcccg agaacctcc tggccgtgcc cttggggaaa gggctgtccg 1320
ggctggcata tcgagtgtc ggccatggca ggcaccctcc taggggcttc gatggacatt 1380
cacggaggtg ggttcgacct ccggttcccc caccatgaca atgagctggc acaktcggag 1440
gcctactttg aaaacgactg ctgggtcagg tacttcctgc acacaggcca cctgaccatt 1500
gcaggctgca aaatgtcaaa gtcactaaaa aacttcatca ccattaaaga tgccttgaaa 1560
aagcactcag cacggcagtt gcggctggcc ttcctcatgc actcgtggaa ggacaccctg 1620
gactactcca gcaacacccat ggagtcagcg cttcaatatg agaagttctt gaatgagttt 1680
ttcttaaagt tgaaagatat ctttcgcgct cctgttgaca tcaactgtga gtttgagaag 1740
tggggagaag aagaagcaga actgaataag aacttttatg acaagaagac agcaattcac 1800
aaagccctct gtgacaatgt tgacaccgc accgtcatgg aagagatgag ggccttggtc 1860
agtcagtga acccttatat ggcagcccg aaagccgtga ggaagaggcc caaccaggct 1920
ctgctggaga acatcgccct gtacctcacc catatgtga agatctttgg ggcgtagaa 1980
gaggacagct ccctgggatt ccggtcgga gggcctggaa ccagcctcag tctcgaggcc 2040
acagtcatgc cctaccttca ggtgttat 2068
```

<210> 66

<211> 1391

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (27)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1343)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1358)
<223> n equals a,t,g, or c

<400> 66
nccacgcgtc cgcggnacgn tggngnttt taaaatgggt ttttttggtg ttggtgatgg 60
ggggggagag ggtccagcat tttttaaatg ttttcacatc gtgtgttcca aaaataactg 120
gttagcctaa gtcaattcca ccctccaatg ttgtgaatgc agtctctagc attcgctatt 180
taatgtcttc ttcctgcact atttgagaaa tcgcgaggtc gacttaatac cgcagtcgcc 240
acttcgcgga ccggaggcgg agtctgctta gttctgagga ctgcgtgggt ccgcgcagag 300
agtcctgct aggcctgcgc gtcccgttct aaattcttac cctttagtyc ttgtcaccac 360
ccccgccgtg ggaacggcct gacagtcact cgtcaaagga agtggctgcc ggcagctctt 420
gacccggaat cggatcctag tcccacccc tccgctccag gcttccttct gcaacaggcg 480
tgggtcacgc tctcgctcgg tctttctgcc gccatcttgg ttccgcgttc cctgcacaaa 540
atgcccgcg aagcacagaa accgtccctg ctacagagca ggagttgccg cagccccagg 600
ctgagacagg gtctggaaca gaatctgaca gtgatgaatc agtaccagag cttgaagaac 660
aggattccac ccaggcaacc acacaacaag ccagctggc ggcagcagct gaaatcgatg 720
aagaaccagt cagtaaagca aaacagagtc ggagtgaata gaaggcacgg aaggctatgt 780
ccaaactggg tcttcggcag gttacaggag ttactagagt cactatccgg aaatctaaga 840
atatcctctt tgcatcaca aaaccagatg tctacaagag ccctgcttca gatacttaca 900
tagtttttgg ggaagccaag atcgaagatt tatcccagca agcacaacta gcagctgctg 960
agaaattcaa agttcaagggt gaagctgtct caaacattca agaaaacaca cagactccaa 1020
ctgtacaaga ggagagtga gaggaagagg tcgatgaaac aggtgtagaa gtttaaggaca 1080
tagaattggc catgtcacia gcaaatgtgt cgagagcaaa ggcagtcgga gccctgaaga 1140
acaacagtaa tgatattgta aatgcgatta tggaaattaac aatgtaacca tatggaagca 1200
actttttttg gtgtctcaaa ggagtaactg cagcttggtt tgaaatttgt actgtttcta 1260
tcataaataa agttatggct tcttggttga tgaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaaa aaaaaaaagg cngggccgca ggcttttnc ctttggtggg gggtattttt 1380
ggcttgcccc t 1391

<210> 67
<211> 659
<212> DNA
<213> Homo sapiens

<220>

<221> misc feature

<222> (139)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (585)

<223> n equals a,t,g, or c

<400> 67

```
gcaaggtgc tgctatggg cggggcgcg tgtggcgcg ctgctcgccc cactaatgtg 60
gcgcagggc gtttcctcgg tggcggggtc cgcggttgga gccgagcccg ggcttcggct 120
gctggccgtg cagcgyttnc ccgtagagca gcgttctgcc gggcttgcca gaccccaaac 180
tttgtccgcg gcctgcacag cgaagcctgg gctggaggag cgggcggagg ggacggtcaa 240
cgagggacgc ccagaatcgg acgcggcaga tcatactggt cccaagttag acatcgatat 300
gatggtttca cttctgaggc aagaaaatgc aagagacatt tgtgtgatcc argttcctcc 360
agaaatgaga tatacagatt actttgtgat tgttagtgga acttctaccc gacacttaca 420
tgccatggcy ttctacgttg tgaaaatgta caaacacctg aaatgtaaac gtganccctc 480
atgttaagat agaagggaag gacactgatg actggctgtg cgtggatttt ggcagcatgg 540
tggattcatt tgaatgcttc cagaaaacca gagaaatcta tgganttaga gaaattatgg 600
accctacgtt cttatgaatg accagtttag tcagatagca cctgaggaca gtacctgta 659
```

<210> 68

<211> 2981

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2858)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2948)

<223> n equals a,t,g, or c

<400> 68

```
ggcagagggt ttccggcctg agaaaccgtc atgtttcttg ggagtcacct cagctggcag 60
ttaccaccgt gttagaaagc agcctcagga ccggccacct ccatcactgg cgtcaccatg 120
ggggctgtgc tgggtgtctt ctccctcgcc agctgggttc catgcctctg cagcgggtgc 180
tcattgtttg tgtgtagtgt ctgtcctaac agtaagaatt ccacggtgac tcgcctcatt 240
tatgctttca ttctcctcct gagcactgtc gtatcctata tcatgcagag aaaagagatg 300
gaaacttact tgaagaagat tcctggattt tgtgaagggg gattttaaata ccatgaggct 360
```

gatataaatg cagataaaga ttgtgatgtg ctgggttggt ataaagctgt gtatcggatc 420
agctttgcca tggccatctt tttctttgtc ttttctctgc tcatgttcaa agtaaaaaaca 480
agtaaagatc tccgagcggc agtacacaat gggttttggt tcttcaaaat tgctgccctt 540
attggaatca tgggttggtc tttctacatc cctgggggct atttcagctc agtctggttt 600
gttggttgga tgataggggc cgcctctctc atcctcattc agctgggtgct gctggtagat 660
tttgctcatt cttggaatga atcatgggta aatcgaatgg aagaaggaaa cccaagggtg 720
tggtatgtcg ctttactgtc tttcacaagc gccttttata tcctgtcaat catctgtgtc 780
gggctgctct atacatatta caccaaacca gatggctgca cagaaaacaa gttcttcac 840
agtattaacc tgatcctttg cgttggtggc tctattatat cgatccaccc aaaaattcag 900
gaacaccagc ctgctccgg cctcttgagc tcctccctca tcaccctcta cactatgtac 960
ctcacctggc cagccatgtc caatgaacct gatcggtcct gcaatcccaa cctgatgagc 1020
tttattacac gcaaaactgc accaaccctg gctcctggaa attcaactgc tgtggctcct 1080
accctactc caccatcaaa gagtgggtct ttactggatt cagataattt tattggactg 1140
tttgtctttg ttctctgct cttgtattct agcatccgca cttccactaa tagccaagta 1200
gacaagctga cctgtcagg gagtgcagc gtcctcctg gtgatacaac taccagtgg 1260
gccagtgtg aagaagatgg acagcctcgg cgggctgtgg acaacgagaa agagggagt 1320
cagtatagct actccttatt ccacctcatg ctctgcttg cttccttgta catcatgatg 1380
accctgacca gctggtacag ccctgatgca aagtttcaga gcatgaccag caagtggcca 1440
gctgtgtggg tcaagatcag ctccagctgg gtctgcctcc tgctttacgt ctggaccctt 1500
gtggctccac ttgtcctcac cagtcgggac ttcagctgaa cctctgagt ccaaggacac 1560
cactggaact cacaaggctc tccttcaccg aaaaccata taccttttaa gtttgtttca 1620
actaaaatat taagtgaatg ctttgcaagt ttgactgtat gcagggttat atcagaagg 1680
gagattgaat aatgcttgat gcagaatcga aacttctcat ttatctgtat attatgttta 1740
cttctaagga tatagcacia agggaacatt ttttgttta agtgaactac agctgtgtg 1800
tgaagagagt tctttataaa gcctgtaggt tcttttaact ttggtttaaa atgtaagata 1860
ggaaaatgtt ggataattga ggccatgctt aatataattt tattgcagta tcctttaaaa 1920
gcaaaaaaaa aaaaatgcat ttatattaca gttttcctct atgaaagtcc ttacttatat 1980
gatacaagca ctgtgttttg tgcttaaaact cttcagcggg gtagcatcaa agttcttggg 2040
gaaggatcgt atatgtgggt cccttcctta gaagaatggg tgctgatatg gctactgctt 2100
ctacatcttg agttttttta ttacttttt ttactactgta gcattgagac tgcttgattc 2160
aagtctggtg ctttgccaga tgtattaatt tccataaatg ctttgtgagt ttggttaaaa 2220
tgaagattca cttgggaaaa cactgcagct ttagtctgtg ttactatctt gttatgagta 2280
tgtaaaagta aaatgcatgt gaatttatca tatttgcact atgaaggat ttggttaaaa 2340
tacaaagact tttaagattt taaggccctt tcttccaaca gcttttatag ttagcagcca 2400
ttctttatct tctggatagc caggttttat cacgcttcta gtcaggatgc tcctattcct 2460
tctaaaaatt acggtctgac tagtgagcaa agtcttgaat ttattcaaaa gtcctaaata 2520
ccttctctag gtaagacact tggtagatga gagacggaag gcattgtcaa gaaccatttt 2580
catgagaggg ggtgtgcaaa aaggtagaat aaaagagttc tttcaamaaa gatttactgt 2640
ctawtctgta ctagaccctg taggttttg ggtacagtgt taaacatgat agaggctctg 2700
ccgtcttgga ctttaatagc ttagagaaga gagcaaatga gctgacaggg ggttataatg 2760
tgaattagtg ctgtggttta ggaattggag agaactcaaa ggagaggat ttggtgtaat 2820
ggtaggcttt ctggagaaaa tgataatttaa gccaaagant cttagaagtt agctaagaga 2880
gagatgggaa aatgagacga cattgctgga gtagataaaa ctgcatgtta aaggcaggaa 2940
gatggggnaa aaaattccat aaaactggaa tggggaaatg t 2981

<210> 69

<211> 603

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature
<222> (584)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (590)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (595)
<223> n equals a,t,g, or c

<400> 69
tcgacccacg cgtccggcac cgggggaaca aggtcgtgaa aaaaaagggtc ttggtgaggt 60
gccgccattt catctgtcct cattctctgc gcctttcgca gagcttccag cagcgggtatg 120
ttggggcaga gcatccggag ttcacaacct ctgtggtccg tagagccact atgaggaggg 180
ccctgggaag aatttgccat tttcagtgkg taaggggcac ggcttcggtg ggggaggggg 240
cgcttggtcg tgactcgcgc acctgcaagg ccgcctccgg gctgtggcgt gggagatgat 300
agccagaaac caggctgaga cgcagactag cattccactt agcccaagga ccagtgagga 360
agctgggcat cctagcgcgt accgctaaag gaatgggcag gtagatccgg aagccctgcc 420
tccatcagcc acctgacgcc ccctcccccg ccccgagaa agccctgaga tggcyccggg 480
aggccacggc tgtaggtgtg ttggttaaat ccgagctgga ggtcatcgga cccgaaatga 540
aggtcatttg aaaatcatga ggaaatcagg gctctgggta tggnacaggn ttttnaaact 600
agc 603

<210> 70
<211> 1101
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (195)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1080)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1081)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1090)
<223> n equals a,t,g, or c

<400> 70

```
aattcggcac gagcacagct catgttttcc agcctgtgtg ggagcttggt ctgaagagag 60
attaagtgat agcctactta tggatcctgg agaattcttc agaaatccat gtgtaactca 120
ggtgcctatt tggttatgac aaaagatatg gctaattttt attttgaaaa gtttgaataa 180
acttagtttt ctctntttcc acttgcaaag agttttgatg atggagacta ttttcctgtg 240
tggggacacat gccttggatt tgaagagcct tcactgctga ttagtggaga gtgcttatta 300
actgccacag atactgttga cgtggcaatg ccgctgaact tcactggagg tcaattgcac 360
agcagaatgt tccagaatth tcctactgag ttggtgctgt cattagcagt agaacctctg 420
actgccaatt tccataagtg gagcctctcc gtgaagaatt ttacaatgaa tgaaaagtta 480
aagaagtttt tcaatgtctt aactacaaat acagatggca agattgagtt tatttcaaca 540
atggaaggat ataagtatcc agtatatggt gtccagtggc atccagagaa agcaccttat 600
gagtggaaag atttggatgg catttcccat gcacctaatg ctgtgaaaac cgcattttat 660
ttagcagagt tttttgttaa tgaagctcgg aaaaacaacc atcattttta atctgaatct 720
gaagaggaga aagcattgat ttatcagttc agtccaattt atactggaaa tatttcttca 780
tttcagcaat gttacatatt tgattgaaag tcttcaattt gttaacagag caaatttgaa 840
taattccatg attaaactgt tagaataact tgctactcat ggcaagatta ggaagtcaca 900
gattcttttc tataatgtgc ctggctctga ttcttcattc tgtatgtgac tatttatata 960
acattagata attaaatagt gagacataaa tagagtgttt ttcattggaaa agccttctta 1020
tatctgaaga ttgaaaaaaa taaatttact gaaatacaaa aaaaaaaaaa aaaaaaaatn 1080
nctcggtcgn caagggaatt c 1101
```

<210> 71

<211> 714

<212> DNA

<213> Homo sapiens

<400> 71

```
ggcagagaaa ctgtggcggg atagttttct ggtccttgct cagtgaacac cctcggctgg 60
gaagtcagtt cgttctctcc tctcctctct tcttgtttga acatgggtgc gactaaagca 120
gacagtgttc caggcactta cagaaaagtg gtggctgctc gagccccag aaagggtgctt 180
ggttcttcca cctctgccac taattcgaca tcagtttcat cgaggaaaga gcatgtcctt 240
tgcaacctga tcacacaaat gatgaaaaag aatagaactt tctcattcat ctttgaataa 300
cgtctccttg tttaccctgg tattctagaa tgtaaattha cataaatgtg tttgttccaa 360
ttagctttgt tgaacaggca tttaattaaa aaatttaggt ttaaatttag atgttcaaaa 420
gtagtgtgta aatttgagaa tttgtaagac taattatggt aacttagctt agtattcaat 480
ataatgcatt gtttggtttc ttttaccaaa ttaagtgtct agttcttgct aaaatcaagt 540
cattgcattg tgttctaatt acaagtatgt tgtatttgag atttgcttag attgtgttac 600
tgctgccatt tttattggtg tttgattatt ggaatgggtc catattgtca ctcttcttac 660
ttgctttaa aagcagagtt agatttttgc acattaaaaa attcagtatt aatt 714
```

<210> 72

<211> 2890

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (555)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2853)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2882)

<223> n equals a,t,g, or c

<400> 72

```
aggaattga gaccccgga gcggtctcag gccaaagcccc ctgccagcat ggccagcgag 60
ttcaagaaga agctcttctg gagggcagtg gtggccagat tcctggccac gacctctttt 120
gtcttcatca gcatcggttc tgccctgggc ttcaaatacc cgggtgggaa caaccagacg 180
gcggtccagg acaacgtgaa ggtgtcgctg gccttcgggc tgagcatcgc cacgctggcg 240
cagagtgtgg gccacatcag cggcgccac ctcaaccgg ctgtcacact ggggctgctg 300
ctcagctgcc agatcagcat cttccgtgcc ctcatgtaca tcacgcccc gtgctgggg 360
gccatcgctg ccaccgccat cctctcaggc atcamctcct ccctgactgg gaactcgctt 420
ggccgmaatg acctggctga wgggtgaac ttggggccar ggccctggga tcgagatcat 480
cgggaccctc cagctggtgc tatgctgct ggctactacc gaccggaggc gccgtgamct 540
tggtggctca gccgnccctt gccatcggcc tctctgtagc ccttgggaca cctcctggct 600
attgactaca ctggctgtgg gattaaccct gctcggtcct ttggctccgc ggtgatcaca 660
cacaacttca gcaaccactg gattttctgg gtggggccat tcacggggg agccctggct 720
gtactcatct acgacttcat cctggcccca cgcagcagtg acctcacaga ccgctgaag 780
gtgtggacca gcggccagggt ggaggagtat gacctggatg ccgacgacat caactccagg 840
gtggagatga agcccaaata gaaggggtct ggcccgga tccacgtakg gggcaggggc 900
agggcgggcg garggagggg agggtgaaat ccatactgta gacactctga caagctggcc 960
aaagtcaact ccccaagatc tgccagacct gcatgggtcaa gcctcttatg ggggtgtttc 1020
tatctctttc tttctcttct tggttctctg cctcagagct tcctggggac caagatttac 1080
caattcacc actcccttga agttgtggag gaggtgaaag aaagggacct acctgctagt 1140
cgccctcag agcatgatgg gaggtgtgcc agaaagtccc ccctcggccc aaagtgtctc 1200
accgactcac ctgcgcaagt gcctgggatt ctaccgtaat tgctttgtgc ctttgggcac 1260
ggccctcctt cttttcctaa catgcacctt gctcccaatg gtgcttgag ggggaagaga 1320
tcccaggagg tgcagtggag ggggcaagct ttgctccttc agttctgctt gctcccaagc 1380
ccctgaccg ctcggactta ctgcctgacc ttggaatcgt ccctatatca gggcctsaag 1440
gacctccttc tgcaaagtgg cagggaccgg cagagctcta caggcctgca gccctaagt 1500
gaaacacag catgggtcca gaagacgtgg tctagaccag ggctgctctt tccacttgcc 1560
ctgtgttctt tcccagggg catgactgtc gccacacgcc tctgtgtaca tgtgtgcaga 1620
gcagacaggc tacaaagcag agatcgacag acagccagggt agttggaact ttctgttccc 1680
tatggagagg cttccctaca cagggcctgc tattgcagaa tgaagccatt tagagggtga 1740
aggagaaata cccatgttac ttctctgagt tttagttggt ctttccatct atcactgcat 1800
tatcttctc attcttcagt tctctactcc ctcttctcag tgtagacaca ggtcaccatt 1860
atgctggtgt atgtttatca aagagcactt gagctgtctg aagcccaaag cctgaggaca 1920
gaaagaccct gatgcaggtc agcccatgga ggcagatgcc cttgctgggc ctgggggttt 1980
tccaagccct cagctggtcc tgaccaggat ggagcaagct cttcccttgc tcatgagctc 2040
ctgatcagag gcatgtgagc agctgaataa cctgcacagg cttgtgtgat gacccttggc 2100
cacagccttc cctctgcatt gacctggagg ggagaggtca gccttgacct aatgaggtag 2160
ctatagttgc agcccaaagg cagttcagag atcaggatca gctttgaagg ctggattcta 2220
tctacataag tcttttcaat tccaccaggg ccagagcagc tccaccactg tgcacttagc 2280
catgatggca acagaaacca agagacacaa ttacgcagggt atttagaagc agagggacaa 2340
ccagaaggcc cttactatc accagtgcac cacatctgca cactctcttc tccattccct 2400
```

agcaggaact tctagctcat ttaacagata aagaaactga ggcccacggt ttcagctaga 2460
caatgatttg gccaggccta gtaaccaagg ccctgtctct ggctactccc tggaccacga 2520
ggctgattcc tctcatttcc agcttctcag tttctgcctg ggcaatgccg ggggccagga 2580
gtggggagag ttgtgatgga ggggagaggg gtcacacca cccctgcctt ggttctagga 2640
tgctgcacac caaggccctg catctgtctg ctctgcatat atgtctcttt ggagttggaa 2700
tttcattata tgtaaagaaa ataaaggaaa atgacttgta aggtcaaaaa aaaaaaaaaa 2760
aaaaaaaaaa aaaaaggggc gccgttctag gaggatccaa gcttacgtac ggggtcatgg 2820
gacgtcatag ctcttcttta agtgtcacc ccaattcaatt cattgggcct cgtttttaca 2880
antcgtgact 2890

<210> 73

<211> 2488

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (277)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2412)

<223> n equals a,t,g, or c

<400> 73

ggcagagtga ccacgctcca tactgggaga ggcttctggg tcaaaggacc agtctgcaga 60
gggatcctgt ggctggaags gaggaggctc cacacggccg ttgcagctac cgcagccagt 120
agagacaggg ttctgccatc ttggccaggc tggctctcaa ctctgacct ctggtgatcc 180
acccgcctcg gcctcccaaa gtgtagggat tacagggtgt agccaccgca cccggccagg 240
gcacccctct ctctaacaca ggatctgggc atccagnac gcccatgacc cctccaaggc 300
tcttctgggt gtggctgctg gttgcaggaa cccaaggcgt gaacgatggt gacatgcggc 360
tggccgatgg gggcgccacc aaccagggcc gcgtggagat cttctacaga ggccagtggg 420
gcactgtgtg tgaacaacct gtgggnacct gactgatgcc agcgtcgtct gccgggccct 480
gggcttcgag aacgccaccc aggcctctgg cagagctgcc ttcgggcaag gatcaggccc 540
catcatgctg gacgaaggcc agtgcacggg aaccgaggcc tcactggccg actgcaagtc 600
cctgggctgg ctgaagagca actgcaggca cgagagagac gctgggtgtg tctgcaccaa 660
tgaaaccagg agcaccaca ccctggacct ctccaggagg ctctcgagg cccttgacca 720
gatctttgac agccagcggg gctgcgacct gtccatcagc gtgaatgtgc agggcgagga 780
cgccctgggc ttctgtggcc acacggtcat cctgactgcc aacctggagg cccaggccct 840
gtggaaggag ccgggcagca atgtcaccat gagtgtggat gctgagtgtg tgcccatggt 900

```

cagggacttc tcaggtactt ctactcccga aggattgaca tcaccctgtc gtcagtcaag 960
tgcttcacaca agctggcctc tgcttatggg gccaggcagc tgcagggcta ctgcgcaagc 1020
ctctttgcca tcctcctccc ccaggacccc tcgttccaga tgcccctgga cctgtatgcc 1080
tatgcagtgg ccacagggga cgccctgtg gagaagctct gcctacagtt cctggcctgg 1140
aacttcgagg ccttgacgca ggccgaggcc tggcccagtg tccccacaga cctgctccaa 1200
ctgctgtctc ccaggagcga cctggcggtg cccagcgagc tggccctact gaaggccgtg 1260
gacacctgga gctgggggga gcgtgcctcc catgaggagg tggagggcct ggtggagaag 1320
atccgcttcc ccatgatgct ccctgaggag ctctttgagc tgcagttcaa cctgtccctg 1380
tactggagcc acgaggccct gttccagaag aagactctgc aggccctgga attccacact 1440
gtgcccttcc agttgtctgg ccggtacaaa ggccctgaacc tcaccgagga tactacaag 1500
ccccggattt acacctcgcc cacttgaggt gcctttgtga cagacagttc ctggagtcca 1560
cggaagtcac aactgggtcta tcagtcacga cgggggcctt tggtaaaata ttcttctgat 1620
tacttccaag cccctctctga ctacagatac taccctacc agtccttcca gactccacaa 1680
caccacagct tcctcttcca ggacaagagg gtgtcctggt ccctgggtcta cctccccacc 1740
atccagagct gctggaacta cgcttctctc tgctcctcgg acgagctccc tgtcctgggc 1800
ctcaccaagt ctggcggtc agatcgacc attgcctacg aaaacaaagc cctgatgtc 1860
tgcaagggc tcttcgtggc agacgtcacc gatttcgagg gctggaaggc tgcgattccc 1920
agtgcctgg acaccaacag ctggaagagm acctcctcct tcccctgccc ggcaggcact 1980
tcaacggctt ccgcacggtc atccgcccct tctacctgac caactcctca ggtgtggact 2040
agacggcgtg gcccaagggt ggtgagaacc ggagaacccc aggacgccc cactgcaggc 2100
tcccctcctc ggcttccttc ctctctgcaa tgaccttcaa caaccggcca ccagatgtcg 2160
ccctactcac ctgagcgctc agcttcaaga aattactgga aggcttccac taggggtccac 2220
caggagtctt cccaccacct caccagtttc cagggtgtaa gcaccaggac gccctcgagg 2280
ttgctctggg atccccccac agcccctggg cagtctgccc ttgtcactgg tctgaggtca 2340
ttaaaattac attgaggttc ctaaaaaaaaa aaaaaaaaaa anaaaaaaaa aaaaaaaaaa 2400
gsggcgctc tngaggatcc ctcgaggggc ccaagcttac gcgtgcatgc gacgtcatag 2460
ctctctccct ataatggaat cgtattat 2488

```

<210> 74

<211> 711

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (696)

<223> n equals a,t,g, or c

<400> 74

```

ggcacgagcc ggagtggctg gtgggtggga tggaggcgac cttggagcag cacttggaag 60
acactatcta tgtaaaattc aaaactggaa aagtataaag ggtacagaga gacacctgcc 120
tcccaccgat gtccctcagc ttccacttac cctccaggag aatgaagaat cctccattg 180
ttggagtcct gtgcacagat tcacaaggac ttaatctggg ttgcccggg accctgtcag 240
atgagcatgc tggagtgata tctgttctag ccagcaagc agctaagcta acctctgacc 300
ccactgatat tcctgtggtg tgtctagaat cagataatgg gaacattatg atccagaaac 360
acgatggcat caggtggca gtgcacaaaa tggcctcttg atgctcatat ctgttcttca 420
gcagcctgtc ataggaactg gatcctacct atgttaatta ctttatagaa ctactaaagt 480
tccagtagtt aggccattca tttaatgtgc attaggcact tttctgttta tttaagagtc 540
aattgctttc taatgtctta tggaccgact atcaagatat tagtaagaaa ggatcatgtt 600
ttgaagcagc aggtccaggc cactttgtat atagaatttt gctgtattca ataaatctgt 660
ttggaggaaa aaaaaaaaaa aaaaaattac tgcggnccga caagggaatt c 711

```

<210> 75
<211> 906
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (4)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (362)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (889)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (894)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (897)
<223> n equals a,t,g, or c

<400> 75
nctncccata accatgttcc catgtgggtg gtcgatgggg ctgcagaagg ccgggaggag 60
ccgctggggc agcctgggtgc tccggcatag acgtgtgtgg gtggtcaagg caggtcactc 120
tgcccctctg agcctcagtc ttctgccagt gacgcaggga gacggcactg actgcctccc 180
aggagcgtcg gtggcctgca gaagatgcgc aggaagctgg gmctcgtgca ggtggagctg 240
gaggaagacg gggcgctggt gtccaagctc ctggagacca tgcatactaac cgggtgccgac 300
ttsacaaaca ccttctactt gctgagctcc ttcccagtgg agctagagtc gccaggcctg 360
gnsqaattcc tggccaggct gatggagcag tgtgcctccc tggaggagct gaggctggcc 420
ttccggcccm agatggatcc ccggcagcta tccatgatgc tgatgctggc gcagtcaaac 480
ccgcagctgt tcgcgcttat gggcacccgg gcaggcatcg ccagggagct ggagcgtgtg 540
gagcagcagt ctcggctgga gcagctgagt gcggcagagc tgcagagcag gaaccagggc 600
cactgggctg actggctaca ggcgtacaga gcccggctgg acaaggacct ggaaggcgct 660
ggggacgctg ccgcctggca ggctkgagca cgtgcgcgtg atgcacgcca acaacccgaa 720
gtacgtgctg aggaactaca ttgcgcgaga atgccattcg aggttgccga gcgcggggat 780
ttttcagagg tgcggcgggt gttgaaatta tttgagacct tttaccattg cgaggcgggg 840

gccgccacaa gacggccgag gccacgggaa gccgacgggg gcggacggna aggnagnttt 900
cttaca 906

<210> 76
<211> 271
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (36)
<223> n equals a,t,g, or c

<400> 76
gaacactcta ctttatgcag gaatagcaga gatgantcat ggttgggaag aactagaat 60
tcagccagga gaatatcatt aaaagaggga gaagggaata cagacttttt gtgtggtaca 120
aaaacaaaac cctctgtatc attatgtgaa caacggtgca aaaaagagga gacacagttt 180
acccatgggt agctaactat gatagtgaat gttgccttga accttgtttt agaaaaatgg 240
caagtgtggg tctcactctt ctagttcctg a 271

<210> 77
<211> 673
<212> DNA
<213> Homo sapiens

<400> 77
ttcggcacga ggttgaccag cggcgggtca cgtgacgcgg tgcctggcgc cgagcctccc 60
aagatggcgg tgtgcatcgc ggtgattgcc aaggagaatt accccctcta cattcgagc 120
acccttacgg agaacgagct gaagttccac tacatggtgc acacatctct ggacgtggtg 180
gatgagaaga tctccgcaat ggggaaggcc ctggtcgacc agagggagct gtacctgggc 240
ctgctctacc ccacggagga ctacaaggta tacggctacg tcaccaactc caaggtgaag 300
tttgtcatgg tggtagattc ctccaacaca gcccttcgag acaacgaaat tcgcagcatg 360
ttccggaagc tacacaactc ctacacagac gtgatgtgca accccttcta caaccgggg 420
gaccgcatcc agtccagggc ctttgataac atggtgacgt cgatgatgat acaggtgtgc 480
tgagtgaagt gtgctgccag ccacgcgaga ggagcccgcg cagcactgtg gtggggccgt 540
cggctctgtc tgggtgcctc ttctgaatg ggacgcctgg ggctttcagg gcaggcagct 600
gtgcatgttc tctcaactaa aggtcttgtg agaggaaaaa aaaaaaaaaa aaaaaaactc 660
ggggggggcc cgg 673

<210> 78
<211> 367
<212> DNA
<213> Homo sapiens

<400> 78
cttgctttct ttcttacctc tgaaggagaa aagaaagttg ctacttacat gtttgaaaaa 60
cctctcaaat ctactcagtc aaaagatttt atgcttcaat ttggatcatat gtttagagtt 120
tagcttctaa actgatacct cagtagccca tagtttaaaag gagtaaagag tacatggatg 180
cttttggtac tactcagaag ctctgagttt ctggggccact gaaaccctga aaagtagcta 240
aatacgttca cttgctatct taatccatca ctgtagatat gactcagtc ctttggtatt 300
ttcccccaat ttgaaacaat ttaatgtgct gaaaagataa ctttctcctt ttttctttct 360

ttttctc

367

<210> 79

<211> 1344

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1319)

<223> n equals a,t,g, or c

<400> 79

```
gtctctgagga gtttccccct tggcagccat gagccggcag ttctggtagt gactgctggg 60
ccctgctgga cagcggctgc atgcagctcc tatgaggccc ctgccgccgg tcggcgatgt 120
ccggctggag ctgtcgctc cgccgcgct gctgccggtg ccggttgtga gcgggtctcc 180
agtcggctcc tctgggcgtc tcatggctc tagcagctcc ctggtgccc accggctgcg 240
cctgccgctc tgcttcctgg gtgtctttgt ctgctatttt tactatggga tcctgcagga 300
aaagataaca agaggaaaagt atggggaagg agccaagcag gagacgttca cctttgcctt 360
aactttggtc ttcattcaat gtgtgatcaa tgctgtgttt gccaaagatct tgatccagtt 420
ttttgacact gccagggtgg atcgtaccgc gagctggctc tatgtgcctt gttctatctc 480
ctatctgggt gccatggtct ccagcaattc agcactacag tttgtcaact acccaactca 540
ggtccttggt aaatcctgca agccaatccc agtcatgctc cttgggggtga ccctcttgaa 600
gaagaagtac ccgttgcca agtacctgtg tgtgtgttta attgtggctg gactggccct 660
tttcatgtac aaacccaaga aagttgttg gatagaagaa cacacagtcg gctatggaga 720
gctactcttg ctattatcgc tgaccctgga tggactgact ggtgtttccc aggaccacat 780
gcgggctcat taccaaacag gctccaacca catgatgctg aacatcaacc tttggtcgac 840
attgctgctg ggaatgggaa tcctgttcac tggggagctc tgggagttct tgagctttgc 900
tgaaaggtac cctgccatca tctataacat cctgctcttt gggctgacca gtgccctggg 960
tcagagcttc atctttatga cggttgtgta ttttggtccc ctgacctgct ccatcatcac 1020
tacaactcga aagttcttca caattttggc ctctgtgatc ctcttcgcca atcccatcag 1080
ccccatgcag tgggtgggca ctgtgcttgt gttcctgggt cttggtcttg atgccaagtt 1140
tgggaaagga gctaagaaga catcccacta ggaagagaga gactacctcc acatcaagaa 1200
tatttaagtt attatctcaa acagtgcacat ctcttgggaa aatggactta ataggaatat 1260
gggactgagt tccagtcttt tttaataaaa taaaatcaag caaaaaaaaa aaaaaaaaaanc 1320
ccgagggggg gcccggaacc caat                                     1344
```

<210> 80

<211> 3748

<212> DNA

<213> Homo sapiens

<400> 80

```
gccgatttga accgaggatt tgggcggcag gaagagccgc ggcgtaacgg cagccatctt 60
gtttgtttga gtgaatcgga aaggaggcgc cggctgtggc ggcggcggga gctgctcgga 120
agctacacct cgcaagggtc cccctcttcc cccacccctc ccccgaccc ttttccctc 180
cccgggccac ccagcccgcc caactcccag cggagagcaa ggttttcttc tgtttcata 240
gccagccaga acaatgttct acgcacattt tgttctcagt aaaagagggc ctctggccaa 300
aatttggtga gcggccattt gggataagaa gctaaccaaa gcccatgtgt tcgagtgtaa 360
tttagagagc agcgtggaga gtatcatctc accaaagggtg aaaatggcat tacggacatc 420
aggacatctc ttactgggag tagttcgaat ctatcacagg aaagccaaat accttcttgc 480
```

agactgtaat gaagcattca ttaagataaa gatggctttt cggccagggtg tggttgacct 540
gcctgaggaa aatcggaag cagcttataa tgccattact ttacctgaag aatttcatga 600
ctttgatcag ccactgcctg acttagatga catcgatgtg gcccagcagt tcagcttgaa 660
tcagagtaga gtggaagaga taaccatgag agaagaagt ggaacatca gtattttaca 720
agaaaatgat tttggtgatt ttggaatgga tgatcgtgag ataatgagag aaggcaggtgc 780
ttttgaggat gacgacatgt tagtaagcac tactacttct aacctcctat tagagtctga 840
acagagcacc agcaatctga atgagaaaat taaccattta gaatatgaag atcaatataa 900
ggatgataat tttggagaag gaaatgatgg tggaatatta gatgacaaac ttattagtaa 960
taatgatggc ggtatctttg atgatcccc tgccctctct gaggcagggg tgatgttgcc 1020
agagcagcct gcacatgacg atatggatga ggatgataat gtatcaatgg gtgggcctga 1080
tagtcctgat tcagtggatc ccgttgaacc aatgccaaac atgactgatc aaacaacact 1140
tgttccaaat gaggaagaag catttgcatt ggagcctatt gatataactg ttaaagaaac 1200
aaaagccaag aggaagagga agctaattgt tgacagtgtc aaagagtgg atagcaagac 1260
aattagagcc caacttagtg attattcaga tattgttact actttggatc tggcaccgcc 1320
accaagaaat tgatgatgtg gaaagagaca ggaggagtag aaaaactgtt ttctttacct 1380
gctcagcctt tgtggaataa cagactactg aagctcttta cacgtgtct tacaccgctt 1440
gtaccagaag acctagaaa aaggaggaaa ggaggagagg cagataattt ggatgaattc 1500
ctcaaagaat ttgaaaatcc agaggttcct agagaggacc agcaacagca gcatcagcag 1560
cgtgatgtta tcgatgagcc cattattgaa gagccaagcc gcctccagga gtcagtgatg 1620
gaggccagca gaacaaacat agatgagtca gctatgcctc caccaccacc tcagggaggt 1680
aagcgaagaa ctggacaaat tgacccagag cctgtgatgc ctctcagca ggtagagcag 1740
atggaaatac cacctgtaga gcttccccca gaagaacctc caaatatctg tcagctaata 1800
ccagagttag aacttctgcc agaaaaagag aaggagaaa agaaagaaa agaagatgat 1860
gaagaggaag aggatgaaga tgcacaggg ggcgatcaag atcaggaaga aagaagatgg 1920
aacaaaagga ctacagcagat gcttcattgt cttcagcgtg ctcttgctaa aactggagct 1980
gaatctatca gtttgcttga gttatgtcga aatacgaaca gaaaacaagc tgccgcaaag 2040
ttctacagct tcttggttct taaaaagcag caagctattg agctgacaca ggaagaaccg 2100
tacagtgaac tcacgcgaac acctggacca aggttccata ttatataagg agctagaagc 2160
attatagcta gtgtttgatt cactagtgtc tacaaattgc ccccatgtgt aggggacaca 2220
gaaccctttg agaaaactta gatttttgtc tgtacaaagt ctttgccctt ttccctcttc 2280
atttttttcc agtacattaa atttgtcaat ttcactcttg agggaaactg attagatggg 2340
ttgtgtttgt gttctgatgg agaaaacagc accccaagga ctcagaagat gattttaaca 2400
gttcagaaca gatgtgtgca atattggtgc atgtaataat gttgagtggc agtcaaaagt 2460
catgattttt atcttagttc ttcattactg cattgaaaag gaaaacctgt ctgagaaaat 2520
gcctgacagt ttaattttaa actatggtgt aagtccttga caagaaaaaa aaacaaacaa 2580
acacttcttt ccatcagtaa cactggcaat cttcctgtta accactctcc ttagggatgg 2640
tatctgaaac aacaatggtc acctccttga gattcgtttt aagtgtaat ccataatgag 2700
cagaggtgta cgcgaaattg tgttatgact gatagccttc agctacaaaa agataggact 2760
gacctggttt aaagtgttct attttgtaaa tcattccatt tgagtcttcc tgatgaactt 2820
ggctatactg aaatctgtta ttttagtgag gctccaaaat gagcaaagct aggcctgatt 2880
agagtagagt gactattaaa aaacataact ttctaggagc tataaatcaa agttttaaaa 2940
agatgtttgg atatatgtga gtattccgat catgaaaaca gaaattgccc tgccctactac 3000
aaggacagac tgatgggaaa ttatgcacct ggtcaactta gcttttaagc agacgatgct 3060
gtaaaaacta acggcttctc tgataatttat gttaagtttt agtactgatc tccttttcca 3120
gtgctgcaca ctctggtttt ggaacttta tagcgttgca acgaaatcct atatccagtt 3180
tcctgtaatt taattgaaga aaaaatcac caaataaaga ctttattatt aacagaccag 3240
atagcatcag aaatcatgtg actgttatga ttatcagaat atgtcttaac tttttagggc 3300
aaagttaaca ctgaaagttc tagcttaagt gttgaaactt ttgtgggaaa aaaaaatcac 3360
ttttgaaact cagacttcag tgtataacca ataattttaa attatgtgaa atgtttttaa 3420
tttgtgaact cgtaattact gttttaatga ttcagtctct tcagagtggg aattgtataa 3480
aattgctatt gcagctttat attcaatatg atgtgcctgt aaaccaagga gttttccccg 3540

```
tttgtaaaaa gacattgtag ataattgaat gtttgatttt agaaaggcca ttagtttctt 3600
gttacacatt ttgttagtct gggttttggg gcttatcggt tttaattattg ttcttgaaaa 3660
tagttgatgc tatgttatgt ataacttttc taataaaagt tgtgttataa gctgtaaaaa 3720
aaaaaaaaaa aaaaaaaaaa aaaaaacc 3748
```

<210> 81

<211> 1891

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1869)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1879)

<223> n equals a,t,g, or c

<400> 81

```
gttgctgtca tttgggctta ctggcttgga ctgaaggtag gtagagaata caggaaattc 60
ttcagagcca atgctggaaa gaaaatctat gagtttacgc ttcagagaat tgtgcaaaaa 120
tacttcttgg aaatgaaaaa taagatgcct tccttatctc caatagacaa gaattggccc 180
tcaagacctt acttattctt ggattctact cacaaggagc taaaaaggat tttccacttg 240
tggaggtgta aaaaatacag ggaccaattc acagaccagc agaaacttat ttatgaagag 300
aaactagaag ccagtgaact cttcaaagac aagaaggctt tatacccatc tagtggtggg 360
caaccattcc aaggggctta cctggaaatc aacaagaacc ccaagtataa gaaactcaaa 420
gatgccattg aagaaaagat catcattgct gaagtcgtga acaaaattaa ccgtgctaata 480
gggaagagta catctcggat tttcctctta acaaaacaata atctccttct tgctgaccaa 540
aagtcctggc aaatcaagtc agaggttcca ytggtggatg tgaccaaggt atcaatgagc 600
tcacaaaatg atggcttctt cgccgtccac ctcaaagagg gctcagaagc agctagtaaa 660
gggagactttc tcttcagcag tgatcacctg attgaaatgg ccaccaagct ctatcgacaa 720
actctcagcc aaaccaaaca gaagctcaat attgagattt ccgatgagtt cctggtagag 780
ttcagacagg acaaagtatg tgtgaagttt attcagggaa accagaaaaa tgggagtgct 840
ccaacatgta aacgaaaaaa caaccgtctc cttgaagttg ctgtccctta actggcgcc 900
cctctctact ttcattggact tgttccttgg taatagtgca atttggtttt gttttatttg 960
gggttcattg tatgtttggg aatcaccaaa ggctttttaga gttctttggc aaaataaaaa 1020
tatttgacta atcaattttt attattggaa tagttttaac ctttcaaata catgttctgt 1080
cctggagcag gattgtagaa actaacagtg tctattttca tgtctgatgt gttcttccct 1140
tagtcatcat gttaggtctg tgtaccctaa atcagcatat tactcataaa tcattaatta 1200
atataagcat aggaaatggg cttaaaagat actgcattca ttcacagat atttattcca 1260
tgctactctt atgctaggca ctgtgctaga tggatgaaa acttattagg aacctttttg 1320
tttttgagac cattgcattc tggctgggtt gtgctgggtt aacgacatct aagaagggtt 1380
agaaatggtg agacaaaaac aataactgtt atgatggac agcattatta ggaaccctgt 1440
agtatgatat ttaacaatat aggttcaag aagggctggg cctaagaggg ggcagaaatg 1500
aatgaccagg ttaaatccct ctacatgtg tttctgtttg aaaaaagaa aactgacatt 1560
tgaacaggac ttttaatttg tttaaaactc tggaattac ttgtaacagt agaaaataga 1620
agtcattctt attttagaaa aagtgcagaa agcagtcag taagattata tgtttctgtt 1680
tctggtaaat accatatatg atcctcgaat tgataaatat tccagaatat tgttttcacc 1740
caaatttgag tagatatttt aaacacctaa caaagtaaag ggctaaaagc cattcagata 1800
```


gcagtaaaac attctgtatg atgtgcaata aaacatccaa gatctttttt gaaagtgwka 1860
tttccgttna agtcccccnt taggaccccc g 1891

<210> 82

<211> 1954

<212> DNA

<213> Homo sapiens

<400> 82

ttcagtgtct ggcacactga gacacctcca agaaggagat tgatgcatca gggtcagttt 60
aacctggaat atctgactac ccctgaatcc acccagaaag ggggccaac acccttgtcc 120
atztatgggt attttttttc gaagttatta agcatattcc tttccacga acctcttctg 180
tactttgatt gtaatagggt ggctcttaca cccattccaa atgcagtta ttttagacc 240
cgattgcaaa tagtgatgta gttttaacca gtatggatta gttcagggat gaactgctcc 300
ctccagcctt actggctctg atccacaggg ttttgtttg ttttgtttg tttttgttt 360
aagtcgagat ataaaaactg aacacgataa cacttactct taaatcaagc atcaacactt 420
tttcctgttt agaattcttt gcatttttgt gtttgaaca gaaacgcctt aagacactat 480
gtttgggaat ataggaaact atgtgtgtcc caaggaaatc cctgtaaatt taactcacct 540
acaaaaggct ttttccccgc ctttggttgt taacggcatt cctgaaagcc acatgtgttt 600
attcattggg cttgttctta tcagcaaata ggttttctgg ttttatgact tttgtctta 660
ttttatkttt cctacatttc tttttttttt tttttccytt agaatgccck ggraatatat 720
ttaagtggka atgraaaata gtaatcatag taaaacgcaa cargargraa accmacccaa 780
accagtgaag ttttttagaa cctttagaag ggtggtcttt attcaggttt tactgtaatg 840
gtaaggattg actcaagaga cagtattagt aaatttattg tgtatggatc aaaagtgaat 900
aatgtatgaa tgagagctgt aagaaggatt tttattttgt tataatttag ttaccatttt 960
cagtgttatt tcaaaggttc tttgaagaat tttggggcag ggcacatgat tagagtttta 1020
aaatttgagt attttgata tcagtgttcc tcatgaagat atacatggat attcaatttt 1080
gatggcttcc agatttgtaa gattktatgt tgtatatacc attctattaa gaaacatgtc 1140
cactgtgctt tcaaacatag ataaagcatg ataaagatta ttatttaaga tatacttgta 1200
tttatacctt agatattctt ttgggttttg tacctcaagg cttttttctt ctattgttaa 1260
atacacttta cgtgaataca gtctaagtga agaaaataaa taaaaggaag aggtttataa 1320
cttgctctat atctgtacag attataatca ataagtgcac tattattaaa tgtttaaagt 1380
aagggaagag tctgggctgc cttccttaat attgcatctc actcccaccc ttaaaaccac 1440
agattgcaaa gcatagcatt ttagcatcaa ctacaatcaa aagagcgatt tgctgaagga 1500
aaaatcggac tgcaaatcat tccaaggcca aactgcaact gagccaccca ctcccaaaca 1560
ggaaaccctg gtgaagggtc aggaagcacg gagattctct ccaacaaagg tccagttagg 1620
aaacgacgct gagaggatga cgacaacgtg caacagcaga aagatgcttg caagcagagt 1680
cagggtcacc agtgaatgcc acaaaagttc tctttccac tgtttaattt gacaagagaa 1740
gaatttgaag gatatgaaca ttttcaagaa ctctgctgag gtcacttaga gcgccatcac 1800
aacttatttg tgtgactaat tgcctagatt gtaagctctt tgagggcagg gcttgtctct 1860
tacacatctt tataatcccc tgcagcggtt ttcagtattt tgtacttgta ggcacctaat 1920
aaatttatta tttgctatac tgaaaaaaa aaaa 1954

<210> 83

<211> 936

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (930)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (936)

<223> n equals a,t,g, or c

<400> 83

```
aattcggcac gagctggagg cagagcagtc ctctctgggg agcctgaagc aaacatggat 60
caagaaactg taggcaatgt tgtcctgttg gccatcgtca ccctcatcag cgtgggccag 120
aatggattct ttgcccataa agtggagcac gaaagcagga cccagaatgg gaggagcttc 180
cagaggaccg gaacacttgc ctttgagcgg gtctacactg ccaaccagaa ctgtgtagat 240
gcgtacccca ctttcctcgc tgtgctctgg tctgcggggc tactttgcag ccaagttcct 300
gctgcgtttg ctggactgat gtacttgttt gtgaggcaaa agtactttgt cggttacctt 360
ggagagagaa cgcagagcac ccctggctac atatttgggg aaacgcatca tactcttcct 420
gttcctcatg tccgttgctg gcatattcaa ctattacctc atcttctttt tcggaagtga 480
ctttgaaaac tacataaaga cgatctccac caccatctcc cctctacttc tcattcccta 540
actctctgct gaatatgggg ttggtgttct catctaatca atacctacaa gtcatacataa 600
ttcagctctt gagagcattc tgctcttctt tagatggctg taaatctatt ggccatctgg 660
gcttcacagc ttgagttaac cttgcttttc cgggaacaaa atgatgtcat gtcagctccg 720
ccccttgaac atgaccgtgg ccccaaattt gctattccca tgcattttgt ttgtttcttc 780
acttatctg ttctctgaag atgttttgtg accaggtttg tgtttcttta aaataaaatg 840
cagagacatg ttttaagctg aaaaaaaaaa aaaaaaaacc cggggggggc ccggnaccaa 900
ttcgcccaaa agggggcgat taaaatcccn ggccgn 936
```

<210> 84

<211> 1513

<212> DNA

<213> Homo sapiens

<400> 84

```
tctaaactag tggatccccg ggctgcagga attcggcaca ggctctcaga ggctaagaag 60
gtggagaccg gagaagctgt gaggttcttt agcgtcacct ccctcactgg gcagcatggg 120
ggagaagtca gagaactgtg gggttccaga ggatctgtta aatggtttga aggttacaga 180
tactcaggaa gccgagtgtg ctggccctcc agttcctgat cccaaaaatc agcattccca 240
gagtaagctg ctcagggatg atgaggccca tctccaggag gaccagggag aagaggagtg 300
ttttcatgac tgcagtgcct catttgagga ggagccagga gcggacaagg ttgagaacaa 360
atctaataaa gatgtgaatt cctctgaact agatgaagaa tacctaataa aactggaaaa 420
aaacatgtcg gatgaagaga aacagaaaag aagagaagag agcactagac taaaggagga 480
gggaaatgaa cagtttaaga aaggagatta tatagaagct gaaagttctt atagtcgagc 540
cctcgaaatg tgcccatcct gcttccaaaa ggagaggtcg attctatttt caaatagagc 600
tgcagcaagg atgaaacagg acaagaaaag aatggccatc aatgactgca gcaaagcaat 660
tcaattaaac cccagctata tcagggaatc attgaggaga gcagagttgt atgagaagac 720
ggacaagcta gatgaagccc tggaagacta taaatctata ttagaaaaag atccatcaat 780
acatcaagca agagaagctt gtatgagatt acctaagcaa attgaagaac gtaatgaaag 840
actaaaagaa gagatgttag gtaaattaaa agatcttggg aacttggttc tccgaccttt 900
```

tgggctctcc acggaaaatt tccagatcaa acaggattcc tctaccggct cgtactccat 960
caatttcggt caaaatccaa ataataacag ataacaaaga taacaaaagc tttacaagct 1020
gacttggaat tgtgtgctgc ttgctgtag ctaggggaaa ggccctgcc aatgtttaact 1080
tttaaaagca tcttatctaa aagaaaggct atccagtaga gccagtgct cccttgctcc 1140
tcttttatga tcagggtgaa atgtacttcc tgatgtaatg aacctaatgt gatttccatt 1200
ttaagggtgt gtctgtgcag ctggtgtccc cgattctggc tgtcctatgt ccaggaagaa 1260
gcccatattgt tgaggctgac cttcctgac atacacacac acagcccagc aaaagcctct 1320
cctgaaccaa acaaacctgt tgggtgggag actgccaga catgattgat gacgggttcc 1380
cgctgtgtgt cccctccctg atcacacagc taacgaggct gcctccagca tttcctgatt 1440
tcctctgtgg taataaaaagc tttctgtgct taataaaaaa aaaaaaaa aaacttcgag 1500
ggggggggccc ggt 1513

<210> 85

<211> 1298

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<400> 85

gtngggcggc tgctgtctcc ggccctgggca cagcaagcgg cgacgtcaag ctcccgggggt 60
tggcgcgggt ggccgggggca gtcccagagc tgaggagggt ggccgagggt acaacagtga 120
ggacgagtat gaggcgctg cagcacgcat cgaggctatg gaccctgcc ctgtcgagca 180
gcaggagcat tggtttgaaa aggcctacg agacaagaa ggcttcatca tcaagcagat 240
gaaggaggat ggccgctgtc tctccgggc tgtagctgac cagggtgatg gagaccagga 300
catgcatgag gttgtgcgaa agcattgcat ggactatctg atgaagaatg ccgactactt 360
ctccaactat gtcacagagg actttaccac ctacattaac aggaagcggg aaaacaattg 420
ccatggcaac cacattgaga tgcaggccat ggccagagatg tacaaccgtc ctgtggagggt 480
gtaccagtac agcacagaac ccatcaacac attccatggg atacatcaaa acgaggacga 540
accattcgt gttagctacc atcggaatat ccactataat tcagtgggtga atcctaacia 600
ggccaccatt ggtgtggggc tggccctgcc atcattcaaa ccagggtttg cagagcagtc 660
tctgatgaag aatgccataa aaacatcgga ggagtcattg attgaacagc agatgctaga 720
agacaagaaa cgggccacag actgggaggc cacaatgaa gccatcgagg agcagggtggc 780
tcgggaatcc tacctgcagt ggttgccgga tcaggagaaa caggctcgcc aggtccgagg 840
ccccagccag ccccgaaaag ccagcgccac atgcagttcg gccacagcag cagcctccag 900
tggcctggag gaggtgacta gccgggtccc gccgcaggag ttccagcctc gtcacctgag 960
caccctgagc tgcatgctga attgggcatg aagccccctt cccagggcac tgttttagct 1020
cttgccaaac ctcttcgcc ctgtgcgcca gggtacaagc agtcagttct cggcaggggc 1080
cgaccgggca acttcccccc ttgtgtccct ctaccctgct ttggagtkcc gggccctcat 1140
tcagcagatg tccccctctg cctttggtct gaatgactgg gatgatgatg agatcctagc 1200
ttcgggtgtg gcagtgctcc aacaggaata cctagacagt atgaagaaaa acaaagtga 1260
cagagaccgc ccccgagaca agagttgatg gagaccga 1298

<210> 86

<211> 2009

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (1955)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1959)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2008)
<223> n equals a,t,g, or c

<400> 86
gtgttcgtcc gcttgtcact gaattggacc ctgatgctcc cataagacag aaaatgcccc 60
ttgatgatct ggatagagaa gatgaagtta gattactcaa atatctcttt actctaattcc 120
gtgctggaat gacagaagag gcacaacgac tctgtaaacy ctgtgggtcaa gcatggagag 180
ctgcaacact tgaaggctgg aaactgtacc atgaccctaa tggttaattga ggaacagaat 240
tagaacctgt tgaagggaat ccatatagac gcatttggaa aataagttgc tggagaatgg 300
cagaagatga gctttttaat agatacgaga gagcaattta tgcagcttta agtgggaatc 360
ttaagcagct gcttctctgtc tgtgacacct gggaaagacac agtttggggc tacttccggg 420
tgatggtgga cagtctggtg gaacaggaga tccagacatc agtagcaact ctggatgaaa 480
ctgaagaact ccctagagaa tatctgggag caaactggac gttagaaaag gtttttgagg 540
aacttcaagc tactgacaaa aagagagttc tggaaagaga atcaagaaca ttatcatata 600
gttcaaaagt ttcttatcct gggagacatt gatggtttga tggatgagtt tagcaaatgg 660
ctttccaaaa gcagaaacaa tctacctgga cacctgcttc gctttatgac tcaccttatt 720
ttgtttttcc gtactctggg actacagacc aaggaggaag tttctattga agttttaaag 780
acatacatat agctttttaat aagagagaaa catacaaacc ttatagcatt ttataacctgt 840
catttgcttc aagacctagc tgttgcccag tatgcattat ttttggaag tggtacagaa 900
tttgaacagc gccaccattg cctggagttg gctaaagaag cagatttggg tgttgcaaca 960
atacaaaaaa ctgtagttga gaattatcga aagaaagata atggtgaatt tagtcatcat 1020
gacctggccc cagccctaga tactggcact actgaggagg atcgtttaaa aattgatgta 1080
attgactggg tgggtatttga cccagcgagc agggcagaag cactgaaaca aggcaatgca 1140
attatgagaa aaytcttggc atcaaaaaag cacgragctg caaaagaagt atttgtgaaa 1200
attcctcagg attctatagc agaaatctat aatcagtgcg aggaacaagg aatggaaagt 1260
ccacttcctg ctgaagatga taatgctatc cgagaacatt tgtgcatcar agcttatctt 1320
gaagcccatg aaacctttta tgagtgggtt aagcatatga attcagttcc acaaaaacct 1380
gctttgatac ctcaaccaac ttttactgag aaagtggctc atgaacacaa agaaaagaaa 1440
tatgaaatgg attttggtat ttggaaaggg catttgatg ccctaactgc tgatgtgaa 1500
gagaaaatgt ataacgtctt gttgtttgtt gatggagggt ggatggtgga tgttagagag 1560
gatgccaaaag aagaccatga aagaacacat caaatggtct tactgagaaa gctttgtctg 1620
ccaatgttgt gttttctgct tcatacgata ttgcacagta ctggtcagta tcaggaatgc 1680
ctacagttag cagatatggt atcctctgag cgccacaaac tgtacctggt attttctaag 1740
gaagagctaa ggaagttgct gcagaagctc agagagtcct ctctaagtct cctagaccag 1800
ggacttgacc cattagggta tgaaattcag ttatagttta atcttcgtaa tctcactaat 1860
tttcatgata aatgaagttt ttaataaaaat atacttgta ttagtaaaaa aaaaaaaaaa 1920
agggcgccg ctctagagga tccctcgagg ggccncaant tacgcgtgca tgcgacgtca 1980
tagctctctc cctatagtga gtcgtacng 2009

<210> 87
<211> 534
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (466)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (477)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (526)
<223> n equals a,t,g, or c

<400> 87
ggacgccgac gtgcagttcc tggcctcggg gctgccccca gacacggatc ctgcgttctt 60
cgagcacctt cgggccctcg actgctccga ggtgacggg cgagccctgc ccgagggctc 120
cctcgccctt cccggagtg cgtccttcca ggtgtccgg ccgctcctgg tgggtgcagct 180
gctggagaca ccgctgctct gcctggtcag ctacgccagc ctgggtggcca ccaacgcagc 240
gcggcttcgc ttgatcgag gccagagaa gcggctgcta gagatgggccc tgaggcgggc 300
tcaggggccc gatggggggc tgacagcctc cacctacagc tacctgggccc gcttcgacag 360
cagcagcaac gtgctagcgg gccagctgcg aggtgtgccg gtggccggga ccctggccca 420
ctccttcgtc acttcctttt caggcagcga ggtgcccctg acccgntgtt ggggcanaag 480
tttgtgaagg gccttggggtt gacctggggg caaagccaag ttttgnttga gcaa 534

<210> 88
<211> 4302
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1015)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (4270)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (4274)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4296)

<223> n equals a,t,g, or c

<400> 88

```
gtcagtaacc agcacaacat taatagaaat ttttaagtgc actggagcag aaggacccac 60
ggtggcacct ctccctttct ccacggacat cggacatcct caaaatcaga ctgtcagggtg 120
ggcagaagaa atccagacta gtagaccaca aaccataact gaacaagact ctaacaagaa 180
ttcttcaaca gcagaaatta acgaaacaac aacctcatct actgattttc tggctagagc 240
ttatggtttt gaaatggcca aagaatttgt tacatcagca ccaaaccat ctgacttgta 300
ttatgaacct tctggagaag gatctggaga agtggatatt gttgattcat ttcacacttc 360
tgcaactact caggcaacca gacaagaaag cagcaccaca tttgtttctg atgggtccct 420
ggaaaaacat cctgagggtgc caagcgctaa agctgttact gctgatggat tcccaacagt 480
ttcagtgatg ctgcctcttc attcagagca gaacaaaagc tccctgatc caactagcac 540
actgtcaaat acagtgtcat atgagaggtc cacagacggt agtttccaag accgtttcag 600
ggaattcgag gattccacct taaaacctaa cagaaaaaaa cccactgaaa atattatcat 660
agacctggac aaagaggaca aggatttaat attgacaatt acagagagta ccatccttga 720
aattctacct gagctgacat cggataaaaa tactatcata gatattgatc atactaaacc 780
tgtgtatgaa gacattcttg gaatgcaaac agatatagat acagagggtac catcagaacc 840
acatgacagt aatgatgaaa gtaatgatga cagcactcaa gttcaagaga tctatgaggc 900
agctgtcaac ctttctttta ctgaggaaac atttgagggc tctgctgatg ttctggctag 960
ctacactcag gcaacacatg atgaatcaat gacttatgaa gatagaagcc aactnagatc 1020
acatgggctt tcacttcaca actgggrtcc ctgctcctag cacagaaaaca gaattagacg 1080
ttttacttcc cacggcaaca tccctgccaa ttctctgtaa gtctgccaca gttattccag 1140
agattgaagg aataaaagct gaagcaaaaag ccctggatga catgtttgaa tcaagcactt 1200
tgtctgatgg tcaagctatt gcagaccaa gtgaaataat accaacattg ggccaatttg 1260
aaaggactca ggaggagtat gaagacaaa aacatgctgg tccttctttt cagccagaat 1320
tctcttcagg agctgaggag gcattagtag accatactcc ctatctaagt attgctacta 1380
cccaccttat ggatcagagt gtaacagagg tgcctgatgt gatggaagga tccaatcccc 1440
catattacac tgatacaaca ttagcagttt caacatttgc gaagttgtct tctcagacac 1500
catcatctcc cctcactatc tactcaggca gtgaagcctc tggacacaca gagatcccc 1560
agcccagtg cctgccagga atagacgtcg gctcatctgt aatgtcccca caggattctt 1620
ttaaggaaat tcatgtaaat attgaagcga ctttcaaacc atcaagtga gaataccttc 1680
acataactga gcctccctct ttatctctctg acacaaaatt agaacttca gaagatgatg 1740
gtaaacctga gttattagaa gaaatggaag cttctccac agaacttatt gctgtggaag 1800
gaactgagat tctccaagat ttccaaaaca aaackatgg tcaagtttct ggagaagcaa 1860
tcaagatgtt tcccaccatt aaaacacctg aggctggaac tgttattaca actgccgatg 1920
aaattgaatt agaagggtgct acacagtggc cacactctac ttctgcttct gccacctatg 1980
gggtcgaggc aggtgtgggtg ccttgggctaa gtccacagac ttctgagagg cccacgcttt 2040
cttcttctcc agaaataaac cctgaaactc aagcagcttt aatcagaggg caggattcca 2100
cgatagcagc atcagaacag caagtggcag cgagaattct tgattccaat gatcaggcaa 2160
cagtaaacc tgtggaattt aatactgagg ttgcaacacc accattttcc cttctggaga 2220
cttctaataa aacagatttc ctgattggca ttaatgaaga gtcagtggaa ggcacggcaa 2280
tctatttacc aggacctgat cgctgcaaaa tgaaccgtg ccttaacgga ggcacctgtt 2340
atcctactga aactcctac gtatgcacct gtgtgccagg atacagcga gaccagtgtg 2400
aacttgattt tgatgaatgt cactctaate cctgtcgtaa tggagccact tgtgttgatg 2460
gttttaacac attcaggtgc ctctgccttc caagttatgt tggtgcaact tgtgagcaag 2520
ataccgagac atgtgactat ggctggcaca aattccaagg gcagtgttac aaatactttg 2580
cccatcgagc cacatgggat gcagctgaac gggaaatgcc tctgcagggt gcccatctca 2640
caagcatcct gtctcacgaa gaacaaatgt ttgttaatcg tgtgggcat gattatcagt 2700
```

```
ggataggcct caatgacaag atgtttgagc atgacttccg ttggactgat ggcagcacac 2760
tgcaatacga gaattggaga cccaaccagc cagacagctt cttttctgct ggagaagact 2820
gtgttgtaat catttggcat gagaatggcc agtggaatga tgttccctgc aattaccatc 2880
tcacctatac gtgcaagaaa ggaacagttg cttgcggcca gcccctggtt gtagaaaatg 2940
ccaagacctt tggaagatg aaacctcgtt atgaaatcaa ctccctgatt agataccact 3000
gcaaagatgg tttcattcaa cgtcaccttc caactatccg gtgcttagga aatggaagat 3060
gggctatacc taaaattacc tgcatagaacc catctgcata ccaaaggact tattctatga 3120
aatactttta aaattcctca tcagcaaagg acaattcaat aaatacatcc aaacatgatc 3180
atcgttggag cgggaggtgg caggagtcga ggcgctgatc cctaaaatgg cgaacatgtg 3240
ttttcatcat ttcagccaaa gtccataact cctgtgcctt tcctatcacc tcgagaagta 3300
attatcagtt ggtttggatt tttggaccac cgttcagtca ttttgggttg ccgtgctccc 3360
aaaacatttt aaatgaaagt attggcattc aaaaagacag cagacaaaat gaaagaaaat 3420
gagagcagaa agtaagcatt tccagcctat ctaatttctt tagttttcta tttgcctcca 3480
gtgcagtcca tttcctaata tataccagcc tactgtacta tttaaaatgc tcaatttcag 3540
caccgatggc catgtaaata agatgattta atgttgattt taatcctgta tataaaataa 3600
aaagtcacaa tgagtttggg catattttaat gatgattatg gagccttaga ggtctttaat 3660
cattggttcg gctgctttta tgtagtttag gctggaaatg gtttcacttg ctctttgact 3720
gtcagcaaga ctgaagatgg cttttcctgg acagctagaa aacacaaaat cttgtaggtc 3780
attgcaccta tctcagccat aggtgcagtt tgcttctaca tgatgctaaa ggctgcgaat 3840
gggatcctga tggaactaag gactccaatg tcgaactctt ctttgctgca ttcctttttc 3900
ttcacttaca agaaaggcct gaatggagga cttttctgta accaggaaca ttttttaggg 3960
gtcaaagtgc taataattaa ctcaaccagg tctacttttt aatggctttc ataactactaa 4020
ctcataagggt taccgatcaa tgcatttcat acggatatag acctagggtc ctggaggggtg 4080
ggggattgtt aaaacacatg caaaaaaaaa aaaaaaaaaa aaattttgta tatataacca 4140
ttttaatctt ttataaagtt ttgaatgttc atgtatgaat gctgcagctg tgaagcatatc 4200
ataaataaat gaagtaagcc ataaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 4260
aaaaaaaaan aaanaaaaaa aaaaaaaaaa aaaaangggg gg 4302
```

<210> 89

<211> 2782

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (82)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (743)

<223> n equals a,t,g, or c

<400> 89

```
ggaaaaagcag gagaccagtt ggtgccagat aatctaaaag aaacagataa ggaaaagggc 60
aatgtggtgc tgaaaggaga antgagtgcc cggatgaaga ttccaagcaa tatgtgggta 120
gaagcctggg aaacagctaa gccaatcctc gctagaaggc aaaggagact ctttgatgat 180
acacggggaag cagaaaaggt gctgcactat ctggcaatcc agaaacctgc agacctgct 240
cggcacctgt taccttgtgt gattcatgca gctgtactca aggtaaagga agaagaaagt 300
ctcgaaaaca tttcttcagt taagaagatc ataaagcaga taatatccca ttccagtaaa 360
gttttgcact tccccaatcc agaagacaag aaattggaag aaatcattca ccagattact 420
```

aatgtggaag ctctcattgc cagagctcgg tcactaaaag ccaagtttgg aactgagaaa 480
tgtgaacagg aggaggaaaa ggaagatctt gaaaggtttg tgagttgcct gctggagcag 540
cctgaagtgt tagtcaccgg tgcaggaaga ggacatgctg gcaggatcat tcacaagctg 600
tttgtgaatg cccagagggtg ccagctatga ctccaccaga ggaggaattg aagagaatgg 660
gctccccaga ggaagaagg cagaactccg tgtcagactt cccacccctt gctggccggg 720
aattcatttt gsgcamcact gtncgcgccc tgcctccctac tccaaagctc tgcctcagcg 780
gatgtacagt gttctcacca aagaggactt tagacttgca ggtgcctttt catcagatac 840
ttccttcttc tgattcttct agcattactc gttgggtggc tcagagacag tgetgcctcc 900
tcctgaggga gggaaggtag cagggagaac ctgggaggtc ctggagaggg ccctgtccag 960
ttgggtgatc aggaatcaaa ccagcatcgg aaagacttcc cagcaccaag cttgagctgt 1020
gtcgtttcgt ggagggggca gcgaggatgg gcttgagctg ttgagagatt tctgccctag 1080
agatggcctt tgtatatggg ggggtgggtg ggggacacaa acacatcaga cactccgtcc 1140
tcacactggc aggacgggtg tcctcgcatt ctcttctgtg accagcctct aggctagcgg 1200
ctgcattcgt ggtctgtgca aacacttcgt ggttctatat atcagcagca agtgtgcaaa 1260
ataaaggacc tgttaactca gatttctgga tattttgggt gtagcttcta gtcccagaat 1320
ctgtgttttt aaaatactac atgacattct gtctattcaa tcacctgggt gtcattcttc 1380
ttgtactaat taactgttga tgagcatttt ggatattcta ggagaaagcc tataatttca 1440
catagtttct ctttttcatt taactgtaac cttaaattgt tacttctgat aaaactatat 1500
atcaaattgc actgcaaatt agttttatat ctgtcatgtg agatttgtct tacttatttt 1560
tcttttggtt gccatggaag ttatggcctt gaaaatcgtc tccctccctt tctcttgctg 1620
tacagcatgc gttctctttt tgtggttgcg ggctgggtac tgtatttaat gaagtagaga 1680
atagcacttg caaaaataca gtcttggtac cttagagactg tcatgcagat agtataattt 1740
ggtatatgtg ctaatgcatt gagtagagga ttattttaac aactattttt gcttttgtat 1800
tttagttaa ataatcgatg gggatgtgta gccccccgt gtgaggatga catcaccaca 1860
tttctagttt catggagctc aagatgtctt gtgtctgtgt ggctagatgg cctctgcttg 1920
gtaattctat ttttaggcct aaaattccca cttaaatcca aagtaaaaat ggttatactg 1980
aagcataaac cttgcctgtg taattttaaa aaattaatag agctgtgcaa accctgttat 2040
ttttgtaaaa aaaaaaaaaa atacatatct atatataata tgtgtgtgtg tgtgacatat 2100
gcacacgtct ctgtgtatgt gaagtagggg aggccttggg ggatgacctc ccagccttta 2160
tgatgctttt ctctatgctg ctggacttca ttcttactgg tccacgcaga tgcaggcgcc 2220
tgaggccagt gctgtaccaa gtagaagacg gttcctaagg acagagtttg tctgttttct 2280
aacaagaaa aattctacaa aggagaggtt gggcggtaca aaggcattgt gaatctaata 2340
aaaggaaagt gtcgctttct gtggcgtttt ctttcatttt ctcccgtgr ggcwtttcag 2400
tctaatttca tgtgktttg tgctgtctca gctctaattg ttgcagcctg ctgagcctaa 2460
caaggcagtg gtctcaagaa cattctttgt gcctttttta agtactccat tttattttta 2520
tgatagttat gtatttattt cacagatata tttaagtacc cactttgtgt caggtagagt 2580
acaagcaatg aagataaaac agaaaccaa acacactccc ttacagggaa aactgacacc 2640
acgttgccac aaaatgttga gtatagtcaa ctctgctgtg tggatcggag ggcctgcatt 2700
tatcctacaa ataattgaat gtaatcctac attcatgtat tcattggcag tacggagtaa 2760
taaagcagc aatgccataa aa 2782

<210> 90

<211> 1037

<212> DNA

<213> Homo sapiens

<400> 90

aattcgcgac gagctgtctg cgaagtggcc cttgattaca aaaagaagaa acacacctaa 60
acactttatc tccaagttac aaaagtttga ggtgcagagg gaaggccaga tttttttttt 120
aatgaaatta tatagattag atctcagtat ttaaactgtt cctcaatttt gtgaggctgt 180
gttggaata acccgccctt agtgctgttg gtatgcaagg cagcgggtgt taatcaatat 240


```

ttcctgtgct caccagagggc aaaatgtacc aatatcctga caccattctc tctccattta 300
cttctggtagg ttacctgac tcttgactct tagaagtgcc cgagatgggg ctaaccttta 360
ttaaacagat cgcataattat gatcttgctg cagccacagt gcagctccac attaaactta 420
cagaccaaac catttggtatc tggcatcact tactaacaca cgacatgcgg cttttctgca 480
tcaactgcta tgacgggtaa gaatgtcagt atacaagaag gaatagaaaa ctgatactgt 540
tttaaataat ctgtaatttc aatTTTTTTT tttttttgct gaaatacatt atattgtacg 600
tttgagataa ttctagtaca aagtataata aaactagatg tataataaac cttttaaatc 660
attggtaagt gtacaagtgg tggaaactgaa gcatttactg gacaaagtaa tgttactcta 720
atggttactt gctcgtgcgt tgccacactg tgttataatt tgcttcattt ccttgctatt 780
tgatacatag tgtgcatctc tctgtcactg taactattgt aatgacaaat tttcatctta 840
ctgcacaatc aaaatgacat tgataggaat gaactccaga ggctgggcct gaacagggag 900
gtggtcgctc aggcctgggtg ctacgtcgta cgacctgtac ctctcaactt ttgccctatc 960
tgttaaatat atgctatgtc attaaatgct tttaaatcta aaaaaaaaaa aaaaaaaaaa 1020
aacggggggg ggcccggg                                     1037

```

<210> 91

<211> 1052

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (962)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (965)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1044)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1048)

<223> n equals a,t,g, or c

<400> 91

```

gggcacagagt gcaggtggat gctgcactgc acccagcacc tctgcttacc aggaggctct 60
ggagccacac cgcagnaagc acacgccctt ttgagccaga catgctgact ttctaataag 120
gatgttctct ctccacagct gaaagatgaa aattctaagc tgagaagaaa gctgaatgag 180
gttcaragct tctytraagc wcawacagaa atggtgagga cgcttgagcg gaagttagaa 240
gcaaaaatga atcaaggagg aaagcgacta ccacgacctg gagtcggtgg ttcagcaggt 300

```

```
ggagcagaac ctggagctga tgaccaaacg ggctgtaaag gcagaaaacc acgtcgtgaa 360
actaaaacag gaaatcagtt tgctccaggc gcaggtctcc aacttccagc gagagaatga 420
agccctgcgg tgcggccagg gtgccagcct gaccgtggtg aagcagaacg ccgacgtggc 480
cctgcagaac ctccgggtgg tcatgaacag tgcacaggct tccatcaagc aactggtttc 540
cggagctgag aactgaatc ttgttgccga aatccttaa tctatagaca gaatttctga 600
agttaaagac gaggaggaag actcttgagg acccctgggt gttctcagca tgaagctccg 660
tgtataccct gaggtcacca ccgctcgatc taaatgtgca gttgtgtcct taaatatgca 720
gtcttcaccc agagtaaagt gttgatcgca agagtccagt gtcgtgccct cagccagttc 780
ttggccacca caatgggagc agccctggcc cgagttgtct ctgtggtttc tatgcagccc 840
ttcttggsa aattcctgcg atcttataga ttctaagag ctcttggaag acattgtcat 900
aaaagccagt gattttaara aaaaaaaaaa aaaaaggcgg gcccggtttt aaaagatccc 960
tnganggggc ccaagcttac gcgtgcattc gacgtcataa cttttttccc tataaggagg 1020
cgattataag cttaggcact tggnccgngg tt 1052
```

<210> 92

<211> 1234

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1115)

<223> n equals a,t,g, or c

<400> 92

```
cttcggcgca tgcgcgctga ggcctgcctg accgaccttc agcagggctg tggctaccat 60
gttctctcgc gcgggtgtcg ctgggctgtc ggcctggacc ttgcagccgc aatggattca 120
agttcgaaat atggcaactt tgaaagatat caccaggaga ctaaagtcca tcaaaaacat 180
ccagaaaatt accaagtcta tgaaaatggt agcggcagca aaatatgcc gagctgagag 240
agagctgaaa ccagctcgaa tatatggatt gggatcttta gctctgtatg aaaaagctga 300
tatcaagggg cctgaagaca agaagaaaca cctccttatt ggtgtgtcct cagatcgagg 360
actgtgtggt gctattcatt cctccattgc taaacagatg aaaagcgagg ttgctacact 420
aacagcagct gggaaagaag ttatgcttgt tgggaattggt gacaaaatca gaggcatact 480
ttataggact cattctgacc agtttctggt ggcattcaaa gaagtgggaa gaaagcccc 540
cacttttga gatgcgtcag tcattgccct tgaattacta aattctggat atgaatttga 600
tgaaggctcc atcatcttta ataaattcag gtctgtcatc tcctataaga cagaagaaaa 660
gcccatcttt tcccttaata ccggtgcaag tgctgacagc atgagtatct atgacgatat 720
tgatgctgac gtgctgcaaa attaccaaga atacaatctg gccaacatca tctactactc 780
tctgaaggag tccaccacta gtgagcagag tgccaggatg acagccatgg acaatgccag 840
caagaatgct tctgagatga ttgacaaatt gacattgaca ttcaaccgta cccgccagc 900
tgtcatcaca aaagagttga ttgaaattat ctctggtgct gcagctctgt aaagaaggaa 960
aattcagcca gttgattttg tttttagctt actgctgcct ttgtccgaag aaactgttcc 1020
tccattatth gaattactga agacagcaag atatttgtaa attatcttaa aataaacaac 1080
ttaaaaaaaa atcattgttt ttcttatata taagnacaat agatatagtt tttgaaatga 1140
gatgatacta aaacatttaa aaatattaat atgctactat taaaattttt tagtagaaga 1200
caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1234
```

<210> 93

<211> 1571

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (1497)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1516)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1530)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1546)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1571)
<223> n equals a,t,g, or c

<400> 93
gagcctgatt ccatcaaaaa gaaaggagta aaaagcaagt tacagcccag cagcacatct 60
gttttccctg ggtccggggg ctgccasgag ggascgggar gtctgtccac ctcacaaggc 120
aggctctgtc agcttttgtc actccctgat ttcttattct ttgttacctt ttttcgcctg 180
actgattttt acttggcatt taagttcccc ttagcactgc cagattctaa aaggttatat 240
tcttttttaa aaagaagaga aagaagaag gaaagaagac aaagaagaa taaaaacctc 300
cgagtgttaa ctacttttcc ctttcttctt ttttttataa agaatacatt ctttcacatc 360
ttgaatttct gtgaatttta gtttccattc tttctgcctt tgcaaaccag acacctaaat 420
tatacgtsa agctgtttaa aagttgtttt ttttttttta atggaaaata tccaagaagc 480
agcccaggag tatctgacat ggtggaatgg aatcagttag aaagcgaaga aatcactaaa 540
aaaagttact tctttttttc cccaccagtt ataacttca accttactag tttataacag 600
tttaatgtcc tatagaagga tcctocacta aagttataat ttttaagtata gtcatataga 660
gagatcccta atccccctggg taatctagat actaaagggtg gggaagaaca gtcatataga 720
cattctttta tccaaaacca ctgtttgaaa ttagtaagga tattttcagc attcccaaaa 780
acatgttatt agcacgttga gctgaaaacg tttttcttcc tcagttagta cagaaacca 840
agcagtcctg gtgtatgtct atgtatagac tgtatcgtac ctgggctcat ggagtagtct 900
aaatttaaaa cgtcctctct tctacctcca atgaaaatgt ttccgtgtgt ggcgtctgat 960
cttccaccgt gtgtgtggtc gtctgctggt gtacgcgtgt ttaaggagcg ctgtgtgctg 1020
ctagtgttcc acgatgtgtg tggctgctctg ctggtgtagt agcactgttt gaggagcact 1080
gtgcgcgcgt agtgtgggtt tacacttatg agtgtgttca ttacatgtgt tctgctcttc 1140
tctccctctc ctgcccctgc cctgctccat cagagagagc tgcaggctct tgctgcccgc 1200
tagtagttcc ctgtcacaaa gggatgccaa ggcttaccga tctgtctgtc aaaaccaaag 1260
atgtctggga aatccctcga gaatccctgc agttgatcaa gagactggga aatgggcagt 1320
ttggggaagt atggatgggt atgctgagac tcaattactc tcttattagc ttccccgttt 1380
ggaagatccc aaacaccaa gatggaaggt gaaaataaag actgcgtgac cggaagaaaa 1440

```
gtttgaatta ctaatagtgg ggaataataa tttcagtttt ggtttttaaac atctggnatt 1500
cctaaaaaaaa aaaaaaanaaaa aaaaaaaacn cgggggggggg cccggnaccc aattcccccc 1560
aaagggggggg n 1571
```

```
<210> 94
<211> 1872
<212> DNA
<213> Homo sapiens
```

```
<220>
<221> misc feature
<222> (4)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (6)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (51)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (1271)
<223> n equals a,t,g, or c
```

```
<400> 94
gggnancccc cccggggggg aaaacggatg ggccccgggc cccccaaaaa ntacccccga 60
ggtttttttt tttttttttg atttaataaa gttttatttt tccaaatgta cagctgggtg 120
gacctattca tgcattctca ccagcagctg gagcatctcc acccttggtg tttctgggtg 180
aaattacttg agctctgtgc tttgaaacca gtgtgataag tcctttacta aggagctcct 240
gaagggctgc cctggccagg gagcctcgaa tcttcagtct ctcagagacc acwkcttctt 300
tttggccttg cccccggatt tgttcaactg gtctttgtct ttcttggccg actttccagc 360
gtccttcttc ttcttgtcgt ccttaggcgg cattgcgaag ctcgagagaat agcagcagac 420
accgcagcct cgtcaagatg tcggacaaaa aggaagcgct gtcagaaac gkgcccaaaa 480
accaccgtcc gctgtgagta cttccggggc aagaggcgga gccaggcaga rgaagtccca 540
cggcgaagcg ctgcacctct agcctgaggc ggaagacagg aagyggattc tagttcccaa 600
gccgcaccgc ctataactg ccggagtctg cgctagtgtg gacgcagtac tatagcgctg 660
ttttcctgca ctgataaacg aaaagcaatc caccaggtct cggcagctaa ctttccggca 720
ctacttatgc ccgagcgtgt cgctcccagt gcgcaagtgc agcaggtggc tgcacggggg 780
gcgcgggagg aggaggaggg ggaggaggag gctgggggtg ggccggcggc aagtgtgtgt 840
atgcggttcc ggggaggggc cgtcgggtag aggctgaata ccagtttccg agcggcaagg 900
cagcgatggc gatttttagt gtgtatgtgg tgaacaaagc tggcggcttg atttaccagt 960
tggacagcta cgcgccacgg gctgaggctg agaaaacttt cagttatccg ctggatctgc 1020
tgctcaagct acacgatgag cgtgtgttgg ttgctttcgg ccagcgggac ggcattccgag 1080
tgggtcatgc agtgctggcc atcaatggca tggacgtgaa tggcaggtac acggccgacg 1140
ggaaagaggt gctggagtat ctgggtaacc ctgctaatta cccggtgtcc attcgatttg 1200
gccggccccg cctcacttct aatgagaagc ttatgtctgc ctccatgttc cactcgtctt 1260
```

```

ttgccatcgg ntcccagctg tctcctgaac agggaaagctc aggcattgag atgctggaga 1320
cagacacatt caaattgcac tgctaccaga cactgacagg gatcaagttt gtggttctag 1380
cagatcctag gcaagctgga atagattctc ttctccgaaa gatttatgag atttactcag 1440
actttgacct caagaatcca ttctattcct tagaaatgcc tatcagggtg gagctctttg 1500
accagaacct gaagctagct ctggagggtg cagagaaggc tggaactttt ggacctgggt 1560
cataggctga acctgttatg gacccccaaa ttctgagagt tcctgcaaca agaatactgc 1620
tgttgacact ccagtggaaa tcccagcagc cttgttagtg cacttgaaag tgggagaatg 1680
ctgacctga tgacttgtag tgattcctga gccttaacac tgtgctcttt ccttctgtat 1740
ataccatggt cttactttcc aactctgtac agatttatth atggaggagc taggtccata 1800
aatgttgtaa taaatattcc ttgatcttg gtgtttgcaa aaaaaaaaaa aaaaaaaact 1860
cgagactagc gg                                     1872

```

<210> 95

<211> 1516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1505)

<223> n equals a,t,g, or c

<400> 95

```

ggagggcaga aaggagaggt gctgggcggg cttagtggga gattgaggac tgggaatccg 60
cttccgggag ggcaactgtct agtgacacagg caacctggcc ttsgcctcct agcccagaaa 120
gccgaatctc cctaatacct gtgacctgtg tcacctctgc atcgcgagga gggggataag 180
tggggagaag tctggtgtca gatgggatgg cgcgggaaga ggggtgccaca gcggggacgg 240
aaggcgcccc caccccaact ccacgggaat ataaacaatt tgtattttcc gatcagggtg 300
cgggacagggc ttcattggga cagccctaac ccagctgctg aatgccagag gccacgaagt 360
acgttgggtct cccgaaagcc cgggcccggc cggatcacgt gggatgagct cgctgcatcg 420
gggctgccga gctgcgatgc cggcgtcaac ctggccggag agaacatcct caaccctctc 480
cgaagatgga atgaaacctt caaaaagag gttctcgga gccgcctaga gaccacccaa 540
ttgctggcta aagccatcac caaagcccca caaccccca aggcctgggt cttagtcaca 600
gggtgtagctt actaccagcc cagtctgact gcggagtatg atgaagacag cccaggaggg 660
gactttgact ttttctccaa cctcgtaacc aaatgggaag ctgcagccag gcttcctgga 720
gattctacac gccagggtgt ggtgcgctca ggggttgtgc tgggcccgtg ggggtgtgcc 780
atgggccaca tgctgctgcc ctttcgcctg ggcctggggg gcccacatcg ctcaggccac 840
caattcttcc cctggataca catcggggac ctggcaggaa tcctgaccca tgcccttgaa 900
gcaaaccacg tgacagggtt cctgaatgga gtggctccat cctccgccac taatgctgag 960
tttgcccaga cttcgggtgc tgccctgggc cgcgagcct tcatccctct cccagcgt 1020
gtggtgcaag ctgtcttttg gcgacagcgt gccatcatgc tgctggaggg ccagaagggt 1080
atcccacggc gaacactggc cactggttac cagtattcct tcccagagct aggggtgcc 1140
ttaaaggaaa ttgtagccta agtaggtcat ggcaagggcc tgaggcctgt tcctcacagg 1200
cttccaggtt aggcactgtg aataggctca gctcctctag agagctgaag ccatctggtt 1260
cttagattcc tctcccagtc ctctttccca ttgttctgtt gctccacett attgtctcaa 1320
cgggtaatac tcatcaggtt gggacattaa tcttttcaac tccttgtaag atttccgggt 1380
ttggtttctc tacatgtcct gcagctgcc cacttctcct ttacgctgtg tagagaatgc 1440
tctgcagttt aggcaataaa aataaattgt ctcactaaaa aaaaaaaaaa aaattggggg 1500
ggggncccgt acccat                                     1516

```

<210> 96

<211> 1770
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (485)
<223> n equals a,t,g, or c

<400> 96
agtgccagga gtgggttcca gatcgggaga gctacgtgtc ccacatgaaa aagagccacg 60
gtcggacatt gaagcggtag ccatgccggc agwgtgaaca gtccttccac accccaaca 120
gcctgcgcaa acacatccgc aacaacccatg acacagtaaa gaagttctac acctgcgggt 180
actgcacaga ggacagcccc agctttcctc ggccctccct tctggagagc cacatcagcc 240
ttatgcatgg catcagaaac cctgatttga gccagacgtc caaagtgaac cctccgggtg 300
gacattcccc tcaggtgaac catctgaaaa gaccagtcag tggagtgggg gacgctccag 360
gcaccagcaa tggcgcaact gtctcttcca ccaaaaggca caagtcctt ttccagtgcg 420
cgaaatgtag ttttgccaca gactcggggc tcgagtttca gagccacata cctcagcacc 480
aggtnggaca gytccacagc ccaatgtctc ctctgtggtt tgtgtacac ctctgccagc 540
tcctcagacc gccacctctt cattgtccac aaggtgagag accaggagga ggaggaggaa 600
gaggaggcgg cggcacggag atggcagtg aggtggcaga gcagaggagg gctccgggga 660
rgargtgccc atggagacta gagagaatgg actggaagaa tgtgccgggtg agccyttgtc 720
agctgaccca gaggcgagga gattgctggg cccggccctt gaggacgatg ttggccacaa 780
tgatcacakt caaccacagg cytytcagga ccaggacagc cacacactgt cccctcaggt 840
gtgaccggag actttgcagt gtgcatggtc aggggtggtg ccgaagtgtc ttccacctgc 900
cctgcggacc gtgaaaata aaaggctctg cccccagtgt gagtgtgacc ggttgtacct 960
tggagtagtg tctgccctga gctgccagtg ctgggtatcc cccagcccca ggaaatgtgg 1020
ggtcggccag gaccctcaca gctctgaatt tgcttctgtt atttatggct ttctgytgct 1080
tcttggtgcc ccatctcttg tctgtgtcct tccaacccca agctgcttat ttggcccaac 1140
cccactgctg tcaactaggc ttgaacccca cagcggctgt gctcttctgg gaggttcccg 1200
cttgctgcct tcagccaggg cgtcctcag agctctatct tctgcagac accagctctc 1260
cttctgcct ttagatcctg agaaggagg aaatgagggg tgcagacaca gtccctctgg 1320
gagagctctg cctagtctgg ttggcgagg gcccttgatc accttgcccc tctcctctgt 1380
cttctctgat tctttccct caaaatagtc ctgagaacta attgtcacac tggctcatca 1440
tgtctctgtg ggtggggtgg gagaaacctc tgcagcacac ctctgtttgg aacctgggca 1500
gagcaggagg taaggcaaag gcaggcaggc accaagaacc agacccttg agaaggcgct 1560
gtgggtgggt ctttgttctg ctgttctgcc ttctctgaca ggtggggttg gggcacacag 1620
acattggaat atttgtactg ctctcgtgcc atttgagagg cttgctgccc caggcaggcc 1680
agcccctact cctcttggtt aactcatgt tkctcagact atatttcaaa taaaaaatct 1740
tctcaccatg caggtaggct cttgtattcc 1770

<210> 97
<211> 938
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (183)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (293)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (360)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (938)
<223> n equals a,t,g, or c

<400> 97
gcagaagagg ggagattggg ggagagatga cagctgcagg gatggttgtr agccgctagt 60
ratggagagc agagggagag ggccaggctc caractccca cagcccaca cagcacctct 120
gccaggccta ggagaagaca ggtgcagctc ttgcagctct gcgggtgtgc ggccaaaggc 180
aangcccacg ggctggatgt cacttccccg actgtctctt ggttggcttg tccttgtgca 240
agaccagcs tgtcacgaca garcctgggc acttcagagg aggagccagg ttngaattggt 300
aaggggggaa ttgggtcca ccatagtctt ctgctctggt cctccacggg tgggaccagn 360
atggaagtct cctgcctaac ctcactgcat tgcactggac ctgggatgcc tatccaccct 420
ctggcagaag aactcacca ggttatctgt gaagagactc tgggatccca tcacctcaaa 480
gccagagggt ccccaagtca ccgctgagag cacttgagcc tcaaggatgt aagcctgacc 540
ataggatctt gactccaaca gcggcaaccc ccaccccat tgtggtccgt ccttaacca 600
tccactcttc ttcggaggca actgagaaca cataaagcaa gcagctacct agcatcccc 660
tcctaaagct ttagactcag agcccagggt cccccacaag cctcaaggta gcctcagggt 720
tctctaattt cctccactcc cagttcgaag caaacagctt actgcctagt ccccgccaat 780
cccaagggag ggctggctga tggcagcatg gtgggctggc ctgggtgtgg agtgaaagag 840
tcactgtggt gggggcgaga ggaggacttg ggagctggag gtgtgacacc ttcagttctg 900
ttcctattaa aggaccttct gaagggcaaa aaaaaaan 938

<210> 98
<211> 311
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (297)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (309)
<223> n equals a,t,g, or c

<400> 98
agatcgggct ggagcagcag aagcagacgg tccagatgcg cgcgcagatg cccgccttcc 60
ccctgcccta cgcccaggca tgtgccatcc tcccgccacc cagaggtttg tgggctgagg 120

accaactctc accgctgtct ctttcgtccc cagctccagg ccatgcccgc agccggaggt 180
gtgctctacc agccctcggg accagccagy ttccccagca ccttcagccc ygccggctcg 240
gtggagggct cccaatgca cggcgtgtac atgagccagc cgggccctgc cgctgggnccc 300
taccacagna t 311

<210> 99
<211> 620
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (368)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (570)
<223> n equals a,t,g, or c

<400> 99
actgccggtc gttcggacgt cttgcctgtc gctggaggag aggtccgggc tctccaggaa 60
ggtggctgcg gcgacaaaat gaagatatc gtgggcaacg tcgacggggc ggatacgact 120
ccggaggagc tggcagccct ctttcgcgcc tacggcacgg tcatgagctg cgccgtcatg 180
aaacagttcg ctttcgtgca catgcgcgag aacgcggggc cgctgcgcgc catcgaagcc 240
ctgcacggcc acgagctgcg gccggggcgc gcgctcgtgg tggagatgtc gcgcccagg 300
cctcttaata cttggaagat tttcgtgggc aatgtgtcgg ctgcatgcac gagccaggaa 360
ctgcgcantc cttcgagcgc cgcggacgcg tcatcgagtg tgacgtggtg aaagactacg 420
cgtttgttca matggagaag gaagcagatg ccaaagccgc aatcgcgag ttcaacggca 480
aagaagtga gggcaagcgc atcaacgtgg aatctycacc aagggtcaga agaaggggcc 540
tggcctggct gtccagtctt gggacaagan caagaaacca agggctgggg ataggccttc 600
cctggaatgg tggctttctg 620

<210> 100
<211> 2511
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (12)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (28)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2456)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2488)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2511)

<223> n equals a,t,g, or c

<400> 100

```
gtaccattcc cngaccgctt ggcctgtncg attaatccgc ccnatagga attggcccg 60
gccagattcg gccgagcaag cggaaacctct gggaaaagca atctgtggat aaggtcactt 120
ccccactaa ggtttgagac agttccagaa agaaccgaag ctcaagacgc aggacgagct 180
cagttgtaga gggctaattc gctctgtttt gtatttatgt tgatttacta aattgggttc 240
attatctttt atttttcaat atcccagtaa acccatgtat attatcacta tatttaataa 300
tcacagtcta gagatgttca tggtaaaagt actgccttg cacaggagcc tgtttctaaa 360
gaaacccatg ctgtgaaata gagacttttc tactgatcat cataactctg tatctgagca 420
gtgataccaa ccacatctga agtcaacaga agatccaagt ttaaaattgc ctgcggaatg 480
tgtgcagtat ctagaaaaat gaaccgtagt ttttgttttt ttaatacag aagtcatgtt 540
gtttctgcac ttataataa agcatggaag aaattatctt agtaggcaat tgtaacactt 600
tttgaaagta acccatttca gatttgaaat actgcaataa tggttgtctt taataaaaaa 660
aaagaaatgt actgttaagg tattactttt tttcatgctg atgattcata tctaaattac 720
attattatgt tagctgacag tggtagctgat ttttaggtt ggttggtttg tggatttctt 780
tagtagtgat agtagcctga accacatttt agataactca attatgtatg tatgtgcata 840
cacatataca aacacactaa tggtagaatg cttttttatg tgctagacta ttatatttag 900
tagtatgtca ttgtaactag ccaatatcac agcttttgaa aaattaaaaa atcacactat 960
attaatatat catatttgcc aacagaaaca tggcagatag gtatcaatat gttttcaatg 1020
cctgatgacc tataagaaga aagtattgaa aagaagagag attagaactg ttagaaggag 1080
ttgaaatttt ctaaaagaca tagtatttag ttataatta aatgcattct tgaagtccag 1140
tgtgaatttt attaatgcta tcatctcgac caagctcaaa gcctacttat tagaaacaat 1200
gaagttcaca ataggtcata aggtctcttc cttttctaaa attgaaagac aagaaattta 1260
gtgccaatat tgtacagaca gaaattccat gtatgagtct caacaaagac tacctttggc 1320
taaatgtcta gaagcagaga agtaaaagtga gcaaaatcca gtgttgagga gtcattgacag 1380
tactttgatc ttatatact ctgaagcatt tcttcaaact tttctacttt tatttgtcat 1440
tgatacctgt agtaagttga caatgtggtg aaatttcaaa attatatgta acttctacta 1500
gttttacttt ctcccccaag tcttttttaa ctcatgattt ttacacacac aatccagaac 1560
ttattatata gcctctaagt ctttattctt cacagtagat aatgaaagag tcctccagtg 1620
tcattggcaaa atgttctagt atagctggat acatacagtg gagtcttata aactcatacc 1680
tcagtggagt taaccaaaat tgtgttagtc tcaattccta ccacactgag ggagcctccc 1740
aaataaactat tttcttatct gcagtattcc tccagaagag ctaaccaggg cagggtctggc 1800
atgagaagtg acatctgcgt tacaaagtct atcttctca taagtctgta aagagcaatt 1860
gaatcttcta gctttagcaa acctaagcca aaggaaggaa agccacgaag aatgcagaag 1920
tcaaaccctc atgacaaaagt aggcacaagt ctacaataag ctaaatcaga atttacaatt 1980
```

acaagtgtcc caggtagcat tgactcccgt cattggagtg aaatggatca aagtttgaat 2040
taaggcctat ggtaaggtaa cattgctttg ttgtactttt gaacaagagc tcctcctgat 2100
cactattaca tatttttcta gaaaatctaa agttcagaag agaattgtatc actgctgact 2160
tttattccaa tatttggtg gagtaagttt tagggtagaa ttttgttcag tttggattta 2220
atcttttgaa aagtaaatc cttgtttact ggtttgacta taattctctg ttatctttac 2280
gaggtaaaac tgcaagctga ctacgatgtt ctgtgaatct gccattccta aaaattttat 2340
aaacacttga tacttttcac tgataatgga tcgctccaat aaacatatat tgtgaaaatg 2400
catccacaat aaatggaatt ccttcctgca aaaaaaaaaa aaaaaagggc ggccgntcta 2460
gaggatccag gcttacgtac gcgtgccngc gacgtccata gcccttcta n 2511

<210> 101

<211> 2981

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (293)

<223> n equals a,t,g, or c

<400> 101

cggacgcgtg ggcgccacg ttgtcttgcg cgctttgccc gcctggccct gggactctga 60
ccctcggcta cccttccctg cccactagc gtggccgcga gcctcgggta gccggccgta 120
ttcccgtct cgttagggg gcacaggcgc aggcacgcgc ccggccactc caagccttcg 180
gtgcgcgggc gcgtctggga tacgggcccg ggaggcgccg ccctccgtcc gcccggtgcc 240
tctcaggaac agcgaaccgg agagagcgcc ggagagttgg gctcagtgcg gancctcgcg 300
ccggggccca tgcccgtgcg ccccgccagg ccggcgccat ggccctccgg agtktgccg 360
agtgcctgca gcaggagacc acctgccccg tgtgcctgca gtacttcgca gagccatga 420
tgctcgactg cggccataac atctgttgcg cgtgcctcgc ccgctgctgg ggcacggcag 480
agactaacgt gtcgtgcccg cagtgcgggg agaccttccc gcagaggcac atgcggccca 540
accggcacct ggccaactg acccaactgg taaagcagct gcgcaccgag cggccgtcgg 600
ggcccggcgg cgagatgggc gtgtgcgaga agcaccgcga gccctgaag ctgtactgcg 660
aggaggacca gatgccatc tgctgtgtgt gcgaccgctc ccgcgagcac cgcggccaca 720
gcgtgctgcc gctcgaggag gcggtggagg gcttcaagga gcaaatccag aaccagctcg 780
accatttaaa aagagtgaag gatttaaaaga agagacgtcg ggcccagggg gaacaggcac 840
gagctgaact cttgagccta acccagatgg agaggagaaa gattgtttgg gagtttgagc 900
agctgtatca ctcttaaaag gagcatgagt atcgctcctt ggcccgccctt gaggagctag 960
acttgcccat ctacaatagc atcaatggtg ccatcaccga gttctcttgc aacatctccc 1020
acctcagcag cctgatcgct cagctagaag agaagcagca gcagcccacc agggagctcc 1080
tgacggacat tggggacaca ttgagcaggg ctgaaagaat caggattcct gaaccttgga 1140
tcacacctcc agatttgcaa gagaaaatcc acatttttgc ccaaaaatgt ctattcttga 1200
cggagagtct aaagcagttc acagaaaaaa tgcagtcaga tatggagaaa atccaagaat 1260
taagagaggc tcagttatac tcagtggacg tgactctgga ccagacacg gcctacccca 1320
gcctgatcct ctctgataat ctgcccgaag tgccgtacag ttacctcaa caggacctgc 1380
ctgacaaccc cgagagggtc aatctgtttc cctgtgtctt gggctctcca tgcttctga 1440
ccggagagaca ttattgggag gtagagggtg gatataaagc caagtggacc ataggtgtct 1500
gtgaagactc agtgtgcaga aaagggtggg taacctcagc cccccagaat ggattctggg 1560
cagtgctctt gtgttatggg aaagaatatt gggctcttac ctccccaat actgccctac 1620
ccctgcggac ccgctccag cgggtgggga ttttcttgga ctatgatgct ggtgaggtct 1680
ccttctacaa cgtgacagag aggtgtcaca ccttcacttt ctctcatgct accttttggt 1740
ggcctgtccg gccctacttc agtctgagtt actcgggagg gaaaagtga gctcctctga 1800

```

tcatctgccc catgagtggg atagatgggt tttctggcca tgttgggaat catggtcatt 1860
ccatggagac ctccccttga ggaggtgaat tcaggccaaa agggctgttg gctgtaatcc 1920
tacgccaggc acaaggcatc ttgttgctt gccacgtcct gtcacagctg ggtatcctta 1980
ccatgttcca cgcccttgca gtgggagaca ggatgtccat gttctctacc atccttttcc 2040
tccccatgca gattgtgaaa tgtaatgaga tgtatcaaga tatcctagaa ataaaaacca 2100
gatgtccacc tccagtgttt catactttct ggttttacac atcgtctggag ggataaagag 2160
tatggataat ctttggattt ggagagccgt tcaagatact tccagcttct tggctcagcc 2220
tggcttcctc tggttcagcc ccacataatg attatggcta tttgctgtca tttctgggct 2280
agggctcctt tctaacaacc tagactggaa taaggccctg tcagcatggc tccctttatc 2340
ccagttttcc gtctgggaac agtacctctg cccctgattc ccaatgtgcc atagttttat 2400
taactccatt aaagaagcct gtatgtgttt tggttagtta cagttatttt acaataatgg 2460
tgggtaatgg ccccacctct gtatgagat aatgttctaa tcaatgtctc tgcctttgta 2520
tcttttctga gggctttgtc tgtctcttct attctaataa aagggtgtatt ctagtgtctg 2580
gtgcatatca tccaggataa tattctgccc aactccatcc tctgttacta gatcccttac 2640
cagtcacatt tgtggactgg tggccagctg tataccatcc ctggaaggat tctgggacaa 2700
tattccaggg attcattgac ttcttggctc cttttctcca tttccttttg gggaaggggg 2760
aattgaccat gcttaagtgc atcctatcaa ggggcagctc cgtcccatg gccattggat 2820
catgagacac tctgaagtca gaaggctggg gcagatcact tcaagcaagc ccccatgatg 2880
gttctcagtc ctgcttctct gtgggtacgt gccctctgt ttaaaaaataa actgaatatg 2940
gatgtttaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa g 2981

```

<210> 102

<211> 2804

<212> DNA

<213> Homo sapiens

<400> 102

```

ccaaggacac aggtgaaagg ttgagccatg cagtaggctg tgcttttgca gcctggttta 60
gagcgcaaca ggaagcggcg agaaggaatg tggagtgact gctacttttg atgctagtctg 120
gaccactttt acaagagaag gatcattccg tgtcacaaac gccactgaac aagcagaaag 180
agaggagatc atgaaacaaa tgcaagatgc caagaaagct gaaacagata agatagtcgt 240
tggttcatca gttgcccttg gcaamactgc cccatcccca tcctctccca cctctcctac 300
ttctgatgcc acgacctctc tggagatgaa caatcctcat gccatccac gccggcatgc 360
tccaattgaa cagcttgctc gccaaggctc tttccgaggt tttcctgctc ttagccagaa 420
gatgtcacc tttaaacgcc aactatccct acgcacaaat gagttgcctt cactatgca 480
gaggaagact gatttcccca ttaaaaatgc agtgccagaa gtagaagggg aggcagagag 540
catcagctcc ctgtgctsac agatcaccaa tgccttcagc acacctgag accccttctc 600
atctgtcccg atgacaaaac cagtacagt ggtggcacca caatctccta ccttccaagg 660
gaccgagtgg ggtcaatctt ctggtgctgc ctctccaggt ctcttcagg ccggtcatag 720
acgtactccc tctgaggccg accgatggtt agaagagggt tctaagagcg tccgggctca 780
gcagccccag gcctcagctg ctctctgca gccagttctc cagcctctc caccactgc 840
catctcccag ccagcatcac ctttccaagg gaatgcattc ctcacctctc agcctgtgcc 900
agtgggtgtg gtcccagccc tgcaaccagc ctttgtccct gccagtcct atcctgtggc 960
caatggaatg ccctatccag cccctaattg gcctgtggtg ggcatacty cctcccagat 1020
ggtggccaac gtatttggca ctgcaggcca ccctcaggct gccatcccc atcagtcacc 1080
cagcctggtc aggcagcaga cattccctca ctacgaggca agcagtgcta ccaccagtcc 1140
cttctttaag cctcctgctc agcacctcaa cggttctgca gctttcaatg gtgtagatga 1200
tggcagggtt gcctcagcag acaggcatat agaggttcct acaggcacct gccagtgga 1260
tccttttgaa gccagtggtg ctgcattaga aaataagtcc aagcagcgta ctaatccctc 1320
ccctaccaac cttttctcca gtgacttaca gaagacgttt gaaattgaac tttaagcaat 1380
cattatggct atgtatcttg tccataccag acagggagca gggggtagcg gtcaaaggag 1440

```

```
caaaacagac tttgtctcct gattagtact cttttcacta atcccaaagg tcccaaggaa 1500
caagtccagg cccagagtag tgtgaggggt gattttgaaa gacatgggaa aaagcattcc 1560
tagagaaaag ctgccttgca attaggctaa agaagtcaag gaaatgttgc tttctgtact 1620
ccctcttccc ttacccctt acaaattctct ggcaacagag aggcaaagta tctgaacaag 1680
aatctatatt ccaagcacat ttactgaaat gtaaaacaca acaggaagca aagcaatctc 1740
cctttgtttt tcaggccatt cactgcctc ctgtcagtag tggcctgtat tagagatcaa 1800
gaagagtggg ttgtgctcag gctggggaac agagaggcac gctatgctgc cagaattccc 1860
aggaggcat atcagcaact gccagcaga gctatatttt gggggagaag ttgagcttcc 1920
atthtgagta acagaataaa tattatatat atcaaaagcc aaaatcttta tttttatgca 1980
tttagaatat tttaaatagt tctcagatat taagaagttg tatgagttgt aagtaattct 2040
gccaaaggta aaggggctag ttgtaagaaa ttgtacataa gattgattta tcattgatgc 2100
ctactgaaat aaaaagagga aaggctggaa gctgcagaca ggatccctag cttgttttct 2160
gtcagtcatt cattgtaagt agcacattgc aacaacaatc atgcttatga ccaatacagt 2220
cactagggtg tagttttttt taaataaagg aaaagcagta ttgtcctggg tttaaaccta 2280
tgatggaatt ctaatgtcat tattttaatg gaatcaatcg aaatatgctc tatagagaat 2340
atatctttta tatattgctg cagtttcctt atgttaatcc ttaaacacta aggtaacatg 2400
acataatcat accatagaag ggaacacagg ttaccatatt ggthtgtaat atgggtcttg 2460
gtgggttttg tttatcctt taaattttgt tcccatgagt tttgtgggga tggggattct 2520
ggthttatta gctttgtgtg tgctctcttc ccccaaacc ccttttggtg agaacatccc 2580
cttgacagtt gcagcctctt gacctcgat aacaataaga gagctcatct catttttact 2640
tttgaacgtt ggccttacia tcaaatgtaa gttatatata tttgtactga tgaaaattta 2700
taatctgctt taacaaaaat aaatgttcat ggtagaagct tttkcccatg aagggtgtgt 2760
ctttccctt tcctttatta gtaaatgaat ttatttttaa aaaa 2804
```

<210> 103

<211> 722

<212> DNA

<213> Homo sapiens

<400> 103

```
cgggaagagg cggacagcga ggccaagatt tcagctgcgg gacggtcagg ggagacctcc 60
aggcgagggg aaggacggcc agggtgacac ggaagcatgc gacggctgct gatccctctg 120
gccctgtggc tgggygcggg gggcggtggc gtcgcccagc tcacggaagc ccagcgccgg 180
ggcctgcagg tggccctgga ggaatttcac aagcaccgc ccgtgcagt ggcttccag 240
gagaccagtg tggagagcgc cgtggacacg ccctccag ctggaatatt tgtgaggtg 300
gaatttaagc tgcagcagac aagctgccgg aagagggact ggaagaaacc cgagtgcaa 360
gtcagcccca atgggaggaa acggaatgc ctggcctgca tcaaactggg ctctgaggac 420
aaagtctctg gccggttggt ccamtgcccc atagagaccc aagttytgcg ggagaccag 480
tgccctcagg tgacgaggc tggtaggac cccacagct tctacttccc tggacagtcc 540
gccttctcca aggccctgcc ccgcagctaa gccagcactg agmtgcgtg tgcctccagg 600
accgtgcgg gtggttaacca gtggaagacc ccagcccca gggagaggaa cccgttctat 660
ccccagccat gataataaag ctgctctccc agctgcctct caaaaaaaaa aaaaaaaaaa 720
aa 722
```

<210> 104

<211> 1636

<212> DNA

<213> Homo sapiens

<400> 104

```
tacggctgcg agaagacgac agaagggggg ctatctgaag aggacgggga cgggagcctg 60
```

```
ctctacagcg tgggtcaacac ggccgagcga cgctgatgag gaggagaccc acccggtgac 120
ttgagctcgc tctccagtaa gctactccca ggcttcacca cgctgggctt caaagacgag 180
agaagaaaca aagtcacctt tctctccagt gccactactg cgctttcgat gcagaataat 240
tcagtatttg gcgacttgaa gtcggacgag atggagctgc tctactcagc ctacggagat 300
gagacaggcg tgcagtgtgc gctgagcctg caggagtgtg tgaaggatgc tgggagctac 360
agcaagaaaag tgggtggacga cctcctggac cagatcacag gcggagacca ctctaggacg 420
ctcttccagc tgaagcagag aagaaatgtt cccatgaagc ctccagatga agccaagggt 480
ggggacaccc taggagacag cagcagctct gttctggagt tcatgtcgat gaagtcctat 540
cccgcgctt ctgtggatat ctccatgctc agctctctgg ggaagggtgaa gaaggagctg 600
gacctgacg acagccattt gaacttggat gagacgacga agctcctgca ggacctgcac 660
gaagcacagg cggacgcggc ggctctcggc cktcgtccaa cctcagctcc ctgtccaacg 720
cctccgagag ggaccagcac cacctgggaa gcccttctcg cctgagtgtc ggggagcagc 780
cagacgtcac ccacgacccc tatgagtttc ttcagtctcc agagcctgcg gcctctgcca 840
agacctaaact ctagaccacc ttcagctctt ttattttatt tttttagttt tattttgcac 900
gtgtagagtt tttgtcatca gacaaggact ttgatcctgt cccctttggc atgcgggaa 960
cagccgcggc ggaggtaatg aattgtctgt ggtatcatgt cagcagagtc tccaagcccc 1020
acgaaccctg aggagtggag tcatacgcga aggccatatg gcatcgtgtc agcagagaga 1080
gtctctgtac acagccccgt gaacctgag gagtggagtc atacacgaag ggcgtgtggc 1140
catcgtgtca gcagagagag tctctgtaca cagccccgtg aacctgagg agtggagtca 1200
tacgcgaagg gtgtgtggcc aggtgcaga gctgcgtgcc gtttgtgtcc gagcatcacg 1260
tgtggctcca gcccttgttt ctgccagtgt agacacctct gtctgcccc ctgtcctggg 1320
gtcgtctctg ggaggcacag gcatgggtgt gtctggcctc attctgtatc agtccagtgt 1380
gttcctgtca tagtttgtgt ctcccaggca ggccatggtg ggggcctcgc agggggccatt 1440
ggggagcaca gggccaggct ggggtgagga gagctccctt gttttctgtt taattgatga 1500
gcctgggaaa ggagtgtgtt ctgcctgccc gttacagtgg agcgttccgt gtccataaaa 1560
cgttttctaa ctggraaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaggggg gggggg 1636
```

<210> 105

<211> 1561

<212> DNA

<213> Homo sapiens

<400> 105

```
caggcgggaa catggccacc gagacccaaa tgtggtgccg ggtcctccca agccagcaaa 60
ggagaaacct ccaaaaaga aggccagga caaaattctt agtaatgagt atgaggagaa 120
gtatgacctc agccggccta ctgcctctca gctggaggac gagctgcagg tggggaatgt 180
tccccttaaa aaagcaaagg agtctaaaaa gcatgaaaag cttgagaaac cagagaagga 240
gaagaaaaaa aagatgaaga atgagaacgc agacaagtta cttaaagagtg aaaagcaaat 300
gaagaagtct gagaaaaaga gcaagcaaga gaaagagaag agcaagaaga aaaaaggagg 360
taaaacagaa caggatggct atcagaaacc caccaacaaa cacttcacgc agagtcccaa 420
gaagtcagtg gccgacctgc tggggtcctt tgaaggcaaa cgaagactcc ttctgatcac 480
tgctcccaag gctgagaaca atatgtatgt gcacaacgtg atgaatatct ggaaagtttc 540
tgcaagatgg ctaccaggaa aatctctgtg atcaccatct tcggccctgt caacaacagc 600
accatgaaaa tcgaccactt tcagctagat aatgagaagc ccatgcgagt ggtggatgat 660
gaagacttgg tagaccagcg tctcatcagc gagctgagga aagagtacgg aatgacctac 720
aatgacttct tcattggtgct aacagatgtg gatctgagag tcaagcaata ctatgaggtg 780
ccaataacaa tgaagtctgt gtttgcctgt atcgatactt tccagtcccc aatcaaagat 840
atggagaagc agaagaagga gggcattgtt tgcaaaagag acaaaaagca gtccctggag 900
aacttcctat ccagggttccg gtggaggagg aggttgctgg tgatctctgc tcctaacgat 960
gaagactggg cctattcaca gcagctctct gccctcagtg gtcaggcgtg caattttggt 1020
```

```

ctgcgccaca taaccattct gaagctttta ggcgttgag aggaagttgg gggagtgtta 1080
gaactgttcc caattaatgg gagctctgtt gttgagcgag aagacgtacc agcccatttg 1140
gtgaaagaca ttcgtaacta ttttcaagtg agcccgaggt acttctccat gcttctagtc 1200
ggaaaagacg gaaatgtcaa atcctggtat ccttcccaa tgtggtccat ggtgattgtg 1260
tacgatttaa ttgattcgat gcaacttcgg agacaggaaa tggcgattca gcagtcaactg 1320
gggatgcgct gccagaaga tgagtatgca ggctatggtt accatagtta ccmccaagga 1380
taccaggatg gttaccagga tgactaccgt catcatgaga gttatcacca kggataccct 1440
tactgagcag aaatatgtaa ccttagactc agccagtttc ctctgcagct gctaaaacta 1500
catgtggcca gctccattct tccacactgc gtactacatt cctgcctttt tcccttcattg 1560
t

```

<210> 106

<211> 486

<212> DNA

<213> Homo sapiens

<400> 106

```

tcgacccacg cgtccgcccc cgcgtccgga aagcagtgtc aagacagtaa ggattcaaac 60
catttgccaa aaatgagtct aagtgcattt actctcttcc tggcattgat tgggtgtacc 120
agtggccagt actatgatta tgattttccc ctatcaattt atgggcaatc atcaccaaac 180
tgtgcaccag aatgtaactg ccctgaaagc taccgaagtg ccatgtactg tgatgagctg 240
aaattgaaaa gtgtaccaat ggtgcctcct ggaatcaagt atctttacct taggaataac 300
cagattgacc atattgatga aaaggccttt gagaatgtaa ctgatctgca gtggctcatt 360
ctagatcaca accttctaga aaactccaag ataaaaggga gagttttctc taaattgaaa 420
caactgaaga agctgcatat aaaccacaac aacctgacag agtctgtggg cccacttccc 480
aaatct

```

<210> 107

<211> 800

<212> DNA

<213> Homo sapiens

<400> 107

```

cttgtatctg atcgttctaa aaaagagttg tccccggttt taaccagtga agttcatagt 60
gttcgtgcag gacggcatct tgctaccaa ttgaatattt tagtacagca acattttgac 120
ttggcttcaa ctactattac aaatattcca atgaagtgga ttcgcatcta ggtggcgga 180
gtcgagaagg ctctgtttaa gaaacaataa cattaaagtg gtgtacacca aggacaaata 240
acattgaatt acactattgt actggagctt atcggatttc acctgtagat gtaaatagta 300
gaccttcctc ctgccttact aattttcttc taaatggctg ttctgtttta ttggaacaac 360
cacgaaagtc aggttctaaa gtcattagtc atatgcttag tagccatgga ggagagattt 420
ttttgcacgt ccttagcagt tctcgatcca ttctagaagr tccacottca attagtgaag 480
gatgtggagg aagrgttaca gactaccgga ttacagattt tgggtgaattt atgagggaaa 540
acagattaac tccttttcta gaccccgat ataaaatcga tggaagtctt gaggtccctt 600
tggaacgagc aaaagatcag ttagaaaaac ataccggtta ctggcctatg gatcatttca 660
caaaccacca tttttaacak gcaagcggta gttccattag ccagtgttat tgtggaaaaga 720
tcyctggaca gaggaagatg tggttwaaac ggtccaaaaa acatwtcca acttggttgg 780
ataaggggaa ggaaaaaagg

```

<210> 108

<211> 1058

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1019)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1054)

<223> n equals a,t,g, or c

<400> 108

```
ggcacgagcg tgactggcgc cgaaatggga gaaagcagcg agtgagaggg gaaggggagc 60
caggcgagca cccgggagcc agcgggacct gggcaggggc gcccgagca ggccgcatgg 120
cgggccccgc gcggggatcc ggctggaaga gagcgtacac ggctcgacg agtccggggc 180
cgatgtacca ggtgagcggc cagccccctc tggctgacgac gcgcccttat ggagccccca 240
gcgcamcccg ggcccagccc agacccctat ccttccttcc tgggctggar gtaktaacag 300
gatccactca cctgcgagg gcagcaccag aggagggctc cctggaggag gcggcaaccc 360
ccatgcccc aaggcaatggc cctggcatcc cccagggcct ggacagcact gacctcgacg 420
tccccacaga agctgtgaca tgccagcctc aggggaaccc ttgggctgca cccacttct 480
gccgaatgac tctggccacc cctcagagct gggcggcacc agacgggagg ggaatggtgc 540
cctgggtggc cccaaggccc accggaagt gcagacacac ccactctctg ccagccaggg 600
cagcaagaag agtaagagca gcagcaaac caccacctcc cagatcccc tccaggcaca 660
ggaagactgc tgtgtocact gcacctgtc ctgcctgttc tgcgagttcc tgacgctgtg 720
caacatcgtc ctggactgac ccacctgtg ctcctgcagc tcggaggact cgtgcctctg 780
ctgctgctgc tgggctctgc gcgagtgtgc cgactgcgac ctgccctgac acctggactg 840
cggcatcctg gatgcctgct gcgagtccgc ggactgcctg gaaatctgca tggantgtgc 900
tgggctctgc ttctcctcct gagcctctgt cggggggtta gccagcctgg cgccccgca 960
gattccagca gggctccctc gagtggggcc aggccaggga ctgtcacaca aggcttgana 1020
aagccccctc cctggtcct ctcctacca ccctgtgc 1058
```

<210> 109

<211> 1076

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (780)

<223> n equals a,t,g, or c

<400> 109

```
caggaggaag caggaagaaa caggaggagg aacctgagac agagccgctg aagtccttgc 60
tggaagcaga tgggattaaa tgagcgacga gactgggaga gtgccagaga gagacaccaa 120
gaggatgcag gtctgtctgc tatcagctat gccgctgccc gttgcgctgc agacccgctt 180
```

```
ggccaagaga ggcacacctca aacatctgga gcctgaacca gaggaagaga tcattgccga 240
ggactatgac gatgatcctg tggactacga ggccaccagg ttggagggcc taccaccaag 300
ctggtacaag gtgttcgacc cttcctgcgg gctcccttac tactggaatg cagacacaga 360
ccttgatcc tggctctccc cacatgaccc caactccgtg gttaccaa atcgccaagaa 420
gctcagaagc agtaatgcag atgctgaaga aaagttagac cggagccatg acaagtgcga 480
caggggcat gacaagtcgg accgcagcca tgagaaacta gacaggggcc acgacaagtc 540
agaccggggc cagacaagt ytgcaggga tcgagagcgt ggctatgaca aggtagacag 600
agagagagag cgagacaggg aacgggatcg ggaccgcggg tatgacaagg cagaccggga 660
agagggcaaa gaacggcgcc accatcgccg ggaggagctg gctccctatc ccaagagcaa 720
gaaggcagta agccgaaagg atgaagagt agaccccatg gaccctagct catactcagn 780
acgccccggg ggacgtggt caacaggact ccccaagcgg aatgaggcca agactggcgc 840
tgacaccaca gcagctgggc cctcttcca gcagcgccg tatccatccc caggggctgt 900
gctccggggc aatgcagagg cctccgaac caagcagcag gattgaagct tcggcctccc 960
tgccctggg ttaaaataaa agctttctgg tgatcctgcc caccaaaaaa aaaaaaaaaa 1020
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa waaaaaaatt ttgggggggg cccct 1076
```

<210> 110

<211> 1199

<212> DNA

<213> Homo sapiens

<400> 110

```
gttggtggag ttctgcccgg atggaagctc cggccgcgga gtgatggtag cctcagcga 60
gatgggcccg gcagggacca tggcggtggc agcagagggt gcaggggccc ggcggtggc 120
ggtagaggag gctgtggtcc tcagggggct gtaggtagg gtatggctcg ggccagcagc 180
gggaacggca gcgaggaggc ctggggggca cttcgggcgc cgcaacagca gcttcgagag 240
ctgtgcccag gactgaacaa ccagccctac ctctgtgaga gtggctactg ctgcggggag 300
actggctgct gcacctacta ctatgagctc tggtagttct ggctgctctg gactgtcctc 360
atcctcttta gctgctgttg cgccttcgcg caccgacgag ctaaactcag gctgcaacaa 420
cagcagcggc agcgtgaaat caactgttg gcctatcatg gggcatgcca tggggctggg 480
cctttcccta cgggttcact gcttgacctc cgcttctca gcacctcaa gccccagcc 540
tacgaggatg tggttcacccg cccaggcaca ccaccccc cttatactgt ggccccaggc 600
cgcccttga ctgcttcag tgaacaaacc tgctgttcct cctcatccag ctgcccctgc 660
cactttgaag gaacaaatgt ggaagggtgt tcctcccacc agagtgcccc cctcatcag 720
gagggtgagc ccggggcagg ggtgaccctt gcctccacac cccctcctg ccgctatcgc 780
cgtttaactg gcgactccgg tattgagctc tgccctgtc ctgcctccg tgagggtgag 840
ccagtcaagg aggtgagggt tagtgccacc ctgcccagatc tggaggacta ctccccgtgt 900
gcactacccc cagagtctgt accgcagatc tttcccatg ggctgtcttc cagtgaagg 960
gacatcccat aagtagtttt gagagggtgg atgggttact tgcccaccag aaacagccct 1020
agtcccaact ccttgcgctt ctttgggccc tcctgccta cctagaatct gcctgaaagg 1080
gctggagagg ggcagttatt ggggactgtg ctgcttttac cccgcagga catacacagg 1140
agcctttgat ctcattaaag agatgtgaac cagctaaaaa aaaaaaaaaa aaactcag 1199
```

<210> 111

<211> 3630

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3606)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3608)

<223> n equals a,t,g, or c

<400> 111

```
cggcgttggt cagtcagagc gagaacattc cagaggtcgc ccagctccgc cgctgacggg 60
tgtggaccgc ggacgtcgc gggacagccc ctccccgctg ctccggcggc gcacctggcc 120
cggcgctcc tcgctgcgct tcgcctccgc ctccctcgac tcggactcgc gtttatatcg 180
cgctcactt catccagtc ccgggcgagc agcgttggtt ttatgtcttt atttgacgaa 240
aacgacagaa gataccaaaa agttgcaatc aaagatctct tcatcttatt gataaagcca 300
ctaataagcc aaaatgtctg tcaatgtcaa ccgcagcgtg tcagaccagt tctatcgcta 360
caagatgccc cgtctgattg ccaaggttga gggcaaaggc aatggaatca agacagttaa 420
agtcaacatg gttgacgttg caaaggcgc taaatcgccct ccaacgtatc ccaccaaata 480
ttttggttgt gagctgggag cacagaccca gtttgatgtt aagaatgacc gttacattgt 540
caatggatct catgaggcga ataagctgca agacatgttg gatggattca ttaaaaaatt 600
tgttctctgt cctgaatgtg agaatcctga aacagatttg catgtcaatc caaagaagca 660
aacaataggt aattcttgta aagcctgtgg ctatcgaggc atgcttgaca cacatcataa 720
actctgcaca ttcattctca aaaaccacc tgagaatagt gacagtggta caggaaagaa 780
agaaaaagaa aagaaaaaca gaaagggcaa agacaaggaa aatggctccg tatccagcag 840
tgagacacca ccaccaccac caccacaaa tgaaattaat cctcctccac atacaatgga 900
agaagaggag gatgatgact ggggagaaga tacaactgag gaagctcaa ggcgtcgaat 960
ggatgaaatc agtgaccatg caaaagtctt gacactcagt gatgatttgg aaagaacaat 1020
tgaggagagg gtcaatatcc tctttgattt tgtaagaaa aagaaagaag aggggtgttat 1080
tgattcatct gacaaagaaa tcggtgctga agcagaaaaga ctggatgtaa aagccatggg 1140
ccctcttggt ctaactgaag ttctttttaa tgagaagatt agagaacaga ttaagaaata 1200
caggcgccat ttcctacgat tttgtcaca caacaaaaaa gcccaacggg accttcttca 1260
tgggttgagg tgtgtgtag caatgcatca agctcagctt atctccaaga ttccacatat 1320
cttgaaggag atgtacgatg cagacctttt agaagaagag gtcatcatca gctggtcgga 1380
aaagccctct aagaaatatg tctccaaaga acttgccaaa gagattcgtg tcaaagcaga 1440
accatttata aaatggttga aggaggcaga ggaagaatct tctggtggcg aagaagaaga 1500
tgaagatgag aacattgagg tgggtgatct gaaggctgcc agtgtaccga aagttgagac 1560
tgtaaaagtca gacaacaagg atgacgacat cgatattgat gccattttaa gggatggatg 1620
caacctagct taacagtata atgctgcaaa ttttctcca ttatcagcca gaagtgaac 1680
atgtatgtgc aaaagctaaa atggcttaac atcatgctac actttacact aaaaatctat 1740
tactgtgagt ggtctgttat taagccaat gagacatcta gggagtccat acacatcagt 1800
gagcagatgt agtttgctta tttatagcat gtttcttttt gaaaaactag tgggtggacac 1860
atttgatca catttatata gttataaaaa taaaggtttg attttggtcg ttcttcagat 1920
gtttggtctt gaatgactta agctgaagta actggtcctt tactttaaat gttctgccat 1980
catttcacct gatgagcatt cttggagcct gccagatatt gttaggtcct ggggctgcaa 2040
agaggtcttc aacaggatgt aaagcaaact taattgtaat taatttatc agccattaa 2100
gaaagtacta aagttttatc tctgtagtgc ctcaaattgg catctggtaa tgtacattgt 2160
gaggtagact gataatgaaa tgacagtga acatcttaac caagaagtaa atatgacctc 2220
agtgacctat aaataatgta agagcaggat ttgaaacttg gagagctgtt ttctcatttc 2280
atgtacactt gccccaaatt gtctttgaag tcgtgtgcat tgcacgttgg atgagccagg 2340
gaaattatta cattaacaag cattttgtgt gtacgtagta gttactttgt actgagagaa 2400
cttgcttttg ggtgcaatta ataaactgat tttatttggg agaaacaagg aagggtgcac 2460
ttaactagca acctaagcat gatttttcag cttttgccct tagggtttaa attacaattc 2520
caaaatgtta gacatactgt attttttcgt tcagtgtggc ttttaatttc ccctcttgca 2580
```

```

gtttgttctg taatgccttt tacatttgga cacatagttt atsccttttt ttggtgtaag 2640
acttgggata ttttttactt cacattgaat atagccaggc acccaagaag tctgatggcc 2700
acctgagtgc aggtgacaag gacctgacag agcccatgca gggcttttaga tttggacaca 2760
caagagttga taacttcctc atgaactcct tgcctgatct aaactcatat tatgggttct 2820
gactgtttga gtaatcatct tcaagggttaa acctcttggc agttaccctt ttcacaaaagt 2880
gcacagtggg aatcgagaat cgataggggt aattttggag cagtggctta taccattcac 2940
ctctgttttt ttgtgattat ttcacagata atgagacctt aataacaaat aggcgtaaaa 3000
aaattttcac attgaaatga tagaaacatt tgatgtaata aaacttggtt ggcttgatat 3060
tttaaggaat tgaaacctag caatcttatt ggagagacaa gaattggctt ccagctgcct 3120
ttgatcaaga ttcgggtgca agtggagcag gagccatata cctggaggga atgtgctttg 3180
tcacaccaa gaggattttt ttttcttcaa acttgtagt tgcttaggtt tcaaattctt 3240
tgccgcaagg ctgatctgct ttcatttaact ggaattctgt aggagatact ggtgacctaa 3300
gctaagttgc actcagcata ctcagtgtca agctaagtag gttctattat aaaggttcta 3360
cttttaaatct gagggaaaac atgttcaggg cttctagaac actaaaaaat ttggcttaaa 3420
ccagtgttca gtctgggtgcc aaacttcgaa tggaatacaa attcacataa tctgaacttt 3480
gttcacaggt tatcctaata gagtaattct tcactttgct ctattgaact gtcttaagga 3540
tttgtttaaa cagctaagtt acttgattaa aataatgata aaattgtaaa aaaaaaaaaa 3600
aaaaantnct gsggtccgtc aagggaattc                                     3630

```

<210> 112

<211> 1526

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1496)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1511)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1512)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1515)

<223> n equals a,t,g, or c

<400> 112

```

tcgaccacg cgtccgcagc aggccctgcg cgcggcaaca tggcggggtc cagggtggagg 60
tcttgaggct atcagatcgg tatggcattg gcgtccgggc ccgcaaggcg ggcgctagct 120
ggctccgggc agctcggcct tgggggcttc ggggccccga gacgcggggc gtatgagtgg 180
ggcgtgcgct ccacgcggaa gtcggagcct cctccccctg ataggggtga cgagatccct 240
ggactggagc ccatacactt tgcgggggaa atgcacttcg tgccctggct ggcgcggccg 300
atctttccgc cctgggaccg cggctacaag gacccaaggt tctaccgctc gccccctctt 360

```

```
cacgagcatc cgctgtacaa agaccaggcc tgctatatct ttcaccaccg ttgccgcctt 420
ctcgagggtg taaagcaggc cctctggctc accaagacca agttaataga aggccttccc 480
gagaaagtgc ttagccttgt tgatgatcca aggaaccaca tagagaacca agacgagtgc 540
gttctgaatg tgatctotca cgcccgctc tggcagacca ctgaggaaat cccaagaga 600
gagacctact gcccggtcac cgtggacaac ctaatacagc tgtgtaaate tcagattctc 660
aagcatcctt ctctggccag gaggatctgt gtccaaaact ccacgttttc tgctacctgg 720
aaccgagagt ctcttctcct tcaagtccgt ggttctgggt gagcccgact gagcactaag 780
gatcctctgc ccaccatcgc ctccagagag gagattgaag ctactaagaa tcatgttcta 840
gagaccttct accccatata acccatcatc gatcttcatg aatgcaatat ttatgatgtg 900
aaaaatgaca caggattcca ggaaggctat cttaccctt atccccatac cctgtactta 960
ctggacaaag ccaatttacg accacaccgc cttcaaccag atcagctgcg ggccaagatg 1020
atcctgtttg cttttggcag tgccctggct caggcccggc tcctctatgg gaatgatgcc 1080
aaggctcttg agcagcccggt ggtggtgcag agcgtgggca cggatggacg tgtcttccat 1140
ttcctagtgt ttcaactgaa taccacagac ctggactcta acgaggggtg caagaatttg 1200
gcctgggtgg actcagacca gctcctctat cagcattttt ggtgtctccc agtgatcaaa 1260
aagagagtgg ttgtggaacc tggtggccca gttggtttca agccagagac attcagaaag 1320
tttttagctc tatatttgca tggtgctgcg tgagcggagg acccctctga atcctgaaac 1380
ccctctgcc tctcttccac ggaagaggcc tgggccccgt ggagcctcag tgcccgtttg 1440
gcctgctgct ctgctgaca ataaagagcc cttgcgttgc aaaaaaaaaa aaaaangggg 1500
ggccgctcaa nnggncccaa gttagt 1526
```

<210> 113

<211> 585

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (422)

<223> n equals a,t,g, or c

<400> 113

```
tcgaccacg cgtccgcca cgcgtccgc cacgcgtccg ggagcccgt gacaggatgt 60
tggtgttgt attaggagat ctgcacatcc cacaccggtg caacagtttg ccagctaaat 120
tcaaaaaact cctgggtgcc ggaaaaatc agcacattct ctgcacagga aacctttgca 180
ccaaagagag ttatgactat ctcaagactc tggctggtga tgttcatatt gtgagaggag 240
acttcgatga gaatctgaat tatccagaac agaaagtgtg gactgttga cagttcaaaa 300
ttggtctgat ccatggacat caagtatttc catggggaga tatggccagc ttagccctgt 360
tgcagaggca atttgatgtg gacattctta tctygggaca cacacacaaa tttgaagcat 420
tngagcatga aaataaattc tacattaatc caggttctgc cactggggca tataatgcct 480
tggaacaaa cattattyca tcattgtgtt gatggatata caggcttcta cagtggkac 540
ctatgtgtaa tcagctaatt ggagatgaag tgaaagtaga acgga 585
```

<210> 114

<211> 501

<212> DNA

<213> Homo sapiens

<400> 114

```
gatgaaaaga aggtttttgc tcttcaaatg ctttaagtaa ctaaaaggca gagctggaaa 60
taaagcccgt attgtggact ccaagtaatg ctctttctgc tacaccatac tttgtggtgt 120
```

```
ctgctcccat gtgcttcttc gctaaggctg atcaaaaaag ttagtaggtt gcttcagcta 180
taagaatttg atggtcttcc ttagtcatca tagtctgcag caatcatttt tgttcatcat 240
tgggatgtct gcttactcct gttgagtaaa tgtgatctat tcacccttgg ragctccttg 300
cacaccaaca gtattcttgg atagggacaa gtgttgctta agtcagtgcg gatttcttta 360
gcataataaa aggtcccatg taggatgcta atacttgagt gaaatatgct tcataagcag 420
ccttgttttg acagagttgg tgtaaagtga gggtatgtct tggcctgagc gtcttcaaag 480
catgtgccac tttgtgcac t 501
```

<210> 115

<211> 1965

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (343)

<223> n equals a,t,g, or c

<400> 115

```
agaggcggca ctggcggcaa gagcagacgc ccgaaccgag cgagaagagc ggcagagcct 60
tatcccttga agccgggccc cgcgtcccag mcttggecca aaggcaggag cagcagacaa 120
gagtgacagt gtggctgccg ccgcaccagc ctcagtggca gatgacacac cccccccga 180
gcgtcgggaa aagagcggta tcatcagtga gccctcaac aagagcctgc gccgctcccg 240
cccgtctctc cactactctt cttttggcag cagtgggtgt agtggcgtg gcagcatgat 300
gggcgggagag tctgctgaca aggccactgc ggctgcanc tgnccctcct gttggccaat 360
gggcatgacc tggcggcggc catggcgggt gacaaaagca accctacctc aaagcacaaa 420
agtgggtgtg tggccagcct gctgagcaag gcagagcggg ccacggagct ggcagccgag 480
ggacagctga cgctgcagca gtttgccgag tccacagaga tgctgaagcg cgtgggtgcag 540
gagcatctcc cgctgatgag cgaggcgggt gctggcctgc ctgacatgga ggctgtggca 600
ggtgccgaag cctcaatgg ccagtccgac ttccctacc tgggcgctt ccccatcaac 660
ccaggcctct cattatgac ccgggcagg gtgttcctgg ccgagagcgc gctgcacatg 720
gcgggccttg ctgagtacc catgcaggga gagctggcct ctgccatcag ctccggcaag 780
aagaagcggg aacgctgcgg catgtgcgg cctgcgggc ggcgcaccaa ctgcgagcag 840
tgcagcagtt gtaggaatcg aaagactggc catcagattt gcaaattcag aaaatgtgag 900
gaactcaaaa agaagccttc cgctgctctg gagaagggtg tgcttccgac gggagccgcc 960
ttccggtggt ttcagtgcag gcggcgggaa ccaaagctgc cctctccgtg caatgtcact 1020
gctcgtgtgg tctccagcaa gggattcggg cgaagacaaa cggatgcacc cgtctttaga 1080
accaaaaata ttctctcaca gatttcattc ctgtttttat atatataatt tttgtgtctg 1140
ttttaacatc tccacgtccc tagcataaaa agaaaaagaa aaaaatttaa actgcttttt 1200
cggaagaaca acaacaaaaa agaggtaaa acgaatctat aaagtaccga gacttccttg 1260
gcaaagaatg gacaatcagt ttccttcctg tgcgatgtc gatgttgtct gtgcaggaga 1320
tgcagttttt gtgtagagaa tgtaatttt ctgtaacctt ttgaaatcta gttactaata 1380
agcactactg taatttagca cagtttaact ccacctcat ttaaacttcc tttgattctt 1440
tccgaccatg aaatagtgc tagtttgctt ggagaatcca ctcacgttca taaagagaat 1500
gttgatggcg ccgtgtagaa gccgctctgt atccatccac gcgtgcagag ctgccagcag 1560
ggagctcaca gaaggggagg gagcaccagg ccagctgagc tgcaccaca gtcccagac 1620
```

```
tgggatcccc caccccaaca gtgatttttg aaaaaaaaaat gaaagtcttg ttcgtttatc 1680
cattgcgatac tggggagccc catctcgata ttccaatcc tggctacttt tcttagagaa 1740
aataagtcct ttttttcttg ccttgctaata ggcaacagaa gaaagggctt ctttgcgtgg 1800
tcccctgctg gtgggggttg tcccagggg cccctgctgc ctgggcccc ctsccacggc 1860
cagcttcttg ctgatgaaca tgctgtttgt attgttttag gaaaccaggc tgttttgtga 1920
ataaaacgaa tgcatgtttg tgtcacgaar maaaaaaaaa aaaaaa 1965
```

<210> 116

<211> 1060

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1060)

<223> n equals a,t,g, or c

<400> 116

```
gaaacacata cattggatat gggaagatgg cggctgtgtc ggtgtatgct ccaccagttg 60
gaggcttctc ttttgataac tgccgcagaa tgccgtcttg gaagccgatt ttgcaaagag 120
gggatacaag cttccaaagg yccgaaaac tggcacgacc atcgtgggg tggtctataa 180
ggatggcata gttcttgagg cagatacaag agcaactgaa gggatggtt tgctgacaa 240
gaactgttca aaaatacact tcatactctc taatatattat tgtgtggtg ctgggacanc 300
tgcagacaca gacatgacaa cccagctcat ttcttccaa cttggagctcc actccctctc 360
cactggcctt cttcccagag ttgtgacagc caatcggatg ctgaagcaga tgcttttcag 420
gtatcaaggt tacattggtg cagccctagt tttaggggga gtagatgtta ctggacctca 480
cctctacagc atctatcttc atggatcaac tgataagttg ccttatgtca ccatgggttc 540
tggtccttgc gcagcaatgg ctgtatttga agataagttt aggccagaca tggaggagga 600
ggaagccaag aatctggtga gcgaagccat cgcagctggc atcttcaacg acctgggctc 660
cggaagcaac attgacctct gcgtcatcag caagaacaag ctggattttc tccgcccata 720
cacagtggcc aacaagaagg ggaccaggct tggccggtag aggtgtgaga aagggactac 780
tgcatgcttc actgagaaaa tcaactctct ggagattgag gtgctggaag aaacagtcca 840
aacaatggac acttcttgaa tggcatcagt gggtaggttg ccgcggttct ggaaggtggt 900
gagcattgag gcccgagtaag acactcatgt ggctagtgtt tgccgaatga aactcaactc 960
aataaaaaac aaaaacccaa ttgggcagct gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1060
```

<210> 117

<211> 709

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (174)

<223> n equals a,t,g, or c

<400> 117

```
aattcggcac gagaacatcc attctaaagg gctactgtcc caaatcctgt gtgtcctttt 60
gacttgctcg atcacccaat ggaagtggat acttgtaaag tctacaccac tgtacttggc 120
gttaaactct gctgaattcg tggtaagctg ttaccatgtc tacattttgt agantgattt 180
tggctcgcag caaaattcga ttccacttct cataccocct tccttccact tgaaatgcaa 240
tttagacaga ggccctgtgg tgaaagtgc aatattaagt ttmcctttag aagatcccyt 300
cctcaaacct cagaaccocct agcagtgtta ccctwaaaca aaaatgagct cgagaaaaaa 360
gtagctcagt tacagagaag caaatcgagt tatttcccca cataaaaagt ttcccagat 420
tctaagaatt gcagtatcct gtaccctaaa attttcoaag gtgactcctg ttgtcgtctg 480
ttgataactt taataaaggc catttaagga cataagtttt taaagactcc caaagtgaaa 540
cttaaacatt ttcgggatta tcgattgcat atatcagttt atgctgtgtg ctgaattact 600
atgccatgtg ctattttagt gtttggggaa aatgaaaaat aaaatttgtt ctttagctta 660
ataaatatgt cttattttta aaaaaaaaaa aaaaaactcg agactagct 709
```

<210> 118

<211> 2053

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (813)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2049)

<223> n equals a,t,g, or c

<400> 118

```
ctccttggcg cctgtcccca cggccccgc agcgtgacca cgatgctccc cataccacac 60
ccattcccga tacaccttac ttactgtgtg ttggcccagc cagagtgagg aaggagtgtg 120
gccacattgg agatggcggg actgagcaga catgccccca cgagttagcct gactccctgg 180
tgtgtcctcg gaaggaagat cttggggacc ccccaccgg agcacacca rggatcatct 240
ttgcccgtct cctgggggacc cccaagaaa tgtggagtcc tcggggggccg tgcaactgatg 300
cggggagtggt gggaagtctg gcggttggar ggtggtgtg ggggcagtgg gggctgggcg 360
gggggagttc tggggttagga agtgggtccc ggagattttg gatggaaaag tcaggaggat 420
tgacagcaga cttgcagaat tacatagaga aattaggaac ccccaaattt catgtcaatt 480
gatctattcc ccctctttgt ttcttggggc atttttcctt tttttttttt ttttgtttt 540
tttttaccce tccttagctt tatgcgtca gaaaccaa taaaccccc cccatgtaa 600
caggggggca gtgacaaaag caagaacgca cgaagccagc ctggagacca ccacgtcctg 660
ccccccgcca ttatcgccc tgattggatt ttgtttttca tctgtccctg ttgcttgggt 720
tgagttgagg gtggagcctc ctggggggca ctggccactg agccccctg gagaagtcag 780
aggggagtggt agaaggccac tgtccggcct gnttctgtgg gacagtggct ggtccccaga 840
agtcctgagg gcggaggggg ggggttggga ggtctcctc aggtgtcagg aggtgtcctg 900
gaggccacag gagggggctc ctggctggcc tgaggctggc cggaggggaa ggggctagca 960
ggtgtgtaaa cagaggggtc catcaggctg gggcagggtg gccgccttcc gcacacttga 1020
ggaaccctcc cctctccctc ggtgacatct tgcccgcctc tcagcaccct gccttgtctc 1080
caggaggtcc gaagctctgt gggacctctt gggggcaagg tggggtgagg ccggggagta 1140
gggaggtcag gcgggtctga gccacagag caggagagct gccaggtctg cccatcgacc 1200
```

```
aggttgcttg ggccccggag cccacgggtc tggatgatgcc atagcagcca ccaccgcggc 1260
gcctagggct gcggcagggg ctcggcctct gggaggttta cctcgcccc acttggtgcc 1320
ccagctcagc cccctgcac gcagcccgac tagcagtcta gaggcctgag gcttctgggt 1380
cctggtgacg gggctggcat gaccccggg gtcgtccatg ccagtcgccc tcagtcgag 1440
aggggtccctc ggcaagcgcc ctgtgagtgg gccattcgga acattggaca gaagcccaaa 1500
gagccaaaatt gtcacaattg tgaacccac attggcctga gatccaaaac gcttcgaggc 1560
accccaaaatt acctgcccac tcgtcaggac acccaccac ccagtgttat attctgcctc 1620
gccggagtgg gtgttcccgg gggcacttgc cgaccagccc cttgcgtccc caggtttgca 1680
gctctcccct gggccactaa ccacccctggc cggggtgccc tgtctgacct ccgtgcctag 1740
tcgtggctct ccactctgtc tcctcccctg gtcaccaatg tcttcagtgg ggggccccct 1800
cttgggtccc ctctctgccc atcacctgaa gacccccacg ccaaacactg aatgtcacct 1860
gtgacctgccc cctcggtcca cttgcccggc gtgtttgact caactcagct cctttaacgc 1920
taatatttcc ggcaaaatcc catgcttggg ttttgtcttt aaccttgtaa cgcttgcaat 1980
cccaataaag cattaaaagt catraaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040
gggggggggnc cgg 2053
```

<210> 119

<211> 1824

<212> DNA

<213> Homo sapiens

<400> 119

```
agttcctagc aagctgttca caagattgcc tgataagaat atggaagctg tatataaagt 60
caacatcttt agaaactcag gatgacgata acataagact gaaggaaaat acttttacca 120
tagaaaatga aaagtgttaa aatagcattt gctgttactc tggagacagt gctagccggg 180
catgaaaact gggtaaattg agttcactgg caacctgtgt tttacaaaga tgggtgccta 240
cagcagccag tgagattatt atctgcttcc atggataaaa ccatgattct ctgggctcca 300
gatgaagagt caggagtttg gctagaacag gttcgagtag gtgaagtagg tgggaatact 360
ttgggatttt atgattgcca gttcaatgaa gatggctcca tgatcattgc tcatgctttc 420
cacggagcgt tgcacctttg gaaacagaat acagttaacc caagagagtg gactccagag 480
attgtcattt caggacactt tgatgggtgc caagacctag tctgggatcc agaaggagaa 540
tttattatca ctgttggtac tgatcagaca actagacttt ttgctccatg gaagagaaaa 600
gaccaatcac aggtgacttg gcatgaaatt gcaaggcctc agatacatgg gtatgacctg 660
aaatgttttg caatgattaa tcggtttcag tttgtatctg gagcagatga aaaagtctct 720
cgggtttttt ctgcacctcg gaattttgtg gaaaattttt gtgccattac aggacaatca 780
ctgaatcatg tgctctgtaa tcaagatagt gatcttccag aaggagccac tgtccctgca 840
ttgggattat caaataaagc tgtctttcag ggagatatag cttctcagcc ttctgatgaa 900
gaggagctgt taactagtac tgggttttgag tatcagcagg tggcctttca gccctccata 960
cttactgagc ctcccactga ggatcatctt ctgcagaata ctttgtggcc tgaagttaa 1020
aaactatatg ggcacgggta tgaaatattt tgtgttactt gtaacagttc aaagactctg 1080
cttgctcag cttgtaaggc agctaagaaa gagcatgcag ctatcattct ttggaacct 1140
acatcttgga aacagggtgca gaatttagtt tttccacagtt tgacagtcac gcagatggcc 1200
ttctcaccta atgagaagtt cttactagct gtttccagag atcgaacctg gtcattgttg 1260
aaaaagcag atacaatctc acctgagttc gagccagttt ttagtctttt tgccttcacc 1320
aacaataat cttctgtgca cagtagaatt atttggctct gtgattggag tcctgacagc 1380
aagtatttct tcactgggag tcgagacaaa aagggtggtt tctggggtga gtgtgactcc 1440
actgatgact gtattgagca caacattggc ccctgctcct cagtcctgga cgtgggtggg 1500
gctgtgacag ctgtcagcgt ctgccagtg ctcaccctt ctcaacgata cgtgggtgca 1560
gtaggatttg agtggtgaaa gatttgctta tatacctgga aaaagactga tcaagttcca 1620
gaaataaatg actggacca ctgtgtagaa acaagtcaaa gccaaagtca tacttggt 1680
atcagaaaat tatgttgga gaattgcagt ggaaaaactg aacagaagga agcagaaggt 1740
```

gctgagtggg tacactttgc aagctgtggg gaagatcaca ctgtgaagat acacagagtc 1800
aataaatgtg cactgtaatg gaaa 1824

<210> 120
<211> 606
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (144)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (155)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (598)
<223> n equals a,t,g, or c

<400> 120
aggaagctgg gggaccattt tgcaccatga gtttgtgaaa aatctggatt aaaaaattac 60
tcttccagtg ttttctcatg cmaaatttyc tyctarcatg tgataatgag taaactaaaa 120
ctatttgcag ctttctctca attnacattt tggtngtata ctccagagtg atgttatcta 180
agtttaagta gtttaagtat gttaaagtgt gatcttttac accacatcac agtgaacaca 240
ctggggagat gtgctttttt ggaaaactca aaggtgctag ctccctgatt caaagaaata 300
tttctcatgt ttgttcattc tagtttatat tttcatttaa aatccttttag gttaagttaa 360
agctttttta aagttagtta aaagaattga gacacaatac taatactgta ggaattgggtg 420
aggccttgac ttaaaaacttt ctttgtactg tgatttcctt ttgggtgtat ttgctaagt 480
gaaacttgtt aaattttttg ttaactaaat tttttctta aaataaagac tttttcacia 540
wraaaaaaaa aaaaaaaaaa actcgagggg gggcccgtac ccaatcgctt gtgatgtntc 600
gtatac 606

<210> 121
<211> 838
<212> DNA
<213> Homo sapiens

<400> 121
gaatcccggg tcgaccacag cgtccgggaa agatcggcgc gcaccgcagg agcaacgggtt 60
ggctcctgcg ctgtgatgtc ggtgttgagg cccctggaca agctgcccgg cctgaacacg 120
gccaccatct tgctggtggg cacggaggat gctcttctgc agcagctggc ggactcgaatg 180
ctcaaagagg actgcgcctc cgagctgaag gtccacttg caaagtccct ccctttgccc 240
tccagtgtga atcgccccg aattgacctg atcgtgtttg tggtaaatct tcacagcaaa 300
tacagyctcc agaacacaga ggagtccctg cgccatgtgg atgccagctt cttcttgggg 360
aargtgtgtt tcctcgccac aggtggtggm rggttttagg gccaccatgg cgcargcct 420
ggtgcgcgtg ctgcagatct gtgctggcca cgtgcccgtt gtctcagctc tgaacctgct 480
gtccctgctg agaagctctg agggcccctc cctggaggac ctgtgagggt ggctkgcccc 540

tgggctgccc cttctcatgg cttcgtgctg actccataaa cattctctgt tgaggatgtc 600
cagtcagggc ttgacaggcc caggctcagc cccccgtggc tgggaagggt ccctgcagt 660
ccagtgtgtc agcagggaga gctgggcaga agcagcgagg gggcccagct ggcgagactg 720
tagccccctc ccactccac actcactctt gcagagcctg tgtctttaag cagctggcgt 780
gttacatctc catttaaggt ttcctttgaa caaaaggtct gtggctaaaa aaagtta 838

<210> 122

<211> 656

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (218)

<223> n equals a,t,g, or c

<400> 122

ggcacgagcg ctcttgtctg gacgcacggt cggaagcgga ncaaggctga ggccgggttg 60
gcgccggagc cggggccgct tggagctcgt gtggggtctc cgggccaggc cgcggcatgg 120
gcgtcctggc cgcagcggcg cgtgcctgg tccggggtgc ggaccgaatg agcaagtgga 180
cgagcaagcg gggcccgcgc agcttcaggg gccgcaangg ccggggcgcc aagggcacgc 240
gcttcctcac ctccggctgg aggttcgtgc agatcaagga gatggtcccg gatttcgtcg 300
tcccggatct gaccggcttc aagctcaagc cctacgtgag ctacctcgcc cctgagagcg 360
aggagacgcc cctgacggcc gcgcagctct tcagcgaagc cgtggcgcc gccatcgaaa 420
aggacttcaa ggacggtacc ttcgacctg acaacctgga aaagtacggc ttcgagccca 480
cacaggaggg aaagctcttc cagctctacc ccaggaactt cctgcgctag ctgggcgggg 540
gaggggcggc ctgccctcat ctcatctta ttaaacgcct ttgccagcta aaaaaaaaaa 600
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggggggg gggcggacgc gtgggc 656

<210> 123

<211> 1386

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1283)

<223> n equals a,t,g, or c

<400> 123

aaccgggnaa aaggaaaccg tgttgtgtac gtaagattca ggaaacgaaa ccaggagccg 60

cggggtgttg cgcaaaggtt actcccagac ccttttccgg ctgacttctg agaaggttgc 120
gcacagctgt gcccggcagt ctagaggcgc agaagaggaa gccatcgctt ggccccggct 180
ctctggacct tgtctcgctc gggagcggaa acagcggcag ccagagaact gttttaatca 240
tggaacaaaca aaactcacag atgaatgctt ctcacccgga aacaaacttg ccagttgggt 300
atcctcctca gtatccaccg acagcattcc aaggacctcc aggatatagt ggctaccctg 360
ggccccaggt cagctaccca cccccaccag ccggccattc aggtcctggc ccagctggct 420
ttcctgtccc aaatcagcca gtgtataatc agccagtata taatcagcca gttggagctg 480
caggggtacc atggatgcca gcgccacagc ctccattaaa ctgtccacct ggattagaat 540
atttaagtca gatagatcag atactgattc atcagcaaat tgaacttctg gaagttttta 600
caggttttga aactaataac aaatatgaaa ttaagaacag ctttggacag agggtttact 660
ttgcagcggg agatactgat tgctgtaccc gaaattgctg tgggccatct agacctttta 720
ccttgaggat tattgataat atgggtcaag aagtcataac tctggagaga ccactaagat 780
gtagcagctg ttgttgtccc tgctgccttc aggagataga aatccaagct cctcctgggt 840
taccaatagg ttatgttatt cagacttggc acccatgtct accaaagttt acaattcaaa 900
atgagaaaag agaggatgta ctaaaaataa gtgggtccatg tgttgtgtgc agctgttgtg 960
gagatgttga ttttgagatt aaatctcttg atgaacagtg tgtggttggc aaaatttcca 1020
agcactggac tggaattttg agagaggcat ttacagacgc tgataacttt ggaatccagt 1080
tcccttttaga ccttgatgtt aaaatgaaag ctgtaatgat tggcgctgt ttctcattg 1140
acttcatgtt ttttgaaagc actggcagcc rggaacaaaa atcaggagtg tggtagtggr 1200
ttagtgaaag tctcctcagg aaatctgaag tctgtatatt gattgagact atctaaactc 1260
ataccygtat grattaagcy gtnaaggcct gtagctctgg ttgtatactt ttgcytttcm 1320
aattawagtt takcttctgt ataactgatt tataaaggtt tttgtacatt ttttaatact 1380
cattgg 1386

<210> 124

<211> 845

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (823)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (825)

<223> n equals a,t,g, or c

<400> 124

ggcagaggtt cacacccgga agcagggggc cgaggcggag ccggccgcga tgagcgggga 60
gccggggcag acgtccgtag cgccccctcc cgaggaggct gagccgggca gtgggggtccg 120
catcgtgggtg gagtactgtg aaccctgcgg cttcgaggcg acctacctgg agctggccag 180
tgctgtgaag gagcagtatc cgggcatcga gatcgagtcg cgccctcggg gcacaggtgc 240
ctttgagata gagataaatg gacagctggg gttctccaag ctggagaatg ggggctttcc 300
ctatgagaaa gatctcattg aggccatccg aagagccagt aatggagaaa ccctagaaaa 360
gatcaccaac agccgtctc cctgcgtcat cctgtgactg cacaggactc tgggttctctg 420
ctctgttctg ggggtccaaac cttgggtctcc ctttgggtcct gctgggagct cccctgcct 480
ctttcccta cttagctcct tagcaaagag accctggcct ccactttgcc ctttgggtac 540
aaagaaggaa tagaagattc cgtggccttg ggggcaggag agagacactc tccatgaaca 600
cttctccagc cacctcatac ccccttccca gggttaagtgc ccacgaaagc ccagtccact 660

cttcgcctcg gtaatacctg tctgatgcc aagattttat ttattctccc ctaaccacag 720
gcaatgtcag ctattggcag taaagtggcg ctacaaacac taaaaaaaaa aaaaaaaaaa 780
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa atntnggggg ggggcccccc 840
cccccc 845

<210> 125

<211> 1656

<212> DNA

<213> Homo sapiens

<400> 125

ctcccactcc tgcctcgcac tccccttctc catccttgcc cgcctcctcc cagagtcctc 60
ctcaccgccc ggactctcca ctgttcaact cgagatgcag ctctccactc cagctcaatc 120
tgctgcagct ggaggagctc ccccgctgctg aggggggctgc tgttgagga ggccctggga 180
gcagtgcggg gccccacact cccartgcgg aggctgctga gccagaggcc agactggcgg 240
aggctactga gtctccaat caggacgcac tttccggctc cagtgcctg ctggaacttc 300
tgctgcaaga rgactcgcgc tccggcacag gctccgcagc ctccggctcc ttgggctctg 360
gcttgggctc tgggtctggt tcaggctccc atgaaggggg cagcacctca gccagcatca 420
ctcgcagcag ccagagcagc cacacaagca aatactttgg cagcatcgac tcttccgagg 480
ctgaggctgg ggctgctcgg ggcggggctg agcctgggga ccagggtgatt aagtacgtgc 540
tccaggatcc catttggtg ctcatggcca atgctgacca gcgcgtcatg atgacctacc 600
agggtgccctc caggagacatg acctctgtgc tgaagcagga tcgggagcgg ctccgagcca 660
tgcagaagca gcagcctcgg tttcttgagg accagcggcg ggaactgggt gctgtgcact 720
cctgggtccg gaagggccaa ctgcctcggg ctcttgatgt gatggcctgt gtggactgtg 780
ggagcagcac ccaagatcct ggtcaccctg atgaccact ctctcagag ctggatggac 840
tggggctgga gcccatggaa gaggggtggag gcgagcaggg cagcagcggg ggccggcagt 900
gtgagggaga gggctgcrag gagggccaag gcggggccaa ggcttcaagc tctcaggact 960
tggctatgga ggaggaggaa gaaggcagga gctcatccag tccagcctta cctacagcag 1020
gaaactgcac cagctagact ccatctctgg accatctcca ggagtccatg agaggcttct 1080
ttctcctatg tcccaattct cagaactcag atgtggctag accaaccagt gggaaaactgc 1140
cccagcttct cccaccatag gggggcggac ccccatgcac cagcctagga tccaggggct 1200
gcctctggcc tcttagggag cagagagcag aactccgcag cccagcccag aggagtgtca 1260
cctccacact ttggagagga atccttccct cccctggaca aagttgctga caagctgtg 1320
aagtggcctc tccatattcc agctgagcct gaatctgact cttgagggtt ggggctgcac 1380
ttatttattg cggggagaca gctctctctc ccacctcctc cccagatggg aggagagcct 1440
gaggcccaag caggaccggg gggttccagc ccctagctgc tctggagtgg gggagggttg 1500
tggaccatgg agtccctggt gctgcccctc aggtgggacc caggcgttct cagctgtacc 1560
ctctgccgat ggcatttgtg tttttgatat ttgtgtctgt tactactttt ttaatacaaa 1620
aagataaaaa cgcccaaaaa aaaaaaaaaa aaaacc 1656

<210> 126

<211> 837

<212> DNA

<213> Homo sapiens

<400> 126

tggacgttgg ccctgtttgc tttttataaa ccaaactcta tctgaaatcc caacaaaaaa 60
aatttaactc catatgtgtt cctcttgttc taatcttgtc aaccagtgc aagtaccgac 120
aaaattccag ttatttattt ccaaaatgtt tggaaacagt ataatttgac aaagaaaaat 180
gatacttctc tttttttgct gttccaccaa atacaattca aatgcttttt gttttatttt 240
tttaccattt ccaatttcaa aatgtctcaa tgggtctata ataaataaac ttcaacactc 300

```
tttatgataa caacactgtg ttatattctt tgaatcctag cccatctgca gagcaatgac 360
tgtgtctcacc agtaaaagat aacctttctt tctgaaatag tcaaatacga aattagaaaa 420
gccctcccta ttttaactac ctcaactggt cagaaacaca gattgtattc tatgagtcac 480
agaagatgaa aaaaatttta tacgttgata aaacttataa atttcattga ttaatctcct 540
ggaagattgg tttaaaaaga aaagtgtaat gcaagaattt aaagaaatat ttttaaagcc 600
acaattattt taatattgga tatcaactgc ttgtaaagggt gctcctcttt tttcttgtca 660
ttgtgtgtca agattactaa tatttgggaa ggcttttaaag acgcatgtta tgggtgcta 720
gtactttcac ttttaaacct tagatcagaa ttgttgactt gcattcagaa cataaatgca 780
caaaatctgt acatgtctcc catcagaaag attcattggc atgccacagg ggattct 837
```

<210> 127

<211> 1217

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1169)

<223> n equals a,t,g, or c

<400> 127

```
gatcgcgga aggggcacgg gaagcgggtg ggggtgctctg ggaagtatta tggggcctgg 60
gtacgccgag gctgcgggac cggrcctggc tgacttaatc ttcgttcccc acacatttgt 120
ttccgcagtt cgaagcccag ttggggccgac caggtggagg agggagggga ggacgacaaa 180
tgtgtcacca gcgagctcct caaggggatc cctctggcca caggtgacac cagcccagag 240
ccagagctac tgccgggagc tccactgccg cctcccaagg aggtcatcaa cggaacata 300
aagacagtga cagagtacaa gatagatgag gatggcaaga agttcaagat tgtccgcacc 360
ttcaggattg agaccgggaa ggcttcaaag gctgtcgcaa ggaggaagaa ctggaagaag 420
ttcgggaact cagagtttga ccccccgga cccaatgtgg ccaccaccac tgtcagtgac 480
gatgtctcta tgacgttcat caccagcaa gaggacctga actgccagga ggaggaggac 540
cctatgaaca aactcaaggg ccagaagatc gtgtcctgcc gcattctgaa gggcgaccac 600
tggaaccacc gctgccccta caaggatacg ctggggccca tgcagaagga gctggccgag 660
cagctggggc tgtctactgg cgagaaggag aagctgccgg gagagctaga gccggtgcag 720
gccacgcaga acaagacagg gaagtatgtg ccgccgagcc tgcgcgacgg ggccagccgc 780
cgcggggagt ccatgcagcc caaccgcaga gccgacgaca acgccaccat ccgtgtcacc 840
aacttgtcag aggacacgcg tgagaccgac ctgcaggagc tcttcgggcc tttcggctcc 900
atctcccga tctacctggc taaggacaag accactggcc aatccaaggg ctttgccttc 960
atcagcttcc accgcgcga ggatgtctgc cgtgccattg ccgggggtgc cggctttggc 1020
tacgaccacc tcatcctcaa cgtcagatgg gccaaagcgt ccaccaacta agccagctgc 1080
cactgtgtac tcggtccggg acccttggcg acagaagaca gcctccgaga gcgcgggctc 1140
caagggcaat aaagcagctc cactctcnaa aaaaaaaaaa aaaaaaaaaa ggcgcgcgct 1200
cgcatcttag aactagc 1217
```

<210> 128

<211> 1349

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1133)

<223> n equals a,t,g, or c

<400> 128

```
tggacgcgtg ggtggcggcc ggaggaggag taggtgcggg tgaagatggc ggcagcngag 60
gccgcgaact gcatcatgga ggtgtcctgt ggccaggcgg aaagcagtga gaagcccaac 120
gctgaggaca tgacatccaa agattactac tttgactcct acgcacactt tggcatccac 180
gaggagatgc tgaaggacga ggtgcgcacc ctcacttacc gcaactccat gtttcataac 240
cggcacctct tcaaggacaa ggtggtgctg gacgtcggct cgggcaccgg catcctctgc 300
atgtttgctg ccaaggccgg ggcccgcaag gtcatcggga tcgagtgttc cagtatctct 360
gattatgcgg tgaagatcgt caaagccaac aagttagacc acgtggtgac catcatcaag 420
gggaaggttg aggaggtgga gctcccagtg gagaaggtgg acatcatcat cagcgagtgg 480
atgggctact gcctcttcta cgagtccatg ctcaacaccg tgctctatgc ccgggacaag 540
tggtgtggcg ccgatggcct catcttccca gaccgggcca cgctgtatgt gacggccatc 600
gaggaccggc agtacaaga ctacaagatc cactggtggg agaacgtgta tggcttcgac 660
atgtcttgca tcaaagatgt ggccattaag gagcccctag tggatgtcgt ggaccccaaa 720
cagctggtca ccaacgcctg cctcataaaag gaggtggaca tctataaccg caaggtggaa 780
gacctgacct tcacctcccc gttctgcctg caagtgaagc ggaatgacta cgtgcacgcc 840
ctggtggcct acctcaacat cgagttcaca cgctgccaca agaggaccgg cttctccacc 900
agccccgagt ccccgtagac gcactggaag cagacggtgt tctacatgga ggactacctg 960
accgtgaaga cgggcgagga gatcttcggc accatcggca tgcggcccaa cgccaagaac 1020
aaccgggacc tggacttcac catcgacctg gacttcaagg gccagctgtg cgagctgtcc 1080
tgctccaccg actaccgat gcgctgaggc cgggctctcc cgccctgcac ganccaggg 1140
gctgagcgtt cctagcggt ttcggggctc ccccttcctc tccctccctc ccgcagaagg 1200
gggttttagg ggcctgggct ggggggatgg ggagggcaca tcgtgactgt gtttttcata 1260
acttatgttt ttatatggtt gcatttacgc caataaatcc tgcagctggg aaaaaaaaaa 1320
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa                                     1349
```

<210> 129

<211> 2318

<212> DNA

<213> Homo sapiens

<400> 129

```
tgcgcacgga cgtgctcgag ttctctctgc tctccgctct cggccgctag ctctcctccc 60
ttccgctcct gcttctctcc ggggtctccg ctccagctcc agccccaccg ggccggtccc 120
gcacggctcc gggtagccat ggaggacccc acgctctata ttgtcgagcg gccgcttccc 180
gggtaccccg acgcccaggc cccggagcct tcctccgctg gggctcaggc agcggaggag 240
ccgtcggggg ccggctcaga agagctgac aagtcggacc aggtgaacgg cgtgctggtg 300
ctgagcctcc tggacaaaat catcggggcc gtagaccaga tccagctgac tcaagcacag 360
ctggaggagc ggcaggcggg gatggagggc gcagtgcaga gcatccaggg cgagctgagc 420
aagctgggca aggcgcacgc accacgagca atacggtgag caagctgctg gagaaggtgc 480
```

```
gcaaggctcag cgtcaacgtg aagaccgtgc gcggcagcct ggagcgccag gcggggcaga 540
tcaagaagct ggaggtcaac gaggccgagc tgctkcggcg ccgcaacttt aaagtcatga 600
tctaccagga tgaagtgaag ctgccggcca aactgagcat cagcaaatcg ctgaaagagt 660
cggaggcgct gccagagaag gagggcgagg agctgggcga gggcgagcgg cccaggagga 720
cgcagcggcg ctgsagcttt cgtcggacga ggcggtggag gttgaggagg ttattgagga 780
gtcccgcgca gagcgtatca agcgcgrgcc ctgcggcgcg tggacgactt caagaaggcc 840
ttctccaagg agaagatgga gaagaccaag gtgcgtacyc gcgagaacct ggagaagacg 900
cgctcaaga ccaaggaaaa cctggagaag acgcggcaca ccctggagaa gcgcatgaac 960
aagctgggca cgcgcctggt gcccggcag gcggcgcgaga aactgaagac gtcgcgggac 1020
aagttgcgca aatccttcac gcccgaccac gtggtgtacg cgcgctccaa gaccgcggtc 1080
tacaagggtc cacccttcac cttccacgtc aagaagatcc gcgagggcca ggtggaagtg 1140
ctcaaggcca ccgagatggt ggaggtgggc gccgacgacg acgagggcgg cgcgggagcg 1200
ggggaggccg gcgacctgcg gcgcgggagc agccccgacg tgcacgcgct gctggagatc 1260
accgaggagt cggacgccgt gctggtggac aagagcgaca gerrctgagc cgcctcgctc 1320
gccaccacc ccattcctcg ctctctccga acttcctctt tcgcattctc tctcggtcgc 1380
agctggctga gatttttcta aattgaaaac acgccccct cccacacct ccaggaactc 1440
cactcccagt cttagagctg ttaggaccgc atggggaggg agcccccgca gtggacagcc 1500
ccgccttgga cacagtccga gtggaatggg aagggaatgg tcaatccctg tcctggttgt 1560
ccaagtccgg atctcagagg aaattgcagt gattccacgg ttaggcccc ctgggggggc 1620
tgccttcccc tcagcctctc cccacaccac ccaccagct gctgtcattc cgctcactga 1680
gctcttcttc attctacccc tgatccctgg gggactcaaa gccaaaactg cccaaagagg 1740
aaagattgaa tcctaaaggg gatccttgcc cccatgggag gccccctact agaaggacgt 1800
gaaagcagct tttgggggaa actgaggcag tggggaagac agagcagaat gagccctcac 1860
cctggctggg ggtccagcac aggtgtatc tgcagagggt cccagaggaa cgctggagcc 1920
aagagaagcc ctgggaagga ggggtgggga acgacatgca tgtgagggat ggcacactga 1980
tgtgtttatg cactgtaca caggagcgca tggccatggc tttggaaagg agaattgaaa 2040
aatagaagaa ggtcggccgg gcttgggtggc ttawgcctgt taaccccgag actttgggag 2100
gccgaggtgg gcggwtcacc tgaagtcagg agttcgggac cagcctggca aacaccccat 2160
ctctactaag cgaaaaccca tctctactaa aattacaaaa attagctggg catggttgcg 2220
catgcctgta aatcccagct actttgggag gctgaggtgg ggagaattgc ttgaacctgg 2280
ggaggtggga gggtgcagtt gagccaaggt tcgcgaca 2318
```

<210> 130

<211> 2149

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (787)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (819)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1518)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2116)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2147)
<223> n equals a,t,g, or c

<400> 130
aactctaata gatcatacag gaaacggtag ctgcagtagc gtcggaattc ccgggtcgac 60
ccacgcgtcc ggagaaggca gacgcatccc gaactcgctg gaggacaagg ctcagctctt 120
gccaggccaa attgagacat gtctgacaca agcgagagtg gtgcaggctt aactcgcttc 180
caggctgaag cttcagaaaa ggacagtagc tcgatgatgc agactctgtt gacagtgacc 240
cagaatgtgg aggtcccaga gacaccgaag cctcaaaggc actggagggtc tcagaggatg 300
tgaaggctctc aaaagcctct ggggtctcaa aggccacaga ggtctcaaag accccagagg 360
ctcgggagggc acctgccacc caggcctcrt ctactactca gctgactgat acccagggtt 420
tggcagctga aaacaagagt ctacgagctg acaccaagaa acagaatgct gaccgcgagg 480
ctgtgacaat gcctgccact gagaccaaaa aggtcagcca tgtggctgat acaaaggcca 540
atacaaaggc tcaggagact gaggtgacac cctctcaggc cccagcagat gaacctgagc 600
ctgagagtgc agctgcccag tctcaggaga atcaggatac tcggcccaag gtcaaagcca 660
agaaagcccg aaaggtgaag catctggatg gggaaagagg tggcagcagt gatcagagtc 720
aggcttcttg aaccacaggt ggccgaaggt ctcaaaggcy ctaatggcct caatggcccg 780
cagcttncaa ggggtcccat agccttttgg gcccgagna tcaaggactc ggttggctgc 840
ttgggcccgg agagccttgc tctccctgag atcacctaaa gcccgtaggg caaggctcgc 900
cgtagagctg ccaagctcca gtcattccaa gagcctgaag caccaccacc tcgggatgtg 960
gcccttttgc aaggaggggc aaatgatttg gtgaagtacc ttttggctaa agaccagacg 1020
aagattccca tcaagcgctc ggacatgctg aaggacatca tcaaagaata cactgatgtg 1080
taccgccaaa tcattgaacg agcaggctat tcyttggaga aggtatttgg gattcaattg 1140
aaggaaattg ataagaatga ccacttgtac attcttctca gcaccttaga gccactgat 1200
gcaggcatac tgggaacgac taaggactca cccaagctgg gtctgctcat ggtgcttctt 1260
agcatcatct tcatgaatgg aaatcggtcc agtgaggctg tcatctggga ggtgctgcgc 1320
aagttggggc tgcgcctggg atacatcatt cactctttgg ggacgtgaag aagctcatca 1380
ctgatgagtt tgtgaagcag aagtacctgg actatgccag agtccccaat agcaatcccc 1440
ctgaatatga gttcttcttg ggcctgcgct cttactatga gaccagcaag atgaaagtcc 1500
tcaagtttgc ctgcaagnta caaaagaagg atcccaagga atgggcagct cagtaccgag 1560
aggcgatgga agcrgatttg aaggctgcag ctgaggctgc agctgaagcc aaggctaggg 1620
ccgagattag agctcgaatg ggcattgggc tcggctcgga gaatgctgcc gggccctgca 1680
actgggacga agctgatata ggacctggg ccaaagcccg gatccaggcg ggagcagaag 1740
ctaaaagccaa agcccaagag agtggcagtg ccagcactgg tgccagtacc agtaccata 1800
acagtggcag tgccagtgc agcaccagtg gtggcttcag tgctgggtgcc agcctgaccg 1860
ccactctcac atttgggctc ttcgctggcc ttgggtggagc tgggtgccagc accagtggca 1920
gctctggtgc ctgtggtttc tcctacaagt gagattttag atattgttaa tcctgccagt 1980
ctttctcttc aagccagggt gcatcctcag aaacctactc aacacagcac tctaggcagc 2040
cactatcaat caattgaagt tgacactctg cattaaatct atttgccatt tcaaaaaaaaa 2100
aaaaaaaaaa actcgnngggg gggcccggta cccaattggc ccatagnngg 2149

<210> 131
<211> 1020

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (11)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1019)
<223> n equals a,t,g, or c

<400> 131
ctcgtgcgta naaggcagcg ccccgagagag ctcttgcgcg tcttgttctt gcctggtgtc 60
ggtggttagt ttctgcgact tgtgttgga ctgctgatag gaagatgtct tcaggaaatg 120
ctaaaattgg gcaccctgcc cccaacttca aagccacagc tgttatgcca gatggtcagt 180
ttaaagatat cagcctgtct gactacaaag gaaaaatagt tgtgttcttc tttaccctc 240
ttgacttcac ctttgtgtgc ccacggaga tcattgcttt cagtgatagg gcagaagaat 300
ttaagaaact caactgccaa gtgattggtg cttctgtgga ttctcacttc tgtcatctag 360
catgggtcaa tacacctaaag aaacaaggag gactgggacc catgaacatt cctttggtat 420
cagaccgaa gcgcaccatt gctcaggatt atggggtctt aaaggctgat gaaggcatct 480
cgttcagggg cctttttatc attgatgata aggggtattct tcggcagatc actgtaaatg 540
acctccctgt tggccgctct gtggatgaga ctttgagact agttcaggcc ttccagttca 600
ctgacaaaca tggggaagtg tgcccagctg gctggaaacc tggcagtgat accatcaagc 660
ctgatgtcca aaagagcaaa gaatatttct ccaagcagaa gtgagcgtg ggctgttta 720
gtgccaggct gcggtgggca gccatgagaa caaaacctct tctgtatttt tttttccat 780
tagtaaaaca caagacttca gattcagccg aattgtggtg tcttacaagg caggcctttc 840
ctacaggggg tggagagacc agcctttctt cctttggtag gaatggcctg agttggcgtt 900
gtgggcaggc tactggtttg tatgatgtat tagtagagca acccattaat cttttgtagt 960
ttgtattaaa cttgaactga gaaaaaaaaa aaaaaaaaaa aaaccccggtt gggggccng 1020

<210> 132
<211> 2319
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (10)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2246)
<223> n equals a,t,g, or c

<400> 132
acggctcggn attcccgggt cgacccacgc gtccgctacc tttgaaaggt cagtgcctgc 60
ttgggggttg gggcgggcca gactcactg tttgcttccc caggccagct ggaggtgatc 120
ttgggaccgg cggctgatgc aggatgacaa ccggggccta ggccaagggc tcaaggacaa 180


```

caagagaacc tgcaaccggt tccgcctcct gctagagcgg cgaaccrtgg gcagtggagt 240
ccaagatagc cactctacca gctacccatc cctcctcagc cacctgacct ccatgtacct 300
gaacgccccg gcgctcgctc tgctgtagc caggatgcag ctcccaggcc ctggtctgcg 360
ctcatttcat cctctggctt cctcactgcc ctgtgacttc cacctgctca acctacgtac 420
gtcccaggct gaggaggaca ccctaccctc ggcgagacc gcactcatct tacaccgcaa 480
ggttttgact gcggcctgga ggcaagaact tgggcttcaa ctgcaccaca agccaaggca 540
aggtagccct gggcagcctt ttccatggcc tggatgtggt attccttcag ccaacctcct 600
tgacgttact gtacctctcg gcctccccgt ccaacagcac tgacgtctat ttggagccca 660
tgagagattgc tacctttcgc ctccgcttgg gttagggtct cttgtggcct gaagagaaag 720
ttcattcaca gagactgcct cttaacatga agatcattgg acaagccaca cgggtatccc 780
atcccgatct gcctccaga actgtgacac actgggctct gccytcattt tctgtttatt 840
gctgctgctg tgttttcggc gcaaccacaa aaccagtgga tgggtaaata gggcagacgc 900
catgagatca gggagagaag gcccttggtc agagtgggca gtgccaggct ctgctttggg 960
ttgtgagtgg acaccacaact gggcacaggc tcaggcacc atcctttttc caaacaggga 1020
tatagaagtg gtggaagcag acagaagagg taagggaagg taagtgggta acagcccagc 1080
atcagggtca ctgtggcaac agcaggctct aggggaatcc tgtggttatg tagagactcc 1140
atgtcctggt gtgatgagca ggatcagagt gactctggga ggacagggtt ggggaccagc 1200
agttagcagt ggggatggag cagtagaagg aatcactgtt tctcctagga gtctgaaggc 1260
ctcgctgctt tctgtgatgg ctttgacgta agtgccgctt ggcctgcatg cattggctaa 1320
caggctgcag aatggcagga aggactcgct agagattgtc atggccagag atcataggtc 1380
acttcaggta gcaagacccc tggcaaactg ggcacttggc ctatgtactg atttgtggga 1440
tggtggcagg ggtgtggggg ccttcaccct gcctgaattc tctttggctt ctgtgctctg 1500
tatgtctgtg tccccaaarg ctctttctta ttatggcagg gagtggggat tggtcctact 1560
ttctttctct ggaaaggaaa gcctccaaga ctccatgtgc ttgggcagct tgagaaggcg 1620
ttcagcacca cgctagcag gcagacctg aagcctcacc tttagtctat ctgcagaggc 1680
attcagttcc tggcacaggg gactaggggc atgtagagta tatgaggagg cagtatggct 1740
gtgcaggagc cttcatttca gcttcaatta atagggaaga atttatgata gctctataga 1800
tgctgaaaag gtatttcgta agatttaaaa tccatccctt attaaaactc ttagtaaaatt 1860
aagtctggaa agaaacaccc taatctagat aaaggtctgt ttcagaaacc aacagtgatg 1920
gcattctaaa gagtacagc ccacaggcat tcccattaaa gtcagaaact agccaaggcg 1980
aagctattat tcagcagtg cccggcacta ctaaccctg caacaagcca gatgaggaa 2040
ataaggaaga attataattg tcattatttg tagacaataa aactgcctac ctgtaaaacc 2100
taagaatcaa ctgaagacct gttaagagta ttctgtaagt caacccaatg atacacatca 2160
tgttctctgc cacatactgg ttttcccaa atcagctgat aaattcagt taattccaat 2220
gagatgaaac tttggaattg acagtnctaa agtgcattgg gagagtgaat gtgtgagaac 2280
actaagacca ctctgaacga tgataatgag tttgggggt 2319

```

<210> 133

<211> 1373

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<400> 133

```

cgcgaccgga agtccgtcac tctcgcgagg ccccagagag caggcgctgg gcagtgtgga 60
ggtcgttgga gtcacttccg cgtcaccage tctgtgcct gccagtcggt gccctcccg 120
ctccagccat gctctccgcc ctcgcccggc ctgccagcgc tgcctccgc cgcagettca 180

```

gcacctcggc ccagaacaat gctaaagtag ctgtgctagg ggcctctgga ggcacatgggc 240
agccactttc acttctcctg aagaacagcc ccttggtgag ccgcctgacc ctctatgata 300
tcgcgcacac acccgagtg gccgcagatc tgagccacat cgagaccaa ggcgctgtga 360
aaggctacct cggacctgaa cagctgcctg actgcctgaa agnttgatg gtggtagtta 420
ttccggtctg agtccccaga aagccaggca tgaccggga cgacctgttc aacaccaatg 480
ccacgattgt ggccaccctg accgctgcct gtgcccagca ctgcccggaa gccatgatct 540
gcgtcattgc caatccggtt aattccacca tccccatcac agcagaagtt ttcaagaagc 600
atggagtgtg caaccccaac aaaatcttcg gcgtgacgac cctggacatc gtcagagcca 660
acacctttgt tgcagagctg aagggttttg atccagctcg agtcaacgct cctgtcattg 720
gtggccatgc tgggaagacc atcatcccc tgatctctca gtgcaccccc aagggtggact 780
ttccccagga ccagctgaca gcaactactg ggcgatcca ggaggccggc acggaggttg 840
tcaaggctaa agccggagca ggctctgcca ccctctccat ggcgtatgcc ggcgccgct 900
ttgtcttctc ccttgtggat gcaatgaatg gaaaggaaag tgttgtggaa tgttctctcg 960
ttaagtaca ggaaacggaa tgtacctact tctccacacc gctgctgctt gggaaaaag 1020
gcatcgagaa gaacctgggc atcggcaaaag tctctcttt tgaggagaag atgatctcgg 1080
atgccatccc cgagctgaag gcctccatca agaaggggga agatttcgtg aagacctga 1140
agtgcgccc tgtgacgggt ggccagtctt ctttaatttat gaaggcatca tgtcactgca 1200
aagccgttgc agataaactt tgtattttaa tttgctttgg tgatgattac tgtattgaca 1260
tcacatgcc ttccaaattg tgggtggctc tgtgggcgca tcaataaaaag ccgtccttga 1320
ttttattttt caaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1373

<210> 134

<211> 1657

<212> DNA

<213> Homo sapiens

<400> 134

ggaacaagt cctgtagtgt gtttgatct gtaccctacg actgattata cggatgaatgt 60
gacctgctg agatctccta agcggcactc agtcaataa caatagcaac tccccagca 120
gtaaaacaga ccatcagtaa catctcagga tttaatgaaa cctgcttgag atggagaagc 180
atcaagacag ctgatatgga ggagatgtat ttattccaca tttggggcca gagatggtat 240
cagaaggaat ttgcccagga aatgacctt aatatcagta gcagcagccg agatcccag 300
gtgtgcttg acctacgtcc gggtaaccaac tacaatgtca gtctccgggc tctgtctctg 360
gaacttctg tggatcatc cctgacaacc cagataacag agcctccct cccggaagta 420
gaattttta cggatgcacag aggacctcta ccacgcctca gactgaggaa agccaaggag 480
aaaaatggac caatcagttc atatcaggtg ttagtgcttc ccctggccct ccaaagcaca 540
tttcttgtg attctgaagg cgcttccctc ttctttagca acgctctga tgcgtatgga 600
tacgtggctg cagaactact ggccaaagat gttccagatg atgccatgga gataacctata 660
ggagacaggc tgtactatg ggaatattat aatgcacct tgaaaagagg gagtgtattac 720
tgcattatat tacgaatcac aagtgaatg aataagggtg gaagacactc ctgtgcagtt 780
tggtgctcag tgaaagattc gtcactcatg ctgctgcaga tggcgggtgt tggactgggt 840
tccctggctg ttgtgatcat tctcacattc ctctccttct cagcgggtgt atggcagatg 900
gacactgagt ggggaggatg cactgctgct gggcagggtg tctggcagct tctcaggtgc 960
ccgcacagag gctccgtgtg acttccgtcc agggagcatg tgggcctgca actttctcca 1020
ttcccagctg ggccccattc ctggatttaa gatgtggct atccctgagg agtcaccata 1080
aggagaaaac tcaggaattc tgagtcttcc ctgctacagg accagttctg tgcaatgaac 1140
ttgagactcc tgaatgtacac tgtgatattg accgaagsta catacagatc tgtgaatctt 1200
ggctgggact tccctctgag gatgcctgag ggtcagctcc tctagacatt gactgcaaga 1260
gaatctctgc aacctcctat ataaaagcat tctgttaat tcattcagaa tccattcttt 1320
acaatatgca gtgagatggg cttaagtttg ggctagagtt tgactttatg aaggaggtca 1380
ttgaaaaaga gaacagtgc gtaggcaaat gtttcaagca ctttagaaac agtacttttc 1440

```
ctataattag ttgatatact aatgagaaaa tatactagcc tgccatgccataaagtgttcc 1500
tgctgtgtct gttaggcagc attgctttga tgcaatttct attgtcctat atattcaaaa 1560
gtaatgtcta cattccagta aaaatatccc gtaattaaaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa ggcggcc 1657
```

<210> 135

<211> 2360

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1517)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2353)

<223> n equals a,t,g, or c

<400> 135

```
ggcacgagcg cagttgcgtg aggggtttgt rctatcctcg gtgctgtggt gcagagctag 60
ttcctctcca gctcagccgc gtaggtttgg acatatttga ctcttttccc cccaggttga 120
attgaccaaa gcaatggtga tggagaagcc tagtcccctg ctggtcgggc gggaatttgt 180
gagacagtat tacacactgc tgaaccaggc ccagacatg ctgcatagat tttatgaaa 240
gaactcttct tatgtccatg ggggattgga ttcaaatgga aagccagcag atgcagtcta 300
cggacagaaa gaaatccaca ggaaagtgat gtcacaaaac ttcaccaact gccacaccaa 360
gattcgccat gttgatgctc atgccacgct aaatgatggt gtggtagtcc aggtgatggg 420
gcttctctct aacaacaacc aggctttgag gagattcatg caaacgtttg tccttgctcc 480
tgaggggtct gttgcaaata aattctatgt tcacaatgat atcttcagat accaagatga 540
ggtctttggt gggtttgtea ctgagcctca ggaggagtct gaagaagaag tagaggaacc 600
tgaagaaaga cagcaaacac ctgaggtggt acctgatgat tctggaactt tctatgatca 660
ggcagttgtc agtaatgaca tggagaaca tttagaggag cctgttgctg aaccagagcc 720
tgatcctgaa ccagaaccag aacaagaacc tgtatctgaa atccaagagg aaaagcctga 780
gccagtatta gaagaaactg cccctgagga tgctcagaag agttcttctc cagcacctgc 840
agacatagct cagacagtac aggaagactt gaggacattt tcttgggcat ctgtgaccag 900
taagaatctt ccacccagtg gagctgttcc agttactggg ataccacctc atgttgtaa 960
agtaccagct tcacagcccc gtccagagtc taagcctgaa tctcagattc caccacaaag 1020
acctcagcgg gatcaaagag tgcgagaaca acgaataaat attcctcccc aaaggggacc 1080
cagaccaatc cgtgaggctg gtgagcaagg tgacattgaa ccccgagaa tggtagagaa 1140
ccctgacagt caccaactct tcattggcaa cctgcctcat gaagtggaca aatcagagct 1200
taaagatttc ttcaaaagt atggaaacgt ggtggagtgt cgcattaaca gtggtgggaa 1260
attaccaat tttggttttg ttgtgtttga tgattctgag cctgttcaga aagtccttag 1320
caacaggccc atcatgttca gaggtgaggt ccgtctgaat gtcgaagaga agaagactcg 1380
agctgccagg gaaggcgacc gacgagataa tcgccttcgg ggacctggag gccctcgagg 1440
tgggctgggt ggtggaatga gaggccctcc ccgtggaggc atggtgcaga aaccaggatt 1500
```

tggagtggga arggggnttg cgccacggca gtgaatcttc atggatcttc atgcagccat 1560
acaaaccctg gttccaacag aatggtgaat ttctgacagc ctttggtatc ttggagtatg 1620
accccagctc gttataaact gcttaagttt gtataatttt actttttttg tgtgttaatg 1680
gtgtgtgctc cctctccctc tcttcccttt cctgaccttt agtctttcac ttccaatttt 1740
gtggaatgat attttaggaa taacggactt ttaaagaagc aaaaaaaaag actgaatttc 1800
cttgcttact ttgcatatac agactggatt tttttttttt ttacagcca tttcccaaaa 1860
ggaatgtctt gcatattact gacatttggg atgtttcatt cattggaata tttcttattt 1920
tctacgtgtt tgaaaagcct gtaagaaata caggatttga taatattttg aaggcaggaa 1980
aaacccaaat tgtttcttct ttgagagtca tgactacctt ctggtgtgga gaaattgcca 2040
ttggaaaaat tgacaatttt gattctcact ggtatgttta aaaactgaat aaaaggaata 2100
gaattttttt ttgataaagg atcacaaaac aattctaaaa cctaactgtt ttaccattg 2160
aaattttaat tgtgataata ggtttttaat gtctagaatg caactgatat gcttttcttg 2220
aactgttagt ttttttgaag tagtttttcc cakgtttaat ttgtatttgg ttaaaaaaac 2280
maaaaggcca aaaattcccc aaaaccccg ttaaccacca grgscaaacn gttgtggcct 2340
tccaatttaa cnttgggatt 2360

<210> 136

<211> 1042

<212> DNA

<213> Homo sapiens

<400> 136

gccggtggct gctgtctctg ggccggccgt gggaggctcc cgagggtggg gccggggcg 60
gatggctgca gcggcgcccg gggccgggag cgggccctgg gcggcccagg agaagcagtt 120
cccgcggcg ctgctgagtt tcttcatcta caaccgcgc ttcgggccgc gcgaaggaca 180
ggaggaaaaat aagattttat tttatcatcc aaatgaggta gaaaagaatg agaagattag 240
aaatgtcggg ttgtgtgaag ctattgtaca gtttacaagg acatttagcc catcaaaaacc 300
tgcaaaatct ttacatacac agaagaacag acagtctctc aatgaaccag aagaaaaatt 360
ctggatggtc atggttgttc ggartcctat aattgaaaaa cagagtaaag atggaaaacc 420
agttattgaa tatcaagagg aggagttgtt ggacaagggt tatagctcgg tgctgcggca 480
gtgctacagc atgtacaagc tttttaatgg tacatttctg aaagccatgg aagacggagg 540
cgtcaagctt ctgaaagaaa gattagagaa attcttccat cggtatttgc aaacgctaca 600
tttgacgtca tgtgacctac ttgacatttt tgggtggaatc agcttcttcc cgttgataa 660
aatgacttat ttgaaaatcc agtcctttat taatagaatg gaggaaagcc tgaatatagt 720
caaatacact gcttttctct ataacgatca gctcatctgg agtggattag aacaagatga 780
catgagaatt ttatacaaat accttaccac ctccctttty ccaaggcaca tcgaacctga 840
gttagcagga agggattctc caataagagc agaaatgcc ggaaatcttc aacactatgg 900
aagatttctt accggaccct tgaacctcaa tgatccagat gcaaaatgca gattcccaaa 960
aatttttgta aatacagwtg acacttatga agagctccat ttaatcgktt ataaggycgt 1020
agaaagaacc ccagtttaag tt 1042

<210> 137

<211> 1037

<212> DNA

<213> Homo sapiens

<400> 137

ggcaccggga gcggcggtt ggtctacgt gtgcggcg gcgctcgag gcagcggga 60
gcggagcgg gccgcgggg cctctccagg gccgcagcg cagcagttgg gcccccgcc 120
ccggccggcg gaccgaagaa cgcaggaagg gggccgggg gaccgcgcc cgcccgccg 180
cagccatgaa ctccaacgtg gagaacctac ccccgccat catccgcctg gtgtacaagg 240

```
aggtgacgac actgaccgca gaccacccg atggcatcaa ggtctttccc aacgaggagg 300
acctcaccga cctccaggtc accatcgagg gccctgaggg gaccccatat gctggagggtc 360
tggtccgcat gaaactcctg ctggggaagg acttccctgc ctccccaccc aagggctact 420
tcctgacca gattctccac ccgaacgtgg gcgccaatgg cgagatctgc gtcaacgtgc 480
tcaagaggga ctggacggct gagctgggca tccgacacgt actgctgacc atcaagtgcc 540
tgctgatcca ccctaacccc gagtctgcac tcaacgagga ggcgggccgc ctgctcttgg 600
agaactacga ggagtatgcr gctcggggccc gtctgctcac agagatccac gggggcgccg 660
gcggggcccag cggcagggcc gaagccggtc gggccctggc cagtggcact gaagcttcct 720
ccaccgaccc tggggcccca gggggcccgg gaggggctga ggggtccatg gccagaagc 780
atgctggcga gcgcgataag aagctggcgg ccaagaaaaa gacggacaag aagcgggcgc 840
tgcggcggtg gtagtgggct ctcttcctcc ttccaccgtg accccaacct ctctgtccc 900
ctccctccaa ctctgtctct aagttattta aattatggct ggggtcgggg agggtagagg 960
gggcactggg acctggattt gtttttctaa ataaagtggg aaaagcaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaa                                     1037
```

<210> 138

<211> 1490

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1225)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1239)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1348)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1452)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1487)

<223> n equals a,t,g, or c

<400> 138

```
cggcacgagg tggattcttg tccatagtgc atctgcttta agaattaacg aaagcagtgt 60
caagacagta aggattcaaa ccatttgcca aaaatgagtc taagtgcatt tactctcttc 120
ctggcattga ttggtggtac cagtggccag tactatgatt atgattttcc cctatcaatt 180
tatgggcaat catcacaaa ctgtgcacca gaatgtaact gccctgaaag ctaccaagt 240
gccatgtact gtgatgagct gaaattgaaa agtgtaccaa tgggtgcctcc tggaatcaag 300
```

111

```
tatctttacc ttaggaataa ccagattgac catattgatg aaaaggcctt tgagaatgta 360
actgatctgc agtggctcat tctagatcac aaccttctag aaaactccaa gataaaaggg 420
agagttttct ctaaattgaa acaactgaag aagctgcata taaaccacaa caacctgaca 480
gagtctgtgg gccacattcc caaatctctg gaggatctgc agcttactca taacaagatc 540
acaaagctgg gctcttttga aggattggta aacctgacct tcatccatct ccagcacaaat 600
cggctgaaaag aggatgctgt ttcagctgct tttaaaggct ttaaatcact cgaatacctt 660
gacttgagct tcaatcagat agccagactg ccttctggct tccctgtctc tcttctaact 720
ctctacttag acaacaataa gatcagcaac atccctgatg agtatttcaa gcgttttaat 780
gcattgcagt atctgcgttt atctcacaac gaactggctg atagtggaaat acctggaaat 840
tctttcaatg tgtcatccct gggtgagctg gatctgtcct ataacaagct taaaaacata 900
ccaactgtca atgaaaacct tgaaaactat tacctggagg tcaatcaact tgagaagttt 960
gacataaaga gcttctgcaa gatcctgggg ccattatcct actccaagat caagcatttg 1020
cgtttggtat gcaatcgcat ctcaraaacc agtcttccac cggatatgta tgaatgtcta 1080
cgtgktgcta acgaagtcac tcttaattaa tatctgtatc ctggaacaat attttatggk 1140
tatgkttttc tgtgkgtcag ttttcatagt atccatawtt tawtactgkk tattacttcc 1200
atgaatttta aaatctgagg gaaangtttg taaacattna tttttttaa gaaaagagaa 1260
aggcaggcct attcatcaca agaacacaca catatwcacg aatagacatc aaactcatgc 1320
tttatttgta aatttagtgt ttttttantt ctacgtcaaa gatgtgcaaa accttttacg 1380
gttgaggagaa acagccagtt ttaaaatcct taaacttaag ttcctcaagc tggataaaac 1440
ataggagtac cncctgcacaa tatctgaaca tcaatgtcgg taaaatnggg 1490
```

<210> 139

<211> 1684

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (93)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (201)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1657)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1659)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1682)

<223> n equals a,t,g, or c

<400> 139

```
tcgacccacg cgtccggccg gctgagccac agcagggctc cgcgggggtc ccggggccgt 60
gctcccctgc cctcccgga gcgcgcgggg cngggcgggg cggggcggga ccaggcgggc 120
gagctgggccc ctgcgccctc cctcggggcg tcacctgggc acgggcgctg cagggtgctcg 180
ggcctcaacc ttgcggaccg nacagccatc gatcctcggg tggcctcgag gtggtggcag 240
ggccgcccc tgcagtcggg agacgaacgc acggaccggg cctccggagc argttcgggt 300
ggaargaamc gctctcgstt cgtcctacac ttgcgcaaat gtctccgagc ttactcacat 360
agcatattgg tatatcaaaa tgaaatgcaa ggaacaaaaa ataacataat tgaaggcagt 420
aaaagtgaia ttaaatagga agatcatcag tcaaggaaga cccactggag aggacagaaa 480
atgaagcagt gttttatcat gtgtatttca gcaggtcttc ttgaaattta actaaaaata 540
tgactgctct ctcttcagag aactgctctt ttcagtacca gttacgtcaa acaaaccagc 600
ccctagatgt taactatctg ctattcttga tcatacttg gaaaatatta ttaaatatcc 660
ttacactagg aatgagaaga aaaaacacct gtcaaaaatt tatggaatat ttttgcat 720
cactagcatt cgttgatctt ttacttttgg taaacatttc cattatattg tatttcagg 780
atthtgtact tttaagcatt aggttcacta aataccacat ctgcctatth actcaaat 840
tttcttttac ttatggcttt ttgcattatc cagttttcct gacagcttgt atagattatt 900
gcctgaatth ctctaaaaca accaagctth catttaagt tcaaaaatta ttttatttct 960
ttacagtaat tttaatttgg atttcagtcc ttgcttatgt tttgggagac ccagccatct 1020
accaaagcct gaaggcacag aatgcttatt ctgcgtactg tcctttctat gtcagcattc 1080
agagttactg gctgtcattt ttcatggtga tgattttatt tgtagctttc ataacctgt 1140
gggaagaagt tactactttg gtacaggcta tcaggataac ttcctatatg aatgaaacta 1200
tcttatatth tcctttttca tcccactcca gttatactgt gagatctaaa aaaatattct 1260
tatccaagct cattgtctgt tttctcagta cctggttacc atttgacta cttcaggtaa 1320
tcattgtttt acttaaaagt cagattccag catatattga gatgaatatt ccctggttat 1380
actttgtcaa tagttttctc attgctacag tgtattgggt taattgtcac aagcttaatt 1440
taaaagacat tggattacct ttggatccat ttgtcaactg gaagtgtgc ttcattccac 1500
ttacaattcc taatcttgag caaattgaaa agcctatata aataatgatt tgktaatat 1560
attaattaaa agttacagct gtcataagat cataatttta tgaacagaaa gaactcagga 1620
catattaaaa aataaactgr actaaaacaa aaaaaancna aaaaaaaaaa aaaaggcg 1680
cnac 1684
```

<210> 140

<211> 427

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<400> 140

```
ggacttcctc ccagcacatt cctgcactct gccgtgtcca cactgcccc cagacccagt 60
cctccaagcc tgctgccagc tccctgcaag cccctcaggt tgggccttgc cacggtgcca 120
gcaggcagcc ctgggctggg ggtaggggac tccctacagg cagcagccc tgagacctca 180
gagggccacc ccttgagggt ggccaggccc ccagtggcca acctgagtgc tgcctctgcc 240
```

accagccctg ctggcccctg gttccgctgg cccccagat gcctggctga gacacgccat 300
ggcccttcag ctggcccaca cytyttcccg gsccttgaa kttggcaytg cagcagacag 360
ytccytgggc accagrcagy taacaggaca cagcngccag cccaaacagc agcgggnatg 420
ggggcag 427

<210> 141
<211> 889
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (60)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (698)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (889)
<223> n equals a,t,g, or c

<400> 141
ggcacgaggt tgacgtcctg tagcatttgc tgttctagaa agtacagaga cacgtagaan 60
agatgggagg atctagaagg aggtgtctc ctgtgtagtg tatatttata tgtaagttag 120
ccgttgggga aggattgaat acagagacgc tgtctgcttg ctgccttaag acagctagct 180
gaattgctga ttaactttta aaatacccag cttggtttat tttcttaga atctgttgct 240
aagactgggg acgtgtttt cttttacaaa gggaaatcta agttaatttc aaggcattcg 300
aaatggggaa agactattat tgcatttttg gaattgagaa aggagcttca gatgaagata 360
ttaaaaaggc ttaccgaaaa caagccctca aatttcattc ggacaagaac aaatctcctc 420
aggcagagga aaaatttaaa gaggtcgag aagcttatga agtattgagt gatcctaaaa 480
agagagaaat atatgrtcag tttggggagg aagggttgaa aggaggagca ggaggtactg 540
atggacaagg aggtaccttc cggtagacct ttcattggcg tcctcatgct acatttgctg 600
catttttcgg aggtccaac ccctttgaaa ttttcttttg aagacgaatg ggtgggtgta 660
gagattctga agaaatggaa atagrtggtg atccttnag tgccttttgt ttcagcatga 720
atggatatcc aagagacagg aattctgttg ggccatccc cctcaaaca gatcctccag 780
ttattcatga acttagagta tcaattgaag agatatatag tggttgtagc aaacgggatg 840
aaagatttct cgaaaaagg taaaacgctg atggtaggag ttacagttn 889

<210> 142
<211> 1505
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1493)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1499)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1500)

<223> n equals a,t,g, or c

<400> 142

```
agtgagggaa gcgatgggcg cgggaatggc cggccacagg gtcgcaggag acgggacgcc 60
agcttttggc tccgttcgcg tggttccttc gtcagtactg acacctcggg cttgtagagc 120
acttcacgca gcaaaagcgc cccccgtcta tatcatatcg cctctcggtc ctccataaag 180
tcgtatgaga tggagctgga ggaggggaag gcaggcagcg gactccgcca atattatctg 240
tccaagattg aagaactcca gctgattgtg aatgataaga gccaaaacct ccggaggctg 300
caggcacaga ggaacgaact aaatgctaaa gttcgcctat tgcgggagga gctacagctg 360
ctgcaggagc agggctccta tgtgggggaa gtagtccggg ccatggataa gaagaaagtg 420
ttggtcaagg tacatcctga aggtaaattt gttgtagacg tggacaaaaa cattgacatc 480
aatgatgtga caccgaattg ccgggtggct ctaaggaatg acagctacac tctgcacaag 540
atcctgcccc acaaggtaga cccattagtg tcaactgatg tggtgagaaa agtaccagat 600
tcaacttatg agatgattgg tggactggac aaacagatca aggagatcaa agaagtgatc 660
gagctgcctg ttaagcatcc tgagctcttc gaagcactgg gcattgctca gccaaggga 720
gtgctgctgt atggacctcc aggcactggg aagacactgt tggcccgggc tgtggctcat 780
catacggact gtacctttat tcgtgtctct ggctctgaat tggtagagaa attcataggg 840
gaaggggcaa gaatggtgag ggagctgttt gtcattggcac gggaacatgc tccatctatc 900
atcttcatgg acgaaatcga ctccatcggc tcctcgcggc tggagggggg ttctggaggg 960
gacagtgaag tgcagcgcac gatgctggag ttgctcaacc agctygacg ctttgaggcc 1020
accaagaaca tcaaggttat catggctact aataggattg atatcctgga ctcggcactg 1080
cttcgcccag ggcgcattga cagaaaaatt gaattccac ccccaatga ggaggcccg 1140
ctggacattt tgaagattca ttctcggaag atgaacctga cccgggggat caacctgaga 1200
aaaattgctg agctcatgcc aggagcatca ggggctgaag tgaagggcgt gtgcacagaa 1260
gctggcatgt atgccctgcg agaacggcga gtccatgtca ctcaggagga ctttgagatg 1320
gcagtaccca aggtcatgca gaaggacagt gagaaaaaca tgtccatcaa gaaattatgg 1380
aagtgagtgg acagcctttg tgtgtatctc tccaataaag ctctgtgggc caagtcaaaa 1440
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aangggggnn 1500
ccccc 1505
```

<210> 143

<211> 1235

<212> DNA

<213> Homo sapiens

<400> 143

```
cggacgggtg gtagcggcg cggcgctggc accccggccc cggcggggcc cggcggacgg 60
cgggcaaagg tcccaggaag gtggcgtcag catctgcagc cgcgtcgacg ttgtcggagc 120
ctccgcgag gaccaggag agccggacta ggaccagggc cctgggcctc cccacactcc 180
ccatggagaa gctggcggcc tctacagagc cccaagggcc tcggccggtc ctgggcccgtg 240
agagtgtcca ggtgcccgat gaccaagact ttcgcagctt ccggtcagag tgtgaggctg 300
aggtgggctg gaacctgacc tatagcaggg ctggggtgtc tgtctgggtg caggctgtgtg 360
```

```
agatggatcg gacgctgcac aagatcaagt gccggatgga gtgctgtgat gtgccagccg 420
agacactcta cgacgtccta cacgacattg agtaccgcaa gaaatgggac agcaacgtca 480
ttgagacttt tgacatcgcc cgcttgacag tcaacgctga cgtgggctat tactcctgga 540
ggtgtcccaa gccctgaag aaccgtgatg tcatcaccct ccgctcctgg ctccccatgg 600
gcgctgatta catcattatg aactactcag tcaaacatcc caaataccca cctcggaaag 660
acttggtccg agctgtgtcc atccagacgg gctacctcat ccagagcaca gggcccaaga 720
gctgcgtcat cacctacctg gcccggtgg accccaaagg ctccctaccc aagtgggtgg 780
tgaataaatc ttctcagttc ctggctccca aggccatgaa gaagatgtac aaggcgtgcc 840
tcaagtaccc cgagtggaaa cagaagcacc tgctcactt caagccgtgg ctgcaccgg 900
agcagagccc gttgccgagc ctggcgctgt cggagctgtc ggtgcagcat gcggactcac 960
tggagaacat cgacgagagc gcggtggccg agagcagaga ggagcggatg ggcggcgccg 1020
gcggcgaggg cagcgacgac gacacctcgc tcacctgagc gycgcaccgc ttcagggacg 1080
gagacaggac cggcgagacc ctggggcgcc ggcgctcct gcactttctc ccctcccca 1140
cccggcacct ggtggcaccg ggccaggccc aggcgggtgc tgcagcctgg ctggacagag 1200
ccccataaaa cgatcccaca gcctcaaaaa aaaaa 1235
```

<210> 144

<211> 1420

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1396)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1400)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1410)

<223> n equals a,t,g, or c

<400> 144

```
gcaagaacgg agctgactga ggaaccaact ggagggtctt cactctctcc ttccccagtg 60
tacaaaacca gttttctgca acattcagga gccaaatgag gaaaaagaat caagaatctg 120
actcacagcc catctgatct gttcaaagct gtcttttcca cctgctgaaa ttcattaaat 180
cactggaggc atgcataatg aatggagaat gagtgaactt ccaatgcaac ttggattcac 240
aaaccatta tcatagccaa tatgcagatt ttaaacagca tttcacattt catttgacca 300
tgtcttcttt ttgcgcatgc ctgctgcaga attccctact agaattgtgaa acaacgaaca 360
aaccacagaa cttagagtgt gctggttagt cacataactt agtagcagga ttgtgtatcc 420
aggcacaaag gtgtctttgc taatgttctc ttgctacctg ccctgcttca aacgctaaat 480
ggtatgggtc tttctttgtt gccagccata ttctacaaat aagacttttc aatatagtta 540
```

tgagtaatat aattttatgt acatataatg ttagaatatt gtacagaatc ttggtttcta 600
cgatgcgctt ttcttgtttc aaaaagagga aaatgcttga tttttgttga tgatactttt 660
gttactgtcc ttaattttcc atagtttggt ttcttaattg tgctcactaa gcatcgatct 720
gtgctgatgc caagctatgg actatgtacg caagaccgag caatagacag aggtgcctag 780
gggccaaaaca cactgaacgc acgtggaccg cctggwtcag gagcctcatc agacccttct 840
ccatgcacat ccttcccaaa cagtcacaga ttccattgaa aggagcagat tctatcagtt 900
cttctgtgca gactttaaga gctgaacgtt ctggttctgg aagccatgtg actgcgcaga 960
acaacctaaag aaaccctttg tgtcctgagg ggtcgttgac ctctccttcc gggtcggagc 1020
agtcactctg agggcaaagc gtggtccact gtgtgtgatg ttttcaggat gctaggggtca 1080
aagaaagaaa ccaagtggta cataagcca gcttttctgc tgggctaagt gtaagtgtga 1140
gtaacatggt caagcccctc ttttttgggc tatgtaaagc ctttctgccc ttgcattaat 1200
gtatctctcc tgggtactgt ttctcttaaa tggagcagat agaaatctgc agtggttgca 1260
gataggtgca tgggagagg atggataatt ttatcttctg ggccacagag ctggcagccc 1320
cagtttgtcc agagtccttt aaatggaaac ccccaaatcc atcccttctt ttccctaacc 1380
cccangggga tattcntagn attaagggcn cgggataagt 1420

<210> 145

<211> 1919

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1882)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1898)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1919)

<223> n equals a,t,g, or c

<400> 145

gcccacgcgt ccggccgctc gtccgcccgg cttgaggccc gcggggagcg cggcgcaatt 60
cgtcggcccg cgggggggcg gcctcccggc atcttcgchg cgaccaagga ctaccaggaa 120
ggggagcggc tgggatggcg cgtccgggcc ccgskagtac aaagcgggag acctggtctt 180
cgccaagatg aagggtacc cgcactggcc ggcccggatt gatgaactcc cagaggcgct 240
gtgaagcctt cagcaaaaca gtatcctatc ttcttttttg gcacccatga aactgcattt 300
ctaggtccca aagacctttt tccatataag gagtacaaag acaagtgttg aaagtcaaac 360
aaacggaaaag gatttaacga aggattgtgg gaaatagaaa ataaccagg agtaaagttt 420
actggctacc aggcaattca gcaacagagc tcttcagaaa ctgagggaga aggtggaaat 480
actgcagatg caagcagtga ggaagaaggt gatagagtag aagaagatgg aaaaggcaaa 540
agaaagaatg aaaaagcagg ctcaaacagg aaaaagtcac atacttcaaa gaaatcctct 600
aaacagtccc ggaaatctcc aggagatgaa gatgacaaag actgcaaaga agaggaaaac 660
aaaagcagct ctgagggttg agatgcgggc aacgacacaa gaaacacaac ttcagacttg 720
cagaaaacca gtgaaggagc ctaactacca taatgaatgc tgcataattaa gagaaaccac 780
aagaaggtta tatgttttgt tgtctaatat tcttgattt gatatgaacc aacacatagt 840

```
ccttggtgtc attgacagaa ccccgatttg tatgtacatt attcatattc ctctctgttg 900
tgtttcgggg ggaaaagaca ttttagcctt ttttaaaagt tactgattta atttcatgtt 960
atttggttgc atgaagttgc ccttaaccac taaggattat caagattttt gcgcagactt 1020
atacatgtct aggatccttt tatcaaggca gttatgatca tcgttttctt gccttgacct 1080
caccatcatc aaacactcag ttaaatataa attaacattt tttagatgac cactcaacat 1140
aatgcttaag aatggaattt cctctctgtg acagaacca ggaattaatt cctaaatata 1200
taacgttggt atattgaaga cgaaattaaa attgtccttc agttttgagg ccatgtgtaa 1260
agtttaacca tattgtaaaa tatctattcc gtattgaaa tagctagtgt acagcttata 1320
cttctcaaaa ttcattattgt tatgtacaca aactaagttt ctatatgtga agttagtgtg 1380
tctttttgtg ttactccaaa ataaaggcaa tgatttattt ttttcccagt gccaatacaa 1440
ttttgagcta agcactcaag gtggatactt tacattttta agctggaatc agcaacagcc 1500
ctatgggaaa ccagacaaaag cattgacttt taaatgtaga cttttaaaat aaactgtttt 1560
cttttggaac tacaattaga atagttaata ttcattcctta aaccattatt atgtgtacat 1620
tattgttgct attgtgataa tagagaattt tattttattt tatgccagct tatattgtga 1680
gaacacattt agtcagtttg ggttttatca atcctgttaa tgcttgcctt tggaacatct 1740
ttcgcggtatt cacggtttgt agttgaaaag tttactgtaa aaaaatcaaa aacaaaaaaa 1800
tgtattgttt ttacagaata aatttattgg aatgtgwact ggggagtaag atttgaggtt 1860
gtaagcaaac taagttagtg tnaattggcc tccaatangt aacgtggagg cattaatgn 1919
```

<210> 146

<211> 1379

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (925)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1371)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1377)

<223> n equals a,t,g, or c

<400> 146

```
gcccacgct ccgcccacgc gtccgcccac gcgtccgccc acgcgtccgg taagtttaga 60
tgactggtca atatcttaaa aatgtatatt agtaagaagt tcttcctgga attttcttt 120
cgattctggc agaataaaca ggtgttttta gttttccac tgctgagcc aagcaggacc 180
ctgtcccaga gcaagagatg tccccttcca tctctgacct ttgcctggga caagctttga 240
tggggggccc cagcttcaag gctgtggtgg gaacagcacc cccaaatgcc agcctctctc 300
ttcttcccat ccaccagtat actgcggggc catttctggt ctttgccaa caggaaaccc 360
atttctggtg ggatatgcct tccagtgcc cagggccact caccocatgc atctctgtcc 420
tgcccgtcag tgctgggacg gacagcaagg gcaagcccag tgtctggcrg atagggtgggt 480
gggaacagag aggggagaat gccgtcctaa gcttctgctt ggggatcccc cacacgacct 540
gggtactgcc tgggaaacct gtccctaagta aaactatgga cctgcctcg cccaccggcc 600
tgcraagcca gcatctccgt gaaggtggat ggaagcgctt ttgtcctcay tttgagctgc 660
```

aagctgggtc agcggctctg aagccctcga gtgactttct aacccaagac ccagcccctg 720
gcaggaggag ggtgggtgca gggctgggtg gacaaaaaga ggcctcagca ggcctggaag 780
acccttcag tacatccac agcgtgtcga gcagctggga gaacctgtgt caagctcag 840
ccgtcatagg tcccatgag gtgtctgaag ccccttcttg gtgatgggag gcagaggtgc 900
tgacgttctg gagcatggac gtgantcytc aagctggctc cgcgtgggcc cttggagggt 960
gccaggtgtg tggtagacct ctggatgcct ttaacttcat ggctgcgtca ttcctgattt 1020
agaactttaa ccggagcttc atctagtgtg tgcaaaactg gaccaatggg aggacggcgc 1080
gcagcccgt cctccgtgg aatggagctc agctcttcgg aggcataaaa gcacctgtcg 1140
cctccgtggt cccctgccc agggagtgcg gcctctgcaa ggctcggggg tggcttcgtt 1200
tgctggagt ggcggccct gcttgtgcca tgttgatgtt tgtgagctc ggtcctacag 1260
cactgtgtag gctgcatctg ttctgtgtg gtctgttga cttgtatgat atccacaaat 1320
aaatatttct atggcaaaaa aaaaaaaaaa aaaaaaaaaa aaaagggggg nccccnaa 1379

<210> 147

<211> 514

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (406)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<400> 147

ttnggaaact gatcacttat caaggcttta tatattcttt acggatttag acatcaccaat 60
accaagaagc ttactccatc tattccggtc tttgtaggac aggccttcatt tttcagccca 120
tgttctgtaa gccacacagt atgctgcag aagctgctta tcggagccaa atataattgt 180
cagtacaatt taaagaccac tatgtgtccc cggagaccaa cctgtttatt tccctgaaag 240
accgcaacac cccacacaac atgtttcaga catttgacc ttgttagata agacacttgt 300
aggagaaaga gatttcttaa attaatagc ttatatacc ctagagaagg ccatacaaat 360
ctgcggacgc gtgggcggac gcgtggggg accgtgggtc gaacgnacc ancgtccncg 420
gacgcgtggg cggacgcgtg ggcggacgcg tgggcggacg cgtgggcgga cgcgtgggcg 480
gacgcgtggg cggacgcgtg ggcggacgcg tggg 514

<210> 148

<211> 2058

<212> DNA

<213> Homo sapiens

<400> 148

```
gtgcgcccg ggcggccggg agcctaccca gcacgcgctc cgccccactg gttccctcca 60
gocggccggg tccagccgag tccccactcc ggagtcgccc ctgcccgggg gacatgggcc 120
tctgcgttca gggacctcgt cctttgctgg ctgtggagcg gactgggcag cggccctgt 180
gggccccgtc cctggaactg cccaagccag tcatgcagcc cttgcctgct ggggccttcc 240
tcgaggaggt ggcagagggg accccagccc agacagagag tgagccaaag gtgctggacc 300
cagaggagga tctgctgtgc atagccaaga ccttctocta ccttcgggaa tctggctggg 360
attgggggtc cattacggcc agcgaggccc gacaacacct gcagaagatg ccagaaggca 420
cgttcttagt acgtgacagc acgcacccca gctacctgtt cacgctgtca gtgaaaacca 480
ctcgtggccc caccaatgta cgcattgagt atgccgactc cagcttccgt ctggactcca 540
actgctgtgc caggccacgc atcctggcct ttccggatgt ggtcagcctt gtgcagcact 600
atgtggcctc ctgcactgct gatacccgaa gcgacagccc cgatcctgct cccaccccg 660
ccctgcctat gcctaaggag gatgcgccta gtgacccagc actgcctgct cctccaccag 720
ccactgctgt acacctaaaa ctggtgcagc cctttgtacg cagaagcagt gccgcagcc 780
tgcaacacct gtgcgcctt gtcataaacc gtctggggc cgacgtggac tgcctgccac 840
tgccccggcg catggccgac tacctccgac agtaccocct ccagctctga ctgtacgggg 900
caatctgccc accctcaccc agtcgcaccc tggaggggac atcagcccca gctggacttg 960
ggccccact gtccctcctc caggcatcct ggtgcctgca tacctctggc agctggccca 1020
ggaagagcca gcaagagcaa ggcattgggag aggggaggtg tcacacaact tggaggtaaa 1080
tgccccagg ccgcatgtgg cttcattata ctgagccatg tgtcagagga tggggagaca 1140
ggcaggacct tgtctcacct gtgggctggg ccagacctc cactcgcttg cctgccctgg 1200
ccacctgaac tgtatgggca ctctcagccc tggtttttca atccccaggg tcgggtagga 1260
cccctactgg cagccagcct ctgtttctgg gaggatgaca tgcaaggaa ctgagatcga 1320
cagtgactag tgacccttg ttgaggggta agccaggcta ggggactgca caattataca 1380
ctatttattt atttattctc cttgggggtg gtgtcagggg cgagccaacc ccacctctat 1440
gcctgagcc ctggtagtcc agagacccca actctgccct ggcttctctg gttcttccct 1500
gtggaagacc catcctgaga catcttgctg gaaccaaggc aatcctggat gtccctggta 1560
tgaccacccc gtctgtgaat gtgtccactc tctctgccc ccagccatat ttggggagga 1620
tggaacaact caataggtaa gaaaatgcag ccggagcctc agtccccagc agagcctgtg 1680
tctaccccc tcacaggaca gagctgtatc tgcatagagc tggctcact gtggcgagg 1740
ccccggggg agtgctgtg ctgtcaggaa gagggggtgc tggtttgagg gccaccactg 1800
cagttctgct aggtctgctt cctgccagc aaggtgcctg cacatgagag gagagaaata 1860
cacgtctgat aagacttcat gaaataataa ttatagcaaa gaacagtttg gtggtctttt 1920
ctcttccact gatttttctg taatgacatt atacctttat tacctcttta ttttattacc 1980
tctataataa aatgatacct ttcattgtaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaaa aaaaaaag                                     2058
```

<210> 149

<211> 1781

<212> DNA

<213> Homo sapiens

<400> 149

```
ggcaattact aaggaaggat tgtatttatg aggataactt cattatttct ctctcttttt 60
aaatctctca ttaggtggct atggaggctt ttacaacagt gatggatatg gaggaatta 120
taactcccag ggggttgact ggtggggtaa ctgagcctgc tttgcagtag gtcaccctgc 180
caacaagct aatatggaaa ccacatgtaa cttagccaga ctataccttg ttagcttca 240
agaactcgca gtacattacc agctgtgatt ctccactgaa attttttttt taaggagct 300
```

```
caaggtcaca agaagaaatg aaaggaacaa tcagcagccc tgttcagaag gtgggttgaa 360
gacttcattg ctgtagtttg gattaactcc cctccgcct acccccatcc caaactgcat 420
ttataatttt gtgactgagg atcatttggt tgtaaatgta ctgtgccttt aacttttagac 480
aactttttat tttgatgtcc tgttggtcca gtaatgctca agatatcaat tgttttgaca 540
aaataaattt actgaacttg ggctaaaatc aaaccttggc acacagggtgt gatacaactt 600
aacaggaatc atcgattcat ccataaataa tataaggaaa aacttatgcg gtagcctgca 660
ttagggcttt ttgatacttg cagattgggg gaaaacaaca aatgtcttga agcatattaa 720
tggaattagt ttctaattgtg gcaaactgta ttaagttaaa gttctgattt gctcaactta 780
tcctggatag gtatttagaa cctgatagtc ttaagccat tccagtcag atgagggtgat 840
gtatgaatac atgcatacat tcaaagcact gttttcaaa ttaatgcaag taaatacagc 900
aattcctctt tcaacgttta ggcagatcat taattatgag ctagccaaat gtgggcatac 960
tattacaggg aaagttttaa ggtctgataa cttgaaatag gtttttagga gaattcatct 1020
acttagactt tttaaatgcc tgccataaat gaaattgaaa tggtagaatg gctgaccaca 1080
gcaatgacca gccctcatta gggccctgga tgatttttgg tctaataacg catgctagt 1140
ttgatgtttt ttggtcaaga gggatatgaac aggaagaatt aaatgcagca ggctttattt 1200
taaatgccga ttcacattac tctgttcaag ctgctgtgag atgttaaact ggcttactat 1260
agacttcgta aaaaaggctc cagaagagta acaaactgaa atctttgaga tcacacaggt 1320
tggaatatg tacataactg cacaagggtgt caattctgct ctacagtgc gttttagtca 1380
gttttagttg cataggtttc cattgtattt atagtctgtt tatgctaaat ctggccaaag 1440
atgagcattg tccaccacta aaatgcctct gccacttga attctgtgct aattttgtgg 1500
ccagaatgcg gtgatcaaaa cgctocatct ttttacagt gcataggaag acggcaaaaa 1560
tttcctaaag tgcaatagat tttcaagtgt attgtgcctt gttctaaaac ttttattaag 1620
taggtgcact tgacagtatt gaggtcattt gttatggtgc tatttcaatt agtctaggtt 1680
taggcccttg tacattttgc ccataacttt ttacaagtac ttcttttatc gcwcattaaa 1740
agcggggggc ctaatcacta tgccggattg aggcgcagag g 1781
```

<210> 150

<211> 1709

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1612)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1660)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1678)

<223> n equals a,t,g, or c

<400> 150

```
gcccacgcgt cgcccacgcg tycggaggct cgggtcggtt tgggtgcgctg tcttcccgt 60
tgctgcaggg acctgcccga ctcaagtggc gccatggcat cagatgaagg caaacttttt 120
gttgaggggc tgagttttga caccaatgag cagtcgctgg agcaggctct ctcaaagtac 180
ggacagatct ctgaagtggg ggttgtgaaa gacagggaga cccagagatc tcggggattt 240
```

```

gggtttgtca cctttgagaa cattgacgac gctaaggatg ccatgatggc catgaatggg 300
aagtctgtag atggacggca gatccgagta gaccaggcag gcaagtcgtc agacaaccga 360
tcccgtaggt accgtggtgg ctctgccggg ggccggggct tcttccgtgg gggccgagga 420
cggggccgtg ggttctctag aggaggaggg gaccgaggct atggggggaa ccggttcgag 480
tccaggagtg ggggctacgg aggtccaga gactactata gcagccggag tcagagtggg 540
ggctacagtg accggagctc gggcgggtcc tacagagaca gttacgacag ttacgctaca 600
cacaacgagt aaaaaccctt cctgctcaag atcgtccttc caatggctgt gtgtttaaag 660
attgtgggag cttcgtgtaa cgtaaatgtg tagtaaatgc acctccttgt attcccactt 720
tcgtagtcat ttcggttctg atcttgtaa acccagcctg accgcttctg acgccgggat 780
ggcctcgtaa ctagactttt ctttttaagg aagtgtgtt ttttttgag ggttttcaa 840
acattttgaa aagcatttac ttttttgacc acgagccatg agttttcaa aaaatcgggg 900
gttgtgtggg tttttgggtt ttgttttagt ttttggttgc gttgcctttt tttttttagt 960
ggggttggcc ccatgaagtg ggtgcccac tcacttctct gagatcgaac ggactgtgaa 1020
tccgctcttt gtcggaagct gagcaagctg tggctttttt ccaactccgt gtgacgtttc 1080
tgagtgtagt gtggtaggac cccggcgggt gtggcagcaa ctgccctgga gccccagccc 1140
ctgctgcat ctgtgctgtg cgtccacag tagacgtgca gacgtccctg agaggttctt 1200
gaagatgttt atttatattg tcctttttta ctggaagacg tacgcatact ccatcgatgt 1260
tgtatttgca gtggctgagg aattcttgta cgcagttttc tttggcttta cgaagccgat 1320
taaaagaccg tgtgaaatga acctgtctct gacaattccc ttgcattgca ccacacactc 1380
cttgctgcgg gctcctgcag ccagacctga gcagagagag aagggtggaga agcagcgggt 1440
ctgcaagcct tccctggggc ctgcagagct agaaaggag gcccagcaga ctggcgctgg 1500
tcagggtagg ggagccaggc gggggacggg agcgggcagc tcaggcctca gggcagccct 1560
ggggaggcct ctggcatggg ggccagaagg ctggactgtg cgggcaactt ancaaggaca 1620
tggactgcac tgacgtgact ggatgctcat ctagagcagn caagacaaag cactggcncc 1680
caggggactt cagaaggcaa cggttacta 1709

```

<210> 151

<211> 922

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (906)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (915)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (922)

<223> n equals a,t,g, or c

<400> 151

```

gcggaatcta caccttcccg gccagcggta caactgcaga actgcaggag actatctttc 60
tagacaaggc agttgaggag gaggagcgc ttgaggggga ctggcctggc gtgcactccg 120
cacctcgggg acattattgc gcgtggaacg gctgcttttg gaagactatt gccagaaga 180
aaagatgttt ggttttcaca agccaaagat gtaccgaagt atagagggct gctgtatttg 240

```


cagagctaag tctccagtt ctcgattcac tgacagtaaa cgctatgaaa aggacttcca 300
gagctgtttt ggattgcatg agactcgttc aggagacatc tgcaatgcct gtgtcctgct 360
tgtgaaaaga tggaagaagt tgccagcagg atcaaaaaaa aactggaatc atgtggtaga 420
tgcaagggct ggacccagtc taaagactac attgaaacca aagaaaagtga aaactctatc 480
tggaacagg ataaaaagca accagatcag taaactgcag aaggaattta aacgtcataa 540
ttctgatgct cacagtacca cctcaagtgc ctcccagct caatctcctt gttacagtaa 600
ccagtcagat gacggctcag atacagagat ggcttctggt tctaacagaa caccagtttt 660
ttccttttta gatctcactt actggaaaag acagaagata tggtgtggga tcatctataa 720
aggccgtttt ggggaagtcc tcattgacac acatctcttc aagccttgct gcagcaataa 780
gaaagcagct gctgagaagc cagaggagca gggccagagc ctctgcccac ctccactcag 840
gagtggtagc tgaggttttt atgtagaagg ggaacaaaaa aaaaaatatc tgaattttga 900
aaaccncaaa ggtanaaaat gn 922

<210> 152

<211> 635

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (594)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (614)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (616)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (628)

<223> n equals a,t,g, or c

<400> 152

cggacgcgtg gngtgacac gcagcccacg gtctgtactg acgcgccctc gcttcttcct 60
ctttctcgac tccatcttcg cggtagctgg gaccgccgtt cagtcgcaa tatgcagctc 120
tttgtccgag cccaggagct acacaccttc gaggtgaccg gccaggaaac ggtagccag 180
atcaaggctc atgtagcttc actggagggc attgccccgg aagatcaagt cgtgctcctg 240
gcaggcgcgc ccctggagga tgaggccact ctgggccagt gcgggggtgga ggccctgact 300
accctggaag tagcaggccg catgcttgga ggtaaagtcc atggttcctt ggcccgctgct 360
ggaaaagtga gaggtcagac tcctaaggtg gccaaacagg agaagaagaa gaagaagaca 420

```

ggtcgggcta agcggcgcat gcagtacaac cggcgctttg tcaacgttgt gcccaccttt 480
ggcaagaaga agggccccaa tgccaactct taagtctttt gtaattcttg ctttctctaa 540
taaaaaagcc acttagttca aaaaaaaaaa aaaaaamtcg gggggggccc gkancccaat 600
ttscctata gggngncgtt taaattcntt ggcg 635

```

<210> 153

<211> 2328

<212> DNA

<213> Homo sapiens

<400> 153

```

acggcagtg gactcaccg gctcgcgcg ccccggcgc ccacgcgcg gcgtcgttct 60
ccgccccgt cgtccccg cgtcacacc tgagctcact cgcgcacgc cggccggccc 120
gagaaccgc cgcgcgctc gggcccgcg aagccccgc gcgccatgtc ttgcctccc 180
gaaggaaact agagactaaa gctggacacc cggcccgct gaaagctggt ggaatgcga 240
ttgtgcagaa acaccacat acaggagaca ccaaagaaga gaaagacaag gatgaccag 300
aatgggaaag cccagttca cctaaacca ctgtgttcat ctctggggtc atcgcccg 360
gtgacaaaag tttcccccg gcggtgcgc aggtggctca ccagaagcc catgcctca 420
tggacaagca tcctcccca agaaccagc acatccagc gccacgaag tragcctga 480
gtccaccagc ctgccccat gccccggctc tgctgcactt ggtatttccc tgacagagag 540
aaccagcagt ttgccccaa tcctactctg ctgggaaatc taaggcaaaa ccaagtgtc 600
tgtcctttgc cttacatttc catatttaa actagaaaca gctccagccc aaacctgtt 660
tatggggagt ctggttgat gtcatttgat gatcattgt cccctagagg tgccattagc 720
agaatttgcc aagatccgag aaaaatttta gctttagttc tatttcagc gtcacctgac 780
gtccttgtct atggtcttaa aaacaagaag gcacacattt gagaagatga gattaaggt 840
aggagaaaac ctcagtcatt gcatgtttt tagtatggc caataaaatc tcaacacctg 900
tgggagagta agaactaagg gaatgagttt gggcgcccc tcataaagga ccttagaggc 960
agggaacagc aatgccaaat ttccctctct cgtgagatgg gggatcctgt gcaggctgat 1020
gaggcacca tgagaaaagc cgaaaaagca tgcattctag aaatagcccc tcaattccag 1080
gagtcaacat gccaaagaat gaggctggag acaggtagct ccgaggagg acttctggca 1140
tgagatctcg gcacggcaag cccagcatcg cctcagccc gacaggctcc accaggagat 1200
caagcaagg ctgcctttca ggagtcacct cctgagccc ttcagagttc tggaagtga 1260
cacggaccag ggtggaggaa tagacttcta gttcattctg ggacacttga gccagagagt 1320
tgaaagcttg gaaagaccag ataagaaacc tgccctttgt ctccctaggg acatgagaca 1380
ccacattoca tttgtgctag aaaaacctat ccactgatga gtctaactgt tccaaacgcc 1440
tcccacctgg tgtgcacagc tgcctgggtc cattgtcact tgggtgcatc aggttgtcct 1500
ccgattttta gatgagtttc ctgtctagag atgtcctagt ctgctcactg gctggtggca 1560
gtagggtacc ctgcgtctc gaaaagccag aggtttcacc tagtcagacg aaactccaga 1620
acagtgttg tgaggggcct gactgtcctg ctcaccaca gccgatctgc tgcaggtcag 1680
caactgtgtc gtgagcagct gccaaaccac agcctttctg gtgctgttct ccagttcacg 1740
tctgccagct ggtgagggca gaggcagacc tggtcagacc cagcgcccct cctccctgag 1800
ggagcatggc acagcctcac acttgaaaga cgggttttg tttcccatct aatcaactta 1860
agggaagccg gcatgtaccc ttcaaggccc tgtcaccacc tatttcctga tcagttggt 1920
taaaactgag gtggctttta gagaccaga cttggttggc agcgctgcca tggaacaccc 1980
cagcaagcac ctccagcct gcctttcggg gcagcaccga ggaggggatg ccgcgctcca 2040
gcaacaccag gtcaggcctg tgcagacccc tgccctgccg ctgcagaaat ccagaagcat 2100
ccttaatgct tctcagtctt cagccagagg gagggctgtt atttccagag gtgcgctttt 2160
tatgtacttt tagctagatg tggcatgcat ctgtgagctt tagatcatta aatccaaaat 2220
gtttgcctaa atgagtttat cagttgttaa cttcaagaat attaaatgat ttataataaa 2280
gctcctgcat ttctctccaa aaaaaaaaaa aaaaaaaaaa aaaaaaat 2328

```

<210> 154
<211> 1268
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (80)
<223> n equals a,t,g, or c

<400> 154
aattcggcag agcaggagg gagccagtgg tccctgcctg tccttcacag tgtccctgac 60
ccagcgtgcc tcacactggc cagggtcagc aaaggtctgg ctgcagtcag gtcctctgtt 120
cctcgcgctg gcggggtcag cagacgtctg gccgcagtga ggtccactgt tctctgcagg 180
gctgtgggct gcatactggc cgagctgctg gcgcacaggc ctcttctccc cggcacttcc 240
gagatccacc agatcgactt gatcgtgcag ctgctgggca cgcccagtga gaacatctgg 300
ccgggctttt ccaagctgcc actggctcggc cagtacagcc tccggaagca gccctacaac 360
aacctgaagc acaagttccc atggctgtcg gaggcggggc tgcgctgctg cacttcctgt 420
tcatgtacga ccctaagaaa agggcgacgg ccggggactg cctggagagc tcctatttca 480
aggagaagcc cctaccctgt gagccggagc tcatgccgac ctttccccac caccgcaaca 540
agcggggccg cccagccacc tccgaggggc agagcaagcg ctgtaaaccg tgacgggtgg 600
cctggcacac gcctgtattc ccacaccagg tcttcgac agtgggtgtc gtgaaggggtg 660
ccgcgagcca ggctgaccag gcgcccggga tccagctcat ccccttggtc gggaacatcc 720
tccactgact tcctcccact gtctgccttg aaccactgc tgccccaga aaaaggccgg 780
gtgacaccgg ggggtcccca gcccgtcac cctggaaggc caggctctggc ggctccatcc 840
gtggctgcag ggggtctcat tggctcctct cgctatgttg gaaatgtgca accactgctt 900
cttgggagga gtgggtgggt cagtcctccc gctgtctttg agttgtggtg gacgctggcc 960
tgggatgaga gggcccagaa gaccttcgta tccctctca gtcgcccggg gctgtccgt 1020
gcatgggttg gctgtgggga ccccaggtgg gcctggcagg actccagatg aggacaagag 1080
ggacaaggta tggggtggga gccacaattg aggatacccc gagactacca ggagagccct 1140
gggtggagg ctgagctgca tccctgctcc ccacatggag gacccaacag gaggccgttg 1200
ctctgatgct gagcgaagct ataggctctt gttggataaa agctttttta asagaaaaaa 1260
aaaaaaaaa 1268

<210> 155
<211> 4299
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (2813)
<223> n equals a,t,g, or c

<400> 155
gtcagccctc gcgctggggg cgcaggaaac aatagaggcc gcgcgcacag agcgagctct 60
tgcagcctcc ccgccctcc cgcaacgctc gaccccagga ttccccggc tcgcctgcc 120
gccatggccg acaaggaagc agccttcgac gacgcagtgg aagaacgagt gatcaacgag 180
gaatacaaaa tatgaaaaa gaacaccctt tttctttatg atttggtgat gacctatgct 240
ctggagtggc ccagcctaac tgcccagtgg cttccagatg taaccagacc agaaggga 300
gatttcagca ttcactgact tgtcctgggg acacacacat cggatgaaca aaacctctt 360

gttatagcca gtgtgcagct ccctaagat gatgctcagt ttgatgcgtc acactacgac 420
agtgagaaaag gagaatttgg aggttttggg tcagtttagtg gaaaaattga aatagaaatc 480
aagatcaacc atgaaggaga agtaaacagg gcccggtata tgccccagaa cccttgatc 540
atcgcaacaa agactccttc cagtgatggt cttgtctttg actatacaaa acatccttct 600
aaaccagatc cttctggaga gtgcaacca gacttgcgtc tccgtggaca tcagaaggaa 660
ggctatgggc tttcttgga cccaaatctc agtgggcaact tacttagtgc ttcagatgac 720
cataccatct gcctgtggga catcagtgcc gttccaaagg agggaaaagt ggtagatgcg 780
aagaccatct ttacagggca tacggcagta gtagaagatg tttcctggca tctactccat 840
gagtctctgt ttgggtcagt tgctgatgat cagaaactta tgatttgga tactcgttca 900
aacaataact ccaaaccaag ccactcagtt gatgctcaca ctgctgaagt gaactgcctt 960
tctttcaatc cttatagtga gttcattctt gccacaggat cagctgacaa gactgttgcc 1020
ttgtgggac tgagaaatct gaaacttaag ttgcattcct ttgagtcaca taaggatgaa 1080
atattccagg ttcagtggtc acctcacaat gagactattt tagcttccag tggtagtcat 1140
cgcagactga atgtctggga ttttaagtaa attggagagg aacaatcccc agaagatgca 1200
gaagacgggc caccagagtt gttgtttatt catgggtggc atactgcaa gatattctgat 1260
ttctcctgga atcccaatga acctgggtg atttgttctg tatcagaaga caatatcatg 1320
caagtgtggc aaatggcaga gaacatttat aatgatgaag accctgaagg aagcgtggat 1380
ccagaaggac aagggtccta gatattgtct tacttgttgt gattttagac tccccctttt 1440
tcttctcaac cctgagagtg atttaacact ggttttgaga cagactttat tcagctatcc 1500
ctctatataa taggtaccac cgataatgct attagcccaa accgtgggtg ttttctaaat 1560
attaataggg gggcttgatt caacaaagcc acagacttaa cgttgaaatt ttcttcagga 1620
attttctagt aaccaggtc taaagtagct acagaaaggg gaattattatg tgtgattatt 1680
tttcttctta tgctatatcc ccaagttttt cagactcatt taagtaaagg ctgagtgag 1740
taaggaatag agccaaatga ggtaggtgtc tgagccatga agtataaata ctgaaagatg 1800
tcacttttat tcagaaata gggggagatt caagtcgtat agattcctac tcgaaaatct 1860
tgacacctga ctttccagga tgcacatttt catacgtaga ccagtttctt cttggtttct 1920
tcagtttaagt caaaacaaca cgttctctt tccccatata ttcatatatt ttgtctcgtt 1980
agtgtatttc ttgagctggt ttcatgttgt ttatttctctg tctgtgaaat ggtgtttttt 2040
ttttgttgt tggttttttt ttttttttt taacttggga ccaccaagtt gtaaagatgt 2100
atgtttttac ctgacagtta taccacaggt agactgtcaa gttgagaaga gtgaatcaat 2160
aacttgattt tgttttaaaa attaaattaa tccttgataa gagttgcttt ttttttttag 2220
gagttagtcc ttgaccacta gtttgatgcc atctccattt tgggtgacct gtttcaccag 2280
caggcctgtt actctccatg actaactgtg taagtgtcta aaatggaata aattgctttt 2340
ctacataacc ccatgctgat gggttttatt tagtataaaa catccatcaa acaccagtct 2400
ctggcttcta gaagagtcct tcagatgaca gttgtgtcc atggtctttg actatcaaga 2460
gcagaattaa atgtaatagt ccagagctg tagaaaagaa ctttactcct tcccaggga 2520
agtgaagac ataaaacact gaatcagagg tggcacagat tagtctttga taaggtaacg 2580
tttctttgaa gtctgtctgt agagaactac atggacttcc aagagtgtca aaggcagtg 2640
ggtagagaga atttaaggca agatttaaat ttggaaggg tgcctgaacc ttttctcaga 2700
ggttttattt cccagtatg tttttcactg gggcctttac ttaggttaga aataataggc 2760
tttgaaggcc tctatacca gatgcaataa ccagataaaa ttcctgtttt ttncccaatc 2820
gcttagtttt tkgtkgttgt tgttttttaa ctgagtagat cattctgacc cagaactact 2880
ttcatgagg aagatctttg ggaaaatctg aatagcgtta accattagat tcaaacttca 2940
aatggtttct ttcaagtcct agttgtttta gagtatagt agaaataacct tgacacaatt 3000
ttaagagtaa actatatggg tcagcatatc cttgaacaaa aagtagactt tgtaaaagta 3060
ttcattttaa ttctaactc cgtggcacia aagaatggaa attgtaaacc catgtaatgg 3120
aaattggcta tctttttgac cccacatgtg cccctcaaaa atgttttttg tttgggtcaa 3180
cacaaggcaa gatacattct ttaaaatact cccagatgtg tccatacatt catcctttac 3240
tcagtgcata tgtgaggtt gttgctggaa gacaggaggc tcatctttcc tttccttggt 3300
gcattgagat cagtatcaac agcagatgaa atagaatcca gcaaagagt gacatgttct 3360
gcctccggcc aactctagaa tctttttaag caggtcagcc agtatttgca acttccacag 3420

gatgaattgc ttgccaagtt tctggcactc ttgtctgggt ggaagagtac atccaaaggg 3480
tacttagtga tcctttgcta agaagttttt tgctgtttcc gggttacaga twtgccata 3540
tatttctaaa cagcccttat aagtagagag ctcttcagca agactgagcc ttagctgttc 3600
catctctttg ttcttctgtt gctggagttg caccctatmt mttactgcy tctgcgttct 3660
tccatttcct ccagctgttc ctgcatgaga tggccaagaa catttcta at gagccaaaca 3720
ataaaaactc acattgtcca ctcttactta taaaacactt tttgttcat tgtttaatct 3780
tgatagcagt attgaggctg gtatttatat gataggttat gaaacagggt caaagaagtt 3840
gtgtcttgga aaaaaagtga caatgctttt gaaaatgatg acgaaaaagg catcttgtct 3900
gttaaccaca gcttgcttta atagaatcct ggggaggggt attgggactt ttagtatta 3960
caaccttagt gtcattgagg aggatttttg tctagttagt gggctgagtt tcatatacct 4020
ctccctccat gtgcagggtt gttaagataa ttggtagttt ttaataatat aaaatactta 4080
agttgaaata caaaagtgtg gcamcaatta ttaaattatt gctagaattc taggagagtt 4140
acacaactag tggaaagtcca tgtttagaaa ataaatggct tgtttaagga aaagtttttg 4200
tgtccaaagc tccttaaagt cagagagatt tctacctggg acttaacatc atatggaaat 4260
tgatgcttta gtgagggtgt tggctatcct attgtcaat 4299

<210> 156

<211> 1006

<212> DNA

<213> Homo sapiens

<400> 156

cacgcgtccg ccacgcgtc gaccacgcg tccgccgaaa gcgaagaagg aagctcctgc 60
ccctcctaaa gctgaagcca aagcgaaggc tttaaaggcc aagaaggcag tgttgaaagg 120
tgtccacagc cacaaaaaga agaagatccg cactgcaccc accttccggc ggccgaagac 180
actgcgactc cggagacagc ccaaataatcc tcggaagagc gctcccagga gaaacaagct 240
tgaccactat gctatcatca agtttccgct gaccactgag tctgccatga agaagataga 300
agacaacaac acacttgtgt tcatttgtga tgttaaagcc aacaagcacc agattaaaca 360
ggctgtgaag aagctgtatg acattgatgt ggccaagggt aacacctga ttcggcctga 420
tgagagaag aaggcatatg ttogactggc tccgtattac gatgctttgg atgttgccaa 480
caaaattggg atcatctaaa ctgagtccag ctgcctaatt ctgaatatat atatatatat 540
atcttttcac cataaaamat gcctgtctgt caatttctgg ttgggctggg aggccacaca 600
cacacactga catgacaggg cttgggcaag actcctgttc tacttatcct tttgaaatac 660
ctcaccctgc cactccacca tgtatgatca ttccagagat ctttgtgact agagttagtg 720
tcctaggaaa accagaactc agaacttgcc tccatggttg agtaacaagc tgtacaagaa 780
ccccttttat ccctggaaga ggctgtgtat gaaaccaatg cccaggggtt gaagggtgtt 840
agcatccatt tcaggggagt gtggattggc tggctctctg gtagcatttt gtcctcacac 900
acccatctac tatgtccaac cggctctgtc gcttccctca ccccttgccc aataaaggac 960
aaggacttca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 1006

<210> 157

<211> 1686

<212> DNA

<213> Homo sapiens

<400> 157

gctggctcac ctccgagcca cctctgtctg gcaccgcagc ctccgaccta cagcccagga 60
tactttggga cttgccggcg ctccagaaacg cggccagacg gccctccac cttttgtttg 120
cctagggtcg ccgagagcgc ccggaggga cgcctggcc ttcggggacc accaattttg 180
tctggaacca ccctcccggc gtatcctact cctgtgccc cgaggccatc gcttcaactg 240
aggggtcgat ttgtgtgtag tttggtgaca agatttgc at cacttgcc caaacccttt 300

```
ttgtctcttt gggtgaccgg aaaactccac ctcaagtttt cttttgtggg gctgcccccc 360
aagtgtcgtt tgttttactg taggggtctcc cgcccggcgc ccccagtgtt ttctgagggc 420
ggaaatggcc aattcggggc tgcagttgct gggcttctcc atggccctgc tgggctgggt 480
gggtctggtg gcctgcaccg ccatcccgca gtggcagatg agctcctatg cgggtgacaa 540
catcatcacg gcccaggcca tgtacaaggg gctgtggatg gactgcgtca cgcagagcac 600
ggggatgatg agctgcaaaa tgtacgactc ggtgctcgcc ctgtccgcgg ccttgaggc 660
cactcgagcc ctaatgggtg tctccctggt gctgggcttc ctggccatgt ttgtggccac 720
gatgggcatg aagtgcacgc gctgtggggg agacgacaaa gtgaagaagg cccgtatagc 780
catgggtgga ggcataattt tcatcgtggc aggtcttgcc gccttggtag cttgctcctg 840
gtatggccat cagattgtca cagactttta taaccctttg atccctacca acattaagta 900
agtctgggaa ccctgcctcc taaggggaca ggtctggggg cctggaatag ggaggagggc 960
agaggcacgc cagggtttct aaccaccccc ttctyttcac aggtatgagt ttggccctgc 1020
catctttatt ggctgggcag ggtctgccct agtcatcctg ggaggtgac tgctctcctg 1080
ttcctgtcct gggaatgaga gcaaggctgg gtaccgtgca ccccgctctt accctaagtc 1140
caactcttcc aaggagtatg tgtgacctgg gatctccttg cccagcctg acaggctatg 1200
ggagtgtcta gatgcctgaa agggcctggg gctgagctca gcctgtgggc agggtgccgg 1260
acaaaggcct cctggctact ctgtccctgc actccatgta tagtcctctt ggggtggggg 1320
tggggggggtg ccgttggtgg gagagacaaa aagagggaga gtgtgctttt tgtacagtaa 1380
taaaaaataa gtattgggaa gcaggctttt ttcccttcag ggctctgct ttcctcccgt 1440
ccagatcctt gcaggagct tggaacctta gtgcacctac ttcagttcag aacacttagc 1500
acccactga ctccactgac aattgactaa aagatgcagg tgctcgtatc tcgacattca 1560
ttcccacccc cctcttattt aaatagctac caaagtactt cttttttaat aaaaaataa 1620
agatttttat taggtaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680
aaaaaa 1686
```

<210> 158

<211> 4147

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4145)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4146)

<223> n equals a,t,g, or c

<400> 158

cggacgcgtg ggnccggcccc cctctctcgg cccggccatc ttgtgggaag agctgaagca 60
ggcgctcttg gctcgggcgcg gcccgctgca atccgtggag gaacgcgccg ccgagccacc 120
atcatgcctg ggcacttaca ggaaggcttc ggctgcgtgg tcaccaaccg attcgaccag 180
ttatttgacg acgaatcggg ccccttcgag gtgctgaagg cagcagagaa caagaaaaaa 240
gaagccggcg gggggcggtg tgggggccct ggggccaaga gcgcagctca gngccgcggc 300
ccagaccaac tccaacgcgg caggcaaaca gctgcgcaag gagtcccaga aagaccgcaa 360
gaaccgcgtg cccccagcg ttggcgtggt tgacaagaaa gaggagacgc agccgcccgt 420
ggcgcttaag aaagaaggaa taagacgagt tggagaaga cctgatcaac aacttcaggg 480
tgaaggaaaa ataattgata gaagaccaga aaggcgacca cctcgtgaac gaagattcga 540
aaagccactt gaagaaaagg gtgaaggagg cgaattttca gttgatagac cgattattga 600
ccgacctatt cgaggtcgtg gtggtcttgg aagaggtcga gggggccgtg gacgtggaat 660
gggcccagga gatggattg attctcgtgg caaacgtgaa tttgataggc atagtggaa 720
tgatagatct tctttttcac attacagtgg cctgaagcac gaggacaaac gtggaggtag 780
cggatctcac aactgggaa ctgtcaaaga cgaattaact gacttggatc aatcaaattg 840
gactgaggaa acacctgaag gtgaagaaca tcatccagtg gcagacactg aaaataagga 900
gaatgaagtt gaagaggtaa aagaggaggg tccaaaagag atgactttgg atgagtggaa 960
ggctattcaa aataaggacc gggcaaaagt agaatttaat atccgaaaac caaatgaagg 1020
tgctgatggg cagtggaaag agggatttgt tcttcataaa tcaaagagtg aagaggctca 1080
tgctgaagat tcggttatgg accatcattt ccggaagcca gcaaatgata taacgtctca 1140
gctggagatc aattttggag accttggccg cccaggacgt ggcggcaggg gaggacgagg 1200
tgagcgtggg cgtggtgggc gcccaaaccg tggcagcagg accgacaagt caagtgtctc 1260
tgctcctgat gtggatgacc cagaggcatt cccagctctg gcttaactgg atgccataag 1320
acaaccctgg ttccttttg aacccttctg tccaaagctt ttgcatgctt aaggattcca 1380
aacgactaag aaattaaaaa aaaaagact gtcattcata ccattcacac cttaaagactg 1440
aattttatct gttttaaaaa tgaacttctc ccgctacaca gaagtaacaa atatggtagt 1500
cagttttgta tttagaaatg tattggtagc agggatgttt tcataatatt cagagattat 1560
gcattcttca tgaatacttt tgtattgctg cttgcaaata tgcatttcca aacttgaaat 1620
ataggtgtga acagtgtgta ccagtttaaa gctttcactt catttgtgtt ttttaattaa 1680
ggatttagaa gttcccccaa ttacaaactg gttttaataa ttggacatac tggttttaat 1740
acctgctttg catattcaca catggtcaac tgggacatgt taaactttga tttgtcaaat 1800
tttatgctgt gtggaatact aactatatgt attttaactt agttttaata ttttcatttt 1860
tggggaaaaa tcttttttca cttctcatga tagctgttat atatatatgc taaatcttta 1920
tatacagaaa tatcagtact tgaacaaatt caaagcacat ttggtttatt aacccttgct 1980
ccttgcatgg ctcattaggt tcaaattata actgatttac attttcagct atatttactt 2040
tttaaatgct tgagtttccc attttaaaat cttaaactaga catcttaatt ggtgaaagtt 2100
gtttaaacta cttattgttg gtaggcacat cgtgtcaagt gaagtagttt tataggtatg 2160
ggttttttct ccccttcac cagggtgggt ggaataagtt gatttggcca atgtgtaata 2220
tttaaaactg tctgtaaaat aagtgtctgg ccatttggtg tgatttctgt gtgtgaaagg 2280
tcccaaaatc aaaaaggtag atccataatc agccaccatt taacccttcc ttgttctaaa 2340
acaaaaacca aaggcgctg gttaggtaggg tgaggtgggg gagtatttta atttttggaa 2400
tttgggaagc agacagcttt actttgtaag gttggaacag cagcactata catgaaatat 2460
aaacaaaaaa ctttactgt ttctaaattt cctagattgc tattatttgg ttgtaagttg 2520
agtattccac agaaagtgg aattatctct tctctcttcc tccattagaa aattaggtaa 2580
ataatggatt cctataatgg gagcatcacc acttattaaa acacacatag aatgatgaat 2640
taaaaaagtt ttctaggatt gtcttttatt ctgccacatt tattgataaa cagtgaagga 2700
atttttaaaa aatttttaag aattgtttgt cagctcattt ttgaaatgt tctacctgta 2760
tatggtaatg tccagtttta aaaatattgg acatcttcaa tcttaaacat ttctatttag 2820
ctgattggtt ctcacatata cttctaaaag aaacttttat gttataagag ttactttttg 2880
gataagattt attaatctca gttacctact attctgacat tttaggaagg aggttaattgt 2940
ttttaatgat ggataaactt gtgctgggtg tttggatctt atgatgctga gcatgttctg 3000
cactggtgct aatgtctaata ataattttat atttacacac atacgtgcta cccagagatt 3060

aatttagtcc atatgaacta ttgacccatt gttcattgag acagcaacat acgcactcct 3120
aaatcagtggt gtttagactt ttcaagtatc taactcattt ccaaacatgt accatgtttt 3180
ataaacctct tgatttccag caacatacta tagaaaacac ctgctactca aaacacaact 3240
tctcagtgct atccattgct gtcgtgagag acaacatagc aatatctggt atgttgcaag 3300
ctttcaagat agcctgaact taaaaagtgt gtgcattagt tgtatctgat ggatataaat 3360
ttgcctccta gttcactttg tgtcaagagc taaaactgtg aacctaaactt tctcttattg 3420
gtgggtaata actgaaaata aagatttatt ttcatgctca cttcttaaaa gtcataaaaa 3480
caatcaaata ggatcatggt tattgtcatg tgttctctgg kttctgacct gtgtgcacac 3540
ccctgtgtgt ttataatttt taaattgaat ttatatggg gtttttattt gctaaaaacc 3600
aggctgttga atcacatttg ggaagggtac ttatcttaat gactaatgac ttaattggga 3660
aagttgaatt cttgtaaaat acaaaatcca aggacttctt ggatttaatc taattgtcac 3720
ttcttagcag atcacttttt tgataatgaa agttaagcat actgaatgct acttttgatt 3780
gacaaactgg ctataatagt ctaggggaaa aatccctaaa cagataaaga ttcctaaagt 3840
aatgggtggc gctgatgttt cagtgaactt ttatcttgat gcgttttaaat ggaagtaatg 3900
ccagacctga gattttttaag gcatttttac agcttgattt gaaatgattg gagacatggt 3960
ttctttatta gctattttga gacctgtgga gttaagcaag acttttataa attggcacca 4020
tatacatcta gtttagttcct ttactcttat ttttttaaat aaaagtagta cacatcaaaa 4080
aaaaaaaaaa aaaaaaaaaa actcgagggg gggcccgkac ccaatcgccc tatgagtgat 4140
cgtanna 4147

<210> 159

<211> 1242

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1235)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1236)

<223> n equals a,t,g, or c

<400> 159

agcattttac ggcaagggct tgacttatga gtgtggctcag aggttttagc gaggcggctg 60
cgcagtacaa cccggagccc ccgccccac gcacacatta ctccaacatt gaggccaacg 120
agagttagga ggtccggcag ttccggagac tctttgcca gctggctgga gatgacatgg 180
aggtcagcgc cacagaactc atgaacattc tcaataaggt tgtgacacga caccctgac 240
tgaagactga tggttttggc attgacacat gtcgcagcat ggtggccgtg atggatagcg 300
acaccacagg caagctgggc tttgaggaat tcaagtactt gtggaacaac atcaaaaggt 360
ggcaggccat atacaaacag ttcgacactg accgatcagg gaccatttgc agtagtgaa 420
tcccaggtgc ctttgaggca gcagggttc acctgaatga gcatctctat aacatgatca 480
tccgacgcta ctcatgaa agtggaaca tggattttga caacttcac agctgcttgg 540
tcaggctgga cgccatgttc cgtgccttca aatctcttga caaagatggc actggacaaa 600
tccaggtgaa catccaggag tggctgcagc tgactatgta ttccctgaact ggagccccag 660
acccgcccc tcaccgcctt gctataggag tcacctggag cctcgtgtct tcccagggcc 720
gatcctgtct gcagtcacat ctttggggg cctgctgacc cacaagcttt tgttctctca 780
gtacttgtaa cccagcttct caacatccag ggcccaattt gccctgctg gagttcccc 840
tggctctagg acactctaac aagctctgtc cagggtctc cccattccca ccaggccctg 900


```

cacacaccca ctccgtaacc tctcccctgt acctgtgcca agcctagcac ttgtgatgcc 960
tccatgcccc gagggccctc tctcagttct gggaggatga ctccagtccc tgcacgccct 1020
ggcacaccct tcacggttgc taccagggcg gccaaagctcc agaccgtgcc agaccagggt 1080
gccccagtgcc ctttgtctat attctgctcc cagcctgcca ggcccaggag gaaataaaca 1140
tgccccagtt gctgatctct aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1200
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaannngggg gg 1242

```

<210> 160

<211> 2229

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (128)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (301)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2226)

<223> n equals a,t,g, or c

<400> 160

```

tcaccttctt gggcccaagc catccttctt gctttcacct tctcagaag ctggnattnc 60
aggcatgcat gccatgcct ggctactttt taaatttttt gtgacacaag gtctcaccag 120
gttgccctnag gctggtttcg gattcctggg ctcaagtgat cttccacct aggtttccca 180

```

```

gagtgttggg attacaggcg tgagccatca catctggcct gtttatgggt agttaattca 240
ttccagactc tcagcctgaa amcactgaga atgtttgcat gctagttttc cacatcatat 300
ncaatattat taaaatactc atttggaata gaattccata tgggttaacc agagtactgt 360
tggtgatggt gtggctatct gcacgtagca gatttcctgc ttttattcaa agmcaatatt 420
actggatctt aaaaatctgct tttamcatta tttttccttt tcaactatmca taggtctatg 480
aaaattatcc tacttatgat ttaactgaaa gaaaagattt cataaaaaaca actgtaaaaag 540
agctaatttc ttgagataga ggacagagaa gatgactcgt tcccatagat ttgaagatct 600
gatttatacc attataccag caaagagaat gtatttcctt ttctaaatcc ttgttaagca 660
acgttagtag aacttactgc tgaccttttt atcttgagtg ttatgtgaat ttgagtttgc 720
tgttttaaat tgcatttcta tgccattttt agtttaaaat cttgcatggc attaatgtgt 780
ccttgctttt atagttgtat tttgtacatt ttggatttct ttatataagg tcatagattc 840
ttgagctggt gtggttttta gtgcacttaa tattagcttg ctttaaggcat acttttaatc 900
aagtagaaca aaaactatta tcaccaggat ttatacatat agagattgta gtatttagta 960
tatgaaatat ttgaaataca catctctgtc agtgtgaaaa ttcagcggca gtgtgtccat 1020
catattaaaa atatacaagc tacagttgtc cagatcactg aattggaact tttctcctgc 1080
atgtgtatat atgtcaaat gtcagcatga caaaagtgc agatgttatt tttgtatttt 1140
taaaaaacaa ttggttgtat ataaagtttt tttatttctt ttgtgcagat cactttttta 1200
actcacatag gtaggatatc ttatagttgt agactatgga atgtcagtgt tcagccaaac 1260
agtatgatgg aacagtgaat gtcaattcag tgatggcaac actgaaggaa cagttaccct 1320
gctttgcctc gaaagtgtca tcaatttgta attttagtat taactctgta aaagtgtctg 1380
taggtacggt ttatattata taaggacaga ccaaaaatca acctatcaa gcttcaaaaa 1440
ctttgggaaa ggggtgggatt aagtacaagc acatttggct tacagtaaat gaactgattt 1500
ttattaactg cttttgcccata taaaaatgc tgatatttac tggaaacctg gccagcttca 1560
cgattatgac taaagtacca gattataatg ccagaatata atgtgcaggc aatcgtggat 1620
gtctctgaca aagtgtgtct caaaaataat atacttttac attaaagaaa tttaatgttt 1680
ctctggaggt ggggctcttg gctttcagag tttggttaat cagtgttgat tctagatgat 1740
caacataatg gaccactcct gaatgagact taattttgtc tttcaaattt actgtcttaa 1800
atcagtttat taaactctgaa ttttaaaaca tgctgtttat gacacaatga cacatttggt 1860
gcaccaatta agtggttgaat aatatctttg catcatagaa cagaaatata taaaaatata 1920
tggtgaatgt taacagggtat tttcacagggt ttgtttcttg atagttactc agacactagg 1980
gaaaggtaaa tacaagtga caaaataagc aactaaatga gacctataa ttggccttcg 2040
attttaataa tttgttctta taaacctgt caataaaaat aaatctaaat cactgggtgt 2100
ttaaaaaaaa aaaaaaaaaa aaaagggcgg ccgctctaga ggatccctcg aggggccccaa 2160
gcttacgcgt gcatgcgacg tcatagctct ctccctatag tgagtcgtat taataggagt 2220
ccaaantgg                                     2229

```

<210> 161

<211> 1920

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1755)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1766)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1832)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1841)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1915)
<223> n equals a,t,g, or c

<400> 161
cagacgtcct gcaggcggct ggcgagtggg agcctgctgc ganccctga agaggaggca 60
gatgccgacc tggccgaggg gcccccctccc tggacacctg cgctcccctc aagtgaggng 120
accgtgaccg acatcacccg caactccatc accgtcacct tccgcgaggc ccaggcagct 180
gagggcttct tccgagaccg cagtgggaag ttctgaatca ccgtttttac tcttcttaaa 240
ctgttttctt ttgggcttgg ggtgggactt ccagagatag ggatgggttg ggggcgggg 300
aattatttta tttaaaaaaa taccgagcag caaaagggga gaagatccca ctactctccc 360
accacctgcc ctttctctga gggacgttta ccacgaggcc tcaggctggg gatggagaga 420
gttgcctctg gatgtgggg accaccccca gggcaggatg gggacaggat cacctgccc 480
ggacaccacc attatcattc tcctctagt acgcagcagc tggttctggg agttaaagga 540
gcattggaag gcccaaacc tctcccttga gtggccaccc cagcctggtt ggctggtttt 600
ccccttttct ctgttttcaa ttgggtcttt acctgaact ctctctctg gctttgcgg 660
gggctgtgga ggctggtttt raccaaaagt gagtggggcg ggaggaagg gcaggaggaa 720
gggttgaggt tacttggggc gagtcccttc cccttcagag aggcctctat ccttcccagg 780
gaggaggcgc cgctgagacc cttctgctga gagctctgcc ctcccctcat cacctggcct 840
gtgcagaaac gtcctgcac acctggctgc acaggtgtgc acgcattacc cttcgcgtgt 900
acgttcccat gtgcccctg aaagcatgtg tggctgcaga cgtgtccaca tgggccttgc 960
gaacctgggt tagaaacct ggccaggcga acgtgggggt attcacagca caaaagacct 1020
caccaccaca cctgcactca ccccacctg catgcacctt gctacctgct tgcggctttc 1080
agyggagggc aggggtctg cacaggtgcg atggcaccac atgctccagg catacagatg 1140
tggtttctcg gctgcaccg gccaggctgc ggggtgtcag gcgtctgcta agttgtgtga 1200
tgtatcagca caggctttga gacgtctgga ccctgtcctt cctcccgtga ggggttcttg 1260
ttctttctga ctccaggtgac ttttcagccc ttccaattcc cctctttttc tgsccctccc 1320
tccaactcag ccaaccagg ygtgggcagt cagggaggga gggagtgtc caccacgttc 1380
tcagggcagc ccttgactcc taagccctt cctccttcca ttctgcatcc cctcccctc 1440
caacctaaat gccacagctg gggctragct gtattcctgt ggagggacct stgccgtgcc 1500

tctytgaggt caggctgtgc tgtgtgaatg ggcaggcttt gccccagccc acccctggca 1560
aggtgcactt gttttctggt ttgtacaagg tgtcctgggg gcccgaggct tccctgccag 1620
tgaggagtga cttctccctc tcttcagtc ctgtagggga gacaaaacca gattgggggg 1680
cccaagggga gcatggaaaa ggccggctcc cctgtcttcc cttggctgtc agagtcaggg 1740
taacacacac caaantggag tgcggncarc aagtttgara cctgcccgcc ctccctcgag 1800
ctctgctctg tgctctcagg aaattcacag antctactga ngcaagaaaa ggttgaatcc 1860
tttcccccaa ttccctcctt cccctggttt ccccaaaacc aaaaaaagc ctgcnacccc 1920

<210> 162

<211> 2619

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2546)

<223> n equals a,t,g, or c

<400> 162

ctgagagggga cgcgtgccgc ggagccaggc ttactacgtg acccggacac caggcatac 60
ctaggggcag tcagctgtgc cttctcttcc ggagttgttc cgtgctccca cgtgcttccc 120
cttctccact ggctgggac ccccgggctc ggggcccagc aataattttt caccatgcat 180
cggaaaaaag tggataaccg aatccggatt ctcatagaga atggagtagc tgagcggcaa 240
agatctctct ttgtttagt tggggatcga ggaaaagatc aggtggtaac acttcatcac 300
atgttatcca aagcaactgt gaaggtcgg ccttcagtgc tgtggtgtta taagaaagag 360
ctgggggttta gcagtcaccg gaagaaaaga atgcgacagc tgcagaagaa aataaagaat 420
ggaacactga acataaagca ggacgacccc tttgaactct tcatagcagc cacaacatt 480
cgctactgct actacaacga gacccacaag atcctgggca atacctcgg catgtgtgtg 540
ctgcaggatt ttgaagcctt aactccaaac ttgctggcca ggactgtaga aacagtggaa 600
gtggtgggct agtggatcct ctccacagga ccatgaactc actcaagcaa ttgtacacag 660
tgactatgga tgtgcattcc aggtacagaa ctgaggccca tcaggatgtg gtgggaagat 720
ttaatgaaag gtttattctg tctctggcct cttgtaagaa gtgtctcgtc attgatgacc 780
agctcaacat cctgcccac tcctccacag ttgccaccat ggaggccctg cctccccaga 840
ctccggatga gagtcttggc ccttctgac tggagctgag ggagttgaag gagagcttgc 900
aggacacca gcctgtgggt gtgttgggtg actgctgtaa gactctagac caggccaaa 960
ctgtcttgaa atttatcgag ggcattctctg aaaagaccct gaggagtact gttgactcc 1020
agctgctcga ggacggggaa aatctgcagc cctgggattg gcgattgctg gggcgggtgc 1080
atgtgggtac tccaatatct ttgttacctc cccaagccct gataacctcc atactctgtt 1140
tgaatttgta ttaaaggat ttgatgctct gcaatatcag gaacatctgg attatgagat 1200
tatccagtct ctaaatcctg aatttaacaa agcagtgatc agagtgaatg tatttcgaga 1260
acacaggcag actattcagt atatacatcc tgcagatgct gtgaagctgg gccaggctga 1320
actagttgtg attgatgaag ctgccgccat cccctcccc ttggtgaaga gcctacttgg 1380
cccctacctt gttttcatgg catccaccat caatggctat gagggcactg gccggtcact 1440
gtccctcaag ctaattcagc agctccgtca acagagcgcc cagagccagg tcagcaccac 1500
tgctgagaat aagaccacga cgacggccag attggcatca gcgcggacac tgcagtaggt 1560
ttccctccag gagtcaatcc gatacgcccc ttgggatgca gtggagaagt ggctgaatga 1620
cttgcgtgtc ctggattgcc tcaacatcac tcggatagtc tcaggctgcc ccttgcttga 1680
agcttgtgaa ctgtactatg ttaatagaga taccctcttt tgctaccaca aggcctctga 1740
agttktctc caacggctta tggccctcta cgtggcttct cactacaaga actctcccaa 1800
tgatctccag atgctctccg atgcacctgc tcaccatctc ttctgccttc tgccctctgt 1860
gccccccacc cagaatgccc ttccagaagt gcttgcgtgt atccagggtg gccttgaagg 1920

```

ggagatttct cgccagtcca tcttgaacag tctgtctcga ggcaagaagg cttcagggga 1980
cctgattcca tggacagtgt cagaacagtt ccaagatcca gactttggtg gtctgtctgg 2040
tggaaggggtc gttcgcattg ctgttcaccc agattatcaa gggatgggct atggcagccg 2100
tgctctgcag ctgctgcaga tgtactatga aggcagggtt ccttgtctgg aggaaaaggt 2160
ccttgagaca ccacaggaaa ttcacaccgt aagcagcgag gctgtcagct tgttggaaga 2220
ggtcatact ccccggaagg acctgcctcc ttactcctc aaattgaatg agaggcctgc 2280
cgaacgcctg gattacctgg gtgtttccta tggcttgacc cccaggctcc tcaagttctg 2340
gaaacgagct ggatttggtc ctgtttatct gagacagacc ccgaatgacc tgaccggaga 2400
gcactcgtgc atcatgctga agacgctcac tgatgaggat gaggctgacc agggaggctg 2460
gcttgacgcy ttctggaaag atttccgacg gcggttccta gccttgctct cctaccagtt 2520
cagtaccttc tctccttccc tggctntgaa catcattcag aacaggaaca tggggaagcc 2580
agcccagcct gccctgagcc gggaggagct ggaagcact 2619

```

<210> 163

<211> 1419

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (624)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (697)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1187)

<223> n equals a,t,g, or c

<400> 163

```

gatgcagctg acaccattga aactgacact gccactgctg acaccactgt tgccaacaac 60
gtaccccccg ccgccaccag cctcattgac ctatggcctg gcaacgggga aggggcctcc 120
aactccagg gtgagcccag ggccccacg ccaccctcgg gtactgaggt caccctggca 180
gaggtgcccc tgctggatga ggtggctccg gagccactgc tgccagcagn cgaaggctgt 240
gccacccttc tcaactttga tgagctgcct gagccgccag ccaccttctg tgaccagag 300
gaagtggaaag gggagcccct ggctgcccc cagaccccaa ctytgccctc agcccttgag 360
gagctggagc aagagcagga gccggagccc cacctgctaa ccaatggcga gaccaccag 420
aaggagggga cccaggccag tgaggggtac ttcagtcaat cacaggagga ggagtttgcc 480
caatcggaag agctctgtgc caaggctccg cctcctgtgt tctacaacaa gcctccagag 540
atcgacatca catgctggga tgcagaccca gttccagaag aggaggagg cttcgagggt 600
ggtgattagc ggtggcgcca gccntagget acccttgcca aggccgccca cctgcatcag 660
cctctggcca gacggcccg cgtgcctgca ttcgcancag ctccgcctgg caccactcc 720

```

```
ggattccggc cctggctggg gacttggccg cttccctacc cacagggcct gactttttaca 780
gcttttctct ttttttaaaa agttgatagg agacttgtac agttgactgg ctttcctctc 840
gttggtagtt gagacgtgt tgcaaatcc acccctcctt ccctgggtcca gattgtagct 900
cttagtcctc cctgctcagc tggccgggtt ggaggcctca ccctgcttgg ggctggcgt 960
ggggggagct ctggtgggaa aatgtccccc acctcttttc ctagttttat gtttcttggg 1020
aaaatatcac tttgtattct ctgtccaggg cttcagatat tttgcacgaa ttttaaaaca 1080
tggcaataaa tggctcgtgg gctctggctc cctgggaccc cctccccgcc cttcttttga 1140
cccttcctcg tctggcccaa aggaagtagc aggccagct ggggccnctc ggctaccccc 1200
cgtctcctgc cgggcagttc ccaggttggg ggccctaggg gcggttcagg tcagggttat 1260
ggatggggcc caggggcttt ggtggccctt ccccaactcc ttctctttg cttgggttcc 1320
ttttcacgt ttagtaactg tttttttttt tttttggaaa gcacaaactt ctgtaacggg 1380
tcgtgctcat gtctgttaat aaagaaatcc agatccagg 1419
```

<210> 164

<211> 3810

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (189)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2523)

<223> n equals a,t,g, or c

<400> 164

```
aattttcatg atctttgtat atttatatat atatatattw aaattttgca tttracttaa 60
agtgccatga gaaaatttgc atactgcaag gtggtcctag ccacctcctt gatttgggta 120
ctcttgata tgttcctgct gctttacttc agtgaatgca acaaatgtga tgaaaaaag 180
gagagaggnc ttcctgctgg agatgttcta gagccagtag aaaagcctca tgaaggctc 240
ggagaaatgg ggaaccagt cgtcattcct aaagaggatc aagaaaagat gaaagagatg 300
tttaaaatca atcagttcaa tttaatggca agtgagatga ttgactcaa cagatcttta 360
ccagatgtta ggtagaagg gtgtaaaaca aaggtgtatc cagataatct tcctacaaca 420
agtgtggtga ttgttttcca caatgaggct tggagcacac ttctgcgaac tgtccatagt 480
gtcattaatc gctcaccaag acacatgata gaagaaattg ttctagtaga tgatgccagt 540
gaaagagact ttttgaaaaa gccttttagag agttatgtga aaaaactaaa agtaccagtt 600
catgtaattc gaatggaaca acgttctgga ttgatcagag ctagattaaa aggagctgct 660
gtgtctaaag gccaagtgat caccttcctg gatgccatt gtgagtgtac agtgggatgg 720
ctggagcctc tcttgccag gatcaaacat gacaggagaa cagtgggtg tcccatcatc 780
gatgtgatca gtgatgatac ttttgagtac atggcaggct ctgatatgac ctatggtggg 840
ttcaactgga agctcaattt tcgctggtat cctgttcccc aaagagaaat ggacagaagg 900
aaagggtgat ggactcttcc tgtcaggaca cctaccatgg caggaggcct tttttcaata 960
gacagagatt actttcagga aattggaaca tatgatgctg gaatggatat ttggggagga 1020
gaaaacctag aaatttcctt taggatttgg cagtgtggag gaactttgga aattgttaca 1080
tgctcacatg ttggacatgt gtttcggaaa gctacacctt acacgtttcc aggaggcaca 1140
gggcagatta tcaataaaaa taacagacga cttgcagaag tgtggatgga tgaattcaag 1200
aatttcttct atataatttc tccaggtgtt acaaggtag attatggaga tatatcgtca 1260
agagttggtc taagacacaa actacaatgc aaaccttttt cctggtacct agagaatata 1320
```

tatcctgatt ctcaaattcc acgtcactat ttctcattgg gagagatacg aaatgtggaa 1380
acgaatcagt gtctagataa catgggctaga aaagagaatg aaaaagtggg aatttttaaat 1440
tgccatggta tggggggtaa tcaggttttc tcttatactg ccaacaaaga aattagaaca 1500
gatgaccttt gcttgatgt ttccaaactt aatggcccag ttacaatgct caaatgccac 1560
cacctaaaag gcaaccaact ctgggagtat gaccagtgga aattaaccct gcagcatgtg 1620
aacagtaatc agtgcctgga taaagccaca gaagaggata gccaggtgcc cagcattaga 1680
gactgcaatg gaagtcggtc ccagcagtggt cttcttcgaa acgtcaccct gccagaaata 1740
ttctgagacc aaattttaca aaaaacgaaa aaaataagga ttgactgggc tacctcagca 1800
tacattttctg ccacattctt aagtagcaaa aaaggaaaag tgctttcctc ctctgcagga 1860
tgtaagggtt atcagccatt aaaacttaga cttctctagc ttttactag ctgtgaacca 1920
gccttcctgt ccatggacgt gaaactgcat agtaatgaga ctgtgcacac tgatgtttac 1980
aagattgaaa gagtctttct ccgaaaatca tggtaaagaa tactgagaca atgaaaaaaa 2040
atcaacaaaa tatgctttct ggagaactgt accttttatg gtttgcttgc acatcagtag 2100
ttctgctga acgtgctgtc ataataagaa gatttccaag attttttttc ctgattagaa 2160
ctggtagcca gtatattaaa tattgatata aaaataaaaag aactggaacc agattcagaa 2220
tcatgaaaac aacattttta caacaacaaa aaaactatat taaacagggt ttaaaggaaa 2280
ttaaaccaga actatgagaa gtacaatttg ttatagtata gtatcaaatt tctatataga 2340
ttttatacct cagtggggaa aaataactga ttccaatgac attcattttg ttttcatctg 2400
tgatagtcac ggatgctttt attttccttg ggggtgctgaa attgagctga aaaaaaagg 2460
ctctttgaat atagttttta tttctctcta cagttttttt tgtttggttt gtgggctgtt 2520
ggnaattgta atttttaatt gccttctaaa aaatggaaat ttaacaatgt ctgatctcag 2580
ctgaacaaat tagatgtttc agttgctctt ggggtcaactg gcttacagat ttacatgtgc 2640
acacacacac aaattttcta tcacattttc gacttcttca cttgacctaa ctgattatgc 2700
gaaataccca agattcatgc tactgtacca cagatttggt ttcacagcaa taaatcttca 2760
gttctttgtt tatgattcca cttaaacaaa ggcctgcaga agtgatttat tatttgggta 2820
tttgagagata atacatttga tggttttttg gaaaacctt ttcactccat actcagatat 2880
gcttcattgt caaatgcata tttagattag attattgaat tgtaatgttt atctgctgct 2940
ttttttaaat aaaatttgac tgaaaatgtt taattggcat tttttaatga cttagccaaa 3000
gaagtgcagc tattattcca tattaatagg cttgcatttc ttttcctaaa tcttatttag 3060
gctaaatcag ttttattttt ctctgatttt ttttaatacc acagaatcac ctgagtgtca 3120
attgaaagtt gtcaattaaa aggtaacctt ttaatctcgt aggaggaatc tcattaagac 3180
atttttcctg atatgtagag cagtctgttg gcaaaaatgc atatattttc tttcatattt 3240
gtaaaattat atttaattga attcttttct ttgattatca aggactttca ctgcaggcag 3300
tgctatttct tgtgcctaag aatgtttcca aaagtcgcat cgctaattgat atttgccaag 3360
ttgagtgtac acaaagtttc tcatactctg ttcaagttaa tcaacatcaa gcacrtgggg 3420
atgctttagg gtgagtctat agtacaaaat gcataaaacca tgtccccagg aaatttgaaa 3480
ggaagcagggt gctgaatgga atttttttcc ttttccatga gctgtgttaa ttctatctcc 3540
agtaggccta atgcttgaat aagcaagatg tctaataaat aaattatttt catgctcaga 3600
atttcagggt tttgtactcc agcatagctt ggtcttattt cttactgtat gaaagcttaa 3660
cagcaatgtg attttaagggt ttgttttaaa tgggagatgt aagtgattta attcatgggt 3720
acttttagaa cctgatagat aatcccattg cctttatttt tctaattaaa gaattccctaa 3780
atactttgaa aatacaaaaat attcctgaaa 3810

<210> 165

<211> 817

<212> DNA

<213> Homo sapiens

<400> 165

acagctgtga gccactgcgt ccagccctaa gatgattcat acctatcggg gaaaacagtg 60
ccactggaga gaacaggctg gcctctgcac tctggattgg tgacaggagt tatccagccc 120

tgtctgaagg caatagcagg cctcccatcc ctggaccgcc ttatgtggcc tcccctgacc 180
tctggtccca ctgggaagac tcagccctgc cccaccaag cctgaggcct gtgcagccca 240
cctgggaggg ctctcagag gcaggcctgg actgggctgg ggccagcttc tcccaggga 300
ctccratgtg ggcgcccttg gatgagcaga tgctgcagga ggcatccag gcmtcgcttc 360
ttgacgggcc agcccaggaa ccccagagcg caccatggct gtccaagtcc tctgtctcct 420
ctctgcggct gcagcagctg gagcgcatgg gcttccctac ggagcaggcg gtggtggcac 480
tggcagccac aggccgtgtg gaggggtgccg tgtcactggt gggttgagga caagtgggca 540
ctgagaccct ggtgacccat ggaaagggtg ggccctgccc ctccgagggt cctgggcctc 600
cctagcccag gcagagagtg gggcacaggc aggcctcttg gtgctaaggg ctgggctgca 660
tgtgggtagc ccgagctcct actctgtcta aagagggcc aagtggggag caggggcacc 720
tctggaggca ggagaggccc cccagcatgc tgccctagta cgtgtttaga ataaaaacca 780
gtttgttttt caacctggac ctccttgga aaaaaaa 817

<210> 166

<211> 1578

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g,.or c

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<400> 166

aggcagaagt cttctnttct ctggcctcac cccctcanc gccatagagc tgggcctggc 60
cttgctggga atggaggcat ccttccaaac ctgggggacg ggggtggggg gtggtwgtgg 120
tgggaggga accatgtctt gctaaacctg tttctggtgc ctcccatccc cagaccacc 180
agacaccaca cagcagacaa tacacacca ctcgcacaag cttccatcca catgtgttgt 240
actttcagct ctaggcatgc agacaacccc acacggccac accaccacat gcccagtgt 300
acacacacag agccacaccg tccctctggg cctgctggct cctcccttg ctttcccttg 360
gcccacttcc agggcccagg tgctgcaact aaatgtgaaa gctcagtggc cgctccttct 420
ttcagcccat caaccagcat tggcccata ggaagcaca ggggactcac cctctttcat 480
atcccttgcc ctgccctgaa atggacaatc actttttggg ataggttgaa atttttaaag 540
agcctgcac attcgttcc ctcaaaggga agcccttgcc agtgggggtt tgaaagagaa 600
tttttggaac caacattcaa attctgcctc atctggaggg aaaccaaatt tgggagggg 660
aagaggaccc ctgatgtttt gctgcttcca gagatattag aaactgactc acttgattgg 720
aaaatggaca aaagtgcctt gacgtggagg gtgggcacca gatggggacc agccttgcca 780
actgctgctg tggcctccag cttggtggt tttgcaggcc gccagcagga aggcgaagg 840
ggtagtacag caagaggcac tggcggggca gcaggcctgc aggagctgtt tttccattgc 900
taggcctgac cctctctac ctgtgagcgt tcagggggtc cctgagatag tttagatgcc 960
cccccatctt agacctcagc tcccacagt ccttttaagg gggacctcac ctctgtgca 1020
cagcccaccc actttcctct cttcccttg cacascccag gcatagacga gctggcggtg 1080
gaccagttc ttccccctt tcagccccac agctgctgcc acaggggcca actagggcca 1140
ggtggaagg gagctgagaa gccaaacct agcccagggt tgctgtggga actgggatcc 1200
aatgttagc ttcctgcctg gcttcagaga gccagcaac cttctaggcc tgctttccag 1260
acttctgaga tagcctggga tgagcaatc tgttacagta catctggacc ttcctacct 1320

gggctctggg gaggtgtgg gcctggagag ggaaaaggag ggaggggggtg tctgcaccac 1380
ctgggaagat agcacaaggc ctaatgaggt caccctgact cccacccca gcatttcatt 1440
cataccagat aatagctgca ttactgcca ctgaccttat aaccctctgc accttcaaaa 1500
agattcatgg tttttaattg ctgcttttaa taacatttgt taaagttaaa aaaaaaaaaa 1560
aatcttcgg gggggggg 1578

<210> 167

<211> 1694

<212> DNA

<213> Homo sapiens

<400> 167

gcccacgcgt ccgcccacgc gtccgcccac gcgtssgggc ggcgggcgcg acggccgggc 60
gtcctgaag cagcagttat ggagcttccc tcagggccgg ggccggagcg gctctttgac 120
tcgcaccggc ttccgggtga ctgcttcccta ctgctcgtgc tgctgctcta cgcgccagtc 180
gggttctgcc tcctcgctct gcgcctcttt ctggggatcc acgtcttccct ggtcagctgc 240
gcgctgccag acagcgctct tcgcagattc gtagtgcgga ccatgtgtgc ggtgctaggg 300
ctcgtggccc ggcaggagga ctccggactc cgggatcaca gtgtcagggt cctcatttcc 360
aaccatgtga cacctttcga ccacaacata gtcaatttgc ttaccacctg tagcaccgtg 420
agtgaagcg aggcgarag cgcacgggg cggttccctg gggccagct gaaggccccc 480
ctgtccccac tcgcttccs catggaggat actgagcctt acccctaacc ccgatcctct 540
acccaacatg tcagtttttt ttttcatttt cctcaatatt ttttctcttg ctttctcttc 600
tcctggttcc cagcctctac tcaatagtcc ccccagcttt gtgtgctggt ctgggggctt 660
catggagatg aatgggcggg gggagtttgt ggagtcactc aagagattct gtgcttccac 720
gaggcttccc cccactcctc tgctgctatt ccctgaggaa gaggccacca atggccggga 780
ggggctcctg cgcttcagtt cctggccatt ttctatocaa gatgtggtac aacctcttac 840
cctgcaagtt cagagacccc tggctctctgt gacggtgtca gatgcctcct gggctctcaga 900
actgctgtgg tcacttttctg tccctttcac ggtgtatcaa gtaagggtggc ttcgtcctgt 960
tcacgccaac ctagggggaag cgaatgagga gtttgcactc cgtgtacaac agctggtggc 1020
caaggaattg ggccagacag ggacacggct cactccagct gacaaagcag agcacatgaa 1080
gcgacaaaga cccccagat tgcgccccca gtcagcccag tcttcttttc ctccctcccc 1140
tggtccttct cctgatgtgc aactggcaac tctggctcag agagtcaagg aagttttgcc 1200
ccatgtgcca ttgggtgtca tccagagaga cctggccaag actggctgtg tagacttgac 1260
tatcactaat ctgcttgagg gggccgtagc tttcatgcct gaagacatca ccaagggaac 1320
tcagtcctta cccacagcct ctgcctccaa gtttcccagc tctggcccgg tgaccctca 1380
gccaacagcc ctaacatttg ccaagtcttc ctggggcccgg caggagagcc tgcaggagcg 1440
caagcaagca ctatatgaat acgcaagaag gagattcaca gagagacgag cccaggaggc 1500
tgactgagct caaaggaaca ggatggcacc cagagccgca ggacggagac tgggggcagc 1560
cctcacccaa ctcacaacag gctggatggg tgggtggtaa aaagggaagg atgaggctcc 1620
cccaatgtca cattaaattc atggttttca ttcaacaaaa aaaaaaaaaa aaaaaaaaaa 1680
aaaaaaaaact cgag 1694

<210> 168

<211> 1636

<212> DNA

<213> Homo sapiens

<400> 168

ggcacgagcg ccggagcgcg ctagccgcat tgcgagccga acccgggagc tggcgccatg 60
gtgctgttgc acgtgctgtt tgagcacgcg gtcggctacg cgctgctggc gctgaaggaa 120
gtggaggaga tcagtctgct gcagccgcag gtggaggagt ccgtgctcaa cctgggcaaa 180

```

ttccacagca tcgttcgtct ggtggccttt tgtccctttg cctcatccca ggttgccctg 240
gaaaatgcc aacgccgtgtc tgaaggggtt gttcatgagg acctccgcct gctcttgagg 300
accacactgc cgtccaaaaa gaagaaagta ctcttgggag ttggggatcc caagattggt 360
gccgcaatac aggaggagtt aggttacaac tgccagactg gaggagtcac agctgagatc 420
ctgcgaggag ttctgtctgca cttccacaat ctggtgaagg gtctgaccga tctgtcagct 480
tgtaaagcac agctggggct gggacacagc tattcccggt ccaaagttaa gtttaatgtg 540
aaccgggtgg acaatatgat catccagtc attagcctcc tggaccagct ggataaggac 600
atcaatacct tctctatgag tctcagggag tggtaggggt atcactttcc ggagctgggtg 660
aagatcatca acgacaatgc cacatactgc cgtcttgccc agtttattgg aaaccgaagg 720
aactgaatga ggacaagctg gagaagctgg aggagctgac aatggatggg gccaaaggcta 780
aggctattct ggatgcctca cggctctcca tgggcatgga catatctgcc attgacttga 840
taaacatcga gagcttctcc agtctgtgtg tgtctttatc tgaataccgc cagagcctac 900
acacttacct gcgctccaag atgagccaag tagcccccag cctgtcagcc ctaattgggg 960
aagcggtagg tgcacgtctc atcgcacatg ctggcagcct caccaacctg gccaaagtac 1020
cagcatccac agtgcagatc cttggggctg aaaaggccct gttcagagcc ctgaagacaa 1080
ggggtaacac cccaaaatat ggactcattt tccactccac cttcattggc cgagcagctg 1140
ccaagaacaa aggccgcac tcccgatacc tggcaaaaa atgcagtatt gcctcacgaa 1200
tcgattgctt ctctgaggtg cccacgagtg tattcgggga gaagcttcga gaacaagtgt 1260
aagagcgact gtccttctat gagactggag agataccacg aaagaatctg gatgtcatga 1320
aggaagcaat ggttcaggca gaggaagcgg ctgctgagat tactaggaag ctggagaaac 1380
aggagaagaa acgcttaaa aaggaaaaaga aacggctggc tgcacttgcc ctgcgctctt 1440
cagaaaacag cagtagtact ccagaggagt gtgaggagay gagtgaaaaa cccaaaaaga 1500
agaaaaagca aaagccccag gaggttcctc aggrgratgg aatggaagac ccatctatct 1560
ctttctccaa acccaagaaa aagaaatctt tttccaagga ggagttgatg agtagcgatc 1620
ttgaagagac cgctgg                                     1636

```

<210> 169

<211> 667

<212> DNA

<213> Homo sapiens

<400> 169

```

ggcacgagck mgttttcttt tcctctaggg agagaagagg cgatggcggc gatggcatct 60
ctcggcggcc tggcgtgtct cctgtgtgcc agcctctccc gctgtcagc cgaggcctgc 120
ctggagcccc agatcaccct ttcctactac accacttctg acgtgtcat ttccactgag 180
accgtcttca ttgtggagat ctccctgaca tgcaagaaca ggtccagaa catggctctc 240
tatgtctgacg tcggtggaac acaattccct gtcactcgag gccaggatgt ggggcgttat 300
caggtgtcct ggagcctgga ccacaagagc gcccacgcag gcacctatga ggttagattc 360
ttcgacgagg agtcctacag cctcctcagg aaggctcaga ggaataacga ggacatttcc 420
atcatcccg cctctgtttac agtcagcgtg gaccatcggg gcacttgga cgggccctgg 480
gtgtccactg aggtgtctgg tgccggcgatc ggccttctga tctactactt ggcttcagt 540
gcgaagagcc acatccaggc ctgagggcgg caccacagcc ctgcccttgc ttccttcaat 600
aaacatcaca ggacctggga ctgcacagga aaaaaaaaaa aaaactcgrg gggggcccg 660
tacccaa

```

<210> 170

<211> 3598

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature
<222> (1)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (16)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (22)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (964)
<223> n equals a,t,g, or c

<400> 170
ngcgggtaccg tcgtgntgtg tngtgtttct gaaagctttg tggtttcggt gagctctcag 60
accgatttct agcgtccgtg ccggggacag gtgtcagagg tcgrctgctg cagacatggc 120
ggcctccacc gcggccggga agcagcggat tcccaaagtg gccaaagtga aaaacaaagc 180
cccggctgag gtacagataa ctgctgaaca actcttaaga gaggctaaag aaagagaact 240
tgagcttctt ccacctccac ctcaacagaa gatcacagat gaagaagaat taaatgatta 300
taactggata aaatacgcac aatgggaaga aagcctaaag gagattcaa gggctcgatc 420
catatacgag cgtgctttag atgtagacta ccgaaatatt acactctggc tgaaatacgc 480
agaaatggaa atgaagaatc gccaaagtcam ccatgctcga aatatctggg accgggccat 540
aacaacgctg cctcgagtta atcagttctg gtacaagtac acgtacatgg aggaaatggt 600
gggaaacgtt gccggtgccc ggaggtgtt tgagcgttg atggagtggc agcctgagga 660
gcaagcctg cactcctaca tcaactttga gctgagatac aaagaggtgg atcggggccc 720
caccatttat gagcgakttg tcctcgtgca ccctgatgtt aagaactgga tcaagtatgc 780
ccgctttgaa gaaaaacatg cttattttgc ccatgcacgg aaagtgtatg agagagctgt 840
ggaattcttt ggagatgaac atatggatga gcacctttat gttgcctttg ccaagtttga 900
agaaaatcag aaagagtttg aaagggtacg agtgatttac aagtatgccc tggacagaat 960
ttcnaaacia gatgcccaag aactctttaa aaattatacc atctttgaga agaagtttgg 1020
tgataggcgg ggtattgaag atatcattgt gagcaaacgg agattccagt acgargaaga 1080
agtgaaggcg aatccacaca attatgatgc atggtttgat tacttgcgct tggtagaaag 1140
tgacgcagaa gctgaagccg tgagagaagt ctatgaaagg gccattgcca atgtcccacc 1200
cattcaggag aagaggcact ggaagcgcta catttatctt tggatcaact atgcactcta 1260
tgaagaattg gaggcaaagg atcctgagag gacaagacag gtgtatcaag cctctttgga 1320
actaattcct cacaaaaagt tcacatttgs caaaatgtgg atactgtatg cacagtttga 1380
aatacgacag aagaatctgt cattagccag aagagcattg ggaacttcca taggcaaagt 1440
tccaaagaac aaattattta aagtttacat agaattggag ctacagcttc gagaatttga 1500
cagatgccgg aagctttatg aaaagttcct ggaatttgga cctgaaaatt gtacctcatg 1560
gattaaattc gctgaattag agacaatcct tggtgatatt gacagagcac gggcaatcta 1620
tgaattagcc atcagtcagc cacgtttaga catgccagag gtgcttttga aatcatatat 1680
tgattttgaa attgagcagg aagaacaga aagaacacga aacctttacc ggcggttgct 1740
tcaacggacg cagcatgtca aggtatggat cagctttgct cagtttgagt tgtcttcagg 1800
aaaagaagga agtttgacta aatgcagaca aatttatgaa gaagctaaca aaaccatgcy 1860

aaactgtgaa gaaaaggaag agagacttat gctgctggaa tcttgccgaa gttttgaaga 1920
agaatttgga acagcttcag ataaggagag agtagacaaa ctcatgccag agaaagtcaa 1980
gaagagaaga aagggtccaga ctgatgatgg gtctgatgca ggctgggaag aatactttga 2040
ttacatcttt ccagaagatg ctgccaacca acctaacctc aaactcctgg ccatggccaa 2100
actgtggaag aaacagcagc aggaaaagga ggatgctgag caccatccag atgaggacgt 2160
cgatgagagt gaatcctgat ctttttttca tagacaaatg ttttgttatt ttataaaatt 2220
aattgtttgg aactccttggt actcctggaa gttcttatat atttcaccag taagaaattg 2280
attggtatct ttgatggcta ctttttaagt tattttttaa atgctccttg gttagctagg 2340
ggtagggatt gcaagtaaag gactttttta actgctggat ttgtttttcc aacygagtc 2400
aaacttttct aatgtctgtc cacatcatgc attaggaaat gtaattaagg taacattcta 2460
cagttacttt tcatgtcata ccataaaaga tagtttatgc attcatctga aatgtgtaac 2520
tttttcatgt cttcagagtc acagacttga gttcatttcc cagctactgc cactcatgat 2580
tatataactt aatttttcatt ttcttcattc acaaaatggg ccaatagttt gacagctcat 2640
tttgaagatw acattataaa aggaatatac ctggtgggtg catagtaagt gctcagtaaa 2700
ttgtttgttc taagccactt ttaaaaatgg ttctattcct tgtagaattg aatgcgagtg 2760
gattaatwat ttaccttact ttcttactag tgtccagtta tattgttttt tagaacaaca 2820
cttggaat aatttgcagt gattatattt ctgaacaagg ttcagaaaac attgtttact 2880
aagaatttag tctaataatt ycagttaggc gctcatcagt tctccagagt gggtgagttt 2940
gtaatacctt gtttaaagaa taatggcttg ttcacgtgtg tgctatgaaa aatgatgtcc 3000
catgttcaca taaatttggg aaattctgga ctaagactta agtctcgtta atcaaatctc 3060
tttatagtta ggcttctgta cattatgtat ctccagtagc aatggtgcca tattatttat 3120
ttcccaaact tagtggacaa tggagtcatt tctacctaga gtaccagtaa acatctccca 3180
gtgtgctata gtagaaaatg tctactctc actgctgaca tgttaaactt actccttggt 3240
tagagcatgt gtagaaacac ctaaggtagc tctatgctaa ataatgaaga gtagcacaag 3300
aatgaatgta tttgctgata cggtgctcac attctcaagc aaaaattcaa ctgcattaac 3360
cgatctgaga gttttccttt aacctggact gtgtttctca agcacatttt ttctttgttc 3420
actgccaaag gactagaact gtatttttaa ggttggtttc ccctaaaagg accttagta 3480
agcaaaattta ttattaaatg tgcacatctt attcacccaa gggaataaaa gctacttcgt 3540
aatgttggtta ctaaatttta tcttgaaaat aaataacagt gtttgaggac araaaaaa 3598

<210> 171

<211> 940

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (919)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (935)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (938)
<223> n equals a,t,g, or c

<400> 171
gtggggtntc tntgtgttct ccactgacc acgctttctt tagtgactcc tgattgcctc 60
ctcaagtgcg agacactatg ctgcctccca tggccctgcc cagtgtatct tggatgctgc 120
tttcctgcct catgctgctg tctcaggttc aaggtgaaga accccagagg gaactgccct 180
ctgcacggat ccgctgtccc aaaggctcca aggcctatgg ctcccactgc tatgccttgt 240
ttttgtcacc aaaatcctgg acagatgcag atctggcctg ccagaagcgg ccctctggaa 300
acctggtgtc tgtgtcagt ggggctgagg gatccttcgt gtccctccctg gtgaagagca 360
ttggtaacag ctactcatac gtctggattg ggctccatga cccacacag ggcaccgagc 420
ccaatggaga aggttgggag tggagtagca gtgatgtgat gaattacttt gcatgggaga 480
gaaatccctc caccatctca agccccggcc actgtgcgag cctgtcgaga agcacagcat 540
ttctgaggtg gaaagattat aactgtaatg tgaggttacc ctatgtctgc aagtctactg 600
actagtgcag gaggggaagtc agcagcctgt gtttgggtgt caactcatca tgggcatgag 660
accagtgtga ggactcacc tgggaagagaa tattcgctta attcccccac cctgaccacc 720
tcattcttat ctttcttctg tttcttcctc cccgctgtca tttcagtcctc ttcattttgt 780
catacggcct aaggctttaa agagcaataa aatttttagt ctgcaaaaaa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaaaaaaaa aaaaaaanaa aaaaaaaaaa aaaaaanaaa 940

<210> 172
<211> 1458
<212> DNA
<213> Homo sapiens

<400> 172
gtaacagacg gcggcagtgc gagaaagccg aagatggcgg tccccgcggc gctgatccta 60
cgggagagcc ccagcatgaa gaaagcagtg tcaactgataa atgcaataga tacaggaaga 120
tttccacggt tgctcactcg gattcttcaa aaacttcacc tgaaggctga gagcagtttc 180
agtgaagaag aggaagaaaa acttcaagcg gcattttctc tagagaaaca agatcttcac 240
ctagtctctg aaacaatatc atttatatta gaacaggcag tgtatcaca tgtgaagcca 300
gcagctttgc agcagcaatt agagaacatt catcttagac aagacaaagc tgaagcattt 360
gtcaatackt ggtcttctat ggggtcaagaa acagttgaaa agttccggca gagaattctg 420
gctccctgta agctagagac ygttgatgg cagcttaacc ttcagatggc tcaactctgt 480
caagcaaaac taaaatctcc tcaagctgtg ttacaactcg gagtgaacaa tgaagattca 540
aagagcctgg agaaagttct tgtggaattc agtcacaagg agttgtttga tttctataac 600
aagctagaga ctatacaagc acagctggat tcccttacat gatgttttcg aagactgttt 660
tttctatcac gtcctgcca cctcattatt ttgcattgaa gatacattgc caggttgtgt 720
tttctgaagg attcagtgac ttgctttctg taaattatat ggcttatcac ttcttagaca 780
aataacaacc aatagagatc attgttaaga atactgaggt tctaataatac tttctttagt 840
tctgtgagcc aacagtaatt attaagaaca ctttcccttt aaaggaaaca aaagtgaata 900
ccatattgtt tttactgtca tagtgttgtt ttcttgcttg tctgtcttag tttttacttg 960
ctggatgata ccataatgta tcaaggagcg tccatggata caagataaga tgtgtacctt 1020
agtagaatac agagcttttg taattacatg aataaaatta agaaaatagc catatacaat 1080

```
caaatacact atggcatttt tatttgaata tgatgagtat attttgcttc ggaaataata 1140
taggaaggaa atgtaaaata gtgagtagta tggatcagat taattccagt ctgagcttct 1200
ctgtcaactt cagtttctct ctcagtttaa tgatttaata atagtccagg tttttgtgtg 1260
tttttcttta tactgcaaat taataatgat tcactttata gtttgggaga cagaatcagg 1320
tcttgaataa aataattgta atgagtgcta aatgggcacc attattcgaa tcagatacct 1380
tttatattct ctttcataa atacgttgat ttctgtcaat aaaatttttg tgtcttagga 1440
aaaaaaaaaa aaagtcga 1458
```

<210> 173

<211> 2709

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2595)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2622)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2659)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2670)

<223> n equals a,t,g, or c

<400> 173

```
ggggctgcga gagaggaagc tctttcgcgg cgctacggcg ttggcaccag tctctagaaa 60
agaagtcagc tctggttcgg agaagcagcg gctggcgtgg gccatccggg gaatgggcgc 120
cctcgtgacc tagtggttgc gggcaaaaag ggtcttgccg gcctcgtcgc tgcaggggcg 180
tatctgggcg cctgarcgcg gcgtgggagc cttgggagcc gccgcagcag ggggcacacc 240
cggaaccggc ctgagcgcgc gggaccatga acggggaggg catctgcagc gccctgcccc 300
ccattcccta ccacaaactc gccgacctgc gctacctgag ccgcggcgcc tctggcactg 360
tgtcgtccgc ccgccacgca gactggcgcg tccagggtggc cgtgaagcac ctgcacatcc 420
acactccgct gctcgacagt gaaagaaagg atgtcttaag agaagctgaa attttacaca 480
aagctagatt tagttacatt cttccaattt tgggaatttg caatgagcct gaatttttgg 540
gaatagttac tgaatacatg ccaaatggat cattaaatga actcctacat aggaaaactg 600
aatatcctga tgttgcttgg ccattgagat ttgcgacccg gcatgaaatt gcccttggtg 660
taaattaccc gcacaatatg actcctcctt tacttcatca tgacttgaag actcagaata 720
tcttattgga caatgaattt actgttaaga ttgcagattt tggtttatca aagtggcgca 780
tgatgtccct ctcacagtca cgaagtagca aatctgcacc agaaggaggg acaattatct 840
atatgccacc tgaaaactat gaacctggac aaaaatcaag ggccagtatc aagcacgata 900
tatatagcta tgcagttatc acatgggaag tgttatccag aaaacagcct tttgaagatg 960
tcaccaatcc tttgcagata atgtatagtg tgtcacaagg acatcgacct gttattaatg 1020
```

```

aagaaagttt gccatatgat atacctcacc gagcacgtat gatctctcta atagaaagtg 1080
gatgggcaca aaatccagat gaaagaccat ctttcttaaa atgtttaata gaacttgaac 1140
cagttttgag aacatttgaa gagataactt ttcttgaagc tgttattcag ctaaagaaaa 1200
caaagttaca gagtgtttca agtgccattc acctatgtga caagaagaaa atggaattat 1260
ctctgaacat acctgtaaat catgggtccac aagaggaatc atgtggatcc tctcagctcc 1320
atgaaaatag tggttctcct gaaacttcaa ggtccctgcc agctcctcaa gacaatgatt 1380
ttttatctag aaaagctcaa gactgttatt ttatgaagct gcatcactgt cctggaaatc 1440
acagttggga yagcaccatt tctggatctc aaagggtgc attctgtgat cacaagacca 1500
ctccatgctc ttcagcaata ataaatccac totcaactgc aggaaactca gaacgtctgc 1560
agcctggtat agcccagcag tggatccaga gcaaaaggga agacattgtg aaccaaata 1620
cagaagcctg ccttaaccag tcgctagatg cccttctgtc cagggacttg atcatgaaag 1680
aggactatga acttgtagt accaagccta caaggacctc aaaagtcaga caattactag 1740
acactactga catccaagga gaagaatttg ccaaagtat agtacaaaaa ttgaaagata 1800
acaaacaaat gggctctcag ccttaccggt aaatacttgt ggtttctaga tcaccatctt 1860
taaatttact tcaaaataaa agcatgtaag tgactgtttt tcaagaagaa atgtgtktca 1920
taaaaggata ttatatctc tgttgctttg acttttttta tataaaatcc gtgagtatta 1980
aagctttatt gaaggttctt tgggtaaata ttagtctccc tccatgacac tgcagtattt 2040
tttttaatta atacaagtaa aaagtttgaa ttttgctaca tagttcaatt tttatgtctc 2100
ttttgttaac agaaaccact tttaaaggat agtaattatt ctgttttata acagtgcctt 2160
aaggatgat gtatttctga tggagcccat ttccacattc atgttcttca tggattattt 2220
gttacttgkc taarawgcaa ttgatttta tgaagtatat accctttacc caccagagac 2280
agtacagaat ccctgcccta aaatcccagg cttaattgcc ctacaaaggg ttatttaattt 2340
aaaactccat tattaggatt acatttttaa gttttattta tgaattccct ttaaaaatga 2400
tatttcaaag gtaaaacaat acaatataaa gaaaaaata aatatattaa taccggcttc 2460
ctgtcccat tttaacctc agccttccct actgtcacca acaaccaagc taaataaagt 2520
caacagcctg atgtgtatct ttctgtccct ttcttctgc ttatatttag gaacatatgc 2580
tcatttgaga aagntcttt ctgcatatta ttattataat tntacatcat actgcaacct 2640
gctttttgca tttaatagna caggcttcn ggtcaggat ggttctaact taccctttta 2700
cttggtggc

```

<210> 174

<211> 1013

<212> DNA

<213> Homo sapiens

<400> 174

```

ggtgacatcc cagtgcctcc cgtgcaggca aggcacacct gaagcgtgcc atcctggggc 60
aggaggaggc gctgcggctg cagccctgt gcccgcgtcc gcgcgaggtg gacctgcttc 120
gggctgtgat ctcccagacg ctgcagcgt cactggccaa gtatgcggag ctcgaccgtg 180
aggatgactt ctgtgaggct gccgaggccc cggacatcca gcctaagacc caccagaagc 240
cagaggccag gatgccacgc ctgtcccagg ggaaggggcc tgacatcttc catcggtggt 300
ggccctgtc tgtgttctca gccaaagaacc ggtggcggct ggtggggccc gtccacctga 360
cccaggaga gggcggtttt ggcctcacgc ttccgggaga ctgcctgtc ctcatcgctg 420
ccgtcattcc agggagccag gccgcggcgg ctggcctgaa ggaggcgac tacattgtgt 480
cagtgaattg gcagccatgc aggtggtgga gacacgcgga ggtggtgacg gagtgaaag 540
ctgcgggaga ggcgggcgc agcctgcagg tgggtgcgt gctgccagc tctagactgc 600
ccagcttggg ggaccgcgg cccgtcctgc tgggccccag gggcttcta aggagccaga 660
gggagcatgg ttgcaagacc ccggcatcca cgtgggccag tccccgggc ctctcaact 720
ggagccgaaa ggcccagcag ggcaagactg gaggtgccc cagccctgtg cccagtgaa 780
gccagctccg gcctcatcct tgaagacccc aggtggccg tgagggccag gatccctgca 840
cgcctcagcc ctggtccag ctggcagcaa gcaccagca tgccctcccc acccagagga 900

```

cctccgggca atgcctgtcc cgcctcatgc tggaggetgc ctccgggcacc tgcctgccca 960
ttaaagactg gtcagacctg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1013

<210> 175

<211> 1697

<212> DNA

<213> Homo sapiens

<400> 175

gcgtccgata gaaggggcta cagctcacgc atcgtgggtg gaaacatgtc cttgctctcg 60
cagtggccct ggcaggccag ccttcagttc cagggtacc acctgtgcgg gggctctgtc 120
atcacgcccc tgtggatcat cactgctgca cactgtgttt atgacttgta cctccccaag 180
tcatggacca tccagggtgg tctagtttcc ctgttgga caatccagcccc atcccacttg 240
gtggagaaga ttgtctacca cagcaagtac aagccaaaga ggctgggcaa tgacatcgcc 300
cttatgaagc tggccgggccc actcacgttc aatgaaatga tccagcctgt gtgcctgccc 360
aactctgaag agaacttccc cgatggaaaa gtgtgctgga cgtcaggatg gggggccaca 420
gaggatggag cagggtgacgc ctcccctgtc ctgaaccacg cggccgtccc tttgatttcc 480
aacaagatct gcaaccacag ggacgtgtac ggtggcatca tctccccctc catgctctgc 540
gcgggctacc tgacgggttg cgtggacagc tgccaggggg acagcggggg gccctcgttg 600
tgtcaagaga ggaggctgtg gaagttagtg ggagcgacca gctttggcat cggctgcgca 660
gaggtgaaca agcctggggt gtacaccctg gtcacctcct tccctggactg gatccacgag 720
cagatggaga gagacctaaa aacctgaaga ggaaggggac aagtagccac ctgagttcct 780
gaggtgatga agacagcccc atcctccctt ggactcccgt gtaggaacct gcacacgagc 840
agacaccctt ggagctctga gttccggcac cagtagcagg cccgaaagag gcacccttcc 900
atctgattcc agcacaacct tcaagctgct ttttgttttt tggttttttg agatggagtc 960
tcgctctgtt gcccaggctg gagtgcagtg gcgaaatccc tgctcactgc agcctccgct 1020
tccctggttc aagcgattct cttgcctcag ctccccagt agctgggacc acaggtgccc 1080
gccaccacac ccaactaatt tttgtatttt tagtagagac agggtttcac catgttgccc 1140
aggctgctct caaacccctg acctcaaatg atgtgcctgc ttcagcctcc cacagtgcgtg 1200
ggattacagg catggggccc cagcgcctagc ctcaocgtcc tttctgatct tactaagaa 1260
caaaagaagc agcaacttgc aaggcgggcc tttccactg gtccatctgg ttttctctcc 1320
aggggtcttg caaaattcct gacgagataa gcagttatgt gacctcacgt gcaaagccac 1380
caacagccac tcagaaaaga cgcaccagcc cagaagtgca gaactgcagt cactgcacgt 1440
tttcatctct agggaccaga accaaaccca ccctttctac ttccaagact tattttcaca 1500
tgtggggagg ttaatctagg aatgactcgt ttaaggccta ttttcatgat ttctttgtag 1560
catttggtgc ttgacgtatt attgtccttt gattccaaat aatatgttcc ctccctcat 1620
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680
aaaaaaaaaa aaaaaaaa 1697

<210> 176

<211> 1409

<212> DNA

<213> Homo sapiens

<400> 176

acaatttaca caggaaacag ctatgaccat gattacgcca agctcgaaat taaccctcac 60
taaagggaac aaaagctgga gctccaccgc ggtggcgccc gctctagaac tagtggatcc 120
cccgggctgc aggaattccg ctgctggcct ggggttggtg ttgaggccgg gtctccgctc 180
ctgtgcccgg gaagatggtg ctagggtggt gcccggttag ttacttactt ctgtgcccgc 240
aggcggtttt gctgctgggg aatttacttc tgctgcattg tgtgtctcgg agccactcgc 300
aaaatgcgac cgctgagcct gagctcacat ccgctggcgc cgcccagccg gagggccccg 360


```
<210> 177
<211> 1503
<212> DNA
<213> Homo sapiens
```

<400> 177						
tgccacatca	cgggggtttc	ttatttttagt	gttttgtttt	caagtttggg	tgctttattt	60
ccattctcta	aaagtaagtt	tcttgctctt	acgagagtta	gtgttccttt	tgaaccagg	120
tgttccacct	gacagtgttt	gtctttcata	gactttccag	aatagacata	gtcaagatca	180
gacacgtgag	cttctctctc	attttaatgt	gaggaaaatc	atctttcaga	gacaaggcac	240
cgcttagaaa	tgtatgtcca	ggtatgaaag	aaccttttta	aaatggctgg	ttgttccaga	300
tccagatttc	tctgcacact	ggacttcgta	gagtaagtgt	ggtagacaaa	gagactacac	360
tgcacaacca	ccagtgaata	tcattgctaa	gaagactttg	ggtcgtgttt	ctcagccact	420
ctcacagctt	ttgtagactt	atttgatttt	gaaacaagca	gttagctaaa	tctattttcc	480
ttttatgcat	atatgttaat	tggtcaact	taatatggtg	ttcttacaga	atatgagccc	540
atttgaata	aggtttttag	caattttgct	gttggctctg	atttgtatat	agcaaattta	600
aagttacaga	gtgtttccta	gatagaagat	tagttcattt	ggttcatttt	gtctttgaag	660
caagccaagc	tcattgagcca	gttggttatt	tgtcataaatt	gaaccccat	cactatatgc	720
tatgttgagg	ggaggcaagt	ctgatcttcg	aataattgat	aaagtttaat	atctttgtag	780
ccaaaataca	atttgcaaac	cctaactcca	gatgtgtcgt	atgaatcttg	acaaccaggt	840
cttgagattt	gttttactga	ttgccaatca	ggtatattat	ttgtgatgtt	cgtgggagca	900
tgcaaattag	aagacagtgt	tgtgggagtt	cctcagtatt	gaattacatg	tgtgcactca	960
ggcctgccag	tcactgaatt	ctgacttgta	aagggtttaa	cctgctgttc	caatcattga	1020
ggaccaattt	gctttttgat	aagattggaa	aacatttatg	gagactttcc	cagttaaatc	1080
tatgacagtg	tcccacttaa	atagtgcaat	ttagtatatt	ctcagataac	tgcaacacaa	1140
aattgaaatg	tgccagtatg	tcacttttct	acctggaaga	tactgtatat	ttggaaagtt	1200
tatgcttctc	tcaataaata	catgttatta	aataagccat	atcacagttt	aagaaattgt	1260
atatacttta	tcatatgccc	tttcagaaac	caggatattt	gcataatgatt	gatttttagaa	1320
agattttgaa	gctgggggtt	gtccatgtta	attaagatca	aagtatatat	atatatatat	1380
atatgtgctg	tatttgcaac	tttcacattg	taatttccta	tacacttatt	aaagtattgt	1440
tttggcatgt	ggtttattaa	ataaaaatgt	acagtctctt	aaaaaaaaaa	aagaaaaaaaa	1500
aaa						1503

<210> 178
<211> 1378
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (82)
<223> n equals a,t,g, or c

<400> 178
aanctgcccc gcctgcaggt accggtccgg aattcccggg tcgacccacg cgttcgccca 60
cgcgctccggg gaatgccata gntaattcac cagcagtaat cctttaataa ctggcagagc 120
actttattct tctggtgagc tccctgaata tttatttttc tgattataaa tttctatat 180
tagtagcatt ttttaattat tacttcttca ctatagagca tttactttta gtctctagat 240
gtatatattg gaatgctrta cttggcataa catagattaa aatcataatg catgactaaa 300
aactccttgg atttatttcc cattttaaaa tttttagcgg taagttcaga tttataatct 360
ttctctagac ttccatggtc tgaatgttgc ctgctgaagt agcaacctaa aaagtatccc 420
ctgcttatgc ttctccagtt ggccctccat gtccataggc ttcgcatctg tgattcagcc 480
cactgtgggt caaaaatatt tggggaaaaa aatggatggg tgcgcctttg ctgaacatgt 540
acaaactttt ttttgtcatt aaacaatata gtataacaac tatttataaa gcatttacat 600
tgtattagct attataggta atctagagat gatttaaagt gtatggtagg atgtgcacag 660
gttatatgca aatactacac cattttctat aagggacttg aacatcatgg actttagtat 720
cctagggggg tcttggaaac catcacccat aggggcacca taggacaact atagtaccgt 780
gtttatttcc tattaattca ggttccggtt agagtctaaa actaaaacct aatcatttag 840
tcacagtgtg aaaacaaatg gaaataacag ctcaaactct caaaaatatta ctatagcatt 900
atgttttaaa taatctacaa caaaaatgta ccattttcaa gcagtactac attaggagcc 960
cttttataga aaataatttc ttctttaccc ccgttccagt gtgaatctag tattctgtta 1020
acatttgtgt ggcatttgga gtttgtcatc ccattgaag ggagagcctt ctgagacatg 1080
aagcaaggga aacatactga atagttttac acaaatttga tctggcttcc atttgtcccc 1140
ctcatttccc aaatgtttta atgtattgga tttggattct caatgtataa gttgccttat 1200
ctgttaatgt ctatcttctg tctctttaat tttgtatata tgctgttttg cttttggata 1260
cattttctaa ttagaagtca catgataaat ataatcagta tagtaataat accataatgt 1320
gcacatactc aataaataaa tgactgcatt gttgtaaaaa aaaaaaaaaa aaaaaaaaaa 1378

<210> 179
<211> 2251
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (2020)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2050)

<223> n equals a,t,g, or c

<400> 179

```
ccgaaagaga aaacaggccg cgcgggaggc agaggagccg ggcgccgcaa tggacgtgcg 60
ggcgctgccg tggctgccgt ggctgctgtg gctgctgtgc cggggcgccg gcgatgccga 120
ctcccgccgc cccttcaccc cgacctggcc gcgagccgcg gagcgtgaag ccgccgcctt 180
ccgggaaagt cttaatagac atcgatactt gaattcttta tttcccagtg aaaactccac 240
cgcttcttat ggaataaatc agttttccta tttgtttcct gaagagttta aagccattta 300
tttaagaagc aaaccttcca agtttcccag atactcagca gaagtacata tgtccatccc 360
caatgtgtct ttgccgttaa gatttgactg gagggacaag caggttgatg cacaagtgag 420
aaaccagcag atgtgtggag gatgctgggc cttcagcgtg gtgggggagc tggaaatctgc 480
ttatgcaata aaggggaagc ccctggaaga cctaagtgtc cagcaggtca ttgactgttc 540
gtataataat tatggctgca atggaggctc tactctcaat gctttgaact ggttaaaca 600
gatgcaagta aaactggtga aagattcaga atatcctttt aaagcacaaa atggtctgtg 660
ccattacttt tctggttcac attctggatt ttcaatcaaa ggttattctg catatgactt 720
cagtgaacca gaagatgaaa tggcaaaagc acttcttacc tttggccctt tggtagtcat 780
agtagatgca gtgagctggc aagattatct gggaggcatt atacagcatc actgctctag 840
tggagaagca aatcatgcag ttctcataac tgggtttgat aaaacaggaa gcaactccata 900
ttggattgtg cggaaattcct gggaaggttc ttggggagta gatggttatg cccatgtcaa 960
aatgggaagt aatgtttgtg gtattgcaga ttccgtttct tctatatattg tgtgacatgt 1020
tgggcagatc aagagacagc tacaaaaatg aaggttttca taatgcaatg taacatagta 1080
cttcaaagta ttattcaact tcaagtttca gcaactacct acaaaagatt ctaaggccta 1140
gtagtattta aactaagttt cagaatgttc ctttcttgta gagagatgga caaccaaagt 1200
cagtgggaca aactccagca cagaagcctg cgaggaagcc tatggaatag tttcctgtcc 1260
tgagacgaaa ttcagattag gagatatttt aggcccttgc aactggggaa ggctactgtt 1320
tgtttttgtt tgcttattat ttatttgttt gtttattgtg agatatttca ggtgggatca 1380
aagaggtcac aagaatttat tttcttttgt ggggtgtaac tactagcttt agattacccc 1440
tatacacaa aatggccaac ctaaaattat gtgtgtcttg tacagttagt tatattagca 1500
gccctctgag atggcgatc tatcggaagg atttcaaaca ccaattgctt tacctgaaca 1560
aatggtgctt accctttgaa cagcagagtg accaygtaga aggaaggaaa agggcaaaat 1620
cgcttcagtt aaactgaaat taaatgaaca ataaggcaac tatataagta acttctagta 1680
gcattgcctg agagacaaat tattgtttga taattttcat tgtgaatagg aatccaatag 1740
atcatattgc ttactttgtt cttttttatac tatagaataa tattttgttc tctagtatat 1800
caaaatacca aaatattatc tcatattttc tccctctttc tcttactctt taccaagttt 1860
tcctggtggc ttggcttccc tgactaaaga attaagtctc atttttactt tccatktcta 1920
ttttcttacc acttggttg gctccctttgt ctctgtactt tacsacgata ggatscactc 1980
ttcttctcct taatcataac acactctatc aagccactcn tagctgggac taacactgtg 2040
gttcagactn gtcagttccg cagcttctgc tctgtgatgt cttggacctg cgtcctgacg 2100
actgacaggc actgagctat ggccaaggtg tcggtgatct cgccgggttc tgaaaggtgg 2160
ctcagaaaaac tgtaggcag agtctttacc aatcgagaat tgggactaga ctagtagacc 2220
tagtcgcttt cggtagacct tccgtacgtt t 2251
```

<210> 180

<211> 1000

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<400> 180

```
ctatagatca tagaggaatn gtagctgcag tacgggtccga attccccggg cgacccacgc 60
gtccggggaa ggcgggagac agcgcagttt gaatcgcggg gcgacgaagg agtaggtggg 120
gggatctcac cgtgggtccg attagccttt tctctgcctt gcttgcttga gcttcagcgg 180
aattcgaaat ggctggcggg aaggctggaa aggactccgg aaaggccaag acaaaggcgg 240
tttcccgcgc gcagagagcc ggcttgcaat tcccagtggg ccgtattcat cgacacctaa 300
aatctaggac gaccagtcac ggacgtgtgg gcgcgactgc cgctgtgtac agcgcagcca 360
tcctggagta cctcaccgca gaggtacttg aactggcagg aaatgcatca aaagacttaa 420
aggtaaagcg tattaccctt cgtcacttgc aacttgctat tcgtggagat gaagaattgg 480
attctctcat caaggttaca attgctgggt gtggtgtcat tccacacatc cacaaatctc 540
tgattgggaa gaaaggacaa cagaagactg tctaaaggat gcctggattc cttgttatct 600
caggactcta aatactctaa cagctgtcca gtgttggtga ttccagtggg ctgtatctct 660
gtgaaaaaca caattttgcc tttttgtaat tctatttgag caagttggaa gtttaattag 720
ctttccaacc aaccaaatct ctgcattcga gtcttaacca tatttaagtg ttactgtggc 780
ttcaaaagaag ctattgattc tgaagtagtg ggttttgatt gagttgactg tttttaaaaa 840
actgtttgga ttttaattgt gatgcagaag ttatagtaac aaacatttgg ttttgtacag 900
acattatttc cactctggtg gataagttca ataaagggtc tatcccaaaa aaaaaaaaaa 960
aaaaaaaaaa aaaaaaaaaa maaaaaaggg gggggccccc 1000
```

<210> 181

<211> 1429

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (761)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1407)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1420)

<223> n equals a,t,g, or c

<400> 181

```
actgggactc ccagcagagc ccaccagcca gccctggccc acccccagc ctccagagaa 60
gccccgcacg ggctgtctgg gtgtccgcca tccagggtct ggcagagcct ctgagatgat 120
gcatgatgcc ctcccctcag cgcaggtgc agagcccggc cccacctccc tgcgcccttg 180
agggggccca gcgtctgcag ggtgacgcct garacagcac cactgctgag gagtgaggac 240
tgtcctccca cagacctgca gtgagggggc ctccatgcgc agatgagggg ccactgacct 300
acctgcgctt ctgctggagg aggggaagct gggcccaaag gccmgsgrag gcagcgtggg 360
ctctgccaat gtgggctgcc cctcgcacac agggctcaca gggcaggcct tgctgggggc 420
```

```
cagggctgtt ggaggacccc gagggctgag gagcagcagg acccgctgc tcccatcctc 480
accagatca ggaaccaggg cctccctgtt cacggtgaca caggtcaggg ctccagagtga 540
ccctcrgctg tcacctgctc acagggatgc tgggtggctgg tgagaccccg cactgcasac 600
gggaatgcct aggtcccttc ccgacccagc cagctgcagg gcacggggac ctggatagtt 660
aagggccttt ccaaacatgc atccatttac tgacacttcc tgccttgtt catggagagc 720
tgttcgctcc tcccagatgg ctccggaggg ccgcaggsga nccttgagcc ctggtgacct 780
cctgtmamtc actgaggcca tcagggccct gcccagggcc tggacgggccc ctccctccct 840
cctgtgcccc agctgccagg yggccctggg gaggggtggg gtggtgttgg gaaggggtcc 900
tgcaggggga ggaggacttg gagggctctgg gggcagctgt cctgaaccga ctgacctga 960
ggaggccgct tagtctgct ttgcttttca tcaccgtccc gcacagtga cggagggtccc 1020
cggttgtctg tcaggtcccc atggcttgtt ctctggaacc tgactttaga tgttttgga 1080
tcaggagccc ccaacacagg caagtccacc ccataataac cctgccagtg ccagggtggg 1140
ctggggactc tggcacagtg atgccgggag ccaggacagc agcactcccg ctgcacacct 1200
acggcctagg ggtggcgctc agacccacc ctacgctcat ctctggaagg ggcagccctg 1260
agtggtcact ggtcagggca gtggccaagc ctgctgtgtc ctccctccac aagggtcccc 1320
caccgctcag tgcagcggg tgacgtgtgt tcttttgagt ccttgatga ataaaaggct 1380
ggaaacctaa aaaaaaaaaa aaaaaanggg ggccctctan aggggtccaa 1429
```

<210> 182

<211> 2725

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2713)

<223> n equals a,t,g, or c

<400> 182

```
taacagggca aaaaaagggc tggaaacttc gctatcatgg agatccaatg ccctgcccta 60
aggaagacac tcccaattct gtttgggagc ctgcgaaggc gcttgtgttt gtcagacaaa 120
tacagccagg cctgccaccc cttaggctcc aaagtccgga ggtgcagaaa gccaggacca 180
agagacaggc agtcaccag ggtggacaaa tcgccagaga tgtggtgcat tgcctgttt 240
tcacttttg catgggttta tgetgagcct accatgtatg gggagatcct gtcccctaac 300
tatcctcagg catatcccag tgaggtagag aaatcttggg acatagaagt tcctgaaggg 360
tatgggattc acctctactt caccatctg gacattgagc tgtcagagaa ctgtgcgtat 420
gactcagtgc agataatctc aggagacact gaagaaggga ggctctgtgg acagaggagc 480
agtaacaatc cccactctcc aattgtggaa gagttccaag tcccatataa caaactccag 540
gtgatcttta agtcagactt ttccaatgaa gagcgtttta cgggggtttgc tgcatactat 600
gttgccacag acataaatga atgcacagat tttgtagatg tccctttag ccacttctgc 660
aacaatttca ttggtggtta cttctgctcc tgcccccg aatatttcct ccatgatgac 720
atgaagaatt gcggagttaa ttgcagtggg gatgtattca ctgcactgat tggggagatt 780
gcaagtccca attatccaa accatatcca gagaactcaa ggtgtgaata ccagatccgg 840
ttggagaaaag ggttccaagt ggtggtgacc ttgaggagag aagattttga tgtggaagca 900
gctgactcag cgggaaactg ccttgacagt ttagttttg ttgcaggaga tcggcaattt 960
ggtccttact gtggtcatgg attccctggg sctctaaata ttgaaaccaa gagtaatgct 1020
cttgatatca tcttccaaac tgatctaaca gggcaaaaaa agggctggaa acttcgctat 1080
catggagatc caatgccctg ccctaaggaa gacactccca attctgtttg ggagcctgcg 1140
aaggcaaaat atgtctttag agatgtggtg cagataacct gtctggatgg gtttgaagtt 1200
gtggagggac gtgttggtgc aacatcttcc tattcgactt gtcaaagcaa tggaaagtgg 1260
agtaattcca aactgaaatg tcaacctgtg gactgtggca ttcctgaatc cattgagaat 1320
```

```

ggtaaagtgtg aagaccacaga gagcactttg tttggttctg tcatccgcta cacttgtag 1380
gagccatatt actacatgga aaatggagga ggtggggagt atcactgtgc tggtaacggg 1440
agctgggtga atgaggtgct gggcccgag ctgccgaaat gtgttccagt ctgtggagtc 1500
cccagagaac ctttgaaga aaaacagagg ataattggag gatccgatgc agatattaaa 1560
aacttcccct ggcaagtctt ctttgacaac ccattgggctg gtggagcgct cattaatgag 1620
tactgggtgc tgacggctgc tcatgttctg gagggaaaca gggagccaac aatgtatgtt 1680
gggtccacct cagtgcagac ctcacggctg gcaaaatcca agatgtcac tcctgagcat 1740
gtgtttattc atccgggatg gaagctgctg gaagtccag aaggacgaac caattttgat 1800
aatgacattg cactgggtgc gctgaaagac ccagtgaata tgggaccac cgtctctccc 1860
atctgcctac caggcacctc ttccgactac aacctcatgg atggggacct gggactgatc 1920
tcaggctggg gccgaacaga gaagagagat cgtgctgttc gcctcaaggc ggcaagggtta 1980
cctgtagctc ctttaagaaa atgcaaagaa gtgaaagtgg agaaaccac agcagatgca 2040
gaggcctatg ttttcaactc taacatgatc tgtctggag gagagaagg catggatagc 2100
tgtaaaaggg acagtgggtg ggcccttctg gtacaggatc ccaatgacaa gaccaaattc 2160
tacgcagctg gcctgggtgc ctggggggcc cagtgtggga cctatgggct ctacacacgg 2220
gtaaagaact atgttgactg gataatgaag actatgcagg aaaatagcac ccccgtgag 2280
gactaatcca gatacatccc accagcctct ccaagggtgg tgaccaatgc attacctct 2340
gttccttatg atattctcat tatttcatca tgactgaaag aagacacgag cgaatgattt 2400
aaatagaact tgattgttga gacgccttgc tagaggtaga gtttgatcat agaattgtgc 2460
tggtcataca tttgtgttct gactccttgg ggtcctttcc ccggagtacc tattgtagat 2520
aacactatgg gtggggcact cctttcttgc actattccac agggatacct taattccttg 2580
tttcctcttt acctgttcaa aattccattt acttgatcat tctcagtatc cactgtctat 2640
gtacaataaa ggatgtttat aagcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2700
aaaaaaaaaa aaaaaaaaaa aaaag 2725

```

<210> 183

<211> 1751

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1617)

<223> n equals a,t,g, or c

<400> 183

```

gggggaggga ggttgcggcg ggcgggagc ggtctccag gctggcgagc gccaggaca 60
ggcatgttgt tgggactggc ggccatggag ctgaagggtg ggtgggatg catccagcgt 120
gtgtctctgt ggtctcaga gcagaccacc tgccaggaag tggatcatgc actagcccaa 180
gcaaataggc agactggccg ctttgtgctt gtgcagcgcc ttggggagaa ggagcggcag 240
ttgctgccac aagagtgtcc agtgggcgcc caggccacct gcggacagtt tgccagcgat 300

```

```
gtccagtttg tcttgaggcg cacagggccc agcctagctg ggangccctc ctcagacagc 360
tgtccacccc cggaacgctg cctaattcgt gccagcctcc ctgtaaagcc acgggntgcg 420
ctgggctgtg agccccgcaa aacactgacc cccgagccag cccccagcct ctcacgccct 480
gggcctgcgg cctgtgaaca cccacaccag gctgctgcac agacctgcgg ggcctggagc 540
tcagggtgca gaggaatgct gaggagctgg gccatgaggc cttctgggag caagagctgc 600
gccgggagca ggcccgggag cgagagggac aggcacgcct gcaggcacta agtgcgcca 660
ctgctgagca tgccgcccgg ctgcaggccc tggacgctca ggcccgcgcc ctggaggctg 720
agctgcagct ggcagcggag gccctgggc cccctcacc tatggcatct gccactgagc 780
gcctgcacca ggacctggct gttcaggagc ggagagtgc ggaggtgcag ggcagcctgg 840
ctctggtgag cggggccctg gaggcagcag agcgagcctt gcaggctcag gctcaggagc 900
tggaggagct gaaccgagag ctccgtcagt gcaacctgca gcagttcatc cagcagaccg 960
gggctgcgct gccaccgccc ccacggcctg acaggggccc tcctggcact caggtcggag 1020
tggttctggg gggaggtctg gaggtgagga cctggcccar cccactcca agctgacttc 1080
ccaaccaca gggccctctg cctcagccag agaggagtcc ctccctggcg ctccctctga 1140
gtcccatgct ggtgcccagc ctaggccccg agggatatgtc tgtgccccac ctccccctgg 1200
ggcaccgggc cctcctgtgg ctgcagccac tgcagcctgt gtcctcccg agtgggcccc 1260
atgacgcaga actcctggag gtagcagcag ctccctcccc agagtgggtg cctctggcag 1320
cccagcccca ggctctgtga cagcctagtg agggctgcaa gaccatcctg cccggaccac 1380
agaaggagag ttggcggtca cagagggctc ctctgccagg cagtgggaag ccctgggttt 1440
ggcctcagga gctgggggtg cagtggggga ctgccctagt ccttgccagg tcgccagcac 1500
cctggagaag catggggcgt agccagctcg gaacttgcca ggccccaaag gccacgactg 1560
cctgttgggg acaggagatg catggacagt gtgctcaagc tgtgggcatg tgcttgntctg 1620
cgggagaggt ccttcactgt gtgtacacag caagagcatg tgtgtgccac tccccctacc 1680
ccaactgaa aacctcaata aactgccccg akyakaaaaa aaaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaa a 1751
```

<210> 184

<211> 2200

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2096)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2140)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2157)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2181)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2184)

<223> n equals a,t,g, or c

<400> 184

```
ggcacgagca ggcacatact gaagggcaac ttctcaatcc gtacagccaa gatgcagcag 60
catgtgtgtg aaaccatcat ccgcattctt aaaagacatg gagctgttca gttgtgtact 120
ccactactgc ttccccgaaa cagacaaata tatgagcaca acgaagctgc cctattcatg 180
gaccacagcg ggatgctggg gatgcttcct tttagcctgc ggatccctt tgcaagatat 240
gtggcaagaa ataatatatt gaatttaaaa cgatactgca tagaacgtgt gttcaggccg 300
cgcaagttag atcgatttca tcccaaagaa cttctggagt gtgcatttga tattgtcact 360
tctaccacca acagctttct gccactgct gaaattatct acactatcta tgaaatcatc 420
caagagtttc cagcacttca ggaaagaaat tacagtattt atttgaacca taccatgtta 480
ttgaaagcaa tactcttaca ctgtgggac ccagaagata aactcagtca agtctacatt 540
attctgtatg atgctgtgac agagaagctg acgaggagag aagtggaaagc taaattttgt 600
aatctgtctt tgtcttctaa tagtctgtgt cgactctaca agtttattga acagaaggga 660
gatttgcaag atcttatgcc aacaataaat tcattaataa aacagaaaac aggtattgca 720
cagttggtga agtatggctt aaaagacctt gaggaggttg ttggactgtt gaagaaactc 780
ggcatcaagt tacaggctct gatcaatttg ggcttggttt acaagggtgca gcagcacaat 840
ggaatcatct tccagtttgt ggctttcatc aaacgaagggc aaagggctgt acctgaaatc 900
ctcgcagytg gaggcagata tgacctgctg attccccagt ttagagggcc acaagctctg 960
gggcccagtt ccactgccat tggggctcagc atagctatag acaagatatc tgctgctgtc 1020
ctcaacatgg aggaatctgt tacaataagc tctgtgacc tcctgggtgt aagtkttggg 1080
cagatgtcta tgtccagggc catcaacctt acccagaaac tctggacagc aggcatacaca 1140
gcagaaatca tgtacgactg gtcacagctc caagaggaat tacaagagta ctgcagacat 1200
catgaaatca cctatgtggc ccttgtctcg gataaagaag gaagccatgt caaggttaag 1260
tctttcgaga aggaaaggca gacagagaag cgtgtgctgg agactgaact tgtggaccat 1320
gtactgcaga aactgaggac taaagtcact gatgaaagga atggcagaga agcttccgat 1380
aatcttgacg tgcaaaatct gaaggggtca ttttctaatt cttcaggttt gtttgaaatc 1440
catggagcaa cagtgggtcc cattgtgagt gtgctagccc cggagaagct gtcagccagc 1500
actaggaggc gctatgaaac tcaggtacaa actcgacttc agacctccct tgccaactta 1560
catcagaaaa gcagtgaat tgaaattctg gctgtggatc tacccaaaga aacaatatta 1620
cagtttttat cattagagtg ggatgctgat gaacaggcat ttaacacaac tgtgaagcag 1680
ctgctgtcac gcctgccaaa gcaaagatac ctcaaattag tctgtgatga aatttataac 1740
atcaaagtag aaaaaaaggt gtctgtgcta tttctgtaca gctatagaga tgactactac 1800
agaatcttat tttaacccta aagaactgtc gttaacctca ttcaaacaga cagaggctta 1860
tactggaata atggaatgtt gtacattcat cataatttaa aattaaattc taagaagagg 1920
ctgggtgcag tggctcacac ctttaatccc agcactttgg gaagccaagg caggaagact 1980
gcttgaacc aggagtttga gaccagctg agcaacaaag caagaccca tctctataaa 2040
aactaaaaaa attagttggg catggtggca catgcctgta gtcccagcta ctccanaggc 2100
tgagatggat catctgagcc tcaggaggtt gacgctgcan tgactgtgac tgcgccnctg 2160
actccatctg gggcaacaga ncangacctt gcttaataac 2200
```

<210> 185

<211> 1987

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (523)

<223> n equals a,t,g, or c

<400> 185

```
aactgtggcg cktcttggtg aagatggacg tccacgatct ctttcgccgg ctccggcgcg 60
gggccaaatt cgacacgaga cgcttctcgg cagacgcagc tcgattccag ataggaaaaa 120
ggaaatatga ctttgattct tcggaggtgc ttcagggact ggactttttt ggaaacaaga 180
agtctgtccc aggtgtgtgt ggagcatcac aaacacatca gaagcccca aatggagaga 240
aaaaagaaga gagcctaact gaaaggaaga gggagcagag caagaaaaaa aggaagacga 300
tgacttcaga aattgcttcc caagaagaag gtgctactat acagtggatg tcatctgtag 360
aagcaaagat tgaagacaaa aaagttcaga gagaaagtaa actaacttcc ggaaagtgtg 420
agaatctcag aaaaagaaaag ataaacttct tgcggaataa acacaaaatt caggtccaa 480
gaaccgatct tcctgaccca attgctacat ttcagcaact tgnaccagga atataaaatc 540
aattctcgac tacttcagaa cattctagat gcagggttcc aaatgcctac gccaatccaa 600
atgcaagcca tcccagttat gctgcatggt cgggaacttc tggcttctgc tccaactgga 660
tctgaaaaaa cattagcttt tagcattcct attttaatgc agctgaaaca acccgcaaat 720
aaaggcttca gagccctgat tatatcacca acacgagaac ttgccagcca gattcacaga 780
gagttaataa aaatttctga gggaacagga ttcagaatac acatgatcca caaagcagca 840
gtggcagcca agaaatttgg acctaaatca tctaaaaagt ttgataattct tgtgactact 900
ccaaatcgac taatctattt attaaagcaa gatccccccg gaatcgacct agcaagtgtt 960
gagtggcttg tagtagacga atcagataaa ctggttgaag atggcaaaac tgggttcaga 1020
gaccagctgg ctccattttt cctggcctgc acatcccaca aggtccgaag agctatgttc 1080
agtgcactt ttgcatatga tgttgaacag tgggtgcaaac tcaacctgga caatgtcatc 1140
agtgtgtcca ttggagcaag gaattctgca gtagaaactg tagaacaaga gcttctcttt 1200
gttggaatct agaccgaaa acttctggcc gtgagagaac ttgttaaaaa gggtttcaat 1260
ccacctgttc ttgtttttgt tcagtcattt gaaagggcta aagaactttt tcatgagctc 1320
atatatgaag gtattaatgt ggatgttatt catgcagaga gaacacaaca acagagagat 1380
aacacagtcc acagtttcag agcaggaaaa atctgggttc tgatttgtac agccttgcta 1440
gcaagagggg tgatttttaa aggtgtgaac ttggtgatca actatgactt tccaactagc 1500
tcagtggaat atatccacag gataggtcga actggaagag cagggaataa gggaaaagca 1560
attacatttt tcaactgagga tgataagcca ttattaagaa gcgttgctaa tgttatacag 1620
caggctgggt gtcctgtacc agaatacata aaaggttttc agaaactact aagcaaaaaa 1680
aagaaaaaga tgattaagaa accattggaa agggagagca ttagtacaac tccaaaatgt 1740
ttcttagaaa aagctaagga taaacagaaa aaggtcactg gtcagaacag caagaagaaa 1800
gtagctcttg aagacaaaag ttaaaaacag actttaaaaa tactgtccca gaaatgtaat 1860
tttatgatcc cagcatgaat gttattttca tggaatactt gaagtcttac agtcacctgt 1920
accaaacatt tgaaatcaac tacaagtaca tgggactggg gataaatgat cctaaactat 1980
caagtca
```

1987

<210> 186

<211> 1737

<212> DNA

<213> Homo sapiens

<400> 186

```
tcgagttttt tttttttttt ttttaaggta aaaaaaaaat acaccttcag tttcctgggtg 60
tgatcctggg taaaatggat gatttttcat tgaaagtttt gctgattaac aattaaagt 120
ggatgatatg tgggcaaaaat cacttatgaa agtagaagca agaatacagt ggtttgctac 180
cacataaagc catgctgttt ttggtcaaac tgtgtaaact ggaaaaatc acatcatttc 240
tgagtttaat cacttttagg tatattcaca ttgttttggg gaatttgctg aattgaattg 300
ttttcttttc tcaaatctgt gatctctttt ctttatcctg tttctttgtt cctttcgttt 360
```

```
gctttcttat ttttcttttg ttccattctt ttcttacttt tttccctttt ccttttttgg 420
ggaggctggc tagtagtggt tgagaaaaga atagaagtga aatttgcata atgaatgtaa 480
aagggaaata aaagcttttt gaaggtagct atactagcac ttttgatcat cttcaggggc 540
cacaaaaatg ttgtcaagat tttaaagggt tataattctg cttaagctct agtttggact 600
taggtatcct aactatgttg gaggtatttg cattgtttaa agttaggata aaagcaagtt 660
cctcctgtga ctgcaacgtc ttactgattg ggacagttgc caggaggata ccaacttgat 720
agcagagggg gttttatgca aacgcactca cctccgcctt ggggaatgaa agggtcactt 780
ctgcatcatc actagctagt tttctagtgt tagagagggt taaaaatgtt tgccattctc 840
ataagtgttt tgaacttgat ctttgtgact tgtgcttttt tagcttctct cttgaatcag 900
agtatcattg tcttcctcca aggagttaga atttcccagt ttaaaacaaa aagggaaatg 960
tcctagggtt tctttgtgct tctcattttt cctttgttga ttcaattcct gtgatttttg 1020
ttctcttccc tgaagtgtt tacagtgcac ggaatctcca tcattgttat tttaacgata 1080
gtaattcaca gtccctcagaa gcctattttt aaagcagaag caaaaaagaa aaacaaaata 1140
acaaaaacaa cccttcctct tttctctcat ctcacctctc tgtgttgatt actaatcatc 1200
ttagatatta ttgctagtgg atgtatggta gatgggttga agcttttctg ataattatta 1260
cacaatttaa aacaacatat atatttaaaa taaatatata cagtaaatat attgagccat 1320
gttaacctgc caatgagatc tgtgaaaaaa taatggcctc atttttctct ttttaatttc 1380
ttttaccctt ttgtgaagca gctatacgtg gcatacatgt atttaaagaa aaaaaaatag 1440
atgtagagtg ttttttttac acttttaact tagcatgtgg tgttgaagta ttactgtaga 1500
tcaagtttgt cttccgcact aagatgtgag gaaattgtga tttgttctct ccaccacaaa 1560
tgaattacac atttattatc ttctatcatt ttgaaacact gcagtttacc atgggacact 1620
gtatatattt cttgccataa tggtaaagga ctgattgata tatttaagag ttaataaatt 1680
tgtgatttct gctgaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 1737
```

<210> 187

<211> 1132

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1131)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1132)

<223> n equals a,t,g, or c

<400> 187

```
ggcagagtgg acacctgcat caagaccaag tcgcagctga tgatgccagt ttcaaggccc 60
atgggcctgt ccccaacccc cagcccatcg acccagctag cctggaggag ttcaagagga 120
agatcctgga gtcccagagg cccctgcag gcacccctgt agcccatcc agtggtgag 180
gaggtccag gcctgaggac caagggatgg ccgactcgg cggtttgcgg aggatgcagg 240
gatatgctca cagcgcccga cacaaccccc tcccgccgcc cccaaccacc cagggccacc 300
atcagacaac tccctgcatg caaaccccta gtacctctc acaccgcac ccgcgcctca 360
cgatccctca cccagagcac acggccgcgg agatgacgtc acgcaagcaa cggcgctgac 420
gtcacatatc accgtggtga tggcgtcacg tggccatgta gacgtcacga agagatatag 480
cgatggcgtc gtgcagatgc agcacgtcgc acacagacat ggggaacttg gcatgacgtc 540
acaccgagat gcagcaacga cgtcacgggc catgtcgacg tcacacatat taatgtcaca 600
cagacgcggc gatggcatca cacagacggg gatgatgtca cacacagaca cagtgacaac 660
```

```
acacaccatg acaacgacac ctatagatat ggcaccaaca tcacatgcac gcatgccctt 720
tcacacacac tttctaccca attctcacct agtgtcacgt tcccccgacc ctggcacacg 780
ggccaaggtg cccacaggat cccatcccct cccgcacagc cctgggcccc agcacctccc 840
ctcctccagc ttcctggcct cccagccact tcctcacccc cagtgcctgg acccggaggt 900
gagaacagga agccattcac ctccgctcct tgagcgtgag tgtttccagg acccctcgg 960
ggccctgagc cgggggtgag ggtcacctgt tgcggggagg ggagccactc cttctcccc 1020
aactcccagc cctgcctgtg gcccggtgaa atgttggtgg cacttaataa atattagtaa 1080
atccttaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa nn 1132
```

<210> 188

<211> 1267

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (25)

<223> n equals a,t,g, or c

<400> 188

```
ggggatggat gntctccttc agctnttttg gagacactat agaaggtagc cctgcaggta 60
ccggtcgga attcccgggt tgatccacgc gtccgcccac gcgtccgcc acgcgtccgc 120
tggacggcag ctatgcgact caccgtgctg tgtgctgtgt gcctgctgcc tggcagcctg 180
gccctgcccgc tgccctcagga ggcgggaggc atgagttagc tacagtggga acaggctcag 240
gactatctca agagatttta tctctatgac tcagaaacaa aaaatgccaa cagtttagaa 300
gccaaactca aggagatgca aaaattcttt ggcctacctt taactggaat gttaaactcc 360
cgcgctcatag aaataatgca gaagcccaga tgtggagtgc cagatgttgc agaatactca 420
ctatttcctaa atagcccaaa atggacttcc aaagtgtgca cctacaggat cgtatcatat 480
actcgagact taccgcatac tacagtggat cgattagtgt caaaggcttt aaacatgttg 540
ggcaaagaga tccccctgca tttcaggaaa gttgtatggg gaactgctga catcatgatt 600
ggctttgccc gagggagctc tggggactcc taccatttg atgggcccag aaacacgctg 660
gctcatgcct ttgcgcctgg gacaggctc ggaggagatg ctacttcga tgaggatgaa 720
cgctggacgg atggttagcag tctagggatt aacttcctgt atgctgcaac tcatgaactt 780
ggccattctt tgggtatggg acattcctct gatcctaata cagtgatgta tccaacctat 840
ggaaatggag atccccaaaa ttttaaactt tcccaggatg atattaaagg cattcagaaa 900
ctatatggaa agagaagtaa ttcaagaaag aaatagaaac ttcaggcaga acatccattc 960
attcattcat tggattgtat atcattgttg cacaatcaga attgataagc actgttcttc 1020
cactccattt agcaattatg tcaccctttt ttattgcagt tggtttttga atgtctttca 1080
ctccttttaa ggataaaact ctttatgttg tgactgtgtc ttattcatct atacttgacg 1140
tgggtagatg tcaataaatg ttacatacac aaataaataa aatgtttatt ccatggtaaa 1200
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260
aaaaata
```

<210> 189

<211> 3787

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<400> 189

```
agtcgcggaat tcccggggttt gntgacgcgt ccgcagcaag gtgcctcgct gtgtcaacac 60
tcagcctggc ttccactgcc tgccctgccc gccccgatac agagggaacc agcccgtcgg 120
ggtcggcctg gaagcagcca agacggaaaa gcaantgtgt gagcccgaaa acccatgcaa 180
ggacaagaca cacaactgcc acaagcacgc ggagtgcac tacctgggtc acttcagcga 240
ccccatgtac aagtgcgagt gccagasagg ctacgcgggc gacgggctca tctgcgggga 300
ggactcggac ctggacggct ggcccaacct caatctggtc tgcgccacca acgccaccta 360
ccactgcac aaggataact gccccatct gccaaattct gggcaggaag actttgacaa 420
ggacgggatt ggcgatgcct gtgatgatga cgatgacaat gacggtgtga ccgatgagaa 480
ggacaactgc cagctcctct tcaatccccg ccaggctgac tatgacaagg atgaggttgg 540
ggaccgctgt gacaactgcc cttacgtgca caaccctgcc cagatcgaca cagacaacaa 600
tggagagggt gacgcctgct ccgtggacat tgatggggac gatgtcttca atgaacgaga 660
caattgtccc tacgtctaca aactgacca gagggacacg gatggtgacg gtgtggggga 720
tcaactgtgac aactgcccc tggtgcacaa ccctgaccag accgacgtgg acaatgacct 780
tgttggggac cagtgtgaca acaacgagga catagatgac gacggccacc agaacaacca 840
ggacaactgc ccctacatct ccaacgccaa ccaggctgac catgacagag acggccaggg 900
cgacgcctgt gaccctgatg atgacaacga tggcgtcccc gatgacaggg acaactgccg 960
gcttgtgttc aaccagacc aggaggactt ggacggtgat ggacggggtg atatttgtaa 1020
agatgatttt gacaatgaca acatcccaga tattgatgat gtgtgtcctg aaaacaatgc 1080
catcagttag acagacttca ggaacttcca gatggtcccc ttggtatccca aagggaccac 1140
ccaaattgat cccaactggg tcattcgcca tcaaggcaag gagctggttc agacagccaa 1200
ctcggacccc ggcatcgctg taggttttga cgagtttggg tctgtggact tcagtggcac 1260
attctacgta aacactgacc gggacgacga ctatgccggc ttcgtctttg gttaccagtc 1320
aagcagccgc ttctatgtgg tgatgtggaa gcaggtgacg cagacctact gggaggacca 1380
gcccacgcgg gcctatggct actccggcgt gtccctcaag gtggtgaact ccaccacggg 1440
gacgggcgag cacctgagga acgcgctgtg gcacasgggg aacacgccgg ggcagggtcg 1500
aaccttatgg cagcacccca ggaacattgg ctggaaggac tacacggcct atagggtggca 1560
cctgactcac aggcccaaga ctggctacat cagagtctta gtgcatgaag gaaaacaggt 1620
catggcagac tcaggaccta tctatgacca aacctacgtt ggcgggcggc tgggtctatt 1680
tgtcttctct caagaaatgg tctatttctc agacctcaag tacgaatgca gagatattta 1740
aacaagattt gctgcatttc cggaatgcc ctgtgcacgc catggtccct agacacctca 1800
gttcattgtg gtccttgtgg cttctctctc tagcagcacc tcctgtccct tgaccttaac 1860
tctgatggtt cttcacctcc tgccagcaac cccaaaccca agtgccttca gaggataaat 1920
atcaatggaa ckcagagatg aacatctaac ccactagagg aaaccagttt ggtgatata 1980
gagactttat ttggagtgaa aattgggcat gccattacat tgctttttct tgtttgttta 2040
aaaagaatga cgtttacata taaaatgtaa ttacttattg tatttatgtg tatatggagt 2100
tgaagggaat actgtgcata agccattatg ataaatgaag catgaaaaat attgctgaac 2160
tacttttggg gcttaaagtt gtcactatct ttgaattaga gttgctctac aatgacacac 2220
aatcccrtt aaataaatta taaacaaggg tcaattcaaa tttgaagtaa tgttttagta 2280
```

aggagagatt agaagacaac aggcatagca aatgacataa gctaccgatt aactaatcgg 2340
aacatgtaaa acagttacaa aaataaacga actctcctct tgcctacaa tgaaagccct 2400
catgtgcagt agagatgcag ttcatcaaaa gaacaaacat ccttgcaaat ggggtgtgacg 2460
cggttccaga tgtggatttg gcaaaacctc atttaagtaa aaggtagca gagcaaatg 2520
cgggtgcttta gctgctgctt gtgcgctgt ggcgtcgggg aggcctcctgc ctgagcttcc 2580
tccccagct ttgctgcctg agaggaacca gagcagacgc acaggccgga aaaggcgcat 2640
ctaacgcgta tctaggcttt ggtaactgcg gacaagtgc ttttacctga tttgatgata 2700
catttcatta aggttccagt tataaatatt ttgtaatat ttattaagt actatagaat 2760
gcaactccat ttaccagtaa cttattttaa atatgcctag taacacatat gtagtataat 2820
ttctagaaac aaacatctaa taagtatata atcctgtgaa aatatgaggc ttgataatat 2880
taggttgca cgatgaagca tgctagaagc tgtaacagaa tacatagaga ataatgagga 2940
gtttatgatg gaaccttaat atataatgtt gccagcgatt ttagttcaat attgttact 3000
gttatctatc tgctgtatat ggaattcttt taattcaaac gctgaaaacg aatcagcatt 3060
tagtcttgcc aggcacaccc aataatcagt catgtgtaat atgcacaagt ttgtttttgt 3120
ttttgttttt tttgttggtt ggtttgtttt tttgctttaa gttgcatgat ctttctgcag 3180
gaaatagtca ctcatccac tccacataag ggggttagta agagaagtct gtctrctga 3240
tgatggatag ggggcaaatc tttttcccct ttctgttaat agtcacaca tttctatgcc 3300
aaacaggaac gatccataac tttagtctta atgtacacat tgcattttga taaaattaat 3360
tttgttggtt cctttgaggt tgatcggtgt gttgtgttt tgctgcactt tttacttttt 3420
tgctgttgga gctgtattcc cgagaccaac gaagcgttg gatacttcat taaatgtagc 3480
gactgtcaac agcgtgcagg ttttctgttt ctgtgtgtgt gggcaaccg tacaatggtg 3540
tgaggatgac gatgatgtga atatttagaa tgtaccatat tttttgtaaa ttatttatgt 3600
ttttctaaac aaatttatcg tatagggtga tgaaacgtca tgtgttttgc caaagactgt 3660
aaatatttat ttatgtgttc acatgggtcaa aatttcacca ctgaaaccct gcacttagct 3720
agaacctcat ttttaaagat taacaacagg aaataaattg taaaaaagg tttctataaa 3780
aaaaaaa 3787

<210> 190

<211> 554

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (520)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (542)

<223> n equals a,t,g, or c

<400> 190

ggcagaggga cagcaacatt tcccacagga cacgartttg tcggcccttg ccttggcaga 60
gctgaggcat tttggagatc aaagatgggt agaaaagatg ctgctactat aaaacttct 120
gttgatcagt acagaaaaca aattggtaaa caggattata aaaaaactaa acctatttta 180
cgagcaacca aattaaaagc agaagcaaag aaaacagcaa taggcataaa ggaagtggc 240
cttgtacttg cagctatatt ggcaactacta ctggctttct atgctttctt ttatctcaga 300
ctcaccacgg atgttgacct tgatctggac caagatgaag attagctaag caacaatcaa 360
tgcatgaaag agaaataact ttacgaaagc accttttggg accaaaaactt tcaatactga 420
aactgtaaca tctttaattm tttctgctaa tattttcagt ttgcagacat atgatttttg 480

atagttgcat aggatgtcag gaaaagaacc ttacctagcn atgcagtata gtatgtgcta 540
 cngggatact tgta 554

<210> 191

<211> 874

<212> DNA

<213> Homo sapiens

<400> 191

ggcacagacg ggatgaggcg ctgcagtctc tgcgctttcg acgccgcccg ggggcccagg 60
 cggctgatgc gtgtgggcct cgcgctgac ttggtgggcc acgtgaacct gctgctgggg 120
 gccgtgctgc atggcaccgt cctgcggcac gtggccaatc cccgcggcgc tgtcacgccg 180
 gagtacaccg tagccaatgt catctctgtc ggctcggggc tgcctgagcgt ttccgtggga 240
 ttgtggccct cctggcgctc aggaamcttc ttcgccctcc actgcactgg gtcctgctgg 300
 camtagctct ggtgaacctg ctcttgtccg ttgcctgctc cctgggcctc cttcttgctg 360
 tgtcactcac tgtggccaac ggtggccgcc gccttattgc tgactgccac ccaggactgc 420
 tggatcctct ggtaccactg gatgaggggc cgggacatac tgactgcccc tttagaccca 480
 caagaatcta tgatacagcc ttggctctct ggatcccttc tttgctcatg tctgcagggg 540
 aggtgctct atctggttac tgctgtgtgg ctgcactcac tctacgtgga gttgggcct 600
 gcaggaagga cggacttcag gggcagctag aggaaatgac agagcttgaa tctcctaaat 660
 gtaaaaggca ggaaaatgag cagctactgg atcaaatca agaaatccgg gcatcacaga 720
 gaagttgggt ttaggacagc aggtgctgtt ccgagactca gtcctaaagg gttttttttc 780
 ccaataagca aggggccctg acctcgggat gagataacaa attgtaataa agtaacttct 840
 cttttcttct aaaaaaaaaa aaaaaaaact cgag 874

<210> 192

<211> 2103

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (140)

<223> n equals a,t,g, or c

<400> 192

tagtagtaaa caggtgggga ctccattgcc agcttggtgc cttatctact gggcagtcga 60
 gttggtgtct tcatgggcag aaatagggtg taaagggtgc caactctcca ggtgagagag 120
 agttttgtag caggactttn ggttgtaaat cgactattac caacctactg gtgggtgaga 180
 gttcaagaaa cccatgaaaa aggacatagt ggaagatgaa gatgatgact ttctgaaagg 240
 cgaagtgcc cagaatgata ccgtgattgg gatcacacca agctccttg acacgcattt 300
 ccgaagtcc tcaagtagtg tgggtcccc acccgtgttg tacatgcaac ccagtcccct 360
 ctgacggcag aaatttgtga ctgagatgtg acatttggga ttccccatca cttgtcatgc 420
 cctcagcacc cagcttgtgc cattgggcatt tgatggcatt gaactagagc gagtgcctgc 480
 ctcggctgtg gcacttccag gttcgactga atcaagcatc tgaagactgg gtttttttgt 540
 tgttgttgtt ccccttacag acaaaatgaa gactatcatg tgcaatcttt tacagtgggg 600
 ttgatgatac atttgaagg atttgcttgt ttaatatgta cattttttgt gttaacagct 660
 ttttgacaca atttgggt aatttcta ataggcagca gactgtttta cgggttgctg 720
 ttttaacatg ggtttttgtc agatccatgg tcttaggact tgactgatga gctttcagtg 780
 aagaatcctc taagataaaa cttctattta aagacttta ctagaaagt tttatttttg 840
 ctacattgtt caccttctgc tgtattggta tttgtctgtt gggatttcaa gggagtgtag 900

```

agaagacaga aggaaagctg agagctggcc cgacatggtc tgggacacag agttggagct 960
ggcactgaag atctccaggg acttcagaga ccaataaaaag cccatagggg agagagagag 1020
gatataggga aacagaatca gatgtgtaat atacttgga cagcgaaaaa atggatttaa 1080
aagacaaaaa tggaggtcca ggtagatgta attcacacag actgaaagtg agttcgggct 1140
tgtgtaaaaa acatgagatt ggatttgacc ccttggtctc caagtgtccc cttagatcta 1200
gaactgctcc ttggtggcca ttagatcgag tcagttttga tctgcatcac ttagttattg 1260
ggaatttctt tgttggaaac aggaaaattt ttttagatta tttggtgtac ggttttgctc 1320
acaacaatag gtggaagttg ctagtgcagt cttggtctga tggctgtgtg catcgcacat 1380
tcggcttggg gaaatccttc tctaaagcct ctttttgtat tttataact aaacagagga 1440
agtcttcaga agacctcgct ttaaaacaaa tttgtgcaa cactgctaga gtcattttga 1500
agctcaagca ttttcacttt gtttcttaca tgtgtacttt tttgtttact tgtgaaaatg 1560
gccatcttta agcataattha ttttctgcca ctttatthaa aggcaagcaa tattttcttg 1620
atcataaata ttttgtaatg aaatacttcc tcttttccag ggctttgtat gcacttgat 1680
aattacattg atggcaatgt agagtttgaa tttcagtctg taaatacttt tttggaaaat 1740
agaaattttt attgctthaa agttttggat atgggtgggt ttcttttccg ggtttggtgg 1800
aaagtaattt gagaacttta aggttgtctt ttttaactgt ggcaaaatgt tgatttttta 1860
atattagata aaacgagtaa acgaaattcc ccagaaatta gtagtaagtg gggcttttgt 1920
gggttgggaa gtagttthaa ttagaaaaga catttacata taagtctgtt taatttcaaa 1980
ggagtgtgtg aaaaaaaatc catggtgaaa atgaaacaat gacatgggta atctgggaact 2040
tacgttctta taccaataaa aggtacctca atamaaaaaa aaaaaaaaaa accccggggg 2100
ggg 2103

```

<210> 193

<211> 1317

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1314)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1315)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1316)

<223> n equals a,t,g, or c

<400> 193

```

agcatagcct tcgtgtgaag gccagtgaac agcagctgag ctaattcatg aggtatttgc 60
ccttctgaag ttggaatctg taatgattta aaacatgaga ctgggccagt gggcttggtg 120
ctccagacct catgccttct gggaccaga catctctgca atctcgggaa ctggaataca 180
ccacttcttg tcaaggtact agcaagttgc cgtggataca gaaatctctg caggcaagtt 240
gctccagagc atattgcagg acaagcctgt aacgaatagt taaattcacg gcatctggat 300
tcctaatacct tttccgaaat ggcaggtgtg agtgcctgta taaaatatc tatgtttacc 360
ttcaacttct tgttctggct atgtggtatc ttgatcctag cattagcaat atgggtacga 420
gtaagcaatg actctcaagc aatttttggg tctgaagatg taggctctag ctctacgtt 480

```

```
gctgtggaca tattgattgc tgtaggtgcc atcatcatga ttctgggctt cctgggatgc 540
tgcggtgcta taaaagaaag tcgctgcatg cttctgttgt ttttcatagg cttgcttctg 600
atcctgctcc tgcagggtggc gacaggatc ctaggagctg ttttcaaadc taagtctgat 660
cgcattgtga atgaaactct ctatgaaaac acaaagcttt tgagcgccac aggggaaagt 720
gaaaaacaat tccaggaagc cataattgtg tttcaagaag agtttaaag ctgcggtttg 780
gtcaatggag ctgctgattg gggaaataat tttcaacact atcctgaatt atgtgcctgt 840
ctagataagc agagaccatg ccaaagctat aatggaaaac aagtttaca agagacctgt 900
atttctttca taaaagactt cttggcaaaa aatttgatta tagttattgg aatatcattt 960
ggactggcag ttattgagat actgggtttg gtgttttcta tggtcctgta ttgccagatc 1020
gggaacaaat gaatctgttg atgcatcaac ctatcgctag tcaaaccctt ttaaatgtt 1080
gctttgctt tgtaatttta aatatgtaag tgctatataa gtcaggagca gctgtctttt 1140
taaaatgtct cggctagcta gaccacagat atcttctaga catattgaac acatttaaga 1200
tttgagggat ataagggaaa atgatatgaa tgtgtatttt tactcaaaat aaaagtaact 1260
gtttacgttg aaaaaaaaaa aaaargkcgg ccgytytara gayccarctt actnnnc 1317
```

<210> 194

<211> 1252

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1231)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1240)

<223> n equals a,t,g, or c

<400> 194

```
gcccacgmgc ggccgcgcgc aggaggccaa gatggcgcca gctgcggctt cgcttcgcgc 60
ggtagtggtg ggccgcgcgc gcgcggggct cccgggcgcg cgtgcccggg gtctgctgtg 120
cagcgcgcgc cccgggcgcg tcccgcctacg gacacctcag gcagtggcct tgtcgtcgaa 180
gtctggcctt tcccgcgcgc ggaaagtgat gctgtcagcg ctgggcagtc tggcgcgcgc 240
gggtgcgcgc ctggccgttg ctctgcattc ggctgtgagt gccagtgacc tggagctgca 300
ccccccagc tatccgttgt ctaccgttg cctcctctct tccttgacc acaccagcat 360
ccggaggggt ttccaggtat ataagcaggt gtgcgcctcc tgccacagca tggacttcgt 420
ggcctaccgc cacctggttg gcgtgtgcta cacggaggat gaagctaagg agctggctgc 480
ggaggtggag gttcaagacg gcccgaatga agatggggag atgttcatgc ggccagggaa 540
gctgttcgac tatttcccaa aaccataccc caacagttag gctgctcgag ctgccaacaa 600
cggagcattg cccctgacc tcagctacat cgtgcgagct aggcattgtg gtgaggacta 660
cgtcttctcc ctgctcacgc gctactcgca gccaccacc ggggtgtcac tgcgggaagg 720
tctctacttc aaccctact ttctggcca ggccattgcc atggccctc ccatctacac 780
agatgtctta gagtttgacg atggcaccac agctaccatg tcccagatag ccaaggatgt 840
gtgcaccttc ctgcgttgg catctgagcc agagcacgac catcgaaaac gcatggggct 900
caagatgttg atgatgatg ctctgctggt gccctggtc tacaccataa agcggcacia 960
gtgtcagtc catcaagagtc ggaagctggc atatcgccg cccaagtga cctgtccagt 1020
gtctgtctgc ctacatgcca gaacaggccc tcaagcccaa gagccatccc agcctgttca 1080
ggcctcagct aagcctctct tcatctgga gaagaggcaa gggggcagga gaccaggctc 1140
tagctctggg ccctccttca gcccacatca tgggaataaa ttaatttct caatgtaaaa 1200
```


aaaaaaaaa aaaactcggg gggggcccg ncccaatttn cccttttggg gg 1252

<210> 195

<211> 1688

<212> DNA

<213> Homo sapiens

<400> 195

ggcacgagcg gaactgctcc ggagggcacg ggctccgtag caccaactgc aaggaccct 60
ccccctgcgg gcgctcccat ggcacagtgc gcgttcgaga gtgacctgca ctgctgctt 120
cagctggatg caccatccc caatgcaccc cctgcgcgct ggcagcaaaa gccaaaggaag 180
ccgcagcccg gccccctcac ccctgcgggc cgccaaccga tcccacagcg ccggcaggac 240
tccgggcccga actcctggca aatccagtgc caaggttcag accactccta gcaaacctgg 300
cggtgaccgc tatatcccc atcgcagtgc tgcccagatg gaggtggcca gcttcctcct 360
gagcaaggag aaccagcctg aaaacagcca gacgcccacc aagaaggaa atcagaaagc 420
ctgggctttg aacctgaacg gttttgatgt agaggaagcc aagatccttc ggctcagtgg 480
aaaaccacaa aatgcgccag agggttayca gaacagactg aaagtactct acagccaaaa 540
ggccactcct ggctccagcc ggaagacctg ccgttacatt ccttccctgc cagaccgtat 600
cctggatgcg cctgaaatcc gaaatgacta ttacctgaac cttgtggatt ggagttctgg 660
gaatgtactg gccgtggcac tggacaacag tgtgtacctg tggagtga gctctggtga 720
catcctgcag cttttgcaaa tggagcagcc tggggaatat atactctctg tggcctggat 780
caaagagggc aactacttgg ctgtgggcac cagcagtgcg gaggtgcagc tatgggatgt 840
gcagcagcag aaacggcttc gaaatatgac cagtcactct gcccgagtgg gctccctaag 900
ctggaacagc tatatcctgt ccagtgggtc acgttctggc cacatccacc accatgatgt 960
tcgggtagca gaacaccatg tggccacact gagtggccac agccaggaag tgtgtgggct 1020
gcgctgggcc ccagatggac gacatttggc cagtgggtgt aatgataact tggtaaatgt 1080
gtggcctagt gctcctggag aggggtggctg ggttcctctg cagacattca cccagcatca 1140
aggggctgtc aaggccgtag catggtgtcc ctggcagtc aatgtcctgg caacaggagg 1200
gggcaccagt gatcgacaca ttcgcatctg gaatgtgtgc tctggggcct gtctgagtgc 1260
cgtggatgcc cattcccagg tgtgctccat cctctggtct cccattaca aggagctcat 1320
ctcaggccat ggctttgcac agaaccagct agttatttgg aagtaccaa ccatggccaa 1380
ggtggctgaa ctcaaaggc acacatcccg ggtcctgagt ctgacctga gccagatgg 1440
ggccacagtg gcaccccgag cagcagatga gacctgag ctatggcgct gttttgagtt 1500
ggaccctgcg gcggcgcggg agcgggagaa ggccagtgc gccaaaagca gcctcatcca 1560
ccaaggcatc cgtgaaagac caaccatca cctcagttgt tttttatatt tctaataaag 1620
tcatgtctcc cttcatgttt tttttttaa aaaaaaaaa aaaaaaaaa aaaaaaaaa 1680
aaaaaaaaa 1688

<210> 196

<211> 756

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (756)

<223> n equals a,t,g, or c

<400> 196

ggcacgagcc gccctcggcg tcctctgtag cgggcgacct aggcgcggg acccgagcg 60
aggtagaggc cagggcagcg cgtccgggag cggagtccgc gcccgccgc gccatgccgg 120

```
acagctggga caaggatgtg taccctgagc ccccgcgccg cagcccggtg cagcccaatc 180
ccatcgtcta catgatgaaa gcgttcgacc tcategtgga ccgacccgtg accctcgtga 240
gagaatttat agagcggcag cagcgaaga acaggtatta ctactaccac cggcagtagc 300
gccgcgtgcc agacatcact gagtgcgaag aggaggacat catgtgcatg tatgaagccg 360
aaatgcagtg gaagagggac tacaaagtcg accaagaaat tatcaacatt atgcaggatc 420
ggctcaaagc ctgtcagcag aggggaaggac agaactacca gcagaactgt atcaagggaag 480
tggaagcagtt caccaggtg gccaaaggcct accaggaccg ctatcaggac ctgggggcct 540
acagttctgc caggaagtgc ctggccaaac agaggcagag gatgctgcaa gagagaaaag 600
ctgcaaaaga ggccgcccgt gccacctcct gaggcagctg tgggtgcccc tgctgtgtgg 660
ctctgtatga ctgttgctga aatataaagc cctgcaacct gaaaaaaaaa aaaaaaaaaa 720
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaattn 756
```

<210> 197

<211> 1471

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<400> 197

```
ttggctgctc ctgacctcag caaaccaaga gggatcact gggatacatc agattggatg 60
ccaaagcgttc ctctgccgga catacaagag ttccccaaact atgaggatgat tgatgagcag 120
acacccctgt actcagcaga tccaaacgcc atcgatacgg actattaccc tggaggctac 180
gacatcgaaa gtgattttcc tccaccccca gaagacttcc ccgcagctga tgagctacca 240
ccgttaccgc ccgaattcag caatcagttt gaatccatcc accctcctag agacatgcct 300
gccgcgggta gcttgggttc ttcatacaaga aaccggcaga ggttcaactt gaatcagtat 360
ttgcccattt tttatcccct cgatatgtct gaacctcaaa caaaaggcac tggtgagaat 420
agtacttgta gagaacccca tgccccttac ccgcagngt atcaaagaca cttcgaggcg 480
cccgcgtgtc agagcatgcc catgtctgtg tacgcctcca ccgcctcctg ctctgacgtg 540
tcagcctgct gcgaagtggg gtccgagggtc atgatgagt actatgagag cggggacgac 600
ggccacttcg aagagggtgac gatcccgccc ctggattccc agcagcacac ggaagtctga 660
ctctcaactc ccccaaaagt gcctgacttt agtgaaccta gaggtgatgt gagtaatccg 720
cgctgttctt tgcagcagtg cttccaagct ttttttggtg agccgaatgg gcatggctgc 780
gctggatcct gcgcctctgg acgtgctage catttccagt gtcccaacta ctgtcatcgt 840
gagggttttca tcggctgtgc catttcccaa cgtcttttgg gatttacatc tgtctgtgtt 900
aaaataatca aacgaaaaat cagtcctgtg ttgtcagcat gattcatgta tttatataga 960
tttgattatt ttaattttcc tgtctctttt ttttgtaaat tttatgtaca gatttgattt 1020
ttcatagttt taactagatt tccaagatat tttgtgcatt tgtttcaact gaatttttgt 1080
ggtggtagtg ccattatcta gcacctgat tttttttttt tactataacc agggtttcat 1140
tctgtctttt tccactgaag tgtgacattt tgtagtaca tttcagtga gtcattcatt 1200
tctagctgta cataggtaga aggagagatc agatacatga acatgtctta catgggttgc 1260
tgtattttaga attataaaca tttttcatta ttggaaagtg taacggggac cttctgcata 1320
cctgttttaga accaaaaacca ccatgacaca gtttttatag tgtctgtata tttgtgatgc 1380
aatggctctt taaaggtttt taatgaaaac taccattagc cagtccttct tactgacaat 1440
aaattattaa taaaataaaa aaaaaaaaaa a 1471
```

<210> 198

<211> 692

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<400> 198

```
gtgaattggt aattcgacct cccctatagg gccgaatttg ggntaccggg cccccccctt 60
agtgcggctt gctcttggaa gttcaggctc ggttgtcttt tgggagccat ggagagtgc 120
ttttatctgc gttactacgt ggggcacaag ggcaagttcg gccacgagtt cctggagttt 180
gagtttcgac cggacgggaa gttaagatat gccaacaaca gcaattacaa gaatgatgtc 240
atgatcagaa aagaggctta tgtacataaa agcgtgatgg aggaactgaa gagaataatt 300
gacgacagtg aaattaccaa agaggatgat gcattgtggc ctctctctga ccgagtgggc 360
cggcaggagc ttgaaatcgt cattggagat gaacacattt cttttacaac atcaaaaatt 420
ggttccctta ttgatgtcaa tcaatccaag gatccagaag gcttacgagt attttattat 480
cttgtccagg acctgaagtg tttggtcttc agtcttattg gattacactt caagattaaa 540
ccaatctaga ctgaatattg gtgtggacat ggggggtggg tgggagtaga aaattttgtg 600
tatatcaggg cagtattttt ttatgaacta taaatgattg tctttaataa atatgtgata 660
aaatccaatt tttattattt tataaagacc tg                                     692
```

<210> 199

<211> 1573

<212> DNA

<213> Homo sapiens

<400> 199

```
ctcgtgccga attcggcacg agccggcgcc agctacgccg ctgccgctgt cactatggcc 60
cattacaaaag ccgccgactc gaagcgtgag cagttccgga ggtacttggg gaagtcgggg 120
gtgctggaca cgctgaccaa ggtgttggtg gccttatatg aagaaccaga gaaacctaac 180
agtgcctttg attttttaaa gcatcactta ggagctgcta ctccagaaaa tccagaaata 240
gagctgcctc gcctagaact ggccgaaatg aaagagaagt atgaagctat tgtagaagaa 300
aataaaaaaac tgaaagcaaa gcttgctcag tatgaaccac ctcaggagga gaagcgtgct 360
gaataggatt cttctcagtt tgaaagacaa tgaaaaatgg ttttgtatga cttgaatagt 420
ttgtatagta tataatcttt tctgaacaga tgctatagaa ctcttttaat atgtttaatt 480
cacctatcac actctgttaa aaacacatag aatcatcaat aaaaactcaa tataactttc 540
tttgggtctt aaagcaggag aatccaaagt aaatcctgaa caaaacctaa acacagccat 600
ctaactcatt accttaaaaag acattctgkt tattagtctg attaggaatg atggcactgg 660
ttgtatttta gccaaagacag tttagcatgg agctattcct tgggtgcagtt caggatatga 720
acacaggtag agtcattctt tgaaggtag actgttctgt atattcccta taggcagctg 780
gagagatctg tgtgacacaa gatgcttttg tacgggttcc catgaatctt ctgctcttgt 840
ttgtgtgaca tggaacaaat aactctttg ccaccacttt gccttagata actgtgtgtg 900
tgtgtgccag tttgaactct gacaccacat ttcccttcta tgcaatcatg cctgtctgat 960
aatcttgcat tgctttcctc tgagctttag tgggtccctag ttgcacactg gcctttctgt 1020
gctgtttttc aatttgccta ataatagcag ttacctgat tgtaatttat gtaactttta 1080
acaggatcac acttgacccc ctgcctgcct tatttgctta ctgagcacag gacagaggga 1140
atatacaact ctgggttcac acacaagctg agatgagaag aggaatgagc catatattgg 1200
ggaaaatcat agttttagg tataattata tagtgctttt ctccctcaaa gtatttttct 1260
agccttgaat tcattttatc ttcattatcc ctgtgaagta ggtgggacaa gtataagggg 1320
aagaggggtg ctgaattttt aggccaaaga ctgatattaa tacaatcac tcactaactg 1380
```

```
tagagccttg ggcattatca gtgaactact ctgagattta ctgtcttcat ctgtttaatg 1440
agtagaatgt ccgtgatgcc tacctcacag ggttggtgtg aggggtcaaat gagaatgtat 1500
gtgaaagatt tgtaaatggt aaagcactat attcttggtta aaaaaaaaaa aaaaaaaaaa 1560
aaaaaaaaaa aaa 1573
```

<210> 200

<211> 2742

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<400> 200

```
gggtcgaccc acgcgtccgc ccacgntccg tgaatggtga actccagaaa gccattgact 60
tattcacaga tgccatcaag ctgaatcctc gcttggccat tttgtatgcc aagagggcca 120
gtgtcttcgt caaattacag aagccaaatg ctgccatccg agactgtgac agagccattg 180
aaataaatcc tgattcagct cagccttaca agtggcgggg gaaagcacac agacttctag 240
gccactggga agaagcagcc catgatcttg cccttgccctg taaattggat tatgatgaag 300
atgctagtgc aatgctgaaa gaagttcaac ctagggcaca gaaaattgca gaacatcgga 360
gaaagtatga gcgaaaacgt gaagagcgag agatcaaaga aagaatagaa cgagttaaga 420
aggctcgaga agagcatgag agagcccaga gggagggaaga agccagacga cagtcaggag 480
ctcagtatgg ctcttttcca ggtggctttc ctgggggaat gcctggtaat tttcccgga 540
gaatgcctgg aatgggaggg ggcattgcctg gaatggctgg aatgcctgga ctcaatgaaa 600
ttcttagtga tccagagggt cttgcagcca tgcaggatcc agaagttatg gtggctttcc 660
aggatgtggc tcagaaccca gcaaattatg caaaatacca gagcaaccca aaggttatga 720
atctcatcag taaattgtca gccaaatttg gaggtcaagc gtaatgtcct tctgataaaa 780
aaagcccttg ctgaaaggaaa agcaacctag atcaccttat ggatgtcgca ataatacaaa 840
ccagtgtacc tctgaccttc tcatcaagag agctgggggtg ctttgaagat aatccctacc 900
cctctccccc aaatgcagct gaagcatttt acagtgggtt gccattaggg tattcattca 960
gataatgttt tcctactagg aattacaaac tttaaacact ttttaaatct tcaaaatatt 1020
taaaacaaat ttaaaggggc tggttaattct tataattttc tttactaatc attttggatt 1080
tttttctttg aattattggc agggaatata cttatgtatg gaagattact gctctgagtg 1140
aaataaaaagt tattagtgcg aggcaaacat aactcatttg aggataaagt ttgtgttggg 1200
tatgtggttc ctgatgcatt ttgacttgtc tttttaaatg ctttatcttt ttctttaaag 1260
atttatttca ataaaactaa ttgggaccac ccgtatttca gtaggacctg ggtagggatt 1320
ggaagtactt ggcagggcag cagcaatctt gctgtgtttg atataacatg catccttggg 1380
caggttgccc ttaaatctta cactgtgttg aagggatgtt ttttttgtaa tgctgcagta 1440
gagttggagt acttagttct cttgttgtcc agtatatcta ataagtgtt ttcattattat 1500
ttccacgtaa ggaataaag gtagtacttt tctttttata tttctatget taaaattctc 1560
tttcttagtc aaaaattgcc caaatctgtg tttgctttct gcttgctaca tttgtctccc 1620
ttacttttct tgagctaaaag acaggctttt tccaccggca tcatcactgc tatcatcatt 1680
aacagcgtaa ttatacaagc atatttaatg ctgagtttaa tttaatatgt aatacatatg 1740
gtaattgtag ggtaaatccc acaacaactg tagtttctta ctggccaag agaattgcta 1800
tttaagtgtt agacttccat tctggcaaaa tcttgcccta tcagaagaca ttggaaaagag 1860
ggattccctt tgggtgtttg tcttctactt agaaaaacct attgcagtta gtttatcttg 1920
tagtattcat ctttgtattc tgaagataag gtttgaatta aattgatata cacagagggg 1980
aaccgatttt ttttatccaa tgtgaattat aaatgagata atccacagtt attcattgtg 2040
gagttgttga gactatgaaa gactcattgt ctttgtattc agctcttaaa tagtgaact 2100
```

```
atatccccac ctctgcttgc tttctttccc tcccctccaa tgataaagaa aatgataaat 2160
tttctgttgt gcattcaatt cttattttta ataagactaa gtataggcat tgtacctgac 2220
attgctacgt ttctaccagt gtttcaattt aaagtgctag tgtttaaaaa cattttcaag 2280
ggataaggcc ttctgtactt tgcttatttg aagaatcagt ggtaggagca gtgaagtaaa 2340
ttctatggag tacatttcta aaataccaca tttctgaaat cataaataag tttattcagg 2400
ttctaaccct ttgctgtaca caagcagaca gaaatgcac tggtacataa atgagaaaaa 2460
gctattatgc tgatggagca tgctttttta atccttttaa aacactcacc atataaactt 2520
gcatttgagc ttgtgtgttc ttttgttaat gtgtagagtt ctcccttctc gaaattgcc 2580
gtgtgtactt ggcttaactc aagaacagtt tcttctggat tccttatttg atttatttaa 2640
cctaattata ttctaataatt gcaaatatta ccataagtgg gtaaaagtaa aattcctctt 2700
ctgaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggggggg gg 2742
```

<210> 201

<211> 1417

<212> DNA

<213> Homo sapiens

<400> 201

```
atgaagactt gtcaagagga aaaattgatg ggacacttgg gtgttgattt gtatgagtat 60
ttgggtgaag agtaccctga agtattgggc agcattcttg gagcactgaa ggccattgta 120
aatgtcatag gtatgcataa gatgactcca ccaattaaag atctgctgcc tagactcacc 180
cccattctta agaacagaca tgaaaaagta caagagaatt gtattgatct tgttggtcgt 240
attgctgaca ggggagctga atatgtatct gcaagagagt ggatgaggat ttgctttgag 300
cttttagagc tcttaaaaag ccacaaaaag gctattcgta gagccacagt caacacattt 360
ggttatattg caaaggccat tggccctcat gatgtattgg ctacacttct gaacaacctc 420
aaagttcaag aaaggcagaa cagagtttgt accactgtag caatagctat tgttgagaa 480
acatgttcac cctttacagt actccctgcc ttaatgaatg aatacagagt tcctgaactg 540
aatgttcaaa atggagtgtt aaaatcgctt tccttcttgt ttgaatatat tggtgaaatg 600
ggaaaagact acatttatgc cgtaacaccg ttacttgaag atgctttaat ggatagagac 660
ctgtacaca gacagacggc tagtgcagtg gtacagcaca tgtcacttgg ggtttatgga 720
tttggttgtg aagattcgct gaatcacttg ttgaactatg tatggcccaa tgtrtttgag 780
acatctctct atgtaattca ggcagttatg ggagccctag agggcctgag agttgctatt 840
ggaccatgta gaatgttgca atattgttta cagggtctgt ttcaccagc ccggaagtc 900
agagatgtat attgaaaaat ttacaactcc atctacattg gttcccagga cgtctcata 960
gcacattacc caagaatcta caacgatgat aagaacacct atattcgta tgaacttgac 1020
tatatcttat aattttattg tttattttgt gtttaatgca cagctacttc acaccttaa 1080
cttgctttga tttggtgatg taaactttta aacattgcag atcagtgtag aactgggtcat 1140
agaggaagag ctagaaatcc agtagcatga tttttaaata acctgtcttt gtttttgatg 1200
ttaaacagta aatgccagta gtgaccaaga acacagtgat tatatacact atactggagg 1260
gatttcattt ttaattcatc tttatgaaga tttagaactc attccttggt tttaaaggga 1320
atgtttaatt gagaaataaa catttggtga caaaatgcta aaaaaaaaaa aaaaaaaaaa 1380
ctcgaggggg gcccgtaccc aattcgccgt atagtga 1417
```

<210> 202

<211> 1512

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (855)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1512)

<223> n equals a,t,g, or c

<400> 202

```
cttagaagac cctatgcaag gtacaacggc ttgtaccggt ccggaattcg cgggcgcgkc 60
aacttgagaga gtactcgggt tcgtgaactt cccggaggcg caatgagctg cattaacctg 120
cccactgtgc tgccyggctc cccagcaag acccgggggc agatccaggt gattctcggg 180
ccgatgttct caggaaaaag cacagagttg atgagacgcg tccgtcgctt ccagattgct 240
cagtacaagt gcctgggtgat caagtatgcc aaagacactc gctacagcag cagcttctgc 300
acacatgacc ggaacaccat ggaggcrtg cccgcctgcc tgctccgaga cgtggcccg 360
gaggccctgg gcgtggctgt cataggcatc gacgaggggc agtttttccc tgacatcgtg 420
gagttctgcg aggccatggc caacgcggg aagaccgtaa ttgtggctgc actggatggg 480
accttycaga ggaagccatt tggggccatc ctgaacctgg tgccgctggc cgagagcgtg 540
gtgaagctga cggcgggtgtg catggagtgc ttccgggaag ccgcctatac caagaggctc 600
ggcacagaga aggaggtcga ggtgattggg ggagcagaca agtaccactc cgtgtgtcgg 660
ctctgctact tcaagaaggc ctcaggccag cctgccgggc cggacaacaa agagaactgc 720
ccagtgccag gaaagccagg ggaagccgtg gctgccagga agctctttgc cccacagcag 780
attctgcaat gcagccctgc caactgaggg acctgcgagg gccgcccgt cccttctctgc 840
cactgccgcc tactnggacg ctgccctgca tgctgcccag ccactccagg aggaagtcgg 900
gaggcgtgga ggggtgaccac accttggcct tctgggaact ctcctttgtg tggctgcccc 960
acctgccgca tgctccctcc tctcctaccc actggtctgc ttaaagcttc cctctcagct 1020
gctgggacga tcgcccaggc tggagctggc cccgcttggg ggcctgggat ctggcacact 1080
ccctctcctt ggggtgaggg acagagcccc acgctgttga catcagcctg cttcttcccc 1140
tctgcggctt tcaactgctga gtttctgttc tccctgggaa gcctgtgcca gcaccttga 1200
gccttggccc aactgaggc ttaggcctct ctgectggga tgggctccca ccctccccgt 1260
aggatggcct ggattcacgc cctcttgttt ccttttkggc tcaaagccct tcctacctct 1320
ggtgatgggt tccacaggaa caacagcatc ttccaccaag atgggtggca ccaaccttgc 1380
tgggacttgg atccagggg cttatctctt caagtgtgga gagggcaggg tccacgcctc 1440
tgctgtagct tatgaaatta actaattgaa aattcaaaaa aaaaaaaaaa aaaaaaaaaa 1500
aaaaaaaaa an 1512
```

<210> 203

<211> 419

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (384)

<223> n equals a,t,g, or c

<400> 203

```
cctgggcaga gccggtggca agggcctccc ctgccgctgt gccaggcagg cagtgccaaa 60
tccggggagc ctggagctgg ggggaaggcc ggggacagcc cggccctgcc ccctcccccg 120
ctgggagccc agcaacttct gaggaagtt tgccacccat ggcggtggcg tgccccagga 180
tgggcagggt cccgctggcc tgggtgcttg cgctgtgcg cggtggcgct catggcccc 240
aggggcacgc argctgaaga aagtcccttc gtgggcaacc cagggaatat cacagggtgc 300
```

cggggaactca cgggcaccct tcggtgtcag ctccaggttc agggagagcc ccccgaggta 360
cattggcttc gggatggaca gatnctggag ctgcgcgaca gcacccagac ccagggtgtt 419

<210> 204

<211> 2833

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2802)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2822)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2831)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2832)

<223> n equals a,t,g, or c

<400> 204

gctcgtgccg aattcggcac gaggggaagtg aagccccagc gagcggctgc agcggggccg 60
tgaggagcag ccagcgggag gcggcggcga gtcggtgagc agctgggaag agcagaaccg 120
gggcggagca cctgcaggcg cgggcggcgg cccaccatg gcgattcgca agaaaagcac 180
caagagcccc ccagtgtgta gccacgaatt cgtcctgcag aatcacgagg acatcgtctc 240
ctgtgtggcg atggtcttcc tgctggggct catgtttgag ataacggcaa aagcttctat 300
catttttgtt actcttcagt acaatgtcac cctcccagca acagaagaac aagctactga 360
atcagtgtcc ctttattact atggcatcaa agatttggt actgttttct tctacatgct 420
agtggcgata attattcatg ccgtaattca agagtatatg ttggataaaa ttaacaggcg 480
aatgcacttc tccaaaacaa aacacagcaa gttaaatgaa tctggtcagc ttagtgcggt 540
ctaccttttt gcctgtgttt ggggcacatt cattctcctc tctgaaaact acatctcaga 600
cccaactatc ttatggaggg cttatcccca taacctgatg acatttcaaa tgaagttttt 660
ctacatatca cagctggctt actggcttca tgcttttcct gaactctact tccagaaaac 720
caaaaaagaa gatattcctc gtcagcttgt ctacattggt ctttacctct tccacattgc 780
tgagacttac cttttgaact tgaatcatct aggacttgtt cttctgggtgc tacattatct 840
tgttgaattt cttttccaca ttcccgctt gttttatttt agcaatgaaa agtatcagaa 900
aggattttct ctgtgggcag ttctttttgt ttggggaaga cttctgactt taattctttc 960
agtactgact gttggttttg gccttgcaag agcagaaaat cagaagctgg atttcagtac 1020
tggaacttc aatgtgttag ctgttagaat cgctgttctg gcatccattt gcgttactca 1080
ggcatttatg atgtggaagt tcattaattt tcagcttcga aggtggaggg aacattctgc 1140
ttttcaggca ccagctgtga agaagaaacc aacagtaact aaaggcagat cttctaaaaa 1200
aggaacagaa aatggtgtga atggaacatt aacttcaaat gtagcagact ctccccgaa 1260
taaaaaagag aaatcttcat aatgaattat aaactaattg attaatgtcc ccaaagaaat 1320

```
ctgctttcta ctatatcttt cagcattaga gatttttctg ttcttgaaaa tacagtctgt 1380
gctctttgat ttttgctatt gtacggtttc atgcattttt ttaaagggca tttgagggga 1440
ggattattgc tatgaatgaa aaaaatattt tagcttagac taagctacct gccttcaaaa 1500
tagtttaggg accaccacca tattttattt tgtttttatt tttgaacatt tttctaataga 1560
tttgagagaga aaactattta caaaaattcc acatatcagt gatacaattt cttgctgtca 1620
ccaatttttt ataatagcag agtggcctgt tctaagaagg ccatattttt taagttatct 1680
ttcagggtaa catggaaata ctataaagt ggatgtcaaa cttaaatatg ttttcagtgt 1740
tctctaattt tttggaattt ttgtagactt tacacctgga aaaaaagatt tgtaaaatca 1800
ccggaacaat tgtgtgcttt attttatagg tagtggttat tagtattaca tccccatttt 1860
aaaaacaaaa acataataat ggttacaaca cgtggagttt tactaacata catattaaat 1920
caaagtatat tcttaaaagt acttgtgaag taaaatcttt cttgtgcatt ttcaatactt 1980
gtaaactgga aatcagaaaa tatttactat gaacaggaaa atctgacata tagccctttt 2040
tgatatgttt attaataatg attcttaatg gggctcataa taagtttaat atgcacagca 2100
tcttagaaaa tttaacctg caaacacttt taaaacataa tgccacttg atttatatct 2160
ataaaaagac tgacaggtaa ttatatttgg aaaacattta atgcactaac tttaaagaaa 2220
ttgaaaattc aggtggataa atagtcttac aaaagacaat gtgctttatg ttataacctat 2280
agctttggtc ccatctttta ttgagaaaca tttatctgta taaaacatat ttttgataa 2340
atatatatat atatatattgt atcgctacag aaaggctcta aaaagcattt gaggaaaata 2400
tttggttccc ttttctataa tcctccttta agattcttat agctacattt ggtttattca 2460
tcataatttac agtatatata ttgttctttt cagtgttcac atcttggtcc ccatttctca 2520
cttggtgcac cagctgtttg tgccattttt agtgtaaaag ttgcagacct attagatctg 2580
cagtttaagt tgccatgctg ctaggaaatt gtcctttttc tttctagctg ttaacctact 2640
tcctggaaaa agtagtagct ctctgtagca ttatggagtt tcagtggaac caaatttttg 2700
ccattaaaaa ctggcattat actgaactat acattgagaa atcaatcaaa ataaaaattt 2760
ttactttcac aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa anaaaaaaaa aaaaaaaaaa 2820
anaaaaaaaa nna 2833
```

<210> 205

<211> 5830

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5584)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5585)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5821)

<223> n equals a,t,g, or c

<400> 205

```
ctcgcgagtt cagggctcct gccgctctcc aggagcaacc tctactccgg acgcacaggc 60
attccccgcg cccctccagc cctcgcgcgc ctcgccaccg ctccccggcg ccgcgcctccg 120
gtacacacag gatccctgct gggcaccaac agctccacca tggggctggc ctggggacta 180
```



```

ggcgctcctgt tcctgatgca tgtgtgtggc accaaccgca ttccagagtc tggcggagac 240
aacagcgtgt ttgacatctt tgaactcacc ggggccgccc gcaaggggtc tgggcgccga 300
ctggtgaagg gccccgaccc ttccagccca gctttccgca tcgaggatgc caacctgatc 360
ccccctgtgc ctgatgacaa gttccaagac ctggtggatg ctgtgcgggc agaaaagggt 420
ttcctccttc tggcatccct gaggcagatg aagaagaccc ggggcacgct gctggccctg 480
gagcggaaag accactctgg ccaggtcttc agcgtgggtg ccaatggcaa ggcgggcacc 540
ctggacctca gcctgaccgt ccaaggaaaag cagcacgtgg tgtctgtgga agaagctctc 600
ctggcaaccg gccagtggaa gagcatcacc ctgtttgtgc aggaagacag ggcccagctg 660
tacatcgact gtgaaaagat ggagaatgct gagttggacg tccccatcca aagcgtcttc 720
accagagacc tggccagcat cgccagactc cgcatcgcaa aggggggct caatgacaat 780
ttccaggggg tgctgcagaa tgtgaggttt gtctttggaa ccacaccaga agacatcttc 840
aggaacaaag gctgctccag ctctaccagt gtctctctca cccttgacaa caacgtggtg 900
aatggttcca gccctgccat ccgcactaac tacattggcc acaagacaaa ggacttgcaa 960
gccatctgcg gcatctcctg tgatgagctg tccagcatgg tcttggaact caggggcctg 1020
cgcaccattg tgaccacgct gcaggacagc atccgcaaag tgactgaaga gaacaaagag 1080
ttggccaatg agctgaggcg gcctccccta tgctatcaca acggagttca gtacagaaat 1140
aacgaggaat ggactgttga tagctgact gagtgactc gtcagaactc agttaccatc 1200
tgcaaaaagg tgctctgccc catcatgccc tgctccaatg ccacagttcc tgatggagaa 1260
tgctgtcttc gctgttgccc cagcgactct gcggacgatg gctggtctcc atggtccgag 1320
tggacctcct gttctacgag ctgtggcaat ggaattcagc agcgcggccg ctctgcgat 1380
agcgtcaac aaccgatgtg agggctcctc ggtccagaca cggacctgcc acattcagga 1440
gtgtgacaag agatttaaac aggatggtgg ctggagccac tgggtcccgt ggtcatcttg 1500
ttctgtgaca tgtggtgatg gtgtgatcac aaggatccgg ctctgcaact ctcccagccc 1560
ccagatgaac gggaaaccct gtgaaggcga acgcgggaga ccaaagcctg caagaaagac 1620
gcctgcccc acaatggagg ctgggtcctt tggtcacat gggacatctg ttctgtcacc 1680
tgtggaggag gggtagagaa acgtagtctt ctctgcaaca accccrcacc ccagtttgga 1740
ggcaaggact gcgttggtga tgtaacagaa aaccagatct gcaacaagca ggactgtcca 1800
attgatggat gcctgtccaa tccctgcttt gccggcgtga agtgtagtag ctaccctgat 1860
ggcagctgga aatgtggtgc ttgtccccct ggttacagtg gaaatggcat ccagtgcaca 1920
gatggtgatg agtgcaagaa agtgctgatg gcctgcttca accacaatgg agagcaccgg 1980
tgtgagaaca cggaccccggt ctacaactgc ctgccctgcc cccacgctt caccggctca 2040
cagcccttcg gccagggtgt cgaacatgcc acggccaaca aacaggtgtg caagccccgt 2100
aaccctgca cggatgggac ccacgactgc aacaagaacg ccaagtgcaa ctacctgggc 2160
cactatagcg accccatgta ccgctgcgag tgcaagcctg gctacgctgg caatggcatc 2220
atctgcgggg aggcacaga cctggatggc tggcccaatg agaacctggt gtgctggcc 2280
aatgcgactt accactgcaa aaaggataat tgccccaacc ttcccaactc agggcaggaa 2340
gactatgaca aggatggaat tgggtatgcc tgtgatgatg acgatgacaa tgataaaatt 2400
ccagatgaca gggacaactg tccattccat tacaaccag ctcatgatga ctatgacaga 2460
gatgatgtgg gagaccgctg tgacaactgt ccctacaacc acaaccaga tcaggcagac 2520
acagacaaca atggggaagg agacgcctgt gctgcagaca ttgatggaga cggtatcttc 2580
aatgaacggg acaactgcca gtacgtctac aatgtggacc agagagacac tgatatggat 2640
ggggttgagg atcagtgtga caattgcccc ttggaacaca atccggatca gctggactct 2700
gactcagacc gcatttgaga tacctgtgac aacaatcagg atattgatga agatggccac 2760
cagaacaatc tggacaactg tccctatgtg cccaatgcca accaggctga ccatgacaa 2820
gatggcaagg gagatgcctg tgaccacgat gatgacaacg atggcattcc tgatgacaa 2880
gacaactgca gactcgtgcc caatcccagc cagaaggact ctgacggcga tggtcgaggt 2940
gatgcctgca aagatgattt tgaccatgac agtggtgccag acatcgatga catctgtcct 3000
gagaatgttg acatcagtga gaccgatttc cgccgattcc agatgattcc tctggacccc 3060
aaaggacat cccaaaatga ccctaactgg gttgtacgcc atcagggtaa agaactcgtc 3120
cagactgtca actgtgatcc tggactcgtg gtaggttatg atgagtttaa tgctgtggac 3180
ttcagtggca ccttcttcat caacaccgaa agggacgatg actatgctgg atttgtcttt 3240

```

ggctaccagt ccagcagccg cttttatggt gtgatgtgga agcaagtcac ccagtcctac 3300
tgggacacca accccacgag ggctcaggga tactcgggcc tttctgtgaa agttgtaaac 3360
tccaccacag ggccctggcg gcacctgcgg aacgccctgt ggcacacagg araccacct 3420
ggccaggtgc gcacctgtg gcatgacct cgtcacatag gctggaaaga tttcaccgcc 3480
tacagatggc gtctcagcca caggccaaag acgggtttca ttagagtggg gatgtatgaa 3540
gggaagaaaa tcatggctga ctcaggacct atctatgata aaacctatgc tgggtggtaga 3600
ctaggggtgt ttgtcttctc tcaagaaatg gtgttcttct ctgacctgaa atacgaatgt 3660
agagatccct aatcatcaaa ttgttgattg aaagactgat cataaaccac tgctgggtatt 3720
gcaccttctg gaactatggg cttgagaaaa cccccaggat cacttctcct tggcttcctt 3780
cttttctgtg cttgcatcag tgtggactcc tagaacgtgc gacctgcctc aagaaaatgc 3840
agttttcaaa aacagactca gcattcagcc tccaatgaat aagacatctt ccaagcatat 3900
aaacaattgc tttggtttcc ttttgaaaaa gcacttactt gcttcagttg ggaagggtgcc 3960
cattccactc tgcccttgtc acagagcagg gtgctattgt gaggccatct ctgagcagtg 4020
gactcaaaaag cattttcagg catgtcagag aaggaggagc tcactagaat tagcaaacaa 4080
aaccacctg acatcctcct tcaggaacac ggggagcaga ggccaaagca ctaaggggag 4140
ggcgcatacc cgagacgatt gtatgaagaa aatatggagg aactgttaca tgttcggtac 4200
taagtcattt tcaggggatt gaaagactat tgctggattt catgatgctg actggcggtta 4260
sctgattaac ccatgtaaat aggcacttaa atagaagcag gaaagggaga caaagactgg 4320
cttctggact tctccctga tccccacct tactcatcac ctgcagtggc cagaattagg 4380
gaatcagaat caaaccagt taaggcagtg ctggctgcc a ttgcctggtc acattgaaat 4440
tgggtggctt attctagat tagcttgtgc agatgtagca ggaaaatagg aaaacctacc 4500
atctcagtga gcaccagct cctcccaaag gaggggcagc cgtgcttata tttttatggt 4560
tacaatggca caaaattatt atcaacctaa ctaaaacatt cttttctct ttttccctga 4620
attatcatgg agttttctaa ttctctcttt tggaatgtag attttttta aatgctttac 4680
gatgtaaaaa atttattttt tacttattct ggaagatctg gctgaaggat tattcatgga 4740
acaggaagaa gcgtaaagac tatccatgtc atctttgttg agagtcttcg tgactgtaag 4800
attgtaaaata cagattattt attaaactctg ttctgcctgg aaatttaggc ttcatacga 4860
aagtgtttga gagcaagtag ttgacattta tcagcaaac tcttgcaaga acagcacaag 4920
gaaaatcagt ctaataagct gctctgcccc ttgtgctcag agtggatgtt atgggattct 4980
tttttctct gttttatctt ttcaagtga attagtgtt tatccattg caaatgtttt 5040
aaattgcaaa gaaagccatg aggtcttcaa tactgtttta ccccatccct tgtgcatatt 5100
tccagggaga aggaaagcat atacactttt ttcttctatt ttccaaaag agaaaaaaat 5160
gacaaaagg gaaacttaca tacaatat acctcatttg ttgtgtgact gagtaaagaa 5220
tttttggtac aagcggaaa agtttaagt tctaacaac ttaaagctac tgtagtacct 5280
aaaaagtcag tgtgtacat agcataaaaa ctctgcagag aagtattccc aataaggaaa 5340
tagcattgaa atgttaaaata caatttctga aagttatgtt ttttttctat catctggtat 5400
accattgctt tatttttata aattattttc tcattgccat tggaatagat atctcagatt 5460
gtgtagatat gctattttaa taatttatca ggaaatactg cctgtagagt tagtatttct 5520
atttttatat aatgtttgca cactgaattg aagaattgtt gggtttttct ttttttgtt 5580
ttgnntttt ttttttttt ttttgctttt gacctcccat ttttactatt tgccaatacc 5640
tttttctagg aatgtgcttt tttttgtaca catttttatc cattttacct tctaaagcag 5700
tgtaagttgt atattactgt ttcttatgta caaggaacaa caataaatca tatggaaatt 5760
tatattttaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaasgg ggggcccccc 5820
nagggggccc 5830

<210> 206

<211> 755

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<400> 206

```
tcgacccacg cgtccgccag tcgcacatct cagacacctc cgtggttgtc aagctggaca 60
acagccggga cctgaacatg gactgcatca ttgccgagat taaggcacag tatgacgaca 120
ttgtcaccgg cagccggggc gagggcagat cctggtaccg cagcaagtgt gaggagatga 180
aggccacggt gatcaggcac ggggagaccc tgcgccgcac caaggaggag atcaacgagc 240
tgaaccgcat gatccagagg ctgacggccg aggtggagaa tgccaagtgc cagaactcca 300
agctggaggc cgcggtggcc cagtctgagc agcagggtga ggcggccctc agtgatgcc 360
gctgcaanct ggccgagctg gagggcgccc tgcagaaggc caagcaggac atggcctgcc 420
tgatcaggga gtaccaggag gtgatgaact ccaagctggg cctggacatc gagatcgcca 480
cctacaggcg cctgctggag ggcgaggagc agaggctatg tgaaggcatt ggggctgtga 540
atgtctgtgt cagcagctyc cggggcgggg tgcgtgcaac gggaacgtgg cggtgagcac 600
yccggccagt gactgcagtg tctgcagcgc tycgtgcaac gggaacgtgg cggtgagcac 660
cggcctgtgt gcgccctgcg gcaattgaca ccamctgcg aggggggttct gcggcggtgg 720
ctyctgtggt atcaagytte ccccccttt ggggg 755
```

<210> 207

<211> 1996

<212> DNA

<213> Homo sapiens

<400> 207

```
gggtcgaccc acgcgtccga tttagagccg ggtaggggag cgcagcrgcc agatacctca 60
gcgtacactg gcggaactgg atttctctcc cgctgcctg cctgcctgcc acagccggac 120
tccgccactc cggtagcctc atggctgcaa cctgtgagat tagcaacatt tttagcaact 180
acttcagtgc gatgtacagc tcggaggact ccaccctggc ctctgttccc cctgctgcca 240
cctttggggc cgatgacttg gtactgaccc tgagcaaccc ccagatgtca ttggagggta 300
cagagaaggc cagctgggtg ggggaacagc ccagttctg gtcgaagacg caggttcttg 360
actggatcag ctaccaagtg gagaagaaca agtacgacgc aagcgccatt gacttctcac 420
gatgtgacat ggatggcgcc accctctgca attgtgccct tgaggagctg cgtctggtct 480
ttgggcctct gggggaccaa ctccatgccc agctgcgaga cctcacttcc agctctctg 540
atgagctcag ttggatcatt gagctgctgg agaaggatgg catggccttc caggaggccc 600
tagaccaggg gccctttgac cagggcagcc cctttgccc ggagctgctg gacgacggtc 660
agcaagccag cccctaccac cccggcagct gtggcgagc agccccctcc ccyggcagct 720
ctgacgtctc caccgaggg actggtgctt ctccgagctc cactcctca gactccggtg 780
gaagtgacgt ggacctgat cccactgatg gcaagctctt cccagcgat ggtttctgtg 840
actgcaagaa gggggatccc aagcacggga agcggaaacg aggcgggccc cgaaagctga 900
gcaaagagta ctgggactgt ctcgagggca agaagagcaa gcacgcgccc agaggcacc 960
acctgtggga gttcatccgg gacatcctca tccaccggga gctcaacgag ggcctcatga 1020
agtgggagaa tcggcatgaa ggcgtcttca agttcctgct ctccgaggct gtggcccaac 1080
tatggggcca aaagaaaaag aacagcaaca tgacctacga gaagctgagc cgggccatga 1140
ggtactacta caaacgggag atcctggaac gggtgatgg ccggcgactc gtctacaagt 1200
ttggcaaaaa ctcaagcggc tggaaggagg aagaggttct ccagagtcgg aactgaggg 1260
tggactata cccgggacca aactcacgga cactcgagg cctgcaaacc ttctgggag 1320
gacaggcagg cccgatggcc cctccactgg ggaatgctcc cagctgtgct gtggagagaa 1380
gctgatgttt tgggtgtattg tcagccatcg tctgggact cggagactat ggcctcgcc 1440
ccccacctc ctcttggaa tacaagccct ggggtttgaa gctgacttta tagctgcaag 1500
tgtatctcct tttatctggt gcctcctcaa acccagctct agacactaaa tgacagaaac 1560
```

```
accttcctcc tgcagacacc tggactgagc caaggaggcc tggggaggcc ctaggggagc 1620
accgtgatgg agaggacaga gcaggggctc cagcaccttc tttctggact ggcgttcacc 1680
tccctgctca gtgcttgggc tccacgggca ggggtcagag cactccctaa tttatgtgct 1740
atataaatat gtcagatgta catagagatc ttttttttct aaaacattcc cctccccact 1800
cctctccac agagtgtctg actgttccag gccctccagt gggctgatgc tgggaccctt 1860
aggatggggc tcccagctcc tttctcctgt gaatggaggc agagacctcc aataaagtgc 1920
cttctgggct ttttctaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1980
aaaaaaaaa ctcgag                                     1996
```

<210> 208

<211> 1668

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1505)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1565)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1598)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1620)

<223> n equals a,t,g, or c

<400> 208

```
cacactgctc gcttcggata ctccaggcgt ctcccgttgc ggccgctccc tgccttagag 60
gccagccttg gacacttgct gcccttttcc agcccggatt ctgggaccc tccctctgag 120
ccaacatctg ggtcctgcct togacaccac cccaaggctt cctaccttgc gtgcctggag 180
tctgccccag gggcccttgt cctgggccat ggccmagaag ggggtcctgg ggcctgggca 240
gctgggggct gtggccattc tgetctatct tggattactc cggtcgggga caggagcgga 300
aggggcagaa gctycctgcg gtgtggcccc ccaagcacgc atcacagggt gcagcagtgc 360
agtcgccggg cagtggccct ggcaggtcag catcacctat gaaggcgtcc atgtgtgtgg 420
tggctctctc gtgtctgagc agtgggtgct gtcagctgct cactgcttcc ccagcgagca 480
ccacaaggaa gcctatgagg tcaagctggg ggcccaccag ctgactcct actccgagga 540
cgccaaggtc agcacctga aggacatcat cccccacccc agctacctcc aggagggtc 600
ccagggcgac attgcactcc tccaactcag cagacccatc accttctccc gctacatccg 660
ggccatctgc ctccctgcag ccaacgcctc cttccccaac ggccctccact gcaactgtc 720
tggctggggc catgtggccc cctcagtgcg cctcctgacg cccaagccac tgcagcaact 780
cgaggtgcct ctgatcagtc gtgagacgtg gtaactgcct gtacaacatc gacgccaagc 840
ctgaggagcc gcaactttgt caagaggaca tgggtgtgtc tggctatgtg gaggggggca 900
aggacgcctg ccagggtgac tctggggggc cactctcctg ccctgtggag ggtctctggt 960
```

```
acctgacggg cattgtgagc tggggagatg cctgtggggc ccgcaacagg cctgggtgtgt 1020
acactctggc ctccagctat gcctcctgga tccaaagcaa ggtgacagaa ctccagcctc 1080
gtgtgggtgcc ccaaaccagc gagtcccagc ccgacagcaa cctctgtggc agccacctgg 1140
ccttcagctc tgccccagcc cagggcttgc tgaggcccat ccttttcctg cctctggggc 1200
tggctctggg cctcctctcc ccatggctca gcgagcactg agctggccct acttccagga 1260
tggatgcatc aactcoaagg acaggagcct ggtccttccc tgatggcctt tggaccagga 1320
gcctgacttg agccactcct tccttcagga ctctgcggga ggctggggcc ccatcttgat 1380
ctttgagccc attcttcttg gtgtgctttt tgggaccatc actgagagtc aggagtttta 1440
ctgcctgtag caatggccag agcctctggc ccctcamcca ccatggacca gccatttggg 1500
cgagntcctg gggagtccct ggaccttggg tatgaaaatg agccctgggt tcccacctgt 1560
ttctngaaga ctgcttcccg gcccgcttcc ccagactnga tgagcacatt ttttttgcen 1620
tttccctgtg tttttgggtt gggcaacttt ttggaagttt gaggagaa 1668
```

<210> 209

<211> 2250

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (23)

<223> n equals a,t,g, or c

<400> 209

```
gctttaagca aaaaggtctt tangtgacac tatagaaggt acgcctgcag gtaccgggtcc 60
ggaattcgcg gccgcgtcga cattcgccgc cgcagcagcc gccgcccccg ggagccgccc 120
ggaccctcgc gtcgtcgccg ccgcccgcgc ccagatcccc gcacctgccc gtcggagaag 180
accttcaagc agcgccgcac cttcgaacaa agagtagaag atgtccgact tattcgagag 240
cagcatccaa ccaaaatccc ggtgataata gaacgataca agggtagaaa gcagcttcct 300
gttctggata aaacaaagtt ccttgtacct gacctgtca acatgagtga gctcatcaag 360
ataattagaa ggcgcttaca gctcaatgct aatcaggcct tcttcctgtt ggtgaacgga 420
cacagcatgg tcagcgtctc cacaccaatc tcagaggtgt atgagagtga gaaagatgaa 480
gatggattcc tgtacatggt ctatgcctcc caggagacgt tcgggatgaa attgtcagt 540
taaaaccaga aaaaatgcat ctcttctaga attgtttaa cccttaccaa ggaaaaaaa 600
ggggtgttac caactgagat cgatcagttc atccaatcac agatcatgaa acagtagtgt 660
tcccacctag gagtgtagg aagttgtgtt tgtgtttcaa gcagaaaaac tgagctccaa 720
tgagcacatc tcagcttttg aaactatatt atttaatgta ggctagcttg ttttcaaatt 780
ttaaagttt aaaaataaaa tactttgcat tctaagttgc caataaaata gaccttcaag 840
ttattttaat gctcttttct cactaatagg aacttgtaat tccagcagta atttaaaggc 900
tttcagagag accctgagtc ttctcttcag gttcacagaa cccgcccctt ttttgggtag 960
aagttttcta ctcagctaga gagatctccc taagaggatc tttaggcctg agttgtgaag 1020
cgcaaccccc gcaaaacgca tttgccatca cagttggcac aaacgcaggg taaacgggct 1080
gtgtgagaaa acggccttga ctgtaaaactg ctgaaggtcc ctgactccta agagaaccac 1140
acccaaagtc ctcactcttg caggggtaga catttctggt ttggtttgtt ctctagatag 1200
ttacacacat aaagacacca ctcaaaagga aacttgaata atttataatt ttgatcgagt 1260
ttcttaaaag accctggaga aagagtggca tttcttctgt ttcaggtttt gtctgagttc 1320
aaactagtgc ctgtgttgtt acggaagca gcagtgtacc agtgtcactc tggagtacag 1380
cgggagaaaac acaaaatagt ataactgaaa acattaacat tcagacacac tcccttctgc 1440
cttccggett aaagctgtgg atgatccacg tttttgtttt tttaatgtta aatgtgtaac 1500
tcagtattac tgaaaaggta cccacatttt gaatagtagt tatcactctt aggtcagaca 1560
gccatcagaa ttctcccaca ccaagtgcac gtcagttgtg gagaaaacat agcaaaaaga 1620
```

```
gccgtacgct ctttacagat actaatgtca agagttaaac ctccctcaggt tcaacctgtg 1680
ataaaagact agtgcttccc agtacttgca tgggggtcac tatttatagt tttcttgga 1740
gtatcacagg aaaatcacia ttacaccact ttagacccta tgtgtagcag gtcacaactt 1800
acccttggtg gtttagatgt gtatgaaata cctgtatacg ttagtgaaag ctgtttactg 1860
taacggggaa aaccagattc tttgcatctg ggccctctac tgattgttaa aggagtccct 1920
gtcacctgct cccccacccc ccgcatgctg ctgtccactt ggctaacttt taatatgtgt 1980
atthttacat tatgtatatt ctttaactga ctgtctcgtt tagactgtat acatcatatc 2040
tgacattatt gtaactaccg tgtgatcagt aagattccctg taagaaatac tgctttttta 2100
gaaaaaaaat aacatgctga ggggtgacct atatcccatg tgagtgggtca ctttatttat 2160
aggatcttta aaacattttt aatgaactaa gttgaataaa ggcacaatta aaaactgtca 2220
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2250
```

<210> 210

<211> 838

<212> DNA

<213> Homo sapiens

<400> 210

```
ggcgggccta cgtgctccgc ccgctgtgag cctgtccggc ccccgccgc tccggagcaa 60
cccgcgagct tacaccggct tctctctgtc ctccagccgc gcgccgccat cgcgctcatg 120
ctgggcgcgc ctctccgcgc ctgcgctgtg gccgcaacca cccgggcccga ccctcgaggc 180
ctctgcact ccgcccggac ccccgggccc gccgtggcta tccagtcagt tcgctgctat 240
tcccatgggt cacaggagac agatgaggag tttgatgctc gctgggtaac atacttcaac 300
aagccagata tagatgcctg ggaattgcgt aaagggataa acacacttgt tacctatgat 360
atggttccag agcccaaaat cattgatgct gctttgctgg catgcagacg gttaaatgat 420
tttgctagta cagttcgtat cctagaggtt gtttaaggaca aagcaggacc tcataaggaa 480
atctacccct atgtcatcca ggaacttaga ccaactttaa atgaactggg aatctccact 540
ccggagggaac tgggccttga caaagtgtaa accgcatgga tgggcttccc caaggattta 600
ttgacattgc tacttgagtg tgaacagtta cctggaaata ctgatgataa catattacct 660
tatttgaaca agttttcctt tattgagtac caagccatgt aatggtaact tggactttta 720
taaaagggaa atgagtttga actgaaaaaa aaaaaaaaaa aaactcatac agactgaagc 780
gcggtgatta aataatgaaa gagttcgacg cggccgggaa tttaggaggt aaatatcc 838
```

<210> 211

<211> 1213

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1206)

<223> n equals a,t,g, or c

<400> 211

```
gccacgcgt ccggcaggaa ccgcggctgc tggacaagag ggggtgcggtg gatactgacc 60
tttgctccgc cctcgtcgtg aagacacagc gcattctccc gctgtaggct tcctcccaca 120
gaacccgttt cgggcctcag agcgtctggt gagatgctgt tgccgctgct gctgctgcta 180
cccatgtgct gggccgtgga ggtcaagagg ccccgggcg tctccctcac caatcatcac 240
ttctacgatg agtccaagcc tttcacctgc ctggacggtt cggccaccat cccatttgat 300
cagggtcaacg atgactattg cgactgcaaa gatggctctg acgagccagg cacggctgcc 360
tgtcctaata gcagcttcca ctgcaccaac actggctata agcccctgta tatccctccc 420
```

```
aaccgggtca acgatggtgt ttgtgactgc tgcgatggaa cagacgagta caacagcggc 480
gtcatctgtg agaacacctg caaagagaag ggccgtaagg agagagagtc cctgcagcag 540
atggccgagg tcaccccgga agggttccgt ctgaagaaga tccttattga ggactggaag 600
aaggcacggg aggagaagca gaaaaagctc attgagctac aggctgggaa gaagtctctg 660
gaagaccagg tggagatgct gcggacagtg aaggaggaag ctgagaagcc agagagagag 720
gccaaagagc agcaccagaa gctgtgggaa gagcagctgg ctgctgcaa ggcccaacag 780
gagcaggagc tggcggctga tgccttcaag gagctggatg atgacatgga cgggacggtc 840
tcggtgactg agctgcagac tcacccggag ctggacacag atggggatgg ggcgttgtca 900
gaagcggaag ctcaaggccct ytcagtggg gacacacaga cagacgccac ctctttctac 960
gaccgcgtct ggggccagg cggggctggt ccacattccc aggccccaac agccttcaaa 1020
gatgggtaaa ggagcttgcc ctccctgggc cccccacctt ggtgactcgc cccaccaccc 1080
ccagccctgt ccctgccacc cctcctagtg gggactagtg aatgacttga cctgtgacct 1140
caatacaata aatgtgatcc cccacccaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1200
aaaaanaaaa aaa                                     1213
```

<210> 212

<211> 969

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (922)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (955)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (958)

<223> n equals a,t,g, or c

<400> 212

```
ccactgcttc ccatgggcag tcttgctcat atcctgggag ctctgttct ttcagacca 60
aaggaaacca agcagaaatc tttgtatgta tatgtatgaa gaggttgtct gtttttagga 120
gttgatgta aaagctaagg aaaccttttc ttttggaaaga tcagtataaa catgctgctt 180
ttggtaaaat tcttttgagc cattttcatc taaatataac ttctgtttca tttttttttc 240
taaatataac tcagagttta atgagggctt ttcacatgga acaagctttt gagagggcct 300
gtgttgctga agttttcgcc cttggattgc tggggtgata ttggtgaaa actctgtagg 360
gaaggactgg gaacctgtca atcttttttc tttggttggg tggattgggc agggaaatagc 420
tgacttgatt tggtataagt ttggaagggt atagtttggg cacattcttc attgatcaca 480
cttttaggga ttcttgaaga aaagggaagc aaaacataca cacacacccc cacccaatct 540
aacagcgtat tcaagcagat tccacgaatc ctcggcccag gtttaataaa ggcaggaaaag 600
ttcccttccc tgctcacaca caacgaaaac atggtggcca aagtggatga ggtgaagtcc 660
acaatcaagt tccaaatgaa gaagggtgta tgtctggctg tagctgttgg tcacgtgaag 720
atgacagacg atgagcttgt gtataacatt caccctggctg tcaacttctt ggtgtcattg 780
ctcaagaaaa actggcagaa tgtccgggcc ttatatatca agagcaccat gggcaagccc 840
cagcgcctat attaaggcac atttgaataa attctattac cagttaaaaa aaaaaaaaaa 900
```

aaaaaaaaa aaaaaaaaaa anaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaanccncg 960
ggggggggg 969

<210> 213

<211> 1694

<212> DNA

<213> Homo sapiens

<400> 213

ggcacgagag aagaggcggg agtggacctg gtcagcccta cccactgac cccaccggac 60
ccaggcgcgg cctccgccac agccacagcc cctgccctg ctgcggcgag gcgaggcgag 120
gcgatggcca aggtgtcggg gctgaacgtg gcggtcctgg agaaccgag ccctttccac 180
agccccttcc ggttcgagat cagcttcgag tgcagtgaag ccctggcgga cgacctggag 240
tggaagatca tttatgttgg ctcggtgag agtgaggaat ttgatcagat cctagactcg 300
gtgctggtgg gccctgtgcc agcagggaga cacatgtttg tcttccaggc cgacgcccc 360
aaccatccc tcatcccaga gactgatgcc gtgggtgtga ctgtggctct catcacctgc 420
acctaccatg gacaggagtt catccgagtg ggctactacg tcaacaacga gtacctcaac 480
cctgagctgc gtgagaacct gcccatgaag ccagatttct cccagctcca gcggaacatc 540
ttggcctcga acccccggtg gaccgccttc catatcaact gggacaacaa catggacagg 600
ctggaggcca tagagacca ggaccctcc ctgggctggg gcctccact caactgcact 660
cctatcaagg gcttggggct ccctggctgc atccctggcc tcctccctga gaactccatg 720
gactgcatct aactgcagga acccagagtg tcccagcacg ccgggagggg caaccaggcc 780
tcccagcgag tcctgcaggg cccatctaga ggaytttggg ggccatcagc ttgcaatcca 840
ggtctgtcaa actcagcccy taggaaagaa caggccttgg gtytycccta gtcctggcca 900
gaaggatgat ctgcgttttc ctctacaggc ctataagaag cagggtacttc agttctaat 960
tctgacttgt gttcttttcg tcttcataaa ttctaactaa ggccactgtg ccaactgtgca 1020
cccttgagta ccattgatcc aaagctttcc cacagacctc cctggccac ctagaggctt 1080
tcttggtcag tgcctgtcaa ggytccagtc ctgctgagcc aaaggctttg tcattccttt 1140
ctcttcctgt acatctgagc agaccctc cagctttctg gtgtcacagg cgggaatgtt 1200
agttagtag tagacttaga tcccatttct gtcctgtccc caggaagatt cttaggtcct 1260
cttcaatcca gcagccctc ccagaggtgt gatcagcagg atgctgagga accatgttgc 1320
ctttctgtc aatcacagcc accttcctgt tatctcctaa atggatctgg cttttcctgg 1380
aggctgccat ggttgaaga tggatcaga gggcctgctt gggcagtctg tctccgggccc 1440
agggtcaggg accctctkcc tctggcagcc ttaacctgtc ctctgctagg accagggtga 1500
tttcaagcca gggaagcaac tgggacctg aaaactgtcc ctccccagcc cgctccccct 1560
ctctgtgccc tggccccctt gctgccatgt ggatgctgtt gtgattgctg tttgtatatt 1620
atcaaaatgt ttttatatta aaaatgtttg gtctgaaaat taaaagcact tcatttgaaa 1680
aaaaaaaaa aaaa 1694

<210> 214

<211> 1210

<212> DNA

<213> Homo sapiens

<400> 214

ggcacgagcc gcggcgcttc ctccsggacg ctgaggggccc cgaggagacc gtgaggctct 60
ggcctgcagc tcgcgccgcc atggagcgtg ccgaggctga attcctcgcc gagaaggagc 120
tggttaccat tatccccaac ttcagtctgg acaagatcta cctcatcggy ggggacctgg 180
ggccttttaa ccctggttta ccctggaag tgcctctgtg gctggcgatt aacctgaaac 240
aaagacagaa atgtgcctg ctccctccag agtggatgga tgtagaaaag ttggagaaga 300
tgagggatca tgaacgaaag gaagaaactt ttaccccaat gcccgacct tactacatgg 360


```

aacttacgaa gctcctgtta aatcatgctt cagacaacat cccgaaggca gacgaaatcc 420
ggaccctggt caaggatatg tgggacactc gtatagccaa actccgagtg tctgctgaca 480
gctttgtgag acagcaggag gcacatgcc aactggataa cttgaccttg atggagatca 540
acaccagcgg gactttcctc acacaagcgc tcaaccacat gtacaaactc cgcacgaacc 600
tccagcctct ggagagtact cagtctcagg acttctagag aaaggcctgg tgcaggcggc 660
ttgctggggg atgtgagcgc tcaggacgtg atgaggtact cgtggttctg gagctctaga 720
aacacttctg atgcatgaaa aatgtgtgat ggtgcaagg aatggattcag gatgttgttg 780
gagaaacaag tttgtgatta gtccttaaaa cttagctccc tgggacattc ttcaattcca 840
catctgtttc tagaaaccag ccctttttcc cccactttt gagaaataaa aaagccttag 900
gtaaataagt cattctccct agcagagcca cttgggtctc ctgcatggaa gccatcacac 960
ttgggcaggt gttcagtac tggtaggtgt agatacagca ggagtggcca tgtggtccac 1020
ggctttttac cccttcttga tcctsatctt ttgggctgaa tttagactct ctcacagagg 1080
tggctcacag agaaggatgg cagatggtgc agccaacaat gctgaccggg gcttatcctc 1140
taagccctga tccacaataa aaatggacc aactcaaaaa aaagagagag agagagagag 1200
agagagagac                                     1210

```

<210> 215

<211> 1776

<212> DNA

<213> Homo sapiens

<400> 215

```

agctggcccg gacgccagaa aatgttccac gtgggatacc ctgcgtgggk ttcactgtag 60
tagctgcact aggtgattct tgagcgggc ctgagagaca aggacatgtg gatcccagtg 120
gtcgggcttc ctcgcgggct gaggtctctc gccttgccgg gcgctggctc cttttgcatt 180
ttagggctctg aagcggcgac gcgaaagcat ttgccggcga ggaaccactg tgggctctct 240
gactcctctc cgcagctgtg gcccgaaccg gatttcagga atccgccaag gaaggcgtct 300
aaggccagct tagactttaa gcgttacgta accgatcgga gattggctga gaccctggcg 360
caaactctatt tgggaaaacc aagtagacct ccacacctac tgctggagtg caatccaggt 420
cctggaatcc tggactcaggc attacttgaa gctggtgcca aagtggttgc gctcgaaaag 480
gacaaaactt ttattccaca ttggagtcct ttaggaaaaa atctggatgg aaaactacga 540
gtgattcact gtgacttctt taaactagat cctagaagtg gtggagtaat aaaaccacct 600
gctatgtctt ctgaggggct ctttaagaat ttgggaatag aagcagttcc ttggacagca 660
gacatccctt taaaagtagt tggaatgttc ccaagtagag gtgagaaaag ggcactttgg 720
aaactcgcac atgacttgta ttctgtact tctatatata aatttgagc aatagaagta 780
aatatgttta ttggtgaaaa agaattccag aaactaatgg cagatccygg aaatccagac 840
ttgtatcatg tattaagtgt tatctggcaa ttagcttggt agattaaggt tctgcacatg 900
gagccttggt catcatttga tatatacacc cggaaagggc cgctggaaaa cccaaagcgt 960
agggaaattat tagaccaatt acaacaaaag ctgtatctta ttcaaatgat tcctcgtcaa 1020
aatttattta ccaagaactt aacacctatg aactataata tattttttca cttgttaaag 1080
cactgtttyg ggagggcgag sgccactgta atagaccact tacgttcatt gactccactt 1140
gatgcgagag atatatatgat gcaaataagga aaacaggagg atgagaaaag agttaacatg 1200
caccctcaag acttcaaaac actttttgaa actatagagc gttccaaaga ttgtgcttat 1260
aaatggctgt atgatgaaac cctggaagat aggtagcaac tagactgtcg tttttggttg 1320
agcggttcat ttatttgaa actatgacat gaaaaccaaa tttgaaaact cacatccttt 1380
cagcagaagg taactgttct tgtcttgac aagccaggca gatcatttct cctaagctga 1440
tatcattggc ttattggatg aaacagtgtc tgctatttta ttcacaattg aataaaatga 1500
aaacttcaat taattgtgga ttgtatcaga ttgaattcgt tttgtttcag attcctattt 1560
aaatatttca cttgtactgt tgctgatttt tgcatcttct tgaagagcaa gagtctgtac 1620
attatgaagc ttagaaagta agcaaaactg atttactggg ttgcctttca gtttgttgaa 1680
atgtattgtc aagtactgta caatgaaatt gtttaaattt taatatgatt taagcttttt 1740

```

agaaattaaa atatttttaaa taagaaaaaa aaaaaa

1776

<210> 216

<211> 1418

<212> DNA

<213> Homo sapiens

<400> 216

agggtttcct ggataggctt gctgaagatg aaggggacag tgagccagag gccgttggac 60
agtccagggg agaagacaga agaagtagag aggcagggcc tggtagacagt atcagtgagt 120
gccatacaga attgtgtatt caccagcatc atgaaacagt tgtggtcttt tgagttgac 180
ttggcagagt aaagggacgt gtcctggagc cattcctgaa tctccccttc tttgtgacag 240
ctcctccac cccccaaaa aataaaaaaa ccacaaaaaa caaaaaaaca aaactaaggc 300
acttcactta gagactggag tcctgcttat aatcatgcat ataaccttta ctttgatgga 360
tctggccaga ggggtgttgg agcccagccc acccacatac cagtcaagct cttaggggag 420
cagaagaaaa gcaggaagaa tttaaatgtt taattttttt tttaaattga cttttctagt 480
tattaaaagt tgcttgtttc agcagtgata ttgtataaag aacatcttgt aagatactcc 540
tgacatcttg ctttagcaca tgtacagtac agtttctatg ataattgtgt tgctctaact 600
tccttggtt ctccttcagc ccatccactc tcctctagag cagttgggtt ggaggctcat 660
tgaggcaagc agcaacattg gagggggagc agggcagtg tgtgtctgct gcctcccatg 720
ccggttctga cctcagcctt ggaactcctc aagaacctga agattccagt ggtcagtgct 780
ggtggggggt gggaggagag agcggcagag aagctctgag agccccttc cccacaacaa 840
atctagctct agttgttata tttaggcaaa actttgtagt cttctttccc ttttatgatg 900
gattttgata aaagtacaaa acagggtttt tcttttttat cacctttgaa tttgaaatt 960
ttgagcacc aagctcttct gtacctatct aaagtccacc aaggggactg cagctcctag 1020
aacatgagaa tcaagcctct taatttttaa ctgcggaatg tggcctctgc ttcctccgct 1080
ctcctgccca aggacgacga ggattgctcc agggctgctg gtagtttac cgtcccttct 1140
ataggcatgg agttggcact gacatcacag cttcataacc ccaccaccgc cagcttcccc 1200
tgccctctac atccagtcgt ttcttggtca tagtgagaat cctgtgttcc cacttcagt 1260
acacctgaat tgtttgttgt tgtttttttt ttttattgtc ttcaaagagg aagggcccca 1320
ttaagggtg aacttgtaat aaattggaat ttcaaataaa cctcatgtac ttgtgtttat 1380
aaagaagaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1418

<210> 217

<211> 2200

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2188)

<223> n equals a,t,g, or c

<400> 217

gggcacgagc ccagttcct gttcccagac tgaggcccag ccccttcgc ccgtttccat 60
cacgagtgc gccagcatgt ctgacaaact gccctacaaa gtcgcccaga tcggcctggc 120
tgcttgggga cgcaaggccc tggacattgc tgagaacgag atgcccgggc tgatgcgtat 180
gcgggagcgg tactcggcct ccaagccact gaaggcgcc cgcatcgctg gctgcctgca 240
catgaccgtg gagacggccg tcctcattga gacctcgtc accctgggtg ctgaggtgca 300
gtggtccagc tgcaacatct tctccacca ggaccatgcg gcggtgccca ttgccaaaggc 360
tggcattccg gtgtatgcct ggaaggcgca aacggacgag gagtacctgt ggtgcattga 420

```

gcagaccctg tacttcaagg acggggccct caacatgatt ctggacgacg ggggacgacct 480
caccaacctc atccacacca agtaccgcga gcttctgccg ggcacccgag gcacctctga 540
ggagaccacg actgggggtcc acaacctcta caagatgatg gccaatggga tcctcaagggt 600
gcctgccatc aatgtcaatg actccgtcac caagagcaag ttgacaacc tctatggctg 660
ccgggagtc ctcatagatg gcatcaagcg ggccacagat gtgatgattg ccggcaagggt 720
agcggtggtg gcaggctatg gtgatgtggg caagggtgtg gccaggccc tgcgggggttt 780
cggagcccgc gtcatacatc ccgagattga ccccatcaac gcactgcagg ctgccatgga 840
gggctatgag gtgaccacca tggatgaggc ctgtcaggag ggcaacatct ttgtcaccac 900
cacaggctgt attgacatca tccttggccg gcactttgag cagatgaagg atgatgcat 960
tgtgtgtaac attggacact ttgacgtgga gatcgatgtc aagtggctca acgagaacgc 1020
cgtggagaag gtgaacatca agccgcaggt ggaccggtat cggttgaaga atgggcgcgc 1080
catcatcctg ctggccgagg gtcggctggt caacctgggt tgtgccatgg gccacccag 1140
cttcgtgatg agtaactcct tcaccaacca ggtgatggcg cagatcgagc tgtggacca 1200
tccagacaag taccccgttg gggttcattt cctgccaag aagctggatg aggcagtggc 1260
tgaagcccac ctgggcaagc tgaatgtgaa gttgaccaag ctaactgaga agcaagccca 1320
gtacctgggc atgtcctgtg atggcccctt caagccggt cactaccgct actgagagcc 1380
aggtctgcgt ttcaccttc agctgctgtc cttgccagg cccacctct cctccctaag 1440
agctaattgg accaactttg tgattgggtt gtcagtgtcc cccatcgact ctctggggct 1500
gatcacttag tttttggcct ctgctgcagc cgtcactg ttccaaatgt ggcagcggga 1560
acagagtacc ctcttcaagc cccggtcatg atggaggtcc cagccacagg gaaccatgag 1620
ctcagtggtc ttggaacagc tctaactagc agtccttct tagcctgga gtcagttagt 1680
gagtcacaaa gccatgtgt tttgccatct aggccttcac ctggtctgtg gacttatacc 1740
tgtgtgcttg gtttacagg ccagtgggtc ttcagcccat gacagatgag aaggggctat 1800
attgaagggc aaagaggaac tgttgtttga attttctga gagcctggct tagtgctggg 1860
ccttctctta aacctatta caatgaggtt agtactttta gtccctgttt tacagggtt 1920
agaatagact gttaaggggc aactgagaaa gaacagagaa gtgacagcta ggggttgaga 1980
ggggccagaa aaacatgaat gcaggcagat ttcgtgaaat ctgccaccac ttataacca 2040
gatggttcct ttcacaacc tggttcaaaa agagaataat ttggcctata atgttaaaag 2100
aaagcaggaa ggtgggtaaa taaaaatctt ggtgcctgga aaaaaaaaaa aaaaaaaar 2160
aaaraaaaaa aaaaaaaaaa aaaaaanaa aaaaaaaaaa 2200

```

<210> 218

<211> 1853

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (890)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1794)

<223> n equals a,t,g, or c

<400> 218

```

gggaaggagt catggcggat ggtcagggtg cggaactgct gctccggcgg ctggaggcgt 60
ctgatggcgg cctggacagc gccgagttgg cggctgagct gggcatggag caccaggcgg 120
tgggtggcgc cgtgaagagc cttcaggcgc tgggcgaggt catcgaggct gaacttcggt 180
ccaccaagca ctgggagctt actgcggagg gcgaggagat tgcccgagg ggcagccatg 240

```

```
aggcccggtgt gtttcgaagc attccccagc agggcctggc ccagagcgag cttatgcgac 300
tgcccagtggtg caaagtgggc ttcagcaagg ccatgtccaa caagtggatt cgggtggaca 360
agagtgcggc tgacggggcc cggtgttcc gagtgggtga cagcatggag gatgaggtgc 420
agcggcggtc ccagctgggc cgggggggac aggtgagaa gctgggggag aaggagagga 480
gagagctgag gaagaggaag ctgttggctg aagtactct gaagacctac tgggtgagca 540
aaggcagtgct ctttagtacc agcatctcca agcaagagac agagctgagc ccagagatga 600
tctccagtggt ctcttggcgg gaccggccct tcaagcccta caacttcttg gccacgggtg 660
tcctccccga cagcggccac cttcaccgc tgctcaaggc ccgctcccag tcccgacaga 720
tcttccctgga gatgggggttc accgagatgc cgactgataa cttcattgag agctccttct 780
ggaactttga cgcctcttc cagccccagc agcaccagc ccgtgaccag cagcacacct 840
tcttccctcg agatccagcg gaggccctgc agtcccaat ggactatgtn cagcgggtca 900
agcggaccca ctctcagggc ggctacggct cacaggggta caagtataac tggaagctgg 960
acgagggccg gaaaaaccta ctgcgaaccc acaccacatc agccagcgcc cgtgcgctct 1020
accgccttgc ccagaagaag cccttcactc cgggtcaagta cttctccatc gaccgcgtat 1080
tccggaatga gaccctggac gccacgcacc tggctgagtt ccaccagatc gagggcgtgg 1140
tggcggatca tggctcacc ttgggccacc tcatggcggt tctgcgggag ttcttyacca 1200
agctgggtat cagcgaactc cgcttcaagc cagcctacaa ccatacaca gagccagca 1260
tgaggtgtt cagctaccac caaggcctga agaagtgggt ggaggtcgga aactcggggg 1320
tcttccgtcc agagatgctg ctgccatgg ggcttccga gaacgtgtcg gtcattgcct 1380
ggggcctctc cctggagcgc ccaacgatga tcaaataatg catcaacaat atccgggagc 1440
tggtgggcca caaggtgaac ctgcagatgg tgtatgacag tccctgtgc cgcctggatg 1500
ccgagccgag gcccctccc acacaggagg ctgcgtgaca tgggccactc taggacaggt 1560
catcctccc gagtccctgc tgctgcgtc ctttgcattc ctggccagt accttgtatt 1620
tatgagcct ctgtgaggcc agccccacc ttcctcttcc ccacctgtcc caggaccaga 1680
atcccaggga cagaggactg ggtagcaggt tccttctgtt gtcctgtgtg gtgtgtctac 1740
tgtgaggggt ggccctgagg agacctgtgg gccacctatt gtctaataaa gtgngcagtt 1800
gccccaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1853
```

<210> 219

<211> 1093

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1090)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1091)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1092)

<223> n equals a,t,g, or c

<400> 219

```
gcgtgcggcg tctacacccc gcgtgcgcc aggggctgcg ctgtatccc caccggggt 60
ccgagctgcc cctgcagcgc tggcatggg cgagggcact tgtgagaagc gccgggacgc 120
```

```

cgagtatggc gccagcccg agcaggttgc agacaatggc gatgaccact cagaaggagg 180
cctggtggag aaccacgtgg acagcaccat gaacatgttg ggcgggggag gcagtgtctg 240
ccggaagccc ctcaagtcgg gtatgaagga gctggccgtg ttccgggaga aggtcactga 300
gcagcaccgg cagatgggca aggttgga gcatcacctt ggccctggag agcccaagaa 360
gctgcgacca cccctgccca ggactccctg ccaacaggaa ctggaccagg tcctggagcg 420
gatctccacc atgcgccttc cggatgagcg gggccctctg gagcacctct actccctgca 480
catccccaac tgtgacaagc atggcctgta caacctcaaa cagtgcaga tgtctctgaa 540
cgggcagcgt ggggagtgct ggtgtgtgaa cccaacacc gggaagctga tccaggagc 600
ccccaccatc cgggggggacc ccgagtgtca tctctctac aatgagcagc aggaggctcg 660
cggggtgcac acccagcggg tgcagtagac cgcagccagc cgggtgcctg cgccctgcc 720
ccccgcccct ctccaaacac cggcagaaaa cggagagtgc ttgggtggtg ggtgctggag 780
gattttccag ttctgacaca cgtatttata ttggaaaga gaccagcacc gagctcggca 840
cctcccggc ctctctcttc ccagctgcag atgccacacc tgctccttct tgctttcccc 900
gggggaggaa ggggttgtg gtcggggagc tggggtacag gtttggggag ggggaagaga 960
aatttttatt ttggaacccc tgtgtccctt ttgcataaga ttaaaggaa gaaaagtaaa 1020
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1080
aaaaaaaaa nna 1093

```

<210> 220

<211> 2155

<212> DNA

<213> Homo sapiens

<400> 220

```

accacgcgt ccgctagaga gggattttmc ggtctcgtgg gcagaggaac aaccaggaac 60
ttgggtcag tctccacccc acagtggggc ggatccgtcc cggataagac ccgctgtctg 120
gccctgagta ggggtgtgacc tccgcagccg cagaggagga gcgcascagg cctcgaagaa 180
cttctgcttg ggtggctgaa ctctgatctt gacctagagt catggccatg gcaaccaaag 240
gaggtactgt caaagctgct tcaggattca atgccatgga agatgcccag accctgagga 300
aggccatgaa agggctcggc accgatgaag acgccattat tagcgtcctt gcctaccgca 360
acaccgcca gcgccaggag atcaggacag cctacaagag caccatcggc agggacttga 420
tagacgacct gaagtcagaa ctgagtggca acttcgagca ggtgattgtg gggatgatga 480
cgcccacggt gctgtatgac gtgcaagagc tgcgaagggc catgaaggga gccggcactg 540
atgagggtcg cctaattgag atcctggcct cccggacccc tgaggagatc cggcgcataa 600
gccaaccta ccagcagcaa tatggacgga gccttgaaga tgacattcgc tctgacacat 660
cgttcatgtt ccagcagagt ctggtgtctc tgtcagctgg tgggagggat gaaggaaatt 720
atctggacga tgctctcgtg agacaggatg cccaggacct gtatgaggct ggagagaaga 780
aatgggggac agatgaggtg aaatttctaa ctgttctctg tcccggaa cgaatcacc 840
tgttgcatgt gtttgatgaa tacaaaagga tatcacagaa ggatattgaa cagagtatta 900
aatctgaaac atctggtagc tttgaagatg ctctgctggc tatagtaaag tgcattgagga 960
acaaatctgc atattttgct gaaaagctct ataaatcgat gaagggttg ggcaccgatg 1020
ataacaccct catcagagtg atggtttctc gagcagaaat tgacatgttg gatatccggg 1080
cacactcaa gagactctat ggaaagtctc tgtactcgtt catcaagggt gacacatctg 1140
gagactacag gaaagtactg cttgttctct gtggaggaga tgattaaaat aaaaatccca 1200
gaaggacagg aggattctca acactttgaa ttttttaac ttcatttttc tacactgcta 1260
ttatcattat ctcaaatgc ttatttccaa ttaaaacgcc tacagctgcc tcctagaata 1320
tagactgtct gtattattat tcacctataa ttagtcatta tgatgcttta aagctgtact 1380
tgcatttcaa agcttataag atataaatgg agattttaa gtagaaataa atatgtattc 1440
catgttttta aaagattact ttctactttg tgtttcacag acattgaata tattaaatta 1500
ttccatattt tcttttcagt gaaaaatttt ttaaatggaa gactgttcta aaatcacttt 1560
tttcccta at ccaattttta gagggtctag tagtttcttc atttgaaatt gtaagcatcc 1620

```

```

ggtcagtaag aatgcccatc cagttttcta tatttcatag tcaaagcctt gaaagcatct 1680
acaaatctct ttttttaggt tttgtccata gcatcagttg atccttacta agtttttcat 1740
gggagacttc cttcatcaca tcttatgttg aaatcacttt ctgtagtcaa agtataccaa 1800
aaccaattta tctgaactaa attctaaagt atgggtatac aaaccatata catctggtta 1860
ccaaacataa atgctgaaca ttccatatta ttatagttaa tgtcttaatc cagcttgcaa 1920
gtgaatggaa aaaaaaataa gcttcaaact aggtattctg ggaatgatgt aatgctctga 1980
atttagtatg atataaagaa aacttttttg tgctaaaaat acttttttaa atcaattttg 2040
ttgattgtag taattttctat ttgcactgtg cctttcaact ccagaaacat tctgaagatg 2100
tacttggatt taattaaaaa gtccactttg taaaaaaaaa aaaawaaaaa aaaac 2155

```

<210> 221

<211> 1264

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (125)

<223> n equals a,t,g, or c

<400> 221

```

gtcnnengac agtgaengta cngtattccc gggtcgaccc acgcgtccgg taaaattctg 60
ggctctggta tcagttcctc ttcagtattg catggcatgg tttttaagaa ggaaaccgaa 120
gtgantgtaa catctgtcaa agatgcaaaa atagcagtgt actcttgtcc ttttgatggc 180
atgataacag aaactaaggg aacagtgttg ataaagactg ctgaagaatt gatgaatttt 240
agtaaggggag aagaaaacct catggatgca caagtcaaag ctattgctga tactgggtgca 300

```

```
aatgtcgtag taacaggtgg caaagtggca gacatggctc ttcattatgc aaataaatat 360
aatatcatgt tagtgaggct aaactcaaaa tgggatctcc gaagactttg taaaactgtt 420
ggtgctacag ctcttcctag attgacacct cctgtccttg aagaaatggg aactgtgac 480
agtgtttacc tctcagaagt tggagatact caggtgggtg tttttaagca tgaaaaggaa 540
gatggcgcca ttcttaccat agtacttcga ggctctacag acaatctgat ggatgacata 600
gaaagggcag tagacgatgg tgtaataact ttcaaagttc ttacaaggga taaacgtctt 660
gtaccgggag gtggagcaac agaaattgaa ttagccaaac agatcacatc atatggagag 720
acatgtcctg gacttgaaca gtatgtctatt aagaagtttg ctgaggcatt tgaagctatt 780
ccccgcgcac tggcagaaaa ctctggagtt aaggccaatg aagtaatctc taaactttat 840
gcagtacatc aagaaggaaa taaaaacgtt ggattagata ttgaggctga agtcctgtct 900
gtaaaggaca tgctggaagc tgggtattcta gatacttacc tgggaaaata ttgggctatc 960
aaactcgcta ctaatgctgc agtcactgta cttagagtgg atcagatcat catggcaaaa 1020
ccagctgggtg ggcccaagcc tccaagtggg aagaagactc gggatgatga ccaaaatgat 1080
tgaaattggc ttaattttta ctgtaggtga aggctgtatt tgtagtagta ctcaagaatc 1140
acctgatgtt ttcttattct ccttaaatta agagtatttt tgtgtttgta ttcttggtctg 1200
gatgttataa taaacatatt gttactgtca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260
aaaa 1264
```

<210> 222

<211> 2085

<212> DNA

<213> Homo sapiens

<400> 222

```
ccttgggaga ggaggaacag gcccttgggc agatgcaggc attaccagca gggagcagac 60
ttacctccga agatggagac aggtgactga gagctgcagg cctcctctgc tcttccaaac 120
acgtagcatt tgcacccctc caaagccatc tttgtaaagg aaaacgtatt tgtaattgaa 180
tccagaagaa tttagttaca catagacata actcttcaac cttaactatg gcaatacat 240
tgtgttttaa ctgttacata gcagtatcac cacttaccag gatccaaatc gaaataataa 300
aagctgtctc caatgtttta aatcgaatag tgccatcatc acagtatatt agtcaaatag 360
aagcttcatc agaaatgtat cccacataga gttttaagac ttggattctc ttctgccctt 420
gttaatctcc aactaattac tacagattga cacgttttta attagctgtc ctttgaaga 480
agtcaggaaa tctgatgctg tgtccaaaat tatgcactgt ttgttgaaat agaaccagaa 540
atcctgacct cctgttaaata gacatcagtt tccccctctg agcaacagac tgcttgtctt 600
gctaggagag gaggatgggg ggctgagcac tcaggctgtc cattgaaacc ccttgtccat 660
gaataggggc atactcctaa gactgatggg gtgttgatct tctaggacat cactgtttta 720
ttcagtggcc caaacacaga tttctcttct agcactttag agttgatcct tgaagtctct 780
cctggttcat tcaaatacaa gctgtgtgag tctggtgggt ttctgtgatt ggtctaattg 840
gagctctttg aacagacaga tctgacagtg aatgactctc ccctgcttct ggcataactg 900
ctttgcctct gtctagtgtc caagcatctt agctgttcaa gaggagaggg cagcataact 960
tctgaccac cgggtgtcaga tatcagagca ttctggactc ctgagaggca gtggcctctt 1020
gagtgaacag gggaggccag tagatgcccc agatccagag ccgtggctgc aaatccagca 1080
ggaataagga gggacaacca cagcctcctc atccatgtgt catttccaag gggttgctt 1140
gtgtctcagc tcattctggg cagcacgttt gtcttctgtc cctagagatt tgaaggattt 1200
tggaactctt tgaatgggtg actggacttg gctttacaga gttgggtgct tttttctctc 1260
tgcaattacc tgtcatagca ttttgtgctc accacgaagg atggtctctg ccttctcttg 1320
tcggtgtatg ccatctgaac ctagggaacac aaagtatatt ggctcaaac ggagaccag 1380
gggtgcccagt tttccgtggg ccttccctc ccttgaaatg tctttaatta cctcccttct 1440
atcgtcaggc cacgtgtgac ttctgttctt agcactgcca gggtcattga cttccatcta 1500
agcttgcatc aggaagatgt tccttctgtg atcattggta ctgaagccag aaaagctctc 1560
attcaggaac tctgaagagc aaaaaggagc aaacactaac tgctgagctg ggccatttga 1620
```

```
tctcctttca ccttgcaattg ctgtcacagc accttgtatg atggcaggac aggctccagc 1680
agagagaact gcacagtgc cactgtattt ttcacgctct tccagggatc cctgtccccc 1740
gacattgaag agatctcatt caggccagag acacagagac cacatagccc agtgattaaa 1800
ccccggtttc actctggccc caggagtgga gcctggccac tctgttttg ttctcactgg 1860
gaggcccaact ggccttgat catctcctca tgcacaccgc gagttttacc tgcttgcttg 1920
ctttcctgga ctgctgtttg caagaaagta actaaaacat gaaaagtaaa cctccagctt 1980
ccacagtata ttacctgccg ttgcatgcat ttgaaagtta rcctcctccc ttgccaccgt 2040
cttkgtggca gtagcggatg caagaatgga tgggagcttt ccgag 2085
```

<210> 223

<211> 2921

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1609)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2919)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2920)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2921)

<223> n equals a,t,g, or c

<400> 223

```
aaaaaaaaa aaaaaaagaa aaaaagaaag aaagaaaaga aaggagcagg gaggtagagc 60
cctctgtacc ctccatcacc agaaaaagct gaagaggggc tgagtaggag ggacagatgc 120
tggccagggc acagggtttg aagcataaaa ctcttgccct gtttgctgac tcgttgagac 180
agggtgcccc gaaggggata gacttcctg gggcgtgggg agagcaggag gctcaagtga 240
gatgctcttg gtgctagaaa ccgccctccc tcatgcctgg ggtctctccc tgccaggacc 300
ctgmcccgt taggctctgc cctgtctcat ccagcccaa cagcatgggt gtggaacacc 360
ccgagttcct caaggcaggg aaggagcctg gcctgcagat ctggcgtgtg gagaagtctg 420
atctggtgcc cgtgcccacc aacctttatg gagacttctt cacgggcgac gcctacgtca 480
tcctgaagac agtgacgtg aggaacggaa atctgcagta tgacctccac tactggctgg 540
gcaatgagtg cagccaggat gagagcgggg cggccgccat ctttaccgtg cagctggatg 600
actacctgaa cggccggggc gtgcagcacc gtgagtcag ggcttcgagt cggccacctt 660
cctaggctac ttcaagtctg gcctgaagta caagaaagga ggtgtggcat caggattcaa 720
gcacgtggta cccaacgagg tgggtgtgca gagactcttc cagggtcaaa ggcggcgtgt 780
ggtccgtgcc accgaggtac ctgtgtcctg ggagagcttc aacaatggcg actgcttcat 840
cctggacctg ggcaacaaca tccaccagtg gtgtgtgttc aacagcaatc ggtatgaaag 900
actgaaggcc acacaggtgt ccaagggcac ccgggacaac gagcggagtg gccgggcccc 960
```



```

agtgcacgtg tctgaggagg gcaactgagcc cgaggcgatg ctccagggtgc tgggccccaa 1020
gccggctctg cctgcaggta ccgaggacac cgccaaggag gatgcgggcca accgcaagct 1080
ggccaagctc tacaaggctc ccaatggtgc agggaccatg tccgtctccc tcgtggctga 1140
tgagaacccc ttcgcccagg gggccctgaa gtcagaggac tgcttcatcc tggaccacgg 1200
caaagatggg aaaaatctttg tctggaaagg caagcaggca aacacggagg agaggaaggc 1260
tgccctcaaa acagcctctg acttcatcac caagatggac taccccaagc agactcaggt 1320
ctcggctcctt cctgagggcg gtgagacccc actgttcaag cagttcttca agaactggcg 1380
ggaccagac cagacagatg gcctgggctt gtcctacctt tccagccata tcgccaacgt 1440
ggagcgggtg cccttcgacg ccgccaccct gcacacctcc actgccatgg ccgcccagca 1500
cggcatggat gacgatggca caggccagaa acagatctgg agaatcgaag gttccaacaa 1560
ggtgcccggtg gaccctgccca catatggaca gttctatgga ggcgacagnt acatcattct 1620
gtacaactac cgccatggtg gccgccaggg gcagataatc tataactggc aggggtgcca 1680
gtctaccag gatgaggtcg ctgcatctgc catcctgact gctcagctgg atgaggagct 1740
gggaggtacc cctgtccaga gccgtgtggt ccaaggcaag gagcccggcc acctcatgag 1800
cctgtttggt gggaagccca tgatcatcta caaggcgcc acctcccgcg agggcgggca 1860
gacagcccct gccagcaccg gcctcttcca ggtccgcgcc aacagcgctg gagccaccgg 1920
ggctgttgag gtattgccta aggtgtgtgc actgaactcc aacgatgcct ttgttctgaa 1980
aaccacctca gccgcctacc tgtgggtggg tacaggagcc agcgaggcag agaagacggg 2040
ggcccaggag ctgctcaggg tgcctgcggc ccaacctgtg cagggtggcag aaggcagcga 2100
gccagatggc ttctgggagg ccctgggcgg gaaggctgcc taccgcacat cccacggct 2160
gaaggacaag aagatggatg cccatcctcc tcgcctcttt gcctgctcca acaagattgg 2220
acgttttggt atcgaagagg ttcctggtga gtcctatgag gaagacctgg caacggatga 2280
cgtcatgctt ctggacacct gggaccaggt ctttgtctgg gttggaaaag attctcaaga 2340
agaagaaaag acagaagcct tgacttctgc taagcggtag atcgagacgg acccagccaa 2400
tcgggatcgg cgacgcacca tcaccgtggt gaagcaaggc tttgagcctc cctcctttgt 2460
gggctgggtc cttggctggg atgatgatta ctggtctgtg gacccttgg acagggccat 2520
ggctgagctg gctgcctgag gaggggcagg gccaccat gtcaccggtc agtgcctttt 2580
ggaactgtcc ttccctcaaa gaggccttag agcgagcaga gcagctctgc tatgagtgtg 2640
tgtgtgtgtg tgtgtgtgtt cttttttttt tttttacagt atccaaaaat agccctgcaa 2700
aaatcacagag tccttgcaaa attgtctaaa atgtcagtggt ttgggaaatt aaatccaata 2760
aaaaacatttt gaagtgtgwa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2820
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2880
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaann n 2921

```

<210> 224

<211> 4395

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4391)

<223> n equals a,t,g, or c

<400> 224

```
ggtaagtcct ttattcatag cacagtcctc actaaacata aggagcttca tctggaagaa 60
gaagaagaag atgaagcagc agcagctgca gcagcagcag cccaggaagt tgaagccaat 120
gtccatgttc cacaagtagt tctgaggatt cagggcttaa acgtagaggc tgctgagcca 180
gaagtggagg ctgccgagcc agaagtggag gctgctgagc cagaagtgga ggctgctgag 240
ccaaacggag aggtcgaagg gccagatgga gaggctgcag agcccatggg agaggctgga 300
cagccaaatg gagaggccga gcagncaaat ggggatgctg atgagccaga tgggtgcagg 360
attgaagacc cagaagaaaag agctgaagag ccagagggca aaagctgaag agccagaggg 420
agatgccgac ggagccctga cgggtgtgga attgaagcac ccaggaagaa ggtgaagtat 480
caagagattc aggtagaaga accatactat gactgccatg aatgcacaga aaccttcact 540
tccagcacag cattcagtga acacctgaaa actcatgcca gcatgatcat atttgagcct 600
gccaatgcct ttggggagtg ctcaggctac atcgaacgtg ccagcaccag cacagggtgt 660
gccaatcaag ctgatgagaa gtacttcaaa tgtgacgtct gtgggcagct cttcaatgac 720
cgctgtctcc tcgccagaca ccagaatacc cacactggct gagggcatgg ggtaaagggt 780
agaaaacctt cacctaggac ttgacctta ccaaaccaca gagaatccaa accaatccat 840
gataatgtca gtaggagact taaccttagt gtgttacaca cctgacttaa catctctaaa 900
ctcagattga aaagagaccg aatgtgcaga ttccacagtc ttaagctttc cccttcagat 960
gtcagtgtct gcatgtggga aagccatagc acacatctta cctttccaag taatcagatt 1020
gagaaaacc tatgagtatt ccagactaca gagtttgccc aaatcaactg taaatgacac 1080
ttgtgtaacg tatatatagt gtttcatgag gtgtatataa aatagcaaat tatgacagaa 1140
cagtgatcac atatatattg atttatatga tatacagtta cagtttactc tgcagaggta 1200
ccttacctgg tattctttga atttttttt tttttggagg aggaagagag caacaaattt 1260
gattatatat ttaagtgtct tagatcctga gaaagattta ttgtgcatta tttgaacctt 1320
gtcaatatct ttttgagtaa ttgttttggt tcttaccctt aaatagctct gtgaagctgt 1380
aggcatgata gataacatgg cttttactcc ttactgtttg aaaagataag tacttttagc 1440
tctttctgca gccatttcat ctgcrccaac actttggaac ctaatactgt gtaaggcttt 1500
acaatatacg gattggcttt ttgtgacca gattgattgg ttgccacatg ttatgtttgt 1560
tgaagtgggt ctcatgcaaa aatattacac atttgtgttc tgggtttttt ttttttttta 1620
accaatcaaa tatgtgtttg atgatatgaa attgataaaa cccgaagctt ttccctgtaa 1680
atcttacatc tttgccttta aagaatgggt tacaaccatc actagatcac agtagtgcct 1740
aatgaagggt gagaaccgta ggagaggctc tcatgctgta aataatgttg caggctaata 1800
acctttcatc acttcccttg tgcgcttcct gccttaagtg acaagtagca acatggcttg 1860
gggtccctgt gcagcatcag cttatgctgc cacaagtcag tttkcacctt aggtgcccag 1920
gagctagtat ccttagatct ttctatcgct aacttaattc tcttcgttat ttatctgacc 1980
ctctaactcc atgtctaact tgcattaaaa aaaaaaaaaa tctttacagt caacccaagc 2040
ttaacatgga ctcagggtcc ccagcagcct taatttggtt tgtaaacatc tggtccttct 2100
ttttcagctc tcctagagta tttctgagtg ttgtgttcat ctaatcttag tattctttta 2160
attacaaatt gacctcacag cttgagggtt cttgtgtcct attctgtgga ctacctgtgc 2220
tcctttgctt cccctcccct cgcataataa ctatattaag aaattttttt tggccttgag 2280
ttggctggaa aaaaaatata aaatttaaaa aatttaaaaa aaaagatttg caaaatgtaa 2340
gtgtagatca tttgaacaag caaaattaaa gtaccacttg ggggaaatgt gtctgaatct 2400
tactctcttg gatctgcagg attagggctt ggaagtatgt caaagatgsa gggagtgtca 2460
aagtttagga agattgtaga gctgagagca agaagcagaa atgagttagt caaagaaggg 2520
agtcctaata catcaccaga tctaggaggg gagaggagac agacagaaga aaacaccaga 2580
ggcaagaact gtagaaggcc aggtttctga gaatgaattg agcggggtgt cctgagcagt 2640
ttggaaaagg agtttttgat ggtatgggtg aggtgagggc tggctgcata ggaaggactg 2700
aggttggaac ggacatcggg aaagctgagg ggcatgagg tttactacat gggaaaagga 2760
ctcttgaaac gagaatcagt gttgatgtcr ggggtgaactt tgtgggtaca ttacttgggt 2820
```

```
ttaacattgt tggcagtggt agcccccttt cagaaagcaa cttgctgtaa gtcaggggtg 2880
ccgttccaac cttcagctag tgaaaaggta gtaacaaatg gtaacaaga gaatgattgt 2940
ttaaacctat ctgtggacac ttaatgcaac tgtttaaaaa tgataatcac gagttatgta 3000
gcaacgtgga aatatattta cagaacatta agtggagaaa gcaggacacg aaagtatat 3060
tatactacag ttataactca acagttcatt tatatgctgt tcatttaaca gtccatttaa 3120
acagttcatt ataactgttt aaaaatatat atgcttatag tcaaaagctg ttgtggtgtt 3180
gttgtgttag gcttatagtt gagcattatt ttcttaaatt tcttgaatgt tctttatggt 3240
agtgttacta aaaagtattat gatcacattt tcattgtgaa cataatttga actcattatc 3300
acacacttgg aaaaacacaga aaagtggagg aaaaaaaatc atatccccac catccaaaga 3360
catatactct cctcttatct tgttcattct tgtttctgtg cacagggtta tgattataac 3420
tgtgtcaaaa tgtatatcca aaatagctgt tacattacct ttgtggratt atgggttaaa 3480
actttcactt taattttttc aaatgttccc tataataatg tcctgataac agtgtattat 3540
gtgtgtctcc attggtgtgc ataatacata cccagaggaa aaattagaaa ataaagtaaa 3600
ttattttaaa aaattaccta tattcccaac acctaacaac tactgctaac atcttgatct 3660
gtttctctca tcttgtttca gtgcacacgc ttgtgataac agtggttaa atgtgtgcat 3720
aaagtcttaa atgaaaagat gtggaaaata actaaaatag tgttgctatt gtgggaattt 3780
ggttaaaatat tttgtctcaa attccttaaa taatctttgg tgttttggt ataaatttta 3840
tgtatgtatt ttccattaca aatataatac atactcatac aaaactttgg aaattcagta 3900
aagaaaatc acacatattc ccaacacca acaacaatta actgttaaca tcttgatctg 3960
tgcactagtc tgtgattatt aggtgttag tgataagtat gcataaatgt caaagatggg 4020
aagaaagatg aaaaacaaga aatagttgtg tgggtgttgt gggattatgg ttattttgtt 4080
tcggtttctc tgaaaggcca tcattctagt gttttggtg tccaccttta ctacatatat 4140
ttccattata tatgaaatgt gttcattata gaaactttga agttacagaa atgtagaaga 4200
gaaactcacc catgttttca ccatccaaag agtgtgggta acatcttgat atattttctt 4260
catcttgttt ctgtgcacag gtttttggtt tggttaatat gttgtggtca ttctatctgt 4320
aatagtgcca acaataaaaa taaagttaaa aataaatatt aaaaaagaaa aaaaaaac 4380
cngggggggg nccgg 4395
```

<210> 225

<211> 3035

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2911)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2959)

<223> n equals a,t,g, or c

<400> 225

```
cccgagcag cgcggcagca gcatggctca cggggccggc gcgctgatgc tcaagtgcgt 60
ggtggtcggc gacggggcgg tgggcaagac gtgcctactc atgagctatg ccaacgacgc 120
cttcccgag agtacgtgcc caccgtcttc gaccactacg caggaagact atgaccgtct 180
gaggccttta tcttacccaa tgaccgatgt tctccttata tgcttctcgg tggtaaatcc 240
agcctcattt caaaatgtka aagaggagtg gttaccggaa cttaaggaat acgcacaaaa 300
tgtacccttt ttattaatag gaactcagat tgatctccga gatgaccca aaactttagc 360
aagactgaat gatatgaaag aaaaacctat atgtgtggaa caaggacaga aactagcaaa 420
```

agagatagga gcatgctgct atgtggaatg ttcagcttta acccagaagg gattgaagac 480
tgtttttgat gaggctatca tagccatttt aactccaaag aaacacactg taaaaaaaag 540
aataggatca agatgtataa actgttggtt aattacgtga gaaacatctt cagtggccaa 600
ggaaactgtc catttctctc agaaagcaaa tgaaatgcta cagctatacc cagacctttt 660
ataggtaatg aagcagttca aaacttgaaa gaaaacaaaa cctgtcctca gaattctata 720
aagtgtatta agaattgttc ttaaagggtt aagaagcagt aagcagcatc tgaagccaca 780
atctattata aatactttat ttcaactaga aggtacaatc tctcaggggt ttcatagttt 840
aaaaagctac aatcacatca tgttgtaact acgtaaaaaa cagagctgta aatggaactg 900
cttggtcttg accatacaca tttctgccc gcccttacag aatctgcaca aagaaatata 960
tccctttgct ccagttaatt gttcttggtat gtaagttgct ttctattcca gtatatccag 1020
agtgtgaaa taacaaggcc agccacgtag ccaaaggctg ctccaagcgt acaggagatg 1080
ggccatacct gaggagagaa tgtatgagat caaaaaagaa caaatgtttt attattactt 1140
gagcacaagt gtaacctaaa ttttctata ttaagctta atgtgctttc ttaaagaatg 1200
ccaaaagtgt aataagggtc taactgcatt tatcatgaac actaaaaatg tacacatttt 1260
agttaatgtg cattaaactg taacaaggct tctggcaatt gtagatttag tttgacgtct 1320
cccaaagtgc atgagacaca tgctaaaatt acaaatataa attttgggtc agactttgcc 1380
ataatgatag actcaattta gctctctgaa ctagtggta atttttttt ttttaattccc 1440
actttggctg tgtacatcaa atgaaatgag aagtgtgtat gctgaccaa ccacaagaaa 1500
ctttctttaa gttgtgttaa agaggaaaga cctagaatcc aagcgtgtta catgaaaatt 1560
gtaacagagc agctgcttcc acctttcaga tatagatgtt ggaaccacag cagaagttat 1620
agagcgacaa cttatataca cacctagaat gtaagttaaa caaaataccg gcttccagag 1680
acctttttc tccagccata ttacatcagg ctagaagtaa ttaatgttga tttatttcat 1740
ctacaagcag ttggtcccta agtgaaaggc tctgcttgaa aaaaaaaga aaaaaagtt 1800
ggaggaaaat tttcatgttc ttctgtgaag ctattttggt acactggagc catttcta 1860
ctttctctgg ggggaacagg ccacagaact gtgttagagg tgaaccatct taattactag 1920
ttctattacc taattcagct tccttggttg gctgctgtg gatctgcctt attgcatatg 1980
ccatgcatca gataatgat gcatcagata atgggtgttag acaaagcttc attgtgaaca 2040
acctaagca ttttagagaa acaatctcat cacattttt ctagcctttc ctacatttaa 2100
acttgctgtt gccc aaatta taatttttta aatgtctttg gtgggcttct gttaattcac 2160
atgacttgag cttatagcta tgtctactgc acagattggg taatggaaca ctaaaactttt 2220
atacttgaaa atgacagcct taaatgctca tatcagtcac aaatctagga tgtactgtct 2280
tggtgtatgt gagctttgta gagattttta aaaatataag catcaccttc ccattgaaga 2340
gtggagagag tctactggat gactggccag gaactttctc tctgaatcgg acatttggt 2400
gtcttctttc ttccaagaaa tgggtggtca cattaaagta tcatggcctt atgtatgctc 2460
aaatggaatc ttatgtaact ttcttattta attttggctc gcttattttt agataaaatt 2520
gaaaggaatt gtataaatca attaacatat tagctgagtt gtccaacaca tgggtataaac 2580
gaattacaac agtaaaactat tacacatttc caactgcct ttggggattt atgaggattt 2640
tttttgggtg ggggagggg ctccaattca tatctctgaa accttcaca cttgggtttac 2700
taattcaaak ttagaagtct agaatttgcc ctgccctaac agaaacagat taggaatttg 2760
tctacacaaa ctggtgtcac ctggttcttg actgggattt ggtttcctca ttataaatat 2820
gggaggtaga acagagatct ccaacgtctc tcccatttat cacagtaatt ttcttattca 2880
cagtaatcat tgttggrtgt tactttttca ncttcacatt ctcaagatgg taaaaatcat 2940
gtatatagat tatcagaant ctaagcaag atgactgtca catctgaagc tgaggtgcct 3000
taggtacatc ggccgcgacc acggtaaagg gaatt 3035

<210> 226

<211> 1511

<212> DNA

<213> Homo sapiens

<400> 226

```
ccggctccgc tgcggaaggc ggacgactag agtcgttggg cccggcgcgga cccgcaggag 60
cgtagagagc gcgggactag agtgcagagc tccgggacgt ggatcggagc cggcgcgatg 120
ggcggagagc aggaggagga gcggttcgac ggcatgttgc tggccatggc tcagcagcac 180
gaggcgcgcg tgcaggagct tgtgaacacc ttcttcagct tccttcgacg caaaacagac 240
tttttcattg gaggagaaga agggatggca gagaagctta tcacacagac tttcagccac 300
cacaatcagc tggcacagaa gacccggcgg gagaagagag cccggcgagg ggcgagcgg 360
cgggagaagg cggagcgggc ggccagactg gccaaaggaag ccaagtcaga gacctcaggg 420
ccccagatca aggagctaac tgatgaagag gcagagaggc tgcagctaga gattgaccag 480
aaaaaggatg cagagaatca tgaggcccag ctcaagaacg gcagccttga ctccccaggg 540
aagcaggata ctgaggaaga tgaggaggaa gatgagaagg acaaaggaaa actgaagccc 600
aacctaggca acggggcaga cctgcccatt taccgctgga cccagaccct gtcggagctg 660
gacctggcgg tccctttctg tgtgaacttc cggtgaaag ggaaggacat ggtggtggac 720
atccagcggc ggcacctccg ggtggggctc aaggggcagc cagcgcacat tgatggggag 780
ctctacaatg aagtgaaggt ggaggagagc tcgtggctca ttgaggacgg caaggtgggtg 840
actgtgcacg tggagaagat caataagatg gagtgggtga gccgcttggg gtccagtgc 900
cctgagatca acaccaagaa gattaaccct gagaattcca agctgtcaga cctggacagt 960
gagactcgca gcatggtgga aaagatgatg tatgaccagc gacagaagtc catggggctg 1020
ccaacttcag acgaacagaa gaaacaggag attctgaaga agttcatgga tcaacatccg 1080
gagatggatt tttccaaggc taaattcaac tagccctgt tttttcctcc ctgaactctt 1140
gggctgagc tgcaaccacc caactttctt tcccactctt ctctgggact tgtgggcctc 1200
agggcttggg gcaggcatgg gactggccca ggcacacagg tcccggggca tcaggagaaa 1260
ggctgggtct tgggaccttg tcctccccag ttggcctact gttacacatt aaaacgattt 1320
gccagctcc ttctgtgtcc tctctgcct ctggcctttc tctggggcac aggcctctta 1380
cggctgctgc tgggaactgg gaktttggct tctagcccag attctgccat gtgacctagg 1440
gcacatcctt gcccctctct gggcctcagt ttctcattac ttaaagatta aaacaagctt 1500
tgccggtgtt a 1511
```

<210> 227

<211> 2239

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2238)

<223> n equals a,t,g, or c

<400> 227

```
ggcacgaggg gagctggggg ctgagtttcc ctgagtagag gctggcacag gagagaaggc 60
atcaccccca cctcgtccag gccagaagat gtccagcttc ttgaggctct cctaagtctg 120
gctctcctgg gaccaagaga aaatcccgtt ccttgaccaa gaagctgctg atgggagctc 180
caccctggga gggggtgccg gcaccatggg attgagcgcc cgctacggac cccagttcac 240
cctgcagcac gtgcccgaact accgccagaw tgtctacatc ccaggcagca atgccacact 300
gaccaacgca gctggcaagc ggggatggca aggccccagc aggtggcaat ggcaacaaga 360
agaagtccgg caagaaggag aagaagtaac atggaggcca ggccaagagc cacaggggcg 420
cctctcccca accagcccag cttctcctta cctgcaccca ggccctcagag tttcaggggc 480
aacccccaga atactggtag gggccaaggc catgctcccc ttgggaaaca gaaacaagt 540
cccagtcagc acctacccct tccccccag gggkttgaat atgcaaaagc agttccgctg 600
ggaaccccca tccaatcaac tgctgtaccc atgggggtag tggggttact gtagacacca 660
agaaccattt gccacacccc gtttagttac agctgaactc ctccatcttc caaatcaatc 720
aggcccatcc atcccatgcc tccctcctcc ccacccact ccaacagttc ctctttcccg 780
```

agtaaggtgg ttgggggtgtt gaagtaccaa gtaacctaca agcctcctag ttctgaaaag 840
ttgsaagggc atcatgacct cttggcctct cctttgatcc tcaatcttcc cccaaagcat 900
ggtttggtgc cagccccctt acctccttcc agagcccaag atcaatgctc aagttttgga 960
ggacatgac accatcccca tgggtactgat gcttgctgga tttagggagg gcattttgct 1020
accaagcctc ttcccaacgc cctggggacc aktcttctgt ttgtttttc attgtttgac 1080
gtttccactg catgccttga cttccccac ctcctcctca aacaagagac tccactgcat 1140
gttccaagac agtatggggg ggtaagataa ggaagggaag tgtgtggatg tggatgggtg 1200
gggcatggac aaagcttgac acatcaagtt atcaaggcct tggaggaggc tctgtatgtc 1260
ctcaggggac tgacaacatc ctccagattc cagccataaa ccaataacta ggctggaccc 1320
ttcccactac ataatagggc tcagcccagg cagccagctt tgggctgagc taacaggacc 1380
aatggattaa actggcattt cagtccaagg aagctcgaag caggtttagg accaggtccc 1440
cttgagaggt cagagggggc tctgtgggtg ctgggtactc cagaggtgcc actgggtgga 1500
gggtcagcgg ascccagcag gaagggtggg ccagccaggc cattcttagt ccctgggttg 1560
gggaggcagg gagctagggc agggaccaa tgaacagaaa gtctcagccc aggatggggc 1620
ttcttcaaca ggccccctgc cctcctgaag cctcagtcct tcaccttgcc aggtgccgtt 1680
tctcttccgt gaaggccact gccaggtcc ccagtgcgcc ccctagtggc catagcctgg 1740
ttaaagtcc ccagtgcctc cttgtgcata gacctcttc tcccacccc ttctgcccct 1800
gggtccccgg ccatccagcg gggctgccag agaaccacag acctgccctt acagtatgtg 1860
agcgcacct cctcttttcg gctgggtgtg aatagccagt agtgtagtgc ggtgtgcttt 1920
tacgtgatgg cgggtgggca gcgggcggcg ggctccgcgc agccgtctgt ccttgatctg 1980
cccgcgcgcg ccgtgttgt gttttgtgct gtgtccacgc gctaaggcga cccctcccc 2040
cgtactgact tctctataa gcgcttctct tcgcatagtc acgtagctcc caccacccc 2100
tcttctgtg tctcagcaa gttttatact ctaatattta tatggctttt tttcttcgac 2160
aaaaaaataa taaacggtt cttctgaaaa aaaaaaaaaa aaaaaaaaaa gggggggccc 2220
ggtccccaat cccccctnt 2239

<210> 228

<211> 2346

<212> DNA

<213> Homo sapiens

<400> 228

ggcacgagcc gaccggcgcg gcgctagcct cggggcttga cgggattgtg gcggctcctt 60
ctcccaattc ggaagctaca gctacctcg gacgctctca agatggcgac ctctctgggt 120
tccaacacct acaacaggca gaactgggag gatgcggact tccccattct gtgccagaca 180
tgtcttgagg aaaaccata tatccgaatg accaaagaaa agtatgggaa ggaatgcaa 240
atctgtgccca ggccattcac agtgtttcgc tgggtgccctg gagtccgcat gcgtttcaag 300
aagactgaag tgtgccaaac ctgcagtaaa ttgaagaatg tctgtcagac ctgcctctta 360
gacctagagt atggcctgcc catccaggtt cgtgacgcag gattgtcttt taaagatgac 420
atgccaaagt cagatgtcaa caaagagtac tatacacaga atatggagag agagatttct 480
aactctgatg gaacacggcc agttggcatg ctggggaaaag ccacatctac cagtgcacatg 540
ctgetcaaac tggcccggac cacaccctac tacaaaagga atcgacccca catttgctcc 600
ttctgggtga aaggagagtg taagagagga gaggaatgtc catacagaca tgagaagcct 660
acagatccag atgacccccct tgetgatcag aatattaaag accgttatta cggaatcaat 720
gatcctgtag ctgacaagct tctaaagcgg gcttcaacaa tgctcggct ggaccacca 780
gaggataaaa ctatcaccac actatatgtt ggtggtctag tgataccat tactgagaca 840
gatttaagaa atcatttcta ccagttcggg gagatccgga cgatcactgt tgtgcagaga 900
cagcagtgtg ctttcatcca gtttgccaca cggcaggctg cagaagtggc tgctgagaag 960
tcctttaata agttgattgt aaatggccgc agactgaatg tgaatgggg aagatcccag 1020
gcagccagag gaaaagaaaa agagaaagat ggaactacag actctgggat caaactagaa 1080
cctgttccag gattgccagg agctcttcct cctcctcctg cagcagaaga agaagcctct 1140

```

gccaactact tcaacttgcc cccaagtggc cctccagctg tggatgaacat tgctctgcc 1200
ccgccccctg gcattgctcc acccccaccc ccagggtttg ggccacacat gttccacca 1260
atgggaccac cccctccttt catgcggtct ccaggaccaa tccactatcc ttctcaggac 1320
cctcagagga tgggagctca tgctggaaaa cacagcagcc cctagcacct tgtcaccact 1380
ctggggctct gtggaagaaa gggcacttaa aactcccagt aaatcttgga ataatatat 1440
ttttccttcc cttgtagttt ccatggtagc tgaatgtgct cagatgtgag cagtcagaga 1500
ctgacagcca tgctttccta tacttggtca aaggatcgat ggaccgtaaa taagctgcc 1560
ttaacacatc tggttactgc tgtaacatga ctaataaaac cgaacgcctg tcccccttac 1620
ccgtgtgggg gacacgcaga tgagtgaatt ggaatgtcca gcagagttac cctcccaatt 1680
atatgttcat tttgtatatt ttttggtcgg gggaaaaaatt gacctgcagt aaaaaaacct 1740
ttgaccattt ttatgtccat tggatacttt cttttttatc atcttaaaaa aagataacta 1800
gtactaatca ttgtagtggc ctaagtgtga ttttaactct gaagtcacac cctccgaaag 1860
atgagtagaa accagcacca gcacagccca gatcttctct ttctctcctt ttctctcatt 1920
tattcctaaa ggaatctgac cattttacgt ctctacggcc caaaaaaaga caaaaataa 1980
aattcctttt tattcctgtc aactggatgg aaacacaaat ttcattggagc tgtgtaccat 2040
cgaagaaacc tgggtgtctg catgaaatta ctgtaaagaa cttcctgtaa aacacgttct 2100
ttaacaaact gaaatgaaaa gcattggagc gtctgaatga aagacgtgac ctctgtctgg 2160
gactctgatg gtcttcagca ttcacctctg tgtgtcttca gtgtctcatt gtcctccctg 2220
cttctgtttg gtcttagagt gtttgatat aactgaattg tagatggtaa aggaaatttg 2280
atgtgttttt tgtttttaa taattaaaac ggggtcaattt ttcaaaaaaa aaaaaaaaaa 2340
aaaaaa 2346

```

<210> 229

<211> 2246

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2235)

<223> n equals a,t,g, or c

<400> 229

```

ggcacagcgg cgggtggcggc tgcggcaaca gcggggcga tgtgtagttg gtgactgcct 60
ctccagatgc tgaggtgcct gtatcatttg cacaggccag tgctgaaccg tagtggagta 120
ggctgtgcct tctgaagcag tatctattca caatgaagtt gcagtctccc gaattccagt 180
cacttttcac agaaggactg aagagtctga cagaattatt tgtcaaagag aatcacgaat 240
taagaatagc aggaggagca gtgaggattt tattaaatgg agtaaagcct caggatatag 300
atthtgcac cactgctacc cctactcaa tgaaggagat gtttcagtcg gctgggattc 360
ggatgataaa caacagagga gaaaagcac gaacaattac tgccaggcct catgaagaaa 420
atthtgagat tactacacta cggattgatg tcaccactga tggagacat gctgaggtag 480
aatttacaac tgactggcag aaagatgcgg aacgcagaga tctcactata aattctatgt 540
ttttaggttt tgatggcact ttatttgact actttaatgg ttatgaagat ttaaaaaata 600
agaaagttag atthgttgg catgctaaac agagaataca agaggattat cttagaattt 660
taagatactt caggttttat gggagaattg tagacaaacc tggtgaccat gatcctgaga 720
ctttggaagc aattgcagaa aatgcaaaag gcttggtctg aatctcagga gaaaggattt 780
gggtggaact gaaaaaaatt cttgttggt accatgtaaa tcatttgatt caccttatct 840
atgactctga tgtggctcct tatataggtt tacctgctaa tgcaagttta gaagaatttg 900
acaaagtcag taaaaaatgt gatgggtttt caccaaagcc agtgactctt ttggcctcat 960
tattcaaaag acmagatgat gtcmaaaat tggawttgag gttgaagatc gcgaaagagg 1020
agaaaaacct tggcttattt atagttaaaa ataggaaaga ttaattaaa gcaacagata 1080

```

```

gttcagaccc attgaaaccc tatcaagact tcattataga ttctagggaa cctgatgcac 1140
actcgtgtat gtgaactact gaagtaccaa ggagagcact gtctcctaaa ggaaatgcag 1200
cagtgggtcca ttctctccatt tctgttaagt ggccatgaca tcagaaaagt gggcatttct 1260
tcaggaaaag aaattggggc tctattacaa cagttgagag aacagtggaa aaaaagtggg 1320
taccaaattg aaaaagatga acttctgagt tacataaaga agacctaaaa ctgatggcta 1380
ctaaaaagca gagcatttct ggtaagacta aattttctcc cctccctctt aatgaggttt 1440
tagagactac accagaataa aagacagttt aggggacctc tgtagaacia caagggtctt 1500
atthttgtgaa ttatatattt caagaactaa acagagatcc acctttctgg atctgattta 1560
tatcactgaa atgtacagtt cttttggaat agtttcacct gagaaaacat agttggctat 1620
tatcwatctt aacctgttca ggcttttaaa aaaaactgtt ttgcatagg gtagtactaa 1680
gatcttaaaa agtggtaact gtcttgaaga aaaaactgtt attgtttgtt tgcaattgaa 1740
ataacagggt taccttaaca atgactgtct atgatgtgtc agttcttatt tgaattccaa 1800
aataaacctg tgcttaaaaa agaaataatt gaccaagtaa gtttgcataa aatgtgaata 1860
ctaaatgtgt cccagttgct tggcattcat atgtacagga ttgttctag caagctatgc 1920
ttcagtatgt ggttgatatt ttctgtcac aatgatttct ttatgcatgc agagcctggg 1980
aaagctatgg gattaacttg agggctacta ttgagcctat taattaatta attattgttt 2040
taataaaaca aacattggta ttggaagata aatatgttta tgggtatct gacaatgtgt 2100
attaggtgtc atatacaatg gtaatatgcc tgtctttaa gtgtattttt attaatataa 2160
aggatatggc tattattata tattctctaa agatttatcc tctaaagaaa gatttgagtc 2220
ctaaatgctt tcatncagg aaataa 2246

```

<210> 230

<211> 2002

<212> DNA

<213> Homo sapiens

<400> 230

```

tctagactag tggatccccg ggctgcagga attcggcacg agatggcggc agcgatgcct 60
gcccggctgt tgggggtggc gtgacgacag gcagcaaaag accagctggg cccagattcg 120
ctgctggagt gctggatgga gcctttctct gccctctgtg acatttccaa ttttagataa 180
tgccctacat ctctgtcccc ccgggacccc ctggagcccc catgatccct aagaagacag 240
cttgaacctg gatctcacc ccaggatgtt gcggaggctg ctggagcggc cttgcacgct 300
ggccctgctt gtgggctccc agctggctgt catgatgtac ctgtcactgg ggggcttccc 360
aagtctcagt gccctatttg gccgagatca gggaccgaca ttgactatt ctcacctcg 420
tgatgtctac agtaacctca gtcacctgcc tggggcccca rgggtctct carctctca 480
aggtctgccc tactgtccag aacgatctcc tctcttagtg ggtcctgtgt cgggtgctct 540
tagccagtg ccatcactgg cagagattgt ggagcggaat ccccggttag aaccaggggg 600
ccggtaccgc cctgcagggt gtgagccccg ctcccgaaca gccatcattg tgcctcatcg 660
tgcccgggag caccacctgc gcctgtgtct ctaccacctg cacccttct tgcagcgcca 720
gcagcttgtt tatggcatct atgtcatcca ccaggctgga aatggaacat ttaacagggc 780
aaaactgttg aacgttgggg tgcgagaggc cctgcgtgat gaagagtggg actgcctgtt 840
cttgcacgat gtggacctct tgccagaaaa tgaccacaat ctgtatgtgt gtgacccccg 900
gggacccgc catgttgccg ttgctatgaa caagtttga tacagcctcc cgtaccccca 960
gtacttcgga ggagtctcag cacttactcc tgaccagtac ctgaagatga atggcttccc 1020
caatgaatac tggggctggg gtggtgagga tgacgacatt gctaccaggg tgcgcctggc 1080
tggtatgaag atctctcggc ccccccacatc tgtaggacac tataagatgg tgaagcaccg 1140
aggagataag ggcaatgagg aaaatcccca cagatttgac ctctgtgtcc gtacccagaa 1200
ttcctggagc caagatggga tgaactcact gacataccag ttgctggctc gagagctggg 1260
gcctctttat accaacatca cagcagacat tgggactgac cctcggggct ctcgggctcc 1320
ttctgggcca cgttaccac ctgggtctct ccaagccttc cgtcaagaga tgctgcaacg 1380
ccggccccc gccaggcctg ggccctctat tactgccaac cacacagccc tccgaggttc 1440

```



```

acactgactc ctccttcctg tctaccttaa tcatgaaacc gaattcatgg ggttgatttc 1500
tccccacct cagctcctca ctgttctcag agggatgtga gggaactgaa ctctggtgcc 1560
gtgctagggg gtaggggcct ctccctcact gctggactgg agctgggctc ctgtagacct 1620
gaggggtccc tctctctagg gtctcctgta gggcttatga ctgtgaatcc ttgatgtcat 1680
gattttatgt gacgattcct aggagtcctt gcccctagag taggagcagg gctggacccc 1740
aagccctccc ctcttccatg gagagaagag tgatctggct tctcctcgga cctctgtgaa 1800
tatttattct atttatggtt cccgggaagt tgtttggtga aggaagcccc tccctgggca 1860
ttttctgcct atgctggaat agctccctct tctggctctg gctcaggggg ctgggatttt 1920
gatatatttt ctaataaagg actttgtctc gcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1980
aaaaaaaaaa aaaaaaaaaa aa                                2002

```

<210> 231

<211> 994

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (394)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (853)

<223> n equals a,t,g, or c

<400> 231

```

tcgaccacag cgtccggttg gaggaggtcg gctggttatc gggagttgga gggctgaggt 60
cgggaggggtg gtgtgtacag agctctagga ctcacgcacc aggccagtcg cgggttttgg 120
gccgagggcct gggttacaag cagcaagtgc gcggttgagg cactgcgag gccgttttag 180
aaaactgttt aaaacaaaga gcaattgatg gataaatcag gaatagattc tcttgacct 240
gtgacatctg atgctgtgga acttgcaaat cgaagtgata actcttctga tagcagctta 300
tttaaaactc agtgatccc ttactacct aaaggggaga aaagaaaccc cattcgaaaa 360
tttgttcgta cacctgaaag tgttcacgca agtnattcat caagtgactc atcttttgaa 420
ccaataccat tgactataaa agctattttt gaaagattca agaacaggaa aaagagatat 480
aaaaaaaaaga aaaagaggag gtaccagcca acaggaagac cacggggaag accagaagga 540
aggagaaatc ctatatactc actaatagat aagaagaaac aatttagaag cagaggatct 600
ggcttcccat ttttagaatc agagaatgaa aaaaacgcac cttggagaaa aattttaacg 660
tttgagcaag ctgttgcaag aggatttttt aactatattg aaaaactgaa gtatgaacac 720
cacctgaaag aatcattgaa gcaaatgaat gttggtgaag atttagaaaa tgaagatttt 780
gacagtcgta gatacaaat tttggatgat gatggatcca tttctcctat tgaggagtca 840
acgtaagtgg aantcatatg aaatactttg gtaatagggt ataaattaaa tttctatgtt 900
aattgcttca tattttgcct ttaatatagt tatacttaaa taatgaacaa agatacacag 960
tatgacaatt gggattatta cagttgagcc aagc                                994

```

<210> 232

<211> 486

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature
<222> (49)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (440)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (485)
<223> n equals a,t,g, or c

<400> 232
gactcactat agggcaaagc tggtagcct gccaggtacc gggtcggna attccccgggt 60
cgacccacgc gtccgggaac agccttctcc tgcctctct gcacctggac aactcaactc 120
ctgccaagat gtcctgccag cagaaccagc agcagtgcc acccccaccc aagtgtccct 180
cacccaagtg tccccaaaag agcccagtag agtgtctgcc tccagcttcc tctggctgtg 240
ccccaaagctc tgggggctgt ggcctagctc cgaggggcgc tgcttcctga accaccacag 300
gcgccaccac cgatgccggc gccagaggy ccaactcctgt gacagggcag tggtcagcaa 360
ggcgrggggt ctggstgckg cayggttctg ggggctgctg ctgatccaga tcctgatgct 420
gagacaagcg atctttggn gaaacaagaa ttcccaagag gccagaaca gccccatctg 480
gaagnc 486

<210> 233
<211> 2081
<212> DNA
<213> Homo sapiens

<400> 233
gaagcagttc ttggcatgca cgatacacag tactgacct cctccagacc atgggtatatt 60
ataacctctt tattttctta aacaatgaag atgcagttaa agatatcagg tggctgggtta 120
taagcttttt ggaggacgaa caactggagg ttcgagaaat ggctgtact accttaagcg 180
gtctgtaca gtgtaacttt cttaccatgg acagtcctat gcagattcat tttgagcaac 240
tttgaaaaac aaaactacct aagaaaagaa agcgagaccc tggttctgta ggagatacca 300
ttccttctgc agagttggc aaacgccatg ctgggggtgct aggacttggg gcatgtgttc 360
tttctagtcc ttacgatgtt cccacctgga tgccccagct cctcatgaat ctcatgtcac 420
atctaaatga tcctcagcct attgagatga ctgtaaaaaa aaccttatcc aatttccgaa 480
gactcaccat gacaactggc aggaacataa acagcaattc actgatgacc aactgcttgt 540
tctcaccgat cttcttgtgt caccatgcta ttatgcatag aaagatgact agtcctcact 600
tcaggctctt ttcatacaaaa attccacacc ctcaggtacc atctgtggtg gctctctgca 660
agtttttaaaa ctgcctctgc tgagctctca tcattttggt ggtttctgtg ttagatctcg 720
ttagctgtga ttccacagct tctcagttgc catttgattt cccaacttgt ccggaagtgt 780
ttccagaata ctgatactt ttttttttga ggcactctgac aaagtcacaa agtctcagac 840
tagaaaataat taccagtat gatcatggca tccaagacca gagtctcaga actcattaaag 900
aaacagttta cttggaatgg agaataccca tctgtaatac aggtcctgtc atttcattca 960
tctcaaatta ttttgaattc ttcccaaatg gctgctggat ttaggtggtg ataggggctg 1020
tgggccataa atctgaagcc ttgagaacct tgggtctgga gagccatgaa gagggaagga 1080
aaagagggca agtctgaac ctaaccaatg acctgatgga ttgctcgacc aagacacaga 1140
agtgaagtct gtgtctgtgc acttcccaca gactggagtt tttggtgctg aatagagcca 1200

```

gttgctaaaa aattgggggt ttggtgaaga aatctgattg ttgtgtgtat tcaatgtgtg 1260
attttaaaaa taaacagcaa caacaataaa aaccctgact ggctgttttt yccctgtatt 1320
ctttacaact attttttgac cctctgaaaa ttattatact tcacctaaat ggaagactgc 1380
tgtgtttgtg gaaattttgt aattttttwa tttattttwat tctctctccc tttttatttt 1440
gcctgcagaa tcgttgagag actaataagg cttaatatatt aattgatttg tttaatatgt 1500
tatataaatg taaaagagtg tataaactgt agagatagca ttggcaagac attgtacaga 1560
tgcaaccttt tacacaacat cattgtgtaa tttgtaaaga ttcacrtgta gttctttatt 1620
atagtgtatt tgggctttgt acccactgaa tgccattttt tgtgttttta aattattttc 1680
tttatcttgt tacaaaaact gagatgtggg gttttttttt ttcagttcac ttatcattag 1740
aatgtctgaa cttttatgta acatttttgt gtgcctctct caatgctaac accacatgtt 1800
tgcctatgac aagtttatag agtgaaaggg tatcttctcg gttgaaataa ttcacaaatt 1860
ggtgaatgtc atcttgcaac acaccctgta cagtcttctt taaaggaaca ctacagtata 1920
tttttagtat ctacatgctg aatgactgaa tacagaccta aagacagcag tgstcctggg 1980
acagtattta agtgctggca tacacaggcg taatccctgt ataaagtagt gccaaactga 2040
tttcagttgt gtaactagtt taaaacccaa taaatggatt c 2081

```

<210> 234

<211> 516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (490)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (498)

<223> n equals a,t,g, or c

<400> 234

```

cggcacgagg ggccaggggt cgggcctgcg cctccctcgg ctccctggcg gggcctcggg 60
gagaggggtg gaagatgtct atggatgtga cattcctggg gacgggtgca gcatacccat 120
ctccaaccgg ggggtgcctct gctgtggtcc ttcggtgtga aggcgagts c tggctctttg 180
actgtgggga gggaacacag acacagctta tgaaaagcca acttaaagca gggagaatta 240
ccaagatctt catcacacac ctcatggag accatttctt tggccttctt gggctcctct 300
gcacaatcag cctgcagagt ggctccatgg tgtccaaaca gcctattgaa atctatggcc 360
ctgtaggctt cgggacttta tctggcgaac catggaactc tctcamacgg gagctggtct 420
tccattatgt ggttcatgaa ctggttccta cagcagatca atgtcctgca gaaggaacta 480
aaagaatttn cgcattgtnaa tagagcagac agtcct 516

```

<210> 235

<211> 1129

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (807)

<223> n equals a,t,g, or c

<400> 235

```
cagctcgwcc tctgcttcc taccgacccc ccacctgcca gagctgatcc tccctaggcc 60
ctgcctaacc ttgagttggc ccccaatccc tctggctgca gaagtcccct taccaccaat 120
gagaggagg gaggaccag atcttttgag agctgagggt tgagggcatt gagccaacac 180
acagatttgt cgcctctgtc cccgaagaca cctgcaccct ccatgcggas caagatgggg 240
aatggaactg aggaagatta taactttgtc ttcaagggtg tgctgatcgg cgaatcaggt 300
gtggggaaga ccaatctact ctcccgatc acgcgcaatg agttcagcca cgacagccgc 360
accaccatcg ggggtgagtt ctccaccgc actgtgatgt tgggcaccgc tgctgtcaag 420
gctcagatct gggacacagc tggcctggag cggtagccag ccatcacctc ggcgtactat 480
cgtgggtcag tgggggccct cctgggtgtt gacctaacca agcaccagac ctatgctgtg 540
gtggagcgt ggcctgaagga gctctatgac catgctgaag ccacgatcgt cgtcatgtc 600
gtgggtaaca aaagtgcact cagccaggcc cgggaagtgc cactgagga ggcccgaatg 660
ttcgtgaaa acaatggact gctcttctg gagacctcag ccctggactc taccaatgtt 720
gagctagcct ttgagactgt cctgaaagaa atctttgcga aggtgtccaa gcagagacag 780
aacagcatcc ggaccaatgc catcacntct ggcagtgcc aggctggaca ggagcctggc 840
cctggggaga agaggccctg ttgcatcagc ctctgacctt ggccagcacc acctgcccc 900
actggtttt tgggtcccc tgtccccact tcagccccag gacctttcct tgcccttttg 960
ttccagatat cagactgttc cctgttcaca gcacctcag ggtcttaagg tcttcatgcc 1020
ctatcacaaa tacctctttt atctgtccac cctcacaga ctaggacctt caaataaagc 1080
tgttttatat caaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa 1129
```

<210> 236

<211> 1045

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (973)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1001)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1014)

<223> n equals a,t,g, or c

<400> 236

```
atcctcaaag gcagctcagg ctccgtgtgg ctgcgcaacc tgcaactggg cctcttcggc 60
acagcactgg gcctgggtgg gctctgggtg gctgagggtg ccgccgtggc caccggtggt 120
ttcttttttg ggtacacacc tctgtctctg ggcgtgggtg tcaaccaggc cttcggcggg 180
ctactgggtg ctgtggttgt caagtacgct gacaatatcc tcaagggctt tgccacctcc 240
ctgtccattg tgctgtccac tgttgccctc attgcctct ttggtttcca cgtggacca 300
ttatttgccc ttggcgttgg actcgtcatt ggtgctgtct acctctacag cctccccga 360
ggtgcaggya aagccatagc ctctgcctct gcctccgctt ccggggccctg cgttcaccag 420
cagcctcccg ggcagccacc accaccgag ctgtcttccc accgtggaga cctcatcacg 480
```

```
gagccctttc tgccaaagtc agtgctggtg aagtragggc tggcagcaat ggggggacac 540
aaggaggagg gactgggggtg gaggggtgttg ggcattctgca ggaccaagt cgccaccctc 600
cgggggcctgg ctctctctggg tttgggagat ggtcttttct cccagggtcac tgagacttct 660
ggagggggtgt ggactagag ctgggtgtca cgtgaacctt ctctggtagg gtgaccctct 720
tcccctggag ggtgttttag agctgccgcc tctgtccctt ctaacctctt tggaggcagg 780
gttgggggta ttgtcattca aggccttttt tttgtctgct ccctccccga ccctgtgccc 840
tcttctggag gttctcgtct gggagagtcc ctccagcagt ccctcactca taaggcacac 900
tggaacaaac tccgagtctt aggaatgacg atgcctactg tggggtagtg ccatagtgtg 960
gcttttctcc ttncacgttg atatgtatag tcgctttggg nctgccagtt cttntacttg 1020
aatgcttctg gagccaggaa aggca 1045
```

<210> 237

<211> 690

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (666)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (678)

<223> n equals a,t,g, or c

<400> 237

```
ggaggagggt ctgccacagc tctccgcacc tctcctctcc cagggcagcc tgtgagcagc 60
aagctgtggc tctgactctg caggaggaca gagcatccct gacgctttca ggggggccct 120
cggcactggc ctttgacctc tccaaggtac caggcccaga ggcagcccc aggctgyggg 180
cgctgacact gggcctggca aaacgcgtgt ggagcctgga gcggcgactg gcagctgcag 240
aagagacagc tgtcagcccg aggaagagcc cccggcctgc agggcctcag ctcttcttac 300
cagaccaga tccccagaga ggtggccctg gacctggagt caggaggcgg tgtccaggag 360
agtcgctcat caaccccggt ttcaagagta agaaaccagc tgggtggcgtg gacttcgatg 420
agacctgaag gtgcagcaca agcgtggccc cgcggggagt ccgcctatga ggggagaggc 480
agtctttgag gccccatca gagaccccc gccaccacct ccacctgcct gtcctgggcc 540
aggactaaca cggctcctca aattccttcc ctgtcaaata aacagctccc ttggttgga 600
aaaaaaaaa aaaaaaaaaa agtttttttt aattttaagg cgggccaaag ttttttttcc 660
tttttngttg aagggttnat tttttagttt 690
```

<210> 238

<211> 1873

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (568)

<223> n equals a,t,g, or c

<400> 238

```

ccccggctca gtatgtggcg ccttcctcgc gcgctgtgtg tgcacgctgc aaagaccagc 60
aagctctctg gaccttgagg caggcctgcc gccttcctgt ccactctcct catcaatcag 120
ccccagtatg cgtggctgaa agagctgggg ctccgcgagg aaaacgaggg cgtgtataat 180
ggaagctggg gaggccgggg agaggttatt acgacctatt gccctgctaa caacgagcca 240
atagcaagag tccgacaggc cagtgtggca gactatgaag aaactgtaaa gaaagcaaga 300
gaagcatgga aaatctgggc agatattcct gctccaaaac gaggagaaat agtaagacag 360
attggcgatg ccttgcgagg gaagatccaa gtactaggaa gcttgggtgc tttggagatg 420
gggaaaatct tagtggaagg tgtgggtgaa gttcargagt atgtggatat ctgtgactat 480
gctgktggtt tatcaaggat gattggagga cctatcttgc cttctgaaa atctggccat 540
gcactgattg agcagtggaa tcccgtangc ctggttgga tcatcacggc attcaatttc 600
cctgtggcag tgataggttg gaacacgcca tcgccatgat ctgtggaaat gtctgcctct 660
ggaaaggagc tccaaccact tccctcatta gtgtggctgt cacaagata atagccaagg 720
ttctggagga caacaagctg cctggtgcaa tttgttcctt gacttgtggt ggagcagata 780
ttggcacagc aatggcgaag gatgaacgag tgaacctgct gtccttcact gggagcactc 840
aggtaggaaa acaggtgggc ctgatggtgc aggagaggtt tgggagaagt ctgttggaac 900
ttggaggaaa caatgccatt attgcctttg aagatgcaga cctcagctta gttgttccat 960
cagctctctt cgctgctgtg ggaacagctg gccagaggtg taccactgcg aggcgactgt 1020
ttatacatga aagcatccat gatgaggttg taaacagact taaaaaggcc tatgcacaga 1080
tccgagttgg gaacccatgg gaccctaatt ttctctatgg gccactccac accaagcagg 1140
cagtgaagcat gtttcttgga gcagtggaa aagcaaagaa agaagggtgg acagtgggtc 1200
atggggggcaa ggttatggat cgccctggaa attatgtaga accgacaatt gtgacaggtc 1260
ttggccacga tgcgtccatt gcacacacag agacttttgc tccgattctc tatgtcttta 1320
aattcaagaa tgaagaagag gtctttgcat ggaataatga agtaaaacag ggactttcaa 1380
gtagcatctt taccaaagat ctgggcagaa tctttcgctg gcttggacct aaaggatcag 1440
actgtggcat tgtaaatgtc aacattccaa caagtggggc tgagattgga ggtgcctttg 1500
gaggagaaaa gcacactggg ggtggcaggg agtctggcag tgatgcctgg aaacagtaca 1560
tgagaaggtc tacttgact atcaactaca gtaaagacct tcctctggcc caaggaatca 1620
agtttcagta aagtggtttt agatgaacat cccttaattt gaggtgttcc agcagctgtt 1680
tttgagaaag acaaagaaaa ttaaagtttt ccctgaataa atgcattatt atgactgtga 1740
cagtgactaa tccccctatg accccaaagc cctgattaaa tcaagagatt ccttttttaa 1800
aaatcaaaat aaaattgtta caacatagcc atagttacta aaagatgagt taggtggatt 1860
tttattatgg tca 1873

```

<210> 239

<211> 905

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (873)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (874)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (897)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (898)

<223> n equals a,t,g, or c

<400> 239

```
tgcggtcccc cttctaggtc gacccacgcg tccggtgggg ccccgggcgg cgttgaccat 60
gacccagcag ggcgcggcgc tgcagaacta caacaacgag ctggtcaagt gcatagagga 120
gctgtgccag aagcgggagg agctgtgccg gcagatccag gaggaggagg acgagaagca 180
gcggctgcag aatgaggtga ggcagctgac agagaagctg gcccgcgtca acgagaacct 240
ggcacgcaag attgcctctc gcaacgagtt cgaccggacc atcgcgga ga cggaggccgc 300
ctacctcaag atcctggaga gctcccagac tttgctcagc gttctcaaga ggggaagctgg 360
gaacctgacc aaggctacag ccccagacca gaaaagtagc ggcggcaggg acagctgacc 420
agaccacggg cagggcctgc ctccgtgtgc ccctcagctc agccccagca agtgtgtgct 480
cagagcatct ttgttcttca cggcagcagc taccttccct cactgtctca ggtgccgaga 540
ggggcaggtg ccagcctcca ctggcatcag tgacaagccc agggcacagc ccacccgggg 600
gtcctcgctt catgctcaca caggctatgg ggatggtggg ctccagggtca gctctgcaag 660
gggcttgtct ctgtggcacc cacactcctg ccctgccagg gaggctcttg ttgtctgagc 720
accatggggg cccctcacc ttgtccctcc tcagccagca gaggcccagg gcaagggaca 780
ggaggacagg ggttctcctt caccacagaa cccaaacctc aggtctcacc cctgtggcct 840
gtgattatga ataaagatta tctttgtaa gannaaaaa aaaaaaaaaa aaaaccnngg 900
ggggg                                           905
```

<210> 240

<211> 1484

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1457)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1480)

<223> n equals a,t,g, or c

<400> 240

```
gtaacaaaac tcaggttaaca accattagct tttgcaagaa gtcaggttga ctagcaagga 60
gtctgcttct gctacttgga gaagagattt agaattatgt atcttttgtt acagatatac 120
agatatacaa atatacagat atacaaataa gggatgaagat ggagggaatc tgataaagac 180
atcttataaa ttcaacagac acaaaagaat ttgatctccc ataagcaact gtgaaattac 240
aataacagat cctgggaagt tctacaattc taattcagtt ttttcaaggg ggaacatggc 300
```

```
aaaggtgttc agtttcatcc ttgttaccac cgctctgaya atgggcaggg aaatttcggc 360
gctcgaggac tgtgcccagg agcagatgcg gctcagagcc cagggtgcgc tgcttgagac 420
ccgggtcaaa cagcaacagg tcaagatcaa gcagcttttg caggagaatg aagtcagtt 480
ccttgataaa ggagatgaga atactgtcgt tgatcttga agcaagaggc agtatgcaga 540
ttgttcagag attttcaatg atgggtataa gctcagtgga ttttcaaaa tcaaacctct 600
ccagagccca gcagaatttt ctgtttattg tgacatgtcc gatggaggag gatggactgt 660
aattcagaga cgatctgatg gcagtgaaaa ctttaacaga ggatggaaa actatgaaa 720
tggcctttgga aattttgtcc aaaaacatgg tgaatattgg ctgggcaata aaaatcttca 780
cttcttgacc actcaagaag actacacttt aaaaatcgac cttgcagatt ttgaaaaaa 840
tagccgttat gcacaatata agaatttcaa agttggagat gaaaagaatt tctacgagt 900
gaatattggg gaatattctg gaacagctgg agattccctt gcggggaatt tcatcctga 960
ggtgcagtg tgggctagtc accaaagaat gaaattcagc acgtgggaca gagatcatga 1020
caactatgaa gggaactgcg cagaagaaga tcagtctggc tgggtggtta acaggtgtca 1080
ctctgcaaac ctgaatggtg tatactacag cggccctac acggctaaaa cagacaatgg 1140
gattgtctgg tacacctggc atgggtggtg gtattctctg aaatctgtgg ttatgaaaat 1200
taggccaaat gattttattc caaatgtaat ttaattgctg ctgttgggct ttcgtttctg 1260
caattcagct ttgtttaaag tgatttgaat aatactcatt ctgaacatat ccatgcgcaa 1320
tcatgataac tgttgtgagt agtgcttttc attctctca cttgcctttg ttacttaatg 1380
tgctttcagt acagcagata tgcaatattc accaaataaa tgtagactgt gttaawaaaa 1440
aaacaacaaa tatgaanaaa aaaaaaaaaa nggggggctn tttt 1484
```

<210> 241

<211> 1521

<212> DNA

<213> Homo sapiens

<400> 241

```
caaaagcctt aatgggcctg cagactttga aaagcgagtg gagggcggtg ggcggccgcg 60
tgcgcccttg gtcaatgcc tcctgacagc acccgagttc cttatttaca ctggctgcat 120
ggtttgtgtg tttctgtttt gtttctctcc ccttgcaggg ctgtttkcg ggtgggtgg 180
ggggttcgct atgtcggatg acgattcgag ggcagcacc agctcctcct catcttcgtc 240
ttccaaccag caaaccgaga aagaacaaa caccccaag aagaaggaga gtaaagtcag 300
catgagcaaa aactccaaac tcctctccac cagcgccaag agaattcaga aggagctggc 360
ggacatcact ttagaccctc cacctaattg cagtgtgtgt cccaaaggcg ataactctc 420
tgaatggaga tcaaccattc tagggcctcc aggatccgtg tatgaggggt gtgtattctt 480
tctcgataac acttttacac cagaatatcc cttcaagcct ccaagggtta catttcggac 540
aagaatctat cattgtaata ttaacagtca aggtgttatt tgcttggaca tattgaaaga 600
taattggagt ccagcactaa ccatttctaa agtcctcctt tctatctgct cacttcttac 660
agactgtaat cctgccgacc ccttggtggg aagtattgcc actcagtata tgaccaacag 720
agcagaacat gacagaatgg ccagacagtg gaccaagaga tacgctacat aaattgggg 780
ttcacaattc ttacattatt tgtctgtcac agaagagagc tgcttatgat tttgaagggt 840
tcagggaggg tgggagttgg taaagagtag ggtatttcta taacagatat tattcagtt 900
tatttcctaa gattttgttg taacttaagg tatcttgcta cagtagacag aattggtaat 960
agcaactttt aaaattgtca ttagttctgc aatattagct gaaatgtagt acagaaaaga 1020
atgtacattt agacatttgg gttcagttgc ttgtagtctg taaatttaaa acagcttaat 1080
ttggtacagg ttacacatat ggccatttat gtaaaagtc tctaagacta catactttt 1140
gttttaaaaca aaattggaat ttgttttccc ttccttgaag ggaacattga tatttaacag 1200
agtttttaga gattgtcatc tcatatata taaatggaca cgtggctata aaacaccata 1260
taagagatga gtagtgcgtt ttattttata tgccaatcta ctttgtttta aaaaggtctg 1320
aatcaggact tgtgaaaacc tgtagtgaat taccttaagc tgtaactaa ctgtaaggcg 1380
tggaatagga gttgctcagt ggattggttc tatgttgggt actacttaag tctgcatttg 1440
```


ttactgtgct aataaacaat attaaaaacc acctaataaa cactgctgtg ttcatttact 1500
tttcttttgc cttttggttg c 1521

<210> 242

<211> 1144

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1093)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1105)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1106)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1139)

<223> n equals a,t,g, or c

<400> 242

gcaaaactgct acgaagaaat acagataaaa aaggcaagcc tgaaatagca tgtgaaaacc 60
cacattgtac agtagtacct ttgaagcagc ctactctaca cattgcagac aaagatccaa 120
tcccagagga gcaggaatta gaagcttatg tagatgatat agatattgat agtgatttca 180
gaaaggatga tttttattac ttgtctcaag aagacaaaga gagacagaag cgtgagcatg 240
aagaatccaa gaggggtgctc caagaattaa aatctgtgct gggattttaa gcttcagagg 300
cagaaaggca gaagtggaag caacttctat ttagtgatca tgtgtttctt catatagctt 360
taaaattatg ctattgacat tatgggaaag atttatcaat gagagaaatg tgtctctttt 420
tcagccgtgt tgaaatcctt gtctcctgta gaccagtggt aaccataag taattcagaa 480
ccatcaatga attcagatat gggaaaagtc agtaaaaatg atactgaaga ggaaagtaat 540
aaatccgcca caacagacaa tgaaataagt aggactgagt atttatgtga aaactctcta 600
gaaggtaaaa ataaagataa ttcttcaa atgaagcttcc cccaaggagc agaagaaaga 660
atgtgttacc aatgtgagag tgaagatgaa ccacaagcag atggaagtgg tctgaccact 720
gcccctccaa ctcccaggga ctccattacag ccctccatta agcagaggct ggcacggcta 780
cagctgtcac cagattttac ctctactgct ggccttgctg cagaagtggc tgctagatct 840
ctctccttta ccaccatgca ggaacagact tttggtgatg aggaggaaga acaataata 900
gaagaaaata aaaatgagat agaagaaaag taagaaccaa gattcatatg aagtgatatt 960
agattgttcc ttttacaaaa gtgttttagct tcaagactgg aaagggaata tgagtgttaag 1020
tttactatat ataaagctaa gatgtggatt tacaggaaga accctgggtt gaataactga 1080
tskgaaatta ggnaaaactt gtccnnggca tttcccgttg aaagttcccc cttaaaaganc 1140
cccc 1144

<210> 243

<211> 934
<212> DNA
<213> Homo sapiens

<400> 243
aacacaggaa aagtcgtcct gccaatcact gtgtttatct ctatggagat gagatttcat 60
tttcatgtca tgagaccagt aggttttcag ctatatgcca aggagatggc acgtggagtc 120
cccgaacacc atcatgtgga gacatttgca attttcctcc taaaattgcc catgggcatt 180
ataaacaatc tagttcatat agctttttca aagaagagat tatatatgaa tgtgataaag 240
gctacattct ggtcggacag gcgaaactct cctgcagtta ttcacactgg tcagctccag 300
cccctcaatg taaagctctg tgcggaac cagaattagt gaatggaagg ttgtctgtgg 360
ataaggatca gtatgttgag cctgaaaatg tcaccatcca atgtgattct ggctatgggtg 420
tggttggtcc ccaaagtatc acttgctctg ggaacagaac ctggtaccca gaggtgcca 480
agtgtgagtg ggagaccccc gaaggctgtg aacaagtgtc cacaggcaaa agactcatgc 540
agtgtctccc aaaccagag gatgtgaaaa tggccctgga ggtatataag ctgtctctgg 600
aaattgaaca actggaacta cagagagaca gcgcaagaca atccactttg gataaagaac 660
tataattttt ctcaaaagaa ggaggaaaag gtgtcttgct ggcttgccctc ttgcaattca 720
atacagatca gtttagcaaa tctactgtca atttggcagt gatattcatc ataataaata 780
tctagaaatg ataatttgc aaagttagt gctttgagat tgtgaaatta ttaatcatcc 840
tctgtgtggc tcatgttttt gcttttcaac acacaaagca caaatttttt ttcgattaaa 900
aatgtatgta taaaaaaaaa aaaaaaaaaa tcga 934

<210> 244
<211> 915
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (210)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (243)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (244)
<223> n equals a,t,g, or c

<400> 244
gcgaccgccc gggcgctgca gaacatcacg gcaggcgacc gagtgggccc ggggtgctgag 60
ccgcctgccc tggagcagga gcgtattctg aacccctgc tagaccgtgt caggaccgcc 120
gaccaccacc agctgcgctc actgactggc ctcacccgaa acctgtctcg gaacgctagg 180
aacaaggacg agatgtccac gaagggtgtn gagccacctg atcgagaagc tgccrggcas 240
gtnnnggtga gaagtygccc ccagccgagg tgctgggtcaa catcatagct gtgctcaaca 300
acctgggtgt ggccagcccc atcgctgccc gagacctgct gtattttgac ggactccgaa 360
agctcatctt catcaagaag aagcgggaca gccccgacag tgagaagtcc tcccgggcag 420
catccagcct cctggccaac ctgtggcagt acaacaagct ccaccgtgac ttcggggcga 480

```
aggctatcgg aaggaggact tcctgggccc ataggtgaag ccttctggag gagaaggta 540
cgtggccag cgtccaagg acagactcag ctccaggctg cttggcagcc cagcctggag 600
gagaaggcta atgacggagg gggccctcgc tggggccctt gtgtgcatct ttgaggggtcc 660
tggggcacca ggaggggcag ggtcttatag ctggggactt ggcttccgca gggcaggggg 720
tggggcaggg ctcaaggctg ctctggtgta tggggtggtg acccagtcac attggcagag 780
gtgggggttg gctgtggcct ggagtatct tgggatagcc agcactggga ataaagatgg 840
ccatgaacag tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaaaaaaa aaac 915
```

<210> 245

<211> 1276

<212> DNA

<213> Homo sapiens

<400> 245

```
gaattcggca gagccccaag gaagaccagc ctgcctctgg tcggttcttg gcgctctgcg 60
tttcgtgacc ttgtccagta gaaggtatt taattttcac aactgcttga attttgacat 120
acaagatgaa gcaagatgcc tcaagaaatg ctgcctacac tgtggattgt gaagattatg 180
tgcattgtgt agaatttaat ccctttgaga atggggattc aggaaaccta attgcatatg 240
gtggcaataa ttatgtggtc attggcacgt gtacgtttca ggaagaagaa gcagacgttg 300
aaggcattca gtataaaaca cttcgaacat ttcacatgg agtcagggtt gatggcatag 360
cttgaggccc agagactaga cttgattcat tgcctccagt aatcaaat tgtacttcag 420
ctgctgatat gaaaattaga ttatttactt cagatcttca ggataaaaat gaatataagg 480
tttttagagg ccataccgat ttcattaatg gtttgggtgt tgatcccaaa gaaggccaag 540
aaattgcaag tgtgagtgac gatcacacct gcaggatttg gaacttgaa ggagtgcaca 600
cagctcattt tgttcttcat tctcctggca tgagtgtgtg ctggcatcct gaggagactt 660
ttaagctaag ggttgagag aagaatggaa caatccggtt ttatgatctt ttggcccaac 720
aggctatttt atctcttgaa tcagaacaag tgccattaat gtcagcacac tgggtgcttaa 780
aaaacacctt caaagtggga gccgttgag gaaatgattg gttaatgttg gatattactg 840
ggtcacatta tcctcaaaat aagagacctg ttcacatgga tcgagcctgc ttattcaggt 900
ggtccacaat tagtgaaaat ctgtttgcaa ccactgggta tcctggcaaa atgcaagcca 960
gtttcaaat catcathtag gacaccctca gcccatcctc atgggttctg tagccgttgg 1020
atctggactg tcctggcatc gaactctccc tctgtgtgta attggaggag accacaagct 1080
gttgttttgg gtgactgaag tataaagtgt tttctgtacc ttagattcac aaactttgta 1140
tttttagtac atattttgaa gaatttctat agtacatatt ttgaagaatt tttatatcaa 1200
atataccgta tacttttagaa aatgtctcag ttgcttttat taaataaaat gttgatgggt 1260
tgaaaaatta aaaaaa 1276
```

<210> 246

<211> 3366

<212> DNA

<213> Homo sapiens

<400> 246

```
cccacgcgtc cgaactggac agggatgacc aacctgctgg atatcccagg acttagctca 60
ctctctgaca ccatgatcat ggaactccatt gctgccttcc tcgtgttgcc caaccgatta 120
ctggtgcccc ttgtgcctga ccttcaagat gtggctcagt tgcgttcccc tctgcccagg 180
ggcattattc gaattcacct gctggctgct cgagggctga gttccaagga caaatatgtg 240
aagggcctga ttgagggcaa gtcagacca tatgcacttg tgcgtttggg taccagaca 300
ttctgcagtc gtgtcattga tgaagaactc aaccacaggt ggggagagac ttatgaggtg 360
atggtacacg aggtcccagg gcaggagatt gaagtggagg tgttcgacaa ggatccagat 420
```

aaagatgact ttctgggcag aatgaagctg gatgtagggg aggtgttaca ggctagcgtt 480
ctggatgatt ggttccctct acaaggtggg caaggccaag ttcacttgag gctagaatgg 540
ctgtcacttt tgtcagatgc agagaaactg gagcagggtc tacagtggaa ttggggagtc 600
tcctctcgac cagatccccc gtcagctgcc atcttagttg tctacctgga tcggggccag 660
gatcttcctc tgaagaaggg gaacaaggaa cccaacccta tgggtacaact gtcaattcag 720
gatgtgactc aggagagcaa ggctgtctac agtaccaact gccagtggtg ggaggaagcg 780
ttccggttct tcctacaaga ccctcaaagc caggagctcg atgtgcaagt gaaggatgat 840
tccagggccc tgacttttag agcactgacg ctgcctctgg ccgcctgct gactgcccc 900
gaactcatcc tggaccagtg gttccagctc agcagctctg gtccaaactc cagactctat 960
atgaaactag tcatgaggat cctgtacttg gattcatcag aaatatgctt cccacggtg 1020
cctggttgct ctggtgcttg ggacgtggac agtgagaatc cccagagagg cagcagtggtg 1080
gatgccccac ctgcaccctg tcacacgact cctgatagcc agtttgggac tgagcatgtg 1140
cttcggatcc atgtattaga gggccaggac ctgattgcca aagaccgttt cttgggggga 1200
ctggtgaagg gcaagtcaga cccctatgtc aaactaaagt tggcaggacg aagcttccgg 1260
agccatgttg ttcgggaaga tctcaatccc cgctggaatg aggtttttga ggtgatcgtc 1320
acatcagttc caggccaaga gctagagggt gaagtctttg acaaggactt ggacaaggat 1380
gattttctgg gcaggtgtaa agtgcgctc accacagtct taaacagtgg cttccttgat 1440
gagtggctga ccctggagga tgtcccatct ggccgcctgc acttgccct ggagcgtctc 1500
acccccgctc cactgctgc tgagttagag gaggtgctgc aggtgaatag tttgatccag 1560
actcagaaga gtgcggagct ggctgcggcc ctgctatcca tctatatgga gcgggcagag 1620
gacctccgc tgcgaaaagg caccaagcac ctacgacct atgctactct cactgtggga 1680
gatagtctc ataaaaccaa gactatttcg caaacttcag cccctgtctg ggatgagagt 1740
gcctccttcc tcatcaggaa accacacact gagagcctag agttgcagggt tcgggggtgag 1800
ggcactggcg tgcctgggctc attatccctg cccctctcag agctcctcgt ggctgaccag 1860
ctctgcttg accgctggtt tacactcagc agtggtcagg ggcagggtgct actgagagca 1920
cagctaggga tcctggtgtc ccagcactcg ggagtggaag ctcatagcca cagctacagc 1980
cacagctcct catcgctgag tgaagaacca gagctctcgg ggggaccccy tcacatcacc 2040
tcctcagccc cagagctccg gcagcgccca acacatgttg acagtcccct tgaggctcca 2100
gcsgggctc tgggcccagg gaaactgact ctgtgtact acagtgaaga acgaaagctg 2160
gtcagcattg ttcatgggtg ccggtccctt cgacagaatg gacgtgatcc tcctgatccc 2220
tatgtgtcac tgttgctact gccagacaag aaccgaggca ccaagaggag gacctcacag 2280
aagaagagga ccctgagtcc tgaatttaat gaacgggttg agtggaact cccctggat 2340
gaggcccaga gacgaaagct ggatgtctct gtcaagtcta attcctcct catgtcaaga 2400
gagcgtgagc tgcctgggaa ggtgcagctg gacctagctg agacagacct tcccagggt 2460
gtagcccggg ggtatgacct gatggacaac aaggacaagg gcagctccta ggagctggcg 2520
agtcccagcc tgaactgctc gtcttccctg cttcgtctcg ctccatcacc gcctcaatgt 2580
gatgagccta aagctagggt ccaagggcag agcctgtgcc cttcagccct ttcacctaac 2640
aggcccatat tcgggccttt gcctgaccaa agagaagaac cgtatgttcc ctttactgca 2700
cggcctttat cttctggtg ccctggggcg gggacctgag ctggctgttt cctgctttgc 2760
ctgcacattg ttctccctc ctcccaactc ctccaggcct tctgtatctg tgccctggcca 2820
gtggcagcac tagcagtggg attagcttat gccaaataca gctttggaag gatctttttt 2880
tctttaacta gatggtcacc ttcttcccta ccacacatgg gtgggaagggt ggacaggcta 2940
acctctccag ctgtgagcct cttagactac tgcattgtagc aaatgttcag cagctcaggc 3000
ccccatgtcc agttctgtcc ccaactgtcct caaccctgtc ctgaaaatc tactgctttg 3060
atggctgggg ccagtctctt gtcacttttg aaactgagga cgcgtggatt ctactcaagc 3120
ctccaagtag tggcatatca gtcttggagc tcctagctgg tgatacggag agggctttg 3180
aggacttggg acagcagggc caattttttt cccaagtgc ctaggctgct aactcactga 3240
ctagaactta atctggtact ttacagtttt gcaccaactc tgccaagcca ctggatctta 3300
cattaacat catactcaaa aaaaaaaaaa aaaaaaatt cggggggggg cccgttacct 3360
atttgg 3366

<210> 247
<211> 2148
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1259)
<223> n equals a,t,g, or c

<400> 247
gcggccgcca agcgatccct gctccgcgcg acactgcgtg cccgcgcacg cagagaggcg 60
gtgacgcact ttacggcggc agcgtaagtg cgtgacgctc gtcagtggct tcagttcaca 120
cgtggcgcca gcggaggcag gttgmtgtgt ttgtgcttcc ttctacagcc aatatgaaaa 180
ggcctaagtt aaagaaagca agtaaacgca tgacctgcca taagcggat aaatccaaa 240
aaaaggttcg agaaccatcat cgaaaattaa gaaaggaggc taaaaagcrg ggtcacaaga 300
agcctaggaa agaccagga gttccaaaca gtgctccctt taaggaggct cttcttaggg 360
aagctgagct aaggaaacag aggcttgaag aactaaaaca gcagcagaaa cttgacaggc 420
agaaggaaact agaaaagaaa agaaaacttg aaactaatcc tgatattaag ccatcaaatg 480
tggaacctat ggaaaaggag tttgggcttt gcaaaactga gaacaaagcc aagtcgggca 540
aacagaattc aaagaagctg tactgccaag aacttaaaaa ggtgattgaa gcctccgatg 600
ttgtcctaga ggtgttgat gccagagatc ctcttggttg cagatgtcct caggtagaag 660
aggccattgt ccagagtgga cagaaaaagc tgggtacttat attaaataaa tcagatctgg 720
taccaaagga gaatttgag agctggctaa attatttgaa gaaagaattg ccaacagtgg 780
tgttcagagc ctcaacaaaa ccaaaggata aagggaagat aaccaagcgt gtgaaggcaa 840
agaagaatgc tgctccattc agaagtgaag tctgctttgg gaaagagggc ctttggaac 900
ttcttgaggg ttttcaggaa acttgacgca aagccattcg ggttgagta attgggttcc 960
caaattgtgg gaaaagcagc attatcaata gcttaaaaca agaacagatg tgtaattgtg 1020
gtgtatccat ggggcttaca aggagcatgc aagttgtccc cttggacaaa cagatcaca 1080
tcatagatag tccgagcttc atcgtatctc cacttaattc ctctctgctg cttgctctgc 1140
gaagtcagc aagattgaa gtatgaaac cgatggaggc tgccagtgc atcctttccc 1200
aggctgatgc tcgacaggta gtactgaaat atactgtccc aggctacagg aattctctng 1260
gaatttttta ctrtgcttgc tcagagaaga ggtatgcacc aaaaagggtg ratcccaaat 1320
gttgaagggt ctgccaact gctgtggtct gagtggacag ggtaagcttt cttttctgtt 1380
ggcatttttg tgaccactag aataaacctt cttttgacac atcttatttt taatatcagt 1440
gcctcattag ctactattg ccatccccct acatcttggc ctctctctcc atattttaat 1500
gagagtattg tggtagacat gaaaagcggc ttcaatctgg aagaactgga aaagaacaat 1560
gcacagagca taagagccat caagggccct catttgcca atagcatcct tttccagtct 1620
tccggtctga caaatggaat aatagaagaa aaggacatac atgaagaatt gccaaaacgg 1680
aaagaaaagga agcaggagga gagggaggat gacaaagaca gtgaccagga aactgttgat 1740
gaagaagtgt atgaaaacag ctcaggcatg tttgctgcag aagagacagg ggaggcactg 1800
tctgaggaga ctacagcagg tgaacagtct acaaggctct ttatcttgga taaaatcatt 1860
gaagaggatg atgcttatga cttcagtaca gattatgtgt aacagaacaa tggcttttta 1920
tgattttttt tttaacattt taagcagact gctaaactgt tctctgtata agttatggta 1980
tgcatgagct gtgtaaattt tgtgaatatg tattatatta aaaccaggca acttggaatc 2040
cctaaattct gtaaaaagac aattcatctc attgtgagt gaagtagtta tctggaataa 2100
aaaaagaaga tacctattaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 2148

<210> 248
<211> 2225
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<400> 248

```
ccaaagaatt gggncacagc acgtgctgac caccatgcct cgatgaactg ggtcccctgc 60
ggccactctt attttgwgwc cacacttaat agcttcatcc acgtcctcat gtactcttac 120
tatggtttgt cgtcagtcctt ttccatgcgt ccatacctct ggtggkaaga agtacatcac 180
tcaggggcag ctgcttcagt ttgtgctgac aatcatccag accagctgcg ggtcatctg 240
gccgtgcaca ttccctcttg gttggttgta ttccagatt ggatacatga ttccctgat 300
tgctctcttc aaaaacttct acattcagac ctacaacaag aaaggggcct ccgaaggaa 360
agaccacctc aaggaccacc agaattgggtc catggctgct gtgaatggac acaccaacag 420
cttttcaccc ctggaaaaca atgtgaagcc aagggaagctg cggaaggatt gaagtcaaa 480
aattgaaacc ctccaaacca cgtcatctga ttgtaagcac aatatgagtt gtgccccaat 540
gctcggttaac agctgctgta actagtctgg cctacaatag tgtgattcat gtaggacttc 600
tttcatcaat tcaaaacccc tagaaaacgt atacagatta tataagtagg gataagattt 660
ctaacatttc tgggctctct gaccctgcg ctagactgtg gaaagggagt attattatag 720
tataacaacac tgctgttgcc ttattagtta taacatgata ggtgctgaat tgtgattcac 780
aatttaaaaa cactgtaatc caaacttttt tttttaactg tagatcatgc atgtgattgt 840
aaatgtaaat ttgtacaatg ttgttatggt agagaaacac acatgcctta aaatttaaaa 900
agcagggccc aaagcttatt agtttaaat agggatgttt tcaagtttgt attaatattg 960
aatagctctg tttagaaaa atcaaagacc atgatttatg aaactaatgt gacataattt 1020
ccagtgaact gttgatgtga aatcagacac ggcacctca gttttgtact attggctttg 1080
aatcaagcag gctcaaatct agtggaaacag tcagtttaac tttttaacag atcttatttt 1140
tttattttga gtgccactat taatgtaaaa aggggggggc tctacagcag tcgtgatgaa 1200
acttaaatat atattctttg tcctcgagat tttaggaagg gtgtagggtg agtaggccat 1260
ttttaatttc tgaagtgtca agtggtttta tacagcaaac aaaaagtcaa ttttgctttc 1320
caccagtgcg agagaggatg tatacttttc aagagagatg attgcctatt taccgtttga 1380
cagagtcccc tagatgagca atggggaact gggtgccagg gtctaaattt ggattgattt 1440
atgcactggt atctgttttg acacagattt ccttgtaaaa tgtgcctagt ttacaaaaat 1500
taacaaaggg ggggaaagga ccttagaact ttttaaggta aaatcaaata tagctacagc 1560
ataagagaat cgagaaattt gatagaggta acttgtttaa tgtaaatcta atagtacttg 1620
taattttctt ctgcttagaa tctaaagatg tgtttagaac ctcttgttta aaaataatag 1680
actgcttatt ataaaatcac atctcacaca tttgaggcag tggtaaaca ggtaaagcct 1740
atgatgtgtg tcattttaaa gtgtcggaat ttagcctctg aataccttct ccattggggg 1800
aaagatatct ttggaaccac tcatgacata tcttagaagg tcattgacaa tgtataaact 1860
aattgttggt ttgatattta tgtaaatatc agtttaccat gctttaattt tgcacattcg 1920
tactataggg agcctattgg ttctctatta gtcttggtgg ttttctgttt gaaaaggagt 1980
catggcatct gtttacattt accttatcaa acctagaatg tgtatattta taaatgtatg 2040
tcttcattgc taggtactaa ttgcagatg tctttacata tttcaatata gaaactataa 2100
cattcaatag tgtgctgtca aagtgtgctt agctcacctg gatataccta cattgttaaa 2160
tgtctaaaca gtaatcatta aaacattttt gattaaaaaa aaaaaaaaaa aaaaaaaaaa 2220
aaaaa 2225
```

<210> 249

<211> 1204

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1197)

<223> n equals a,t,g, or c

<400> 249

```
tcgccgctgg ctccgtctgt tggggggcga acacgccgcg gtcctcgtcg tggtagagcgc 60
ascactcagg ctggtcctgg ggggtggggct gtaggggaaa gtgctaaagc cgctgagtga 120
agtaagaact ctgctagaga ggaaatggct gcttcatcat catcctcctc agctgggtgg 180
gtcagtgga gttctgtcac tggatctggt ttcagtgtct cagaccttgc cccaccacgg 240
aaagcccttt tcacctaccc caaaggagct ggagagatgt tagaagatgg ctctgagaga 300
ttcctctgcg aatctgtttt tagctatcaa gtggcatcca cgcttaaaca ggtgaaacat 360
gatcagcaag ttgctcggat ggaaaaacta gctggtttgg tagaagagct ggaggctgac 420
gagtggcggg ttaagcccat cgagcagctg ctgggattca cccctcttc aggttgatac 480
tgcctggatg gtcacctctg gtgcgcagca agtgcaaagc cagtggggga ctttctcaca 540
gcttacatag ccacccagag atccacagct acgtcactga attgttaatg cacatttgta 600
cttggtttct ctgtatctat tcacaggcaa caaatactta tatgtgtgat ctttcaggga 660
atgttttgtt tatttgtttt taaaagtatt gggaaatcaga ttaagacaat cagtttcaga 720
gaaccaggag gtttggggtt aagagatact caaaaatttt cacaagccaa gtagggcata 780
tatcagattt ggccaactga atggcgtctg tcctgtcatc catatgggtg ctggaaatat 840
ttaccagtca aggtcaaggt cagcatctgt ggttaaaaat atagcattct gacctaaaaa 900
agttattttg cagatgaatg tgttttcaac tcaggacctt tccaaatgag gaatttttaa 960
atattctttt ttttttctta tttttagaca tcaattctat agattctgac tttttctaac 1020
ctcttataga catgccaaat gctggcaaaa agaagtgctt tttggatatg gcagcacttg 1080
taaaaaataa gcagtaagca aaatcctttt aaacacagaa atcctgagtt cttctcattg 1140
gtggactcaa gcaattctgt agcaataaaa tcctttgaaa gagctccaaa aaaaaanaaa 1200
aaaa                                             1204
```

<210> 250

<211> 1314

<212> DNA

<213> Homo sapiens

<400> 250

```
gcgctccttt cctggcagca ggggtttcaa tgggaggaat gctgcttcta aattacttg 60
gcaaaattgg gtccaaaacg cctttgatgg cagctgcaac tttttccgtt ggttggaaca 120
ccttcgcttg ctcagagtca ttggaaaaac cactgaactg gctacttttt aattactatt 180
tgacaacctg ccttcagtct tcagttaata agcaccgaca tatgtttgta aaacaagttg 240
atatggatca tgcatgaag gctaaatcca tcagagagtt tgataagcga ttcacttcag 300
tcatgttttg ataccaaaca attgatgatt attatactga tgccagtccg agtcctagac 360
tgaagtcagt aggaattcca gtattgtgtc taaattctgt ggatgatgtt ttctcacca 420
gtcatgctat tccaatagaa actgctaagc aaaatcctaa tgttgctttg gtccttactt 480
cttatggagg ccatattggg tttctggagg gaatctggcc aagacagtcc acttacatgg 540
atcgtgtctt caagcaattt gtgcaagcca tgggtgagca tggacatgaa ctctcttaac 600
atgtagttct ttgggtgcat tttgtctgaa ccacaattgt gaaggcagct cagcttagtg 660
cacaaatttt aactgttgta tataaagcaa ataagccagc agatgggtga agaggctcag 720
aatgatatgc aaaaactact ttttagagaa acaaaacaac tttgtagcaa caaattaaat 780
atagtattag attgttactt acgtagattt tatttttact atgccttacc aagtacatcc 840
ttaaacaagg tagtatgtac atgaaattgc acttaaccaa aactattgtg taaaacaaat 900
tttaattcct cagggtttta atttaaacta gtattttttt agattatttg ttttaggtga 960
```

```
tttaatggta ctttaataac tactaagaaa tattggctat ttcaatgtaa gttataaggt 1020
ggtacattcc taaggggtatt tatagttgat gataacatga aaactgaaat aagataaaat 1080
acaacgtgct aaatctttta tgtattctaa ctttaaaaga caagtgaac aaagttagac 1140
tgacttctat atgtgctctt ttactctgat aatattaaat taggactaac ttatgtttta 1200
taatgattat aatttacatg cttattttta aaatagtata tgtggacaca tatatatcat 1260
tatattaaaa taaattctac catttttaaat tggaaaaaaa aaaaaaaaaa aaaa 1314
```

<210> 251

<211> 1159

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1132)

<223> n equals a,t,g, or c

<400> 251

```
cctgcctcag cctcctcagt agctgggact acaagtgcct gccaccacgc ctgggttatt 60
ttttatattt ttagtagaga cggggtttca ctgtgttagc caggatgggc tcgatctcca 120
ggatgggtctc gatctccagg atgggtctga tctcctgacg tcgtgatcca cccgcctcgg 180
cctcccaaaa tgctgggatt acaggtgtga gccactgtgc ccggccaaaa gaacagaaat 240
tattttatcc tgaagtaagc tgtttatatt tgggattata ctgaacctat ttgtccaata 300
acctgagttt tcaaataaatt ttagttctat aagtactata attatataaa tattaatgaa 360
ttcagattag ctgaaaggaa aaaaagtaga agcctgacta cttgggtgcta actactaaag 420
attttggcag aatcaatgtt ggatttggct ttcctgtccc ttcccatgc cagcccccca 480
gagtgttctg ccttgtgtctg cctcccttca cckggagtgc cacaccctc tctctgccag 540
ttcagctctt cattcttcaa ggcctgacct tgtctgacct ttgtgcctct aaaccctggg 600
gccccacctc tcttgggtcc tatgtcaggt gatgtttgtg tttttggtta tgcccatctc 660
catagccaga ccaagcactc tggaagccag ggttgggtgc ttatttatct gtttgccatg 720
cagaaaaatat cttgcacaaa attacctctg ttaaggaaatc tgaagctgaa tttagtttgg 780
ctgagtcagg gttgggtttt ttttaagggg ctgtgggggtg aaatgttgac tggaagccac 840
ccacaaacac acacctgctg gtttaggaacc cggctgtggg tggttctgag ctgtttggct 900
tcattgacag tttctgattg ccctgagcac caggtctcat cttgcatctc atcctggcct 960
ggagaacatt cagtttctct ccaacccttc ccaccttccc cccactccct tggagggaact 1020
gaagttgggg ttgaggagag ccagatggct ggagtgggta tttgaaggkc tttctgtcac 1080
ctgttcagtg tgggtctgcc caccctgct gacmaagact gactgaaatg tnaaataata 1140
cagaccatct caactcaga 1159
```

<210> 252

<211> 2488

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (64)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2334)

<223> n equals a,t,g, or c

<400> 252

```
tgatgncca gctggtactc ctgcaggtac cgggtccggat tcccgggtcg acccacgcgt 60
ccngggacgc gtgggttgct cggcagcttg caaagcctga caacaccttg tttgtaaaca 120
gaacactttt tgatcaggtc cttgaattcc tttgtagtcc tgacgatgac tcccgcact 180
ctgaaagaca gcaggtcctt ttgaattgc tgcaggctgg aggcatagtt caatttgaag 240
agagtcgact catcgggatg gcagaaaaag ctgagttcta tcaaatttgt gaatttatgt 300
atgaaagaga acaccaatat gacaaaatta ttgattgcya cttacgtgac cctctgcgag 360
aggaagaagt ctttaattac attcacaata tcttayccat tcccggacac agtgcagagg 420
agaagcagtc tgatggcag aaagcaatgg atcatattga ggaacycgkg kccctgaagc 480
cttgtaaagc tgcggagctg gttgccaccc acttttcttg acatattgaa acggtcatta 540
aaaaacttca gaaccaggtt ttgcttttca aatttttgag gagtcttctt gacccaaggg 600
aaggatttca tgtaaatcaa gaattactgc aaatatctcc ttgtatcaca gagcagttca 660
ttgagctggt gtgtcagttc aacccaaccc aagttataga gactctgcaa gtccttgagt 720
gctaccgtct ggaagaaact attcagatta ctgagaagta tcaacttcat gaagtcaccg 780
cttatctatt ggaaaagaaa ggagatattc atggtgcctt cctaataatg ttagagagac 840
tacaaagcaa acttcaagag gtaacacatc aaggtgaaaa tacciaagag gatccctcat 900
tgaaggatgt tgaagatact atggtggaga ccattgctct ttgccagaga aattcacata 960
atttgaacca gcagcaacgt gaggcccttt ggtttccgtt attggaggca atgatggccc 1020
ctcagaagct gtccagttca gccattcctc atctacactc tgaagctctg aagtctttga 1080
ccatgcaagt tttaaatagc atggcagcat ttattgccct tccatcaatc ttgcaaagaa 1140
tcttacagga tccagtttat ggaaaaggaa aacttgagaa aatccaggga cttatcttgg 1200
gaatgtttaga tacctttaac tatgaacaaa ccctgctgga aacaacaacc agcctttaa 1260
accaagatct ccattggtca ttgtgtaacc tgagagcttc ggtcaccaga ggactgaatc 1320
ccaaacaaga ttactgctct atatgtttgc agcagtacaa gagacgcaa gaaatggctg 1380
atgaaataat tgtctttagc tgtggccatt tgtatcactc attctgccta caaaacaaag 1440
aatgcactgt ggaatttgag ggccaaacaa gatggacatg ctacaaatgc agttcaagta 1500
acaaagtagg aaaactcagt gaaaattcat ctgaaattaa aaagggaagg ataaccccat 1560
cacaggtaaa aatgtctcca tcgtatcatc agtccaaagg ggatccact gctaaaaagg 1620
gaacctcaga acctgttctg gatccacagc aaatccaagc atttgatcag ctttgccgtc 1680
tctaccgagg aagctccagg ctggctctcc tcacggaact ctcccagaat cgcagcagcg 1740
agagctatag gccattcagt ggctcgcaga gtgctcctgc tttcaacagc atcttcaga 1800
atgagaactt ccagctgcag ctcatcctc cacctgtgac tgaggattga tgactccatg 1860
gagcctggcc caggagaacc agagatgatc ccgaggcagc tggggagagg ccccgctct 1920
ggtgggcttg gcctccacca cctcccatgc ttctgagaag aggttccaaa ttgggctcct 1980
gtgcccagag cgtccacagc accattccca gtgtagactc ccagtcttct ccacattgct 2040
gtcatggcgt cagttcacca gactcattga tttgttttg cttgttaagc aaaggaatgt 2100
cacatactc tgtccagctt tttaggaat acatttcgcc tattgcgact ttttccattt 2160
acctgaagc ctagaaagta ggtggaactc acacaaatgg cattccagag tctgccatac 2220
tccgtctcct ccagctgctg gataatacag aggaacttca acttctacag ggaacagtgg 2280
ttggccaggc tgcagtataa ctgaagcatg ccttgagag agcagacact gtgngggcca 2340
gggccatctc ctttaaatgt gtcatgtta aaacctattt gagtgtgaaga cttgcccttt 2400
ctaacaataa atgctctgtg ttaagttct gcaggtctcc tggctggctg gctggctctc 2460
agtctgtcaa gtcatggagg acatttctg 2488
```

<210> 253
<211> 1554
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (6)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (81)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1496)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1523)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1535)
<223> n equals a,t,g, or c

<400> 253
actgnaatc cactactatt tggaaagctg gtccgcctgc aggtaccggt ccggaattcc 60
cgggtcgacc cacgcgtccg nggacgcgtg gggtctggtt ttgctctagt gtttgggttt 120
cttcgcggct gctcaagatg aaccgactct tcgggaaagc gaaacccaag gctccgccgc 180
ccagcctgac tgactgcatt ggcacggtgg acagtagagc agaatccatt gacaagaaga 240
tttctcgatt ggatgctgag ctagtgaagt ataaggatca gatcaagaag atgagagagg 300
gtcctgcaaa gaatatggtc aagcagaaag ccttgcgagt tttaaagcaa aagaggatgt 360
atgagcagca gcgggacaat cttgcccaac agtcattcaa catggaacaa gccaattata 420
ccatccagtc tttgaaggac accaagacca cggttgatgc tatgaaactg ggagtaaagg 480
aaatgaagaa ggcatacaag caagtgaaga tcgaccagat tgaggattta caagaccagc 540
tagaggatat gatggaagat gcaaatgaaa tccaagaagc actgagtcgc agttatggca 600
ccccagaact ggatgaagat gatttagaag cagagttgga tgcactaggt gatgagcttc 660
tggtctgatga agacagttct tatttgatg aggcagcatc tgcacctgca attccagaag 720
gtgttccac tgatacaaaa aacaaggatg gagttctggt ggatgaattt ggattgccac 780
agatccctgc ttcatagatt tgcatcattc aagcatatct tgtaaaacaa acacatatta 840
tgggactagg aaatatattat ctttccaaat ttgccataac agatttaggt ttctttcctt 900
tccttgaaag aaagttaaat tacattgctc ttttattttt tccattaaga gactcattgc 960
ttgggaaatg ctttcttcgt actaaaattt gattcctttt tttcttatga aaaacgaact 1020
cagtttaaaa gtatttttag ctcgtatgac ttgttttcat tcattaataa taatttgaaa 1080
taaaactaag gaaatggaat cttaaaagtc tatgacagtg taactctaca gtctcaaaat 1140

```
gacctgataa attgataaga caaagatgag attattgggg ctgttcatat tatgattcag 1200
aatcattttc tattgtggta ttatagggtg gttaaagtga tggccttttt gatgggtttt 1260
gttgtgtctt gtgaacaagt cgttactgtg tccattattg gaatggaatt atcactactg 1320
tatcatgagt ggggtattttg attctatggt tccctcagta ttacatcttg acttgtaatc 1380
aattatgaat atttcttgat atttaatgta taggacattt atttatactc aataaatatt 1440
tttcaaaagg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggggcg cccgcncatg 1500
aggatcccc gagggggggc cangcttacg cgtgncatgc gacgtccaaa gccc 1554
```

<210> 254

<211> 1506

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1492)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1506)

<223> n equals a,t,g, or c

<400> 254

```
ctggaagaat tcgcgtggca ggagaggcgg ggcaattttg ctnagctttc tcgcgggcctt 60
gcagctgcgg caagtgcctg cggcggctgc tcgcgcaagt cagctggcgt gggaactacc 120
ctttgtagct gagaacggct tgtttattgc tacaaagact ctattgacat tggtagcttc 180
agcggcagca gcttcttacg gtataaagct gttgcttctt gaagaggcta caagcatcct 240
tccctaggac tgctgtaagc tttagcctc tagcaggaga catgcctcgg ggacgaaaga 300
gtcggcgccg ccgtaatgcg agagccgcag aagagaaccg caacaatcgc aaaatccagg 360
cctcagaggc ctccgagacc cctatggccg cctctgtggt agcagacacc cccgaagacg 420
acctgagcgg ccccgaggaa gacccgagca ctccagagga ggcctctacc acccctgaag 480
aagcctcgag cactgcccaa gcacaaaagc cttcagtgc ccggagcaat tttcagggca 540
ccaagaaaag tctcctgatg tctatattag cgctcatctt catcatgggc aacagcgcca 600
aggaagctct ggtctggaag gtgctgggga agtttagaat gcagcctgga cgtcagcaca 660
gcaccttttg agatccgaag aagatcgtca cagaagagtt tgtgcgcaga gggtagctga 720
ttcataaacc ggtgccccgt agcagtcggg tggagtatga gttcttcttg gggccccgag 780
cacacgtgga atcgagcaaa ctgaaagtca tgcattttgt ggcaagggtt cgtaaccgat 840
gctctaaaag actgacctgt aattatgact gggattcggg cgatgatgca gaggttgagg 900
ctatcctcaa ttcagggtgct aggggttatt ccgcccccta agtagatctg aggcagaccc 960
ttgggggtgt aaaagagagt cacagggtacc ccaaggagta gatgccaggg tcctaagttg 1020
```

```
aaaatgatgt cgattggggg cgggggacac tgtatttgat atttgtgatc agtgatcatt 1080
gttcaactgc gaaatagagt gtttgctttt gataatggaa aattgtattc gttttaaaat 1140
tccgtttgtt gagaataaca atatgtttta aaatataatt gaacaaattt ttttctttgt 1200
ttcctgtcat tgacatttag tataacagtt ttgctaacgt tctaaaatga agtcgttcca 1260
tcataatcta tgatcttgta cagcacttat agaaaataagc tggtcttttg aagttgaaat 1320
accagtaaa atgttgaaga aggatggagg atttcttcat atctgacgtt tctgaaaccc 1380
tttgtgtctg ctgttgtgtg aagattgaca ttaccatga ttttccttag ttactgcaga 1440
acatagagaa aaataaaagc ctaacgaata gtaaaaaaaaa aaaaaaaacc tngggggggg 1500
nccccgn 1506
```

<210> 255

<211> 654

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (632)

<223> n equals a,t,g, or c

<400> 255

```
actcacenta ttggaaaagc tggtagcctt gcagggtccc gtccggaatt cccgggtcga 60
cccacgcgtc cgatctttcc gcgccgttga gtagcactct ctgagagctc caatttcac 120
cgtctgccat cggcgccatc ctgcaatcta agccacaatg gtgcgcatga atgtcctggc 180
agatgctctc aagagtatca acaatgccga aaagagaggc aaacgccagg tgcttattag 240
gccgtgctcc aaagtcatcg tccggtttct cactgtgatg atgaagcatg gttacattgg 300
cgaatttgaa atcattgatg accacagagc tgggaaaatt gttgtgaacc tcacaggcag 360
gctaacaag tggtgggtga tcagcccagc atttgacgtg caactcaaag acctggaaaa 420
atggcagaat aatctgcttc catcccacca gtttggtttc attgtactga caacctcagc 480
tggcatcatg gaccatgaag aagcaagacg aaaacacaca ggaggggaaa tcctgggatt 540
ctttttctag ggatgtaata catatattta caaataaaat gcctcatgga caaaaaaaaa 600
aaaaaaaaaa aaaaaagggs gsgsgtctag anggtccaag cttacgtacg cgtg 654
```

<210> 256

<211> 1992

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (558)

<223> n equals a,t,g, or c

<400> 256

```
gctcgccata cacctgcgca acgccatgac caccgcgaag aaggaaacat accagtctgt 60
gtacaactgg cagtatgtgc actgcctctt cctgtggtgc cgggtcctga gcactgcggg 120
```

```
ccccagcgaa scctccagcc cttggtctac ccccttgccc aagtcacatc tggtctgtatc 180
aagctcatcc ccactgcccg cttctacccg ctgcgaatgc actgcatccg tgccctgacg 240
ctgctctcgg ggagctcggg ggccttcacg cgggtgctgc ctttcacccg ggagatgttc 300
cagcaggtcg acttcaacag gaagccaggg cgcatagact ccaagcccat caacttctcc 360
gtgatcctga agctgtccaa tgtcaacctg caggagaagg cgtaccggga cggcctgggtg 420
gagcagctgt acgacctcac cctggagtac ctgcacagcc aggcacactg catcggcttc 480
ccggagctgg tgctgcctgt ggtcctgcag ctgaagtcgt tcctccggga gtgcaagggtg 540
gccaaactact gccggcangt gcagcagctg cttgggaagg ttcaggagaa ctcggcatac 600
atctgcagcc gccgccagag ggtttccttc ggcgtctctg agcagcaggc agtggaagcc 660
tgggagaagc tgacccggga agaggggaca cccytgacct tgtactacag ccaactggcg 720
aagctgcgtg accgggagat ccagctggag atcagtgga aagagcggct ggaagacctg 780
aacttcctcg agatcaaacg aaggaagatg gctgacagga aggatgagga caggaaagcaa 840
tttaaagacc tctttgacct gaacagctct gaagaggacg acaccgaggg attctcggag 900
agaggggatac tgaggccctc ggcactcgg catgggggtg aagacgatga agaggacgag 960
gaggaggagc aggaggacag cagcaactcg gagggtgaat ggtcttggga tggagaccca 1020
gacgcagagg cggggtctgc cctggggag ctgcagcagc tggcccaggg gccggaggac 1080
gagctggagg atctgcagct ctcagaggac gactgaggca gcccactctg ggggcctgta 1140
ggggctgcgg ggctggtggc cagtgtttcc acctccctgg cagtcaggcc tagaggctgg 1200
cgtctgtgca gttgggggag gcagtagaca cgggacaggc tttattattt atttttcagc 1260
atgaaagacc aaacgtatcg agagctgggc tgggctgggc tgggtgtggc gctgaagccc 1320
cacagctgtg ggctgtgaa gtcagctccg cgggggagct gaccctgacg tcagcagacc 1380
gagaccagtc ccagttccag ggggaggcct gcagcccctg gccmmtcca ccacctctgc 1440
cctccgtctg cagacctcgt ccactctcac cmggctctgc yttcactccc ccaagtcttt 1500
ggaaatttgt tcttttccct tgaagtcaca ttttctttta aaattttttg ttttgcaccc 1560
gaaaccgaaa gaaataaagc ggtgggaggc agggccattg tgttgagtgg tgggaagggt 1620
gccgtctctg ctgcaggacg cctctcggaa agagatgttc acgtcccagt ggggtgtggac 1680
tcttctcttc atgatacga tggtcggacc atcctcctgc ttcaagcctg ccgccgccac 1740
aggtggggcc actcccgtcg ctgtcaccat cgctggcaga gaagctggga gtctcgtcct 1800
tcttcaggtt ccgggcggca ggcagggcga ctgtcctctt gtctgccagc cgcaccgggt 1860
caccggggag gatattcggc agcccgggca gtcgcagatc ggaggatgca cctgcaggat 1920
ccccttgagc ataagcgtct tcagactttt cccttccgag cggagggagc ggcccgcgag 1980
ccccaagcgc tg 1992
```

<210> 257

<211> 2273

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2271)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2273)

<223> n equals a,t,g, or c

<400> 257

```
ggcacgagct ggcggggaag gagaggtagc gcgctccggg ctgcccgcgt aggtcggggc 60
cgcggcgtcc cccaccctaa gtcccacctc cggccgggca tgggtacccg ggcgggcctg 120
```

```
gctcggcctg ggcccaactca ctggtccaga agcagctgta ggtgcccacc aagcccatga 180
cgacgctgct ggccagggtc cagccctatt caggcaggag ctgctcttct ggggtatcgc 240
gatccactta aggatgaggc agacttggtg acaagctggt ctgagcagcg cttccagagc 300
cagaactgag cccagtgaga gcgcaccctg gggcagcctg gattcctggg gtgtcccccg 360
cagccacaca cagccatgca ctacccaact gcactcctct tcctcatcct ggccaatggg 420
gcccaggcct ttcgcatctg cgcttcaat gcccagcggc tgacactggc caagggtggc 480
agggagcagg tgatggacac cttagtctcg atactggctc gctgtgacat catggtgctg 540
caggaggtgg tgactcttc cggcagcggc atcccgcctc tgcttcgaga actcaatcga 600
tttgatggct ctgggcccta cagcaccctg agcagcccc agctggggcg cagcacctac 660
atggagacgt atgtgtactt ctatcggta cacaaacac aggtcctgag ttcctacgtg 720
tacaacgatg aggatgacgt ctttgcccgg gagccatttg tggcccagtt ctctttgccc 780
agcaatgtcc tccccagcct ggtgttggtc ccgctgcaca ccactcctaa ggccgtagag 840
aaggagctga acgcccctca cgatgtgttt ctggaggctc cccagcactg gcagagcaag 900
gacgtgatcc tgcttgggga cttcaatgct gactgcgctt cactgaccaa aaagcgctg 960
gacaagctgg agctgcggac tgagccaggc ttccactggg tgattgccga tggggaggac 1020
accacagtgc ggccagcac ccactgcacc tatgaccgag tcgtgctgca cggggagcgc 1080
tgccggagtc tgctgcacac tgccgctgcc tttgacttcc ccacgagctt ccagctcacc 1140
gaggaggagg ccctcaacat cagtgaccac taccctgagg aggtggagct gaagctgagc 1200
caggcgacac gcgtccagcc tctcagcctc actgttctgt tgctgctatc actcctgtcc 1260
cctcagctgt gccctgctgc ctgagcgtcc ccctaccccc ccagggcctg ctgccttttg 1320
ggacttaaac cccagcctcc ccgctccatc cagccctggg gctggggggc ttcaactata 1380
gttgccctgt gactgtagtc caccctgcc tgccttgttt gatttggtc ttgttctttg 1440
gttgggcttg tgctagatt aggagaggaa gccagggggc ctgcactcat gccacctgcc 1500
aggtagtgtg gtatcaggag tggagacaaa gtgggctctg ggttggggta ggggaaggga 1560
gggttcagaa agaggaatga agatgttgta tgacaagaag gaaagttact gagaacaaaa 1620
acccagattg gtgagatagg acacttgtgc agcagatatg ccaatggggc atgtttattg 1680
tggtattgta agaataacca ggaaaccatt aagccccaat agctacaagg aggggtggtta 1740
atctgtata tcaaaactcct tcctgaaac cagcaaacac cgggaaacat ttgggtcat 1800
tataatccgg tgaacaatgc agtcaggcct gttataaccg ctgagcagcc acactcgcac 1860
ctcctgggtg ctgtagtctg tgttggtaca ggcttctgca tgcttggtta agtccagcca 1920
aggtggtga agcaacatc tccacacaga aaatctgcac cagttatgta agctaaaaag 1980
ctgtgtgaac ccagggtgcc cggaaagggg ctgcaggaca cagcaaaatg ccagcagcrt 2040
gccggacccc tccttccat cctcctctcc aaagaasaga ggtcaggaaa aacactggct 2100
gggacgctag aagggtcatg tgtaactat aatcacattt atggtttggg accatcacc 2160
caaggtaaaa aaaaaataaa aggtattccc aggtatgttt ggcaaaataa aataaaggta 2220
attaaaaacc taaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaattttgcg ncn 2273
```

<210> 258

<211> 1504

<212> DNA

<213> Homo sapiens

<400> 258

```
ctgtactctg ccctagattg ttttagcttc tgttctgtaa tcatgagttt ggttggagat 60
attctccata gatgatcttc tactgaaatg cctaaagaag tcacaggctg gcttctgttt 120
tattcaggga tttttttaa aagtcaatca gaaaagggat actggagctt cttcatgtat 180
gtaacagcat attaaactgg agacagtgat gaatcagcta caaaggtaat attgtattaa 240
aatcatgttt aagatagctg cttttatgtg tattttatat tgcatgcttt tgtaaaaaaca 300
tgctgggtga tgaaagatta gttttagaga gaaaaatgtt atctgtgcag aggatgcatt 360
ttcttccatt aattctggaa aaaacgttca cagttatata tatggtat ttgcaaaagga 420
ctattaatag aaccttttga gatgaattaa tgtaagaata ttttttaaat aggccttactg 480
```

```
tcaaattgca actttttttt tagatacaga gtggaaaaca gtgctaagtc atttggcacc 540
tccttacaaa tatttttcat ggtcacattt attaaatgtt actacatttc tgaatttttg 600
aaaaatgtat tttatcatta aatggcatta ttttaaaggg tgaaaaactg acacagtcaa 660
ttcagaaaat ggactgaagt ctgaataagg tcattgcatt taaaaagcat ataactgtac 720
ttgactgatg agggaggtgt tactttcatt gtatataggt cttattttcat aaacagatat 780
cctgtatcaa ataaaagtat ttgtttatata tttgaagtta tgcattggaaa ggagtgtgtt 840
taaattgtta caaacaataa tgcgtcatta aaggccatgc tgatcttgca taactataag 900
tactatgaat gaatttggtt ggtttttggtt ttgtacagct cacatgttta cactcagt 960
gccctaattt cccctgaggg aatcgctttt taagtgatcc ttacagtggg gttttatgtt 1020
actttattac agagctcctt ggttttttac ttctgcactt aaattttttt aaataacatg 1080
atgatggtag attttcctct attgtctagc taagggtttt cgggtccacca gtaaataaga 1140
tcaaatgctc ttaaagtgtc ctgttaccat cctaatgtaa atactggatt tttctgtcat 1200
ttagcaccat gctgcttctg tctgtcttaa tgctggcatt aagatcatga gccctttttc 1260
tccagttaga caggctttga aaactacttc tattaagtta ttgatgcaat ttgatatttt 1320
ttcataatct atatttaaac aaaattacat cattgcatca tcttttctaa attcatctcc 1380
attaaaactt gccttaagct accagattgc ttttgccacc attggccata ctgtgtgttt 1440
gtttgtttta ttactttca caataaactt ctgtgtagta aaaaaaaaaa aaaaaaaaaa 1500
aaaa                                         1504
```

<210> 259

<211> 1792

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (487)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1306)

<223> n equals a,t,g, or c

<400> 259

```
aattcggcac gagctacatc gggggactcc tctcagcctt ctacctgaca ggagaagagg 60
tgttccgaat aaaggccatc aggctgggag agaagctcct gccggcnttc aacaccccca 120
cgggaatccc aaaggcgctg gtgagcttca aaagtgggaa ctggggcttg gccacagccg 180
gcagcagcag catcttggcg gagtttgat ccttgcactt ggaattctta cactcactg 240
aactctctgg caaccaggtc ttcgctgaaa aggtcaggaa catccgcaag gtcctcagga 300
agatcgaaaa gccctttggc ctctacccca acttctcag cccagtgaat gggaactggg 360
tgcaacacca tgtctcagtt ggaggactcg gggacagttt ttatgaatat ttgatcaaat 420
cctgggtgat gtcgggcaag acagatatgg aggctaaaaa tatgtactac gaagccttg 480
aggcgantag agacctactt gctgaatgty tctcccgggg ggctgacctt cattgccgag 540
tggcgagggg ggattctgga ccacaagatg gggcacctgg cctgtttctc cgggggcatg 600
atcgcccttg gcccagggat gccaaaggaa aaaagagggc ccactaccga gagctcgag 660
```

```

cccagatcac caagacgtgt cacgagtcac acgcccgcgc agacacccaaa cttgggcctg 720
aggcttcttg tttaactccg gcagagaggg cgtggccacc cagctgagcg agagytacta 780
catcctccgg ccagaggttg tggagagcta catgtacctg tggcgacaga cccacaaccc 840
catctacagg gagggtgggt gggaggtggt gctggccttg gagaaatact gtcggacaga 900
agccggtttc tctgggatcc aagacgtgta cagtagcacc cccaaccacg acaacaagca 960
gcagagcttc tttctagcgg agacactaaa gtatctctat cttctgttct ctgaagatga 1020
cttgctctcc ctggaagact ggggtgtcaa caccgaggcc caccactcc cggatgaacca 1080
ctcagacagc tccggcagag ctggggcaga cactgacccc atctcctgcc gccgccctgg 1140
ggccgccgca ggatgccttg ccttttcagg atttgagact gttctcaaag ggattgggaa 1200
cgaaggcccc atctcgggca gacccccagc agatgtgtcg gacaagcaac ttcttttctt 1260
ctgtgaggag acaagacttg gagactcagc gatgtcaggc cagggnatg gccacactgg 1320
cccacacatt cctttctaca gagaatttct atgaagccca ctcacttgcc attccagggc 1380
caaaggaccg gagggttgca tatccgcccc ttgtatttga ttgcttctt tttggtttct 1440
tggtttttgt ttttgcttga ttttgcttct tctctacagt ttagttttgt cacaattaca 1500
catatagttt tcaaaatcat gcactttcta aaatggtgtc atcctgaaaa acaaaaccca 1560
gtgtttgcac acacacaaaa tcttgacccc gttatctata ttttaaatgc tttttgcccc 1620
acactgaccc tatgttcaac tttgtgtcat ttaccttata atttgaggag gggtttccct 1680
ttgggcctca gtgttacaaa ttactagtgc tattttcatt attattgtaa tggaaaaatc 1740
tgtggactag aataaaagag tttattgaat aagaaaaaaa aaaaaaaaaa aa 1792

```

<210> 260

<211> 2048

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (67)

<223> n equals a,t,g, or c

<400> 260

```

atcccttttg atccgggcct gggctgagtg ctccccccgg gcttcagggt acgcggcccc 60
gcgganntgg ggtcgcccga gttgggctgg ggaagccagg gacggagggt tccggccgctc 120
accctagag gagggcggtg ggggggtctgt tttgcatgag agccaccctt ctggctgctc 180
ctgcgggttc cctgtccagg aagaagcggg tggagttgga tgacaactta gataccgagc 240
gtcccccca gaaacgagct cgaagtgggc cccagcccag actgcccccc tgccctgttg 300
ccctgagccc gaggagggcg ggccgggccta ccaggcctgc actgccctac aggcactgag 360
tatactgca agtgatcccc gtccagggaag ccctggccgt gctggagccc taygcgcggc 420
tgccccgca caagcatgtg gctcggccca ctgaggtcct ggtgtgtacc cagctcctct 480
acgcctttt cactcggacc catggggaca tgcacagcct ggtgcgaagc gccaccgtat 540
ccctgagcct gaggtgccc tgctcttccg ccagatggcc accgccctgg cgcactgtca 600
ccagcacggg ctggtcctgc gtgatctcaa gctgtgtcgc tttgtcttcg ctgaccgtga 660
gaggaagaag ctggtgctgg agaacctgga ggactcctgc gtgctgactg ggccagatga 720
ttccctgtgg gacaagcacg cgtgcccagc ctacgtggga cctgagatac tcagctcamg 780
ggcctcatat tcgggcaagg cagccgatgt ctggagcctg ggcgtggcgc tcttcaccat 840
gctggccggc cactaccctt tccaggactc ggagcctgtc ctgctcttcg gcaagatccg 900

```



```

ccgcggggcc tacgccttgc ctgcaggcct ctcggccccct gcccgcgtgc tggttcgctg 960
cctccttcgt cgggagccag ctgaacggct cacagccaca ggcacccctc tgcacccctg 1020
gctgcgacag gacccgatgc ccttagcycc aaccgatcc catctctggg aggcctgcca 1080
ggtggtccct gatggactgg ggctggacga agccagggaa gaggagggag acagagaagt 1140
ggttctgtat ggctaggacc accctactac acgctcagct gccaacagtg gattgagttt 1200
gggggtagct ccaagccttc tcctgcctct gaactgagcc aaaccttcag tgccttccag 1260
aagggagaaa ggcagaagcc tgtgtggagt gtgctgtgta cacatctgct ttgttccaca 1320
cacatgcagt tcctgcttgg gtgcttatca ggtgccaaagc cctgttctcg gtgctgggag 1380
tacagcagtg agcaaaggag acaatattcc ctgctcacag agatgacaaa ctggcatcct 1440
tgagctgaca acacttttcc atgaccatag gtcactgtct aactgggta cactttgtac 1500
cagtgtcggc ctccactgat gctgggtgctc aggcacctct gtccaaggac aatccctttc 1560
acaaacaaac cagctgcctt tgtatcttgt accttttcag agaaagggag gtatccctgt 1620
gccaaaggct ccaggcctct cccctgcaac tcaggaccca agcccagctc actctgggaa 1680
ctgtrttccc agcatctctg tcctcttgat taagagattc tccttccagg cctaagcctg 1740
ggatttgggc cagagataag aatccaaaact atgaggctag ttcttgtcta actcaagact 1800
gttctggaat gagggtccag gcctgtcaac catggggctt ctgacctgag caccaagggt 1860
gagggacagg attaggcagg gtctgtcctg tggccacctg gaaagtccca ggtgggactc 1920
ttctggggac acttgggggc cacaatccca ggtccatact ctaggttttg gataccatga 1980
gtatgtatgt ttacctgtgc ctaataaagg agaattatga aataaaaaaa aaaaaaaaaa 2040
aactcgac                                     2048

```

<210> 261

<211> 1282

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1244)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1261)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1265)

<223> n equals a,t,g, or c

<400> 261

```

ctcgcgtgctg cgccattttg ccgggggtttg aatgtgaggc ggagcggcgg caggagcggg 60
tagtgccagc tacggtccgc ggctgggggtt ccctcctccg tttctgtatc cccacgagat 120
cctatagcaa tggaactcag cgatgcaaat ctgcaaacac taacagaata tttaaagaaa 180
acacttgatc ctgatcctgc catccgacgt ccagctgaga aatttcttga atctgttgaa 240
ggaaatcaga attatccact gttgcttttg acattactgg agaagtccca ggataatgtt 300
atcaaagtat gtgcttcagt aacattcaaa aactatatta aaaggaaactg gagaattgtt 360
gaagatgaac caaacaaaat ttgtgaagcc gatcgagtgg ccattaaagc caacatagtg 420
cacttgatgc ttagcagccc agagcaaat cagaagcagt taagtgatgc aattagcatt 480
attggcagag aagattttcc acagaaatgg cctgacttgc tgacagaaat ggtgaatcgc 540

```

```
tttcagagtg gagatttcca tgttattaat ggagtcctcc gtacagcaca ttcattatTT 600
aaaagatacc gtcataaatt taagtcaaac gagttatgga ctgaaattaa gcttgTctg 660
gatgcctttg ctttgccttt gactaatctt tttaaggcca ctattgaact ctgcagtacc 720
catgcaaatg atgcctctgc cctgaggatt ctgttttctt ccctsatcct gatctcaaaa 780
ttgttctata gtttaaactt tcaggatctc cctgaatttt ttgaagataa tatggaaact 840
tggaatgaata attttcatac tctcttaaca ttggataata agcttttaca aactgatgat 900
gaagaggaag ccggcttatt ggagctctta aaatcccaga tttgtgataa tgccgcactc 960
tatgcacaaa agtacgatga agaattccag cgataacctgc ctcgTTTTgt tacagccatc 1020
tggaatttta ctagttaaca cggttcaaga ggtaaataat gatttgTtg taagtaatgc 1080
aattcaattt ctggcttcag tttgtgagag acctcattat aagaatctat ttgaggacca 1140
gaacacgctg acaagtatct gtgaaaaagg ttattgtgcc taacatggga tttagagctg 1200
ctgatggaag aagcattgaa gtaattctga ggggttacag agngagatt tggaagggtc 1260
nggtnttggt actagacgca gg 1282
```

<210> 262

<211> 599

<212> DNA

<213> Homo sapiens

<400> 262

```
ggcacgagcc ccggcagagg cggargcgga gtcggcctga gaggtctctc gtcgctgcag 60
gcgcctcagc ccagccgcgt gccttgcccc atggccgcct actcttaccg ccccgccct 120
ggggccggcc ctgggcctgc tgcaggcgcg gcgctgccgg accagagctt cctgtggaac 180
gttttccaga gggtcgataa agacaggagt ggagtgatat cagacaccga gcttcagcaa 240
gctctctcca acggcacgtg gactcccttt aatccagtga ctgtcaggtc gatcatatcc 300
atgtttgacc gtgagaacaa ggccggcggtg aacttcagcg agttcacggg tgtgtggaag 360
tacatcacgg actggcagaa cgtcttccgc acgtacgacc gggacaactc cgggatgatc 420
gataagaacg agctgaagca ggcctcttma gtttcggcta ccggctctct kaccagtcc 480
acgacatcct catcgaaaag kttgacaggc argggacggg gcaratcgsc ttcgacgast 540
taatccaagg ctggcatggc ctgcagaggt ttacggatat attcaaaggt ttcggcacg 599
```

<210> 263

<211> 1261

<212> DNA

<213> Homo sapiens

<400> 263

```
ggcacgaggt tgttcggagc gggcgagcgg agttagcagg gctttactgc agagcgcgcc 60
gggcactcca gcgaccgtgg ggatcagcgt aggtgagctg tggccttttg cgaggtgctg 120
cagccatagc tacgtgcgtt cgctacgagg attgagcgtc tccaccaggt aagtgggcaa 180
gaggcggcag gaagtgggta cgcaggggcg caaggcgcac agcctctaga cgactcgctt 240
tccctccggc caacctctga agccgcgtcc tactttgaca gctgcagggc cgcggccttg 300
tcttctgtgc ttcaccatct acataatgaa tcccagtatg aagcagaaac aagaagaaat 360
caaagagaat ataaagaata gttctgtccc aagaagaact ctgaagatga ttcagccttc 420
tgcatctgga tctcttgTtg gaagagaaaa tgagctgtcc gcaggcttgt ccaaaaggaa 480
acatcggaat gaccattaa catctacaac ttccagccct ggggttattg tccagaaatc 540
tagtgaaaat aaaaatcttg gaggagtcac ccaggagtca tttgatctta tgattaaaga 600
aaatccatcc tctcagtatt ggaaggaaat ggcagaaaaa cggagaaagg cgctgtatga 660
agcacttaag gaaaatgaga aacttcataa agaaattgaa caaaaggaca atgaaattgc 720
ccgcctgaaa aaggagaata aagaactggc agaagtagca gaacatgtac agtatatggc 780
agagctaata gagagactga atggtgaacc tctggataat tttgaatcac tggataatca 840
```

```
ggaatttgat tctgaagaag aaactgttga ggattctcta gtggaagact cagaaattgg 900
cacgtgtgct gaaggaactg tatcttcctc tacggatgca aagccatgta tatgaaatgc 960
attaatatatt gactgttgag aattttactg ccgaagttaa cctccactag ttctttgtag 1020
cagagtacat aactacataa tgccaactct ggaatcaaat ttccttggtt gaatcctggg 1080
accctattgc attaaagtac aaatactatg tatttttaac ctatgatggt ttatgtgaat 1140
aggattttct cagttgtcag ccactgacta tgtttattac taaataaact tcaaactcct 1200
gttgaaacatt gtgtataact tagaataatg aaatataagg agtatgtgta gaaaaaaaaa 1260
a 1261
```

<210> 264

<211> 1020

<212> DNA

<213> Homo sapiens

<400> 264

```
ctgctcctgg ccaacatcca gtattttatc ttgactgtcc taaccttacc ttagatgcta 60
acagaagggt cctgctcaaa taacactggg tgctatatg atgggtaaat gtgtacatcc 120
tattccttcc tctttatctc acaatttttg tctccactaa gcaagaagta aactaacact 180
tcgtcactct aaagaaataa ctatgtaaa actcttagta accctgtttg tcttcaaatg 240
agtaaataga ccaaagtggg gggacaattt tctagtctg tagagggaaa aacatctgag 300
tcaacatttt gaaatgcaga gggatttgg acatgacgac atggaaaagg gcacttttaa 360
acacagctta ctctcctca agtacagaga gtatatagt aatcaaaact aactacagcc 420
attcttttta aagcccaagg gatggagcaa aggtgtaagg atgttacctg tttgttttaa 480
tcagagagca aaaagaagtc acaatagttt gggagaaaaa gtagtatggt gagtaagggt 540
atgcgtataa tttcatactg aattttattac tatttgggat gtacgtcart gttctaaca 600
acactgcaa cacgtcaatt ttttaaaaag cgtgggccac attgctaaga atttgttaa 660
gcataactgt attttttggt ttagggcctt attgatgtt tgccgttcca atgtatgcat 720
ttttttactc aataaacttg tcttaatttt agaactgtct gatgatttcg tactggaaag 780
aactactcaa agacggcagt gtaaaagcaa gtcttaggaa agtcccatct tatttgtgtc 840
taacaaacat acaggaactg aaatattttt gttaaatcct gggatgcacc gaagtaactt 900
aaaacaaacc gttcaacagg ttccccaac cgcccacgcc acataaagaa cagacatctc 960
tacacttgaa aaagctcata cctgtctcag ttctgaaagt cccttaagga ttgcttgctg 1020
```

<210> 265

<211> 571

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (557)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (565)

<223> n equals a,t,g, or c

<400> 265

```
ctttacggca sgmgtccgct tcgctagcta gtcgttctga agcggcggcc agagaagagt 60
caagggcacg agcatcgggc catgcctttc ttggacatcc agaaaagggt cggccttaac 120
```

```
atagatcgat ggttgacaat ccagagtggg gaacagccct acaagatggc tggtcgatgc 180
catgcttttg aaaaagaatg gatagaatgt gcacatggaa tcggttatac tcgggcagag 240
aaagagtgcag agatagaata tgatgatttc gtagagtgtt tgcttcggca gaaaacgatg 300
agacgtgcag gtaccatcag gaagcagcgg gataagctga taaaggaagg aaagtacacc 360
cctccacctc accacattgg caagggggag cctcggccct gaacagagca gctgctgatg 420
tctggaggct gattttcctg ttctctgttc tccactggaa aggttggtta cgacaaacct 480
ccttggtcaaa gtgtgtaaaa ataaaggatt gctccatcct aaaaaaaaaa aaaaaaaaaa 540
aaaatttggg ggggggnccc cgtancccat t 571
```

<210> 266

<211> 1350

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (204)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1313)

<223> n equals a,t,g, or c

<400> 266

```
tgccgccatc gtcgtggggc ttctggggca gctagggctg cccgccgcgc tgcctgcgcc 60
ggaccggggc ggttccagtc cggggcgggc cgtcgcgga gagaaataac atctgctttg 120
ctgccgagct cagaggagac cccagacccc tcccgcagcc agagggctgg agcctgctca 180
gaggtgcttt gaagatgccg gagncccgcc tgctgtgtt gcagctgtgt tgctgggcct 240
ggtgtgctgt gtggtgctgc tgctgcttct gaggcactgg ggctggggcc tgtgccttat 300
cggctgggaa gagttcatcc tgcagcccat ccacaacctg ctcatgggtg acaccaagga 360
gcacgcgcatc ctgaaccayg tgctgcagca tgcggagccc gggaacgcac agagcgtgct 420
ggaggccatt gacacctact gcgagcagaa ggagtgggcc atgaacgtgg gcgacaagaa 480
aggcaagatc gtggacgccg tgattcagga gcaccagccc tccgtgctgc tggagctggg 540
ggcctactgt ggctactcag ctgtgcgcat ggcccgcctg ctgtcaccag gggcgaggct 600
catcaccatc gagatcaacc ccgactgtgc cgccatcacc cagcggatgg tggatttcgc 660
tggcrtgaag gacaaggtca cccttggtgt tggagcgtcc caggacatca tccccagct 720
gaagaagaag tatgatgtgg acacactgga catggtcttc ctcgaccact ggaaggaccg 780
gtacctgccg gacacgcttc tcttgaggga atgtggcctg ctgcggaagg ggacagtgtc 840
actggctgac aacgtgatct gccaggtgc gccagacttc ctagcacacg tgcgcgggag 900
cagctgcttt gagtgcacac actaccaatc gttcctggaa tacagggagg tggtgagcgg 960
cctggagaag gccatctaca agggcccagg cagcgaagca gggccctgac tgcccccccc 1020
ggccccctc tcgggtcttc tcaccagccc tggtagttaa ggtgccagac gtgtcctgc 1080
tgacctcttg cggtccggg ctgtgtccta aatgcaaagc acacctgcgc gaggctgcgc 1140
cctgacatgc taacctctct 'gaactgcaac actggattgt tcttttttaa gactcaatca 1200
tgacttcttt actaacactg gctagctata ttatcttata tactaatatc atgttttaaa 1260
aatataaaat agaaattaag aatctaaawa aaawaaaaaa acgggggggcg ctntaaaggg 1320
tccaagctta acgtaagcgt gcatgggaag 1350
```

<210> 267

<211> 1319

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (7)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (61)
<223> n equals a,t,g, or c

<400> 267
gcaaganaga aattaaccct cactaaaggg aacaaaagct ggagctccac cgcggtggcg 60
nccgctctag aactagtgga tccccgggc tgcaggaatt cggcacgaga gactccgcga 120
cctactgacc cggcgactga caggctccaa ctaccggga ctcagtatta gccttcgcct 180
cactggctcc tctgcacaag aggmggcttc cggagtagcc ctcggtgaag cccagacca 240
cagctatgag tcccttcgtg tgacgtctgc gcagaaacat gttctgcatg tccagctcaa 300
ccggcccaac aagaggaatg ccatgaacaa ggtctctctg agagagatgg tagagtgtt 360
caacaagatt tcgagagacg ctgactgtcg ggcggtggtg atctctggtg caggaaaaat 420
gttctactga ggtattgacc tgatggacat ggcttcggac atcctgcagc ccaaaggaga 480
tgatgtggcc cggatcagct ggtacctccg tgacatcatc actcgatacc aggagacctt 540
caacgtcatc gagagggtgcc ccaagcccgt gattgctgcc gtccatgggg gctgcattgg 600
cggagggtg gaccttgtea ccgcctgtga catccggtac tgtgccagg atgctttctt 660
ccagggtgaag gaggtggacg tgggtttggc tgccgatgta ggaacactgc agcgctgcc 720
caaggtcatc gggaaaccaga gcctgggtcaa cgagctggcc ttcaccgccc gcaagatgat 780
ggctgacgag gccctgggca gtgggctggt cagccgggtg ttcccagaca aagaggatcat 840
gctggatgct gccttagcgc tggcgccga gatttccagc aagagccccg tggcgtgcag 900
agcaccaagg tcaacctgct gtattcccgc gaccattcgg tggccgagag cctcaactac 960
gtggcgctcct ggaacatgag catgctgcag acccaagacc tcgtgaagtc ggtccaggcc 1020
acgactgaga acaaggaaact gaaaaccgtc acctctcca agctctgaga gccctcgcgt 1080
cccaggcccc agccaggggg ccggccttgt ccgcctcat ccacagaaag ggaggatggg 1140
cgatgacagt tgtttctatg cttctgacc cagtttcca gtttataact ttatgacaat 1200
gagtttctca agcccaaggc cttatcttca cccacaaac aataaagcaa agtaaagaaa 1260
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg ggggggggc 1319

<210> 268
<211> 3694
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (746)
<223> n equals a,t,g, or c

<400> 268
cggagctgcg ccctgggtg caagcactgg taccgctgcc tgcacggcga tgagaacagc 60
gaggtgtggc ggagcctgtg cggccgcagc ctggcagaag aggctctgcg caggacatc 120
ctgtgcaacc tgcccagcta caaggccaag atacgtgctt ttcaacatgc cttcagcact 180

aatgactgct ccaggaatgt ctacattaag aagaatggct ttactttaca tcgaaacccc 240
attgctcaga gcaactgatgg tgcaaggacc aagattgggt tcagtggagg ccgccatgca 300
tggaagtgt ggtgggagg ccctctgggc actgtggcag tgattggaat tgccacaaaa 360
cgggcccca tgcaagtcca aggttatgtg gcattgctgg gcagtgatga ccagagctgg 420
ggctggaatc tgggtggaca taatctacta cataatggag aagtcaatgg cagttttcca 480
cagtgaaca acgcaccaa atatcagata ggagaaagaa ttcgagtcac cttggacatg 540
gaagataaga ctttagcttt tgaacgtgga tatgagttcc tgggggttgc ttttagagga 600
cttccaaagg tctgcttata ccagcagtt tctgctgtat atggcaacac agaagtgact 660
ttggtttacc ttggaaaacc tttggacgga tgacagtggc tttcttgtga tgacmgacas 720
aatggaggag agatctgctt atgggnaakt asaaccatga agtgactgtc acacatgcat 780
gtccaagaaa catcctgaaa acacatgaag tcgtaaactg gagaagcagc tctacagcag 840
agattatctc gtgtttcttc tttctactgg gccagaaaaa tctcagggtg tgcagttggt 900
tgagtgggca gttgacatat gcatgttgca cccgatgttg tctctaagtt agcaatgtgt 960
tatttccagc tttaaagggt agattgtaga gatgtgtgca aagggataag gaaatagcaa 1020
gatttttaag tagtgtgttt gtgaagactg atcccathtt acaactgcct gttctttctc 1080
cagtcctttt tttccagcc agcttgacta ttagaaaagt atgaaactgg ttgggtttta 1140
tttaatatat ttaatatatt gagaagcatg gtctgcctgg actgcacttc tctaaaagt 1200
agatataaaa ttgtgcagct attttaaaag ttgtatataa tatgtgtgta aaaaaaaaaa 1260
actgtaaaaa agaaaggaca aacaggttgt tttgttctag ttctaatttc ttaaaaacca 1320
ctacatgggt acaaaattgg aataacattt tggggggaca actgggttaa ctacaaagaa 1380
gaggatttwa agaggagatg tgttgwattg acycatttkg watwattttw ggcttacagt 1440
tcccatagct gttagagtct ggtttgtttt tgtttttact ctcaaaatca tagtaaagat 1500
ctctcagctc cctggctaaa gattgaagga aggcaaatct atttctaatt atacatata 1560
cagtaaggat gatctcaaca taatagtaat gtgtatcttt tggatatccag ttttattttt 1620
ggccttctaa gaaagtgtct cataacacag aacattgccca tttgctcttg taggcctcaa 1680
atatgaaagc tattagtcac agagcctagg aaaaaagaa ttgattaatg gtccctttat 1740
tttgtaacct tataaatgct gtagatatta tcaaaaaaat tttaatttca tattgtttac 1800
atcatgcaac taatctaagc ctcaaacctg ttattggggc tataaagaaa acgtttactt 1860
acccagctga acagggttaa gaatattctt aatctcatta tagataattg ccccatggg 1920
acttgaata caacaccttg tgctgaaaac ttcagggttg gcaatatttg aaggtttcgt 1980
tgtaraagag tttaacatta actcctattt tgacttacaa atcttgtttc tcatcactaa 2040
aatgcttttg aattaataat ccaaccaca tgagctgaga gtttttcttt tggtagaaaa 2100
gaaacagaca tctttctgta tgaaggtata aattgtatgg ttttagatac ataagaattg 2160
acaaaagcga gcgaatctt tgtactctg agttcttgct gtatgtatgt tttgttttaa 2220
atctgattag ggacaccag cagctggccg ggattcttg attgctcctt gggagttaa 2280
attgtcaata ctctgtgaa gcaagggtt tcagccatag aacaaagatt tattgttgcc 2340
acctgaaaag ttacaagta ttattgtgt atttgatata ttgcttgaaa agatgaaatc 2400
tgttaaagat tcttttcgat gtccaggtta agargaaacc tccttgattt gagtgaacta 2460
tatgttaaat gtattagaga atgtaggtgg tatagaaatt gatttttctt ggtgtagaac 2520
aactcagttc ggcaaagttt aaaatttgat taaacaagag aagtggttca ggttgaagat 2580
ggacttggtt ggaagtgatc aagtccttta agtacttgtt tctttttcag gttgtgatgt 2640
ggccattccg aattttgttg agagtttggt ttataattgt ctcttttgtc ttgttagtaa 2700
acattcattt gcaacagttt tgaaggtgct gagtggaaaa ccgaaacaca tggttattgc 2760
gtattggacc tagaatgaaa taattgcctc aatatttaac aacaagccat tcttatctca 2820
aagatttaaa tccccgaatg tcccattcgc aaatcatatg caattgaagt gacgagcatg 2880
agcatctggg tcatgagggc ctctatttac gtaaatgtgt cactaaaacc cagtagtagc 2940
tctacaaaaa cttaaacctgc tgcaagtgtc aaggagatgg aatatctttg tcattgggtc 3000
tgaggagagc atttcggtag aagacagttg cgcctgaaga ttgagtgtaa atcattcaaa 3060
ccagtggttc tcagtgttg ctgtatacac tttgtagtca ctttggaatg ttggaagaca 3120
catcgatgct tgggttccgt atgccaagat tctgatgttg gtctggaata tgagctggtc 3180
ataaggattt ttaaaaactt tctggtcatt tcaatatgct gccaaaggtg agaaccactg 3240

```
ttgtaaaatt caccttgagt tttctcatct gcaaaataga aaaaaaaaaat ccttgctccc 3300
tcccttcact acctcacaag gatattgagg gtaaaggaga aaataatggg aaagtgcttg 3360
tgccgtggat gaaaagtgct attaaaagtc aaaggagtgt tctgtttcaa ttcatagtat 3420
gatcagggaa agtgtaactg agtatacttt gttgacttgg gaaacctgga gcactttctt 3480
tggttggtta acgaagcatg cagatgtgga agcagacgtt actattatcc ctactatggt 3540
cttctgtcat actgagacag gctgttttaa ttacctggtt ttacatagga aagaagaaat 3600
attaaggctt aaagtttgta atgatcaatg gctcataatt cattaaatct tttcatacaa 3660
ggaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 3694
```

<210> 269

<211> 1242

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1233)

<223> n equals a,t,g, or c

<400> 269

```
ccanccctca ctaaaggga caaaagctgg ngetccaccg cggtnncgac cgctctagaa 60
ctagtggatc ccccgggctg caggaattcg gcaccgcaa aaaatttaaa aaatacagtg 120
ttttgtattg atatatgtac tgtgtgtgtc tgtgtgtgtg agatcaagat cagggttttg 180
ttggtgatgt actattactg ttgtccttgg tcaggacac agaggatgtt tggggtttgg 240
tggtgagaca ttatctaaca cgtgctgtgt cctttttggg tttgagcccc acaccagtga 300
gaagcatcag caccgtgaac ttgtctgaga atagcagtgt tgtcatcccc ccacccgact 360
acttggaatg cttatccatg ggggcagytg ccgacaggag agcagattcg gccaggacga 420
catccacctt taaggcccca gcgtccaagc ccgagaccgn ggctcctaac gatgccaacg 480
ggactgcaaa gccgcctttt ctcagcggag aaaaccctt tgccactgtg aaactccgcc 540
cgactgtgac gaatgatcgc tcggcaccba tcattcgatg agaggacagc caaggactct 600
cccgggcctc tccggttctc ccttgcgga tgatgggcgc atcctgtctg ccacgtgctg 660
```

```

acggctcggga agcttcagtg gagaggccta actctaattgt cgccctgctta agcaaatcat 720
gcttctctgtg ttacagtagt tgggttgaca agtttctgcc ttttaagataa atgagtaata 780
gtctaatagac cagctcagcc atttaaaata ttttcttctt attctgttca agaaacagta 840
aacttggttt caatctttac tgtatttttt aaatgaattt tttccttaat aacagccaga 900
ataagggata gtctatgctt tcaggactgg ctttctgcac ctgatatgaa tgagaccagt 960
tttatttttat aaagcatgtg ctcttaatag cattatgtct aaagaagata tcacgtaagt 1020
ttgcatctta gcatgcaaata cataatttta agcaatataa attatgaaaa tactatataa 1080
atgtaatttta acttaaaatg ttttaagtgt gagcttccag agrtgggagg aaacccccac 1140
cctccctcca accacgccag agsctgtagg agtgctaagg acgstttgcc tggcccttta 1200
tcacagccac acgtaggcac ytcgacggga atnctccctt cc 1242

```

<210> 270

<211> 2057

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2053)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2054)

<223> n equals a,t,g, or c

<400> 270

```

cggagcgggtt tgtaatgtat tnctggattt tattttgctg tattagctcc tcaagagtta 60
ctgatctatg aaatggcaga gaatggaaaa aattgtgacc agagacgtgt agcaatgaac 120
aaggaaacatc ataatggaaa tttcacagac ccctcttcag tgaatgaaaa gaagaggagg 180
gagcgggaag aaaggcagaa tattgtcctg tggagacagc cgctcattac cttgcagtat 240
tttctctgtg aaatccttgt aatcttgaag gaatggayct caaaattatg gcatcgtcaa 300
agcattgtgg tgtctttttt actgctgctt gctgtgctta tagctacgta ttatgttgaa 360
ggagtgcata aacagtatgt gcaacgtata gagaaacagt ttcttttgta tgcctactgg 420
ataggcttag gaattttgtc ttctggtggg cttggaacag ggctgcacac ctttctgctt 480
tatctgggtc cacatatagc ctcagttaca ttagctgctt atgaatgcaa ttcagttaat 540
tttcccgaac caccctatcc tgatcagatt atttgtccag atgaagaggg cactgaagga 600
accatttctt tgtggagtat catctcaaaa gttaggattg aagcctgcat gtggggatc 660
ggtacagcaa tcggagagct gcctccatat ttcattggyca gagcagctcg cctctcagg 720
gctgaaccag atgatgaaga gtatcaggaa tttgaagaga tgctggaaca tgcagagtct 780
gcacaagact ttgcctcccg ggccaaactg gcagttcaaa aactagtaca gaaagtggga 840
ttttttggaa ttttggcctg tgcttcaatt ccaaatcctt tatttgatct ggctggaata 900
acgtgtggac actttctggt acctttttgg accctcttg gtgcaaccct aattggaaaa 960
gcaataataa aaatgcatat ccagaaaaatt tttgttataa taacattcag caagcacata 1020
gtggagcaaa tgggtggctt cattggtgct gtccccggca taggtccatc tctgcagaag 1080
ccatttcagg agtacctgga ggctcaacgg cagaagcttc accacaaaag cgaaatgggc 1140

```



```
acaccacagg gagaaaactg gttgtcctgg atgtttgaaa agttggtcgt tgtcatggtg 1200
tgttacttca tcctatctat cattaactcc atggcacaaa gttatgccaa acgaatccag 1260
cagcgggtga actcagagga gaaaactaaa taagtagaga aagttttaaa ctgcagaaat 1320
tggagtggat gggttctgcc ttaaattggg aggactccaa gccgggaagg aaaattccct 1380
tttccaacct gtatcaatth ttacaacttt tttcctgaaa gcagtttagt ccatactttg 1440
cactgacata ctttttcctt ctgtgctaag gtaaggatc caccctcgat gcaatccacc 1500
ttgtgttttc ttaggggtga atgtgatgtt cagcagcaaa cttgcaacag actggccttc 1560
tgtttggttac tttcaaaagg cccacatgat acaattagag aattcccacc gcacaaaaaa 1620
agttcctaag tatgttaaht atgtcaagct ttttaggctt gtcacaaatg attgctttgt 1680
tttcctaagt catcaaaatg tatataaatt atctagattg gataacagtc ttgcatgttt 1740
atcatgttac aatttaatat tccatcctgc ccaacccttc ctctcccatc ctcaaaaaag 1800
ggccatttta tgatgcattg cacaccctct ggggaaattg atctttaaat tttgagacag 1860
tataaggaaa atctgtttgg tgtcttacia gtgagctgac accatttttt attctgtgta 1920
tttagaatga agtcttgaaa aaaactttat aaagacatct ttaatcattc caaaaaaaa 1980
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaggaaaa 2040
aaaaaaaaaa aannaaa 2057
```

<210> 271

<211> 960

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (951)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (956)

<223> n equals a,t,g, or c

<400> 271

```
aagnatagaa attaaccttc acgtaaaggg nacaaaagct ggagctccac cgcgggtgcgg 60
ccgctctaga actagtggat cccccgggct gcagggaattc ggcacgagct cttccacccc 120
tgccaggccc agcagccacc acagcgcctg cttcctcggc cctgaaatca tgcccctagg 180
tctcctgtgg ctgggcctag cctgtttggg ggctctgcat gcccaggccc aggactccac 240
ctcagacctg atcccagccc cacctctgag caaggtccct ctgcagcaga acttccagga 300
caaccaattc cagggggaagt ggtatgtggt aggcctggca gggaatgcaa ttctcagaga 360
agacaaagac ccgcaaaaga tgtatgccac catctatgag ctgaaagaag acaagagcta 420
caatgtcacc tccgtcctgt ttaggaaaaa gaagtgtgac tactggatca ggacttttgt 480
```

```
tccagggttgc cagcccggcg agttcacgct gggcaacatt aagagttacc ctggattaac 540
gagttacctc gtccgagtgg tgagcaccaa ctacaaccag catgctatgg tgttcttcaa 600
gaaagtttct caaaacaggg agtacttcaa gatcaccctc tacgggagaa ccaaggagct 660
gacttcggaa ctaaaggaga acttcatccg cttctccaaa tctctgggcc tccctgaaaa 720
ccacatcgtc ttccctgtcc caatcgacca gtgtatcgac ggctgagtgc acagggtgcc 780
ccagctgccg caccagcccg aacaccattg agggagctgg gagaccctcc ccacagtgcc 840
acccatgcag ctgctcccca ggccaccccg ctgatggagc cccaccttgt ctgctaaata 900
aacatgtgcc ctcaggaaaa aaaaaaaaaa aaaaaaaaaa aagggggggg ncccgnctcc 960
```

<210> 272

<211> 1167

<212> DNA

<213> Homo sapiens

<400> 272

```
ggcacgaggg aagtaggttt ctacccgacc gcatttttac tgggtgctgca tttccggtag 60
cggcgggcgg aaatcggttg tgggagagag gctaggcctc tgaggaggcg aatccggcgg 120
gtatcagagc catcagaacc gccaccatga cggtgggcaa gagcagcaag atgctgcagc 180
atattgatta caggatgagg tgcattctgc aggacggccg gatcttcatt ggcaccttca 240
aggcttttga caagcacatg aatttgatcc tctgtgactg tgatgagttc agaaagatca 300
agccaaagaa ctccaaacaa gcagaaaggg aagagaagcg agtcctcggc ctggtgctgc 360
tgcgagggga gaatctggtc tcaatgacag tagagggacc tcctcccaaa gatactggta 420
ttgctcgagt tccacttgct ggagctgccg ggggcccagg gatcggcagg gctgctggca 480
gaggaatccc agctggggtt cccatgcccc aggcctcctg aggacttgct gggccagtcc 540
gtggggttgg cgggccatcc caacaggtga tgacccaca aggaagaggt actgttgag 600
ccgctgcagc tgctgccaca gccagtattg ccggggctcc aaccagtagc ccacctggcc 660
gtgggggtcc tccccacct atgggcccag gagcaccctc tccaggcatg atgggcccac 720
ctcctggtat gagacctcct atgggtcccc caatggggat cccccctgga agagggactc 780
caatgggcat gccccctccg ggaatcgggc ctccctcccc tgggatgcga ggccttcttt 840
gacccttggc cacagagtat ggaagtagct ccgcagaggc gtgggctcga ttcctcaggg 900
ccacgttacc acagacctgt ttgtttctta tgctgttgtt cgtggagtct catgggattg 960
tctggtttcc cttacagggc cccctcccc gggaatgcgc ccaccaaggc cctagactca 1020
tcttgccct cctcagctcc ctgcctgttt ccgtaaggc tgtacatagt ctttttatct 1080
ccttggtggc tatgaaactg gtttataata aactcttaag agaacattaa aaaaaaaaaa 1140
aaaaactyrr gggggggccc ggtccca 1167
```

<210> 273

<211> 2771

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (42)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (64)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2715)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2717)
<223> n equals a,t,g, or c

<400> 273
tcctcactaa agggancaaa agctggngct ccaccgcggt gncgaccgct ctagaactag 60
tggncccccc gggctgcagg aattcggcac gagccsaccc gcctcttggc tcctctctc 120
taggccgtcg ctttcgggtt ctctcatcgc ttcgtcgttc gccaatgttt gaggagaagg 180
ccagcagtc ttcagggaag atgggaggcg aggagaagcc gattggtgct ggtgaagaga 240
agcaaaaagga aggaggcaaa aagaagaaca aagaaggatc tggagatgga ggtcgagctg 300
agttgaatcc ttggcctgaa tatatttaca cacgtcttga gatgtataat atactaaaag 360
cagaacatga ttccattctg gcagaaaagg cagaaaaaga tagcaagcca attaaagtca 420
ctttgcctga tggtaaacag gttgatgcgg aatcttggaa aactacacca tatcaaattg 480
cctgtggaat tagtcaaggc ctggccgaca acaccgttat tgctaaagta aataatgttg 540
tgtgggacct ggaccgccct ctggaagaag attgtacctt ggagcttctc aagtttgagg 600
atgaggaagc tcaggcagtg tattggcact ctagtgtcga cataatgggt gaagccatgg 660
aaagagtcta tgggtgatgt ttatgtctac gtccgccaat agaaaatgga ttctattatg 720
acatgtacct cgaagaaggg ggtgtgtcta gcaatgattt ctctctctctg gaggctttgt 780
gtaagaaaat cattaagaa aaacaagctt ttgaaagact ggaagttaag aaagaaactt 840
tactggcaat gtttaagtac aacaagttca aatgccggat attgaatgaa aaggtgaata 900
ctccaactac cacagtctat agatgtggcc ctttgataga tctctgccgg ggtcctcatg 960
ttagacacac gggcaaaaatt aaggctttta aaatacacaa aaattcctcc acgtactggg 1020
aaggcaaaagc agatatggag actctccaga gaatttatgg catttcattc ccagatccta 1080
aaatgttgaa agagtgggag aagttccaag aggaagctaa aaaccgagat cataggaaaa 1140
ttggcaggga ccaagaacta tatttctttc atgaactcag ccctggaagt tgcttttttc 1200
tgccaaaagg agcctacatt tataatgcac ttattgaatt cattaggagc gaatatagga 1260
aaagaggatt ccaggaggta gtcaccccaa acatcttcaa cagccgactc tggatgacct 1320
cggggcactg gcagcactac agcgagaaca tgttctcctt tgagggtggag aaggagctgt 1380
ttgccctgaa acccatgaac tgcccaggac actgccttat gtttgatcat cggccaaggt 1440
cctggcgaga actgcctctg cggctagctg attttggggt acttcatagg aacgagctgt 1500
ctggagcact cacaggactc acccggttac gaagattcca acaggatgat gctcacatat 1560
tctgtgccat ggagcagatt gaagatgaaa taaaagggtt tttggatttt ctacgtacgg 1620
tatatagcgt atttggattt tcttttaaac taaacctttc tactcgcccg gaaaaattcc 1680
ttggagatat cgaagtatgg gatcaagctg agaaacaact tgaaaacagt ctgaatgaat 1740
ttggtgaaaa gtgggagtta aactctggag atggagcttt ctatggccca aagattgaca 1800

```

tacagattaa agatgcgatt gggcgggtacc accagtgtgc aaccatccag ctggatttcc 1860
agttgcccac cagattttaat cttacttatg taagccatga tggatgatgat aagaaaaggc 1920
cagtgtattgt tcatcgagcc atcttgggat cagtggaaag aatgattgct atcctcacag 1980
aaaactatgg gggcaaatgg cccttttggc tgtcccctcg ccaggtaatg gtagttccag 2040
tgggaccaac ctgtgatgaa tatgccc aaa aggtacgaca acaattccac gatgccaaat 2100
tcatggcaga cattgatctg gatccaggct gtacattgaa taaaaagatt cgaaatgcac 2160
agtttagcaca gtataacttc atttttagttg ttggtgaaaa agagaaaatc agtggcactg 2220
ttaatatccg cacaagagac aataagggtcc acggggaacg caccatttct gaaactatcg 2280
agcggctaca gcagctcaaa gagttccgca gcaaacaggc agaagaagaa ttttaatgaa 2340
aaaattaccc agattggctc catggaaaag gaggaacagc gtttccgtaa aattgacttt 2400
gtactctgaa aacgtcaatt tatattgaac ttggaggagt ttggcaaagt ctgaataggt 2460
caacctgcag gcgtaactat ttttgacctt gtcagttttt aaacaatgtg catttgaagg 2520
agttaattaa aagagagcca ataaaatgat ttactcatt cagtatctga gtactggaag 2580
tgaaaaggtt ttcaaattca attaagataa ctagaattgg attatggtgt aaaaaataaa 2700
aaaaaattta ttcananaaa aaaaaaaaaa aaaaaaaagc tacctcggcc gcgaccacgc 2760
taagccgaat t 2771

```

<210> 274

<211> 1889

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (87)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1676)

<223> n equals a,t,g, or c

<400> 274

```

cacgacgtcc gcggnacggt gggacggaac gcgtgggcgg acgcgtgggc ggacgcntgg 60
gttcggaaac ctatcgatta cacagtnctg gatgatgtgg gccatggtgt cangcatgga 120

```

aatagaccag cctgcaggaa ctggcacact gtcgagaaca aatcctccta ctcagaaacc 180
gccaagtcct cccatgtcag gccggggaac actgggacgg aatactcctt ataaaaccct 240
ggaacctgtt aaacccccaa cagttcctaa tgactatatg accagtcctg ctaggcttgg 300
aagtcagcat agtccaggca ggacagcatc tttaaatcag agaccaagga cacacagtgg 360
aagtagtggg ggaagtggaa gtcgagaaaa cagtggtagc agtagtattg gcattcccat 420
tgctgtgcct acaccttcgc caccactat tggaccagca gccccgggct cagctcctgg 480
ttcccagtat ggacaatga ccaggcagat atctcgacac aactctacta cttcttcgac 540
atcttctggg ggatacagac gaactccctc tgtgactgct caattttctg ctcagcctca 600
tgtaaatgga ggtccacttt attctcaaaa ttcaatttct attgctccac cccctcccc 660
tatgcctcag ttgactccac agatacctct cacaggttc gtggccaggg tgcaggaaaa 720
cattgtgat agtccaactc caccgccacc acctccacca gatgacattc ccatgtttga 780
tgactctcca cctccccac caccaccacc agtggattat gaagatgagg aggctgcagt 840
agttcagtat aatgatccat atgcagatgg ggtcctgct tgggccccca agaattatat 900
tgagaaagtt gttgcaatat atgattatac aaaagacaag gatgatgagc tgtcatttat 960
ggagggtgca atcattttatg ttataaagaa gaatgatgat ggctgggatg aaggagtctg 1020
caatcgagtg actgggtctgt tccctgggaa ctatgttgaa tcaatcatgc actatactga 1080
ttaatttttt ttttctttt gaagtagatt cttattactc agtcatactg tgggactatt 1140
atggttaaca gaactgtctt aatatgtttt aaaatgtgcc catattttca gaacatgctg 1200
ttttattggg aaattgaatg tctacctgta agcataaatc tttgaggcag tttatgtatt 1260
gctgaatagc aatttataca agaagctgtc cataactgat tatgcttatg tacttactta 1320
cacattttta actttatgac cagcctaaat attctggggg aagtggggta taatatttaa 1380
cgaatcatga ttcagattgt accattacat gtttcagtgc agcatgggta ctaacgctat 1440
gtcagactaa tattaanaatc agaaaattta aatgctgggtg ctggtcagac ttttttgg 1500
agattctctc atttaaaaaa aatactgttt gtttaagca tgcataaaaa tttatgtatt 1560
gaaatatact taaaaattca agatgcttcc catttgtgta atatttacct ggaggactcg 1620
tacttaggtg tcttaacgtg aattgagtct ccaaggtctc catgtgaaac aaaagnagca 1680
aaaagagaat tatctgtaat gttgtaattt gtacctaaat tttttaatga gtgaaatttg 1740
cattataaac tttttccatt cataaataca taagtgaacc aaagggtttt gtcttctcct 1800
tcactgattt gctttaaaaa aaataaaaga taatgattta ttgcagaaaa aaaaaaaaaa 1860
aaaaaaaaa aaaaaataaa aaaaaataaa 1889

<210> 275

<211> 604

<212> DNA

<213> Homo sapiens

<400> 275

ttttccgggc cacctgggtc ctcagccagt gcctttgaaa catttctgcc tgtaatgtca 60
gggccaatt gcgttactga gcatgttctg accggcccgt ttgggcatca cctgccattc 120
tcctgccatc ctctcaacag ctctgtgggg tgggtcctcc cccatacctg atgcaccgac 180
cacacagtgg aaagtgacaa agccagcgcc ttgcccagg ccccgagggg tggagcccgt 240
ctgctcaggg ttgcaggccc agattctcca ctgctaccga gatcgcccgc atgagggtgt 300
gctgtgctcg gacctgggtc aggcatacca gcgctgctg agcgccscgc acaagggtgt 360
aggagcagac atcattccct gccctggcag tgacttggag ccctgaagaa gggaccaatc 420
atgggaccac agccactgtg ccctgccgtt tcctgctggg ccctgcata tgcccctgag 480
cctggggctg ccactgtttt aggaacaaa gtatgcgcta ctgtctgaaa acaataaaag 540
cagatgcctt tgttttcaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 600
aaag 604

<210> 276

<211> 1381

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1348)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1349)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1350)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1358)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1359)
<223> n equals a,t,g, or c

<400> 276
tccgtggtgt ggttgactct gaggatctgc ccctgaacat ctcccgagaa atgctccagc 60
agagcaaaat cttgaaagtc attcgcaaaa acattgttaa gaagtgcctt gagctcttct 120
ctgagctggc agaagacaag gagaattaca agaaattcta tgaggcattc tctaaaaatc 180
tcaagcttgg aatccacgaa gactccacta accgcccgcg cctgtctgag ctgctgcgct 240
atcatacctc ccagtctgga gatgagatga catctctgtc agagtatggt tctcgcatga 300
aggagacaca gaagtccatc tattacatca ctggtgagag caaagagcag gtggccaact 360
cagcttttgt ggagcgagtg cggaaacggg gcttcgaggt ggtatatatg accgagccca 420
ttgacgagta ctgtgtgcag cagctcaagg aatttgatgg gaagagcctg gtctcagtta 480
ccaaggaggg tctggagctg cctgaggatg aggaggagaa gaagaagatg gaagagagca 540
aggcaagtt tgagaacctc tgcaagctca tgaaagaaat cttagataag aaggttgaga 600
aggtgacaat ctccaataga cttgtgtctt caccttgctg cattgtgacc agcacctacg 660
gctggacagc caatatggag cggatcatga aagcccaggg acttcgggac aactccacca 720
tggtgtatat gatggccaaa aagcacctgg agatcaaccc tgaccacccc attgtggaga 780
cgctgcggca gaaggtctgag gccgacaaga atgataaggc agttaaggac ctggtggtgc 840
tgctgtttga aaccgccctg ctatcttctg gcttttccct tgaggatccc cagaccact 900
ccaaccgcat ctatcgcatg atcaagctag gtctaggtat tgatgaagat gaagtggcag 960
cagaggaacc caatgctgca gttcctgatg agatcccccc tctcgagggc gatgaggatg 1020
cgtctcgcat ggaagaagtc gattaggtta ggagttcata gttggaaaac ttgtgccctt 1080
gtatagtgtc cccatgggct cccactgcag cctcgagtgc ccctgtccca cctggctccc 1140
cctgctggtg tctagtgttt ttttccctct cctgtccttg tgttgaaggc agtaaaactaa 1200
gggtgtcaaag cccattccc tctctactct tgacagcagg attggatggt gtgtattgtg 1260
gtttatttta ttttcttcat tttgttctga aattaaagta tgcaaaataa agaatatgcc 1320

gtttttatatac aaaaaaaaaa aaaaaaannn ggggggggng ccccggtccc matttcccc 1380
c 1381

<210> 277
<211> 1149
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (680)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1088)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1098)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1140)
<223> n equals a,t,g, or c

<400> 277
tcccgggggg gatttttttt tttttttttt tttttttttt tgcttaaaaa aaagccatga 60
cggtctctccc acaattcatc ttccctgcgc catctttgta ttatttctaa tttattttgg 120
atgtcaaaag gcactgatga agatattttc tctggagtct ccttctttct aaccgggctc 180
tcccgatgtg aaccgagccg tcgtccgccc gccgcccgcg ccgcccgcgc cgccgcccgc 240
cccgagcccc accatgtctc gccgcaagca aggcaaacc cagcacttaa gcaaacggga 300
attctcgccc gagcctcttg aagccattct tacagatgat gaaccagacc acggcccgtt 360
gggagctcca gaaggggatc atgacctcct cacctgtggg cagtgccaga tgaacttccc 420
attgggggac attcttattt ttatcgagca caaacggaaa caatgcaatg gcagcctctg 480
cttagaaaaa gctgtggata agccaccttc cccttcacca atcgagatga aaaaagcatc 540
caatcccgtg gaggttgga tccaggtcac gccagaggat gacgattgtt tatcaacgtc 600
atctagagga atttgcccca aacaggaaca catagcagat aaacttctgc actggagggg 660
cctctcctcc cctcgttctn gcacatggag ctctaataccc cagccctggg atgagtgcag 720
aatatgcccc gcaggtattt gtaaagatga gccagcagc tacacatgta caacttgcaa 780
acagccattc accagtgcac ggtttctctt gcaacacgca cagaacactc atggattaag 840
aatctactta gaaagcgaac acggaagtcc cctgaccccg cgggttggtg tcccttcagg 900
actagtgga gaatgtcctt cccagccacc tctccatggg attcatattg cagacaataa 960
cccccttaac ctgctaagaa taccaggatc agtatcgaga gaggcttccg gcctgggcag 1020
aagggcgctt tccaccact cccccctgt ttagtccacc accgagacat cattgggacc 1080
cccaccgnat agagcgcntg gggggcggtg aggagatggg cctggggcaa acccttcaan 1140
ccgagttgc 1149

<210> 278

<211> 811
<212> DNA
<213> Homo sapiens

<400> 278
ggagaccaga gtgggaggaa ggcggggagt ccaggttccg ccccgaggcc gacttcctcc 60
tggtcggcgg ctgcagcggg gtgagcggcg gcagcggccg gggatcctgg agccatgggg 120
cgcgcgcgcg acgccatcct ggatgcgctg gagaacctga ccgccgagga gctcaagaag 180
ttcaagctga agctgctgtc ggtgccgctg cgcgagggct acgggcgcat cccgcggggc 240
gcgtgctgtt ccatggacgc cttggacctc accgacaagc tggtcagctt ctacctggag 300
acctacggcg ccgagctcac cgctaactgt ctgcgcgaca tgggcctgca ggagatggcc 360
gggcagctgc aggcggccac gcaccaggcg tctggagccg cgccagctgg gatccaggcc 420
ctcctcagtg cggcagccaa gccaggcctg cactttatag accagcaccg ggctgcgctt 480
atcgcgaggg tcacaaacgt tgagtggctg ctggatgctc tgtacgggaa ggtcctgacg 540
gatgagcagt accaggcagt gcggccgagc ccaccaaccc aagcaagatg cggaagctct 600
tcagtttcac accagcctgg aactggacct gcaaggactt gctcctccag gccctaaggg 660
agtcccagtc ctacctggtg gaggacctgg agcgagctga ggctccttcc cagcaaacct 720
ccggtcascc ctggcaatcc caccaaatca tcctgaatct gatcttttta tacacaatat 780
acgaaaagcc agcttgaaaa aaaaaaaaaa a 811

<210> 279
<211> 1260
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1249)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1252)
<223> n equals a,t,g, or c

<400> 279
ggtcggcgac agggagggag gaagcctagg agtccgcgc gggacggagg cctgggggaa 60
ctgggagttc agctttctgc agagggccac taggaacctc ggattgcca cggaagccag 120
ccactttytt tgacagtcca gccacacctc tctctgccc ggagaagctc cagggggtgc 180
ctttktgatc acagcatctt cacaaggacc aaagaaaaat aagatttcty gtaagaacac 240
cgtgaccaca tctttaaaat gacctatttc gtggctycca caagatttac acctycacac 300
tgaggccgga agtggttttg cccctataaa acatggcgaa aagctttctt gtctccaagg 360
aaacgccacg taatgagtca aagctgtggc gcacgcgcag aagtacaagc taccggaagt 420
gatggcgccc ctactaaagc cttgggggta gtacgcgtcg cagcagctctc ttccgacagt 480
tgtgttgtgc caatggtgga gaagaaaact tcgggttcgct cccaggaccc cgggcagcgg 540
cgggtgctgg accgggctgc cgggcagcgt cgcacccaacc ggcagctgga ggccctggag 600
aatgacaact tccaggatga ccccccacgc ggactccctc agctcggcaa gagactgcct 660
cagtttgatg acgatgcgga cactggaaag aaaaaagaaga aaacccgagg tgatcatttt 720
aaacttcgct tccgaaaaaa ctttcaggcc ctgttgagg agcagaactt gagtgtggcc 780
gagggcccta actacctgac ggctgtgctg ggaccccat cgcgcccca gcgcccttc 840
tgtgctgtct gtggcttccc atccccctac acctgtgtca gctgcggtgc ccggtactgc 900

actgtgcgct gtctggggac ccaccaggag accaggtgtc tgaagtggac tgtgtgagcc 960
tgggcattcc cagagaggaa gggccgctgt gcactgcccg gccttcagaa agacagaatt 1020
tcatacccca atgcaggggg agctcttcct ggaccaaggg aggagccgct cattcaccga 1080
acaaaactgt gtcttatctg ccaggaaaga ccagcctcac tcctgggaac tgtctggcag 1140
gtaggctggg cccccagtg ctgttagaat aaaaagcctc gtgccggaaa aaaaaaara 1200
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaant tngggggggg 1260

<210> 280

<211> 1668

<212> DNA

<213> Homo sapiens

<400> 280

gggaactgcc aaaagtgtgc atttggtac agtggactcg actgtaagga caaatctcag 60
ctgatcctca ctattgtggg caccatcgct ggcattgtca ttctcagcat gataattgca 120
ttgattgtsa cagcaagatc aaataacaaa acgaagcata ttgaagaaga gaacttgatt 180
gacgaagact ttcaaaatct aaaactgagg tgacagagct tcaccaatct tggagcagaa 240
gggagcgtct ttcttaaggt caggataacg gcctccagag acagccagat gcaaaatccc 300
tattcaagcc acagcagcat gccccgcct gactattaga atcataagaa tgtggaaccc 360
gccatggccc ccaaccaatg tacaagctat tatttagagt gtttagaaa actgatggag 420
aagtgaagcag cagtaaatg ctggcctccg ggggttttct tccatctgac atctgccagc 480
ctctctgaat ggaagtgtg aatgtttgca acgaatccag ctacttgct aaataagaat 540
ctatgacatt aaatgtagta gatgctatta gcgcttgctc gagaggtggt tttcttcaat 600
cagtacaaag tactgagaca atggttaggg ttgttttctt aattcttttc ctggtagggc 660
aacaagaacc atttccaatc tagaggaaag ctcccagca ttgcttgctc ctgggcaaac 720
attgctcttg agttaagtga cctaattccc ctgggagaca tacgcatcaa ctgtggaggt 780
ccgaggggat gagaaggat acccaccacc tttcaagggt cacaagctca ctctctgaca 840
agtcagaata gggacactgc ttctatccct ccaatggaga gattctggca accttgaac 900
agcccagagc ttgcaacctc gcctcaccga agaagactgg aaagagacat atctctcagc 960
tttttcaggga ggcgtgcctg ggaatccagg aactttttga tgctaattag aaggcctgga 1020
ctaaaaatgt ccactatggg gtgcactcta cagtttttga aatgctagga ggcagaaggg 1080
gcagagagta aaaaacatga cctggtagaa ggaagagagg caaaggaac tgggtgggga 1140
ggatcaatta gagaggaggc acctgggac cacttcttc cttagggtccc ctctccatc 1200
agcaaaggag cacttctcta atcatgccct ccgaagact ggctgggaga aggtttaaaa 1260
acaaaaaatc caggagtaag agccttaggt cagtttgaaa ttggagacaa actgtctggc 1320
aaagggtgag agaggagct tgtgctcagg agtccagccg tccagcctcg ggggtgaggt 1380
ttctgaggtg tgccattggg gcctcagcct tctctgggtg cagaggctca gctgtggcca 1440
ccaacacaca accacacaca cacaaccaca cacacaaatg ggggcaacca catccagtag 1500
aagcttttac aaatgttatt agtgcctttt tttatttcta atgccttgct ctcttaaaag 1560
ttatttttatt tgttattatt atttgttctt gactgttaat tgtgaatggt aatgcaataa 1620
agtgcctttg ttgatggaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 1668

<210> 281

<211> 2328

<212> DNA

<213> Homo sapiens

<400> 281

ggaaagtgtg tgtgtggcat ggtgtcctat ttgaacgacc tgcccagtea gcgcatccag 60
ccacagcagg tagcagtctg gccaaacctg gtggatatca acagccccga aagcctaacc 120
gaagcatata aactccgtgc agccagatta gtagaaattg ctgcaaaaaa ccttcaaaaa 180

```
gaagtgattc acagaaaaag caaggaggta gcttggaaac taacttctgt tgaccttggt 240
cgagcaagtg aggcacattg ccactatgtg gtagttaagc tcttttcaga aaaactcctc 300
aaaattcaag ataaagccat tcaagctgtc ttaaggagtt tatgtctgct gtattctctg 360
tatggaatca gtcagaacgc gggggatttc cttcagggga gcatcatgac agagcctcag 420
attacacaag taaaccagcg tgtaaaggag ttactcactc tgattcgctc agatgctgtt 480
gctttggttg atgcatttga ttttcaggat gtgacacttg gctctgtgct tggccgctat 540
gatgggaatg tgtatgaaaa cttgtttgag tgggctaaga actccccact gaacaaagca 600
gaggtccacg aatcttacia gcacctgaag tcactgcagt ccaagctctg aagtgtcaca 660
aggacaagtt taatctgctt cagaaagcgc ctgtgtgcaa ctcaaatttt gtggaatctt 720
tttcgaattc aaatagctat agagcaaatg ataaattgac ccctttttat aaatggaggg 780
aaaaaatgaa cagatttcag agattaaatg aaaaaagca gatgttttaa gtgcaattaa 840
cactgaaaga gacctgttaa accattcaga aaaagcttaa gaaatgcgat atgacttcct 900
tttgtaatgc tgctgatccc agtagactat gacttttgat aattagcaga atttaactac 960
tgagtgttg attattttca cattttaatt gctaatacct ggctatataa gtgtttttaa 1020
gcaaaggatg ttttgaagtg gtgtagaacc cttccaagct ttctgctca gtgttctacc 1080
agacttaccc tggggcctgg cttaaaagca ggattgaaga aaagggactg ggggaaggaa 1140
acttattgga aaacttgatg cgaatgagtt tctgcttggc acagtctctg cctgcttgc 1200
ctcctttgct gatggattgc atttatcaaa ctattcatgc tagcattttt ccaacgaggg 1260
aacttattcc gcacgggcct actgtaggac cattgtctcg tgtaattagg aattttccat 1320
ttgaaggaty gctaaattgt cacagtagta ggaagtatag ggaacacctc cagctgtggc 1380
actgtttag ctgttgagtg cagagtgtaa ctctgggaca atcagatttc acatattctg 1440
tcactctggc ataagccatt aaaagcttgg agattactgt atttggcatt aaaaaaaat 1500
gtcacttagg tcagactcc cagacgtagc acagaaaaac cctttgacac aaacctgtg 1560
ttctgatttt tgggtcagaa aatattgaaa ctgtgagttg tttttttttt aacaactggg 1620
aaaaaacaaa acaaaaaaac tatagttaga aaaatggaag ttccataggt tctatttctt 1680
actctatgta tggctttgtt ttcagtctat ttctaggagc tttctctgaa tcgctaattg 1740
tcctttcagt tgaaatctaa tttatacaat cattctatac ttaaagggtta aatacatctt 1800
aattaatttt ttctaaagt caatgtaagt cactttgttt tgtttttttt taatctacgc 1860
catatgcctc atgaaaccag ctgttctaga atcagtcctg agaatatggc ttaattccat 1920
ggaaacataa ctctatctt gggacctgac ataatactc tctatcctgg ggaactggta 1980
atatgagact tataggttac agcagaaatg ctacatgttg acaaaagcct taatcgttcc 2040
actgggagaa ctaattgata attgtgttaa gattgaagat taacctgtg ttaatctcac 2100
ttgagtctat cctgacagta gttcagattc tggaaaatga taaactgacc tgctagatgt 2160
agaattgttt caaaattagt gttgaaatac cttgttcaca gatgaatata tgggcaggat 2220
ctgaggggtg ttggaatgac acccccctaat ccagttgcat agatgggatg tctttgcagg 2280
tttgaggaga tcategacct gcagagcccc ctttgaccca gtacctca 2328
```

<210> 282

<211> 956

<212> DNA

<213> Homo sapiens

<400> 282

```
ggccgagccc gcgcccccca gaccccgaga gctcgcagct ccggccccggc ggcgatggcg 60
cggagctgcg cgtgctggtg gacatggacg gcgtcctggc cgacttcgag gccggcctcc 120
tgcggggctt ccgcccgcgc ttccctgagg agccgcacgt gccgctggag carcgcgcg 180
gcttcctggc ccgcgagcag tacgcgcgcc tgcggcccga cctggcggat aaagtggcca 240
gtgtgtacga agccccgggc ttttccctgg acctggagcc catcccggga gccttgagc 300
ctgtgcggga gatgaacgac ctaccggaca cgcaggtctt catctgcacc agccccctgc 360
tgaagtacca ccactgtgtg ggtgagaagt accgctgggt ggagcagcac ctggggcccc 420
agttcgtaga acgaattatc ctgacaaggg acaagacggt ggtcttgggg gacctgctca 480
```

ttgatgacaa ggacacagtt cgaggccagg aggagacccc aagctgggag cacatcttgt 540
tcacctgctg ccacaatcgg cacctggtcc tgcccccgac aaggagacgg ctgctctcct 600
ggagtgacaa ctggagggag atcttagata gcaagcgcgg agctgcgcag cgggaatgag 660
cggggatgcc gcgggcagca gctggagcta aaggaagggc aggccacag gggccaccgc 720
agagccgagt cggggcggca tcgtgctggt gcctctggcc ccgtggagtg gaggaggcag 780
ataccgttaa gcgctgtgct accggcccca ggccagcca cccggtacct cccgagaggc 840
tgtccctgga ccctggctgg catggaaata cagtgggaaa accagtcggg acctttaata 900
aaagaccttg gctttctaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaat 956

<210> 283

<211> 1402

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (88)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (131)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1355)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1394)

<223> n equals a,t,g, or c

<400> 283

ccccccgccc cccgcacccc cgaaanccag tgaaggtgaa gactccgcgg cccgcgggcg 60

```

tgccaggaga gcggaactgtt tgatgtgntg cgggggnccg tgcaggggag agtgggttcg 120
ggcggggggg nagaaaagat ttttttcttc tcttaatcgg aatcgtgatg gtgttggatt 180
atttcaatgg tggggttaat atagcatgtt atcctgtcta tcttttaaag atttctgtat 240
aagactgttg agcagttttt aaaatagtggt aggataatat aaaaagcaga tagatggcgc 300
tatgtttgat tcctacaacg aaattatcac cagctttttt tcattcttaa ctctttaaag 360
gattcaaacg caactcaaat ctgtgctgga ctttaaaaaa acaattcagg accaaaatttt 420
ttctcagtgt gtgtgtttat tccttatagg tgtaaagag aagacgtgtt tttttccttc 480
accgatgctc catcctcgta tttctttttc cttgtaaag taatcagatg ccattttata 540
tgtggacgta tttatactgg ccaaacatat tttttctttt gtcccttttt ttctttcctt 600
tctttttact tcctttattt ctttattcct tccttttctt ttttttctt 660
tttttttgg tagttgtgtt taccacgcc attttacgtc tccttcactg aagggctaga 720
gttttaactt ttaatttttt atattttaa gtagactttt gacactttta aaaaacaaaa 780
aaagacaaga gagatgaaaa cgtttgatta ttttctcagt gtatttttgt aaaaaatata 840
taaagggggt gttaatcggt gtaaatacgt gtttgattt cctgatttta taacagggcg 900
gctgggtaat atctcacaca gtttaaaaaa tcagccccta atttctccat gtttacactt 960
caatctgcag gcttcttaaa gtgacagtat cccttaacct gccaccagt tccaccctcc 1020
ggcccccgtc ttgtaaaaag gggaggagaa ttagccaaac actgtaagct ttttaagaaa 1080
acaaagtgtt aaacgaaata ctgctctgtc cagaggcttt aaaactgggt caattacagc 1140
aaaaagggat tctgtagctt taacttgtaa accacatctt ttttgactt tttttataag 1200
caaaaacgtg ccgtttaaac cactggatct atctaaatgc cgatttgagt tcgcgacact 1260
atgtactgcg tttttcattc ttgkatttga ctatttaatc ctttctactt gtcgctaaat 1320
ataaatggtt taaggcctaa tggntgsatg atagncataw ggkgtcaggt ttataacttt 1380
gggttaaaaa ttgnaaaagg gg                                     1402

```

<210> 284

<211> 675

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (520)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (560)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (618)

<223> n equals a,t,g, or c

<400> 284

acccctttaa ggaaaaaagn tggagctcca ccgcggtggc ggccgctcta gactcgagga 60

```
attccagatg cgagcgcggc cgcggccccc gccgctctgg gcgactgtgc tggcgtggg 120
ggcgttgccg ggcgttgccg taggagggcc caacatctgt accacgcgag gtgtgagctc 180
ctgccagcag tgcctggctg tgagcccat gtgtgcctgg tgctctgatg aggccctgcc 240
tctgggctca cctcgtgtg acctgaagga gaatctgctg aaggataact gtgcccaga 300
atccatcgag ttcccagtga gtgaggcccg agtactagag gacaggcccc tcagcgacaa 360
gggctctgga gacagctccc aggtcactca agtcagtccc cagaggattg cactccggct 420
ccggccagat gattcgaaga atttctccat ccaagtgcgg cagggtggarg attaccctgt 480
ggacatctac tacttgatgg acctgtctta ctccatgaan ggatgatctg tggarcaccc 540
agaacctggg taccaagctn ggccacccar atgcgaaagc tcaccartaa cctgcggatt 600
ggcttcsggg catttgtngg acaagcctgt gtcaccatag atgtacctcg tgcgaatttt 660
ggctcagggc aaatt 675
```

<210> 285

<211> 1339

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1331)

<223> n equals a,t,g, or c

<400> 285

```
gccgcaacct ttccaaggga gtggttgtgt gatcgccatc ttagggaaaa gatgttctcg 60
tccgtggcgc acctggcgcg ggcgaacccc ttcaacacgc cacatctgca gctggtgcac 120
gtgggtctcg gggacctccg ccgccgtgga agagtacagt tgtgaatttg gctccgcgaa 180
gtattatgca ctgtgtggct ttggtggggt cttaagtgtg ggtctgacac aactgctgt 240
ggttccccctg gatttagtga aatgccgtat gcagggtggac ccccaaaagt acaagggcat 300
atttaacgga ttctcagtta cacttaaaga ggatgggtgt cgtgggtttg ctaaaggatg 360
ggctccgact ttcttggtct actccatgca gggactctgc aagtttggtt tttatgaagt 420
ctttaaagtc ttgtatagca atatgcttgg agaggagaat acttatctct gccgcacatc 480
actatatattg gctgcctctg ccagtgtctg attctttgct gacattgccc tggctcctat 540
ggaagctgct aaggttcgaa ttcaaaccga gccagggtat gccaacactt tgagggatgc 600
agctcccaaa atgtataagg aagaaggcct aaaagcattc tacaaggggg ttgctcctct 660
ctggatgaga cagataccat acaccatgat gaagttcgcc tgctttgaac gtactgttga 720
agcactgtac aagtttgttg ttccaaagcc ccgcagtga tgttcaaagc cagagcagct 780
ggttgtaaca tttgtagcag gttacatagc tggagtcttt tgtgcaattg tttctcacc 840
tgctgattct gtggtatctg tgtgaataa agaaaaaggt agcagtgtct ctctgggtcct 900
caagagactt ggatttaaag gtgtatggaa gggactgttt gcccgatca tcatgattgg 960
taccctgact gcactacagt ggtttatcta tgactccgtg aaggtctact tcagacttcc 1020
tcgcccctct ccaccgaga tgccagagtc tctgaagaag aagcttgggt taactcagta 1080
gttagatcaa agcaaatgtg gactgaatct gcttggtgat cagtgttgaa gaaagtgcaa 1140
aaggaacttt tatatatatt acagtgtagg aaattgtcta ttctgatata aattactgta 1200
gtactcttgc ttaaggcaag agtttcagat ttactgttga aataaaacca actcttcagt 1260
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaa naaaaaaaaa 1339
```

<210> 286
<211> 1398
<212> DNA
<213> Homo sapiens

<400> 286
ctctggagcc accagcagaa cctcttcaat atcttgcag ttacagattt cactgctccc 60
accagcttgg agacaacatg tggttcttga caactctgct cctttgggtt ccagttgatg 120
ggcaagtgga caccacaaag gcagtgatca ctttgcagcc tccatgggtc agcgtgttcc 180
aagaggaaac cgtaaccttg cactgtgagg tgctccatct gcctgggagc agctcyacac 240
agtgggttct caatggcaca gccactcaga cctcgacccc cagctacaga atcacctctg 300
ccagtgtcaa tgacagtggg gaatacaggt gccagagagg tctctcaggg cgaagtgacc 360
ccatacagct ggaaatccac agaggctggc tactactgca ggtctccagc agagtcttca 420
cggaaggaga acctctggcc ttgagggtgc atgcgtggaa ggataagctg gtgtacaatg 480
tgctttacta tcgaaatggc aaagccttta agtttttcca ctggaattct aacctcacca 540
ttctgaaaac caacataagt cacaatggca cctaccattg ctcaggcatg ggaaagcatc 600
gctacacatc agcaggaata tcwrtcactg tgaaagagct atttccagct ccagtgtctga 660
atgcatctgt gacatcccca ctctggagg ggaatctggt caccctgagc tgtgaaacaa 720
agttgctctt gcagaggcct ggtttgcagc tttacttctc cttctacatg ggcagcaaga 780
ccctgcgagg caggaacaca tcctctgaat accaaatact aactgctaga agagaagact 840
ctgggttata ctgggtcgag gctgccacag aggatggaaa tgtccttaag cgcagccctg 900
agttggagct tcaagtgctt ggctccagc taccaactcc tgtctgggtt catgtccttt 960
tctatctggc agtgggaata atgtttttag tgaacactgt tctctgggtg acaatacgtg 1020
aagaactgaa aagaaaagaa aagtggrrat tagaaatctc tttggattct ggtcatgaga 1080
agaaggtaat ttccagcctt caagaagaca gacatttaga agaagagctg aaatgtcagg 1140
aacaaaaaga agaacagctg caggaagggg tgcaccggaa ggagccccag ggggccacgt 1200
agcagcggct cagtgggtgg ccacgatct ggaccgtccc ctgcccactt gctccccgtg 1260
agcactgcgt acaaacatcc aaaagttcaa caacaccaga actgtgtgtc tcatgggtatg 1320
taactcttaa agcaataaaa tgaactgact tcaactgaaa aaaaaaaaaa aaaaaaaaaa 1380
aaaaaaaaaa aaaaaaaaaa 1398

<210> 287
<211> 926
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (20)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (22)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (896)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (917)

<223> n equals a,t,g, or c

<400> 287

```
gaaatccttt ttatctttcn tntttttttt aagggccttt ctaactccgc tgccgccatg 60
gctcctgtga aaaagcttgt ggtgaagggg ggcaaaaaaa agaagcaagt tctgaagtgc 120
actcttgatt gcaccacccc tgtagaagat ggaatcatgg atgctgcaa ttttgagcag 180
tttttgcaag aaaggatcaa agtgaacgga aaagctggga accttggtgg aggggtggtg 240
accatcgaaa ggagcaagag caagatcacc gtgacatccg aggtgccttt ctccaaaagg 300
tatttgaaat atctcaccaa aaaatatttg aagaagaata atctacgtga ctgggtgcgc 360
gtagttgcta acagcaaaga gagttacgaa ttacgttact tccagattaa ccaggacgaa 420
gaagaggagg aagacgagga tttaatttca tttatctgga aaattttgta tgagttcttg 480
aataaaaactt gggaacccaa atggtggttt atccttgtat ctctgcagtg tggattgaac 540
agaaaattgg aaatcatagt caaagggtct cccttggttc gccactcatt tatttgtaac 600
ttgacttctt tttttttctg cttaaaaatt tcaattctcg tggtaatacc agagtagaag 660
gagagggtga ctttaccgaa ctgacagcca ttggggagggc agatgcgggt gtggaggtgt 720
gggctgaagg tagtgactgt ttgattttaa aaagtgtgac tgtcagttgt atctgttgct 780
tttctcaatg attcagggat acaaatgggc ttctctcatt cattaaaaga aaacgcgaca 840
tctttctaag attctctgtg ggaaaatgac tgtcaataaa atgcgggttt ctgggncaaa 900
aaaaaaaaa aaaaccncgg ggagtc 926
```

<210> 288

<211> 3094

<212> DNA

<213> Homo sapiens

<400> 288

```
agagagctca gatggccctt ttaagggggc tccaagaacc aacatcactg ctctttttaga 60
taaacctctg ccctccactc cttgcttgag tgggttaaag gaactaacag ttgtcccttt 120
aggaggacaa aatgggggtca agaggacaca gaagagttgt atagcaccag attggttcca 180
aatagttaat ggatgtgtgc acattttctg ttcagggtat aagaccagaa tatcagtgga 240
tttgttttcc ccaccaagtg gcctcttaga ctagtcatca acttatgatt agctctaaag 300
atttcaaata gtggcagaca gtgtcttctg aatgtaagtt ttgagaaata cgagtcgtgc 360
agagcggcca taagccataa agagtcaatc tcttaattat atttttcatc atgtaaacaa 420
gtttcccatc tccctttctt agattgcacc agtgaaggag atgttttgca aagattcaga 480
gaactaattt ttcactggat aagacctgag taaccagac cccccaccgt ggttcttttc 540
acagccctcg actttgcact taaaaaggga tattgtaaat gaaaggctgc agtgccagtt 600
ttaagaaaga atttctgtga agtgtgagga ctctggagtc tagctcacat aaagagagtg 660
ttatataaaa atccgacagc tgaactaggt tgctcttttt tggcagggag tggggatgag 720
atttgacacc aatatgggca aaattagata accttttggt taatataaat gattttgatt 780
tggaggccta atttgtagat tgtgaaagca gcttttagtt taacttatc acagaccctc 840
tataattacc atgttttttt tttcttccta aatctcttgg ttcagcttgt gaatcttacg 900
tgcccgtaaa gttgggatgt tgaattggct ctctcttggt ctggcagtg gtcaagtgtc 960
cagcattttt tcataagtgt tttttaaaat tgttctocag cattttatgg ctccctccctc 1020
ccatgtcctc agacccagca aaagcgtaga ggcagaatta gaggcctctc caggccagct 1080
cctctgccca catgtcatat aagggtgtgaa tttgagcaca gtccagaaat ggagacatcc 1140
cacccccagt tgaataatgg cccattcatg ccaaccttgc caacacggag agggcagaga 1200
tgcactagaa gacottcatc ctccccttcc tctgccccaa gtcactacag ttggttctat 1260
```

```

tgaagccagt ctttaagaaa cctgggttaa agacaccagc acttctgctt gctgggctgg 1320
ctggacctgt gaagcmatgg gcaggtagtg cctcttgaga gtcattttat ttggccacct 1380
tcagggtgaga ctatccatag acacatgcta ggataggccc cgctgggagg gcagttacag 1440
gagagagtag gtggtggtga cgtgagggtc gtgaaggatc cagagacaag acttagatgt 1500
ttcgttcatt cactcactca ttcagttact cctaagactt ttcagtttca taaggaagag 1560
tgttgcctga ggccctaggg aatattgggg aatagaaggg attgaggaaa cattaataat 1620
agttattcaa aagacccaaa tgcttatact tctctctccc ttcttctctc tctgacacac 1680
acacacacac acacacacac acacacacac gtgcacattc ctcccttaca tgctcatttg 1740
tgccttaaat gtgccttata ggtaaatcca ggatgactga ggaatccctc gtcactggga 1800
gattttgtat atattctttt attattagat tgagttgggt gtggggaaaa atttttttct 1860
gaaggctcaa aagtggtttc ctaaaagtga gccactatca gatttgcaca tcaggagaaa 1920
agaaataggg ttacgtccat taggaaaatc ccagtttgca ggagtgcatt cacatcaaaa 1980
aaacaaccag ccaggattaa aggtattata aatcctcata gcggaacatt tctcagggca 2040
aaggaacctg gctcatttga agattaatgt tccatgcctt tgtgggtcaa sggtcagcac 2100
ttaacacacg aaaaaactag gtgttggttt gttttgttat tttggacaac ataaaattca 2160
ggaatgtttt atttagcctt ggtttctaga aggaagggaa ataatatattc ttgagcattt 2220
actaggtgtg tgcgtgctgt gctaagtaaa ttttaagtct ttcagtttta tagatacgga 2280
aaacaagggt gactctttac cacaggatga ataaagaact aagtaatatg ggaaatgcag 2340
caatttctgq actagctgag ccgattcctt cctgtgagca cactgtaagc tttcaagttc 2400
tctgggcagg aattacagca cctgtcccct gcaatggccc tgctgtgtga tgctcatcgc 2460
ttcccttcgt gctggagcag tccccaggt gtccatctcc tatctttttg ttccaatctt 2520
ctgtgagttc cagctagcag gctttacatc tggggaaagg aaaaccaggg gttttagctc 2580
tgttctctgc tcccatcctt cgctcaccag ctgagtgaga acatgaactt tttgcaccat 2640
gtacccatgg cttacactac ttagaaaatc accttttcag ataaaacagt ttatgagttc 2700
atagagaaca ccagcactct ttgacaaaac tgtgagtgc cctttttaaa caatgctgag 2760
caggccctga gctataatca acggtgagct ttaatgtcta tgctgacagt taggttttgc 2820
tctcttttgt aacaggttac gtagaccagc agtggtttaa tctaaatacg ttgtgagctc 2880
gttatctgtc ctatcgcggt ttttaaataga ctttttattc tttatcatag ctaagtaaat 2940
acaaaaaaa aaaaaagct ttgtaggaca cttgtactta gtttgggaaa aaaaaataa 3000
ttgaaattgt tatgcttttg tatttccatt tcttgcaaat aaatatTTTT tcttaaatag 3060
taagatgttg cccagtcctt ataattcttg tact 3094

```

<210> 289

<211> 1983

<212> DNA

<213> Homo sapiens

<400> 289

```

gacctcagag gagtcaaggc cccgcctgtc ccagctgtct gtgactgacg tgaccaccag 60
ttcactgagg ctcaactggg agggcccacc gggggccttc gactccttcc tgctccgctt 120
tggggttcca tcaccaagca ctctggagcc gcatcccgct ccactgctgc agcgcgagct 180
gatggtgccg gggacgcggc actcggccgt gctccgggac ctgcgttccg ggactctgta 240
cagcctgaca ctgtatgggc tgcgaggacc ccacaaggcc gacagcatcc agggaaccgc 300
ccgcaccctc agcccagttc tggagagccc ccgtgacctc caattcagtg aaatcaggga 360
gacctcagcc aaggtcaact ggatgcccc accatcccgg gcggacagct tcaaagtctc 420
ctaccagctg gcggacggag gggagcctca gagtgtgcag gtggatggcc agggccggac 480
ccagaaactc caggggctga tcccaggcgc tcgctatgag gtgaccgtgg tctcggtccg 540
aggctttgag gagagtgagc ctctcacagg cttcctcacc acggttcctg acggtccacc 600
acagttcgct gcaactgaact tgaccgaggg attcgcctgt ctgcaactga agcccccca 660
gaatcctgtr gacacctatg acrtccaggt cacagccctt ggggccccgc ctctgcaggc 720
ggagacccca ggcagcgcgg tggactaccc cctgcatgac cttgtcctcc acaccaacta 780

```


caccgccaca gtgcgtggcc tgcggggccc caacctcact tccccagcca gcatcacctt 840
caccacaggg ctagaggccc ctcgggactt ggaggccaag gaagtgaccc cccgcaccgc 900
cctgctcact tggactgagc ccccagtccg gcccgcaggc tacctgctca gcttccacac 960
ccctgggtgga cagaccagag agatcctgct cccaggaggg atcacatctc accagctcct 1020
tggcctcttt ccctccacct cctacaatgc acggytccag gccatgtggg gccagagcct 1080
cctgccgccc gktkccacct cttcaccac ggggtgggctg cggatcccct tccccaggga 1140
ctgcggggag gagatgcaga acggagccgg tgcctccagg accagcacca tcttcctcaa 1200
cggcaaccgc gagcgccccc tgaacgkkt ttgcgacatg gagactgatg ggggaggctg 1260
gctgggtgtc cagcgycgca tggatggaca gacagacttc tggagggact gggaggacta 1320
tgccccatggt tttgggaaca tctctggaga gttctggctg ggcaatgagg ccctgcacag 1380
cctgacacag gcaggtgact actccatgctg cgtggacctg cgggctgggg acgaggctgt 1440
gttcgcccag tacgactcct tccacgtaga ctcggctgctg gactactacc gcctccactt 1500
ggagggttac caccggcaccg cagggactcc atgagctacc acagcggcag tgtcttctct 1560
gcccgtgata gggaccccaa cagcttgctc atctcctgctg ctgtctccta ccgagggggc 1620
tggtggtaca ggaactgcca ctacgccaac ctcaacgggc tctacgggag cacagtggac 1680
catcaggagg tgagctggta ccactggaag ggcttcgagt tctcggtgcc cttcacggaa 1740
atgaagctga gaccaagaaa cttctgctcc ccagcggggg gaggtgagc tgctgcccac 1800
ctctctcgca cccagtatg actgccgagc actgaggggt cggcccgaga gaagagccag 1860
ggctcttcac caccagccg ctggaggaag ccttctctgc cagcgatctc gcagcactgt 1920
gtttacaggg gggaggggag gggttcgtac gggagcaata aaggagaaac tgaggtaccc 1980
gga 1983

<210> 290

<211> 1298

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1224)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1231)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1242)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1285)

<223> n equals a,t,g, or c

<400> 290

```
gaaggacagc agaccagaca gtcacagcag ccttgacaaa acgttccttg aactcaagct 60
cttctccaca gaggaggaca gagcagacag cagagaccat ggagtctccc tcggcccctc 120
cccacagatg gtgcatcccc tggcagaggc tcctgctcac agcctcactt ctaaccttct 180
ggaacccgcc caccactgcc aagctcacta ttgaatccac gccgttcaat gtcgcagagg 240
ggaaggaggt gcttctactt gtccacaatc tgccccagca tctttttggc tacagctggg 300
acaaagggtga aagagtggat ggcaaccgtc aaattatagg atatgtaata ggaactcaac 360
aagctacccc agggcccgcg tacagtgggc gagagataat ataccccaat gcatccctgc 420
tgatccagaa catcatccag aatgacacag gattctacac cctacacgtc ataaagtcag 480
atcttgtgaa tgaagaagca actggccagt tccgggtata cccggagctg cccaagccct 540
ccatctycag caacaactcc aaaccctgtg aggacaagga tgctgtggcc ttcacctgtg 600
aacctgagac tcaggacgca acctacctgt ggtgggtaaa caatcagarc ctcccggta 660
gtcccaggct gcagctgtcc aatggcaaca ggaccctcac tctattcaat gtcacaagaa 720
atgacacagc aagctacaaa tgtgaaaccc agaaccctagt gagtgccagg cgcagtgatt 780
cagtcatcct gaatgtctc tatggcccgg atgccccac catttccct ctaaacacat 840
cttacagatc aggggaaaat ctgaacctct cctgccacgc agcctctaac ccacctgcac 900
agtactcttg gtttgtcaat gggactttcc agcaatccac ccaagagctc tttatcccca 960
acatcactgt gaataatagt ggatcctata cgtgccaaagc ccataactca gacactggcc 1020
tcaataggac cacagtcacg acgatcacag tctatgcaga gccacccaaa cccttcac 1080
ccagcaacaa ctccaacccc gtggaggatg aggatgctgt agccttaacc tgtgaacctg 1140
agattcagaa cacaacctac ctgtgggtgg taaataatca gagccttccg gtcagtccca 1200
ggctgcactt gccaatgaca acangaccct nactctactc antggcacia ggaatgatgt 1260
angaccctat gaatgtggaa tccanaacaa attaatgtg 1298
```

<210> 291

<211> 2459

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1604)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1605)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (2374)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2392)
<223> n equals a,t,g, or c

<400> 291
cgnnccacgc gtccgcagca rggccaacag tcacagcagc cctgaccaga gcattcctgg 60
agctcaagct ctctacaaa aggtggacag agaagacagc agagaccatg ggacccccct 120
cagccccctcc ctgcagattg catgtcccct ggaaggaggt cctgctcaca gcctcacttc 180
taaccttctg gaaccacccc accactgcca agctcactat tgaatccacg ccrttcaatg 240
tcgcagaggg gaaggagggt cttctactcg cccacaacct gccccagaat cgtattgggt 300
acagctggta caaaggcgaa agagtggatg gcaacagtct aattgtagga tatgtaatag 360
gaactcaaca agctacccca gggcccgcac acagtggctg agagacaata taccccaatg 420
yatccctgct gatccagaac gtcaccaga atgacacagg attctatacc ctacaagtca 480
taaagtcaga tcttgtgaat gaagaagcaa ccggacagtt ccatgtatac ccggagctgc 540
ccaagccctc catctccarc aacaactcca accccgtgga ggrcaaggat gctgtrgcct 600
tcacctgtga acctgaggtt cagaacacaa cctacctgtg gtgggtaaat ggtcagagcc 660
tcccggtcag tcccaggctg cagctgtcca atggcaacat gaccctcact ctactcagcg 720
tcaaaaggaa cgatgcagga tcctatgaat gtgaaatata gaaccacagc agtgccaacc 780
gcagtgacct agtcacctg aatgtcctct atggcccaga tggccccacc atttccccct 840
caaaggccaa ttaccgtcca ggggaaaatc tgaacctctc ctgccacgca gcctctaacc 900
cacctgcaca gtactcttg ttrtcaatg ggackttcca gcaatccacm caagagctct 960
ttatcccaa catcactgtg aataatagt gatcctatac gtgccaagcc cataactcag 1020
acattggcct caataggacc acagtcacga cgatcacagt ctatgcagag ccacccaaac 1080
ccttcacac cagcaacaac tccaaccccg tggaggatga ggatgctgta gccttaacct 1140
gtgaacctga gattcagaac acaacctacc tgtgggtggg aaataatcag agcctcccg 1200
tcagtcccag gctgcagctg tccaatgaca acaggacct cactctactc agtgtcaca 1260
ggaatgatgt aggacctat gagtgtggaa tcagaacga attaatgtt gaccacagcg 1320
acccagtcac cctgaatgtc ctctatggcc cagacgacct caccatttcc cctcatata 1380
cctattaccg tccaggggtg aacctcagcc tctcctgcca tgcagcctct aaccacctg 1440
cacagtattc ttggctgatt gatgggaaca tccagcaaca cacacaagag ctctttatct 1500
ccaacatcac tgagaagaac agcggactct atacctgcca ggccaataac tcagccagtg 1560
gccacagcag gactacagtc aagacaatca cagtctctgc gganntgccc aagccctcca 1620
tctccagcaa caactccaaa cccgtggagg acaaggatgc tgtggccttc acctgtgaac 1680
ctgaggctca gaacacaacc tacctgtggt gggtaaatgg tcagagcctc ccagtcagtc 1740
ccaggctgca gctgtccaat ggcaacagga cctcactct attcaatgtc acaagaaatg 1800
acgcaagagc ctatgtatgt ggaatccaga actcagtgag tgcaaaccgc agtgaccag 1860
tcacctgga tgctctctat gggccggaca ccccatcat ttcccccca gactcgtctt 1920
acctttcggg agcgaacctc aacctctcct gccactcggc ctctaaccba tccccgag 1980
attcttggcg tatcaatggg ataccgcagc aacacacaca agttctctt atcgccaaaa 2040
tcacgccaac taataacggg acctatgcct gtttgtctc taacttggct actggccgca 2100
ataattccat agtcaagagc atcacagtct ctgcactctg aacttctcct ggtctctcag 2160
ctggggccac tgtcggcac atgattggag tgcgtggttg ggttgcctc atatagcagc 2220
cctggtgtag tttcttcatt tcaggaagac tgacagttgt tttgcttctt ccttaaagca 2280
tttgcaacag ctacagtcta aaattgcttc tttaccaagg atatttacag aaaagactct 2340
gaccagagaa tcgagaacca tcctagccaa catngtgaaa acccatctg tnactaaaaa 2400
tacaaaaatg agctgggctt tgtggcgcgc acctgttagt ccccgtaat ttggggagg 2459

<210> 292
<211> 570
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (567)
<223> n equals a,t,g, or c

<400> 292
aattcggcac gmccgggagt gtggtacttc tcctagtgtg agtcaggcct catacgctat 60
tgtcctgccc gttagagcag ccagcgggta cagaatggat tttggaagag ggagtcacca 120
ctggacctcc aaggaagcca cgtgcagaca tctacaacct tcgatctcct gacgagttaa 180
ttgttgacca aaaccaggct ttgattgaac caggatgaat gcgggtgttg gaagtagaat 240
atatatatac atataaaatt ggttgggagc cacgtgtacc agtgtgtgtt gatcttggct 300
tgattcagtc tgccctgtaa cagaaactgg cgatggaata tgagaggagc cctctggaaa 360
gaaaaggaca gacctgtgc tttcatgaaa gtgaagatct ggctgaacca gttccacaag 420
gttactgtat acatagcctg agtttaaaag gctgtgcccc cttcaagaat gtcattgtta 480
gactttgaaa tttctaactg cctacctgca taaagaaaat aaaatctttt aaatcaaaaa 540
aaaaaaaaa raagggggcc gctctanagg 570

<210> 293
<211> 2468
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (2076)
<223> n equals a,t,g, or c

<400> 293
gggtttgaga agattggaca gtgcttcagg caccgtgtac acagcaatgg atgtggccac 60
aggacaggag gtggccatta agcagatgaa tcttcagcag cagccaaga aagagctgat 120
tattaatgag atccttgtca tgaggaaaa caagaacca aacattgtga attacttgga 180
cagttacctc gtgggagatg agctgtgggt tgttatggaa tacttggtg gaggctcctt 240
gacagatgtg gtgacagaaa cttgcatgga tgaaggccaa attgcagctg tgtgccgtga 300
gtktctgcag gctctggagt tcttgcatte gaaccagata accccagagc agagcaaacg 360
gagcaccatg gtaggaaccc catactggat ggcaccagag gttgtgacac gaaaggccta 420
tgggcccaag gttgacatct ggtccctggg catcatggcc atcgaaatga ttgaagggga 480
gcctccatac ctcaatgaaa accctctgag agccttgtac ctcatgcca ccaatgggac 540
cccagaactt cagaaccag agaagctgtc agctatcttc cgggactttc tgaaccgctg 600
tctcgagatg gatgtggaga agagagggtc agctaaagag ctgtacagc atcaattcct 660
gaagattgcc aagccccctc ccagcctcac tccactgatt gctgcagcta aggaggcaac 720
aaagaacaat cactaaaacc acactcacc cagcctcatt gtgccaagcc ttctgtgaga 780
taaatgcaca tttcagaaat tccaactcct gatgccctct tctccttgcc ttgcttctcc 840
catttctga tctagcactc ctcaagactt tgatccttg aaaccgtgtg tccagcattg 900
aagagaactg caactgaatg actaatcaga tgatggccat ttctaaataa ggaatttctt 960
cccaattcat ggatatgagg gtggtttatg attaagggtt tatataaata aatgtttcta 1020

```

gtcttcctg  tgcaaaatc  ctcacctcct  tcataaccat  ctcccacaat  taattcttga  1080
ctatataaat  ttatggtttg  ataataattat  caatttgtaa  tcaattgaga  tttctttagt  1140
gcttgctttt  ctgtgactca  actgcccaga  cacctcattg  tacttgaaaa  ctggaacagc  1200
ttgggaatgc  catgggggtt  gataatctgc  caggacatg  aagaggctca  gcttcctgga  1260
ccatgacttt  ggctcagctg  atcctgacat  gggagaacaa  ccacattttt  ctttgtgtgt  1320
gcttctagca  gctgttcggg  aggaccttga  cccaayagt  ttcccatgct  gtttcttgtg  1380
aaatgctctc  ggctatgtag  cagcttttga  ttccctgcat  accctaggct  gctgcccta  1440
tcctgtccct  tgtttataac  attgagaggt  tttctagggc  acatactgag  tgagagcagt  1500
gttgagaagt  cggggaaaat  ggtgactact  ttttagagca  ggctgggcat  cagcacctgt  1560
ccagctctac  ttgtgtgatg  tttcagggaac  tcagccccct  tttctgccta  ggataaggag  1620
ctgaaagatt  aacttgatc  ttctaattgt  ccaaactctt  tggtcacaat  aaagagtctc  1680
caaattagag  actgcatgtt  agttctggat  ggatttggtg  gcctgacatg  ataccctgcc  1740
agctgtgagg  ggaccccggt  ttttaagatgc  atggccaagc  tctctgcaaa  tggaaatgct  1800
tacactgggt  gttgggggat  tttgtacct  cctgtatttt  ttgtggtttt  ggttctccca  1860
ctatggtagg  acccctggcc  agcattgtgg  cttgtcatgt  cagccccatt  gactaccttc  1920
tcactgtctg  aggtactact  gcctctgcag  cacaatttct  tatctctgtc  aataaaaagg  1980
gatgaaaata  ttctattgga  gtatgccttt  cttttttctc  ttcgtttttt  ctttcttttt  2040
ctaatttttt  atatgaaata  atgagtaagt  ttcttctga  accatttgag  agtggttaagt  2100
tgcagataga  atgccccctt  accactatat  acctgaatgt  gtattctttc  yttttaaacac  2160
ttttatttta  aatataaatt  aagagaaatg  ggccaaaacc  atttgtattg  tttaaagaat  2220
aattataaac  aacttgttat  ccaccaaata  aagaaakgga  aactgacag  taagaacctt  2280
ctctatcttg  tccttccttt  ctcatatag  ccccccacta  agaggtaacc  accatcttga  2340
cttttattta  aataactttc  ttgcttttct  gtatactttc  atcacattca  ggtgtgttcc  2400
aatacaagta  gatttttagt  cggccagttt  ttgaacttta  aataaacata  tcataataga  2460
taaaaaaa  2468

```

<210> 294

<211> 1080

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1038)

<223> n equals a,t,g, or c

<400> 294

```

ctcgtgccga  attcggcacg  agcccacggg  cccggcgcca  tgagtgttgc  cgcttcctgg  60
atgacaacca  aatcatcacc  agctctgggg  ataccacctg  tgccctgtgg  gacattgaga  120
caggccagca  gacagtgggt  tttgctggac  acagtgggga  tgtgatgtcc  ctgtccctgg  180
ccccgatgg  ccgcacgttt  gtgtcaggcg  cctgtgatgc  ctctatcaag  ctgtgggacg  240
tgcgggattc  catgtgccga  cagaccttca  tcggccatga  atccgacatc  aatgcagtgg  300
ctttcttccc  caacggctac  gccttcacca  ccggctctga  cgacgccacg  tgccgcctct  360
tcgacctgcg  ggccgatcag  gagctctca  tgtactccca  tgacaacatc  atctgtggca  420
tcacctctgt  tgcttctctg  cgcagcgacg  gctgtgtctc  gctggctacg  acgacttcaa  480
ctgcaacatc  tgggatgcca  tgaaggcgga  ccgtgcagga  gtccctcgctg  gccacgacaa  540
ccgcgtgagc  tgctctgggg  tcaccgacga  tggcatggct  gtggccacgg  gctcctggga  600
ctccttcctc  aagatctgga  actaatggcc  ccacccccac  tggggccagg  ccaggagggg  660
ccctgcccac  gccacacta  caggccaggg  ctgcggggct  ggcgcaatcc  cagccccctt  720
ccccgggcca  cggggccttg  ggtccctgcc  ctcccaccca  ggtttggttc  ctcccggggc  780
ccccactgtg  gagataagaa  ggggatggaa  tgggggaaga  ggaggagcag  gaggccctca  840

```

tccttctgct gccctggggt tggggcctca cccctctgga gggccggagg caggagggtg 900
aaaccccagg ggctggcttt tttaaaactg gttttatttt aatttttatt atattttcag 960
tttttccata aaggagccaa ttccaactct gwaaaaaaaa aaaaaaaaaa acttcgrggg 1020
ggggcccgtg cccaattngc ctttaggggg gggtttaaat taatggcggg gttttaaaaa 1080

<210> 295

<211> 2695

<212> DNA

<213> Homo sapiens

<400> 295

tcatgattcc aagctaaagg aaattaaaaa tgtaatttaa taatttccta tttttagggt 60
tgtaattttt tttctacaaa aaaaccttga aatttttagat atcccaatgt gaatctaatt 120
tccatatata cagaaattag acaataata agtccttagt tcaacttaag catatctcaa 180
atgacttctc taaatttaaa gttgatcatg ataggatcat aaaagacaga aaagacttaa 240
gtaactctgt aatgacaatt atttccattt ttgctgaact aaaaaatatt aacttcataa 300
atatgttact acagcttcca gattttaaaga aaaaaagttt cccccactct caattaaaag 360
ttagaaccct ccacttttaa aattatacaa atatttcttt tttacattac acagaagcct 420
tctgtaccat tttacgaatt tctgtcttca taatataagt gaaaatactg tcatttcaat 480
tttctgcttt aaattgtttt taataagcat yccaaagtga tacagactta agcttttaat 540
caatcagtca ttcagttgat agacaaagtt agcgatgctt tatgctagga aacttggtga 600
cagtaacctg tgcgacttta tgcagaagac aaatgctagt aattattatg cacagaggaa 660
aaatcatttt aagtatgtgg taaagcagct tcactcttca aaattgattt gctctggttt 720
ttcttttagc cattagattc cagaatgtcc ttttactggg aatttagtta tgtattaaga 780
taacctgttt tcagttcttt ttgaaaagaa gacattattt atattgaacc acctattttt 840
aaaattttta acttttatat accacttggt tgattccagt gtcatgtctt gggtttgatg 900
tcgttggaaca gaaaagtga tcaattattt taaatgaatt tttcccatg tttgaggctt 960
agtctgtaaa tgtgttgctg taacagaaaa tacttggtga tgcattactt gaatacttga 1020
aaactgaaat taataagatg tattacataa tgaattagat ttctctgaac agtttttaca 1080
ctgaaaatct tcatttctgg attgcagttt gaaatggaat gaagacctga attatttggg 1140
tagaaaaaat tatgatagtg cttataagaa ctgtaaactg ttttaacta ttttgtgttt 1200
gacgcacaa acttcaagtt ttttgaagt ttctctctg aaattttctt tctctcttat 1260
actttatgca cttactatac tactgatgta ataaaagagc agggttaaaa atattgtatc 1320
tgtattcatt gtgaatcctg tagcttttct agttaacaaa aaatcgcttt ctaaaatact 1380
cttaatccca ttgttttggg taacatctta cccatttggt gtatttcaaa tgccattaat 1440
catttttagta caacacctat gtttataaaa atttgaaaac attacatatt gtatttaaaa 1500
ctaattagtg aagagtaaga aaaaaactag ccaacagaat tgtaggtgat gcattagtta 1560
aatttcaaaa ctcataataa aggaactttc agagattggg tgaaacccag tggatatccct 1620
gtaaattagc tcctgtgact ggaaaagacc ccaaaaaggc agtagaggag attagtgttt 1680
acttgctgtg gttgtggtgt gctgctactt aattataggt agtgacacac tgaaattcct 1740
atgtgtccaa taatctgaag tagtttctta tatttatctg tactaaattg actataaatt 1800
gagtctgcaa agaggaaact ttttgactgt actgtattta ggagcctttg tacagcttgg 1860
tcaaatttcc atgatatgaa gtatttgagt tttaaaatat actgttatta aaaggaaaaa 1920
gacatggcca ttattccatg tgcttaaatg ataatttcct tattcagttt cagaagaaaa 1980
agaatgaaat tgggtaactg tcattgcgtt agytttatgt tgaattggga aattgtggca 2040
taaagcttaa attcgtgttt atcaaatgtg aaccatagta gtataatgct gctttgtata 2100
taatgtaagt gctacaaata gtctcagcac tgaaaatgta ttgatacctc ttaaatgaat 2160
gcaacttttg tataggtgtt tttgctatgc ctcagaaaat atctgtctga gaatttgtaa 2220
atctgtttga taatgaagat acttctgtgt ttctgttttc atattttcat gttcaaaatt 2280
taagttttac atttttacta ctgttaattt aaataaaatt tgttctgtgg ataaaaatag 2340
gttggcagtg aagaaaatta aaaacagcct cattcatgta actggttaag taaaaataca 2400

ttttcactat gtgttcataa acttttaaatg aagctgtttg tctttcagtt caaatataag 2460
tgatgttttag gctttatttc tgtaataaag gctttttacc attgattaaa tgaaggaatg 2520
tatctttttg aagagattta tattctgtaa ataaaaattc gttgtaacaa taaagttgag 2580
ttctaactac aaaaaaaaaa aagtcgacac cgccgggaat ttaggtgtag tagtccccccg 2640
ggaaattcgg accggttact gaaggcgatc cagttttccc aaagttgggc gtatt 2695

<210> 296

<211> 1394

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1238)

<223> n equals a,t,g, or c

<400> 296

gccacgcgt ccgagctcag tcagcagaag agataaaagc aaacaggtct gggaggcagt 60
tctgttgcca ctctctctcc tgtaaatgat ggatctcaga aataccccag ccaaatctct 120
ggacaagtgc attgaagact atctcttgcc agacacgtgt ttccgcatgc aaatcaacca 180
tgccattgac atcatctgtg ggttcctgaa ggaaagggtg ttccgaggta gtcctaccc 240
tgtgtgtgtg tccaagggtg taaagggtg ctcctcaggc aagggcacca ccctcagagg 300
ccgatctgac gctgacctgg ttgtcttcct cagtcctctc accacttttc aggatcagtt 360
aaatcgccgg ggagagttca tccaggaaat taggagacag ctggaagcct gtcaaagaga 420
gagagcatth tccgtgaagt ttgagggtcca ggctccacgc tggggcaacc cccgtgcgct 480
cagcttcgta ctgagttcgc tccagctcgg ggagggggk gagttcgatg tgctgcctgc 540
ctttgatgcc ctggattttg ccgwcacagg tcaattgact ggcggctata aacctaaccc 600
ccaaatctat gtcaagctca tcgaggagtgc caccgacctg cagaaagagg gcgagttctc 660
cacctgcttc acagaactac agagagactt cctgaagcag cgccccacca agtcaagag 720
cctcatccgc ctatgaagc actggtacca aaattgtaag aagaagcttg ggaagctgcc 780
acctcagatg gccctggagc tcctgacggt ctatgcttgg gagcgaggga gcatgaaaac 840
acatttcaac acagcccagg gatttcggac ggtcttgga ttagtcataa actaccagca 900
actctgcac tactggacaa agtattatga ctttaaaaac cccattattg aaaagtacct 960
gagaaggcag ctcacgaaac ccaggcctgt gatcctggac ccggcggacc ctacaggaaa 1020
cttgggtggt ggagacccaa agggttggag gcagctggca caagargctg aggcctggct 1080
gaattaccca tgctttaaga attgggatgg gtccccagt agctcctgga ttctgctggt 1140
gagacctcct gcttctccc tgccattcat ccctgccct ctccatgaag cttgagacat 1200
atagctggag accattcttt ccaaagaact tacctctntc gcaaaggcca tttatattca 1260
tatagtgaac ggctgtgctc catattttac agtcattttg gtcacaatcg agggtttctg 1320
gaattttcac atcccttgtc cagaattcat tcccctaaga gtaataataa ataattctta 1380
acaccaaaaa aaaa 1394

<210> 297

<211> 998

<212> DNA

<213> Homo sapiens

<400> 297

ggcacgaggt gaaataacgg gcccatataa atccctctgc cgcccgccctg caagatggat 60
tgccgcgatt gaaattcctc cgcragataa ttaaactcgg ggcctcatcc gggcaaaatt 120
acattccttg tgacgactgc gcatgctcgg aaaggggacg caatcragat cccaaacgcg 180

```
gtacagacca aaccgcagtc cacgttacgg atcggttac tccgaggagt tggcctcatt 240
tctgcagtcg gcgctccctg tagtttctcc tctcgaacgc caggtggagc aaccggccgg 300
ataccgccac agccctggca ggcggcgctg tgatgcctga gctgacctc tctcctgcc 360
cagctcctca cccctgaaa atgttcgcct gctccaagtt tgtctccact ccctccttgg 420
tcaagagcac ctcacagctg ctgagccgct cgctatctgc agtgggtgctg aaacgaccgg 480
agatactgac agatgagagc ctcagcagct tggcagtcct atgtcccctt acctcacttg 540
tctctagccg cagcttccaa accagcgcca tttcaaggga catcgacaca gcagccaagt 600
tcattggagc tggggctgcc acagtggggg tggctgggtc tggggctggg attggaactg 660
tgtttgggag cctcatcatt gggttatgcca ggaacccttc tctgaagcaa cagctcttct 720
cctacgccat tctgggcttt gccctctcgg aggccatggg gctcttttgt ctgatggtag 780
cctttctcat cctctttgcc atgtgaagga gccgtctcca cctcccatag ttctcccgcg 840
tctggttggc cccgtgtgtt ccttttccta tacctcccca ggcagcctgg ggaacgtggt 900
tggctcaggg tttgacagag aaaagacaaa taaatactgt attaataaga aaaaaaaaaa 960
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 998
```

<210> 298

<211> 1666

<212> DNA

<213> Homo sapiens

<400> 298

```
atccttcaact aagcctgctt tagtttccac cacctgcttc tgcattcttt taatggctcc 60
ttaggtctcc aggaaagcta acagccaggg agaggatcag tctcttgctg gaccctggca 120
gctttkttga gagcgacatg tttgtggaac acagatgtgc agattttgga atggctgctg 180
ataagaataa gtttcctgga gacagcgtgg tcaactggagc aggccgaatc aatggaagat 240
tggtttatgt cttcagtcag gattttacag tttttggagg cagtctgtca ggagcacatg 300
cccaaaagat ctgcaaaatc atggaccagg ccataacggg gggggctcca gtgattgggc 360
tgaatgactc tgggggagca cggatccaag aaggagtgga gtctttggct ggctatgcag 420
acatctttct gaggaatgtt acggcatccg gagtcacccc tcagatttct ctgatcatgg 480
gcccatgtgc tgggtggggc gtctactccc cagccctaac agacttcacg ttcatggtaa 540
aggacacctc ctacctgttc atcactggcc ctgatgttgt gaagtctgtc accaatgagg 600
atgtttacca ggaggagctc ggtgggtgcca agaccacac caccatgtca ggtgtggccc 660
acagagcttt tgaaaatgat gttgatgcct tgtgtaactt ccgggatttc ttcaactacc 720
tgccctgag cagtcaggac ccggctcccg tccgtgagtg ccacgatccc agtgaccgtc 780
tggttcctga gcttgacaca attgtccctt tggaatcaac caaagcctac aacatggtgg 840
acatcataca ctctgttgtt gatgagcgtg aattttttga gatcatgccc aattatgcca 900
agaacatcat tgttggtttt gcaagaatga atgggaggac tgttggaatt gttggcaacc 960
aacctaaggt ggccctcagga tgcttgata ttaattcatc tgtgaaaggg gctcgttttg 1020
tcagattctg tgatgcattc aatattccac tcatcacttt tgttgatgtc cctggctttc 1080
tacctggcac agcacaggaa tacgggggca tcacccggca tggtgccaag cttctctacg 1140
catttgctga ggcaactgta cccaaagtca cagtcacac caggaaggcc tatggagggtg 1200
cctatgatgt catgagctct aagcaccttt gtggtgatac caactatgcc tggcccaccg 1260
cagagattgc agtcatggga gcaaaggcg ctgtggagat catcttcaaa gggcatgaga 1320
atgtggaagc tgctcaggca gagtacatcg agaagtttgc caacccttcc cctgcagcag 1380
tgcgaggggt tgtggatgac atcatccaac cttcttccac acgtgcccg atctgctgtg 1440
acctggatgt cttggccagc aagaaggtac aacgtccttg gagaaaacat gcaaatattc 1500
cattgtaaac aaatcaaagg aaaagaaacc aagaactgaa ttactgtctg cccattcaca 1560
tcccattcct gccttttgca atcatgaaac ctgggaatcc aaatagtttg ataacttaga 1620
ataactaagt ttattaaatt ctagaaagat aaaaaaaaaa aaaaaa 1666
```

<210> 299

<211> 2444
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (4)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (402)
<223> n equals a,t,g, or c

<400> 299
ctgngtgagc tggagcgcta tgtcacctcc tgtttgcgga agaaaaggaa acctcaagct 60
gagaaagtgt atgtgattgc cggtcctcc aagatgaagg gcttctcgtc ctcagagtcg 120
gagagctcca gtgagtcag ctcctctgac agcgaagmcw ccgaaacagg tcctgcctaa 180
tcattggaca cggactctta ataaaacggt cttcagttcc agattccttc ccagcaagct 240
atagcttaag tccattttct tccgtgaaag ggacaggact ccatcaagtt atggaattcc 300
tcagagccct gggcctgtcc cccgggtgtg attagtcag tccagcagca cacgcctagt 360
cccgccttcg ggaaggctgc ctgcctggcc agccgcccag gnetctctgt gtaaagactg 420
cctggtgtgc ctgcccagcc ttcctggttc tctgggtgcc tctgggtggg tggcatctcc 480
tggagggtga tgacaatccc caacacatgc attcatgtgg tgctactctg tgtgcaaagc 540
cagaccccaa gtatgttttc tctctttgtc ccatccctct ttttctggga ctttggacct 600
taactacttc cctcctgaac cttgcagtga catcagtcga ggagagctct cgttcagtg 660
gcggaagaac actctgacct cttagagctgt cctagataag gagtgggagc ttttagaggc 720
aggcctctag accctggaag gctcagtgag gctcttccca cagcatgctt ctcactggtg 780
ccctgtaagg ctcgagccac cgctgactct gagccttttg gagtctttcc tccttcgtct 840
ccattgttcc cgtgcatttc caaaagctta agttgcctgg tgggcatttc ccagtttct 900
ttggcctccg tctctcaag tcacataggg aaagtacctc ctggaaccag gctgcagtat 960
gcaggamctg ccaggcagsc actggtgaag ggcttgggc ctatcatccc cccaacccca 1020
cctcacccca cccgcctcct ctagtgggtg gagtctgggc tggaggacca gaggagggtg 1080
tcacagacc tcagggactg ccccatggac acctctgact ggtgttaaca gtgtgaacat 1140
tttccccgtc ttcagtcctc tagaatgacg acagcccctg ggggtggggc aggcgagtg 1200
ggccacatca tccaagccct cccagagaca caaataggct tttttgctct aaaaataaat 1260
accagccctt ttttggtcac aaatccagca tctcagcaga aaactgcctg acatgaaaag 1320
tcccctgagg aactgcatct gcgtttcagg ggcttttcat ttttctcct tttttaagt 1380
gtagattgtg ggtgcttcct agaggcctgc cttctctctg aactggaagt gggctatcac 1440
catgggcaag cccttgggtg caggtccccc acctgcctgg gaactctggc agctctcctc 1500
agctccttgg gcttgagcag ctgcaactgc cccagatttg ctgtggaagc aggggctagc 1560
cctggcctca ccagggccty ccggggccct gcattgatgc tcaggagtgc ctgggctgct 1620
cttgatcctt tctgggcata cagcttccag ttaagctctg tttgccaaac aaactattct 1680
cagctgccct ttggcctgcg cctgatgtgt tctgttgca gtcccgcctg cctgagacag 1740
gagcaggcag gagagccttc atgccagat tcccacagga caattgggga gctgctggca 1800
ttgtctttct ggaagattc tgctttcttg gaccaaagtg cagcctgatt accagtgctg 1860
ggcctgcatg ctgccccga cacacgcacg cagcgcaca cacgtgtgca catgggccat 1920
agccacaagc cagctctcct ccagggtcct ttcaacctcg ctgtccaggg accctgtcct 1980
tcttggcctg ggggcttcca tctggcagag aacgttcagg gcttgttgaa cttgaaagct 2040
cattagactt aagctgtcac ctgtgcttgg tgccccagga acagccagag aggacagtgc 2100
ccactcactt cttgttggca gcctcctgtg cagggaagtgc cagccgggccc tcgacgcacc 2160

```

agctggctgt gggtcctgag gaggggcggg aggcggccgc tcagtgcaga tggggactcc 2220
tctcctctgc cctgacctta ccctccatta cctccttcac tggagtgggg ctggggggtg 2280
ggtggaatca gtgttttaat cggattttta aaaaacattt tatttccttg tacaattacc 2340
atcctatgta aagatgaaat ttgtgttgag ttgaagattg tcatggaata aagatcacac 2400
cgtacttgag gccatcttca tgtaaaaaaa aaaaaaaaaa aaaa 2444

```

```

<210> 300
<211> 1026
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (1026)
<223> n equals a,t,g, or c

```

```

<400> 300
gctcctgcgc gctgacgtca ggtgcgtgcc cctgtccggc agccgaggag accccgcgca 60
gtgctgccaa cgccccggtg gagaagctga ggtcatcatc agatttgaaa tattttaaagt 120
ggatacaaaa ctatttcagc aatgcagaca attaagtgtg ttgttggtgg cgatgggtgct 180
gttggtaaaa catgtctcct gatatcctac acaacaaaca aatttccatc ggaatatgta 240
ccgactgttt ttgacaacta tgcagtcaca gttatgattg gtggagaacc atatactctt 300
ggactttttg atactgcagg gcaagaggat tatgacagat tacgaccgct gagttatcca 360
caaacagatg tatttctagt ctgtttttca gtggtctctc catcttcatt tgaaaacgtg 420
aaagaaaagt ggtgcctga gataactcac cactgtccaa agactccttt ctgcttgtt 480
gggactcaaa ttgatctcag agatgacccc tctactattg agaaacttgc caagaacaaa 540
cagaagccta tcaactccaga gactgctgaa aagctggccc gtgacctgaa ggctgtcaag 600
tatgtggagt gttctgcact tacacagaaa ggcctaaaga atgtatttga cgaagcaata 660
ttggctgccc tgagacctcc agaaccgaag aagagccgca ggtgtgtgct gctatgaaca 720
tctctccaga gccctttctg cacagctggt gtcggcatca tactaaaagc aatgtttaaa 780
tcaaaactaaa gattaaaaat taaaattcgt ttttgcaata atgacaaatg ccctgcacct 840
accacatgc actcgtgtga gacaaggccc ataggtatgg cccccccctt cccctccca 900
gtactagtta attttgagta attgtattgt cagaaaagtg attagtacta tttttttttg 960
ttgtttcaaa aaaaaaattt ttgtgtgtgt gttttttttt tttttttttt tttgggggtt 1020
aaaaan 1026

```

```

<210> 301
<211> 830
<212> DNA
<213> Homo sapiens

```

```

<400> 301
tggtgatctg gactgtcccg actgggtcct ggcagaaatc agcacgctgg ccaagatgta 60
tgaraagatc ctgaagctca cggtgacgc caagtttgag tcaggcgatg tgaaggccac 120
agtggcagtg ctgagtttca tcctctccag tgcggccaag cacagtgtcg atggcgaatc 180
cttgtccagt gaactgcagc agctggggct gcccaaagag cacgcgcca gcctgtgccg 240
ctgttatgag gagaagcaaa gcccttgca gaagcacttg cgggtctgca gcctacgcat 300
gaatagggtg gcaggtgtgg gctggcggtg gctactaccc ctgagctcca gcctgctgca 360
atccgtggaa gagcccatgg tgcacctgag gctggaggtg gcagctgccc cagggacccc 420
agcccagcct gttgccatgt ccctctcagc agacaagttc caggctcctc tggcagaact 480
gaagcaggcc cagaccctga tgagctccct gggctgagga gaagggtgtt ccaggcctgt 540

```

```
gtggagccgc cctgcccgtg tggagtcacg ccctctgaac tgctcttcgg gaggcagccc 600
tggttctagg atgctgaggg cctggcccgg actctggcct cccagatccc cagctgcctc 660
acttctctct tgagaacttg gctcagggct cctgaggacc tttcccagca ttaccttccc 720
ttcccttgaa aggcaattgt tggtgtttt cataagcagg aaaaataaac agaagtataa 780
aggaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 830
```

<210> 302

<211> 3300

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3232)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3280)

<223> n equals a,t,g, or c

<400> 302

```
cagccgcgac agtctcaagg gcggcggcgc gctggagaag gagagccatc gccgctcgta 60
cccgtcaac gccgccagcc taaacggcgc ccccaagggg ggcaagtacg acgacgtcac 120
cctgatgggc gcggaggtag ccagcggcgg ctgcatgaag accggactct ggaagagcga 180
aactaccgtc taagggtggg cgggcgacgc ggtagacggg ctggccacgc ggctcgttcc 240
cccgtcctc ggggccctcc aagggtgtct cgtagtcagc aggttgagg cagaggagcc 300
gatggctgga ggaagccac aggcggatgt tccccacttg cctagagggc atccctctgg 360
ggtagcgaca gacaatccca gaaacacgca taatacat tccgtccagcc cggggcagtc 420
tgactgtcgg tgcctccca ggaacgggga aggcctccgt ctgtgtgaaa gggcacagca 480
catcccaggt gcacctccc caagtactcc caccctccct actgtccatg cggcctcact 540
gggggccatc agcctcacca gcaaagcaga gatgagagcg tgggaactgt gttctttcct 600
ccctgcctc tactgatttc agcccagccc ctgcctagat cctaggtccc tttcctccc 660
gagtttggtt ggcacgagag ctagcccagc acatgaagca ggtgatgtta agtcacaagg 720
tgctgctttt cagatccact atgcaagagg ggagggtggg gccacgtgra aaggcagctc 780
tagacatcaa ccagtcctgg gggaggggag tgggaaccgg gcacaactag gaacaatgcc 840
accattccca caggagtggg acttaaacca gacagcaggg ttcagagggt gcacacsagg 900
acaaagctga ggcctgcac ctcaacagct gactgccagg tgctgtggg tgaactgagg 960
ggagtagagg gagaggcag gtggaactgg ggcagaatct agtcatgcc taaagctagt 1020
cctgtaaaaca atggtgcccc agaaagctgc aggtggtgtt tggagaagca gttacttttc 1080
agttacaaga cccatctccc tagtctcagc cttacaacac cacgggacta aggaagagca 1140
cttccttgcc tccgtaangc cagaggaaga accatcccaa tcatgtgatc tccagctcca 1200
cagttagagg aaacctacaa aatgtcaaac cagcttcccg actcccagga gctcaagcca 1260
agcccagagg cagtggctgg ggtccctgca ggtcatgagg ggcctatgcc tttactcctt 1320
ttaaacacca gcacctgtct tttcccacac ctaaaaccaa ccaccagcat ttcactacag 1380
gaccaaattg aaaccgaggg aaccctgggt cttgggaaga acaacaggaa accaaggtct 1440
```

gacctagggt tccctcccag tcttcacatc actctggcct catcaccaag gtgacagagg 1500
acacagggga gggggaaaac ccacacacac tccttggaat gggtcctgtt atttatgctt 1560
gctgcacaga catattagaa gaaaaaaaaa agctttgtat tattcttcca catatgctgg 1620
ctgctgttta cacaccctgc caatgcctta gcaactggaga gctttttgca atatgctggg 1680
gaaaggggag ggagggaatg aaagtgccaa agaaaacatg tttttaagaa ctcgggtttt 1740
atacaataga atgttttcta gcagatgcct cttgttttaa tatattaaaa ttttgcaaaag 1800
ccctttgagc tactgcctta gtctaccacac tgtccttttg ttatgaggta gaggatctca 1860
tgacaccata cacacaaacc catcattgcc tgtgaatgca cgtagggcca gaattcccca 1920
gttcccgcctc ctctgagggt tgatactgct gggaaatgcc accactccac aagcagaggg 1980
aagccccctc aggcctgcag gaggagccgc agcagtgtgt ccaattcaaa ccagcagcaa 2040
agagcctgac attttcccat ccacttatga ggaagccat ctcacagaa atggacatag 2100
gcaacttgct ctcccacacc aagggtggg aatctctcct acctatagtc atccctgcac 2160
tcctgacttt actccaggac ccagggtcca actaatggca gagccccctc tggttccttc 2220
aaacaagaaa agcaatacct acggactggg gtaacattcc atccttggtt ataacaggaa 2280
tgttatcaag ctgtcagaac aggatgaagt gctccagtg gatatccatc agggagggtt 2340
agggacactc gtggcagcct gtctagcagc ctgggctctc tgaaagtccc taacttcttg 2400
aggggtacgc aaatactgtt ctatttcact atcagaaatg ttctcatctc cagtgcagct 2460
ggagacaggg ggtacagggc agatccgctt cggggacttc aacatgcagg gtggcaagar 2520
aagggcagga ctggccggcc gcttcccctg gggtaaacct aaggaattrk ttcmcacctc 2580
cccttctcct tgcccctgtc cccactccgg tggtccttc tctcgggtct ccacttctgc 2640
tgtcccatcc cgaaaggcag agcggaccag tgactggcgg tgctggagaa ggtcaccgat 2700
gtgtctcacc acagaccgtt tgtcaagtct cagaactcgt aaccaggcca gctgctcagc 2760
catccgcagc agcacagcca gcagctcctg caggcgggag gacgccgggt agggcagggtc 2820
cacatttgcc aatttacaaa atcgggcaag ggaacatgaa agccgatctg caggctgcag 2880
cgactgccaa gccaggaaaag tcgcagcagt gatgacgggc aagggtatgcc tcccggtcac 2940
cagccacgtc tcatttgcca gctccaccaaa ctgcattgtt cgagacagca tcttctcttt 3000
gtcttccacg tatttggctg gcacagaagg tgaagcttg aacagtttg agctgaaata 3060
acaaaaatga gggttggatc ttaatgatat aggggtgct ctcccacagt gaggaagac 3120
agcccactca agatggggaa gctattctgc cctcaggaat actcaagctc actgggcagc 3180
aagttaataa aggtagttag agaaaacagg gcgtcttccg cttgttaggg gnagggtgaa 3240
ggatggagga gaaccacgaa catttattgg gccgctcccn atccacatta ttctgagtg 3300

<210> 303

<211> 475

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (444)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (454)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (470)

<223> n equals a,t,g, or c

<400> 303

```
caaagaattc ggcacgaggt ctgatcttcc tgcggctgaa ccgcccggct gagccgacat 60
tgccggcgtc ttggcgattc ggcccgacga gctccgcttt cgctacagca tgggtggccta 120
ctggagacag gctggactca gctacatccg atactcccag atctgtgcaa aagcagtga 180
agatgcactg aagacagaat tcaaagcaaa tgctgagaag acttctggca gcaacgtaaa 240
aattgtgaaa gtaaagaagg aataatctac cctgactaaa gcttgaaatg ctacatttcc 300
aagggtgaaga tgtgtgggca catgttatgg cagattgaaa aggatctcat tccatgggaa 360
aaaaaaaaat cctgtcttgt tcataaattg acaatgtcaa taaattgaaa tatggttcac 420
tgttaaaaaa aaaaaaaaaa aaangggggg nccnttttaa agaatccaan ttac 475
```

<210> 304

<211> 2902

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2888)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2891)

<223> n equals a,t,g, or c

<400> 304

```
ttacatgcta atcaagtgat ccacagagac atcaaaagtg acaatgtact tttgggaatg 60
gaaggatctg ttaagctcac tgacttttgt ttctgtgcc agatcacccc tgagcagagc 120
aaacgcagta ccatggtcgg aacgccatac tggatggcac cagagktggt tacacggaaa 180
gcttatggcc ctaaagtcca catatggtct ctgggtatca tggctattga gatggtagaa 240
ggagagcctc catacctcaa tgaaaatccc ttgagggcct tgtacctaat agcaactaat 300
ggaaccccag aacttcagaa tccagagaaa ctttcccca tatttcggga tttcttaaat 360
cgatgtttgg aaatggatgt ggaaaaaagg ggttcagcca aagaattatt acagcatcct 420
ttcctgaaac tggccaaacc gtatctagc ttgacaccac tgatcatggc agctaaagaa 480
gcaatgaaga gtaaccgtta acatcactgc tgtggcctca tactcttttt tccattttct 540
acaagaagcc ttttagtata tgaaaattat tactcttttt ggggttttaa gaaatggtct 600
gcataacctg aatgaaagaa gcaaatgact attctctgaa gacaaccaag agaaaattgc 660
aaaaagacaa gtatgacttt tatatgaacc cttctcttag ggtccagaag gaattgtgga 720
ctgaatcact agccttaggt ctttcagcaa acagcctatc agggccattt atcatgtgtg 780
agttttgcat tttactttgc tgactttgtt gtaatagatc ccattcattg tcccctttgg 840
ggtattttcca atacttgaat ggcagattgg agtttttcag agtatgtgtt tcatctgcta 900
gtctttctct cttcatagc ttttcttttc ctggacttgc tccttttgag ttgcttttgc 960
gtttctcatg cctaggcaag tgtaatagaa attatgtage tccttatgtt ggcaaaggag 1020
ctctatatag tttcactttg tataaaagt aggaccagct gttgttacat gtaatatatt 1080
agttcagaac ttgacctgaa ggaagggaag aaaagtatgt gatttttacc ttttttaaca 1140
```

aatgtgaaaa agtcagtttt agaaatttcg tggtagtaag ttcggcattt gttacatgta 1200
tagagagaag actaataatc tctatttata actaaatcat tgagatagaa aaagattccc 1260
attgactgta gacttcttcc cattttgtct tcccttctgc ctgtttcccc ttcaggcttg 1320
gctctaggaa ccaaagtgat ttgttggtgt tccaacctgg gctttgtgac tttggttagt 1380
gccactacct tcttccctcc tttccccctt caatttggaa ataaatttct gtatatgttg 1440
caattttagg tttagggttg ttctttttct ttttcattaa tcctctctca cctcacagat 1500
acccctcccc atggcacaata atataataac cagtgaattt tcaggaattt aaaaattagc 1560
ttttttccac ttaaaggaga aaaatatttg ggactagcag cagaggcagt aagagatgtg 1620
aaccttggtg agctctgata cagtgagaag agattatact catgaaagag aatgttagt 1680
ttacagagaa gcagccgata gcaaatcrac tgtagagact tggcggcggg ggcattgccc 1740
caggtcgtca gcagtgtggt attatctatg agaacttgag cgacagagta tttcttgatg 1800
aatttataga tcatttgaga tgttgagtta ctttagttta gttttgtttt gttttttcaa 1860
ataagtagag actattgtaa aaaacgagaa aggaaaatga aatgtgcgtg ttgatagcaa 1920
taatttgttt cttttaaaga ttctaaaagg tctgagacct gtagcattaa ttatttgagt 1980
gccctccctt ctccccctcc ctcccttttc tcttctcttt tttcctctcc tctycttctc 2040
ctttattcat tgttttgctt ttggagtrgg tgttgttcaa gtatctgttg tttggttctg 2100
gcattttgtt cccaccatcc ccttccccca ttaacttccc cctgcttgc catcctgcag 2160
tagtataaat catgaataaa aaataatttt gctgttgtag tatacattgg agaaactggc 2220
aggttttatt tccattattt tatttccact atatctatga taagatgcaa ttataaggag 2280
agaagtgact gttttttatt gataaggcaa gattttcaga aaaatgagta aaataattaa 2340
tgaaacatat ttagagcact taatggcttc tgttttcaat ataattcttg atttcatttt 2400
tctctggaat atattggcct tctacagcta ttactgaatt atagaaactg gtttatttct 2460
ggcagaaagc tgcagtgcc a cctgagttcc aaattttacc attctttgta aacagttgga 2520
tggtattatga taaagaagat gctaccaatg aaatagaaaa ccaacgagat gagaagactg 2580
tgatcctcat gtactcagag gcacttccct cctaagtcaa agaccatcct cactgactat 2640
gtgccaacgc ctctgttccag gcttgtgact caacaaaggg cttttccatt gatagaagca 2700
gtttgggatt tgtagttgcg acttcttcga tagttacctg cacgtccatt gctggcaact 2760
gacttgatcat taaaacctgg ctctttgggt aaggagcta cgctgtgggt tattcttaag 2820
ttacgtgat aaactaacct ctaacagaaa tatactttgg ttaattttga aaaaaaaaaa 2880
aaaaaacncg ngggggggcc cg 2902

<210> 305

<211> 1553

<212> DNA

<213> Homo sapiens

<400> 305

ggcgacgcgg tatttgaatc ctggaacaar gctacagcgt cgaagatccc cagcgcgcgcg 60
ggctcggaga gcagtcctaa cggcgcctcg tacgctagtg tcctcccttt tcagtcgcgcg 120
tccctccctg ggccgggctg gcactcttgc cttccccgtc cctcatggcg ctgctccgac 180
gcccgcgggt gtccagtgat ttggagaata ttgacacagg agttaattct aaagttaaga 240
gtcatgtgac tattaggcga actgttttag aagaaattgg aaatagagtt acaaccagag 300
cagcacaagt agctaagaaa gctcagaaca ccaaagtccc agttcaaccc accaaaacaa 360
caaatgtcaa caaacaactg aaacctactg cttctgtcaa accagtacag atggaaaaagt 420
tggtccaaa gggctccttct cccacacctg aggatgtctc catgaaggaa gagaatctct 480
gccaaagctt ttctgatgcc ttgctctgca aaatcgagga cattgataac gaagattggg 540
agaacctca gctctgcagt gactacgtta aggatatacta tcagtatctc aggcagctgg 600
aggttttgca gtccataaac ccacatttct tagatggaag agatataaat ggacgcatgc 660
gtgccatcct agtggaattg ctggtacaag tccactccaa gtttargctt ctgcaggaga 720
ctctgtacat gtgcgttggc attatggatc gatttttaca gggtcagcca gtttcccgga 780
agaagcttca attagttggg attactgctc tgctcttggc ttccaagtat gaggagatgt 840

```

tttctccaaa tattgaagac tttgtttaca tcacagacaa tgcttatacc agttcccaaa 900
tccgagaaat ggaaactcta attttgaaag aattgaaatt tgagttgggt cgacccttgc 960
cactacactt ctttaaggcga gcatcaaaag ccggggaggt tgatgttgaa cagcacactt 1020
tagccaagta tttgatggag ctgactctca tcgactatga tatggtgcat tatcatcctt 1080
ctaaggtagc agcagctgct tcctgcttgt ctgagaaggt tctaggacaa ggaaaatgga 1140
acttaaagca gcagtattac acaggatata cagagaatga agtattggaa gtcattgcagc 1200
acatggccaa gaatgtggtg aaagtaaatg aaaacttaac taaattcatc gccatcaaga 1260
ataagtatgc aagcagcaaa ctctgaaga tcagcatgat ccctcagctg aactcaaaag 1320
ccgtcaaaga ccttgccctcc ccactgatag gaaggtccta ggctgccgtg gcccttgggg 1380
atgtgtgctt cattgtgccc tttttcttat tggtttagaa ctcttgattt tgtacatagt 1440
cctctggtct atctcatgaa acctcttctc agaccagttt tctaaacata tattgaggaa 1500
aaataaagcg attggttttt cttaaggtaa aaaaaaaaaa aaaaaaactc gag 1553

```

<210> 306

<211> 1987

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (731)

<223> n equals a,t,g, or c

<400> 306

```

cagtcaaatg cagtctggct tcttgacat cttcatctat ctactctatc ctcaagtcaa 60
agtagagcct ctgttcctac tgactatagc tacttgccctg aaagcagttt tattggagca 120
gctattggct tcttcattac aggaggaaaa aaaggtcctg aatctgtgcc tccttcctt 180
cttaaaagtag tgatgaaacc catagcaact gttggagaaa gctaccaata tcctcctgtg 240
aactgggctg cacttctctc tccacttatg aggtctaaatt ttggtgaaga gatccagcaa 300
ctgtgccttg aaattatggt gaccagagca cagtcatccc agaatgcagc tgactattg 360
ggcttgtggt tgaccaccac actgatccac agtctgagtc tgaataccaa gagatatctc 420
ctgatatctg cactctgtg gataaaacac atctctgatg aacagatcct gggttttgtt 480
gaaaatttaa tgggtggcagt ttttaaagca gcttccccac ttggaagtcc tgagctatgc 540
ccaagtgtt tacacggtct gagccaggcc atgaaactgc ccagccctgc ccaccacctc 600
tggagtctgc tctctgaagc tactgggaaa atttttgacc tcctgccaaa taagattcgg 660
agaaaggatc tagagctgta tatcagcata gcaaaatgcc tcttagaaat gacagatgat 720
gatgccaatc nggatcgccc aggttactaa gagcaacata gaaaaagctg cctttgtcaa 780
actgtactta gtctctcaag gacgattccc cttggtgaac ctgaaccgat atgctgagcg 840
ttgctgtgca gcaccgtgag aaagaggtgt tggcctggat gattctgcac agcttatacc 900
aggcacggat tgtgagccat gccaatacgg gcgttttgaa gagaatggag tggctcttgg 960
aactgatggg ttatattaga aatgttgctt accagtcaac atcctttcac aatacggctc 1020
ttgacgaggc tttggacttc ttcttgctga tatttgcaac cgcagtgggt gcatgggctg 1080
accacactgc ccctctctc ctgcgctca gtgccagttg gttgccatgg catcaggaga 1140
atggcccggc tgggccagta ccaagcttcc ttggcaggag tccaatgcac agggctcactc 1200
tgcaggaggt tctcactctc cttcccaata gcatggctct gctgctgcag aaagagccat 1260
ggaaggaaca gaccagaag ttcattgact ggctattcag catcatggaa agccctaaag 1320
aagccctctc agcacagtcc agggatcttt tgaaagccac cctgctgtcc ttgagagttc 1380
tcccagagtt taagaagaaa gctgtatgga ccagagcata tggttggtga acagttttgc 1440
agtaaccagc agcattctca gctggatgag gaaaaccata taagtgaag aagtttttca 1500
gaattcatgc ctggtattgc tgagacatga tgcagagagt taagggtcat gaaaagatgg 1560
ccacatcact gacagcttga cacatgcctc ctaagagagg agtgcattgc tttagtaccc 1620

```

gggccagtgt agactgaaac aggaacttgg attttcttta tttggcttga gttcaatgtg 1680
gagattttct ttgtgaaagc ttgaagatat tatcttctcc ctgctaaatt ccagtaaaat 1740
aatgtttgtca attttgtgcg tgtgactttt gttttaaggc atgggggaag gtgccagaac 1800
cacttggtga caatggcatt atgatctatt ttccatgaat ctccatgagg atattcattg 1860
actcagttag ttagacaaat ttctttattg ataaaacact ctcttggaac tgctatacac 1920
atttaaataa taagcataac attgaatatt agctaaatca gattcattaa tgggtgtctat 1980
catttcc 1987

<210> 307

<211> 785

<212> DNA

<213> Homo sapiens

<400> 307

gcgcgacccg ccccgctccc tccagtctgg cctgggcgcc gcgggaacgc tgccttggt 60
gccgccaccc gaacagcctg tcctgggtgcc cgggctccct gccccgcgcc cagtcattgac 120
cctgcgcccc tactcctcc cgtccatct gctgctgctg ctgctgctca gtgcggcggt 180
gtgcggggct gaggtgggc tggaaaccga aagtcctgct cggacctcc aagtggagac 240
cctggtggag ccccgagaac catgtgccga gcccgctgct tttggagaca cgcttcacat 300
acactacacg ggaagcttgg tagatggacg tattattgac acctccctga ccagagaccc 360
tctggttata gaacttggcc aaaagcaggc gattccaggc ctggagcaga gtcttctcga 420
catgtgtgtg ggagagaagc gaagggcaat cattccttct cacttggcct atggaaaacg 480
gggatttcca ccatctgtcc cagcggatgc agtgggtgac tatgacgtgg agctgattgc 540
actaatccga gccaaactact ggctaaagct ggtgaagggc attttgcctc tggtagggat 600
ggccatggtg ccagccctcc tgggcctcat tgggtatcac ctatacagaa aggccaatag 660
acccaaagtc tccaaaaaga agctcaagga agagaaacga aacaagagca aaaagaaata 720
ataaataata aattttaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 780
aaaaa 785

<210> 308

<211> 2178

<212> DNA

<213> Homo sapiens

<400> 308

ggcagaggrc gggaagaccg agtggctctt tggcatggat gagggccgga aacagctggc 60
ggccagtgtc ggcttcagga ggttgattac agtggccctt caccgaggtc agcagtatga 120
aagcatggac cacatccaag ctgagctgtc rgctagagtc atggagctgg cccagctgg 180
gatgccacc cagcagcagg tcccccttct gtctgtgggt ggggacattg ggtccggac 240
cgttcagcac caagactgca gccccttgag cgggtgactat gtcattgagg atgtgcaagg 300
ggatgacaag cgatacttcc gtcgactgat cttcctcagc aacaggaatg tggtagctc 360
cgaagccagg ttgctgaagg atgtgtctca caaagcccag aagaagcggg aaaaggacag 420
gaagaagcag cggcctgctg atgcggagga cctccctgca gccccggggc agtccattga 480
taagagttac ctgtgtgtg aacaccacaa agccatgac gctggccttg cctgctgag 540
aaaccagag ctactcctag agatccact ggcattgttg gtggtagggc tggcggggg 600
cagcctcccc ctctttgtcc acgatcattt tccaaagtcc tgcattgatg ctgtggagat 660
cgatccctcc atgttggaag tggccacca gtggtttggc ttctcccaga gtgaccgaat 720
gaaggtccac attgcagatg gcctggacta tatcgccagc ttggcaggag gaggagaagc 780
acggccttgc tacgatgtca taatgtttga tgttgacagt aaggacccaa cactgggaat 840
gagttgtccg ccccgagcat ttgtggagca atcttttcta cagaaggtta aaagcatctt 900
gactcctgaa ggtgttttta ttctcaacct tgtgtgccga gacttggggc taaaagactc 960


```
agtgctggct gggctcaagg cagtgttccc cctcctatat gtccggcgaa ttgaggggtga 1020
agtgaatgag atcctgttct gtcagctgca ccctgagcaa aaacttgcca caccagagct 1080
cctagaaca gcccaggctt tggagcggac cctgaggaag cctgggaggg gttgggatga 1140
cacgtatgtc ttgtcagata tgctcaagac ggtgaaaatt gtgtgactgc ttaggccaaag 1200
cagccctcct gcctagactg accttgactg cccagcctgc cagagaatga agaaatacaa 1260
cgcacagtac ttttgaagct tcgtattttt cttggtttca cactcagcta catgtgacct 1320
ccagcttggg gagggtgcct gaagattagg gaaaaataaaa atgtccttcc catcttgtcc 1380
tcttcagtac cacttgggtt ggtttgtctt tgcttctac accacgtcct tgagtggagt 1440
tccctgctga agcccctagc acacactgca tgccttaaca agtgtgtgca agcccctcag 1500
aactcaagac atccaaattt tattgctctt ctacttatac tggtttgctt ttgatttatt 1560
cctctattag ttctatagga gtgatctcaa gtgagatagc agagcaagat gccaaaagac 1620
cataaataga gtaaggtttc tatagatgtg agacagattt gagagagcat ttactctgtc 1680
tccctgtgga tgaactgtct gctgaaatgg ttccaatttt taggaatctg cttaccact 1740
tcattatttg acagctttcc ttggtgacct aaaccttgta gcctaagcca tttgtctttt 1800
tctcagtgga gggagtgtat ggacctggcc ccatggcttt gcatgttaga gacctggcag 1860
actaaagtct ctagtgtttg tttgctcaca tttgctgagt gacagctatg tgccagactg 1920
cataaagggt ggtggcagaa gtgaaaatgt ttaagaatga ccaaaaacat tagtaatgaa 1980
agttaatgtg ttccaggcat tcttctaagt ggtttacatg cactgtctca tttaatctga 2040
gataaaggat acttaagccc aaactatata taaacccaaa tctcacttgg ctggaaacat 2100
caatcttaac catttattca gaaccattaa accaatgatt ccaaaaaaaaa aaaaaaaaaa 2160
aaaaaaaaaa aactcgta                                     2178
```

<210> 309

<211> 875

<212> DNA

<213> Homo sapiens

<400> 309

```
caagctcctg tggccacctg tgtcccagca gcagtgagtg gagctgctca ggggtgccctc 60
tcctgcgagc cagtctctga atgttcaaag atgagggcct ggcttccgtg ctctggcttt 120
gtaacttata tggaaaggaa agcacatgcc ttcacgggca gggatatgtc cttttcttct 180
cggggtgttg acttgcatte ctgtgtgaac tgttccctct gccatgttta ccgtgtgatg 240
ttctgtagtt gaaaatgtta gttgtctgct ggcacagaat ttatctcgtt cttttctctc 300
ccttctctcc tccaaatcag tctcttccct tctccactag ataactgtaa aaccttttcc 360
tggggtacat acattcgtaa aytcttgggc agtggtagag acgagatgac tttctgcagc 420
gtttatcact gttgggtgga gtcacgtccc tccctccac cgaagtcac aaccagatag 480
ggaagggaag gatgaggccc agaaaacgag ttcaaactct aggtcttgta cacgtatgta 540
agtaaatgtc aataacccaa gcctttgtca tagcagtcac ttggttgact taggatctgg 600
gtctgttgaa ttttgtgctt gggaaatggag ctggagggag tggggcctgt gtacagcagc 660
tacctctccc aggtcctctc acttgccctgc cccgcgtcct ggttgcatgg ccgcacctgt 720
gtgtgtgcag aggtctgtgt cccatcctct gcacctcctt tccgggggcc tggggagccc 780
cacgtgttgc caagatcttg gtgcaataaa atactccggt tttgtgaaaa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa                                     875
```

<210> 310

<211> 756

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (613)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (638)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (684)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (756)
 <223> n equals a,t,g, or c

<400> 310
 atttaggtga cackatagaa ggctgcctgc aggtaccggt ccggaattcc cgggtcgacc 60
 cacgcgtccg ggcccgtggc gccgacagga tgggcaagtg tcgtggactt cgtactgcta 120
 ggaagctccg tagtcaccga cgagaccaga agtggcatga taaacagtat aagaaagctc 180
 atttgggcac agccctaaaag gccaacccctt ttggaggtgc ttctcatgca aaaggaatcg 240
 tgctggaaaa agtaggagtt gaagccaaac agccaaattc tgccattagg aagtgtgtaa 300
 gggtcacagct gatcaagaat ggcaagaaaa tcacagcctt tgtacccaat gacggttgct 360
 tgaactttat tgaggaaaaat gatgaagttc tggttgctgg atttggtcgc aaaggtcatg 420
 ctgttgggtga tattccttga gtccgcttta aggttggtcaa agtagccaat gtttctcttt 480
 tggccctata caaaggcaag aaggaaagac caagatcata aatattaatg gtgaaaacac 540
 tgtagtaata aattttcata tgccaaaaaa aaaaaaaaaa aaaaaaaagg gsgggcscyc 600
 taaaagatcc tcnaagggcc aagcttacgc tgcatgcnac tctactctct cctatatgaa 660
 tctattataa ctagcctggc ctcnttacac tctgatggaa ttctactgga ttttaagact 720
 atcttggttat atgacactct caaataacca gtattn 756

<210> 311
 <211> 851
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc feature
 <222> (834)
 <223> n equals a,t,g, or c

<400> 311
 ctattggtgt gaacagtgtg atgtacaatt ctctcaagc agtgaactct acctacattt 60
 ccaggagcac agctgtgatg aacagtactt gtgtcagttc tgtgaacatg aaactaatga 120
 tccagaagac ttgcatagcc atgtggtaaa tgagcatgca tgtaaattaa tagagttaag 180
 tgataagtat aacaatggtg aacatggaca gtatagcctc ttaagcaaaa ttacctttga 240
 caaatgtaaa aacttctttg tatgtcaagt atgtggtttt cggagtagac ttcacacaaa 300
 tgtaaacagg catgttgcta ttgaacatac aaaaattttt cctcatgttt gtgatgactg 360
 tgggaaaggc ttttcaagta tgctagaata ttgcaagcat ttaaattcac atttatctga 420

agggatttat ttatgtcaat attgtgaata ttcaacagga caaattgaag atcttaaaat 480
tcatctagat ttcaagcatt cagctgactt gcctcataaa tgtagtgact gcttgatgag 540
gtttggaaat gaaagggaat taataagtca ccttccagtc catgagacaa cttgattatt 600
ctctttaact tacagaatgt tagtttaaaa taataaatc atcctttttt tggagatgat 660
taaatggatg attgtaaaca caacttatga aatctgcctt taacaagtaa ctttttttaa 720
ttataaaatt ttattggcat tgctccattt tctgtatata aatatactt taatgtggta 780
ttttcaaaaa aaaaaaaaaa aaaaaaatcc acgcggccgc gaattcccgc gtcnaacaag 840
ctcactaatc c 851

<210> 312

<211> 1335

<212> DNA

<213> Homo sapiens

<400> 312

cagaaccgca ccagcagcca accttgccag caggattcct gcagcctctg cggcagccat 60
gaacctagcc agcaaaggag cggcggagtt cctcctcgtc gtcgtcgtcc tctagctcct 120
cctcctcttc atcctcgtcg tcgtcgtcct cctcctcctc tggctccagt tctagtgcct 180
cagagggctc tagccttcct gtgcaacctg aggtggcact gaagagggtc cccagcccca 240
cccagccccc aaaggaggct gttcgagagg gacgtcctcc ggagccaacc ccagccaaac 300
ggaagaggcg ctctagcagt tccagttcca gctcctcctc ttcctcttcc tctcctcct 360
cctcctcctc ttcttccctc tctcctcctc cttcttcttc ttcctcctca tcttctcct 420
cctcgtcgtc ttcctccctt tccctgcta agcctggccc tcaggcttgc ccaaacctgc 480
aagccccaag aagccacccc ctggcgagcg gaggtcccgc agccccgga agccaataga 540
ctcctcagg gactctcggg cctcagcta ctcgcctgtg gacgtcgtcc gtccctcgtc 600
ccagccctca ccacgggacc agcagagcag cagcagtgcg cggggttccc ggagaggcca 660
gcgtggggac agcgcctccc ccagccacaa gcgcaggagg gagacaccta gccctcggcc 720
catgagacac cgctcctcca ggtctccata aattgtcttt gggggattcc accacacca 780
atgctctgga gccacaagga gtgtcccttc ttcccagca gagccgtggg agggtccttg 840
tctgctctcc tttgaacctt ggcagccctt ggatggaggg ctccctttcc ctccctttt 900
ttttttcttt gttcctgtga aatgttaatc tccgtgagtt cttcctggtt catgtgttct 960
gggggggttt ggggtgggag gaatgcagat gggagttggg ggaggggagg atacagttca 1020
ggatacccca gcctggagtc agggccaggg aggcattggc ccacttgat ccagaagttc 1080
ccaggggtga ttgtgatggg ggttgggact ggaggttgta taaggtgtc ttggaaggaa 1140
ggggcaggag ttggaattag ttgtcccta ctgtcccca tgaggttggt aaccctccc 1200
cccaactttt catgtttctt aaaggcattt tggtttttta aaatctgtac agcaagagca 1260
actttttctg tcaaataaaa atgagaaatg caggaaaaaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaa aaaaa 1335

<210> 313

<211> 516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (505)

<223> n equals a,t,g, or c

<400> 313

tcgacccacg cgtccgaaca tggcggcggg agtgtccgcg gtggtggcgg tgcaagagag 60

```
ctgagggagg cgcgagggcg cggagttcca ggtcgagcag ttaggccgcg agcgactgcg 120
gcgccgagcc gatgagtaac ccgaagcccc tagaggagtg gtcacctgcc tgagggcact 180
tctgtcccac cagcatcaga ccaggccgca ccgagtcccc ggcaccatgt ttgggaagag 240
gaagaagcgg gtggagatct ccgcgccgtc caacttcgag caccgcgtgc acacgggctt 300
cgaccagcac gagcagaagt tcacggggct gccccgccag tggcagagcc tgatcgasga 360
gtcggctcgc cggcccaagc ccctcgtcga ccccgccctgc atcacctcca tccagcccg 420
ggccccaag accatcgtgc ggggcagcaa argtgccaaa gatggggccc tcacgctgct 480
gctggacgag tttgagaaca tgttngtgac acgctt 516
```

<210> 314

<211> 1833

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (625)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1761)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1766)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1792)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1806)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1827)

<223> n equals a,t,g, or c

<400> 314

```
tcgaccacg cgtccgcagc cgtcgcccga cgaggcgcgga ccgctgcagg cgctgctgga 60
cggccgcggg ctctgcgtca acgctagtgc cgtcagccgc ctgcgcgcct acctgctgcc 120
agcgccgcca gctccaggaa atgctagtga gtcggaggaa gaccgcagcg ccggcagtgt 180
ggagagcccg tccgtctcca gcacgcaccg ggtgtctgat cccaagttcc accccctcca 240
ttcaaagata atcatcatca agaaagggca tgctaaagac agccagcgct acaaagttga 300
ctacgagtct cagagcacag ataccagaa cttctcctcc gagtccaagc gggagacaga 360
```

atatggtccc tgccgtagag aaatggaaga cactactgaat cacctgaagt tcctcaatgt 420
gctgagttccc aggggtgtac acattcccaa ctgtgacaag aagggtatgtt ataagaaaaa 480
gcagtgctgc ccttccaaag gcaggaagcg gggcttctgc tgggtgtgtg ataagtatgg 540
gcagcctctc ccaggctaca ccaccaaggg gaaggaggac gtgactgct acagcatgca 600
gagcaagtag acgcctgccc caagntaat gtggagctca aatatgcctt attttgcaca 660
aaagactgcc aaggacatga ccagcagctg gctacagcct cgatttatat ttctgtttgt 720
ggtgaactga ttttttttaa accaaagttt agaaagaggt ttttgaatg cctatgggtt 780
ctttgaatgg taaacttgag catcttttca ctttccagta gtcagcaaag agcagtttga 840
attttcttgt cgcttcctat caaaatattc agagactcga gcacagcacc cagacttcat 900
gcgcccgtgg aatgctcacc acatgttggc cgaagcgccc gaccactgac tttgtgactt 960
aggcggtgtg gttgcctatg tagagaacac gcttcacccc cactccccgt acagtgcgca 1020
caggctttat cgagaatagg aaaaccttta aaccccggtc atccggacat cccaacgcat 1080
gctcctggag ctcacagcct tctgtggtgt catttctgaa acaaggcgct ggatccctca 1140
accaagaaga ctcactatgt cttcaagtga cctgtactgc ttggggacta ttggagaaaa 1200
taagggtggag tcctacttgt ttaaaaaata tgtatctaag aatgttctag ggcactctgg 1260
gaacctataa aggcaggtat ttcgggcccct cctcttcagg aatcttctctg aagacatggc 1320
ccagtcgaag gccaggtatg gcttttctgt cgccccgtg gggtaggagg gacagagaga 1380
caggagagat cagcctccac attcagaggc atcacaagta atggcacaat tcttcggatg 1440
actgcagaaa atagtgtttt gtagttcaac aactcaagac gaagcttatt tctgaggata 1500
agctctttta aggcaaagct ttattttcat ctctcatctt ttgtcctcct tagcacaatg 1560
taaaaaagaa tagtaatatc agaacaggaa ggaggaatgg cttgctgggg agcccatcca 1620
ggacactggg agcacataga gattcaccca tgtttgttga acttagagtc attctcatgc 1680
ttttctttat aattcacaca tatatgcaga gaagatatgt tcttggttaac attgtatata 1740
acatagcccc aatatagta ngrtctata ctagrwtaty cctgggtgga angtttgga 1800
ggtgcntttt tggataccac tttgggnctt gga 1833

<210> 315

<211> 1354

<212> DNA

<213> Homo sapiens

<400> 315

ggtgagagcg cgcgcttgcg gacgcgsgg cattaaacgg ttgcaggcgt agcagagtgg 60
tcgttgtctt tctaggtctc agccggtcgt cgcgacgttc gcccgctcgc tctgaggctc 120
ctgaagccga aaccagctag actttctctc tccccgctg cctgtagcgg cgttgttgcc 180
actccgccac catgttcgag gcgcgcctgg tccagggtc catcctcaag aagggtgttg 240
aggcactcaa ggacctcatc aacgagcct gctgggatat tagctccagc ggtgtaaac 300
tgcaagacat ggactcgtcc cacgtctctt tgggtgcagct caccctgcgg tctgagggct 360
tcgacacctt ccgctgcgac cgcaacctgg ccatgggctg gaacctcacc agtatgtcca 420
aaataactaaa atgcgcggc aatgaagata tcattacact aaggggccga gataacgcgg 480
ataccttggc gctagtattt gaagcaccaa accaggagaa agtttcagac tatgaaatga 540
agttgatgga ttttagatgtt gaacaacttg gaattccaga acaggagtac agctgtgtag 600
taaagatgcc ttctggtgaa tttgcacgta tatgcccaga tctcagccat attggagatg 660
ctgttgtaat ttctgtgca aaagacggag tgaatttttc tgcaagtgga gaacttgga 720
atggaacat taaattgtca cagacaagta atgtcgataa agaggaggaa gctgttacca 780
tagagatgaa tgaaccagtt caactaactt ttgactgag gtacctgaac ttctttacaa 840
aagccactcc actctcttca acggtgacac tcagtatgtc tgcagatgta ccccttgtt 900
tagagtataa aattgcggat atgggacact taaaatacta cttggctccc aagatcgagg 960
atgaagaagg atcttaggca ttcttaaaat tcaagaaaat aaaactaagc tctttgagaa 1020
ctgcttctaa gatgccagca tatactgaag tcttttctgt caccaaattt gtacctctaa 1080
gtacatatgt agatattgtt ttctgtaaat aacctatttt tttctctatt ctctgcaatt 1140

```

tgtttaaaga ataaagtcca aagtcagatc tggctctagtt aacctagaag tatttttgtc 1200
tcttagaaat acttgtgatt tttataatac aaaagggctc tgactctaaa tgcagtttta 1260
agaattgttt ttgaatttaa ataaagtctac ttgaatttca aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1354

```

<210> 316

<211> 2421

<212> DNA

<213> Homo sapiens

<400> 316

```

ggcacgagct cttctgggcg tgggagaagg ttctgtctat cagtgtctgc agaaaggaaa 60
gaaacaagtt tgctctcagc ggatctttaa atggatgaga tggctaccac tcagatttcc 120
aaagatgagc ttgatgaact caaagaggcc ttgcaaaaag ttgatctcaa cagcaacgga 180
ttcatttgtg actatgaact tcatgagctc ttcaaggaaag ctaatatgcc attaccagga 240
tataaagtga gagaaattat tcagaaactc atgctggatg gtgacaggaa taaagatggg 300
aaaataagtt ttgacgaatt tgtttatatt tttcaagagg taaaaagtag tgatattgcc 360
aagaccttcc gcaaagcaat caacaggaaa gaaggtatct gtgctctggg tggaacttca 420
gagttgtcca gcgaaggaaac acagcattct tactcagagg aagaaaaata tgctkttgtt 480
aactggataa acaaagcttt ggaaaatgat cctgattgta gacatgttat accaatgrac 540
cctaacaccg atgacctgtt caaagctgtt ggtgatggaa ttgtgctttg taaaatgatt 600
aacctttcag ttcttgatac cattgatgaa agagcaatca acaagaagaa acttacaccc 660
ttcatcattc agggaaaactt gaacttggca ctgaactctg cttctgccat tgggtgtcat 720
gttgtgaaca ttggtgcaga agatttgagg gctgggaaac ctcatctggt tttgggactg 780
ctttggcaga tcattaagat cggtttgttc gctgacattg aattaagcag gaatgaagcc 840
ttggctgctt tactccgaga tggtgagact ttggaggaac ttatgaaatt gtctccagaa 900
gagcttctgc ttagatgggc aaactttcat ttggaaaact cgggctggca aaaaattaac 960
aacttttagtg ctgacatcaa gcttattgac ttcagtaatt cagtgaagga ttccaaagcc 1020
tatttccatc ttctcaatca aatcgacca aaaggacaaa aggaaggatga accacggata 1080
gatattaaca tgtcagggtt caatgaaaca gatgattga agagagctga gagtatgctt 1140
caacaagcag ataaattagg ttgcagacag tttgttacct ctgctgatgt tgtcagtggg 1200
aaccctaaac tcaacttagc tttcgtggct aacctgttta ataaataccc agcactaact 1260
aagccagaga accaggatat tgactggact ctattagaag gagaaactcg tgaagaaaga 1320
accttccgta actggatgaa ctctcttggg gtcaatcctc acgtaaacca tctctatgct 1380
gacctgcaag atgccctggg aatcttacag ttatatgaac gaattaaagt tctgttgac 1440
tggagtaagg ttaataaacc tccatacccg aaactgggag ccaacatgaa aaagctagaa 1500
aactgcaact atgctgttga attagggaaag catcctgcta aattctccct gggtggcatt 1560
ggagggcaag acctgaatga tgggaaccaa accctgactt tagctttagt ctggcagctg 1620
atgagaagat ataccctcaa tgccttgaa gatcttgag atggtcagaa agccaatgac 1680
gacatcattg tgaactgggt gaacagaacg ttgagtgaag ctggaaaatc aacttccatt 1740
cagagtttta aggacaagac gatcagctcc agtttggcag ttgtggattt aattgatgcc 1800
atccagccag gctgtataaa ctatgacctt gtgaagagtg gcaatctaac agaagatgac 1860
aagcacaata atgccaagta tgcagtgtca atggctagaa gaatcggagc cagagtgtat 1920
gctctccctg aagaccttgt ggaagtaaaag cccaagatgg tcatgactgt gtttgcattg 1980
ttgatgggca ggggaatgaa gagagtgtaa aataaccaat ctgaataaaa cagccatgct 2040
ccaggtgca tgattcgag gtcagctatt tccaggtgaa gtgcttatgg cttaaggaaac 2100
tcttggccat tcaaaggact tttcattttg attaacagga ctgcttatc atgagagccc 2160
tcaggggaaa ggggttaaga aaaacaactc ctctttccca tagtcagagt tgaatttgtc 2220
aggcacgcct gaaatgtgct catagccaaa acattttact ctctcctcct agaattgctg 2280
ccttgacatt tccattgct gtatgttatt tcttgcctctg ktawcyttt ccctcttaga 2340
atgtccctct cttgggactt gcttagatga tgggatatga atattattag acagtaattt 2400

```

tgctttccat ccagtatgct a

2421

<210> 317

<211> 1092

<212> DNA

<213> Homo sapiens

<400> 317

```
aattcggcac agattgatat tgtgtactat aatagagact ctttaaggag aatccttaaaa 60
aaaaaaaaac gtttctcact gtcttaaaata gaatttttaa atagtatata ttcagtggca 120
ttttggagaa caaagtgaat ttacttcgac ttcttaaaatt tttgtaaaag actataagtt 180
tagacatcct tctcattoaa atttaaagat atctttctcc tcttgatcaa tctatcaata 240
ttgatagaag tcacactagt atataccatt taatacattt acactttctt atttaagaag 300
atattgaatg caaaataaatt gacatataga actttacaaa catatgtcca aggactctaa 360
attgagactc ttccacatgt acaatctcat catcctgaag cctataatga agaaaaagat 420
ctagaaactg agttgtggag ctgactctaa tcaaagtga tgattggaat tagaccattt 480
ggcctttgaa ctttcatagg aaaaatgacc caacatttct tagcatgagc tacctcatct 540
ctagaagctg ggatggactt actattcttg tttatatttt agatactgaa aggtgctatg 600
cttctgttat tattccaaga ctggagatag gcagggctaa aaaggatta ttatttttcc 660
tttaatgatg gtgctaaaat tcttctata aaattcctta aaaataaaga tggtttaatc 720
actaccattg tgaaaacata actggttagac ttcccgttcc tgaaagaaag agcatcgctc 780
caatgcttgt tcaactgttcc tctgtcatat tgtatctgga atgctttgta atacttgcac 840
gcttcttaga ccagaacatg taggtcccct tgtgtctcaa tacttttttt ttcttaattg 900
catttggttg ctctatttta atttttttct tttaaaataa acagctggga ccatcccaaa 960
agacaagcca tgcatacaac tttggtcatg tatctctgca aagcatcaaa ttaaatgcac 1020
gcttttgtca tgtcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1080
aaaaaaaaaa ac 1092
```

<210> 318

<211> 1380

<212> DNA

<213> Homo sapiens

<400> 318

```
gaagtatatg gtggcagtct tgataaggaa tttgatgaat cttcaccaca acaacctaca 60
aatccttatg catcatctaa agcagctgct gaatgttttg tacagtctta ctgggaacaa 120
tataagtttc cagttgtcat cacaagaagc agtaatgttt atggaccaca tcaatatcca 180
gaaaaggtta ttccaaaatt tatatctttg ctacagcaca acaggaaatg ttgcattcat 240
gggtcagggc ttcaaacaaag aaacttcctt tatgtacttg atgtttaga agcatttctc 300
actgtcctca aaaaaggga accagggtgaa atttataaca tcggaaccaa ttttgaaatg 360
tcagttgtcc agcttgccaa agaactaata caactgatca aagagaccaa ttcagagtct 420
gaaatggaaa attgggttga ttatgttaat gatagacca ccaatgacat gagataccca 480
atgaagtcag aaaaaataca tggcttagga tggagaccta aagtgccttg gaaagaagga 540
ataaagaaaa caattgaatg gtacagagag aattttcaca actggaagaa tgtggaaaag 600
gcattagaac ctttccggt ataaccacca tttatatagt cgagacagtt gtcaaagaag 660
aaagtatatc tacctcgcca agtgggtatga aattaagtga ccaaatgaag tgcaactctt 720
tcttttgtaa ttagattcat gactttctgt ataaaattca aatgcagaat gcctcaatct 780
ttgggagagt ttcagtactg gcatagaatt taaatgtcaa aattctttct gaaacccttt 840
ctcctagaaa ctaggaata ataggtgtag aagactctcc ctaagggtag ccaggaagaa 900
gtctcctgat tcggacaacc atgaggggta gtggtgctag ggagaaggca accttcaactg 960
gttttgaaact cagtgcctaa gaaagtctct gaaatgttcg tttttaggca atataggatg 1020
```

tcttaggccc taattcacca tttctttttt aagatctgat atgctatcat tgccttaata 1080
atggaacaaa atagaagcat atctaacact ttttaaattg ataattttgt aaaattgatt 1140
acgttgaatg ctttttaaga gaagtgtgta aagtttttat attttcacaa ttaacgtatg 1200
taaaaccttg tatcagaaat ttatcatgtt tactgtttta aatgattgta tttataaaat 1260
tgtcaatatc ttaatgtatt taatgtagaa tattgctttt taaaataatg tttttatttt 1320
gctgtagaaa aataaaaaaa aatttgatta taaaaaaa aaaaaaaa aaaaaaaa 1380

<210> 319

<211> 2612

<212> DNA

<213> Homo sapiens

<400> 319

cacgcgtccg ccccatctga ggcgtttgtt gcagctacct gcacttctag attcatcttc 60
ttgtgagccc tgggcttagg agtcaccatg gcaactgaag agttcatcat ccgcatcccc 120
ccataccact atatccatgt gctggaccag aacagcaacg tgtcccgtgt ggaggtcggg 180
ccaaagacct acatccggca ggacaatgag aggttactgt ttgccccat gcgcatgggtg 240
accgtcccc cactgcacta ctgcacagt gccaaccctg tgtctcggga tgcccagggc 300
ttgtgtctgt ttgatgtcac agggcaagtt cggtctcgcc acgctgacct cgagatccgg 360
ctggcccagg accccttccc cctgtaccca ggggaggtgc tggaaaagga catcacaccc 420
ctgcagggtg ttctgcccac cactgccctc catctaaagg cgctgcttga ttttgaggat 480
aaagatggag acaaggtggg ggcaggagat gagtggcttt tcgagggacc tggcacgtac 540
atcccccgga aggaagtggg ggtcgtggag atcattcagg ccaccatcat caggcagaac 600
caggctctgc ggctcagggc ccgcaaggag tgctgggacc gggacggcaa ggagaggggtg 660
acaggggaag aatggctggg caccacagta gggcggtacc tyccagcggg gtttgaggag 720
gttctggatt tgggtggacgc cgatcatcct acgaaaaaga cagccctgca cctccgggct 780
cggcggaact tccgggactt caggggagtg tcccgcgcga ctggggagga gtggctggta 840
acagtgcagg acacagaggc ccacgtgcca gatgtccacg aggaggtgct gggggttgtg 900
cccatcacca ccctgggccc ccacaactac tgctgattc tcgaccctgt cggaccggt 960
ggcaagaatc agctggggca gaagcgctg gtaaggag agaagtcctt tttcctccag 1020
ccaggagagc agctggaaca aggcattcag gatgtgatg tgctgtcggg gcagcagggg 1080
ctgctgctga gggccctgca gcccctggag gagggggagg atgaggagaa ggtctcacac 1140
caggctgggg accactggct catccgcgga ccctggagt atgtgccatc tgccaaagt 1200
gaggtgggtg aggagcgcca ggccatccct ctagacgaga acgagggcat ctatgtgcag 1260
gatgtcaaga ccggaaggt ggcgcgtgtg attggaagca cctacatgct gaccagggac 1320
gaagtcctgt gggagaaaaga gctgcctccc ggggtggagg agctgctgaa caaggggcag 1380
gaccctcttg cagacagggg tgagaaggac acagctaaga gcctccagcc cttggcgccc 1440
cggaacaaga ccctgtgggt cagctaccgc gtgccccaca acgctgcggg gcaggtgtac 1500
gactaccgag agaagcgagc ccgcgtggtc ttcgggcctg agctgggtgc gctgggtcct 1560
gaggagcagt tcacagtgtt gtccctctca gctgggcggc ccaagcgtcc ccatgcccgc 1620
cgtgcgctct gcctgctgct ggggcctgac ttcttcacag acgtcatcac catcgaacg 1680
gcggatcatg ccaggctgca actgcagctg gcctacaact ggcactttga ggtgaatgac 1740
cggaaggacc cccaagagac ggccaagctc ttttcagtgc cagactttgt aggtgatgcc 1800
tgcaaaagcca tcgcatccc ggtgcggggg gccgtggcct ctgtcacttt cgatgacttc 1860
cataagaact cagcccgcct cattgcact gctgtctttg gctttgagac ctcggaagcg 1920
aaggggcccc atggcatggc cctgcccagg ccccgggacc aggtgtctt ccccaaaa 1980
gggtgtgtg tcagcagtgt ggacgtgcag tcagtggagc ctgtggatca gaggaccgg 2040
gacgcccctg aacgcagcgt ccagctggcc atcgagatca ccaccaactc ccagggaagc 2100
gcggccaagc atgagctca gagactggag caggaagccc gcggccggct tgagcggcag 2160
aagatccctg accagtcaga agccgagaaa gctcgcaagg aacttttgga gctggaggct 2220
ctgagcatgg ccgtggagag caccgggact gccaaaggcg aggcgagtc ccgtgcggag 2280

gcagcccgga ttgagggaga aggggtccgtg ctgcaggcca agctaaaagc acaggccttg 2340
gccattgaaa cggagagctga gctccagagg gtccagaagg tccgagagct ggaactggtc 2400
tatgcccggg cccagctgga gctggagggtg agcaaggctc agcagctggc tgagggtggag 2460
gtgaagaagt tcaagcagat gacagaggcc ataggcccca gcaccatcar ggaccttgct 2520
gtggctgggc ctgagatgca ggtaaaactg ctccagtccc tgggcctgaa atcaaccctc 2580
atcaccgatg gcttcamtcc catcaacttc tt 2612

<210> 320

<211> 943

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (52)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (54)

<223> n equals a,t,g, or c

<400> 320

gcaccacagc gctccagcct ggtcgacaga gtgagactcc atctcaagaa anantaaaaa 60
taaagttgtt ctctgaagag caaatgtctc attccagtaa tgaccactc agcaggaata 120
tggtggagtt cagtccaatt caggtcagcc atatccaaa gaccacaagt cattactaag 180
ttgagcaaaa gagtttttat ctattagcag aaagggcctc tctggcagca gagattaaaa 240
actggcccaa ctctatttcc atacttcagg gaacagcaaa ttgaggattt acttatctag 300
gacttgaatt ccttcttttg gaccaagtta ataaaagacc aagaaactcc tgattaaact 360
ggataatgaa ggattctgta gacagggctg cacgtatcgg ctttgtttga cttctctttt 420
ctcagttaac atctcagagc tagaacattc cacattcccc agcagcgtgt gggggctgac 480
taaagtttac aattccaact aaaaatcacc ctgcttcttg cttatctgaa tcccttacct 540
acccaccccc accaccctac tcctattttat tcagcaccac actacccagg aaatacacta 600
gcaaatgtgt caatggaata aaatccacac tttagattct tgcaactgta tcatatgtaa 660
tagtatcact ttttctacat tttggtcaaa taaataggag taggggtgtg ggggtgggtg 720
ggtaagggat tcagataagc cagaagcagg gtgattttwa gttggaattg taaacttttag 780
tcagcccccac cagctgtctg gggaatgttg atgttctagc tctgagatgt taactgrgaa 840
aagagaagtc aaacaaagcc gatacgtgca gccctgtcta cagaatcctt cattatccag 900
tttaataagg agtttcttgg tcttttatta acttgggtcg acc 943

<210> 321

<211> 2959

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2948)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2956)

<223> n equals a,t,g, or c

<400> 321

```
ccattcccg gtcgaccac gcgtccgctg gaaatttggg ttctccagaa ggtggtttcg 60
atgccatcat gcaagttgca gtttgtggat cactgattgg ctggaggaaat gttacacggc 120
tgctgggtgtt ttccacagat gccgggtttc actttgctgg agatgggaaa cttgggtggca 180
ttgttttacc aaatgatgga caatgtcacc tggaaaataa tatgtacaca atgagccatt 240
attatgatta tccttctatt gctcaccttg tccagaaact gagtgaaaat aatattcaga 300
caatttttgc agttactgaa gaatttcagc ctgtttacaa ggagctgaaa aacttgatcc 360
ctaagtcagc agtaggaaca ttatctgcma attctagcaa tgtaattcag ttgatcattg 420
atgcatacaa ttccctttcc tcagaagtca ttttgaaaaa cggcaaatg tcagaaggmg 480
taacaataag ttacaaatct tactgcaaga acgggggtgaa tggaaacagg gaaaatggaa 540
gaaaatgttc caatatttcc attggagatg aggttcaatt tgaaattagc ataacttcaa 600
ataagtgtcc aaaaaaggat tctgacagct ttaaaattag gcctctgggc tttacggagg 660
aagtagaggt tattcttcag tacatctgtg aatgtgaatg ccaaagcgaa ggcatccctg 720
aaagtcceaa gtgtcatgaa ggaaatggga catttgagtg tggcgcgtgc aggtgcaatg 780
aagggcggtg tggtagacat tgtgaatgca gcacagatga agttaacagt gaagacatgg 840
atgcttactg caggaaagaa aacagttcag aaatctgcag taacaatgga gagtgcgtct 900
gcggacagtg tgtttgtagg aagagggata atacaaatga aatttattct ggcaaatctt 960
gcgagtgtga taatttcaac tgtgatagat ccaatggctt aatttgtgga ggaaatgggt 1020
tttgcaagtg tcgtgtgtgt gagtgcacac ccaactcac tggcagtgca tgtgactgtt 1080
ctttggatac tagtacttgt gaagccagca acggacagat ctgcaatggc cggggcatct 1140
gcgagtgtgg tgtctgtaag tgtacagatc cgaagtttca agggcaaacg tgtgagatgt 1200
gtcagacctg ctttgggtgc tgtgtgtgag ataaagaatg tgttcagtgc agagccttca 1260
ataaaggaga aaagaaagac acatgcacac aggaatgttc ctattttaac attaccaagg 1320
tagaaagtgc ggacaaatta cccagccgg tccaacctga tcctgtgtcc cattgtaagg 1380
agaaggatgt tgacgactgt tggttctatt ttacgtattc agtgaatggg aacaacgagg 1440
tcatggttca tgttgtggag aatccagagt gtcccactgg tccagacatc attccaattg 1500
tagctggtgt ggttctgga attgttctta ttggccttgc attactgctg atatggaagc 1560
ttttaatgat aattcatgac agaagggagt ttgctaaatt tgaaaaggag aaaatgaatg 1620
ccaaatggga cacgggtgaa aatcctatct ataagagtgc cgtaacaact gtggtcaatc 1680
cgaagtatga gggaaaatga gtactgcccg tgcaaatccc acaacactga atgcaaagta 1740
gcaatttcca tagtcacagt taggtagctt tagggcaata ttgccatggt ttactcatg 1800
tgcaggtttt gaaaatgtac aatatgtata atttttaaa tgttttatta ttttgaaaat 1860
aatgtttaa ttcatgccag ggactgacaa aagacttgag acaggatggt tattcttgtc 1920
agctaagtc acattgtgcc tttttgacct tttcttctg gactattgaa atcaagctta 1980
ttggattaag tgatatttct atagcgattg aaagggcaat agttaaaagta atgagcatga 2040
tgagagtttc tgtaatcat gtattaaaac tgatttttag ctttacaat atgtcagttt 2100
gcagttatgc agaatccaaa gtaaatgtcc tgctagctag ttaaggattg ttttaaact 2160
gttattttgc tatttgcttg ttagacatga ctgatgacat atctgaaaga caagtatgtt 2220
gagagttgct ggtgtaaaat acgtttgaaa tagttgatct acaaaggcca tgggaaaaat 2280
tcagagagtt aggaaggaaa aaccaatagc tttaaaacct gtgtgccatt ttaagagtta 2340
cttagatgtt ggtaaccttt atgccttcac tttacaaatt caagccttag ataaaagaac 2400
cgagcaattt tctgctaaaa agtccttgat ttagcactat ttacatacag gccatacttt 2460
acaaagtatt tgctgaatgg ggaccttttg agttgaattt attttattat ttttattttg 2520
tttaatgtct ggtgctttct atcacctctt ctaatctttt aatgtatttg tttgcaattt 2580
tggggtaaga ctttttttat gagtactttt tctttgaagt ttttagcggtc aatttgcctt 2640
tttaatgaac atgtgaagtt atactgtggc tatgcaacag ctctcaccta cgcgagtcct 2700
actttgagtt agtgccataa cagaccactg tatgtttact tctcaccatt tgagttgccc 2760
```

```
atcttgtttc acactagtca cattcttggt ttaagtgcct ttagttttaa cagttcactt 2820
tttacagtgc tatttactga agttatttat taaatatgcc taaaatactt aaatcggatg 2880
tcttgactct gatgtatttt awcagggtgt gtgcatgaaa tttttataga taaagragtt 2940
gaggaaanaa aaaaanaaa 2959
```

<210> 322

<211> 802

<212> DNA

<213> Homo sapiens

<400> 322

```
ggcacagctg gaggcgcggg agggcagcga gaggttcgcg ggtgcagcgc acaggagacc 60
atgtccgggg gcagcagctg cagccagacc ccaagccggg ccatccccgc cactcgccgg 120
gtggtgctcg gcgacggcgt gcagctcccg ccgggggact acagcacgac ccccgggcggc 180
acgctcttca gcaccacccc gggaggtacc aggatcatct atgaccggaa attcctgatg 240
gagtgtcgga actcacctgt gaccaaaca ccccaagggt atctgcccac cattccgggg 300
gtcaccagcc cttccagtga tgagcccccc atggaagcca gccagagcca cctgcgcaat 360
agcccagaag ataagcgggc gggcgggtgaa gagtcacagt ttgagatgga catttaaagc 420
accagccatc gtgtggagca ctaccaaggg gccctcagg gccttccttg gaggagtccc 480
accagccagg ccttatgaaa gtgatcatac tgggcaggcg ttggcgtggg gtcggacacc 540
ccagcccttt ctccctcact cagggcacct gccccctcct ctctcgtgaac accagcagat 600
acctccttgt gcctccactg atgcaggagc tgccacccca aggggagtga cccctgccag 660
cacaccctcg cwgcyggggg sgcaaccacc ccttccttag gttgatgtgc ttgggaaagc 720
tccctcccc tcttcccca agagaggaaa taaaagccmc cttcgcccta gggccaaraa 780
aaaaaaaaa aaaaaaaaaa aa 802
```

<210> 323

<211> 1724

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1590)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1650)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1701)

<223> n equals a,t,g, or c

<400> 323

```
gcagcctgcc agccgcgctg ctgctgctcc tctgctgtg ggaccgctga ccgcgcgggt 60
gtccgctct ccccgctcca agcgcgcatc tgggcacccg ccaccagcat ggacgctcgc 120
cgcgtgccgc agaaagatct cagagtaaag aagaacttaa agaaattcag atatgtgaag 180
ttgatttcca tggaaacctc gtcacctctc gatgacagtt gtgacagctt tgcttctgat 240
```

```
aatTTtGcaa acacgaggct gcagtcagtt cgggaaggct gtaggacccg cagccagtgc 300
aggcactctg gacctctcag ggtggcgatg aagtttccag cgcggagtag caggggagca 360
accaacaaaa aagcagagtc ccgccagccc tcagagaatt ctgtgactga ttccaactcc 420
gattcagaag atgaaagtgg aatgaatttt ttggagaaaa gggctttaa tataaagcaa 480
aacaagcaa tgcttgcaaa actcatgtct gaattagaaa gcttccctgg ctcgttccgt 540
ggaagacatc ccctccagg ctccgactca caatcaagga gaccgcgaag gcgtacattc 600
ccgggtgttg cttccaggag aaacctgaa cggagagctc gtcctcttac caggtaagg 660
tcccgatcc tcgggtccct tgacgtctc cccatggagg aggaggagga agaggataag 720
tacatgttg tgagaaagag gaagaccgtg gatggctaca tgaatgaaga tgacctgcc 780
agaagccgtc gtcagatc atccgtgacc cttccgata taattgcc agtggaagaa 840
attacagag aggagtggga gaacgtctgc agcaattctc gagagaagat atataaccgt 900
tcaactgggt ctacttgtca tcaatgccgt cagaagacta ttgataccaa aacaaactgc 960
agaaaccag actgctgggg cgttcgaggc cagttctgtg gccctgcct tcgaaaccgt 1020
tatggtgaag aggtcaggga tgctctgtg gatccgaact ggcattgccc gccttgctga 1080
ggaatctgca actgcagttt ctgccggcag cgagatggac ggtgtgcgac tggggctctt 1140
gtgtatttag ccaaatatca tggctttggg aatgtgcatg cctacttgaa aagcctgaaa 1200
caggaatttg aaatgcaagc ataatatctg gaaaatttgc tgcctgcctt ctacttctca 1260
aatctttctt gtaaaagttt ccaattttt cactgaaacc tgagttaaaa atcttgatga 1320
tcagcctgtt tcataagaaa ctccaatcaa gttaatctta gcagacatgt gtttctggag 1380
catcacagaa ggtatattgc tagttacact ttgccctcct gcagtttctt ctctgctccc 1440
aaccctcatc tcatagcatc cccctctatt tccaatgctc ctctccaacc gcttagtttc 1500
tgaatttctt ttaaattaca gttttatgaa agcatatttt atttacttgg tgttgaaata 1560
gccctyataa aacctaagca cttggaaacn caataatagt attaaactaac tagatctatt 1620
gaatttcaga gaagagccta aatagcaaan ttacacaaa aacgagtatg atttagcact 1680
catactagtt gagggtttgg ngccgatagc gactgctaataaac 1724
```

<210> 324

<211> 2261

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1098)

<223> n equals a,t,g, or c

<400> 324

```
cccagatggg aggccaaacag gggacgcttt tgtcctcttt gcctgtgagg aatatgcaca 60
gaatgcgttg aggaagcata aagacttggt gggtaaaaga tacattgaac tcttcaggag 120
cacagcagct gaagttcagc aggtgctgaa tcgattctcc tcggccccctc tcattccact 180
tccaaccctt cccattattc cagtactacc tcagcaattt gtgcccccta caaatgtag 240
agactgtata cgcttcgag gtcttcctta tgcagccaca attgaggaca tcttgattt 300
cctgggggag ttcgccacag atattcgtac tcatggggtt cacatggttt tgaatcacca 360
gggccgccca tcaggagatg ctttatcca gatgaagtct gcggacagag catttatggc 420
tgacagaaag tgtcataaaa aaaacatgaa ggacagatat gttgaagtct ttcagtgttc 480
agctgaggag atgaactttg tgtaaatggg gggcacttta aatcgaaatg gcttatcccc 540
accgccatgc ctgtctcctc cctcctacac atttcagct cctgctgcar ttattcctac 600
araarctgcc atttaccagc cctctgtgat tttgaatcca cgagcactgc agccctycac 660
agcgtactac ccagcaggca ctcagctctt catgaactac acagcgtact atcccagtgt 720
ttgaaagatg tatggtgatc ttgaaacctc cagacacaaag aaaacttcta gcaaattcag 780
gggaagtgtt tctacactca ggctgcagta ttttcagcaa acttgattgg acaaacgggc 840
```

```

ctgtgcctta tcttttgggt gagtgaaaaa atttgagcta gtgaagccaa atcgtaactt 900
acagcaagca gcatgcagca tacctggctc tttgctgatt gcaaataaggc atttaaaatg 960
tgaatttga atcagatgtc tccattactt ccagttaaag tggcatcata ggtgtttcct 1020
aagttttaag tcttgataa aaactccacc agtgtctacc atctccacca tgaactctgt 1080
taaggaagct tcattttngt atattcccgc tctttctctc tcatttcctt gtcttctgca 1140
taatcatgcc ttcttgctaa gtaattcaag cataagatct tggaataata aaatcacaaat 1200
cttaggagaa agaataaaat tgttattttc ccagtctctt ggccatgatg atatcttatg 1260
attaaaaaca aattaaattt taaaacacct gaagatawat tagaagaaat tgtgcaccct 1320
ccacaaaaca tacaaagttt aaaagtttg atcttttctt cagcaggat cagttgtaaa 1380
taatgaatta ggggccaaaa tgcaaacga aaaatgaagc agctacatgt agttagtaat 1440
ttctagtttg aactgtaatt gaattattgt gcttcataatg tattatttta tattgtactt 1500
ttttcattat tgatggtttg gactttaata agagaaattc catagttttt aatatcccag 1560
aagtgaagca atttgaacag tgtattctag aaaacaatac actaactgaa cagaagtga 1620
tgcttatata tattatgata gccttaaacc tttttcctct aatgccttaa ctgtcaaata 1680
attataacct tttaaagcat aggactatag tcagcatgct agactgagag gtaaactctg 1740
atgcaattag aacagggtact gatgctgtca gtgtttaaca ctatgtttag ctgtgtttat 1800
gctataaaag tgcaatatta gacactagct agtactgctg cctcatgtaa ctccaaagaa 1860
aacaggattt cattaagtgc attgaatgtg gmtatttctc taagttactc atattgtcct 1920
ttgcttgaat gcaatgccgt gcagatttat gwggctgcta tttttatttt ctgtgcatta 1980
ctttaacacc ttaaagggag aagcaaacat ttccttcttc agctgactgg caatggccct 2040
ttaactgcaa taggaagaaa aaaaaaaagg tttgtgtgaa aattggtgat aactggcact 2100
taagatcgaa aagaaatttc tgtatacttg atgccttaag atgcccaaag ctgcccaaag 2160
ctctgaaaga cttaagata ggcagtaatg cttactacaa tactactgag tttttgtaga 2220
gttaacattt gataataaaa ctgacctgtt taatctcaaa a 2261

```

<210> 325

<211> 1213

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1213)

<223> n equals a,t,g, or c

<400> 325

```

tggacgcgtg ggtcgaccca cgcgtccggt caaaaytaac cccctaataa aattaattaa 60
ccactcattc atcgacctcc ccaccccatc caacatctcc gcatgatgaa acttcggctc 120
actccttggc gcctgcctga tcctccaaat caccacagga ctattcctag ccatgcacta 180
ctcaccagac gcctcaaccg ccttttcatc aatcgccac atcactcgag acgtaaatta 240
tggetgaatc atccgctacc ttcacgcaa tggcgctca atattcttta tctgcctctt 300
cctacacatc gggcgaggcc tatattacgg atcatttctc tactcagaaa cctgaaacat 360
cggcattatc ctctgcttg caactatagc aacagccttc ataggctatg tcctcccgtg 420
aggccaaata tcattctgag gggccacagt aattacaaac ttactatccg ccatcccata 480
cattgggaca gacctagttc aatgaatctg aggaggctac tcagtagaca gtcccaccct 540
cacacgattc ttacctttc acttcatctt gcccttcatt attgcagccc tagcagcact 600
ccacctccta ttcttgacg aaacgggac aaacaacccc ctaggaatca cctcccattc 660
cgataaaaac accttcacc cttactacac aatcaaaagc gccctcggct tacttctctt 720
ccttctctcc ttaatgacat taacactatt ctcaccagac ctcttaggcg acccagacaa 780
ttatacccta gccaacccct taaacacccc tccccacatc aagcccgaat gatatttctt 840
attcgcttac acaattctcc gatccgtccc taacaaacta ggaggcgctc ttgccctatt 900

```

```
actatccatc ctcatcctag caataatccc catcctccat atatccaaac aacaaagcat 960
aatatttcgc ccactaagcc aatcaacttta ttgactccta gccgcagacc tcctcattct 1020
aacctgaatc ggaggacaac cagtaagcta cccttttacc atcattggac aagtagcatc 1080
cgtactatac ttcacaacaa tcctaatacct aataccaact atctccctaa tkgaaaacaa 1140
aatactcaaa tgggcctaaa aaaaaaaaaa aaaaacycgg gggggggccg ggtwcccaat 1200
ttcccccccta ggn 1213
```

<210> 326

<211> 2764

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (372)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2128)

<223> n equals a,t,g, or c

<400> 326

```
gccggagcaa ggctgagctg ctccgcagca tcgccaagag gaaggagcgc ctggccatcc 60
tggaacagtc ggctgggcag atccgggctc aggccgkca rgartcagaa cgccctggccc 120
gggacaagaa tgcttcctta cagctgctgc aaaaggagaa ggagaagctg actgtgctgg 180
aaaggagata ccactcactc acagggggca ggcctttccc gaagaccaca tcgaccctca 240
aagaggttta ccgctccaag atggatggcg aggccaccag ccccttccc cggaccgcga 300
gcggccctc cctcctcct ctggtctctc ctctcctcc tcccagctca gcgtggctac 360
cctggggcgt ancyckccc caaagagcgc tctactcacc cagaatggca cgggcagcct 420
tcctcgcaac ctggcagcca cactgcagga catcgagacc aagcgccaac tagctctgca 480
gcagaaggga caacaagtga ttgaagagca gcggcgcgga ctggctgagc tgaagcagaa 540
agcggcagtg aggcacagtg ccagtgggat gcccttcacg gggcagcacc ctcccagcg 600
ggccctcctg gcttcccccc tctcatgcac cactctatcc tacaccacct gcctgcgggg 660
cgggagcgtg gggaggaggg tgagcacgcc tatgatacgc tgagtctgga gagctctgac 720
agcatggaga ccagcatctc caccgggggc aactcggctg ctcccctgac aacatgtcca 780
gcgcgagtg tctggacatg gggaagatcg aggagatgga gaagatgctg aaagaggctc 840
atgcagagaa gaaccggctc atggagtcga gggagcggga gatggagctg cggcggcagg 900
ccctggagga ggagcggcgg aggcgkaca ggtagaacgg aggctgcaga gtgagagtgc 960
ccggaggcag cagctggctg agaaggaggt caagatgcgg gagaacaacat tttcccaggc 1020
acgaccctg acccgctacc tgccaatccg gaaggaggac tttgacctga agacacatat 1080
tgagtcmtcg ggccatggtg ttgatacctg cctgcacgtg gtgctcagca gcaaggctctg 1140
ccgtggctac ttggtcaaga tggcgggcaa gattaaatca tggaagaarc gctggtttgt 1200
cttcgaccgg ctcaagcgca ccctttccta ttatgtggac aagcatgaga cgaagctgaa 1260
aggagtcatc tatttccarg ccattgaagg aagtgtacta cgaccacctg cgccagtga 1320
gccaaaga gaatttttccg cttccactat ggtgactgag aagcccgaac ccagccctca 1380
ccttctgcgt aaagacccat gaccggctgt aytacatggt ggcccatct gcagaggcca 1440
tcggtatctg gatggatgtc attgtcacag gggctgagg ctacactcag ttcattgaact 1500
aactgccgtg ggccctcctg cagagcacaa ctggggcttt tgtataagaa gactttaata 1560
ttctgtaagg agcttggctc tgtgagtttc tgggctctgg cctcctgaag aaccagccag 1620
aagaagaaaa gtagagggtg ctttgctgcc tcctgggagc ccagaacttg cagtaaccct 1680
```

```

ttaggtcctg cccagggccc agccagggct gaggagctgt cacagagagg gcctcagctc 1740
tgacctgaca cctgctctcc ccagcctgtt ttctcttttc taaaagacaa attatggtac 1800
cataagctgc caaagatccc ctctgcctc agaccccttt gccaggggct ttgggggctg 1860
agcagagcca catccagagt ggggtaatag ctcaggcggc ccgcttccca tttctcaaac 1920
cccgtctctg cccattgttc tcctttccct tatacttttt attaccttgc tcaagggcc 1980
gagatctcaa gtgtcaacct tgaggtccca gctccatccc ctagttgcag actcatcacc 2040
atggttacca tagtgactgc ttcattgcca tggttacata ctaattgctg cagctctgtg 2100
gcccagccca ctgcttcagc tgtgggcnat ctgagggtac gtgccatcat ctctccagcc 2160
caggcccctg ggcattctcat gctgggggga agggactgaa tacctttttc cttccccctg 2220
cctgtgtctt cagccctgat gcacaggctg ccagccccc agtccagccc tctcccttc 2280
actggtgcct tgcttagagc cagaagggat gaagccgggg gatctatgga acagaggagg 2340
agcagtgacg ttgggagagg aagctagaag gggtatggtt ggagttctgt acagtgttga 2400
gtttccgaca gggaaagagg attcctccaa tgctcctaga gagaaagcct gagcaggaga 2460
tgatgcagca gaggggaagg gccctgtggt gccgccgccc ttccttcagc ctccgaagg 2520
tgatggaaat ggagagtgga ggaccaggcc tccagctgtc tggcctcgcc cttcacgcct 2580
taacactaag cccacctccc ctgctctcct tcccagcatt gagcccttgg ttgcctgggc 2640
ccaggctggg ggttttcagt atttgtaagc atttcagcag aacaataaag cctttggact 2700
acgraaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaggagg 2760
gggc 2764

```

<210> 327

<211> 1764

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1398)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1758)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1759)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1762)

<223> n equals a,t,g, or c

<400> 327

```

ggacatcaaa gatgaggagc ctggagactt tgggccgacc gaagcctgaa tgtgagggtt 60
acgaccccaa cgccctgtat tgcatttgcc gccagcctca caacaacagg tttatgattt 120
gctgtgaccg ctgtgaagaa tggtttcatg gcgatttgtt gggcatttct gaggctcgag 180
ggaggctttt ggaaaggaat ggggaagact atatctgccc aaactgcacc attctgcaag 240
tgcaggatga gactcattca gaaacggcag atcagcagga agctaaatgg agacctggag 300

```

```
atgctgatgg caccgattgt acaagtatag gaacaataga gcagaagtct agcgaagacc 360
aagggataaa gggtagaatt gagaaagctg caaatccaag tggcaagaag aaactcaaga 420
tcttccagcc tgtgatagag gcgcctggtg cctcaaaatg tattggcccc ggggtgctgtc 480
acgtggcgca cccgactcgg tgtactgcag taatgactgt atcctcaaac acgccgcagc 540
gacaatgaag tttctaagct caggtaaaga acagaagcca aagcctaaag aaaagatgaa 600
gatgaagcca gagaagccca gtcttccgaa atgcgggtgct caggcaggta ttaaaatctc 660
ttctgtgcac aagagaccag ctccagaaaa aaaagagacc acagtgaaga aggcagtggg 720
ggcccccgcg cggagtgaag cactcgggaa ggaagcagct tgtgagagca gcacgccgtc 780
gtgggcgagc gatcacaatt acaatgcagt aaagccagaa aagactgctg ctccctcgcc 840
gtcactgttg tataaatgta tgtatcacct aggggttggc ctccctggacc cctcccgctc 900
tttctggata gccatccccct gggcctgtcc aggactggga gttgcagctt tgtgttaagc 960
tgatcacaga caccggctgc accatcagcg ggaagcagag cccatgtcca ggatgcctcc 1020
tgctgccttg tgccatccc tagtctgtca ggacttctg tcactgtttt ccaaagctgt 1080
aaacctcact ggtgaacggt caccttaatg attgattctt taatctctgt tttcactctc 1140
aggctctggg aagtattcgt attctcttca tcccagctctg attgcatagc cacactgccc 1200
ggcacgccac atccaccct gtctgcacat gagggtgtct gacaacagcg ctgtatacgc 1260
ttcagttttt ccacattgtc cacggccagc acatgaaagc atcacttctt ttttatgttg 1320
tggaatctt tgcaagttag tgttgcatct gattttcagg tgtacattta tttttgactg 1380
ggcagatagg ggattttntt ttttccatgt ccgattcaca cgctacacac ccacatgaac 1440
acattcgaac ttcgaaggcc acacactcct gcttcatagg cccacaggta agtgagttca 1500
cacctagaac actgtcctga ccgcaggacg cgtgccttgg acttggtatt ctacatgtga 1560
ctggctttct tgccctcgtc tcttgaatgt ttagactctt aagatcatat cctgccccaa 1620
atttcaaat aatgaaatga agatatttca aacagatctt tgaaacctca gattctgtgg 1680
tgcaatttta atgttttctt gtttctcagt tttctgctat aaaactattt tcaattcagt 1740
ctttaaaaaa aaaaaaannt cnaa 1764
```

<210> 328

<211> 571

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (535)

<223> n equals a,t,g, or c

<400> 328

```
gcccantac tttccagccc agtaaggggt atttcaggag agcagtcac tkaaggttct 60
ttcccttaa gatagtga ggatcaagt gcggcacctt ttcagctgag taaccacact 120
ggccgcatca aggtggtctt tactccgagc atctgtaaa tgacctgcac caagggcagc 180
tgtcagaaca gctgtgagaa ggggaacacc accactctca ttagtgagaa tggtcagtct 240
gccgacaccc tgacggccac gaacttccga gtggttaatt gccatcttcc atgtatgaat 300
gggtggccagt gcagttcaag ggacaaatgt cagtgccttc caaatttcac agggaaactt 360
tgtcagatcc cagtccatgg tgccagcgtg cstaaacttt atcagcattc ccagcagcca 420
ggcaaggcat tggggacgca tgcatccat tcaacacata ccttgccctt gaccgtgact 480
agccagcagg agtcaaagtg aaatttcttc cttaacatag tcaatatcca tgtgnaacat 540
```


cctcctgaag cttccgtcca gatacatcag g

571

<210> 329

<211> 473

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (467)

<223> n equals a,t,g, or c

<400> 329

cacgtagtaa tcttttaaata taaatagcca cgtgtgnact actatcatat gggacagaac 60
agttccagac cacattattg ataagatgtg ttaaaataaa taagatcttt ctgtgaactt 120
ttgggaacca aatgggtttg ggcattgattt cccagctcat tatatatga cacagaattt 180
tttcagaatg gcatttacta gtaccccaga aatttagcaa agtatagtta ggtacttatt 240
gtaaaatata ttgcataattt gatttaaggt ttgttatgaa cactaatac tgatatttta 300
tatttaaacc attttcaatk ctgtaagact cagtaagagc tatttaatta tactgwaaca 360
aagaaaatct ataaataaat agcacaataa ggcacatgcg ggtgtataat actgaagtgg 420
tagtttttaa tttccgaaga gaataagcnt ttcaggccca ttagaancac aga 473

<210> 330

<211> 1335

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (865)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1004)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1156)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1301)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1328)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1333)
<223> n equals a,t,g, or c

<400> 330
ggcgctactg aggccgcgga ccggactgcg gttggggcgg gaagagccgg ggccgtggct 60
gacatggagc agccctgctg ctgaggccgc gccctccccg ccctgaggtg ggggcccacc 120
aggatgagca agctgcccag ggagctgacc cgagacttgg agcgcagctg cctgccgtgg 180
cctccctggg ctctcactg tcccacagcc agagcctctc ctccgacctc cttccgcgc 240
ctgagaagcg aagggccatc tctgatgtcc gccgcacctt ctgtctcttc gtcaccttcg 300
acctgctctt catctccctg ctctggatca tcgaactgaa taccaacaca ggcatccgta 360
agaacttga gacagagatc atccagtaca actttaaaac ttccttcttc gacatctttg 420
tcctggcctt cttccgcttc tctggactgc tcctaggtta tgcgtgctgc rgctccggca 480
ctggtgggtg attgcggtca cgacgtggt gtccagtga ttcctcattg tcaaggtcat 540
cctctctgag ctgctcagca aaggggcatt tggtacctg ctccccatcg tctcttttgt 600
cctgcgcctg ttggagacct gggtccctga cttcaaagtc ctacccagg aagctgaaga 660
ggagcgaatg tatcttgccg ccaggttgct tgttgccgt ggaccctgc tgttctccgg 720
tgstctgtcc gagggacatt ctattcacc ccagaatcct ttgcagggtc tgacaatgaa 780
tcagatgaag aagttgctgg gaagaaaagt ttctctgctc aggagcggga gtacatccgc 840
caggggaagg aggccacggc agtgntggac cagatcttgg ccaggaaga gaactggaag 900
tttgagaaga ataataata tggggacacc gtgtacacca ttgaagttcc ctttcacggc 960
aagacgttta tcctgaagac cttcctgccc tgcctgcgg astnctgtga ccaggaggtg 1020
atcctgcagc ccgagaggat ggtgctgtgg aacaagacag tgactgcctg ccagatcctg 1080
cagcaggtgg aagacaacac cctcatctcc tatgacgtgt ctgcaagggg ctgcgggcgg 1140
cgtkgtcttc cccaanggac ttcgtgaatg tccggcgcat tgarcggcgc agggaccgat 1200
acttgttcat cagggatcgc caccttcaca cagtgccaa ccccgacgc acaaatatgt 1260
tccggggaga gaatggcctg ggggtttcat cgtggttcaa ntcggccatt aaccctctgt 1320
tttgacntt gtntg 1335

<210> 331
<211> 1046
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (982)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (997)

<223> n equals a,t,g, or c

<400> 331

```
ggtaaaacag agagcaacat gcccagtc ctctctctg ccagttcttg tggcagcccc 60
attggcctgg agacatggtt ttttgtggt gcagctgcag ctgtccccc gtcttttaac 120
tcgacatcaa aagcctctct cctgccagtg ccataggttt gttagagcta ctgttttgta 180
acagctgctc aggtgtcccc aaactcctgg agttttccac cctgagctgt taaaaacctg 240
ccctgcctgt caccatttc tgtgccacca gcccaccccc tgcctccact ctctccctg 300
ccacctctg tcctgccat aggaatatg ggacaccgtg tacaccattg aagttccctt 360
tcacggcaag acgtttatcc tgaagacct cctgccctgt cctgcggagc tcgtgtacca 420
ggagggtgat ctgcagcccc agaggatggt gctgtggaac aagacagtga ctgcctgcca 480
gatcctgcag cgagtggaa acaacaccct catctcctat gacgtgtctg caggggctgc 540
ggcgcgctg gtctcccaa gggacttcgt gaatgtccgg cgattgagc ggcgcaggga 600
ccgatacttg tcatcaggga tcgccacct acacagtgc aagccccga cgcacaaata 660
tgtccgggga gagaatggc ctgggggctt catcgtgctc aagtcggcca gtaacccccg 720
tgtttgcacc tttgtctgga ttcttaatac agatctcaag ggccgcctgc cccggtacct 780
catccaccag agcctcggg ccaccatgtt tgaatttgcc ttccacctgc gacascgat 840
cagcgagctg ggggccggg cgtgactgtg cccctccca ccctgcgggc cagggtcctg 900
tcgccaccac ttccagagcc agaaagggtg ccagttgggc tcgcactgcc cacatgggac 960
ctggccccag gcwgtmamcc tncamcgagc cagcancctc tgggagttga tgaagtgaaca 1020
gstttgggtg gacattgat tcgggg                                     1046
```

<210> 332

<211> 1311

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1280)

<223> n equals a,t,g, or c

<400> 332

```
ggcgccacca ggcggcggc tctgtgtgga gaagcagggg cwgtgctgc cgctgctgct 60
gcacgaatcg ccgcagcccc cagccttgcg cgtcgtgct acctcctcgg acaggtgaga 120
agcagcccag aaattttatg aataagcatc agaagccagt gctaacaggc cagcggttca 180
aaactcggaa aagggatgaa aaagagaaat tcgaaccac agtcttcagg gatacacttg 240
tccaggggct taatgaggct ggtgatgacc ttgaagctgt agccaaattt ctggactcta 300
caggctcaag attagattat cgtcgtatg cagacacact ctccgatatc ctgggtggctg 360
gcagtatgct tgcccctgga ggaacgcgca tagatgatgg tgacaagacc aagatgacca 420
accactgtgt gttttcagca aatgaagatc atgaaacat ccgaaactat gctcaggtct 480
tcaataaact catcaggaga tataagtatt tggagaaggc atttgagat gaaatgaaaa 540
agcttctcct ctctcttaaa gccttttccg aaacagagca gacaaagttg gcgatgctgt 600
cggggattct gctgggcaat ggcaccctgc ccgccaccat cctcaccagt ctcttcaccg 660
acagcttagt caaagaaggc attgcggcct catttgctgt caagcttttc aaagcatgga 720
tggcagaaaa agatgccaac tctgttacct cgtctttgag aaaagccaac ttagacaaga 780
ggctgcttga actctttcca gttaacagac agagtgtgga tcattttgct aaatacttca 840
ctgacgcagg tcttaaggag ctttccgact tcctccgagt ccagcagtc ctgggcacca 900
```

```
ggaaggaact gcagaaggag ctccaggagc gtctttctca ggaatgcccg atcaaggagg 960
tggtgcttta tgtcaaagaa gaaatgaaga ggaatgatct tccagaaaca gcagtgattg 1020
gtcttctgtg gacatgtata atgaacgctg ttgagtggaa caagaaggaa gaacttgttg 1080
cagagcaggc tctgaagcac ctgaagcaat atgctccctt gctggccgtg ttcagctccc 1140
aaggccagtc agagctgatc ctctccaga aggttcagga atactgctac gacaacatcc 1200
atttcatgaa agcctttcag aagattgtgc ttccttatac catttcagta ttgcttcttc 1260
gtcagaaca tcagctttan tcgtgccgat tcggcacgag cggcacgagc c 1311
```

<210> 333

<211> 1444

<212> DNA

<213> Homo sapiens

<400> 333

```
ggcagagccc ggctcttgg tactgctgac cccagccagg ctacagggat cgattggagc 60
tgtcttggg gctgtaattg gcccagctg agcagggcaa aactgaggt caactacaag 120
ccacagggcc cttccccagc ctcatgtcac agctgccctg ttgcaggag gcggtggccc 180
ttctgttgct agaccgagcc tgtgggatat accaaggcag aggagcccat agccatgagg 240
agcctcgggg ccctgctctt gctgctgagc gcctgcctgg cggtgagcgc tggccctgtg 300
ccaacgcccg ccgacaacat ccaagtgcag gaaaacttca atatctctcg gatctatggg 360
aagtgtaca acctggccat cggttccacc tgcccctggc tgaagaagat catggacagg 420
atgacagtga gcacgctggg gctgggagag ggcgctacag aggcggagat cagcatgacc 480
agcactcggt ggcgaaaagg tgtctgtgag gagacgtctg gagcttatga gaaaacagat 540
actgatggga agtttctcta tcacaaatcc aaatggaaca taacctgga gtcctatgtg 600
gtccacacca actatgatga gtatgccatt ttcctgacca agaaattcag ccgccatcat 660
ggaccaccca ttactgccaa gctctacggg cgggcgcccg agctgaggga aactctcctg 720
caggacttca gagtgggtgc ccagggtgtg ggcacccctg aggactccat cttcaccatg 780
gtgaccgag gtgaatgtgt ccctggggag caggaaccag agccatctt aatcccgaga 840
gtccggaggg ctgtgctacc ccaagaagag gaaggatcag ggggtgggca actggttaact 900
gaagtcacca agaaagaaga ttcctgccag ctgggctact cggccggtcc ctgcatggga 960
atgaccagca ggtatttcta taatgttaca tccatggcct gtgagacttt ccagtacggc 1020
ggctgcatgg gcaacggtaa caacttcgtc acagaaaagg agtgtctgca gacctgccga 1080
acttgggcgg cctgcaatct ccccatagtc cggggcccct gccgagcctt catccagctc 1140
tgggcatttg atgctgtcaa ggggaagtgc gtcctcttcc cctacggggg ctgccagggc 1200
aacgggaaca agttctactc agagaaggag tgacagagat actgcggtgt ccctggtgat 1260
ggtgatgagg agctgctgag cttctccaac tgacaactgg cgggtctgca agtcagagga 1320
tgccagtggt ctgtcccggt gtcctgtggc aggcagcgcc aagcaacctg ggtccaaata 1380
aaaactaat tgtaactcc tgaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1440
aagg 1444
```

<210> 334

<211> 1030

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (989)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1006)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1023)
<223> n equals a,t,g, or c

<400> 334
tagaattcgg agaagctgaa gcttagtggt ctaaaccggtg gttgggaagg gggaaggang 60
acctcatgga cgtgcctggg ggtgtggctt ggcttccctt gattttggcc ggtggatgac 120
gctgtcctga ccacacccac tccttgctgc agcctgkag tcttccactt tcgccttggg 180
gcctgtcttc gccacctga gcacctcca gagcctcgtg ccagctgctg gtgcagcctc 240
tcctgttgcc atcagtgcc agcacctgtg ctacagccat gtcactcctg gcgaccctgg 300
ggctggagct ggacagggcc ctgctcccag ctagtgggct gggatggctc gtagactatg 360
ggaaactccc cccggcccct gccccctgg ctccctatga ggtccttggg ggagccctgg 420
agggcgggct tccagtggg ggagagcccc tggcagggtga tggcttctct gactggatga 480
ctgagcgagt tgatttcaca gctctcctcc ctctggagcc tcccytacc cccggcacc 540
tcccccaacc ttcccccaacc ccacctgacc tggaaagctat ggcttccctc ctcaagaagg 600
agctggaaca gatggaagac ttcttcctag atgccccgct cctccacca cctccccgc 660
cgccactacc accaccacca ctaccaccag cccctccct cccctgtcc ctccctcct 720
ttgacctccc ccagccccct gtcttgata ctctggaatt gctggccatc tactgcccga 780
acgaggccgg gcaggaggaa gtggggatgc cgctctgccc cccgccacag cagccccctc 840
ctccttctcc acctcaacct tctgcctgg gcccctacc cacatcctgc caccaccga 900
ggggaccgca agcaaaagaa gagagaccag aacaagtcgg cggtytgag gtaccgccag 960
cggaaggggg caggaggggt tgagggcynk gggaagggga agttgncagg gggttgggaa 1020
ggnaagggaa 1030

<210> 335
<211> 2127
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (72)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2098)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (2114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2117)

<223> n equals a,t,g, or c

<400> 335

```
ggatctgagg aaagggaggg cttttctgat ctctcccaat tagaggatta ggcaattggc 60
agcgcagtgc gntaactctg ggcggggctg ggctccaggg ctggacagca cagtccctct 120
gaactgcaca gagacctcgc agccccgaga actgtcgccc ttccacgatg tggtctccgtg 180
cctttatcct ggccactctc tctgcttccg cggcttgggc agggcatccg tcctcgccac 240
ctgtggtgga caccgtgcat ggcaaagtgc tggggaagtt cgtcagctta gaaggatttg 300
cacagcctgt ggccattttc ctgggaatcc cttttgcaa gccgcctctt ggaccctga 360
ggtttactcc accgcagcct gcagaacccat ggagctttgt gaagaatgcc acctcgtacc 420
ctcctatgtg cacccaagat cccaaggcgg ggcagttact ctcagagcta ttacaaaacc 480
gaaaggagaa cattcctctc aagctttctg aagactgtct ttacctcaat atttacactc 540
ctgctgactt gaccaagaaa aacaggctgc cggatgatgg gtggatccac ggaggggggc 600
tgatggtggg tgcggcatca acctatgatg ggctggccct tgctgcccac gaaaacgtgg 660
tggtggtgac cattcaatat cgcctgggca tctggggatt cttcagcaca ggggatgaac 720
acagccgggg gaactggggc cactgggacc aggtggctgc cctgcgctgg gtccaggaca 780
acattgccag ctttgagggg aacccaggct ctgtgaccat ctttgagag tcagcgggag 840
gagaaaagtgt ctctgttctt gttttgtctc cattggccaa gaacctcttc caccgggcca 900
tttctgagag tggcgtggcc ctcaactctg ttctggtgaa gaaaggtgat gtcaagccct 960
tggtctgagca aattgctatc actgctgggt gcaaaaccac cacctctgct gtcatggttc 1020
actgcctcgc acagaagacg gaagaggagc tcttgagagc gacattgaaa atgaaattct 1080
tatctctgga cttacaggga gaccccagag agagtcaacc ccttctgggc actgtgattg 1140
atgggatgct gctgctgaaa acacctgaag agcttcaagc tgaaaggaat ttccacactg 1200
tcccctacat ggtcggaatt aacaagcagg agtttgctg gttgattcca atgcagttga 1260
tgagctatcc actctccgaa gggcaactgg accagaagac agccatgtca ctctgtgga 1320
agtcctatcc ccttgtttgc attgctaagg aactgattcc agaagccact gagaaatact 1380
taggaggaac agacgacact gtcaaaaaga aagacctgtt cctggacttg atagcagatg 1440
tgatgtttgg tgtcccatct gtgattgtgg cccggaacca cagagatgct ggagcaccac 1500
cctacatgta tgagtttcag taccgtccaa gcttctcatc agacatgaaa cccaagacgg 1560
tgataggaga ccacggggat gagctcttct cgtcttttg ggccccattt ttaaaagagg 1620
gtgcctcaga agaggagatc agacttagca agatggtgat gaaattcttg gccaaacttg 1680
ctcgcaatgg aaaccccaat ggggaagggc tgccccactg gccagagtac aaccagaagg 1740
aagggtatct gcagattggg gccaacaccc aggcggccca gaagctgaag gacaaagaag 1800
tagctttctg gaccaacctc tttgccaaag aggcagtggg gaagccaccc cagacagaac 1860
acatagagct gtgaatgaag atccagccgg ccttgggagc ctggaggagc aaagactggg 1920
gtcttttgcg aaagggattg caggttcaga aggcattcta ccatggctgg ggaattgtct 1980
gggtggtggg ggcaggggac agaggccatg aaggagcaag ttttgattt gtgacctcag 2040
ctttgggaat aaaggatctt ttgaaggcca aaaaaaaaaa aaaagggcgc ctttttangg 2100
gttcccaatt tacnaanggg tgcttgg 2127
```

<210> 336

<211> 847

<212> DNA

<213> Homo sapiens

<220>
 <221> misc feature
 <222> (291)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (334)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (829)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (847)
 <223> n equals a,t,g, or c

<400> 336
 ccgccatgcc gttcctggag ctggacacga atttgccgc caaccgagtg cccgcggggc 60
 tggagaaacg actctgcgcc gccgctgcct ccatacctggg caaacctgcg gacggaccac 120
 tccccactcc tttcctcacg ccaagctctg actttccgtg ctccacgatc ccgcggctcc 180
 ccctccgcac gtctttccct tgtcgccctc cccagtcatg acccgggctg gaccttcagg 240
 gaccgcggcc cgtatcggga tccctgcccc gcgaacactg cgcgtttcgg ntttcgcgcg 300
 ctcggtccc gtccccagag gtagcccgcc cggntccaac ttcgggcaaa attttcatgt 360
 ccccctgcgg accgcgtgaa cgtgacggtg cggccgggccc tggccatggc gctgagcggg 420
 tccaccgagc cctgcgcgca gctgtccatc tcctccatcg gcgtagtggg caccgcccag 480
 gacaaccgca gccacagcgc ccacttcttt gagtttctca ccaaggagct agccctgggc 540
 caggaccgga tacttatccg ctttttcccc ttggagtcct ggcagattgg caagataggg 600
 acggtcatga cttttttatg attgggcacg gagggatcca gggcatctgt gaactggctg 660
 cttcttcag agagatctct tggcagagtg agggcctgga gataaccagc tttggattat 720
 cccgcattgca acattcctgt gatcacataa tcctcttctt catcctcata tgaaataaat 780
 gaagagagct tcctcattca aaaaaaaaaa aaaaaaaccc cgggggggnc cggtaaccca 840
 ttggccn 847

<210> 337
 <211> 702
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc feature
 <222> (21)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (150)
 <223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (669)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (679)
<223> n equals a,t,g, or c

<400> 337
ttttccgccc cgctgtatcc natgggtccc tgtgccttcc ggctagaact gctcacagtc 60
ccgcctcttc cgctgcgtgc cggaccatgg cgaggggca gcgcaagttt caggcgacaca 120
aaccgcgaaa gagtaagacg gcagcggcan cctctgaaaa gaatcggggc ccaagaaaag 180
gcggtcgtgt tatcgctccc argaaggcgc gcgtcgtgca gcagcaaaaag ctcaagaaga 240
acctagaagt cggaatccgg aagaagatcg aacatgacgt ggtgatgaaa gccagcagca 300
gcctgccccaa gaagctggca ctgctgaagg ccccagccaa gaagaaaggg gcagctgccg 360
ccacctcttc caagacacct tcctgaggac gctggcccca gtgcaggcca acatcccacc 420
ccctaccttc atatgggacc ttgcaagtca tcccacaggc tgcaactgtca ggaagaggac 480
cctgtccccc agcactgggc ttcacctaga acttcagtgg gggccaaggg tgctgagaac 540
ccagcaatga ccaggaagat acagtcacta acttcatctg tcccctgtgc ctttcccagg 600
tcctgcctcc acaggtttta cccagaacaa taaacctggc tttgtcaama aaaaaaaaaa 660
agggccggnc gttttagang atccagctta cgtaccgtgc tt 702

<210> 338
<211> 875
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (791)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (813)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (830)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (861)
<223> n equals a,t,g, or c

<400> 338


```
taagatagca aaccagttcg ttttaagtaa gctaacttgt tcattagtat ctgtggctta 60
aaatggcaaa aaagaaaata tccttgagtt tgtaatctag ttacagaagt aaggcataca 120
cacacacaaa gataacagta cctagagaga gagtgtgtgt gagtgtgcgt gtctctgtgt 180
gtgcacgtgc acgctcatgg ccaaagtgtc gcactctaca taaaggaggc aggagttcct 240
ataggctatt taatgtaaga gaaactatct ttctcctgtt ccagctgtat cagatactcg 300
ttccgcaaca cagaaatgac tcagaatctc agacaaaatg tattatttgt tcaattttaa 360
ttttgctact acattcataa ctcttaaatt gttaggctgt ttcatTTtaca tcaaagttat 420
ctcacaaaag agaaggcagg aaacgttttg tgagtgccta ttctatgtca aacactgtgt 480
tggcaccata ttttacaagt ttttttcctc ttctcacagt gatcttTgtga gttagtTact 540
tatattttta ttagaactca ttattctggg taccctccaa tgagaattag agaggTtaaa 600
taccttttcc tagattccca cagcagggaag gtgggcatag ctgttttTgtc tgacaccaga 660
acccatctca ccacactgct ttacagtctt cctgaaggga cattttTgagg tggggggggg 720
ccttcaaagc tcagaggact ggggttkgaa tgggtttaat ttttgcaagg gatccatgtc 780
catgccaggg ngtttacaat tctttaactt cctcccaaa ttctgtgtgn ccattaggga 840
catttgggtt acatccgggc nggggagggt caggg 875
```

<210> 339

<211> 1448

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1427)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1432)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1440)

<223> n equals a,t,g, or c

<400> 339

```
cagcgccact agcctcattg tgcccaggag ttctccaaac ccgcgctgcg gagtgagtga 60
ccaagtTccg gccagttcga cctcgaggat ccagaggtgg agacggtact acctccagc 120
tctgttttcc atccccttca ggtccttccT cgggaggcgg cgaaggcggT ccaccctgcg 180
cgtgatcctt yatgcccggc ccctgcccct cctccgggtT ggaactTccc cctcaccgcc 240
agacttaagc tgaggatcgt tggatctctg gcggggTgca gaactgagcc caggccacag 300
taccctattc acgctctgtg cttgtgccaa gggggcaatg gcggcttccT gtgttctact 360
gcacactggg cagaagatgc ctctgattgg tctgggtacc tggaagagtg agcctggTca 420
ggtaaaagca gctgttaagt atgcccttag cgtaggctac cgccacattg attgtgctgc 480
tatctacggc aatgagcctg agattgggga ggccctgaag gaggacgtgg gaccaggcaa 540
ggcggTgcct cgggaggagc tgtttTgtac atccaagctg tggaacacca agcaccacc 600
cgaggatgtg gagcctgccc tccggaagac tctggctgac ctccagctgg agtatctgga 660
cctgtacctg atgcactggc cttatgcctt tgagcgggga gacaaccctT tcccaagaa 720
tgctgatggg actatatgct acgactccac ccactacaag gagactTgga aggctctgga 780
ggcactggTg gctaaggggc tggTgcaggc gctgggcctg tccaactTca acagtccgca 840
```

```

gattgatgac atactcagtg tggcctccgt gcgtccagct gtcttgccagg tggaaatgcc 900
cccatacttg gctcaaaatg agctaattgc ccaactgccaa gcacgtggcc tggaggtaac 960
tgcttatagc cctttgggct cctctgatcg tgcatggcgt gatcctgatg agcctgtcct 1020
gctggaggaa ccagtagtcc tggcattggc tgaaaagtat ggccgatctc cagctcagat 1080
cttgctcagg tggcaggtcc agcggaaagt gatctgcac cccaaaagta tcaactcctc 1140
tcgaatcctt cagaacatca aggtgtttga cttcaccttt agcccagaag agatgaagca 1200
gctaaatgcc ctgaacaaaa attggagata tattgtgcct atgcttacgg tggatgggaa 1260
gagagtccca agggatgcag ggcacacctt gtaccccttt aatgaccctg actgagacca 1320
cagcttcttg gcctcccttc cagctctgca gctaattgag tcctgccaca acggaaagag 1380
ggagttaata aagccattgg agcatccaaa aaaaaaaaaa aaaaaanayc tngsggccgn 1440
caagggaa 1448

```

<210> 340

<211> 843

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (812)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (822)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (829)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (838)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (841)

<223> n equals a,t,g, or c

<400> 340

```

aattcggcac gagctggcct gagaagccaa ctcagactca gccaacagag attgttgatt 60
tgctctctaa gcaagagatt cattgcagct cagcatggct cagaccagct catacttcat 120
gctgatctcc tgctgatgt ttctgtctca gagccaaggc caagaggccc agacagagtt 180
gccccaggcc cggatcagct gcccagaagg caccaatgcc tatcgctcct actgctacta 240
ctttaatgaa gaccgtgaga cctgggttga tgcagatctc tattgccaga acatgaattc 300
gggcaacctg gtgtctgtgc tcaccaggc cgagggtgcc tttgtggcct cactgattaa 360
ggagagtggc actgatgact tcaatgtctg gattggcctc catgacccca aaaagaaccg 420
ccgctggcac tggagcagtg ggtccctggt ctctacaag tcctggggca ttggagcccc 480

```

```

aagcagtgtt aatcctggct actgtgtgag cctgacctca agcacaggat tccagaaatg 540
gaaggatgtg ccttgtgaag acaagttctc ctttgtctgc aagttcaaaa actagaggca 600
gctggaaaat acatgtctag aactgatcca gcaattacaa cggagtcaaa aattaaaccg 660
gaccatctct ccaactcaac tcaacctgga cactctcttc tctgctgagt ttgccttggt 720
aatcttcaat agttttacct accccagtct ttggaaccyt aaataataaa aataaacatg 780
tttccactaa aaaaaaaaaa aaaaaaaamt cncagggggg gnccggtanc caattcgnc 840
naa 843

```

<210> 341

<211> 1293

<212> DNA

<213> Homo sapiens

<400> 341

```

gtgctcataa ctgttaatga aagcagattc aaagcaacac caccaccact gaagtatttt 60
tagttatata agattggaac taccaagcat gtggctcctg gtcagtgtaa ttctaattctc 120
acggatatcc tctgttggg gagaaagcaac attttgtgat tttcaaaaaa taaaccatgg 180
aattctatat gatgaagaaa aatataagcc attttcccag gttcctacag gggaagtgtt 240
ctattactcc tgtgaatata attttgtgtc tccttcaaaa tcattttgga ctgcataac 300
atgcacagaa gaaggatggt caccaacacc aaagtgtctc agactgtgtt tctttccttt 360
tgtggaaaat ggtcattctg aatcttcagg acaaacacat ctggaagggtg atactgtgca 420
aattatttgc aacacaggat acagacttca aaacaatgag aacaacattt catgtgtaga 480
acggggctgg tcccccctc ccaaatgcag gtccactgac acttcctgtg tgaatccgcc 540
cacagtacaa aatgctyata tastgtcgag acagatgagt aaatatccat ctggtgagag 600
agtacgttat saatgtagga gcccttatga aatgtttggg gatgaagaag tgatgtgttt 660
aaatggaaac tggacrgaac caccctcaatg caaagattct acrggaaaat gtgggcccc 720
tccacctatt gacaatggg acattacttc attccggtg tcagtatatg ctccagcttc 780
atcagttgag taccaatgcc agaacttgta tcaacttgag ggtaacaagc gaataacatg 840
tagaaatgga caatggtcag aaccaccaa atgcttacat ccgtgtgtaa tatcccgaga 900
aattatggaa aattataaca tagcattaag gtggacagcc aaacagaagc tttattygag 960
aacagtgtaa tcagytgaat ttgtgtgtaa acggggatat cgtctttcat cacgttctca 1020
cacattgcga acaacatgtt gggatgggaa actggagtat ccaacttgtg caaaaagata 1080
gaatcaatca taaartgcac acctttattc agaactttag tattaaatca gttctyaatt 1140
tcatttttwa tgtattgttt tactcctttt tattcatacg taaaattttg gattaatttg 1200
tgaaaaatgta attataagct gagaccgtg gctctcttct taaaagcacc atattaaatc 1260
ctggaact aaaaaaaaaa aaaaaaaact cgc 1293

```

<210> 342

<211> 1273

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (483)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1247)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1262)
<223> n equals a,t,g, or c

<400> 342
gcccangcgg ccgcgaggcg ccgccgccgc cgccgcagcc gccggagccg caatgcctaa 60
aggaggaaga aagggaggcc acaaaggccg ggcgaggcag tatacaagcc ctgaggagat 120
cgacgcgcag ctgcaggctg agaagcagaa ggccaggga gaagaggagc aaaaagaagg 180
tggagatggg gctgcagggtg accccaaaaa ggagaagaaa tctctagact cagatgagag 240
tgaggatgaa gaagatgact accagcaaaa gcgcaaaggc gttgaagggc tcatcgacat 300
cgagaacccc aaccgggttg cacagacaac caaaaaggtc acacaactgg atctggacgg 360
gccaaaggag ctttcgagga gagaacgaga agagattgag aagcagaagg caaaagagcg 420
ttacatgaaa atgcacttg cggggaagac agagcaagcc aaggctgacc tggcccggct 480
ggncatcatc cggaacacgc gggaggaggc tgcccggaa aaggaaggagg aaaggaaagc 540
aaaagacgat gccacattgt caggaaaacg aatgcagtca ctctccctga ataagtaact 600
gcgccccgtg ggaggagatg ccggggacct gggccgcgct gccaggacct ctgctgtgtc 660
tcgcccaccc tgtgcccttg cgccgctgca acagcccctc atggccagga gcccccatg 720
gcctggggcc tcctcttcat cttggcacag aaattgtttg ggggatggg ggggggactg 780
ggggaggggg agctgctatc tttgagacag aaagrkgay aagagctttc atttgtcttg 840
tagatagata gcatgtaagg ggggtggtgt cccaggaggc agctgctgac aggtttgcta 900
cacacagccc cggactgtgt tgcctgggtg ctcattcaga gaggggctat catctgggag 960
cctgtgcccc tgggtcctcg aggtcatgg cttgtccctg gtcagtcctg tctgactgac 1020
ctcagggcct caccctctctg cccttccctg ccggttcct actcacctgg ctagggccag 1080
tgccattttt cagccctacc cattgatcat ttcaagaaac ctctgtttac tgtgtggcac 1140
ccaggcaaaa catgctccac aaattcaact tgtatatattg gcagattaaa cttgacatta 1200
tcgtaaaaaa aaaaaaaaaa atttgggggg gggcccgga cccattnggg cccttagggg 1260
ngggtttaaa tta 1273

<210> 343
<211> 1793
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1251)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1267)
<223> n equals a,t,g, or c

<400> 343

```
gcccacgcgt ccgcccacgc gtccggcatg gacctcagtc ttctctgggt acttctgccc 60
ctagtcacca tggcctgggg ccagtatggc gattatggat acccatacca gcagtatcat 120
gactacagcg atgatgggtg ggtgaatttg aaccggcaag gcttcagcta ccagtgtccc 180
caggggcagg tgatagtggc cgtgaggagc atcttcagca agaaggaagg ttctgacaga 240
caatggaact acgcctgcat gccacacca cagagcctcg gggaaccac ggagtgtctg 300
tgaggaggaga tcaacagggc tggcatggaa tggtagcaga cgtgctccaa caatgggctg 360
gtggcaggat tccagagccg ctacttcgag tcagtgtctg atcgggagtg gcagttttac 420
tgttgtcgct acagcaagag gtgcccata tctgtctggc taacaacaga atatccaggt 480
cactatggtg aggaaatgga catgatttcc tacaattatg attactatat ccgaggagca 540
acaaccactt tctctgcagt ggaaagggat cgccagtgga agttcataat gtgccggatg 600
actgaatacg actgtgaatt tgcaaatgtt tagatttgcc acataccaaa tctgggtgaa 660
aggaaagggg ccagggggaca ggagggtgtc cacatatgtt aacatcagtt ggatctccta 720
tagaagtttc tgctgtcttc ttctctcttc cctgagctgg taactgcaat gccaacttcc 780
tgggcctttc tgactagtat cacacttcta ataaaatcca caattaaacc atgtttctca 840
cttttcacat gtttcatagc aactgcttta tatgactgat gatggcttcc ttgcacacca 900
catatacagt gcgcatgctt acagccgggc ttctggagca ccagctgcag cctggctact 960
gctttttact gcagaatgaa ctgcaagttc agcatagtgg aggggagagg cagaactgga 1020
ggagaggtgc agtgaagggt ctctacagct aagcctgttt gaatgatacg taggttcccc 1080
accaaagca ggctttctgc cctgagggac atcttccac tcccctgctc cacatgagcc 1140
atgcatgctt agcaatccaa gtgcagagct ctttgtctca ggagtgagga gactgggagg 1200
tgaaatgggg aaatggaagg gtttgagggc agagctgaaa acagggttgg naagggtatt 1260
cctgaantta raagacaaac gtttagcata ccagtaagga aaatgagtgc aggggccagg 1320
ggaaccctgt aggatcactc tcaaatgaga ttaaaaacaa ggaagcagag aatggtcaga 1380
gaatgggatt cagattggga acttgtgggg atgagagtga ccaggttgaa ctgggaagtg 1440
gaaaaaggag tttgagtcac tggcacctag aagcctgccc acgattccta ggaaggctgg 1500
cagacaccct ggaaccctgg ggagctactg gcaaaacttc ctggattggg cctgattttt 1560
ttggtgggaa aggtgcctt ggggatcaac ttctctcttg tgtgtggctc aggagtctt 1620
ctgcagagat ggcgctatct ttctctctcc tgtgatgtcc tgctcccaac catttgact 1680
cttcattaca aaagaaataa aaatattaac gttcamwawg ctgaaaaaaa aaaaaaaaaa 1740
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1793
```

<210> 344

<211> 1672

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1667)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1668)

<223> n equals a,t,g, or c

<400> 344

```
ctgCGacgcg ctccggccca ggtggcgcc ggccgccag cctccccgcc tgcTggcg 60
agaaaccatc tcctctggcg ggggtaggcg cggantggcg tccgaccaca ccggaagagg 120
aagtctaagc gccggaagtg gtgggcattc tgggtaacga gctatttact tcctgcgggt 180
gcacaggctg tggtcgtcta tctccctgtt gttcttccca tcggcggaaga tggccctgga 240
gacggtgccg aaggacctgc ggcactctgc ggcctgtttg ctgtgttcgc tggTcaagac 300
tatagaccag tttgaatatg atggttgtga caattgtgat gcatatctac aaatgaaggg 360
taaccgagag atggtatatg actgcactag ctcttccttt gatggaatca ttgcgatgat 420
gagTccagag gacagctggg tctccaagtg gcagcgagtc agtaacttta agccagggtg 480
atatgcggtg tcagtcactg gtcgcctgcc ccaaggaatc gtgcgggagc tgaaaagtcg 540
aggagtggcc tacaaatcca gagacacagc tataaagacc tagcaagatg caaggctgcc 600
agcatctttg ctctccacct cctgcctctg cttatttctt gttctggaac taaatgaaca 660
gaacttcaaa tacttctac cctccaatc agactcagct gactgttgag agagcagcac 720
atcattttat cattttatct tctttggact acaggTggg tgggagggat ttgggttgg 780
ggattaacag atggaattga ggagagagta ggatgctgat ttctctacc gtggccagg 840
tctgtgcctt ccccatgcca aggactctag gtcaaagtgc aataaatatg aacctcgaga 900
aagtTctgaa ggccatgaca cctgccttgc ctccctcttc cattctctta ggcacagtaa 960
tagcttattt gccctataag aaccttccca gagcagcaga ggcccttcta ctccctcttg 1020
actgtctcag cctctgggat tgcagccttt gtagtgtgct tccttgcttc ctatcagagg 1080
gtgctgatcc agaggctcag taaccccatc aacttggtgg ccctgggtgc tcacacttgt 1140
atcctctctg cctcgagacc tggcacagca gtatccctg aagaaatcct gaggtttgt 1200
agagtgtccc ttgaccatgt ttaataatc ttccctcccc tgcTtgtcta tttctctctc 1260
ttcacggctc ttctataacc ttaggccagt ctcaagcact cactggagac ccttgggcct 1320
tgggcgacca ttgagtccta gtctccctg tttgtgcccc tgtaggagg aggtcctttt 1380
ctctccggcc tagtagggga ccttgggtaa catccattt ttcggccaa gtgagttgt 1440
ttaggataaa aaaaattacc acaaattctc atttaaatt ccacagaaat cctgttcgta 1500
tccccattt gatttcccta agttccttgt tctccctcta aaaagagaat gattgcaccc 1560
tgctgttta cctcaggatt gttgtgatt tagaaacgaa gctatgtgaa aattatataa 1620
gtattataaa ggtgaaatac tttgtctctc aaaaaaaaa aaaaanntt aa 1672
```

<210> 345

<211> 2109

<212> DNA

<213> Homo sapiens

<400> 345

```
agcactagct ttgacatcca cggtgagctg caggggaagca tcacacacca gccagcatgt 60
gagcagaggg aggcagttgg ggttgaaactt cggaactagg ccgggtctyc tgacagatca 120
caagacaccc cagaggatct tcagcagtc tacttcccat tctctataga gctttgaagc 180
ttggaaccct tcagggttaa acattttctc ttgtgtgctg yaggacatyt ggggcctagc 240
tcctgggttc ctgtctccaa gaagcaatga ccttaaactc tgagccatac tctgtcctca 300
ccagcggtc ccatgttttt ctgtgtcagg ttattaagta cctagtcctt gttttctgtc 360
tctstcctaa gctacotctc tgggtccaca gaagacttg tagtatagt agaattggcta 420
tacgtgagta caaacrtgga ttttccaagg gcttgggaam tgattcttga gccagaaga 480
gccamgcctg ctttgaggtc ttttgagtg gagatgcagc cctgggaaat ttggggagtc 540
agcaggccag tgtgaagcwa ttggtcctag gagtatatga gcttgctgtt tctttgatgg 600
aaaatacatg cttctcttgt atactcagaa gtgactaagg gcaataactc attaatagcc 660
atctatocaa cttctttact gagtgatgta ttccatgggg ttaccttttt cagattattg 720
agttgtctg taagcactaa aactttttta tcatttttaa gaaacttttt agattgtatt 780
acaaatttgc cttaacagta attagatgtt gaatataatt ttaacatttt attaatagact 840
tggtgcatca gttaatacca gtactaaaac catacgaatt attggtttat tccagaaaat 900
```

```

acagtatttg ttctatTTTT aggtagacaa tcatttggga tcagagtaca ttagcatagt 960
aatgctcagt cagacctgtt caagtagtag agcttggaga atgccatgaa atacttatat 1020
aattaatttg attgcatgaa ctaagcaatt ttactaatga aaagggtgta tatgtgcaag 1080
tcactttttt aaaaaccaag aaaaaacttt aatagaggaa atcttattca ttaatttatt 1140
tttctgagta aaaaaacgaa acccaaactt cattttattt caactgttaa acattttgat 1200
ctgttgaccc ataggatcag gatttgggaa ccactttact aggaaagagc agatcagtac 1260
catttgtata aaaccggcct cattatgtaa gaaagaaaat gttacgtgtt ttcttcttta 1320
gcttggttgt gggcacttct acagcaagga ccatatcata ttcatctttg catccctggc 1380
acatgcatga gacataagta cttataaat gcagttgaat ggataatgat tagtgttatt 1440
tatggattag aaaaagcatg ttctatTTTA agtaagctgt aaaaagtatt attgaatatt 1500
tactgtaaat atatgttcac ataaaaaaat aacttggagg gtctttgtgt ccctggcata 1560
ttatcatctt catggaaaga atccactgtg gtttctgtag agtgattgga aaaatggatt 1620
atTTtgagga ttgaagaaag tgttctttct gcgttgtoac ttgtttcaac agtaaaactt 1680
tattctcagt gttcctactc tgcatgtgtt acatttttga cagttttttt tratcaccta 1740
caatctgtaa agaattgtata tattcttttc agcatctcag ttgaaaaga catgcagtta 1800
aacttgacct ttgataatc gctcttacag gtcattgtct gttctaacag caaattgtaa 1860
acatgtgctt catagatatt gtggtcttca gtcactactt tgtcctatgg tatttattga 1920
atgttcacat actaatggtg cacagggtgt ttttctata aatcttctga ctgtcctgta 1980
attcattctt aagctttaac ttgaaggat cgtaattgcc ggcatttgat gtttagcaat 2040
aaaagaataa atgtgtacca gcattttatg tttaaaaaaa aaaaaaaaaa actcgagact 2100
agtctctct 2109

```

<210> 346

<211> 1714

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<400> 346

```

caggcggagg cgtcgcggga nctttggggc accacagaga tgcggggttg cctgcaatga 60
gatttcattc tctacattta aaggacatcc tttctgagct gctgtgaata aatttggaat 120
ggtactgtat attttcatct aatggagaac tagctgtact ttgaataagg attgctgcac 180
tggaagcact tagaacatcc ctcacaatgt cgtcaacccg gagccagaac cccacaggcc 240
tgaagcagat tggcctggac cagatctggg acgacctcag agccggcatc cagcagggtg 300
acacacggca gagcatggcc aagtccagat atatggagct ctacactcat gtttataact 360
actgtactag tgttcaccag tcaaaccaag cacgaggagc tggagttcct ctttctaagt 420
cgaaaaaggg gcagacacct ggaggagctc agtttgttgg cctggaatta tataaacgac 480
ttaaggaatt ttgaagaat tacttgacaa atcttcttaa ggatggagaa gatttgatgg 540
atgagagtgt actgaaattc tacactcaac aatgggaaga ttatcgattt tcaagcaaag 600
tgctgaatgg aatttgtgcc tacctcaata gacattgggt tcgccgtgaa tgtgacgaag 660
gacgaaaagg aatatatgaa atctattcgc ttgcattggt gacttggaga gactgtctgt 720
tcaggccact gaataaacag gtaacaaatg ctgttttaaa gctgattgaa aaggaaaagg 780
atggtgaaac catcaataca agattgatta ctggagtgtt acagtcttac gtggaattgg 840
ggctgaatga agatgatgca ttgcaaagg gccctacgtt aacagtgtat aaagaatcct 900
ttgaatctca atttttggtt gacacagaga gattttatac cagagagagt actgaattct 960
tgcagcagaa cccagttact gaatatatga aaaaggcaga ggctcgtctg cttgagggaac 1020
aacgaagagt tcagggtttac cttcatgaaa gcacacaaga tgaattagca aggaaatgtg 1080

```

```

aacaagtcct cattgaaaa cacttgaaaa tttccacac agaatttcag aattttattgg 1140
atgctgacaa aaatgaagat ttgggacgca tgtataatct tgtatctaga atccaggatg 1200
gcctaggaga attgaaaaaa ctgttgagaga cacacattca taatcagggt cttgcagcca 1260
ttgaaaagtg tggagaagct gctttaaatg accccaaaat gtatgtacag acagtgcctg 1320
atgttcataa aaaatacaat gccctggtaa tgtctgcatt caacaatgac gctggccttg 1380
tggtgctct tgataaggct tgtggtcgct tcataaacia caacgcgggt accaagatgg 1440
cccaatcctc cagtaaatcc cctgagttgc tggctcgata ctgtgactcc ttgttgaaga 1500
aaagttccaa gaaccagag gaggcagaac tagaagacac actcaatcaa gtgatgggtg 1560
tcttcaagta catagaagac aaagacgtat ttcagaagtt ctatgcgaag atgctcgcca 1620
agaggctcgt ccaccagaac agtgcaagt acgatgccga agccagcatg atctccaagt 1680
taaagcaagc ttgcgggttc gagtacacct ctaa 1714

```

<210> 347

<211> 1672

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1667)

<223> n equals a,t,g, or c

<400> 347

```

cgatgtctta ttgtgatgag tctcgactgt caaatcttct tcggaggatc acccggaar 60
acgacmgaga cygaagattg gyyactgtaa agcagttgaa agaatttatt cagcaaccag 120
aaaataagct ggtactagtt aaacaattgg atatcttggc tgctgyacat gatgtgctta 180
atgaaagtag caaattgctt caggagttga gacaggaggg agcttgctgt ctyggccttc 240
tttgtgcttc tctgagctat gaggtgaga agatcttcaa gtggattttt agcaaattta 300
gctcatctgc aaaagatgaa gttaaactcc tctactatg tgccacctac aaagcactag 360
agactgtagg agaaaaagaa gccttttcat ctgtaatgca gcttgtaatg accagcctgc 420
agtcaattct tgaaaaatgtg gatacaccag aattgctttg caaatgtggt aagtgcattc 480
ttttggtggc tcgatgttac cctcatattt tcagcrctaa ttttagggat acagttgata 540
tattagttgg atggcataga gatcatactc agaaaccttc gctcacgcag caggatctcg 600
ggtggttgca gagtttgag ccattttggg tagctgatct tgcatctcct acgactcttc 660
ttggtcagtt tctagaagac atggaagcat atgctgagga cctcagccat gtggcctctg 720
gggaatcagt ggatgaagac gtccctcctc catcagtgtc atyaccaaag ctggctgcgc 780
ttctccgggt atttagtact gtggtgagga gcaytgggga amgcytcagc ccaattcggg 840
ycctccaatt actgaggcat acgtaacaga tgttctgtac agagtaatga gatgtgtgac 900
ggctgcaaac cagggtgttt tttctgaggc tgtgttgaca gctgctaatt agygtgttg 960
tgttttgctc ggcagcttg atcctagcat gactatacat tgtgacatgg tcattacata 1020
tggattagac caactggaga attgccagac ttgtggtacc gattatatca tctcagcttt 1080
gaatttactc acgtgattg ttgaacagat aaatacga aa ctgccatcat catttgtaga 1140
aaaactgttt ataccatcat cttaaactact attcttgcgt tatcataaag aaaaagaggt 1200
tgttgctgta gcccatgctg tttatcaagc aatgctcagc ttgaagaata ttctgtttt 1260
ggagactgcc tataagttaa tattgggaga aatgacttgt gccctaaaca acctcctgca 1320
cagctcgcaa cttcctgagg cctgttctga aataaaacat gaggccttta agaatcatgt 1380
gttcaatgta gacaaatgcaa aatttgtagt taaatttgac ctgagtgccc tgactacaay 1440
tggaatgcc aaaaactcga gtctttaatt gtaatgactt tgttttatcc acagttaagc 1500
cttttctcat tacatattta tgtatttcac tgtcatgtca acatgtctgc agaactactg 1560
tatgtaacaa acagccatat ttaagacatg cctggataaa taaaattggg aggaatgttt 1620
tcttgccatt ataaaaaaaa aaaaaaaaaa aaaaaaaagg ggggcncccc tt 1672

```


<210> 348
<211> 1483
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (19)
<223> n equals a,t,g, or c

<400> 348
ccgcgggcgc ggcgcgggna ggcgaccatg cgcggcgcgg ggcgcatcct gcggccggcg 60
gcgcgtggtg cccgggacct gaacccgcgg cgggacatct cctcctggct ggcccagtgg 120
ttccctagaa cccagccag gtccgtggtg gccctgaaga ccccatcaa ggtggagctg 180
gtggcaggga aaacctacag gtggtgtgtg tgtggccgca gcaagaagca gcccttctgt 240
gacggctccc acttcttcca acgcactggc ctatctccac tcaagttcaa ggcccaagag 300
acccgcatgg tggcactctg tacctgcaag gccactcaga ggcccccgta ctgcgatggc 360
acccacagga gtgagcgcgt gcagaaggca gaagtgggct cccactctg agggggctgc 420
tgctgtccag ccacaggtgg ccttggtctc aggcctctga caggcacccc cttctgtggg 480
aaaggaaaca ggtgctgagc ccaagagact ctggtaccca ctgctggctc atgaaggaaag 540
aattattcct tataacctaa aagtctccag tctggggcag gcgggagtgg gccctggttc 600
aatgtttgct gatggggaag atggcaaaaa caagcctgcc caaccagact ggtagtcctg 660
cagtcactgc tatgaggccc atgtgctgcc tcctgtccca gattttaacc tctctgtggg 720
ctgggggcac ctgaccagcc acaggagagg gcagttcaga ttcattctgt atggggctccc 780
caagccaggc taaaccaga gatgagaggc acccttcctt tcttccctcc acccaaaga 840
actacaggct ccagaaagta tgcagcattt attacaaagc caagagatac agatgtccca 900
gggcaaaagg ggttacagtc acaggacctc agacacagga caagggtgcaa acacagacaa 960
gcccacaggg gggtcccaa cccacacac ctacgctatg atggaatctc gagtctcgac 1020
tcccgactcc tctcagatct atgcacactt gaggaaatct cgggtgggcag cgacctgcca 1080
gggtctgtcc ctaaggagggt ggtccgctga cctctcaagg ggtgggggtg gggtcagagc 1140
ttacagggtt ctgtcttctt gtgcttttag atgcagttgc tctgtcctga ccaggtgacc 1200
gggcctcagc tgggggtgga ggggcaattg gaaggctgtt tgccctctgc aaagtctggg 1260
atctgtgctt gtgtgaggtt aaccaccccc cacttccact ctaggcccca ggtgagactc 1320
caccaccagt cctgctagtg agggttcccc ggtgagggta aggttggtgg gggtgacagc 1380
cttcacaatg ctaaagcctt agcctcctc caagagctga gacctctcag ggcctgaatc 1440
ttcttttcca caagataaat gatgcaaagg ccacacacac agg 1483

<210> 349
<211> 1842
<212> DNA
<213> Homo sapiens

<400> 349
aatawtgtga ttttttgatc ctwtgaacct gaaaagggtc agaaggatgc ccagacatca 60
gcctccttct ttcacccctt acccaaaga gaaagagttt gaaactcgag accataaaga 120
tattcttttag tggaggctgg atgtgcatta gcctggatcc tcagttctca aatgtgtgtg 180
gcagccagga tgactagatc ctgggtttcc atccttgaga ttctgaagta tgaagtctga 240
gggaaaccag agtctgtatt tttctaaact ccctggctgt tctgatcggc cagttttcgg 300
aaacactgac ttaggtttca ggaagttgcc atgggaaaca aataatttga actttggaac 360
agggttggaa ttcaaccacg caggaagcct actatttaaa tccttggtct caggttagtg 420

```
acattttaatg ccatctagct agcaattgcg accttaattt aactttccag tcttagctga 480
ggctgagaaa gctaaagttt ggttttgaca ggttttccaa aagtaaagat gctacttccc 540
actgtatggg ggagattgaa ctttccccgt ctcccgctct ctgcctccca ctccataccc 600
cgccaaggaa aggcattgtac aaaaattatg caattcagtg ttccaagtct ctgtgtaacc 660
agctcagtggt tttgggtgaa aaaacatttt aagttttact gataatttga ggtagatgg 720
gaggatgaat tgtcacatct atccacactg tcaaacaggt tgggtgtgggt tcattggcat 780
tctttgcaat actgcttaat tgctgatacc atatgaatga aacatgggct gtgattactg 840
caatcactgt gctatcggca gatgatgctt tggaagatgc agaagcaata ataaagtact 900
tgactaccta ctgggtgtaat ctcaatgcaa gcccactt tcttatccaa ctttttcata 960
gtaagtgcga agactgagcc agattggcca attaaaaacg aaaacctgac taggttctgt 1020
agagccaatt agacttgaaa tacgtttgtg tttctagaat cacagctcaa gcattctgtt 1080
tatcgctcac tctccctgtt acagccttat tttgttggtg ctttgcattt tgatattgct 1140
gtgagccttg catgacatca tgaggccgga tgaaacttct cagtccagca gtttccagtc 1200
ctaacaaatg ctcccacctg aatttgtata tgactgcatt tgtgggtgtg tgtgtgtttt 1260
cagcaaattc cagatttggt tccttttggc ctccctgcaa gtctccagaa gaaaatttgc 1320
caatctttcc tactttctat ttttatgatg acaatcaaag ccggcctgag aaacactatt 1380
tgtgactttt taaacgatta gtgatgtcct taaaatgtgg tctgccaatc tgtacaaaat 1440
ggtcctatth ttgtgaagag ggacataaga taaaatgatg ttatacatca atatgtatat 1500
atgtatttct atatagactt ggagaatact gccaaaacat ttatgacaag ctgtatcact 1560
gccttcgttt atattttttt aactgtgata atccccacag gcacattaac tgttgcaact 1620
ttgaatgtcc aaaatttata ttttagaaat aataaaaaga aagatactta catgttccca 1680
aaacaatggg gtgggtgaatg tgtgagaaaa actaacttga taggggtctac caatacaaaa 1740
tgtattacga atgcccctgt tcatgttttt gttttaaaac gtgtaaatga agatctttat 1800
atttcaataa atgatatata atttaaagtt aaaaaaaaaa ga 1842
```

<210> 350

<211> 3008

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (65)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1307)

<223> n equals a,t,g, or c

<400> 350

acagcatcnt taggaaacct aaggtagaga atccccccag agagcctggc aagggaaatnt 60
cgagncacga agagttttct caacccaagg aggccagaca gagggacgtg gtcactctct 120
gaaaagtca acttgagaga caaaatgcag tggacctccc tcctgctgct ggcagggctc 180
ttctccctct cccaggccca gtatgaagat gacctcatt ggtggtcca ctacctccgc 240
agccagcagt ccacctacta cgatccctat gaccttacc cgtatgagac ctacgagcct 300
tacctctatg ggggtgatga agggccagcc tacacctacg gctctccatc ccctccagat 360
ccccgcgact gccccagga atgcgactgc ccaccaact tccccacggc catgtactgt 420
gacaatcgca acctcaagta cctgcccttc gttccctccc gcatgaagta tgtgtacttc 480
cagaacaacc agatcacctc catccaggaa ggcgtctttg acaatgccac agggctgctc 540
tggattgctc tccacggcaa ccagatcacc agtgataagg tgggcaggaa ggtcttctcc 600
aagctgaggg acctggagag gctgtacctg gaccacaaca acctgacctg gatgcccgtg 660
ccctgacctc gatccctgag agagctccat ctcgaccaca accagatctc acgggtcccc 720
aacaatgctc tggaggggct ggagaacctc acggccttgt acctccaaca caatgagatc 780
caggaaagtgg gcatgtccat gaggggctc cggtcactga tcttgctgga cctgagttat 840
aaccaccttc ggaaggtgcc tgatgggtg ccctcagctc ttgagcagct gtacatggag 900
cacaacaatg tctacaccgt ccccgatagc tacttccggg gggcgcccaa gctgctgtat 960
gtgcggctgt cccacaacag tctaaccaac aatggcctgg cctccaacac cttcaattcc 1020
agcagcctcc ttgagctaga cctctcctac aaccagctgc agaagatccc cccagtcaac 1080
accaacctgg agaacctcta cctccaaggc aataggatca atgagttctc catcagcagc 1140
ttctgcaccg tgggtgacgt cgtgaacttc tccaagctgc aggtgctgct cctggacggg 1200
aacgagatca agcgcagcgc catgcctgcc gacgcgcccc tctgcctgct ccttgccagc 1260
ctcatcgaga tctgagcagc cctggcaccg ggtactgggc ggaaranccc ccgtggcatt 1320
tggtctgatg gtttggtttg gcttttgctg gaaggtccag gatggacct gtgacagaag 1380
tccacgggca ccctctgtag tcttctttcc tgtaggtggg gttagggggg gcgatcaggg 1440
acaggcagcc ttctgctgag gacataggca gaagctcact cttttccagg gacagaagt 1500
gtggtagatg gaaggatccc tggatgttcc aaccccataa atctcacggc tcttaagttc 1560
ttccaatga tctgaggtca tggaaactca aaagtggcat gggcaatagt atataacct 1620
acttttctca caatccctgg ctgtctgtga gcagcacttg acagctctcc ctctgtgctg 1680
ggctggctgt gtagttactc tgggtctcca tttgttgctt ctcaaaatat acctcttccc 1740
cagctgcctc tcttgaaatc cacttcaccc actccacttt cctccacaga tgcctcttct 1800
gtgccttaag cagagtcagg agaccccaag gcatgtgagc atctgcccag caacctgtgg 1860
agacaaccca cactgtgtct gagggtgaaa ggacaccagg agtcacttct atacctccct 1920
aacctcacc cttgaaagcc accagattgg aggtcaccag catgatgata atattcatga 1980
cctgatgtgg gaggagacag ccaacctcag gcttagatca atgtataggg ctatattttg 2040
gcagctgggt agctctttga aggtggataa gacttcagaa gaggaaggc cagactttgc 2100
ttaccatcag catctgcaat gggccaaaca cacctcaaat tggctgagtt gagaaagcag 2160
ccccagtagt tccattcttg cccagcactt tctgcattcc aaacagcatc ctacctgggt 2220
ttttatccac aaaggtagcg gccacatggt ttttaaagta tgagaaacac agtttgcct 2280
ctccttttat ccaagcagga agattctata tcctgatggt agagacagac tccaggcagc 2340
cctggacttg ctagcccaaa gaaggaggat gtggttaatc tgtttcacct ggtttgcct 2400
aaggccatag ttaaaaagta ccagctctgg ctggggtccg tgaagcccag gccaggcagc 2460
caaatcttgc ctgtgctggg catacaacc cctgctttca catctctgag ctatatcctc 2520
attagtgaag gtggttttg ctttatagtt tggctgggga gcacttaatt cttccattt 2580
caaaaggtaa tgttgccctg ggcttaaccc acctgccctt tgggcaagg tgggacaaag 2640
ccatctgggc agtcaggggc aaggactgtt ggaggagagt tagcccaagt atagctctgc 2700
ccagtgcca tcacatccct gatactgtgt atgcttgtaa gcacctccc tgagaaggga 2760
agaggggcatc tttggactas gttcttgct ccagacctgg aatccacaaa agccaaacca 2820
gctcatttca acaaggagc tccgatgtga gggcaaggct gccccctgcc ccagggtct 2880
tcagaaagca tctgcatgtg aacaccatca tgcctttata aaggatcctt attacaggaa 2940
aagcatgagt ggtggctaac ctgaccaata aagttatttt atgattgcaw mwaaaaaaaa 3000
aaaaaaaa 3008

<210> 351
<211> 2756
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1597)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2540)
<223> n equals a,t,g, or c

<400> 351
gtcggctgtg acggccttca gcgagggcag cgtcatcgcc tactactggt ctgagttcag 60
catcccgag cacctggtgg aggaggccga gcgcgtcatg gccgaggagc gcgtagtcat 120
gctgcccccg cgggcgcgct ccctgaagtc ctttgtggtc acctcagtgg tggctttccc 180
cacggactcc aaaacagtac agaggaccca ggacaacagc tgcagctttg gcctgcacgc 240
ccgcggtgtg gagctgatgc gcttcaccac gcccggttc cctgacagcc cctaccccg 300
tcatgccccg tgccagtggg ccctgcgggg ggacgccgac tcagtgtga gcctcacctt 360
ccgcagcttt gaccttgctg cctgcgacga gcgcggcagc gacctggtga cgggtgtaca 420
caccctgagc cccatggagc cccacgccct ggtgcagttg tgtggcacct accctccctc 480
ctacaacctg accttcact cctcccagaa cgtcctgctc atcacactga taaccaacac 540
tgagcggcgg catcccggtt ttgaggccac cttcttccag ctgcctagga tgagcagctg 600
tgaggccgcg ttacgtaaaag cccaggggac attcaacagc ccctactacc caggccacta 660
cccacccaac attgaytgca catggaacat tgaggtgccc aacaaccagc atgtgaaggt 720
gcgcttcaaa ttcttctacc tgctggagcc cggcgtgcct gcgggcacct gccccaaaga 780
ctacgtggag atcaaygggg agaaatactg cggagagagg tcccagttcg tcgtcaccag 840
caacagcaac aagatcacag ttgccttcca ctcatatcag tctacaccg acaccggctt 900
cttagctgaa tacctctcct acgactccag tgacctatgc ccggggcagt tcacgtgccg 960
cacggggcgg tgtatccgga aggagctgcg ctgtgatggc tggggccgact gcaccgacca 1020
cagcgatgag ctcaactgca gttgcgacgc cggccaccag ttcacgtgca agaacaagtt 1080
ctgcaagccc ctcttctggg tctgcgacag tgtgaacgac tgcrgagaca acagcgacga 1140
gcaggggtgc agttgtcccg cccagacctt caggtgttcc aatgggaagt gcctctcgaa 1200
aagccagcag tgcaatggga aggacgactg tggggacggg tccgacgagg cctcctgccc 1260
caaggtgaac gtcgtcactt gtaccaaaca cactaccgc tgccatcatg ggctctgctt 1320
gagcaagggc aaccctgagt gtgacgggaa ggaggactgt agcgacggct cagatgagaa 1380
ggactgcgac tgtgggctgc ggtcattcac gagacaggct cgtgttgttg ggggcacgga 1440
tgcggtatgag ggcgagtggc cctggcagggt aagcctgcat gctctgggcc agggcacatc 1500
tkgcggtgct tccctcatct ctcccaactg gctggtctct gccgcacact gctacatcga 1560
tgacagagga ttcaggtact cagacccacg gcagtgnacg gccttccttg gcttgacaga 1620
ccagagccag cgcagccycc tgggggtgcag gacgcagggc tcaagcgcat catctccac 1680
cccttcttca atgacttcac cttcgactat gacatcgcc tgctggagct ggagaaaccg 1740
gcagagtaca gctccatggt gcggcccatc tgctgcccgc acgcctccca tgtcttccct 1800
gccggcaagg ccatctgggt cacgggctgg ggacacaccc agtatggagg cactggcgcg 1860
ctgacctgcg aaaagggtga gatccgcgtc atcaaccaga ccacctgcga gaacctcctg 1920
ccgcagcaga tcacgcgcgc catgatgtgc gtgggcttcc tcagcggcgg cgtggactcc 1980
tgccagggtg attccggggg acccctgtcc agcgtggagg cggatgggag gatcttccag 2040

```
gccggtgtgg tgagctgggg agacggctgc gctcagagga acaagccagg cgtgtacaca 2100
aggctccctc tgtttcggga ctggatcaaa gagaacactg gggatatagg gccggggcca 2160
cccaaatgtg tacacctgcg gggccaccca tcgtccaccc cagtgtgcac gcctgcaggc 2220
tgagagactgg accgctgact gcaccagcgc ccccgagaaca tacactgtga actcaatctc 2280
cagggtctca aatctgccta gaaaacctct cgcttcctca gcctccaaag tggagctggg 2340
aggtagaagg ggaggacact ggtggttcta ctgacccaac tgggggcaaa ggtttgaaga 2400
cacagcctcc cccgccagcc ccaagctggg ccgaggcgcg tttgtgyata tctgcctccc 2460
ctgtctstaa ggagcagcgg gaacggagct tcggrgcctc ctcagtgaag gtggtggggc 2520
tgccggatct gggctgtggn gcccttgggc cacgctcttg aggaagccca ggctcggagg 2580
accctggaaa acagacgggt ctgagactga aattgtttta ccagctccca ggggtggactt 2640
cagtgtgtgt atttgtgtaa atgagtaaaa cattttatctt ctttttaaaa aaaaaaaaaa 2700
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 2756
```

<210> 352

<211> 1645

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1574)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1596)

<223> n equals a,t,g, or c

<400> 352

```
cgcgtccgcc cacgcgtccg cccacgcgtc cggaaaaata ttctttgaat aaccttgcag 60
tactatatctt caatttcttt ataaatttaa gtgcatntta actcataatt gtacactata 120
atataagcct aagtttttat tcataagttt tattgaagtt ctgatcggtc cccttcagaa 180
atttttttat attattcttc aagttacttt cttatttata ttgtatgtgc attttatcca 240
ttaatgtttc atactttctg agagtataat acccttttaa aagatatttg gtataccaat 300
acttttctctg gattgaaaac tttttttaa ctttttaaaa tttggggcac tctgtatgca 360
tatgtttggt cttgttaaag aggaagaaag gatgtgtgtt atactgtacc tgtgaatgtt 420
gatacagtta caatttattt gacaaggttg taattctaga atatgcttaa taaaatgaaa 480
actggccatg actacagcca gaactgttat gagattaaca tttctattga gaagcttttg 540
agtaaagtac tgaatttctg catgaagatg actgagatgg taacacttcg ttagacttaa 600
ggaaatgggc agaatttctg aaatgtgtgt gtgcagatgt gttttccctg aatgctttcg 660
tattagtggc gaccagtttc tcacagaatt gtgaagcctg aaggccaaga ggaagtcaat 720
gttaaaggac tctgtgccat cttacaacct tggatgaatt atcctgccaa cgtgaaaacc 780
tcatgttcaa agaacacttc cctttagccg atgtaactgc tggttttgtt tttcatatgt 840
gtttttctta cactcatttg aatgctttca agcatttgta aacttaaaaa atgtataaag 900
ggcaaaaagt ctgaaccctt gttttctgaa atctaatacag ttatgtatgg tttctgaagg 960
gtaattttat tttggaatag gtaaaaggaaa cctgttttgt ttgtttttcc tgagggctag 1020
```

atgcattttt tttctcacac tcttaatgac ttttaacatt tatactgagc atccatagat 1080
atattcctag aagtatgaga agaattattc ttattgacca ttaatgtcat gttcatttta 1140
atgtaatata attgagatga aatgttctct gggtggaaca gatactctct tttttttctt 1200
gcaatcttta agaatacata gatctaaaat tcattagctt gacccctcaa agtaactttt 1260
aagtaaagat taaagctttt cttctcagtg aatatactctg ctagaaggaa atagctggga 1320
agaatttaat gatcagggaa attcattatt tctatatgtg gaaacttttt gcttcgaata 1380
ttgtatcttt ttaaactctaa atgttcataat ttttcctgaa gaaaccactg tgtaaaaaatc 1440
aaattttaat tttgaatgga ataatttcaa agaactatga agatgatttg aagctctaata 1500
ttatatagtc acctataaaa tgttctttat atgtgttcat aagtaaattt tatattgatt 1560
aagttaaact tttngaattg gatttgagga gcagtnaaaa tgaaagctat atctattctr 1620
aaaccttrtt taagaccatt tgggg 1645

<210> 353

<211> 1637

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (738)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (771)

<223> n equals a,t,g, or c

<400> 353

gcccgtgag gacgcagcgt cactgacctg gggagtcgag attcgtgccg gccggtcctg 60
gttctccggt cccgcgcgtc ccgcagcagc catgtcgttc ttcccggagc tttacttta 120
cgtggacaat ggctacttg agggactggt gcgcggcctg aaggccgggg tgctcagcca 180
ggccgactac ctcaacctgg tgcagtgcga gacgctagag gacttgaaac tgcactgcga 240
gagcactgat tatggtaact tcctggccaa cgaggcatca cctctgacgg tgtcagtc 300
cgatgaccgg ctcaaggaga agatgggtgg ggagttccgc cacatgagga accatgccta 360
tgagccactc gccagcttcc tagacttcat tacttacagt tacatgatcg acaacgtgat 420
cctgctcatc acaggcacgc tgcaccagcg ctccatcgct gagctcgtgc ccaagtgcc 480
cccactaggg agcttcgagc agatggaggc cgtgaacatt gctcagacac ctgctgagct 540
ctacaatgcc attctggtgg acacgcctct tgcggctttt ttccaggact gcatttcaga 600
gcaggacctt gacgagatga acatcgagat catccgcaac accctctaca aggcctacct 660
ggagtccttc tacaagttct gcaccctact gggcgggact acggtgatg ccatgtgcc 720
catcctggag tttscangc agaccgtgcc aagctctttc cacactgtgg ncggctctac 780
cctgagggcc tggcgcastg gctcgggctg acgactatga acaggtcaag aacgtggccg 840
attactaccc ggagtacaag ctgctcttcg aggggtgcagg tagcaaccct ggagacaaga 900
cgctggagga ccgattcttt gagcacgagg taaagctgaa caagttggcc ttctgaacc 960
agttccactt tgggtgtcttc tatgccttcg tgaagctcaa ggagcaggag tgtcgcaaca 1020
tcgtgtggat cgctgaatgt atcgcccagc gccaccgcgc caaatcgac aactacatcc 1080
ctatcttcta gcgtcctggc ccaaggctct caattgcact ctttgtgtgt gtgtgtgtgt 1140
gtgtgcgcgt gtgtgtgcgt gtgtgtgtgt gtgtgtgtgt acaagcctgt ggctcacctg 1200
cctgtccggg gtgtagtacg ctgtcctagc ggtgtcccag ttctcctgac cctcttagag 1260
actgttctta ggccgtgaaa ggggctgggc accccccccc accaaggatg gacgaagacc 1320
ccctccagag caaggaggcc ccctcagccc tgtggttaca gccgctgatg tatctaagaa 1380

```
gcattgtcact ttcatgttcc tccctaactc cctgacctga gaaccctggg gcctgggggc 1440
agtttgagcc tctctccct tctgtgggtc gctcccagag ccatggccca tgggaaggac 1500
agagtgtgtg tgtccttggg gcctgggggg atgttgctcc tcagctccct ccctcagccc 1560
tgcccctctg agacaataaa actgccctct ctaaggccaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaaaaaa aaaaaaa                                     1637
```

<210> 354

<211> 1119

<212> DNA

<213> Homo sapiens

<400> 354

```
cggcacgagc ccgcgccccg cgaggctccg ggggtctcggg cttccgcctt cttgctgccc 60
tcgttcttgc crgggccgcg gttagtccct gctggccacc ccactgcgac catgttcggt 120
ccctgcgggg agtcggcccc cgaccttgcc ggcttcaccc tcctaattgcc agcagtatct 180
gttggaatg ttggccagct tgcaatggat ctgattattt ctacactgaa tatgtctaag 240
attggttact tctataccga ttgtcttgtg ccaatggttg gaaacaatcc atatgcgacc 300
acagaaggaa attcaacaga acttagcata aatgctgaag tgtattcatt gccttcaaga 360
aagctggtgg ctctacagtt aagatccatt tttattaagt ataaatcaaa gccattctgt 420
gaaaaactgc tttcctgggt gaaaagcagt ggctgtgcca gagtcattgt tctttcragc 480
agtcattcat atcagcgtaa tgatctgcag cttcgtagta ctcccttccg gtacctactt 540
acaccttcca tgcaaaaaag tgttcaaaat aaaataaaga gccttaactg ggaagaaatg 600
gaaaaaagcc ggtgcattcc tgaaatagat gattccgagt tttgtatccg cattccggga 660
ggaggtatca caaaaacact ctatgatgaa agctgttcta aagaaatcca aatggcagtt 720
ctgctgaaat ttgtttcaga aggggacaac atcccagatg cattaggtct tgttgagtat 780
cttaatgagt ggcttcagat actcaaacca cttagcgatg accccacagt atctgcctca 840
cggtggaata taccagttc ttggagatta ctctttggca gtgggtcttc ccctgcactt 900
ttctgatcta atttctgttt tataccttat acccaaaaca ctactacca acacagctgt 960
taaacattct atacaaaaaa attgtatgat ctggtattag gaaattactt tcacagtaaa 1020
tatcaaagaa aaaagattaa rgggtctctt gccatgcttt tcatcatatg caccaaattg 1080
aaattttgta cctcggccgc gaccacgcta agccgaatt                                     1119
```

<210> 355

<211> 738

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (654)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (689)

<223> n equals a,t,g, or c

<400> 355

```
ggcacgaggg acttgtgtct ggctgccgcc gccgccactg gaaagctgaa atccttcgcc 60
cggaaattca tcaatttgaa tgaattcaca acctatggca gcgargaaag caccaaaccg 120
gcctccgtcc gggccctgct gtttgamatc tccttctca tgctgtgcca tgtggccccg 180
```

acctatggtt caraggtgat tctgtccgag tcgcgcacag gagctgaggt gcccttcttc 240
gagacctgga tgcagacctg catgcctgag gagggcaaga tectgaaccc tgaccacccc 300
tgcttccgcc ccgactccac caaagtggag tccctgggtg ccctgctcaa caactcctcg 360
gagatgaagc tagtgacgat gaagtggcat gaggcctgtc tcagcatctc agccgccatc 420
ttggaaatcc tcaatgcctg ggagaatggg gtcctggcct tcgagtccat ccagaaaatc 480
actgataaca tcaaagggaa ggtatgcagt ctggcgggtg gtgctgtggc ttggcttgtg 540
gcccacgtcc ggatgctggg gctggatgag cgtgagaagt cgtgcagat gatccgccag 600
ctggcagggc cactgttttag ygagaacacc ctgcagttct acaatgagag ggtngtgatc 660
atgaactcga tcctgggagc gcattgtgtc cgacgtgctg cagcagacag ccacgcagga 720
ttcaaagtttc cctccaac 738

<210> 356

<211> 1966

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (788)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1753)

<223> n equals a,t,g, or c

<400> 356

gaactagtct cgagtttttt ctgtctagct ccgaccggct gagggcggcg ggcagnggag 60
ggacggcagt ctgcrcggc tactgcagca ctgggggtgc agttgttggg ccgaccaga 120
acgcttcagt tctgctctgc aaggatata aataactgat tgggtgtgcc gtttaataaa 180
agaatatgga aactgaacag ccagaagaaa ccttccttaa cactgaaacc aatggtgaat 240
ttggtaaacg ccctgcagaa gatatggaag aggaacaagc atttaaaaga tctagaaca 300
ctgatgagat ggttgaatta cgcattctgc ttacagagca gaatgctggg gcagtattg 360
gaaaaggagg caagaatatt aaggctctcc gtacagacta caatgccagt gtttcagtcc 420
cagacagcag tggccccgag cgcatttga gtatcagtgc tgatattgaa acaattggag 480
aaattctgaa gaaaatcatc cctaccttg aagagggcct gcagttgcca tcaccactg 540
caaccagcca gctcccgtc gaattctgat ctgtggaatg cttaaattac caacactata 600
aaggaagtga ctttgactgc gagttgaggc tgttgattca tcagagtcta gcaggaggaa 660
ttattggggg caaaggtgct aaatcaaag aacttcgaga gaacactcaa accaccatca 720
agctttttcca ggaatgctgt cctcattcca ctgacagagt tgttcttatt ggaggaaaac 780
ccgatagngt tgtagagtgc ataaagatca tccttgatct tatatctgag tctcccatca 840
aaggacgtgc acagccttat gatcccaatt ttacgatga aacctatgat tatggtggtt 900
ttacaatgat gtttgatgac cgtcgcggac gccagtgagg atttcccatg cggggaagag 960
gtggttttga cagaatgcct cctggtcggg gtgggcgtcc catgcctcca tctagaagag 1020
attatgatga tatgagccct cgtcagaggac cacctcccc tctcccggga cgaggcggcc 1080
ggggtggtag cagagctcgg aatcttcctc ttctccacc accaccacct agagggggag 1140


```

acctcatggc ctatgacaga agagggagac ctggagaccg ttacgacggc atggttggtt 1200
tcagtgtctga tgaacttggt gactctgcaa tagatacatg gagcccatca gaatggcaga 1260
tggtcttatga accacagggt ggctccggat atgattattc ctatgcaggg ggtcgtggct 1320
catatggtga tcttggtgga cctattatta ctacacaagt aactattccc aaagatttgg 1380
ctggatctat tattggcaaa ggtggtcagc ggattaaaca aatccgtcat gagtcgggag 1440
cttcgatcaa aattgatgag cctttagaag gatccgaaga tcggatcatt accattacag 1500
gaacacagga ccagatacag aatgcacagt atttgctgca gaacagtgtg agcagwtma 1560
gwttagcttt gtgttagctt atacatacta aaacctttaa aaagcttttc ttctcaattg 1620
atTTTTTct tttagaagcc atggtgtctc aaccttttgg ggacctaaact tctaaacatt 1680
ctaatagttt gcttaattt ttcttctgct ttcttactaa aaacgargac attcaatact 1740
aatcttgctt ggnaggaagc cttgaaccaa gcaaacttct gcatttctct ggtgaaaact 1800
gctgccaaaa ccacttggtt aaaattgtac agagcctgta ggaaaatata gaagggtcca 1860
ttgggagtgt ggcctagtgc tgtgtgggaa gacttagtgg attttggttg tttttagata 1920
actaaatcgg ccaacaaatc accgttctgg cctatgggac cggggc 1966

```

<210> 357

<211> 1562

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (18)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<400> 357

```

taccgcgcg cctgcngnac cggctccgga ttcccggtc gaccacgcg tccgcatgaa 60
atggaccaat actggggaat tggcagctg gccagtggga taaatttggt cacaacagc 120
tttgagggcc cagttcttga tcacaggtat tatgcaggtg gatgctcccc gcattacatc 180
ctgaacacga ggtttaggaa gccctacaat gtggaaagct acacgccaca gaccaaggc 240
aaatacgaat tcatattaan anagtatgaa tcatactcag attttgaacg caatgtcaca 300
gagaaaatgg caagcaagtc tggtttcagt tttggtttta aaatacctgg aatatttgaa 360
cttggcatca gtagtcaaag tgatcgaggc aaacactata ttagggagaac caaacgattc 420
tctcatacta aaagcgtatt tctgcatgca cgctctgacc ttgaagtagc acattacaag 480
ctgaaaccca gaagcctcat gctccattac gagttccttc agagagttaa gcggctgccc 540
ctggagtaca gctacgggga atacagagat ctcttccgtg attttgggac ccactacatc 600

```

acagaggctg tgcttggggg catttatgaa tacaccctcg ttatgaacaa agaggccatg 660
gagagaggag attatactct taacaacgtc catgcctgtg ccaaaaatga ttttaaaatt 720
ggtggtgcc ttgaagaggt ctacgtcagt ctgggtgtgt ctgtaggcaa atgcagaggt 780
attctgaatg aaataaaaaga cagaaacaag agggacacca tgggtggagga cttggtggtc 840
ctggtacgag gaggggcaag tgagcacatc accaccctgg cataccagga gctgccgacg 900
gcggacctga tgcaggagtg gggagacgct gtgcagtaca acccagccat catcaaagtt 960
aaggtggagc ctctgtatga actagtgaca gccacagatt ttgcctattc cagcacagtg 1020
aggcagaaca tgaagcaggc actggaggag ttccagaagg aagttagttc ctgccactgt 1080
gctccctgcc aaggaaatgg agtccctgtc ctgaaaggat cagcgtgtga ctgcatctgt 1140
cctgttggat cccaaggcct agcctgtgag gtctcctatc ggaagaatac ccccatgtat 1200
gggaagtggg attgctggtc aaattgggtc tcatgctctg gaagacgtaa gacaagacaa 1260
aggcagtgtg acaatccacc tcctcaaaat gggggtagcc cctgttcagg ccctgcttca 1320
gaaacacttg actgctccta gcagatgata cagcagtggg ctacatacaa tgagagccct 1380
gagccctcaa gaactcaygc cagctcagcc ctacaccagt ttccacctgg agttcatgca 1440
agggcaaaag gcagtgccat gcaagctgtt taaaataaag atgttacctt gtaaaatgca 1500
agttgattta aataaatact gagttaaagg ctttaaaaaa aaaaaaaaaa aaaggggggg 1560
cg 1562

<210> 358

<211> 1931

<212> DNA

<213> Homo sapiens

<400> 358

ctcgggagct cggactccta cgcacaccg ggaaggggcg ccgccccgcc cgcggctgct 60
ggcccggggt acacttccgc ctgctataag agcagcggcc ctcggtgcct cttcctgac 120
ctcgcaccca gctcggagcc cggagcgtgc ctcgcgccgc tgcggtttt caccatggag 180
cagctgagct cagcaaacac ccgcttcgcc ttggacctgt tcctggcggt gagtgagaac 240
aatccggctg gaaacatctt catctctccc ttcagcattt catctgctat ggccatgggt 300
tttctgggga ccagaggtaa cacggcagca cagctgtcca agactttcca tttcaacacg 360
gttgaagagg ttcatcaag attccagagt ctgaatgctg atatcaacaa acgtggagcg 420
tcttatattc tgaaacttgc taatagatta tatggagaga aaacttacia tttccttcct 480
gagttcttgg tttcgactca gaaaacatat ggtgctgacc tggccagtgt ggattttcag 540
catgcctctg aagatgcaag gaagaccata aaccagtggg tcaaaggaca gacagaagga 600
aaaattccgg aactgttggc ttcgggcatg gttgataaca tgaccaaact tgtgctagta 660
aatgccatct atttcaaggg aaactggaag gataaattca tgaaagaagc cagcagcaat 720
gcaccattca gattgaataa gaaagacaga aaaactgtga aaatgatgta tcagaagaaa 780
aaatttgc atggctacat cgaggacctt aagtgccgtg tgctggaaact gccttaccaa 840
ggcgaggagc tcagcatggt catcctgctg ccggatgaca ttgaggacga gtccacgggc 900
ctgaagaaga ttgaggaaca gttgactttg gaaaagtgtc atgagtggac taaacctgag 960
aatctcgatt tcattgaagt taatgtcagc ttgccagggt tcaaactgga agagagttac 1020
actctcaact ccgacctcgc ccgcttaggt gtgcaggatc tctttaacag tagcaaggct 1080
gatctgtctg gcatgtcagg agccagagat atttttatat caaaaattgt ccacaagtca 1140
tttgtggaag tgaatgaaga gggaacagag gcggcagctg ccacagcagg catcgcaact 1200
ttctgcatgt tgatcccga agaaaatttc actgccgacc atccattcct tttctttatt 1260
cggcataatt cctcaggtag catcctattc ttggggagat tttcttcccc ttagaagaaa 1320
gagactgtag caatacaaaa atcaagctta gtgctttatt acctgagttt ttaatagagc 1380
caatatgtct tatactttta ccaataaaaac cactgtccag aaacaagtct ttcattttct 1440
ttgtaagttt ggctctgttg gctgtttaca cccatgaatt ttggcatggg tatctatttt 1500
ycttttttac attgaaaaaa atccagtggg tgcttttgaa tgcatcaagt aaagaagaag 1560
aaaagaatac atccgatgag tagattcttg accatgtagt aatctataaa attgctatat 1620

```
cctcctgata gccatgggaa aacatgataa gatggtcatt tattttgcag ttagaatttt 1680
ggaagccaca aaatagacag acaccctgac tgttgaaggg aggttttaaaa acagatatcc 1740
aattgaaatg taagagagca ccccaattga gagcccaggt tacgaagaca agcttgccctc 1800
gcctgacttt tctgtccctt gttctgcagg attagtattc tgttacagac ctctagtttt 1860
tagactcttc aattaaaggg ccaatgggta taacctgcaa aaaaaaaaaa aaaaaaaaaa 1920
aaaaaaaaaa a 1931
```

<210> 359

<211> 869

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (869)

<223> n equals a,t,g, or c

<400> 359

```
gctctggcgg gcataccagc gggccctggc cgctcaccgc tggaaagtac aggttctgac 60
agctgggccc tgtggttaga ggctggtaca aggttttgga tcggttcac cctggcacca 120
ccaaagtgga tgcactgaag aagatgttgt tggatcaggg gggctttgcc ccgtgttttc 180
taggctgctt tctcccactg gtaggggcac ttaatggact gtcagcccag gacaactggc 240
caaaactacag cgggattatc ctgatgccct tatcaccaac tactatctat ggctgctgt 300
gcakttagcc aacttctacc tgggtccccc tcattacagg ttggccgttg tccaatgtgt 360
tgctgttacc tggaaactcct acctgtcctg gaaggcacat cggtcttaag cctgcctcac 420
tccatcgttt ccaccttgca gtgatgcagc ttgacctgg aacggtcaga caacctctc 480
aaagtgggca taccagtttc cacgggggtg ggttgccggt cagagcttaa gaggactagc 540
accctgcaat gccctcttc actctaaaat gtacactgac tgcttttagag cccttgataa 600
tagtcttatt cccaccacat actaggcact ccataaatat ctgttgaaac ttcatgacct 660
tatcaacttt acaccatat cccagcaaat gccactcatc cccactctc atagacacat 720
ttgttactct aacctgcct aggtctcttg tagctccagc tctttagaga ctcccgaac 780
cctttatatg gtgcctcagt aaatatgtta ttaaatatgt aatccgaaa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaaaaaan 869
```

<210> 360

<211> 561

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (521)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (525)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (560)

<223> n equals a,t,g, or c

<400> 360

```
ggcacgagag actccagccg ccaggggagc gcgtgccgtt cttgcctctc tggcctgcgc 60
ctcctgagcc gagtagatat cccggagtgc cgcgcggcgc cagcccttcc gccacggccg 120
tctctggaga gcagcagcca tggccctacg ctaccctatg gccgtgggcc tcaacaaggg 180
ccacaaagtg accaagaacg tgagcaagcc caggcacagc cgacgccgcg ggcgtctgac 240
caaacacacc aagttcgtgc gggacatgat tcgggaggtg tgtggctttg ccccgtagca 300
gcggcgccgc atggagttac tgaaggctc caaggacaaa cgggccctca aatttatcaa 360
gaaaagggtg gggacgcaca tccgcgccaa gaggaagcgg gaggagctga gcaacgtact 420
ggccgccatg aggaaagctg ctgccaagaa agactgagcc cctccctgc cctctccctg 480
aaataaagaa cagcttgaca gaaaaaaaaa aaaaaaaaaa ntcngggggg ggcccggtag 540
ccattcgccc tawagggggn g 561
```

<210> 361

<211> 1680

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<400> 361

```
gagtttacac tgaccatggt ggaatgttaa ggngaacccc accccttctt acagatggtg 60
acccagagcc tgctcttggg aacagccaga gtaagattgg aaccagact tgcaagccag 120
cgctgtttgc attaaaaggg tgggtgagtc aggaccctg gctcargagc cgyctctcct 180
aaaagagggt ttcaaggcca aatgggtttg tcaacggtgc tgtctccctt tcttgagat 240
gctcattagc ttatcaaaga ctgagaagtc ccgctgttac agaaataatt tagtttgctg 300
tattaactgc tcctgggcct ggagcagtat tcccacctta agattccag catccctgtg 360
ctgtcccgcg tctcattcat gccgaaggcc caaccattg gctgtgttct gtttgaagat 420
ttggggggcg cttctctttt cttccccagg gaattctcta gcagagggag gggacccacc 480
ccagttagga agtagattgc tgcctctagc cagagacctg aactggggaa tttgaacatt 540
cctttacatt gttggagaaa tgaagccaaa gttattcaga tggttttccc aggctaaagg 600
aaagtcacct gcaagagatc ccggcactga tctggagcag ctgacagggt gggctctcct 660
taccaaagag aagaaccact ctctggcgct ggggtgacct gctggctggg cctgtaagg 720
ttccatgttg ctgagggcat ggagattccc agagctggtc acaccgaccg ctctcagggc 780
ccgctgccct gggctggcaa caccattctg gccttggcct gcagaagctt tcagagtctt 840
cactggcagt agggggagat ggggagagga atgatctctg cccagccctt tcctttccaa 900
accatgcaat ggaagagccc agatgggtga agattgattt tgccttaact caagagaatt 960
cctgttctcc ttgtgctatg atttgacac aagattctgg atacctggaa cttagctgtg 1020
tactcctgta ccctaaacag tggatttgag ttccagcgtt tattcttttt tccttttttc 1080
agatcaccat ctaagttaca tcttttagtc aggtccatcc ttctcaagat ctcttcttta 1140
gccccccagc ccctgggtgct gtctgtggtc aggtgacctt actcaggagc agatatctcc 1200
ttggccgccca tggagcctca tccatccaca cgtgcctgta gcattccaga gctcactgcc 1260
cttctagatg tgccttcccg cttggcttcc agcggcttgt gctcactctg tctgccaggt 1320
atgagaagaa cacgtaagac cgccaccaca ctccacctcc ctcaaggccc tgtgccatag 1380
gggtggccac ccgacctgcc cccagaactt ttggatactg gaggcagttg cataggtctc 1440
cctctctggg caccaggact cagtccagcc caagactact ctgggcagct cccatcccag 1500
```

tctggggcca tttgcagact caggaaagga tttctacagt gttctataaa agccaaaaga 1560
gagagtgggt ttgggaagag tgaggggtgg tggggagagg ggaccgatgt gcctcattgt 1620
ttagtgtga ttacaaatat gcttttctgg ataaagtgtt gttgtttgct cttggaaaaa 1680

<210> 362
<211> 740
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (591)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (709)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (718)
<223> n equals a,t,g, or c

<400> 362
cagaaacaaa caaaaaggca gctgggttgt cactgatggg cagcatttga gcctgccaca 60
ctggcctgga agtttccctt ccagtctgga ttttgtctgc tccttccctc cccctcacc 120
cgttacctct tcacctccca tctcatttca ctgtgtagct cagtctctcc cagcacata 180
attggggaca gtgggggctc tcttaccagc ctctcagca acgcacgtcc atcaggcctg 240
gcctcagtgg ccagccacat tgatgtcaca ctggaattgt taccacagag agggcgaaga 300
gataggctat ctccccacct cccaccctac tccccactat attcccgttt tgaccacctc 360
agccccctcag ctgccccctc tcaactttggc caatcccagg caccaatcag acttcctcct 420
ccacctggag cccctagcat ttcttgtcc cctcttcccc aaaacctctg taaagggtac 480
gagagggacc ccctgccgag ccgcccgcga ctcagggcag tccgatctaa gaagcagaag 540
ctggttgtag gctggctggg cctctgtcca gtccccagat gggataaact ngccttttct 600
camatccctt cttgggtgcc tkgatcttct tytgccccg gggccaggac ccaactgtgt 660
gttttcttgt tcagttttgt ggggaaagga accaaggttt ttgccagna accagtttct 720
tgaaaggggt tagggaaggg 740

<210> 363
<211> 1324
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (385)
<223> n equals a,t,g, or c

<400> 363
cgctgcctgg tgccgtggcc gcctcctcgg gcagcccccc gggctcggcg ctggcggcag 60

tggcgagcgg cggagacctc ttcccggggc agccggtgtc cgaactgac gcgcagctgc 120
tgcgcgctga gccctaccct gcggcgggcg gacgcttcgg cgcagggggc ggcgcggcgg 180
gcgcggtgct gggcatcgac aacgtgtgcg agctggcggc gcggtgctc ttcagcaccg 240
tggagtgggc gcgccacgcg cccttcttcc ccgagctgcc ggtggccgac caggtggcgc 300
tgctgcgcct gagctggagc gagctcttcg tgcgaacgc ggcgcaggcg gcgctgcccc 360
tgcacacggc gccgctactg gccgncgcg gcctccacgc cgcgcctatg gccgccgagc 420
gcgcctgtggc tttcatggac caggtgcgcg ccttccagga gcaggtggac aagctggggc 480
gcctgcaggt cgactcggcc gagtatggct gcctcaaggc catcgcgctc ttcacgcccc 540
acgcctgtgg cctctcagac ccggcccacg ttgagagcct gcaggagaag gcgcaggtgg 600
ccctcaccca gtatgtgcgg gcgcagtacc cgtcccagcc ccagcgcttc ggcgcctgc 660
tgctgcggct ccccgccctg cgcgcgggtcc ctgcctccct catctcccag ctgttcttca 720
tgcgctggtt ggggaagacg ccctattgaga cactgatcag agacatgctg ctgtcgggga 780
gtaccttcaa ctggccctac ggctcggggc agtgaccatg acggggccac gtgtgctgtg 840
ggcaggcctg cagacagacc tcaagggaca gggaaatgctg aggcctcgag gggcctcccg 900
gggcccagga ctctggcttc tctcctcaga cttctatttt ttaaagactg tgaaatgttt 960
gtcttttctg ttttttaaat gatcatgaaa ccaaaaagag actgatcctc caggcctcag 1020
cctcatcctc ccaggacccc ctgtccagga tggaggggtc aatcctagga cagccttgtt 1080
cctcagcacc cctagcatga acttgtggga tgggtgggtt ggcttccctg gcatgatgga 1140
caaaggcctg gcgtcggcca gaggggctgc tccagtgggc aggggtagct agcgtgtgcc 1200
aggcagatcc tctggacacg taacctatgt cagacactac atgatgactc aaggccaata 1260
ataaagacat ttcctacctg caaaaaaaaa aaaaaagggt ggccgctcgc gatctagaac 1320
tagt 1324

<210> 364

<211> 2853

<212> DNA

<213> Homo sapiens

<400> 364

cacctcgtct atggtgtatt tttgaaagac aattttttta aggtagattt gggaaaaaaaa 60
tagaattgaa gatgggaaat tttgttttat taaaaagggtg ctagaagatg tttcaaagac 120
aatattctta ttttaatacg ctgtagaagg taggtgtgga acctccatgc taccatgtgc 180
acaaacctaa ttatgctttg ggtcacttgt cagttcagta aatctgcctt cctcttctcc 240
caaatcatgt catcttttag ttgttcacct gcagctgctt taaatgaatt agtatctttc 300
agatagataa ccttacaagg agaattgtttg ttttgagcag ctgacccaaa atatatcaaa 360
caggattatg gccaaaaagt cactcaaatt tctagagatt cctttaaaag atgtatgttg 420
atgaaattgc ccctttataa gaaaaacaac agcaagtctt ttagtagaaa tttgaaagaa 480
gtgtttgcta ccattttgac ccattattcc cttacctatc agatgaattt gccattcact 540
ggatagaaac cattcttgga tttggtaaga ggtgagcaag acaaactctg taccatactc 600
ttatgtacca gcacttctga tggagaagca gtgaagttca gaacgktctt cacatagtcc 660
agatactgkt tagagtcagg caaatcagca aagccttttg tatggagatg mccccatgatg 720
gctgcagttg taagtgggca tacatgttct atcattttga aggagaaaga aaaccgttct 780
cacatgtcgc aaatatgtga atcatactat attcccctaa agtaaaacca gtgacttagt 840
ggtttttgrt ttatttagaa gttggtttag acccttatga aacattattt acgagtggc 900
cttatcccta agggaaaagt tctaaatttt taaatttatt ttttaattccc tagtctgagg 960
gaaatgtctt tattgtccat tacataaaaa tcttgactcc agtaatttat ttttctctat 1020
tttttccctc atgtattttac tccatttttc tctatttttt ccttccctga tggatttgca 1080
gaaatgttaa ccaattagct caacttttct ctacctttgt tgagtcttaa tcttttagaa 1140
gataggctta ccgtatatat atgaagcata atatatataa agaaaacaaa tctaggatgc 1200
ttgcatgaca taaagtattt gcctgcagtt ttcattaaaa actgcaagaa tatcatgctt 1260
gtctgcttct tagtaaatgt taagtctgra atggaagtga ggatgtaact ctactgaata 1320

```
atcaaagatc atcttagatt tggcttgatc tgtgtttatt gcttctatta atgtaaatca 1380
actctgtgcc aaatcctcct ccacaaacca tttattgtct tagttctagt ggtatcaatg 1440
aagatagtta cagtatatga attctaagtc ctgaggaaga aattttatgg ggtttgtaa 1500
gtttcacatt cgtgaaagag gaaattagta gagtattcag actttgatat ttggctgta 1560
atgggatgca tatcaaattt ttaaaagaag gcttggccta aggagtttat tggtagagg 1620
gcagatgatt ttaaggcatt aaaggattat agagtattgt catttagact gtttctaata 1680
actgagacca tctaacattt ttcttttgga gtctcatttt tatttgtagca atattttcag 1740
gcataataggc tactgttcat tgtatttata tataatattag aatttactaa gtactttaac 1800
aagtaaaaat ctgaatatga aagaaaatat cagatttgca ctttaaataa gcttaattgc 1860
ttgaagttgt gcctgaaata tcgaattgcc tcctattggg tgtggctttg ttgaaataaa 1920
tttgaattg ttgctgtttg aagatatcag tacagctgtt cacagaaata tattcccagc 1980
atgtcacttt tccattaaag cactaagttt tctttgaatg ttccattgtt ccgataagta 2040
ttttactttt ttctcagtac atcagagaga gcgtgatccc cctacagctg tcacttccaa 2100
atgttctctgt agcataaatg gtgttacaga cactgagggt cactcttggt ttctgagcag 2160
agttgtcata ctggtttcct ggtctctagg gcactgggga tgtactttga aatcacgaa 2220
caggcttgca attaagatca ataaggctgc agcaccattt caatttactt tccatcttac 2280
ccagtagttt ttgtgttttt aaattcgttt ggggtggtat gtttgcagtc ttaagcacac 2340
atttgaat taattatagc tgtactaccg gatgtttttc cttggggatg atggccttgt 2400
tcctttttta attctgatgc ttgaattcta tttctagtgt atttttcaca tctcccttta 2460
agtttttgct gcagcaattt gagagagtac ttttgattaa atgattctga tgggtggcac 2520
caatctacaa ctatgtcatt aactgaagat acatgtttta atcttggttg gaataagctt 2580
accactttt tccttggtta agcgtttact taacaaaata ataccgaga atgtaagggtc 2640
tctaagtcac tactaacaaa gagcaaaaat aatatctgca gtattgtttt tcccattgat 2700
tttaagtcag tttagagtac aaactgtata ttagaatttg cctgtaaaat gaattctaaa 2760
aagcagatgt aaagtctctc ctgaaaatgt tggcatagta aataaaaata aagttcataa 2820
ttataaaaaa aaaaaaaaaa aaaaaaatta ctg 2853
```

<210> 365

<211> 1837

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (136)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (749)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1816)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1829)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1832)
<223> n equals a,t,g, or c

<400> 365
nnnttttttt tttttcacgt gtgtggtcaa gatgctrvag ctcggttat atttcggacc 60
acatgaaggt gcacagccag ggtcctcacc atgtctgtga gctctgcaac aaaggtacat 120
gccgagggct gccggnaggg ccaggggcag aggggtggcg cctggccaga cgccttgcca 180
cggatacggg ttaaggggtgc tgtagccaag agctcgtggc gtctagattc ctacaagagg 240
tcaagggagc agcgggggga cacctgaatg aacatcatta gactctaaga agtcctggtt 300
ggaagagatg atctgccaga gaggttgaac ctcttggttaa tgtgtgggga aagcgggagt 360
ggaacttggc tgctctgggg aaggagtagt caagaaagcc agttccaggg gtcacaaggc 420
aaggtttccg ctgpgcagcc acaaggtcct gtctccagct cctggggcag gtggagtaca 480
cgggcccggc tttaccagca cgcaccctgc gcatccacgc ggtgaaggac cacgggctcc 540
aggccccgcg gctgaccgca tcctgtgcaa gctgtgcagc gtgcactgca agacccctgc 600
ccagctggcc ggccacatgc agaccatct ggggggggccc gccccctgt cccgggagac 660
gccccccagc cacagcccac ctgctgaggg ggacccccgc acccaccagg tactggtgag 720
gtttgtccaa tggcgccggc agcggcagng gcggcagcgg cagcagcggc agcagtagca 780
gcccctccca cagctgtggg ctccctctcg ggggcggagg ggggtgcctgt gagctctcag 840
ccacttccct cccaaccctg gtgagctcca agttggttgc gggggagagg ggagaatgga 900
gtagagtccc ttggtacaag ctctctccc ccctcttttc ccaccaactc ctatttccct 960
accaaccaag gagcctccag aaggaaagga ggaagaaatg ttttcttagg ggaattcgct 1020
aggttttaac gatttgtttc tcctgtcct cttctatcag acctgacccc acacaaacct 1080
gtccccctcg ttgtgttgaa gtccccctgga cagtgggcag ggggtggcaga ggacacgagc 1140
agccactgcc cgtacccccct ctctctcttg taagcccatg ccctgtcttc ccagggactt 1200
gtgagcctct tcctctgacg gtccctctct ctccctccag tcctctcccc ctgctgtctg 1260
cagcccctcc ccggggagtt ggtgctttct tttcttttt ttttttttcc agggggaggg 1320
aggagaggaa ggagggggat cagagctgtc ccaaagaggg aaagcgggta gggttgagga 1380
ggggcagaag cagggccggc aaaggttgta cttcataag gtggtatggg ggggtgggg 1440
cagggcctga acatcgtcct acttgagaat ctgtcagggg aaaaagtcaa ggggagcagg 1500
aggaaagagc aggagggcca gaggcagaga agagatggag tcttaggggc cagggtgagc 1560
gaggggtcca gggcctagag gtgcttctcg ggggcggggg aatgcagcca gtgtccccct 1620
cccctcttcc accccagctc cagccctggg cttgtctttt catccctctt ccccacgaca 1680
gaagaagttg tggccctggc catgtcatcg tgttcctgtg tccccgcat gtacccccacc 1740

ctccaccctc tccttttgcg cggaccccat tacaataaat ttttaataaa atcctgaaaa 1800
aaaaaaaaaa aaaacncgag ggggggccng gnaccca 1837

<210> 366

<211> 1823

<212> DNA

<213> Homo sapiens

<400> 366

ggcacgaggc aggrcggggy ccaysgaagy cggaatccgc tgtgctcact gatccgcctc 60
cagggccacc gccatgtcga gccgcggttg gaagaagaag tccaccaaga cgtccaggtc 120
tgccaaagca ggagtcattt ttcccggtgg gcggtatctg cgtgtacatca agaaaggcca 180
ccccaagtac aggattggag tgggggcacc cgtgtacatg gccgccgtcc tggaatacct 240
gacagcggag attctggagc tggctggcaa tgcagcgaga gacaacaaga agggacgggt 300
cacaccccg caccatcctgc tggctgtggc caatgatgaa gagctgaatc agctgctaaa 360
aggagtcacc atagccagtg ggggtgtgtt acccaacatc caccocgagt tgctagcgaa 420
gaagcgggga tccaaaggaa agttggaagc catcatcaca cccccccag ccaaaaaggc 480
caagtctcca tcccagaaga agcctgtatc taaaaaagca ggaggcaaga aaggggcccg 540
gaaatccaag aagcagggtg aagtcagtaa ggcagccagc gccgacagca caaccgaggg 600
cacacctgcc gacggcttca cagtcccttc caccaagagc ctcttctctg gccagaagct 660
gaaccttatt cacagtgaat tcagtaattt agccggcttt gaggtggagg ccataatcaa 720
tcctaccaat gctgacattg acctaaaga tgacctagga aacacgctgg agaagaaagg 780
tggaacaggag tttgtggaag ctgtcctgga actccggaag aagaacgggc ccttggaagt 840
agctggagct gctgtcagcg caggccatgg cctgcctgcc aagtttgtga tccactgtaa 900
tagtccagtt tggggtgcag acaagtgtga agaacttctg gaaaagacag tgaaaaactg 960
cttggccctg gctgatgata agaagctgaa atccattgca tttccatcca tcggcagcgg 1020
caggaacggt tttccaaagc agacagcagc tcagctgatt ctgaaggcca tctccagtta 1080
cttcgtgtct acaatgtcct ctcccatcaa aacgggtgac ttcgtgcttt ttgacagcga 1140
gagtataggc atctatgtgc aggaatggc caagctggac gccaaactagg ctgagcaatg 1200
acagaaccag ctgcacatg taccacacct tcagtttaa agaaaaaaaa aatccccctc 1260
actcctactg ggaggtggga cccctttcat tttcagtttt gctcatctag ggaaaaataa 1320
gctttgtgtt ccagtttaat tgtttttgac cttctaaaa gtttttatgt tagcactgat 1380
agttggcatt actgtgtgta agcactgtgt tccagaccgt gtctgactta gtgtaacct 1440
ggagatttta tagttttatt ttaatgaaac cctgattgac gcacagcagt ggggagaaca 1500
gcgtctttta cctgtcaccg aagccaggaa gcccctgttg taagcgtgtg ttgtggtgct 1560
ttattgtaca tctccagtg gcgttctttt tactctaag ttcttttggg tccccctc 1620
agaagaatca tgaatttgca acagacctaa tttttggtta ctttttgtct tattgatgga 1680
tttgaaaatg aaagatttaa taaggcaaag cagaatctgt tgccttaat tatatttgca 1740
atttggaatt tgtgtgagtt gatttagtaa aatgttaaac cgttaaaaaa aaaaaaaaaa 1800
aaaaactcga gactagttct ctc 1823

<210> 367

<211> 898

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (30)
<223> n equals a,t,g, or c

<400> 367
aagggggggg aaaattngag acacnttttn aaggtacgcc cgcaggtacc ggtccggaat 60
tcccgggtcg acccacgcgt scgctcctgg ggccatgagg ctgtcactgc cactgctgct 120
gctgctgctg ggagcctggg ccatcccagg gggcctcggg gacagggcgc cactcacagc 180
cacagcccca caactggatg atgaggagat gtactcagcc cacatgcccg ctcacctgcg 240
ctgtgatgcc tgcagagctg tggcttacca gatgtggcaa aatctggcaa aggcagagac 300
caaacttcat acctcaaact ctggggggcg gcgggagctg agcgagttgg tctacacgga 360
tgtcctggac cggagctgct cccggaactg gcaggactac ggagttcgag aagtggacca 420
agtgaacgt ctcacaggcc caggacttag cgaggggcca gagccaagca tcagcgtgat 480
ggtcacaggg gggccctggc ctaccaggct ctccaggaca tgtttgact acttggggga 540
gtttggagaa gaccagatct atgaagccca ccaacaaggc cgaggggctc tggaggcatt 600
gctatgtggg ggaccccagg gggcctgctc agagaaggtg tcagccacaa gagaagagct 660
ctagtcttgg actctaccct cctctgaaag aagctggggc ttgctctgac ggtctccact 720
cccgtctgca ggagccagg agggcaggaa gcccttgctc tgtgtgtgcca tcctgcctcc 780
ctcctccagc ctcagggcac tcgggcctgg gtgggagtca acgccttccc ctctggactc 840
aaataaaacc cagtgcactc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaactcga 898

<210> 368
<211> 1117
<212> DNA
<213> Homo sapiens

<400> 368
gccctgagcc ccgccatggt ggtgccggag gaccagctga cccgctggca cccgcgcttc 60
aacgtggatg aagtaccgga catcgagccg gccgcgctgc cccagccacc cgccacggag 120
aagctcacca ctgctcagga ggtgctggcc cgggcccgca acctgatttc acccaggatg 180
gagaaggcct tgagtcaatt ggccctgcgy tctgctgcgc ccagcagccc cgggtctccc 240
aggccagcac tgccggtac cccaccagcc accccgcctg cagcctctcc cagtgtcttg 300
aagggggtgt cccaggatct gctggagcgg atccgagcca aggaggcaca gaagcagctg 360
gcacagatga cgcggtgccc ggagcaggag cagcggtgc agcgcttaga acggctgcct 420
gagytggccc gcgtgctgcg gagegtcttt gtgtccgaac gcaagcctgc gctcagcatg 480
gaggtggcct gtgccaggat ggtgggcagc tgttgacta tcatgagccc tggggaaatg 540
gagaagcacc tgctgtctct ctccgagctg ctgccggact ggctcagcct ccaccgcac 600
cgcaccgaca cctacgtcaa gctggacaag gccgcggacc tsgcccacat cactgcacgc 660
ctggcccacc agacacgtgc tgaggagggg ctgtgagcct gggggccact gtggacagac 720
gtgggcttca gaagctcgct ggcctgggcc caccagcatt ttcttttatg aacatgatac 780
actttggyct tcctttcccc agcggccctg agggccagag gcagatgtgg gctgcaggct 840
gcacagcccc aggggtctct gctgcggcg gtggggccct tcatggggct cacctggtgg 900
attcacatta aaccggtttc tgtgggcacc tctgtccttg ctgctggtgg ggaagggaag 960
ccagatccag cccccctgg ggggccatcg ggagtgtggc tggrrgtgaa gggggctctg 1020
tggaataatg ggggtgggta gtgtgggtgg caaggccatc ccctctaate ttggaacctc 1080

tgaatatggg accttccaca gcaaagggtg acttttg

1117

<210> 369

<211> 2226

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<400> 369

tataggagaa agctggtacg ccnccaggt accgnntccg gaattcccgg gtcgaccac 60
gcgtccgggg gattattaac cacttagaat ataaaattgt acaacaattt cacttgttta 120
tttgcatttt gttttttata actcttactc ccttttcccc tcaaaggaga actgtgttta 180
tgaaactgta gttttgcctt tggatgaaag ggcatttgag aagactttaa caccaatcat 240
acaggaatat tttagcatg gagatactaa tgaagtgcg gaaatgtaa gagatttaa 300
tcttggtgaa atgaaaagt gagtaccagt gttggcagta tccttagcat tggaggggaa 360
ggctagtcag agagagatga catctaagct tctttctgac ctttggtgga cagtaatgag 420
cacaactgat gtggaaaaat catttgataa attggtgaa gatctacctg aattagcact 480
ggatactcct agagcaccac agttggtggg ccagtttatt gctagagctg ttggagatgg 540
aattttatgt aatacctata ttgatatgta caaaggaaact gtagattgtg tgcaggctag 600
agctgctctg gataaggcta ccgtgcttct gagtatgtct aaagggtggaa agcgtaaaga 660
tagtggtgtg ggctctggag gtgggcagca atctgtcaat caccttgta aagagattga 720
tatgctgtg aaagaatatt tactctctg agacatatct gaagctgaac attgccttaa 780
ggaactggaa gtacctcatt ttcacatga gcttgatat gaagctatta taatggtttt 840
agagtcaact ggagaaagta catttaagat gattttggat ttattaaagt ccctttggaa 900
gtcttctacc attactgtag accaaatgaa aagaggttat gagagaattt acaatgaaat 960
tccggacatt aatctggatg tcccacattc atactctgtg ctggagcggg ttgtagaaga 1020
atgttttcag gctggaataa ttccaaaca actcagagat ctttgcctt caaggggcag 1080
aaagcgtttt gtaagcgaag gagatggagg tgcgtctaaa ccagagagct actgaatata 1140
agaactcttg cagtccttaga tgttataaaa atatatatct gaattgtaag agttgttagc 1200
acaagttttt tttttttttt ttttaagcac ttgttttggg tacaaggcat ttctgacatt 1260
ttataaacct acatttaagg ggaattttta aaggaaatgt tttttctttt tttttgttt 1320
ttcgaggggg caaggaggga cagaaaagta acctcttctt aagtgggata ttctaataag 1380
ctaccttttg taagtgccat gtttattatc taatcattcc aagttttgca ttgatgtctg 1440
actgccactc ctttctttca aggacagtgt tttttgtagt aaaatcactg gtttatacaa 1500
agcttttatt agggggtaaa gttaagctgc taaaacccca tgttggtgc tgctgttgag 1560
atactgtgct ttgggagtaa aaaaagaaag ttatttcttt gtcttaaaga atttttaaaa 1620
aattagtcag gagacttatt catctttcca gggaacatac tgattggtct taaaagacta 1680

gacagttaag taaaagggtg ctggaacatc tatttttcta caaaactgga aaaatgaacc 1740
tggttctaga agaatgtaca ccaaaataaa acatgtgaag cagtattgat tctttattgg 1800
gagtacattt ttttaggtct cttaaaactt aatttcacac agtaaatgtt gaatctcata 1860
aggaagcata tttgaacctg gtcaatttaa tcttagtggt cccttgaaaa ctttttttcc 1920
ctacaaaatt ttaagtgaat aatacaatag taaattaaga ttacactggg gaaaaaaatg 1980
caggtatcac tttactccat tggtatctga cctagagctt aattaagttt tagaaatatg 2040
taataccttc catcattcca tcatccttaa attctgttac caaataatgg ctaatgttac 2100
aaaaagttat actccagaga ccaaagctt gacatttacc taatgtatga gaaaatatta 2160
ccaattaaca ataaagaatg atcatatttt taaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2220
aaaaaa 2226

<210> 370

<211> 3636

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1937)

<223> n equals a,t,g, or c

<400> 370

caccaaggag cgcgtcaaac ttgaagggtc aaagtgcaaa gggcagcttt tgatttttgg 60
ggcaaccaac tgggacttga ttggtcgaaa agaagtgcct aaacagcaag ctgcttaccg 120
caatctcggg cagaatttgt gggggcccca cagatatggg tgccctggcg ggggtccggg 180
gcggacagtg gtctcgggct cgtgtgctgc acacagcctc ctcatcacca cggaaggga 240
gctgtggagc tggggtcgaa awgagaaggg gcagctggga catggtgaca ccaagagagt 300
agaagcccct agactcatcg aggtcttag ccacgaagka ttgtgtctgc agcatgtggg 360
cggaaccaca ccttgccctt gacggaaacg ggctccgtgt ttgcgtttgg ggaaaacaag 420
atggggcagc tgggccttgg caaccagaca gacgtgttc ccagccccgc gcagataatg 480
tacaacggcc agccaattac caaaatggcc tgtgggstg aattcagtat gataatggac 540
tgcaaaaggaa acctctatc ctttgggtgc cctgaatatg gtcagctggg acacaactga 600
gatgggaagt tcatcgcccg ggcacagcgg atagagtacg actgtgaact agttccccg 660
cgagtggcca tcttcattga gaagacgaaa gatggacaga ttctgcctgt accaaactgt 720
gttgtacgag acgtggcctg tggcgctaac cacacgctgg tcctggactc ccagaagcga 780
gtcttctcct ggggctttgg tggctatggc cggctgggca cgcagagcag aaggatgaga 840
tgggtccccg cctggtgaag ctgtttgact tccctgggcg tggggcttcc cagatctatg 900
ctggttacac ctgctccttt gctgtcagtg aagtgggtgg tctgttttcc tggggggcca 960
ccaacacctc ccgtgaatct accatgtacc caaaagcagt gcaggacctc tgcggctgga 1020
gaatccggar cctggcttgt gggaagagca gcatcattgt ggccgccgat gagagcacca 1080
tcagctgggg tccgtcaccg acctttgggg aactgggcta cggggaccac aagcccaagt 1140
cttccactgc agcccaggag gtaaagactc tggatggcat tttctcagag caggtcgcca 1200
tgggctactc aactccttg gtgatagcaa gagatgaaa tgagactgag aaagagaaga 1260
tcaagaaact gccagaatac aacccccgaa ccctctgatg ctcccgaga ctctccgac 1320
tccacacctc tcgcgcgagc tgtcatttcc atgtgcactg ggacgggaag tcaaacgagg 1380
aatttaaaaa agcaaaagt gaccgaagtg catttttgtt tagactccct gaggttccgt 1440
ttcacacatg atccaacgtt aactaccttt ttttctgtat gctttccaaa gtcctttttt 1500
tcccttaagt ttgaattaaa atacttgctc atagttgatt taccattcct acaaaagagg 1560
cagaaaacttt gagcaatcta ggtttttttt ttttttaagt ttttcttcc ttcctytcc 1620
gaatacactc cccaaaacac ccctttccag ttacaattag catcgtgatc caagcagatg 1680
ccacatggaa gaggaatcgc catttactca gaaaaaatgt cccttacagg aaccggcagc 1740

```
agctaggcag tcaccggccc gcctccatcc aaaatcacgc tcgctgctt cggaagcatc 1800
cggtgcactc cttctccgct ttttcttgca gatgggccta ggccggtgac ggttctgttt 1860
ctcccccttg ctgctgttac gccacagcc ttctggctgc gacattatag aatcggccgt 1920
gtcccccttg gtgggnatt ggggatctgt gtttagccat ttatatctac tttagctgtt 1980
aaagaggctc aaatgaaaat caggtgattg tggaaacctg gggacttggg ggtggggcag 2040
aggtgggaac atttgtatca gttgagtcag cttggtggct ccctgtggag cagggctgag 2100
ccttgtcacg cgactcgcc aattaagaga tggaccagcc agcagtcaag tgcattctcc 2160
agtccttgca agaaggatca gccctttctg tgccagcctc gatcgcttg tgctttggtc 2220
tctttttctc ccccccgcct ggatcctgcc tcgctggggc cgtcctgttg ctgagactcg 2280
gggtaccgtt ctgctgaccc agctcccttt agtcacgttt gcttggctct ggtaccaa 2340
agttgggatt accgaagagt ccccttcctt gcgtgtcagc acggatgctg tgactgccac 2400
ctgctcctc gtcaagtgcc cgagctcgcc gccgtgtgtg ctgctgtgag tgagttatga 2460
ggtgcctttc ccggaaccct cctctcgctt ggacccaaga gaggcgacag ctgtggcttg 2520
ggctcttggt ttccagaggg tctggactgg tttgggtgct ttaaaataga tatttagttc 2580
agtgtgctt atgggggaga tgggactaga acttaagtgt gagacttggg tggatgggaa 2640
agttaaatat tggctctctc aagttttttt tttcttttgc tttgttacca cttgtcactg 2700
tctccatggt aaaaatgcaa aaatgatgta gttgtgttg cttttttccc tattttccac 2760
cccagctgct ccttaccgtg actcctgcc ttggagggca tgtagcagt tctgtcctgc 2820
cagtcaccaag gccctgtggg aggagactgg cctgcatctc tctaagactt agtctgacgc 2880
cacgcgcac tcctgttctg tgttcaatca gtagtccagg ggagaagctt ctgctacttc 2940
agagctttgc taaactaacc taatttgtcc aaatcacccc aaaaccacca tctctgacgt 3000
aagcttccat gcgacagcct gatccgtttc cctggacagg tctctttcct ggaatgcagc 3060
ccaggcacct gtgctccttg cacccttgag gtctctcctt tgagccgttg tcaccgagag 3120
ggttgaggac gcagcaccg aggtcccagc ctttgcagga gcctcccttg gcttagcttg 3180
acttagatct tcggtggcct catgtaaacg tggcagccag cctcttctag aaccctagcc 3240
cagggacttg agcaggaaa ggacctcaa agtgaagact gccttgtccc gcagctcctt 3300
ctgcttaga ttgaaamatg ggcttcctaa tgggttaaat cctttaaaac aaggagtgtg 3360
gggggaaggg tgcgtgcac tcctagagaa aggtacacag ttgcccgtt gggaaatgtg 3420
ttggcgtga ctgctggcat ctgactggtc ttccagctca gaaaaagaa tttgaaagag 3480
gcttagcgtg aaggggaatc aaagaggagg ttgtgatttg gtcgaagggt cctggtttag 3540
tgctgtaatt gtcttattat tttttttata tatataattt ttggagtaaa cattttaaat 3600
aaacaacatt gtctactgtc aaaaaaaaa aaaaaa 3636
```

<210> 371

<211> 4039

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1085)

<223> n equals a,t,g, or c

<400> 371

```
aattcggaac gaggtgaag cacaaggatt aagttgaaa agctgtaaat tgcattgtga 60
tatttgtcta ttttttctat aagttttatt gcaagaggta aagaagaaaa ctatatatat 120
atatcttatt tagataatct cagtaccttt tctggcattt ttgccctgta taggttgact 180
tggcaattcg gcctttttag aggcattaac tactcctcgt aagtgttgca tttacatggc 240
tgtttagaaa actgctgccc aaatttattt tatatttttg tacagattct gcagtttatg 300
atattgtttt ctaaaaacaa atgctgttta tacatatgag atagctattt tgataggatt 360
tgctcacata gttcctgcaa acttcagatg tacaagttgc acttgacttt ttatagagtt 420
```

gtaatgtttt atatgtgtat ggtgcaagag aaaattggat caaatcaayc tgcagttgat 480
gtcccaaat gcaaacacag gcacacacat gcacacaccc ataaacacac acacagtga 540
tttaaraaag ggccaggatga tatcacaccc aaatttcaca agcactgacc ccctggcacc 600
aacacccgcc agtactgtga cttccaaagc cagagccaca tgtgtctatc aaacttgcac 660
taagcagttg gcgggagatg gctgtggagc tgggggttta agtgaagggt ctcttttgct 720
ccctcttytg agggtaaaag tactgtcttt cttaagagtg ttttatgcc aagtttgccg 780
ttttaattgt ttttattttg twttttaatg aaaaccaga tctttccttt ttggcataat 840
ttttatgatg acctgaaatt ttacatccga acaaaatttt acatccgaaa agcaaccaac 900
ttcttcatgg aactcagccc tgttgcaatg cttaggggccc ttaaagaaga aaatctcccc 960
agaaggcatc catcatgttg cttaattgtc ttctgcagct tcctttccct agagctttcc 1020
ctgtgttgct aagagctgra aatggcatct tcgtgatcac cacagtgaagc ttggctcgcc 1080
tcgncggcc cggggatgca ctctacaac atgtgtgact cttgaacctg gagttcatca 1140
cattacgtca cagcttccca tctggttgct ttctgagtc agctacttca cacttgtcaa 1200
ggctgtttta ccccaaaact cagacaggac ttctatgca tgttttccct cctcccccca 1260
attcccccc catcacctta tctcccagga cacactgag aagtagcttt ttattcctag 1320
tgggtgtacat ttaattttaa aaaggttgca atgtatcatg cttgttgccg aaactgttta 1380
tggccttctt gtttcagttt tttcttttct tccaatggta ctttagctgt tgagtgcagg 1440
ttacaacctt tattgttatg cagatggctt ctttaggaat aacttttata tttatttaaa 1500
aattttttaa ttatgggatg tttgtgtgtt gttgtgtgtt ttgtgttggt tcatttgtca 1560
atattcagtc accaattctg ctcaacttct gccatggata aaattgggtc tttctggcta 1620
attaaaaaag acaactttat aaaatggcac tttaagcaag ccatagttag ttttattttt 1680
gtaatgcaca tggcaaaagc aagacgtttg tgatgaagga actgctcatc taagcaaaag 1740
atgtgagtat gatagataa aggcctttct cattctaatt tactttttcc cccacttga 1800
atgtgtttta aaggctaatt atcagctcag tagagcagtg agaaactgat caaattgcac 1860
ttgttctcct acaagcaacc tccacgcaga cacctcgtac tgctacaggt gtgtcatttc 1920
ctttaatagg accagggacc atgtaactga ggtgagggtt gtagtaratg cttccagtgt 1980
cagtatgcct gttaatttta agagcttccc tttcttgca agaaacaagtc tgcccagatt 2040
ccatgcttct tataactgga ggacctggca aacctgccgc atgctgcaca catctacctt 2100
cgtacacata tacaatagta ttgatgatc tgaacaataa cagggtaaaa cagttggttt 2160
gccattgtta aaaactgatt tacagtaact tacaacaact gtacttttgt tggattagca 2220
aatcattgtt ttaaacaaat cccatagtgt gggcaacagt tcaataaagc acggagaagt 2280
gttgcccaaa cttggttctc tgactcttat gtatttgtaa ggctgggctt caaaatcaaa 2340
acaaaaaccc caaaaacagc aggcaaatgc tttttaactc tgacaccgtt gccataaatt 2400
cctgatactc aaagtctaac aagaaagaca tggaaaatta gcagcccatt ttcagaaaga 2460
tcaaatgat ctaggggtct aattgctttt gcatcctatt cttacaaagt gatgtcccaa 2520
cagggaaacag taggagctgg agtgggatct ccaagtccca gtttgagtgt gggatgtgct 2580
tccagcagtg cttcccttt atgaaagaca tcacatggca tccagggcca ggcaggcagc 2640
ttgaggtgcc tttacgagaa aaccgagctg gggctgggag aggacagtta ttgacactga 2700
tgtgcaatga agtgacaaga tgagagcaga atcgtaagag ctttgaattt gaagtgaatt 2760
ttttccccc ataatgtatt tattcctttt ttctgtgtaa atatatattt tttactgtgg 2820
agcgctaaca tctggatcgt aacatgtgca gaatgtatgg taggaatgta ttctcttgta 2880
ggaatgtaaa tctgtattaa aagggggtcc aagccaggcc cccagggtct ctcatgtat 2940
gcacagtcct cattcatatt tactcttctc taatatgggt ctatttgaaa tatgcaaaag 3000
gtatgaggaa tgttttaata cctccaaatt tttaagaaaa gcatcaaagg gttgatattt 3060
tttaaagttt ttttagtagc actttctctg gatgacagaa ggggcaacca catgggcacc 3120
cttgttcata ccaaagggtg agcagtgccc agagcctcct ctgcacctct cgagtgtctt 3180
taccaattga gctttttatc gccatagccc cttggagtgc cccagctgcc ctgaggtcaa 3240
tcaaggaaaa ttcttaatg aaataagctc caagagcca aagtatcaac ttacagatcg 3300
tttttaagc ttaaatattt gaaccacctt tgtgttaaac aatgaattat gaataccgca 3360
gggcagcctt cttaaatgac aatgtaaaaa aaaaaaaa aaaaactcta cttcgtgcag 3420
caattgctac tctatacgaa ttgtcttaatt ttgaaaacct tgctgttaca aattggacct 3480

```
ttatacattt tctgaaaaca atgaaaagag tatatttaac cttttctggc tgtaaatggt 3540
taccttcctg taactgcccc gcacctggag gcatggagtt gtgtgcatcc tgcttatgta 3600
caattgtttt cagtgtttct aagaatgagt ctgaatgggt cttgaaaatt agccaggatc 3660
aaatgctatt gcagacaaaag ccaataaaaa gttggacttc ttttggggat aacaagtttt 3720
ggaagagaaa tgcaggccat atgtgcgcat gaccgagatt ttgaaaaaag atgtacatag 3780
tgacatgttt ggtgcatggt ttttgaggag ggcttttgtc aaaaaggagg tataaccttt 3840
ccccacaga cctgagagct gtgccttttc tatgcaatat tacagacgtt acatcggaac 3900
ccagatggct gtattcacat gtaggtttgg gctgtaatct aaacaattgg acagattaaa 3960
tgtacatgga aatgagcagt cttacttttg tagttttata ttatacaata aacagttaaa 4020
agatgaaaaa aaaaaaaaaa 4039
```

<210> 372

<211> 1599

<212> DNA

<213> Homo sapiens

<400> 372

```
ccatccagct ggggatgcag agcacctgat gcacctggaa caggtgctct gcacccccag 60
ctggatggca aaattccttt cttggacact tgaaccatc ttctcttctt cagaaccac 120
cagcgaacag aattgggatg ggagccacgc tggacatcca gagacagcag agaatggagc 180
tgctggaccg gcagctgatg ttctctcagt ttgcacaagg gaggcgacag agacagcagc 240
agggaggaat gatcaattgg aatcgtcttt ttctctcttt acgtcagcga caaacgtaa 300
actatcaggg cggtcggcag tctgagccag cagcgcccc tctagaagtt tctgaggaac 360
aggtcgcccg gctcatggag atgggatttt ccagaggtga tgctttggaa gccctgagag 420
cttcaaacia tgacctcaat gtcgccacca acttcctgct gcagcactga tagtcccagg 480
ccaacactgg gaccggaccg gcagccgagt gacagtgcgt ggtccccacc atcagatcag 540
cccggggacc gagcatctct ggtgctgatg ttcttgtggg aagagggagg ttccaccgca 600
cccctgccct caaccgcaag actgttgccg ttttagtgtg gagataagtt tgccattaca 660
ttagcatgta ttttctatct atatttttta ttgggcattt tccctaggtt ggagagtcag 720
cactcgtttt gaatgtgttt aaaatgcatt aaaatggaag atttctgcag gcagttgaat 780
ggcactccag atggggaatt gctgtaacct tcttactgta acatgtcatc tcctgcgtcg 840
tgatggggag agggtaatgt tacttcacaa aggacatgtc agatccttct tcatggactt 900
ttttagttac tgttttttct ctcaaacttg ttttcgaatc tcctgggagt gagggagaaa 960
cagggagctg aatcctcccc caagctgttc caggccagag gactctgcag taccttctcc 1020
tacatctagt aacaaagaat ggtgataacc atgcactggt tcaaggttct ggagttctcc 1080
atgaaacttg ggttaatttt gctcagagta tccagagtta gccactaggc tgcgggtgaa 1140
atgggatgga gaagaacaac agcaggcttc ctggagccac atgggctgac tagggcactc 1200
tgtggctggc ctggcatggg ctgagcccag gaagaggaga aacgatccct tgccctgccc 1260
tcctgtggc agggctaact gcctggccct cctggctcgc agccagccag cccctggca 1320
gcaggttctc ctgaggctt ggtcttcaa cctgtggcga caggaggcag ggcagactgt 1380
ggaggacagg atgcaggta gggagaggga aggcagggtt ggaccgcat gagcatgaaa 1440
agaccggaag caagtgtact cttgcaatgt gcaactgtta tgttctgcaa aatgagcaac 1500
gatgtatcaa attgatgcaa atttagatgt tgatacttac aataaagttt ttaatgtgtt 1560
ttaaaaaaaaa aaaaaaaaaa aaaaaaaaaa agggcgcc 1599
```

<210> 373

<211> 464

<212> DNA

<213> Homo sapiens

<400> 373

```

ctcaaaaatc accagaaaac tcatactagt gaaaaatcct ataaatgtaa tgaatgtaga 60
aaggccttta gttactgctc tggctcttatt caatgtcagg tcattcatac tatagaaaaa 120
ccttatgaat acggtaaatg tggcaaaaggc ttaggcaga ggacagacct taaaaaacat 180
cagaaaatgc ataccgarga gaaaccctat gaatgtaatg aatgtgggaa agccttttagc 240
cagagcacat atcttacaaa acaccaaaaa attcatagtg aagagaaatc aaatatacat 300
actgagtgtg gggaaaccwt twgrcaaaac tcttcttttt tacaacaata aaaacctcac 360
actggagaga ttctctgaat gccttaagaa tttgggtaat atggagaccc ttcccagggg 420
aaccagaagg aggatcgtga aaacctgttg actacttaga tgat 464

```

<210> 374

<211> 890

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (886)

<223> n equals a,t,g, or c

<400> 374

```

ggctgctgga ggcgagggct tcggaagtct tcatgctagt ctctgggggt tccgcgggtgt 60
cgtcgctggc tgtgcgcgtc atttccgggc gtcacgtaac ggagtggcca acggcctgca 120
gagcaacatg cccaagtgtt attgtgacta ctgcgataca tacctcacc atgactctcc 180
atctgtgaga aagacacact gcagtggag gaaacacaaa gagaatgtga aagactatta 240
tcagaaatgg atggaagagc aggtcagag cctgattgac aaaacaacgg ctgcatttca 300
acaaggaaa atacctcta ctccattctc tgctcctcct cctgcagggg cgatgatacc 360
acctcccccc agccttccgg gtctcctcgt ccctggtatg atgccagcac cccatatggg 420
gggccctccc atgatgcaa tgatgggccc tcctcctcct gggatgatgc cagtgggacc 480
tgctcctgga atgaggccgc ccatgggagg ccatatgcca atgatgcctg ggcccccaat 540
gatgagacct cctgcccgtc ccatgatggt gcccactcgg cccggaatga ctcgaccaga 600
cagataagga tagaggggag gccttattgt atcggtttta tattacctgt tctgcttccc 660
caggagatca tgctgctgtg atactgagtt ttctaaccag cataaggaag acttgctccc 720
ctgtcctatg aaagagaata gtttggagg ggagaagtgg gacaaaaaag atgcagtttt 780
cctttgtatt gggaaatgtg aaaataaaat tgtcaactct ttcaagttaa aaaaaaaaaa 840
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaanaaa 890

```

<210> 375

<211> 1874

<212> DNA

<213> Homo sapiens

<400> 375

```

gttcaggaac ttaggctaga aaggaacaca gtaaactgaa ttgatccgtt tagaagttaa 60
caatgaagtt tcttctaata ctgctcctgc aggccactgc ttctggagct ctccccctga 120
acagctctac aagcctggaa aaaaaataat tgctatttgg tgaagatac ttagaaaaat 180
tttatggcct tgagataaac aaacttccag tgacaaaaat gaaatatagt ggaaacttaa 240
tgaaggaaaa aatccaagaa atgcagcact tcttgggtct gaaagtgacc gggcaactgg 300
acacatctac cctggagatg atgcacgcac ctcgatgtgg agtccccgat gtccatcatt 360
tcagggaaat gccagggggg cccgtatgga ggaaacatta tatcacctac agaatacaata 420
attcacaccc tgacatgaac cgtgaggatg ttgactacgc aatccggaag gctttccaag 480
tatggagtaa tgttaccccc ttgaaattca gcaagattaa cacaggcatg gctgacattt 540

```



```
tggtggtttt tgcccgtgga gctcatggag acttccatgc ttttgatggc aaaggtggaa 600
tcctagccca tgcttttga cctggatctg gcattggagg ggatgcacat ttcgatgagg 660
acgaattctg gactacacat tcaggaggca caaacttggt cctcactgct gttcacgaga 720
ttggccattc cttagggtctt ggccattcta gtgatccaaa ggccgtaatg tccccacct 780
acaaatatgt tgacatcaac acatttcgcc tctctgctga tgacatacgt ggcattcagt 840
ccctgtatgg agacccaaaa gagaaccaac gcttgccaaa tcctgacaat tcagaaccag 900
ctctctgtga ccccaatttg agttttgatg ctgtcactac cgtgggaaat aagatctttt 960
tcttcaaaga caggttcttc tggctgaagg tttctgagag accaaagacc agtggttaatt 1020
taatttcttc cttatggcca accttgccat ctggcattga agctgcttat gaaattgaag 1080
ccagaaatca agtttttctt tttaaagatg acaaatactg gttaattagc aatttaagac 1140
cagagccaaa ttatcccaag agcatacatt cttttggttt tcctaacttt gtgaaaaaaa 1200
ttgatgcagc tgtttttaac ccacgttttt ataggacctt cttctttgta gataaccagt 1260
attggaggta tgatgaaagg agacagatga tggaccctgg ttatcccaaa ctgattacca 1320
agaacttcca aggaatcggg cctaaaattg atgcagtctt ctactctaaa aacaaatact 1380
actatttctt ccaaggatct aaccaatttg aatatgactt cctactccaa cgtatcacca 1440
aaacactgaa aagcaatagc tggtttggtt gttagaaatg gtgtaattaa tggtttttgt 1500
tagttcactt cagcttaata agtatttatt gcataattgc tatgtcctca gtgtaccact 1560
acttagagat atgtatcata aaaataaaat ctgtaaacca taggtaatga ttatataaaa 1620
tacataatat ttttcaattt tgaaaactct aattgtccat tcttgcttga ctctactatt 1680
aagtttgaaa atagttacct tcaaaggcca agagaattct atttgaagca tgctctgtaa 1740
gttgcttcct aacatccttg gactgagaaa ttatacttac ttctggcata actaaaaatta 1800
agtatatata ttttggtcct aataaaattg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaaaaa aagc 1874
```

<210> 376

<211> 2018

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1997)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2012)

<223> n equals a,t,g, or c

<400> 376

```
gccacatccc ggcagccctc ctacckgcgc acgtggtgcc gccgctgctg cctcccgcctc 60
gccctgaacc cagtgcctgc agccatggct cccggccagc tcgccttatt tagtgtctct 120
gacaaaaccg gccttggtga atttgcaaga aacctgaccg ctcttggttt gaatctggtc 180
gcttccggag ggactgcaaa agctctcagg gatgctggtc tggcagtcag agatgtctct 240
gagttgacgg gatttcctga aatgttgggg ggacgtgtga aaactttgca tcctgcagtc 300
catgctggaa tcctagctcg taatattcca gaagataatg ctgacatggc cagacttgat 360
ttcaatctta taagagttgt tgcctgcaat ctctatccct ttgtaaagac agtggttctt 420
ccaggtgtaa stgttgagga ggctgtggag caaattgaca ttgggtggagt aaccttactg 480
agagctgcag ccaaaaacca cgctcgagtg acagtgggtg gtgaaccaga ggactatgtg 540
gtggtgtcca cggagatgca gagctccgag agtaaggaca cctccttggg gactagacgc 600
cagttagcct tgaaggcatt cactcatagc gcacaatatg atgaagcaat ttcagattat 660
```

```
ttcaggaaac agtacagcaa aggcgtatct cagatgccct tgagatatgg aatgaaccca 720
catcagaccc ctgcccagct gtacacactg cagcccaagc ttcccatcac agttctaaat 780
ggagccccctg gattttataaa cttgtgcgat gctttgaacg cctggcagct ggtgaaggaa 840
ctcaaggagg ctttaggtat tccagccgct gcctctttca aacatgtcag cccagcaggt 900
gctgctgttg gaattccact cagtgaagat gaggccaaag tctgcatggt ttatgatctc 960
tataaaaccc tcacacccat ctcagcggca tatgcaagag caagaggggc tgataggatg 1020
tcttcatttg gtgattttgt tgcattgtcc gatgtttgtg atgtaccaac tgcaaaaatt 1080
atttccagag aagtatctga tggataaatt gcccaggtat atgaagaaga agccttgaca 1140
atactttcca aaaagaaaaa tggaaactat tgtgtccttc agatggacca atcttacaaa 1200
ccagatgaaa atgaagttcg aactctcttt ggtcttcatt taagccagaa gagaaataat 1260
ggtgtcgtcg acaagtcatt atttagcaat gttgttacca aaaataaaga tttgccagag 1320
tctgccctcc gagacctcat cgtagccacc attgctgtca agtacactca gtctaactct 1380
gtgtgctacg ccaagaacgg gcaggttatc ggcattggag caggacagca gtctcgtata 1440
cactgcactc gccttgcagg agataaggca aactattggt ggcttagaca ccatccacaa 1500
gtgctttcga tgaagtttaa aacaggagtg aagagagcag aaatctccaa tgccatcgat 1560
caatatgtga ctggaacccat tggcgaggat gaagatttga taaagtggaa ggcactgttt 1620
gaggaagtc ctagattact cactgaggca gagaagaagg aatgggttga gaaactgact 1680
gaagtttcta tcagctctga tgccttcttc cctttccgag ataacgtaga cagagctaaa 1740
aggagtgtg tggcgctacat tgcggctcct ccggttctgc tgctgacaaa gttgtgattg 1800
aggcctcgga cgaactggga atcatcctcg ctcatacgaa ctctcgctct tccaccactg 1860
atthttaccac acactgtttt ttggcttgct tatgtgtagg tgaacagtca cgcctgaaac 1920
tttgaggata acttttttaa aaaataaaac agtatctctt aatcactgga aaaaaaaaaa 1980
aaaaaaaaaa aaaaccncgg ggggggcccc gnacccca 2018
```

<210> 377

<211> 818

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (818)

<223> n equals a,t,g, or c

<400> 377

```
atcgaccac gcgtccggag cggttgcgca gtgaaggcta gaccgggttt actggaattg 60
ctctggcgat cgaggggtcc tagtacaccg caatcatgtc tattatgtcc tataacggag 120
gggccgtcat ggccatgaag gggaagaact gtgtggccat cgctgcagac aggcgcttcg 180
ggatccaggc ccagatggtg accacggact tccagaagat ctttcccatg ggtgaccggc 240
tgtacatcgg tctggccggg ctgcgcaact acgtccagac agttgccag cgcctcaagt 300
tccggctgaa cctgtatgag ttgaaggaa gtcggcagat caaaccttat accctcatga 360
gcatggtggc caacctcttg tatgagaaac ggtttggccc ttactacact gagccagtca 420
ttgccggggt ggaccgaag acctttaagc ccttcatttg ctctctagac ctcacggct 480
gccccatggt gactgatgac tttgtgttca gtggcacctg cgccgaacaa atgtacggaa 540
tgtgtgagtc cctctgggag cccaacatgg atccggatca cctgtttgaa accatctccc 600
aagccatgct gaatgctgtg gaccgggatg cagtgtcagg catgggagtc attgtccaca 660
tcaccgagaa ggacaaaatc accaccagga cactgaaggc ccgaatggac taacctgtt 720
cccagagccc actttttttt ctttttttga aataaaatag cctgtctttc aaaaaaaaaa 780
aaaaaaaaaa accccggggg gggcccgga ccaaattn 818
```

<210> 378

<211> 2565
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1508)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2565)
<223> n equals a,t,g, or c

<400> 378
ggcacgagct cgtgccgggg ccatagctgt tactgaagga agtagcctac gtccacgcct 60
acaactgaag tctcttgaca aacacctcac ccctgcctcc gggatgaaag ggggtaacct 120
agacctgaat gggcttgacc atctcacaac tgctcgcgtg acgaccgcat tcgtggcagg 180
taagaagatt gctgtatcaa ctcaagaaag cagtaacttc actgtctttg tttttgaat 240
tgcaacaaca actttgatat caacaatgaa gcaatgatat ctaagaacma aagartat 300
gccaacagtc atcataatat caagtgattg tataagcaga aacaagctgt cacagacctg 360
tgcgctcagct aatatatgga gaatgcttct tctgatacta ttactttaga ggcagtttta 420
atataaatca tttcaattat atctacatca aataaaataa aaatgagtga agccccaga 480
ttcttcgctg gaccagaaga tacagaaata aatcctggaa attatcgaca tttctttcac 540
catgcagatg aagacgatga ggaggaagat gattctycac cagaaaggca gattgtggtt 600
ggaatatgtt ccatggmaaa gaaatccaaa tccaaaccaa tgaaggaaat tcttgracgg 660
atctccttat ttaaatatat cacagtagta gtatttgaag aggaggttat tttgaatgaa 720
ccagtggaaa actggccttt atgtgattgt cttatttctt tccattctaa aggatttcca 780
ctggacaaag cggttgccct tgcaaaactc aggaatccat ttgtaatcaa tgacttgaat 840
atgcagtagc tcttgaaagc agctttgagt tagaagtatg tgtgttacac cctcacatta 900
gtgtgctgtg tggggcagtt caacacaaat gtaacaatgt atttttgtga atgagagttg 960
gcatgtcaaa tgcacctctc agaaaaataa ttagtgttat agtcttaaga tttgttttct 1020
aaagttgata ctgtgggtta tttttgtgaa cagcctgatg tttgggacct tttttcctca 1080
aaataaaca gtcctttatta aaccaggaat ttggagaaaa aaaaaccctt ggttttttat 1140
ttttgtattt tattattgtt tacttcaaac tttgttttac agcgtcctcc acaaaacctc 1200
tagaatgcac tagatatatt tttcttgag tcataatcat gatgcatacc aacacaacac 1260
tactcaaatt atatttcatt gagatgcatg ttgcattgag gagtcaactt gacatagagt 1320
ggagactttt tcaaaatggc ttttacatcc taatgaaagt ttgggaagta tctcctctct 1380
gccttttcat cagtgtcttg tgggtccagct ggcacctttt ctgagggttg tgttttgtgc 1440
taaagtgttt tgcctttaa taggagaggc tcaaaaacat caagatttca ggaaaatggc 1500
gacastgnca taatggaacc cccctgcttc tattttgttc ttttaattac tatttatagc 1560
cccagttacc ttctgaattc tgaagtgtat atacctocat gttcctgaaa acaagaaaac 1620
tcttacttcc tgatawtcca tagactgcct tcccagggtga ttgagaacat agagaatgtt 1680
acacatttat tttactctaa atgatctttt acccctgtta gctaactctt gtgttttctt 1740
caactttatt aattacagtg attgcatttt tagcatccag ttgtaagatg aatatattaa 1800
acagctacca gtgttggtga tacctcatcc ttgaaaggct tagttcattt gtgttttata 1860
cttcagtttt tccagcatag cagaaaatgc cgcttataat ttttgtgcac acaaaccttg 1920
gattccccctg taaagttgct attgtttcat agcatgcggc actggccttt tttcatccta 1980
ctcattacag gcaaaactca tgtcttattt atgaggattt tatagatcat tttctgtaac 2040
aggtgacaaa agcagaaaaa aatgaagagg ctgaagtatg aactaccctt ggagcccaat 2100
tacatgatat aggaattttc ttttgtatgt taattcrgtc aaaaatacta cccacttgat 2160

gttttctaatt ctgatgtgag ctcatgtttac acagactttt agtaagtaac ccgtgactag 2220
aaaataaaact ggatgcttag gagagagtgt cagatgtata agatgctaataaaaacctgtt 2280
taataattatt gttagctgta agtttttggg aaatactgaa caaattagtc cacaatcaag 2340
tgtctacttt tcccttccact gtagggcctc tccctgcaca gagcagtcgt tttagctgtg 2400
aacaccacaa tctgcagatg ttcaagtccc ttacataaaa tggcatagta tttatatgta 2460
acctatgcat attctcctgt atatttttaa tcatctctac attaaaaatac ctgataaaat 2520
gtaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaggg ggggn 2565

<210> 379

<211> 1680

<212> DNA

<213> Homo sapiens

<400> 379

ccaaagtgtt ggaattccag gcatgagcca ctgcgcccag tctacacact aattcttgtt 60
agcccaacag ctgttctgtt ctatctaccc ctcatctcac gctcaaggag tcatacctag 120
aatagttaca cacaagaggg aaactggaag ccaaactctg tacagtattg tgtagaaagt 180
cacctccccta ctcccttttat ttacatgag tgctgatgtg ttttggcaga tgagctttca 240
gctgaggcct gatggaatt gagataacct gcaaagacat aacagtattt atgagttata 300
tcttagttct tgaaattgtg gaatgcatga ttgacaatat atttttaatt tttatttttt 360
caagtaatac cagtactgtt taactatagc cagaactggc taaaaatttt atattttcag 420
agttgaagtt ggtgaagaca ttcatgattt aaacaccaga tcctgaaagg ggttaaatct 480
actttgaaat gaatctgcaa tcagtatttc aaagcttttc tggtaatatt agtgatctta 540
tttgattaga ctttttcaga agtactaaat aaggaatttt aacagggttt tattaatgca 600
cagataaata gaagtacagt gaggtctata gccattttat taaaatagct taaaagtttg 660
taaaaaaatg aatctttgtg attacttaat atgttagtta agaaccgctc aagcttataat 720
ttgctagact tacaatttat tttaaattgca tttatctttt ttgacactat tcagtggaaat 780
gtgtaagcta gctaattctt gttttctgat ttaaagcact tttaaatctt atcctgcccc 840
ctaaaaacaa aaggttttga tcacaagggg aaatttaaga ttgttaacct tgtttttcag 900
aagggtactt gtttaattgca cataaacatg aaatgtgttt tcccctgtgt actaacacat 960
tctaggcaaa attcaaactt atagtggtaa agaaacagggt tgttcacttg ctgagggtgca 1020
aaaattctta agacttctgt ttgaaattgc tcaatgacta ggaaaagatg tagtagttta 1080
ctaaaattgt ttttctacca tatcaaatta aacaattcat gcctttatag ggtcaggcct 1140
acaatgaata ggtatggtgg ttccacagaa ttttaaaata gagttaaagg gaagtgatgt 1200
acatttcggg ggcattaggg tagggagatg aatcaaaaaa tacccttagt aatgctttat 1260
attttaatac tgcaaaagct ttacaaatgg aaaccatgca attacctgcc ttagttcttt 1320
tgtcataaaa acaatcactt ggttggttgt attgtagcta ttacttatac agcaacattt 1380
cttcaattag cagtctagac attttataaa cagaaatctt ggaccaattg ataataattc 1440
tgactgtatt aatatttttag tgctataaaa tactatgtga atctcttaaa aatctgacat 1500
tttacagtct gtattagaca tactgttttt ataatgtttt acttctgcct taagatttag 1560
gtttttttaa tgtatttttg ccctgaatta agtggttaatt tgatggaaac tctgctttta 1620
aaatcatcat ttactggggt ctaataaatt aaaaattaaa cttgaaaaaa aaaaaaacga 1680

<210> 380

<211> 1267

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (214)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1165)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1255)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1262)

<223> n equals a,t,g, or c

<400> 380

```
aagnaagaaa accacaacta aaactggaaa tgtatatattt gtatatattga gaaaacaggg 60
aatacattgt attaataacca aagtgttttg tcattttaag aatctggaat gcttgctgta 120
atgtatatgg ctttactcaa gcaratctca tctcatgaca ggcagccacg tctcaacatg 180
ggtaagggggt gggggtggag gggaatgtgt gcancgtttt tacctaggca ccatcattta 240
atgtgacagt gttcartaaa caaatcagtt ggcaggcacc agaagaagaa tggattgtat 300
gtcaagattt tacttgcat tgagtagttt ttttcaatag taggtaattc cttagagata 360
cagtatacct ggcaattcac aaatagccat tgaacaaatg tgtgggtttt taaaaattat 420
atacatatat gagttgccta tatttgctat tcaaaatttt gtaaatatgc aaatcagctt 480
tataggttta ttacaagttt tttaggattc ttttggggaa gagtcataat tcttttgaaa 540
ataaccatga atacacttac agttaggatt tgtggtaagg tacctctcaa cattaccaa 600
atcatttctt tagagggaag gaataatcat tcaaatgaac tttaaaaaag caaatttcat 660
gcactgatta aaataggatt attttaarta caaaaggcat tttatatgaa ttataaactg 720
aagagcttaa agatagttac aaaatacaaa agttcaacct cttacaataa gctaaacgca 780
atgtcatttt taaaaagaag gacttagggg gtcgttttca catatgacaa tgttgcat 840
atgatgcagt ttcaagtacc aaaacgttga attgatgatg cagttttcat atatcgagat 900
gttcgctcgt gcagtactgt tggttaaatg acaatttatg tggattttgc atgtaataca 960
cagttagaca cagtaatttt atctaaatta cagtgcagtt tagttaatct attaatactg 1020
actcagtgtc tgcctttaa tataaatgak atgttgaaaa cttaaggaag caaatgctac 1080
atatatgcaa tataaaatag taatgtgatg ctgatgctgt taaccrragg gcagaataaa 1140
taagcaaaat gccaaaagg gtctnaattg aartgaaaat gtaattttgt ttttaaaata 1200
ttgtttatct tttatttagg ggggggtgggt aattattagt taagtttttt ttaanaaaaa 1260
anaaatt 1267
```

<210> 381

<211> 1031

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1015)

<223> n equals a,t,g, or c

<400> 381

```
ggtccaggat tctagcagtc ctggggcact gacctttgcc agctacctgg gggagggcctt 60
gccactggaa aacctttcag gccgccccca tcagtgggct ccaaagtaaa tggctgaaaa 120
caaaaatggt tcacttccta acagttttcc tttttccact gtgtgactga aagctcctat 180
atcattttat atttctgaat ctataaaaca aaacaaacaa gcctgamagt gtctggarga 240
rccaaagggt gcctccctgt ccccaaatat attggctata tgagagtaat tttacccctc 300
tacgtacctt aaggcaccca gtctactagt ctgtggggtc ctggagcctg tctcttcttt 360
ctggagggtt aaactgaata gcaataatta cgttacccaa agcatgtgga ggaaaagtga 420
aaccagccac ggagacgctg gccacgggc tcggcctgct gtgtggcctg ctttgctcac 480
cagcgtcagc cgctcatttc cttctcatga agtcccatct ggctcatggg acgagggccg 540
ggagggcacc gggtagcctt ttcacacttg gggattaggg gagtgaagaa agatttgggc 600
catgcatgca aagtcaaagt ttaaaatttt atccttttca aatagatgat ataataacc 660
tatacatgat ataatatgtg tatatatgaa atctctctat atttgtttaw tttgagccat 720
tcaatctaaa ccaatgtaca ggtgtacaat gaaaaattta aatgcttagt tatttttccc 780
aacacagtgt aaagtcaccc tcctctgaga gtgggatgtg cagagttttg atgttgacgc 840
tttgctcact tcctggcaag ggcagggtcat gcctcaattt gtaatgggag tctggggtaa 900
gggtgggggt tgaagttgt tatctttaa tacatgtaca aatcgttgct aaaagtaacg 960
ttattaaaat agatttatta tcctgaaaa aaaaaaaaa aaaaaaaaa aaancccg 1020
gggggggccc c                                     1031
```

<210> 382

<211> 1597

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1577)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1579)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1597)

<223> n equals a,t,g, or c

<400> 382

```
atcacgtgga cgctactcgc tatccccggc ctgttggtt cttccgcgct ggagtatcca 60
gataggcgac acgcccgrcg gccggctgagg cgggaatggc tgctgtactg cagcgcgtcg 120
agcggctgtc caatcgagtc gtgcgtgtgt tgggctgtaa cccgggtccc atgaccctcc 180
aaggcaccaa cacctaccta gtggggaccg gccccaggag aatcctcatt gacactggag 240
aaccagcaat tccagaatac atcagctgtt taaagcaggc tctaactgaa ttaacacag 300
```

```

caatccagga aattgtagtg actcactggc accgagatca ttctggaggc ataggagata 360
tttgtaaaaag catcaataat gacactacct attgcattaa aaaactccca cggaatcctc 420
agagagaaga aattatagga aatggagagc aacaatatgt ttatctgaaa gatggagatg 480
tgattaagac tgagggagcc actctaagag ttctatatac ccctggccac actgatgatc 540
acatggctct actcttagaa gaggaaaatg ctatcttttc tggagattgc atcctagggg 600
aaggaacaac ggtatttgaa gacctctatg attatatgaa ctctttaaaa gagttattga 660
aaatcaaagc tgatattata tatccaggac atggcccagt aattcataat gctgaagcta 720
aaattcaaca atacatttct cacagaaata ttcgagagca gcaaattctt acattatttc 780
gtgagaactt tgagaaatca tttacagtaa tggagcttgt aaaaattatt tacaagaata 840
ctcctgagaa tttacatgaa atggctaaac ataactctctt acttcatttg aaaaaactar 900
aaaaagaagg aaaaatatct agcaacacag atcctgacaa gaaatggaaa gctcatcttt 960
agtttcagat taaagaaagc tttgttttat tttgctttsa gagaatggta tgttttctta 1020
actataggtt attttataga gaataaaaa gtataaaaaca ttaaaaaataa ccctagatat 1080
actttaaaat aatgttatat ttatgctaaa atatgtaaat tacactatac aaccatatga 1140
taggttatct ctctaaccct gtcttctaac gttttaccaa aaattcataa tctaatagtt 1200
tatcagtttt caatagatta aataaaatga ttactttaaa aataataaaa tttatctaata 1260
ttaaagttga tattattttt ggccgttagt tatctattac tagtgatcag ttatactgtt 1320
ttctatagct actttattta acagcacaga tttctatgca cctttactct ttcctcaacc 1380
cttgtctcta tctgtacata attgctttgt cttgatgttt ctatcaacta tatcakgact 1440
atctattggg tccataactc tgtatcatgt gtattttctt attctggtat accacaaaatg 1500
attcatgcaa atgaattttt ggtgattgaa aaatattaaa ttcccaattt aaagtaaaaa 1560
aaaaaaaaa aaaaaangnc cccggggggg ggccggn 1597

```

<210> 383

<211> 175

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<400> 383

```

gtgagtgggtg actatgggca tcctgtgtat atcgtgcagg atggggcccc ccagagccct 60
ccaaacatct actacaaggt atgagggctc ctctnacgtg gctatcctga atccagccct 120
tcttgggggtg ctctccagt ttaaattcct ggtttraggg acamctstaa catct 175

```

<210> 384

<211> 2171

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2166)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2170)

<223> n equals a,t,g, or c

<400> 384

```
agaacaagag ctggacacat taaaaagaaa gagtccatca gatttgtgga aagaagactt 60
ggctacattt attgaagaat tggaggctgt tgaagccaag gaaaaacaag atgaacaagt 120
cggacttcct gggaaagtgg ggaaggccaa ggggaaaaaa acacaaatgg ctgaagtttt 180
gccttctccg cgtggtcaaa gagtcattcc acgaataacc atagaaatga aagcagaggc 240
agaaaaagaaa aataaaaaga aaattaagaa tgaaaatact gaaggaagcc ctcaagaaga 300
tgggtgtggaa ctagaaggcc taaaacaaag attagaaaag aaacagaaaa gagaaccagg 360
tacaaagaca aagaaacaaa ctacattggc atttaagcca atcaaaaaag gaaagaagag 420
aaatccctgg tctgattcag aatcagatag gagcagtgc gaaagtaatt ttgatgtccc 480
tccacgagaa acagagccac ggagagcagc aacaaaaaca aaattcacia tggatttggg 540
ttcagatgaa gatttctcag attttgatga aaaaactgat gatgaagatt ttgtcccac 600
agatgctagt ccacctaaga ccaaaacttc cccaaaactt agtaacaaag aactgaaacc 660
acagaaaagt gtcgtgtcag accttgaagc tgatgatgtt aagggcagtg taccactgtc 720
ttcaagccct cctgtacac atttcccaga tgaaactgaa attacaaacc cagtccctaa 780
aaagaatgtg acagtgaaga agacagcagc aaaaagtcag tcttccacct ccactaccgg 840
tgccaaaaaaa agggctgccc caaaagggaac taaaagggat ccagctttga attctggtgt 900
ctctcaaaaag cctgatcctg ccaaaaccaa gaatcgccgc aaaaggaagc catccacttc 960
tgatgattct gactctaatt ttgagaaaat tgtttcgaaa gcagtcacaa gcaagaaatc 1020
caaggggggag agtgatgact tccatatgga ctttgactca gctgtggctc ctcgggcaaa 1080
atctgtacgg gcaaagaaac ctataaagta cctggaagag tcagatgaag atgatctgtt 1140
ttaaaatgtg aggcgattat tttaagtaat tatcttacca agcccaagac tggtttttaa 1200
gttacctgaa gctcttaact tcctcccctc tgaatttagt ttggggaagg tgtttttagt 1260
acaagacatc aaagtgaagt aaagcccaag tgttctttag ctttttataa tactgtctaa 1320
atagtacca tctcatgggc attgttttct tctctgctt gtctgtgttt tgagtctgct 1380
ttcttttctc tttaaaacct gattttwaag ttcttctgaa ctgtagaaat agctatctga 1440
tcacttcagc gtaaagcagt gtgtttatta accatccact aagctaaaac tagagcagtt 1500
tgatttaaaa gtgtcactct tcctcctttt ctactttcag tagatatgag atagagcata 1560
attatctgtt ttatcttagt ttatacata atttaccatc agatagaact ttatggttct 1620
agtacagata ctctactaca ctcagcctct tatgtgccaa gtttttcttt aagcaatgag 1680
aaattgctca tgttcttcat cttctcaaat catcagaggc cgaagaaaaa cactttggct 1740
gtgtctataa cttgacacag tcaatagaat gaagaaaatt agagtagtta tgtgattatt 1800
tcagctcttg acctgtccc tctggctgcc tctgagtctg aatctcccaa agagagaaac 1860
caatttctaa gaggactgga ttgcagaaga ctcggggaca acatttgatc caagatctta 1920
aatgttatat tgataacat gctcagcaat gagctattag attcattttg ggaaatctcc 1980
ataatttcaa tttgtaaaact ttgttaagac ctgtctacat tgttatatgt gtgtgacttg 2040
agtaatgtta tcaacgtttt tgtaaatatt tactatgttt ttctattagc taaattccaa 2100
caattttgta ctttaataaa atgttctaaa cattgcaaaa aaaaaaaaaa aaaccccggg 2160
gggggncccn g 2171
```

<210> 385

<211> 2364

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<400> 385

```
ggtttcaccc ctgttgccna aggctggctc ccgaactcck tgacctcarg tgattcaccc 60
accgttggcc tcataaacct gttttgcaga actcatttat tcagcaaata tttattgagt 120
gcctaccaga tgccagtcac cgcacaaggc actgggtata tggatatccc aaacaagaga 180
cataatcccg gtccttaggt agtgctagtg tggctctgaa tatcttacta aggcctttgg 240
tatacgaccc agagataaca cgatgcgtat tttagttttg caaagaaggg gtttggtctc 300
tgtgccagct ctataattgt tttgctacga ttccactgaa actcttcgat caagctactt 360
tatgtaaatc acttcattgt tttaaaggaa taaacttgat tataattggtt ttttatttgg 420
cataactgtg attcttttgg gacaattact gtacacatta aggtgtatgt cagatattca 480
tattgaccca aatgtgtaat attccagttt tctctgcata agtaattaaa atatacttaa 540
aaattaatag ttttatctgg gtacaaataa acaggtgcct gaactagttc acagacaagg 600
aaacttctat gtaaaaatca ctatgatttc tgaattgcta tgtgaaacta cagatccttg 660
gaacactgtt taggtagggt gttaagactt acacagtacc tcgtttctac acagagaaag 720
aaatggccat acttcaggaa ctgcagtgtc tatgagggga tatttaggcc tcttgaattt 780
ttgatgtaga tgggcatttt tttaaaggtag tggtaattac ctttatgtga actttgaatg 840
gtttaacaaa agatttggtt ttgtagagat tttaaagggg gagaattcta gaaataaatg 900
ttacctaat attacagcct taaagataaa aatccttggt gaagtttttt aaaaaaaagc 960
taaattacat agacttaggc attaacatgt ttgtggaaga atatagcaga cgtatattgt 1020
atcatttgag tgaatgttcc caagtaggca ttctaggctc tatttaactg agtcacactg 1080
cataggaatt tagaacctaa cttttatagg ttatcaaaac tgttgtcacc attgcacaat 1140
tttgccttaa tatatacata gaaactttgt ggggcagtgt aagttacagt ttgcacaagt 1200
tcactctcatt tgtattccat tgattttttt tttcttctaa acattttttc ttcaaacagt 1260
atataacttt ttttagggga ttttttttta gacagcaaaa actatctgam gatttccatt 1320
tgtcaaaaag taatgrtttc ttgataattg tgtagtaatg ttttttagaa cccagcagtt 1380
accttaaaagc tgaatttata tttagtaact tctgtgttaa tactggatag catgaattct 1440
gcattgagaa cctgaatagc tgtcataaaa tgaaactttc tttctaaaaga aagataactca 1500
catgagttct tgaagaatag tcataactag attaatgatt gtgttttagt ttaatagttt 1560
gaagtgcctg tttgggataa tgataggtaa tttagatgaa tttaggggaa aaaagtattc 1620
tgcagawatg ttgagggcc atctctcccc ccacaccccc acagagctaa ctgggttaca 1680
gtgttttatc cgaaagtttc caattccact gtcttggtgt ttcatgttga aaatactttt 1740
gcatttttcc tttgagtgcc aatttcttac tagtactatt tcttaatgta acatgtttac 1800
ctggaatgta ttttaactat ttttgatatg tgtaaaactga aacatgcaca ttttgatcat 1860
tgtgtcttct tttgtgggac atatgcagtg tgatccagtt gttttccatc atttggttgc 1920
gctgcacctag gaatgttggg catatcaaac attaaaaatg accactcttt taattgaaat 1980
taacttttaa atgtttatag gagtatgtgc tgtgaagtga tctaaaattt gtaatatatt 2040
tgtcatgaac tgtactactc ctaattattg taatgtaata aaaatagtta cagtgactat 2100
gagtgtgtat ttattccatg aaatttgaaac tgtttgcccc gaaatggata tggaatactt 2160
tataagccat agacactata gtataccagt gaatctttta tgcagcttgt tagaagtatc 2220
ctttatttct aaaagggtgct gtggatatta tgtaaaggcg tgtttgctta aacttaaaac 2280
catatttaga agtagatgca aaacaaatct gcctttatga caaaaaata ggataacatt 2340
atttatattat ttctttttat caaa 2364
```

<210> 386

<211> 2864

<212> DNA

<213> Homo sapiens

<400> 386

```
gctaatagaga aagtggctct gcagaaagct ctgttatatt atgaaagcat tcatggacgg 60
ccggttaacaa agaacgaacg gcaggtgatg aagccactat acgacaggta ccggctggtc 120
aaacagatcc tctcccgagc taacaccata cccatcattg gttccccctc cagcaagcgg 180
```

```

agaagccctt tgctgcagcc aattatcgag ggcgaaactg cttccttctt caaggagata 240
aaggaagaag aggaggggtc agaagacgat agcaatgtga agccagactt catgggtcact 300
ctgaaaaccg atttcagtgc acgatgcttt ctggaycaat tcgaagatga cgctgatgga 360
tttatttccc caatggatga taaaatacca tcaaaatgca gccaggacac agggcttttca 420
aatmtccatg ctgcctcaat acctgaactc ctggaacacc tccaggaaat gagagaagaa 480
aagaaaagga ttcgaaagaa acttcgggat tttgaagaca actttttcag acagaatgga 540
agaaatgtcc agaaggaaga ccgcactcct atggctgaag aatacagtga atataagcac 600
ataaaggcga aactgaggct cctggagggtg ctcatcagca agagagacac tgattccaag 660
tccatgtgag gggcatggcc aagcacaggg ggcyggcagc tgcggtgaga gtttactgtc 720
cccagagaaa gtgcagctct ggaaaggcagc cttggggctg gccctgcaaa gcatgcagcc 780
cttctgcctc tagaccattt ggcatcggct cctgtttcca ttgcctgcct tagaaactgg 840
ctggaagaag acaatgtgac ctgacttagg cattttgtaa ttgaaagtc aagactgcag 900
tatgtgcaca tgcgcacgcg catgcacgca cacacacaca cagtagtgga gcttttctaa 960
cactagcaga gattaatcac tacattagac aacactcatc tacagagaat atacactgtt 1020
cttccctgga taactgagaa acaagagacc attctctgtc taactgtgat aaaaacaagc 1080
tcaggacttt attctataga gcaaaacttg cgtggagggc catgctctcc ttggaccagc 1140
ttaactgcaa acgtgcattg gagccctatt tgctgcccgt gccattctag tgacctttcc 1200
acagagctgc gccttcctca cgtgtgtgaa aggttttccc cttcagccct caggtagatg 1260
gaagctgcat ctgcccacga tggcagtgca gtcacatctc tcaggatgtt tcttcaggac 1320
ttcctcagct gacaaggaat tttggctcct gcctaggacc gggtcacctg cagaggacag 1380
agagatggta agcagctgta tgaatgctga ttttaaaacc aggtcatggg agaagagcct 1440
ggagattctt tcctgaacac tgactgcact taccagtctg attttatcgt caaacaccaa 1500
gccaggctag catgctcatg gcaatctgtt tggggctgtt ttgtgtggc actagccaaa 1560
cataaagggg cttaagtcag cctgcataca gaggatcggg gagagaaggg gcctgtgttc 1620
tcagcctcct gagtacttac cagagtttaa tttttttaa aaaaatctgc actaaaatcc 1680
ccaaactgac aggtaaatgt agccctcaga gctcagccca aggcagaatc taaatcacac 1740
tattttcgag atcatgtata aaaagaaaaa aaagaagtca tgctgtgtgg ccaattataa 1800
tttttttcaa agactttgtc aaaaaactgt ctatattaga cattttggag ggaccaggaa 1860
atgtaagaca ccaaactctc catctcttca gtgtgcctga tgtcacctca tgatttgctg 1920
ttactttttt aactcctgcg ccaaggacag tgggttctgt gtccaccttt gtgctttgcg 1980
aggccgagcc caggcatctg ctgcctgcc acggctgacc agagaagggtg cttcaggagc 2040
tctgccttag acgacgtgtt acagtatgaa cacacagcag aggcaccctc gtatgttttg 2100
aaagttgcct tctgaaaggg cacagtttta aggaaaaagaa aaagaatgta aaactatact 2160
gacccgtttt cagtttttaa gggctgtgag aaactggctg gtccaatggg atttacagca 2220
acattttcca ttgtgaagt gaggtagcag ctctcttctg tcagctgaat gttaaggatg 2280
gggaaaaaga atgcctttaa gtttgctctt aatcgtatgg aagcttgagc tatgtgttgg 2340
aagtgccttg gttttaatcc atacacaaag acggtacata atcctacagg tttaaatgta 2400
cataaaaaata tagtttgga ttctttgctc tactgtttac attgcagatt gctataattt 2460
caaggagtga gattataaat aaaatgatgc actttaggat gtttcttatt tttgaaatct 2520
gaacatgaat cattcacatg accaaaaatt gtgttttttt aaaaatacat gtctagtctg 2580
tcctttaata gctctcttaa ataagctatg atattaatca gatcattacc agttagcttt 2640
taaagcacat ttgtttaaga ctatgttttt ggaaaaaatc gctacagaat ttttttttaa 2700
gctacaaaata aatgagatgc tactaattgt tttggaatct gttgtttctg ccaaaggtaa 2760
attaactaaa gatttattca ggaatcccca tttgaatttg tatgattcaa taaaagaaaa 2820
caccaagtaa gttatataaa ataaaaaaaa aaaaaaaaaa tcga 2864

```

<210> 387

<211> 2683

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2649)

<223> n equals a,t,g, or c

<400> 387

```
acgccttccc cgaggtgtac gacaagatct gcaaggccgn cagactgags ctggagcccc 60
cctggagaga cagacacgtg tgagtggcca ggcattcttc ctccactcaa gcttggctgc 120
tttcctagat ccacactttc aaagagaaac ccctccagaa ctcccaccct gacagcccaa 180
caccaccttc ctccctggctt ccagggggca gccagtgga atggaaagaa tgtgggattt 240
ggagtcagac aagcctgagt ccagttcccc gtttagaact cattagctgt gtgactctgg 300
gtgagtcctt taacctctct gagcccggt ctcttcatta gttgaaagg atagtaatac 360
ctacttgca gtygtgtgca tctgagttga gcaactggca cattgaagg gctgggtaag 420
tggtagctct gtttgcttcc cgttcagcgt cacatctgca gtggagcctg aaaaggctcc 480
acattaggtc acctgtgcac agccatggct ggaatgatga aggggatacg ctggagttgc 540
cctgccatcg cctccatcag ccagacgagg tcctcacagg agaaggacag ctcttcccca 600
ccctgggac tcaggagggc agccacggag ggggaggccc cagatgcgct gtgccaaagc 660
caggtccgag gccaaagtcc tccctgccat ccttggtgcc gtccctgccc tctctcttc 720
atgcctgggc ctgcaggcac ccagccacc actgagtcca ctcgagtgcc cctgtgttcc 780
tggaagaagg attccagggt tgaatcttgt ccagcctca gcctgggaca cctaggtgga 840
gagagtggtc tccgctctga attggatcca ggggacctg gctcattctt cttggctcac 900
caacctgca gccctcatct tcccaaaac ccactttgtc ttggtgggag tgggtccgcg 960
ctgctctgca gcaggcggct ggggagtgga cagcatcagg tgggaaagt gagtccaccc 1020
tcatgtttct gtaggattct caccgtggg ctggaagaaa agagcatcga cttgatttct 1080
ccaaccactc atccctcttt ttctttcttc caccactccc caccacagct gtagttaatt 1140
tcagtgcctt acaaatccta agctcagaga aagttccatt tccgttccag aggggaaggga 1200
acctccctag gtccctccct ggcttggtat aacgcaaagc ttggttgttt atgcaactct 1260
atcttaagaa ctgcccagcc tcagctgaaa acccgatctt gagaaggaa tgctcatgt 1320
aagggaagct ggaattaagg gagctgagcc agtcatgggt gtggcgtgtg agtcaggaga 1380
cctaggtttc agccctctc tactgtcagc gagctgtgca acgtgggcaa gtcattgtcc 1440
tctgagctgc agtttctca tctgtcacat cgctacagac aagacctccc tggaaacctt 1500
ctgattgtct tagacactgt ggttgcaaaa ccacggaaa gcctcatttg tgtggaaagt 1560
cagaggaaaa atgatccagt ggacacttgg ggattatctg tcattcaaga tcttcccttc 1620
aaccccaagg ycagctccca tctcatttcc agaaaggctc atacctggct tgcagggaag 1680
catctgtctt gtcattccag gtgccagaat cctctcagag tcattgaagg gtgttcaccc 1740
atcccacca aggttgga cactgccagt gtcttagcag ggtcttgtga gggctggggg 1800
catccaggca ctcagaaggc aaaggaacca ccctacccat ttggcctctg gagggggcag 1860
aagaaagaaa gaaacctcat cctatatattt acaaaagcat tgaattctgg cattagctct 1920
cataggagac ccatgtgctt ccttgctcag tgcaaaactg atgattctac ttgctgtaga 1980
tgaatgggta acacgagcta gttaaacagt gccattgttt tgccagtga gcctccaacc 2040
ctaagccact gggacgggtg ccagagatgc cagcagcctc tgcgcctctt agtcatataa 2100
ccaaatcca gacctatcc acaaccggg gcttggaag gaaggtattt tggaatcaca 2160
ccctccggtt atgttgctcc agtaaaatct tgccggaaa gaggcagtct tcttagcatg 2220
gtgagctgag ttcattggctt tttttgtag ccagtcctgt ccctggccat ccatgtgatg 2280
gttttgatg gagttaaact tgatgccagt gggcagtgca tgtgaaagt atcagagtaa 2340
gsctctcccc tccagagccc tgagtttctt ggcgtcatga aggttttctt tagaatcaga 2400
```

```
attgtagcca gtttctttgg ccagaaggat gaataacttg atattactga aagggagggg 2460
tgagatggg tgtggcagtg tatggtgtgt gatttttatt ttcttctttg gtcattgggg 2520
ccaaggagaa aggcattgaat cttccctgtc aggcctcttac ascacaggca ctgtgtctac 2580
tgtctggaag acatgtcccc gtggtgtgtg ggccgctgct tctgtttaaa taaaagtggc 2640
ctggaarmna aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 2683
```

<210> 388

<211> 1446

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<400> 388

```
aagaactaaa acgactcact atagggaaaa actananacg cctgacagga aaccgggccg 60
gaattcccg gtcgaccac gcgtccgaar argaggtgga ggargaggg gatgttgata 120
gtgatgaaga agaggaggaa gatgaggaga gctcctcgga gggcttgag gctgaggact 180
gggccaggg agtagtgag gccggtggca gcttcggggc ttatggtgcc caggaggaa 240
cccagtggc tactctgcat ttcttgaaag gtggggagga ctctgattca gacagtgagg 300
aagaggacga tgaggaagag gatgatgaag atgaagacga cgatgatgat gaggaggatg 360
gtgatgaggt gcctgtaccc agctttgggg aggccatggc ttactttgcc atggcacaaga 420
ggtacctgac ctcttcccc attgatgacc gcgtgcagag ccacatcctc cacttggaac 480
acgatctggt tcatgtgacc aggaagaacc acgccaggca ggcgggagtt cgaggctctg 540
gacatcaaag ctgagtcact ggacctagct gtgccccaa cctagattgg cagcaccacc 600
ccagggcaga ggactctctg ggcacccgct gtgcatggag ccagagtga gagccccaga 660
tccttttagta atgcttcccc tggctctgca acaggcccg tccctcggc cgggcccggg 720
gctgaggtca gcctcactgc ctgcttattg cctctttctc agaatcctct ttctcccca 780
tttggccctg ggctcagggg accaggtggg gcgggtgggg agctgtccgg tgctaccaca 840
ccgtgccctc agtggaactaa ccacagcagc agccagggat gggccctgga gggtcccgcc 900
cggagagtgc ctctccctc tgccatccac gtcaggctct tgggtggggg accccaaagc 960
cattctggga agggctccag aagaaggtcc agcctaaggc ccctgcaagg ctggcagccc 1020
ccacccccac ccccgaggcc gccttgagaa gcacagttta actcactgcg ggctcctgag 1080
cctgctcttg cctgctttcc acctccccag tccctttctc tggccctgct catgtgactt 1140
tggcccttg tttctttcc agattggagg tttccaagag gccccccacc gtggaagtaa 1200
ccaaggcgc ttccttggtg gcagctgcag gcccctgccc tctctccct ctctggcagg 1260
gcccctcct gggcagaggg gcctggggct gggccagag tccagccgct cagctgctcc 1320
tttccaggtt tgatttcaat aaatctgtcc actcccttt tgtgggggtg aacgttttaa 1380
cagccaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1440
```

aaaaaa

1446

<210> 389

<211> 723

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (705)

<223> n equals a,t,g, or c

<400> 389

```
gggcaagacc tcatgcctaa aaaataaaga gaaagcagag taaaactgga ctctgagata 60
ygactaaaagt tctgtgtgat acgtgtgcct tatttagctc aagacattcc tggagcacct 120
ataaaaaactg acttgtaatc caggctatgt ctcttttttag cttcgtaatc tttggcaagg 180
ccattggatt cttcagctgt acaattagga gactcgatca ggtgattgcc tttctcagct 240
gtcagttctc taatttcagg cttggtagct tgtagggaact gaaattgcaa ttaaacctt 300
tataaactca aactaaatca tgaattacag aaaaagtcca ttcttccaaa acttgatgtt 360
accacactta caagtttaaa atatgaagtc gactgtttta aggattctgc atatattcta 420
gtgtgcacat tcagaaacat ttttcttgga aaaagtaccc aacatttttt ataactgcac 480
atattaattt attgccagaa taaattgcat tgcattgctaa ataaagtcag ataattcaaa 540
tccatttgct tttatgtagt ttttcttcta aatgtcaaca ttttgggaatt aaaatgttta 600
tggttttata tgagggtagg aaatcttaac tgctttgggg ggtattgttt ataggctttt 660
tgttatgggg ccggtagttt tttaataggg ggattgcccc ttcnaccgt ttggggggccc 720
ggg 723
```

<210> 390

<211> 1046

<212> DNA

<213> Homo sapiens

<400> 390

```
cgggtcgacc cagcgctccg gtccaccaca ggcaccgcag ctcatctacc aggaatatgt 60
gaaccagcca gatgttcggc ccagccccc ttcgccccga gagggccctc tgccctgtgc 120
ccgacctgct ggtgccactc tggaaagggc caagactctc tccccagga agaattgggt 180
cgtcaaagac gtttttgctt ttgggggtgc cgtggagaac cccgagtact tgacacccca 240
gggaggagct gcccctcagc cccaccctcc tctgccttc agcccagcct tcgacaacct 300
ctattactgg gaccaggacc caccagagcg gggggctcca cccagcacct tcaaagggac 360
acctacggca gagaacccag agtacctggg tctggacgtg ccagtgtgaa ccagaaggcc 420
aagtccgcag aagccctgat gtgtcctcag ggagcaggga aggcctgact tctgctggca 480
tcaagagggtg ggagggccct ccgaccactt ccaggggaac ctgccatgcc aggaacctgt 540
cctaaggaac cttccttcct gcttgagttc ccagatggct ggaaggggtc cagcctcggt 600
ggaagaggaa cagcactggg gagtctttgt ggattctgag gccctgcccc atgagactct 660
aggggtccagt ggatgccaca gccagcttg gccctttcct tccagatcct gggtagtgaa 720
agccttaggg aagctggcct gagaggggaa gcggccctaa gggagtgtct aagaacaaaa 780
gcgacccatt cagagactgt ccctgaaacc tagtactgcc ccccatgagg aaggaacagc 840
aatgggtgtca gttacccaggc tttgtacaga gtgcttttct gtttagtttt tacttttttt 900
gttttggttt tttaaagatg aaataaagac ccagggggag aatgggtgtt gtatggggag 960
gcaagtgtgg ggggtccttc tccacacca ctttgtccat ttgcaaatat attttgga 1020
acaaaaaaaa aaaaaaaaaa aaaaaa 1046
```

<210> 391
<211> 699
<212> DNA
<213> Homo sapiens

<400> 391
cggatggggc gtaggtgggc ggtgygccca cagctacctg ggtaaggccc aagatggctg 60
tcttcgcctt agtactcgtg tgaagttggc ggggacggtt cctgtcatct tcttgggctt 120
at ttggtgtg ctgttgaagg ggggagacta gagaaatggc agggaaacctc ttatccgggg 180
caggtaggcg cctgtgggac tgggtgcctc tggcgtgcag aagcttctct cttggtgtgc 240
ctagattgat cgggtataagg ctcactctcc cgcccccaa agtggttgat cgttggaaacg 300
agaaaagggc catgttcgga gtgtatgaca acatcgggat cctgggaaac ttgaaaagc 360
accccaaaga actgatcagg gggcccatat ggcttcgagg ttggaaaggg aatgaattgc 420
aacgttgtat ccgaaagagg aaaatggttg gaagtagaat gtctgctgat gacctgcaca 480
accttaataa acgcattccg tatctctaca aacactttaa ccgacatggg aagtttcgat 540
agaagagaaa gctgagaact tcggaaaagg ctcatctgtc accctggaga agggaaactg 600
tacttttccc tgtgaggaaa cggttttgta tttctctgt aataaaatgg ggcttctttg 660
gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aagtcgacc 699

<210> 392
<211> 1545
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (24)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (54)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (58)
<223> n equals a,t,g, or c

<400> 392
taccggtccg gaattcccgg gtcnnccac gcgtccgcgc actgccgccg ccgnttcngc 60
ccggactcgg acgcgtggta gccccaggat gggtaggttc aacgagaaga agacaacatg 120
tggcaccgtt tgccctcaagt acctgctgtt tacctacaat tgctgcttct ggctggctgg 180
cctggctgtc atggcagtgg gcatctggac gctggccctc aagagtgact acatcagcct 240
gctggcctca ggcacctacc tggccacagc ctacatcctg gtgggtggcgg gcactgtcgt 300

```
catggtgact ggggtcttgg gctgctgcgc caccttcaag gagcgtcgga acctgctgcg 360
cctgtacttc atcctgctcc tcatcatctt tctgctggag atcatcgctg gtatcctcgc 420
ctacgcctac taccagcagc tgaacacgga gctcaaggag aacctgaagg acaccatgac 480
caagcgctac caccagccgg gccatgaggc tgtgaccagc gctgtggacc agctgcagca 540
ggagttccac tgctgtggca gcaacaactc acaggactgg cgagacagtg agtggatccg 600
ctcacaggag gccggtggcc gtgtggtccc agacagctgc tgcaagacgg tgggtggctct 660
ttgtggacag cgagaccatg cctccaacat ctacaagggtg gagggcggtc gcatcaccaa 720
gttgagagacc ttcattccagg agcacctgag ggtcattggg gctgtgggga tcggcattgc 780
ctgtgtgcag gtctttggca tgatcttcac gtgctgcctg tacaggagtc tcaagctgga 840
gcactactga ccctgccttg ggccttgctg ctgctgcacc caactactga gctgagacca 900
ctgagtacca ggggctgggc tccctgatga caccaccctt gtgccatcac cataacctct 960
ggggacccca acctcagagg cagcttcaag tgccttttgc tgcgcaccaa tgcccagcag 1020
gggaggtgag ggggctggc ggggcgaagt ttggggggtg ttttgtggg ctccccggac 1080
atactctctg cctggtggtc agatgcaggt tggaaggggc cttgctgagt ggcgcaaggc 1140
cgagcgctcc cagcaggggg agaaaccctt cacaccccag gcccttcagg aactggggct 1200
ttgccttgca gccacatggc cccatcccag ttgggggaagc caggtgagct ctgaccttg 1260
ggcctgggcc tctgcccctc ccaaccacgc cgtcgtctcc ctgcagacgc cccctgctgt 1320
cttcccacc gcagtcacca ccaccgaaa tgccacgtgg tcaactgtgca ctgccctgtt 1380
catgtgcctc tgcggggcag ggccttcctg gttttgtaca ctgctgtacc cagatgccta 1440
caaccatccc tgccacatac aggtgctcaa taaacacttg tagagcagaa aaaaaaaaaa 1500
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 1545
```

<210> 393

<211> 749

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (490)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (748)

<223> n equals a,t,g, or c

<400> 393

```
gcttgagccc aggagtcttg ggctgttagt gcgctatgcc gatcgggtgt ccgcactaag 60
ttyggcatca atatggtgac ctcccgggag cggrggacca ccagggttgc taaggagggg 120
tgaaccggyc caggctcgaa acggagcagt tttccttgag cggagattca ggtttttcag 180
gtgggtcttg tgagctgggg tctttacaac ccctgccttg gctctgctga caaaaactcc 240
cgcaaaaggg ccctcgtag caaggtcccg ccgccacgag actttcacat caatctcttc 300
cgcatgcagc cctggctgag gcagcacctg ggggatgtcc tgaatttttt acccctctag 360
ccatggccac tgagccctct gctgccctgc cagaatctgc cgccccctca tcttctacct 420
ctgaatggcc acccttagac cctgtgatcc atcctctctc ctagctgagt aaatccgggt 480
ctctaggatn ccagaggcag cgcacacaag ctgggaaatc ctcaagggtc ctaccagcag 540
gactgcctcg ctgcccacc tcccgtcct tggcctgtcc ccagattcct tccctggttg 600
acttgactca tgcttgtttc actttcacat ggaatttccc agttatgaaa ttaataaaaa 660
tcaatggttt ccacaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 720
aaaaaaaaa aaaaaaaaaa aaaaaana 749
```

<210> 394
<211> 611
<212> DNA
<213> Homo sapiens

<400> 394
gcgcggcggc ggcggggtgg ctgggccggc ggcggcggcg gtacgaggcg cgcgctcggg 60
gtcccggtcg cgaggaggag gaggatgtgg cgcgcggagg ggaaatggct gccgaaaaca 120
agccggaaga gcgtttccca aagtgtattc tgcggaaacta gcacctactg tgttctcaac 180
accgtgccac ctatagaaga tgatcatggg aacagcaata gtagtcatgt aaaaatcttt 240
ttaccgaaaa agctgcttga atgtctgccg aaatgttcaa gtttaccaaa agagaggcac 300
cgctggaact ctaatgagag atcatgatgc agccgtcctt ttggatttct ttttaataat 360
gtgtgacctc tcacctttga tcccttgacc tgcattacct tggtaacctt ttcatttttt 420
aatttaattt cattttttta ttttggtgta caagctgtaa catttcatct ttcaaagtgt 480
aacacgctga tttcctcaaa tagagatacc cctttgagtg ataaatttgc aaaatgctgt 540
cttcattttc tgtattaaaa ttcatttcag ttttaaaata aagtgtaatc tgtgttttca 600
tccttttaaa a 611

<210> 395
<211> 1856
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1851)
<223> n equals a,t,g, or c

<400> 395
gttggcgcgc ggtgcgcggt gcgtagtctg gagctatggt ggtgggtggca gccgcgccga 60
accgcgccga cgggacccct aaagtctctg ttctgtcggg gcagcccgcc tccgcccgcg 120
gagcccggc cggccaggcc ctgccgctca tgggtccagc ccagagaggg gccagcccg 180
aggcagcgag cggggggctg ccccaggcgc gcaagcgaca gcgcctcacg cacctgagcc 240
ccgaggagaa ggcgctgagg aggaaactga aaaacagagt agcagctcag actgccagag 300
atcgaaagaa ggctcgaatg agtgagctgg aacagcaagt ggtagattta gaagaagaga 360
accaaaaact ttgctagaa aatcagcttt tacgagagaa aactcatggc cttgtagtgt 420
agaaccagga gttaagacag cgcttgggga tggatgccct ggttgctgaa gaggaggcgg 480
aagcaagggg aatgaagtga ggccagtggc cgggtctgct gagtccgcag cactcagact 540
acgtgcacct ctgcagcagg tgcaggccca gttgtcacc ctccagaaca tctccccatg 600
gattctggcg gtattgactc ttcagattca gagtctgata tctgttggtg cattctggac 660
aacttgagac cagtcattgt cttcaaactgc ccttccccag agcctgccag cctggaggag 720
ctcccagagg tctaccaga aggaccagt tccttaccag cctccctttc tctgtcagt 780
gggacgtcat cagccaagct ggaagccatt aatgaactaa ttcgttttga ccacatatat 840
accaagcccc tagtcttaga gataccctct gagacagaga gccaaagctaa tgtggtagt 900
aaaatcgagg aagcacctct cagccctca gagaatgatc accctgaatt cattgtctca 960
gtgaaggag aacctgtaga agatgacctc gttccggagc tgggtatctc aaatctgctt 1020
tcatccagcc actgccc aaa gccatcttcc tgcctactgg atgcttacag tgactgtgga 1080
tacgggggtt ccctttcccc attcagtgc atgtcctctc tgccttggtgt aaaccattct 1140
tgaggaggaca cttttgccaa tgaactcttt ccccagctga ttagtgtcta aggaatgatc 1200
caatactgtt gcccttttcc ttgactatta cactgcctgg aggatagcag agaagcctgt 1260


```
ctgtacttca ttcaaaaagc caaaatagag agtatacagt cctagagaat tcctctatTT 1320
gttcagatct catagatgac ccccaggtat tgtcttttga catccagcag tccaaggTat 1380
tgagacatat tactggaagt aagaaatatt actataattg agaactacag cttttaagat 1440
tgtactttta tcttaaaagg gtggtagttt tccctaaaat acttattatg taagggtcat 1500
tagacaaatg tcttgaagta gacatggaat ttatgaatgg ttctttatca tttctcttcc 1560
cccttttttg catcctggct tgccctccagt tttagggtcct ttagtttgct tctgtaagca 1620
acgggaacac ctgctgaggg ggctctttcc ctcatgtata cttcaagtaa gatcaagaat 1680
cttttgtgaa attatagaaa tttactatgt aaatgcttga tggaattttt tcctgctagt 1740
gtagcttctg aaagggtgctt tctccattta tttaaaacta cccatgcaat taaaaggTac 1800
aatgcaaaaa aaaaaaaaaa aaaaaaaacc gggggsgsgcc ccggaaccaa nttccc 1856
```

<210> 396

<211> 2651

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2642)

<223> n equals a,t,g, or c

<400> 396

```
gtcacgagcg agggggtgcg tgtgaggtca tcgcgcgggc gggcntncgg ggtctggcgg 60
tttgaacgag acgaagacgg aaccggagcc ggttgcgggc agtggacgcg gttctgccga 120
gagccgaaga tggcagtga cgtatactca acgtcagtga ccagtgataa cctaagtcga 180
catgacatgc tggcctggat caatgagtct ctgcagttga atctgacaaa gatcgaacag 240
ttgtgctcag gggctgcgta ttgtcagttt atggacatgc tggtccctgg ctccattgcc 300
ttgaagaaag tgaaattcca agctaagcta gaacacgagt acatccagaa cttcaaaata 360
ctacaagcag gttttaagag aatgggtggt gacaaaataa ttcctgtgga caaattagta 420
aaaggaaagt ttcaggacaa ttttgaattc gttcagtggt tcaagaagtt tttcgatgca 480
aactatgatg gaaaagacta tgacctgtg gctgccagac aaggTcaaga aactgcagtg 540
gctccttccc ttgttgctcc agctctgaat aaaccgaaga aacctctcac ttctagcagt 600
gcagctcccc agaggcccat ctcaacacag agaaccgctg cggctcctaa ggctggccct 660
ggTgtggtgc gaaagaaccc tggTgtgggc aacggagacg acgaggcagc tgagttgatg 720
cagcaggtca acgtattgaa acttactgtt gaagacttgg agaaagagag ggatttctac 780
ttcgaaagc tacggaacat tgaattgatt tgccaggaga acgaggggga aaacgaccct 840
gtattgcaga ggattgtaga cattctgtat gccacagatg aaggctttgt gatacctgat 900
gaagggggcc cacaggagga gcaagaagag tattaacagc ctggaccagc agagcaacat 960
cggaattctt cactccaaat catgtgctta actgtaaaat actccctttt gttatcctta 1020
gaggactcac tggtttcttt tcataagcaa aaagtacctc ttcttaaagt gcactttgca 1080
gacgtttcac tccttttcca ataagtttga gttaggagct tttaccttgt agcagagcag 1140
```

```
tattaacayc tagttggttc acctggaaaa cagagaggct gaccgtgggg ctcaccatgc 1200
ggatgcgggt cactactgaat gctggagaga tggttatgtaa tatgctgagg tggcgacctc 1260
agtggagaaa tgtaaagact gaattgaatt ttaagctaat gtgaaatcag agaattgttg 1320
aataagtaaa tgccttaaga gtatttaaaa tatgcttcca catttcaaaa tataaaatgt 1380
aacatgacaa gagattttgc gtttgacatt gtgtctggga aggaagggcc agaccttgga 1440
acctttggaa cctgctgtca acaggtctta cagggtctgt tgaacctca taggcctagg 1500
ctttggtcta aaaggaacat ttaaaaagtt gccctgtaaa gttatttggg gtcattgacc 1560
aattgcatcc cagctaaaaa gcaagaggca tcgttgccctg gataatagag gatgtgtttc 1620
agccctgaga tggtacagtt gaagagcttg gttttcattg agcattttctc tatttttcca 1680
gttatccccg aaatttctat gtattatatt ttttgggaa gtgaggtgtg cccagttttt 1740
taatctaaca actacttttg gggacttgcc cacatctctg ggatttgaat ggggattgta 1800
tcccatttta ctgtctttta ggtttacatt taccacgttt ctcttctctg ctccccttgc 1860
ccactgggga ctctcttttg gctccttgaa gtttgctgct tagagttgga agtgcagcag 1920
gcaggtgatc atgctgcaag ttctttcttg accctctggc aagggagtgg tcagtgaagg 1980
ccatcgttac cttgggatct gccaggctgg ggtgttttcg gtatctgctg ttcacagctc 2040
tccactgtaa tccgaatact ttgccagtgc actaatctct ttggagataa aattcattag 2100
tgtgttacta aatgttaatt ttcttttgcg gaaaatacag taccgtgtct gaattaatta 2160
ttaatattta aaatacttca ttctttaact ctccctcatt tgctttgccc acagcctatt 2220
cagttccctt gtttggcagg attctgcaaa atgtgtctca cccactactg agattgttca 2280
gccctgatg tatttgtatt gatttgtttc tgggtgtagc ttgtcctgaa atgtgtgtag 2340
aaagcaagta ttttatgata aaaatgttgt gtagtgcag ctctgtgtgg aattcagagg 2400
aaaaccaga ttcagtgatt aacaatgcca aaaaatgcaa gtaactagcc attgttcaaa 2460
tgacagtggg gctatttctc ttttgtggcc ttttagactt ttgttgccct aaaattccat 2520
tttattggga acccattttc cacctggtct ttcttgacag ggtttttttc tactttaaac 2580
agtttctaaa taaaattctg tatttcaaga gtaaaaaaaa aaaaaaaggg gggccsccca 2640
angggaccca a 2651
```

<210> 397

<211> 2507

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2489)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2496)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2504)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2505)

<223> n equals a,t,g, or c

<400> 397

```
ggctgcccga ctggctgtgg aaatgaaaac tgatctcttg attgttcttt cagatgtaga 60
aggccttttt gacagccccc caggttcaga tgatgcaaag cttattgata tattttatcc 120
cggagatcag cagtctgtga catttggaac caagtctaga gtkggaatgg gtggcatgga 180
agccaagggtg aaagcagccc tctgggcttt gcaaggtggc acttctgtwg twattgcaa 240
tggaaccac ccaaagggtg ctgggcacgt catcacagac attgtggagg ggaagaaagt 300
tggtaccttc ttttcagaag taaagcctgc aggcctact gttgagcagc agggagaaat 360
ggcgcgatct ggaggaagga tgttgccac cttggaacct gagcagagag cagaaattat 420
ccatcatctg gctgatctgt tgacggacca gcgtgatgag atcctgttag ccaacaaaaa 480
agacttgag gaggcagagg ggagacttgc agctcctctg ctgaaacgtt taagcctctc 540
cacatccaaa ttgaacagcc tgccatcgg tctgcgacag atcgcagcct cctcccagga 600
cagcgtggga cgtgttttgc gccgcacccg aatcgccaaa aacttggaac tggaacaagt 660
gactgtccca attggagttc tgctggtgat ctttgaatct cgtcctgact gtctacccca 720
ggtggcagct ttggctatcg caagtggcaa tggcttgta ctcaaaggag ggaaggaggc 780
tgcacacagc aaccggattc tccacctcct gaccagggag gctctctcaa tccatggagt 840
caaggaggcc gtgcaactgg tgaataccag agaagaagt gaagatcttt gccgcctaga 900
caaatgata gatctgatca ttccacgtgg ctcttcccag ctggtcagag acatccagaa 960
agctgctaag gggattccag tgatggggca cagcgaagg atctgtgcac atgtatgtgg 1020
attccgaggc cagtgttgat aaggtcacca ggctagtcag agactctaaa tgtgaatatc 1080
cagctgcctg taatgctttg gagactttgt taatccaccg ggatctgctc aggacaccat 1140
tatttgacca gatcattgat atgctgagag tggaacagg aaaaattcat gcaggcccca 1200
aatttgcctc ctatctgacc ttcagcccct ccgaagtga gtcactccga actgagtatg 1260
gggacctgga attatgcatt gaagtagtgg acaacgttca ggatgccatt gaccacatcc 1320
acaagtatgg cagctcccac acgatgttca tgcctcacaga ggacgaaaac acagcggagt 1380
tcttcctgca gcacgtagac agtgccctgt tgttctggaa tgccagcact cgcttttctg 1440
atggttaccg ctttgactg ggagctgaag tgggaatcag tacatcgaga atccacgccc 1500
ggggaccagt aggacttgag ggactgctta ctactaagtg gctgctgcga gggaaggacc 1560
acgtggctc agatttctca gagcatggaa gtttaaaata tcttcatgag aacctcccta 1620
ttcctcagag aaacaccaac tgaaaagagc caggaaaacc cgggaatttt ccaaagggtc 1680
ttcacgttaa acttgtctta ttcaggaga gagcccgctc ttgtctccca gttcctggta 1740
gggtctgcct gttgaaagt gtacctggat gcttctgggc tccgtttggc aatagcartc 1800
ttggctgatg tgcacagtct ggctccagc tcacctttt tttttaaagt aagaaaatag 1860
ttgctaccga tagggacttt gccaaagtcca attatcttct aggattgaaa ggtgcatttt 1920
ccccataaaa aaggcgagga aaacccatgg ctgctttgtg tcacctcagt gacttacagt 1980
cccccttggc atttagttgg tactagagcc agtcacctt aacaaatctt ttcacatttt 2040
atttctttca catgtagtca tcttcaaaaa ggaaagattt ggaatttttag aaaaggggca 2100
actcttcttt ttagcattct catcagaaag tcacaaaaat cgatggaatc atttccactg 2160
ggaagattga cttttgtat ttatttgtgg ggtaaatata taagcattcc agatgcttgc 2220
agcttcctgc atccaggaga tgctgtgttc ccctgatgc agctggaacc caagctgcag 2280
caggagatgc aagtttcagg atgttcccca ctgagctgga ggaatatcta cagcagtgat 2340
gcttgaaatt tttgtatgaa ttattttgtc gtcctacctt tttctccaa aacaaaaatt 2400
agaggattat tttataactt tggattcttc cccctttttt gagaataaaa gttttttatg 2460
aaaagccaaa aaaaaaaaaa aaaaagggng ggcggnctag aggnncc 2507
```

<210> 398

<211> 1273

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature
<222> (1227)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1229)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1252)
<223> n equals a,t,g, or c

<400> 398
ggcacgagtg gagtagctgg gattacagat ttccagaagc tgttctgtca ataacaaagt 60
ctcaragaaa accacaaaac caccaacact aagatcattc ttgagtccaa tttgaaaaac 120
tagggtcaag ttctgcagag gcattgaaag gacaagaaac caccctgata cccatcgtgt 180
gagggaaaat gctctattca ccattcctca gcttctgctt ctggtttcag agttctctct 240
atattggagg gtgtttttaa gctagagtgg tctttatcca cttttattaa cacatctgaa 300
tgtgaaggtc aagagaggaa agtgatatgt cctaagtcag agtagagtca acaagaaaat 360
aagacaaaca gcgactgagc ccctgggtgta tactgggcat tggccagcta ctggggatat 420
ggagatgaag aaaacataac ccttcttcaa ggagcccaac ctaccaaggt agacagacat 480
atagacaaat agatacttgc atagaaaaaa agaggaaaaa gggatcagtg tgacctgtgt 540
aactaagtac cctataaacc ctccctgcaac agatcatatt gccctttata gtggggatgg 600
taatcccatc tgaattccac aggtactttg cagtcatacc acacccatgt gtctgtcggg 660
cctgactgta ccattttataa acagcttcac ttccagcagt tctcagccct ctttagctag 720
ggtcattgtc agtagggata ctgcttcata agcaccagca gaacaccaa ggagaccata 780
tgggtgaaag caaccagcac tgccctggcg ctccataggt tcttagagtt tttatctttt 840
actttcagtc taacacagca ctgcctgctt tttgtttttg ttgcttggtt tgtttttttc 900
ttaccgtggt caccaaactt gtgtccaaat agctttgggc tgatgcaaaa atatctatgt 960
ggaagagaag agttgttctc atggagggcc ttcatagag tgctatagac tctctaggca 1020
actccaagag gcttctcaag cagggtgggc agtgagagct gctatggaat caatggacaa 1080
actgacaggg actgctttga aagacagtac tcagttgagt atatatattc tctcttaagg 1140
gctaaaagtt tataatcatc ccttaaacac tctgtgatgg gatcttcagg atcatctttt 1200
gaagtaaaact atattttaca atgtganana aaaaaaaaaa aaaaaaaat tntgcggtc 1260
cgcaagggaa ttc 1273

<210> 399
<211> 3774
<212> DNA
<213> Homo sapiens

<400> 399
gacgcaaaga gtcgcggcgc catttgctgc cgccgagcgt ggacgcaggc ggatctctga 60
agagctgggt cgccagcctc tcccgcgcac gttgcctggc ctccagcacc tacttgggtc 120
cgcgcgctcc ctgctgtcgc cctcggagc agcagccgcc gcggtcgccg ctaccgggaa 180
agaaagtcaga gacgccgcga ggtcgccgcc accgccatgc ccaagaataa aggtaaaagg 240
ggtaaaaaa gacgcagggg taagaatgag aatgaatctg aaaaaagaga actggtattc 300
aaagaggatg gtcaggagta tgctcaggta atcaaaatgt tgggaaatgg acggctagaa 360
gcaatgtggt tcgatgggtg aaagagggtta tgccacatca gaggaaaatt gagaaaaaag 420

```

gtttggataa atacctcgga cattatTTTT gttgggtctcc gagactacca ggataacaaa 480
gctgatgtaa ttttaaaata caatgcagac gaagctagaa gtctgaaggc atacggcgag 540
cttccagagc atgctaaaaat caatgaaact gatacatttg gtcttgagaga tgatgatgaa 600
attcagtttg atgacatttg agatgatgat gaagatattg atgacatcta aattgaactc 660
aacattttac attccatctt ttctgaagat tgtcctacaa tttggatttt gatcatgaca 720
aagaagatta aaatttcatt agcatgaatg caatttgtaa aagcagactg atttgtttct 780
aagatatttt tgggtttttt aaaactgata ataatgctga attatcttaa gtgagatgtt 840
aagccactt tgttctttta atgtaatgga gcttatgggt agaagacat gtctactaat 900
tacaaaaaaa aaaaaaacc atgcattgct gcttttccca ccacttccag taagaaaatg 960
ggtgttttga agaaatcatt tgccttgtcc tcacggaatc tgattaagcc ctggcctctt 1020
gattgtatag agtcattgtg tatattccag ttacctagat attcccttga gatttttgata 1080
caatttgagg gaggcagaag tctgcakttg aagaaaaaaa ataagtctgt ttgtcatatt 1140
taagtagcct gtggtatttt ttatactgat tttgatatca tgttcttttc atagtcgtat 1200
tttgccaccg taaacataaa aaaaaaaaaa aagatttcca aaatgccgtt ttcagaacct 1260
gggtttttaa agcagtattg aatttgtaag cttagttagt gcagaaattg aacactaggt 1320
ggcactcagt tatcttaaca ggggaagtac tgatacaatt gttgactttt cttttactat 1380
gtgtaagaaa taccocaaac atgaaaagat tgttttgatc atatgcatgt atgtagaata 1440
tttttgcaga gcagaaagat tatgttagaa gtgtgatttt tattttcaga agtcatatac 1500
atgtaagcta caattttgag tgcctttataa acacttaaga tatatatata aattttaatt 1560
tcatagcaac ttgtaaaaaa taaaatactt gttgaaaagc ctttttcaac atatccctaa 1620
gctaagggaa gaggaaggaa taacaactca gtgaaaagat ggtctccagt ttctgaatga 1680
aaaagctaca gctgagaaat aaaataaaat gtcagtctgc agaatatgtt atacccttat 1740
tttgtgttaa ggatatattt tattatgtga atgggtttgt ttttgttttt tgtttttgtt 1800
ttttgcttgt attgggaatt agctttactg gtaacttcct tatttagttt ttagtggcca 1860
actctaataa aatgaaacta gggctgagct agttagccct cactagccaa actgaaactc 1920
tatgcaacat taaaagaaga gatccatcat gtagcttgtg acacttttat tttattagtc 1980
accggggaac ttttcagtga tgaaaataca cagggttaata aaccttcaca tggcttcaaa 2040
aggaaaacaa gcaaatcttc tctaactctac tcttactata atttcctaag tgtacaccaa 2100
actctggatt taaaaatctg aagtactata gaacattaag ttgaagaatg gaaattaaag 2160
gtacgtattc atggtttata tttcttattc tatggagtgc gtgaacacat ctagggtgaa 2220
tgcatctgag actaagggct ggtttttaat cctcataaga aaccagcctt gaagaattaa 2280
caattctctt cattgggtatt ctaaacctcc taagatatatt aggcctctgt acataaaagt 2340
gtttttgcta aatttacagt atatatagat cctttcatat tattttacta agaattgttg 2400
aactttgcat atttgatata gttcctggta ggaatagcac agctcaaaca ttagtttttc 2460
tacttacctc ctctaacacg tgggttgtct ggagagtctt taaaaattca gctataacct 2520
cagttcatgt atttactggg gattgttctt gctgaggtag taacagccca atcttgggct 2580
gttaaatcct aggaaatctc gaatcatagt gattaaaata gttggggtaa agttgtagct 2640
tatatgcaat actacttgga ggaattcttc tactaatttg tatttaattg ggaaattgta 2700
tagtttcatt gatttaatca taaataatgg aaatgggtct caagaagttt tatttttcat 2760
ttttttgctt atacactctg attcctataa tacagtgcta taagctatgc acagaaaaata 2820
aaatgtttga aatccaagaa taatggttct tactgctaag agggagtaat agttattact 2880
aatgattttg attgggttgc atttttgttg caatgtttat tccacttgca gttagaatat 2940
gaatatgttt tatcactagt gtggctaaat aaccaaacat ttgtgtaaaa aaaaaaaaaa 3000
gccaaagatt cattgtttgt tgaatatctt ttaagcatct ggccccctaa gagaccgctt 3060
cttaccaagc ctgtaaacta tgcagtatgg aaattcttgt attttattta ggaatggctg 3120
ttggtttact caccacatct gtggaatcat ggctataaat gtttgcttac aaactctttg 3180
tgacttgtaa tttaacttaa tctcatctaa gttaaatatt agattatgat gttcagtaac 3240
atcttcataa ggtataaact gctgtcatta ttgatttcag agtaactctg agtaaatcaaa 3300
taggtaaaag catgttttga gtaaaatagc tagatttata ctttacttgt atacagactt 3360
aacaacaacc ggtattgact ggattgacag ctaaagtatc agaataagaa caagggtttt 3420
ttgatgttac ctgactgtca taaagatgaa ratgatttgt atkggtatga matgcttatc 3480

```

```

tttatctack tcgtaagggt arggtaatta acgctgtgac tccacgaact tgccactgca 3540
tgggtgtttgg ttccctacat caccctttac ttcgctttct ctatctgaaa gcgaaggaaac 3600
gcagcctccg taatgcagca attggaggat ggggtcgcct taccagctc cagggggtgg 3660
gacattggcg agatgtgggt cccgttgccg ccggcaggac tgttctgcac tagggacacc 3720
catgggattt aatggccaca gaaagctcct tggagaacg accgggcccg tttt 3774

```

<210> 400

<211> 1522

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (479)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1481)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1487)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1508)

<223> n equals a,t,g, or c

<400> 400

```

gcgccgctgt cttttcagtc sgcgctgagt ggtttttcgg atcatgtctg gtggctccgc 60
ggattataac agagaacatg gcggcccaga gggaatggac cccgatgggtg tcatcgagag 120
caactggaat gagattgttg ataactttga tgatatgaat ttaaaggagt ctctccttcg 180
tggcatctat gcttacggtt ttgagaagcc ttccgctatt cagcagagag ctattattcc 240
ctgtattaaa gatccaaaag gtaattcttg cacttggaga ctatatggga gccacttgctc 300
atgcctgcat tggtggaaca aatgttcgaa atgaaatgca aaaactgcag gctgaagcac 360
cacatattgt tgttggtaca ccggggagag tgtttgatat gttaaacaga agataccttt 420
ctccaaaatg gatcaaaatg tttgttttgg atgaagcaga tgaaatgttg agccgtggnt 480
tttaaggatc maatctatga gattttccaa aaactaaaca caagtattca gggtgtgttg 540

```

```
ctttctgcc caatgccaac tgatgtgttg gaagtgacca aaaaattcat gagagatcca 600
attcgaattc tggtgaaaaa ggaagaattg acccttgaag gaatcaaaca gttttatatt 660
aatgttgaga gagaggaatg gaagttggat acactttgtg acttgtacga gacactgacc 720
attacacagg ctgttatttt tctcaatacg aggcgcaagg tggactggct gactgagaag 780
atgcattgcca gagacttcac agtttctgct ctgcatgggtg acatggacca gaaggagaga 840
gatgttatca tgagggaatt ccggtcaggg tcaagtcgtg ttctgatcac tactgacttg 900
ttggctcgcg ggattgatgt gcaacaagtg tctttgggta taaattatga tctacctacc 960
aatcgtgaaa actatattca cagaattggc agaggggggc gatttgggag gaaagggtgtg 1020
gctataaaact ttgttactga agaagacaag aggattcttc gtgacattga gactttctac 1080
aatactacag tggaggagat gcccatgaat gtggctgacc ttatttaatt cctgggatga 1140
gagttttgga tgcagtgttc gctgttctg aataggcgat cacaacgtgc attgtgtctc 1200
tttctttggg aatatttgaa tcttgtctca atgctcataa cggatcagaa atacagattt 1260
tgatagcaaa gcgacgttag tcgtgagctc ttgtgaggaa agtcattggc tttatcctct 1320
ttagagttag actgttgggg tgggtataaa agatgggggc tgtaaaatct ttytttctta 1380
gaaatttatt tcctagttct gtagaaatgg ttgtattaga tgttctctat catttaataa 1440
tatacttggt gactaaaaga tataagtgt ntataaaatc nggccnatt atgtttaaat 1500
ntcagatnac ccttaatcaa at 1522
```

<210> 401

<211> 1370

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1223)

<223> n equals a,t,g, or c

<400> 401

```
agcccttccct gccccagctg cagaccactt tcaccaaagc cctgcaggac tccaaccggg 60
gggtgcgcct gaaggcgag atgctctggg gaagctcatt tccatccaca ttaagggtga 120
ccccctcttc acagagctgc tcaatggcat ccgcgccatg gaggaccag gtgtcaggga 180
cacattcttc caggccctga ggtttgtgat tcagggaagc ggggccaaag tggatgccgt 240
catccgga aaacatcgtct cactcctgct gagcatgctg ggacacgatg aggacaacac 300
tcgcatctcc tcagccgggt gcctagggga actgtgtgcc tttttgactg aagaggagct 360
tagtgccgtt ctacagcagt gcttctggc ggacgtgtcc ggcattgact ggatgggttcg 420
gcacggggcg agctggcact ttccgtggct gtgaatgtgg ctctggcag actttgtgcc 480
ggcagatata gcagtgatgt tcaggaaatg atcctgagca gtgccacggc ggacaggatc 540
cccattgcgg tgagcggggc ccggggcatg ggctttctca tgagacacca catcgagaca 600
ggcggagggg agttgccggc caaactttcc agcctgttcg ttaagtgtct gcagaaccca 660
tccagcgaca tcaggctggg ggctgagaag atgatctggt gggcaataa ggaccactg 720
cctcccctg agccccaggc catcaagccc atcctgaagg ctcttcttga caacaccaag 780
gataagaaca ccgtggtcag ggcctacagc gaccaggcaa ttgtcaacct cctcaagatg 840
cggcagggtg aagagggtt tcagtccctc tccaagatcc tggatgtggc cagtttggag 900
gtgctgaacg aggttaaccg aagtccctga agaagctggc cagccaggcc gactccacgg 960
agcagggtga cgacaccatc ctgacatgag aggcctgggc cagcagcagc attgccgctc 1020
cacatctttt ctcaatgttt tcatttttga aaatacatct gttccaatgg ggagcttga 1080
agatggcggt cccagaaaat attttaatat caatagacca cagccaaagc cttaaatcaa 1140
accacacac aactgaaaat tgctctctcc atctctcacc ttttctgtg gagaagagaa 1200
ggaaaagcac acgcatgcgc ctncagcaaa ttggcagcca ggagctgttt gtccakttta 1260
ggcatggcta ggtctgggaa ctattaatag gcagggtcag aytktggggg tcctcttctc 1320
```

ctgtgcttga gctctggttt gagagctggc gctaccaacc tttttcctat 1370

<210> 402

<211> 1412

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (51)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1406)

<223> n equals a,t,g, or c

<400> 402

ttatataaag atctatcaag gtgaagaatt accacatccc aaatccatgt nacaggccac 60
agcagaagct aacaatttag cagccgtggc aactgccaaag gacacataca acaaaaaaat 120
ggaagagatt tgtggtggtg acaaaccatt tctggcccca aatgacttgc agaccaaaaca 180
cctgcaactt aaggaagaat ctgtgaagct attccraggg gtgaagaaga tgggtgggga 240
agaatttagc cggcgttacc tgcagcagtt ggagagtga atagatgaac ttacatcca 300
atatatcaag cacaatgata gcaaaaatat cttccatgca gctcgtacc cagccacact 360
gtttgtagtc atctttatca catatgtgat tgctggtgtg actggattca ttggtttgga 420
catcatagct agcctatgca atatgataat gggactgacc cttatcacc tgtgcacttg 480
ggcatatatc cggctactctg gagaataccg agagctggga gctgtaatag accaggtggc 540
tgagctctg tgggaccagg ctttgtacaa gctttacagt gcagcagcaa cccacagaca 600
tctgtatcat caagctttcc ctacaccaa gtcggaatct actgaacaat cagaaaagaa 660
aaaaatgtaa tgcaaatttt aagaaataca ggtgcatgac caattgtcaa ttaaatattc 720
agttttatgt ctccatgcaa acattcaaag tgcttccatc agaacggagt aaaatactaa 780
acacctctga agactgcaa ctggattagt tcttttactt cagtgtttaa taagcagatg 840
tatgtatgca tgggtatact attttgtaa catgtacaat ttcctgattt ttcttcaaaa 900
atgctgttat aaagtatttg tctatttatg ataacagtac acgtgttctg cttgaattta 960
ctaaattcta ctactgggtt ataattaaat catgtgatat tccacgtttg gatatgctca 1020
tttaatttct acagaaaaaa ttttaaatata tttcacatta gccatttggt aaaacacagc 1080
atcataactc agcaggctgg atttaactctg tatcatctta tatatatcac aatcttattt 1140
ttaagcacat ttagagtgc cttagtgtct ttatcaaaaa ccagatattg cttttacatg 1200
gtttaataga atataaacct cttgataaaa aatgcacaaa aaatcacttt gtatatgtga 1260
gtttcactgc attgtatatt ttttcatttg gtacacaaa aatgtattct tcatagggtt 1320
attcttttaa tatgtgaact attattaaag tttactctgg ttcctaagat taaaaamaaa 1380
aaaaaaaaaa aaaaaaaaaa aaaaanaaaa aa 1412

<210> 403

<211> 1750

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<400> 403

tngtgctcca ccgcggtgga ggaccgctcc tagcaactan tggntcccc gggcctgtca 60
ggaattcggc cagtgggcat ggcgactttt tctggcccg cttggcnaat cctgtcgctt 120
aatccgcaga agatgtcgag tttcaaaagg aggtggcgca ggttcgcaag cgcataaccc 180
agcgaaaaaa acaagaacaa cttactcctg gagtagtcta tgtgcgccac ctacctaacc 240
tacttgacga aaccagatc ttttcatatt tctcccagtt tggcactgtg acacggttca 300
ggctgtccag aagtaaaagg actggaaata gcaaaggcta tgcatttgtg gagtttgagt 360
ctgaggatgt tgccaaaata gttgctgaaa caatgaacaa ctacctgttt ggtgaaagac 420
tcttgagtg tcattttatg ccacctgaaa aagtacataa agaactcttt aaagactgga 480
atattccatt taagcagcca tcatatccat cagtgaacg gtataatcgg aatcggacac 540
taacacaaaa gctacggatg gaggagcgat ttaaaaaaga agaaagatta ctcaggaaga 600
aattagctaa aaaaggaatt gactatgatt ttccttcttt gattttacag aaaacggaaa 660
gtatttcaaa aactaatcgt cagacgtcta caaaaggcca ggttttacgt aagaagaaga 720
aaaaagtttc aggtactctt gacactcctg agaagactgt ggatagccag ggccccacac 780
cagtttgtag accaacattt ttggagaggg gaaaatctca agtggtgaa ctgaatgatg 840
atgataaaga tgatgaaata gttttcaaac agcccatatc ctgtgtaaaa gaagaaatac 900
aagagactca aacacctaca cattcacgga aaaaaagacg aagaagcagc aatcagtgat 960
tttcaatgta ttatatttct tttgaaaaat ataataatatt tatgagagt gactttgtat 1020
ttcactaggt acaatggaat acaacctttg acaagatttt cagaggaaaa atacactgtt 1080
tgggtcaagtt aaggaaagca gtgtgtaatt ttggattgcc tgccttggc tgaaatacag 1140
gggtgcatac cagcttgagc tggcttggct gacattgcct ctttgcctg gcctctagtt 1200
ttcttttgat atttcatagc tctccttagt ttactctgcc tggatagaaa gttgaccact 1260
aactgcaggt ttaagtacta aaytgcagcc ttttctgtcg ccagcaatta aagaccacca 1320
atcttgtttg tccatctaca tggtttgcg gggacattta actcatggag gtgctttaga 1380
tttcaacatc agatggttga agctggaagt ttaattatat gtagagtga aaggcagttc 1440
cagtttgtag acagatttgt ttatgtgttc agattttaat agagattcaa aaatgactca 1500
tttttaccaa taatgttaaa ttagttttg ttgtgctagc atgaattaat aaccaccatt 1560
ttataccagt atcatcagtg aagaattgta tttcaagatt caaacaataa ccagcaatta 1620
aacttttttc tacaatgtat ttgtttgcga gtaggacttg ggagtcattg ggaaaaaaa 1680

ataataaatt ttccccttca ttaacgaatt cagactcatt aaaaacattg ccatcagaaa 1740
aaaaataaaa 1750

<210> 404
<211> 1339
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (150)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1330)
<223> n equals a,t,g, or c

<400> 404
atttcaggga aatgaagatg gaatttgaag gtcactttta aaattaagtc attgatgctg 60
ctgttacaga gtgtgacaga ggatccatgt ctgtgacaca ggacggtggg aagcctgaga 120
gagagtgaat ttatgtgata cactgaaatn acttttgttt ttcttctaac tcatacaaaa 180
ctggttttga aagtctttgc tttggaagcg tcagacatta gaacaggcca aactggactg 240
tctgttcata gcgtgcctga ataagaaggc ctcttaggga gccagaggga gcagagtggg 300
cgtgtcctgc gtgctcttca ccctctgggg cgcccctgct gcggctggca ggtgcagaca 360
gcctttgctg gtccccagca cgtccagggt ggggtgctccc ttgcccagca gaaccatccc 420
cactgtgagg ctgtgagaga tttgtggcag gaactgttta tgaggctcta gttgttgctg 480
ttgtggcggg aaagttaaga aacatagccc ttaaggaaac cacttttatg tattttctta 540
aagcacgcct ttaaataagc aaaaacttta aaaggcagga aagagaattc ttaggcaaat 600
tcagagaaat aagtgttagt taataactaat cacctcctcc tctgtctctc atcctccttt 660
ctccccatca agcaaaatat ggctcacca ccagcccaa atcagtgtct agaccctctc 720
tgtgtctgtg tgccctcctg ggagtcagtc agcgtcagg ccaggactgt gcagggccag 780
ccagcccatg cgctagtcag gaggcacagg aagggtgctg tgtggcagtg gccgggcacc 840
tgagccccag ctggttgcta aacgtgctga cggcaagggg caatggagtg agtttcccaa 900
ctaagaaacc actattatat attttctccc ttcagtcaca tagacttcag acaactctcc 960
tattttttat ggatttttca gtcattttca gatgaaggaa ctaagtcatt gtgaactgtc 1020
tcttgagatc taaaaacaag atgacttttc ctggcacata ttccaaagca aagactttgt 1080
tgctgtctgc ttattgtcta atttacaggg atatttaatt ttgtcaggtc tatgtatatt 1140
tatccagcta tacttacttg cacagtggat tggagagaaa ggattctcca gtgtgcacac 1200
tcacggttac tctttctgca ttccctcgt gctgtgtccc gctcgggttc caatggacag 1260
tatcagggtc tgtttgactt aggtctttca gttttccttt cggttccctt taaaaaatgt 1320
gattgttaan ctgcctctt 1339

<210> 405
<211> 482
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<400> 405

```
cttgggtatc ggctattgcc tgagtgtgct agagtcctcg aagagtaact gctgacctta 60
ttcactggct gtgggcctta tggcacagtc agtcaccagg ttagagacat gcttcacatt 120
cacctaccca caaactagtg gatgataaat tttggctatt cagaagacgt ttattatagg 180
agtatgtaga ttttccatag agtgctgtta tgtgacttga attttagtct cggccctgcc 240
tctgacattg tcggtgggtt atcctgggtc caggaaataa gactagcctt ttcctcatga 300
tagtctttgg tggtttttaa aacagttggt taagtcaaca gatgtatcat atgcctgaca 360
ctgctctaca ccagtgaata atttacactc taataggggg tggttaactat aaagatgata 420
aacatagcat cttaattggn gtgtgtatga aggtggttgt tacctcttnc tagccacca 480
gg
```

<210> 406

<211> 1413

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<400> 406

```
ctggtgctnc accgcggtgt cggnccgctc tagcaactag tggatcccc ggccctgcag 60
ggaattcggc acgaggtttg gtgggggttac acgcgggttc aacatgcgta tcgaaaagt 120
ttatttctgt tcggggccca tctatcctgg acacggcatg atgttcgtcc gcaacgattg 180
caagggtgtc agattttgca aatctaaatg tcataaaaac tttaaaaaga agcgcaatcc 240
tcgcaaagt aggtggacca aagcattccg gaaagcagct ggtaaagagc ttacagtgga 300
taattcattt gaatttgaaa aacgtagaaa tgaacctatc aaataccagc gagagctatg 360
gaataaaaact attgatgcga tgaagagagt tgaagaaatc aaacagaagc gccaaagctaa 420
atttataatg aacagattga agaaaaataa agagctacag aaagttcagg atatcaaaga 480
agtcaagcaa aacatccatc ttatccgagc ccctcttgca ggcaaaggga aacagttgga 540
agagaaaatg gtacagcagt tacaagagga tgtggacatg gaagatgctc cttaaaaaatc 600
tctgtaacca tttcttttat gtacatttga aaatgccctt tggatacttg gaactgctaa 660
attattttat tttttacata aggtcactta aatgaaaagc gattaaaaga catctttcct 720
gcattgccat ctacataata tcagatatta cggatgttag attgcatctc agtggttaaat 780
ctttactgat agatgtactt aagtaaatca tgaaaattct acttgtaact atagaagtga 840
atttgggacg taaaatgggt gtgctatttg gataatggca ctaggcagca tttgtatagt 900
aactaatggc aaaaattcat ggctagtgat gtataaaata aaatattctt tgcagtaaaa 960
tattcccttt gttaatgtta tagaaggggg gatataaaaa ggaactaaca atttgtatgg 1020
```

```
cagtgtcaga tatttttatt ttagtatttc ctgttttggt ttatttgcac cttagaagag 1080
cataatgaca ttgtttgatg aagcctaatt atgctggact gttttgacct ggtttaaccc 1140
ttctgatag tagttgtgga tgctgggatg gagaactgaa taatctttgc ctggagtgc 1200
actacactct agaatttcca ctttgagaa tactcagttc caacttgtga ttcctgatag 1260
aacagacttt acttttctag cccagcattg atctagaagc agaggaatcc cagcgccttt 1320
taaaagtgtg tatgtgggtt tcttttaaaa agctcctgtt tttggaaagt agaatttatg 1380
ggtagcctcg ccgcgaccac gctaagccga att 1413
```

<210> 407

<211> 1693

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1548)

<223> n equals a,t,g, or c

<400> 407

```
tgggctgtcc ggcccactcc cctgggagcg cgaagcgktg gacccaggcg gccatgtccc 60
gccctcgcat gcgcctggtg gtcaccgagg acgactttgg ttactgcccg cgacgcgatg 120
aggggtatcgt ggaggccttt ctggccgggg ctgtgaccag cgtgtccctg ctggtcaacg 180
gtgcggccac ggagagcgcg gcggagctgg cccgcaggca cagcatcccc acgggcctcc 240
acgccaacct gtccgagggc cgcctcggtg gtccggcccg ccgtggcgcc tcacgcgtgc 300
tcggccccga argcttcttc cttggcaaga tgggattccg ggaggcggtg gcggccggag 360
acgtggattt gcctcagggt cggagccgca gctacaggag gatgctcgcg aggaccccc 420
gagctccgcc cggagggtact gtgaggccgt tagagctggc ggtggatgac ttccgcattc 480
aaacactgga gccatcacac ggaagcacga ggagggtatc ctcggcagct actcccggtc 540
gctcaagggtg tctctcgtc gccctctagg tgccggaggga gctcgaggcc caactaagct 600
gcttcggga gctgctgggc aggcycctac gcacgcggac gggcaccagc actgcacgtr 660
ckcycaggtg cgtggttagt gatccaggtt tggaggcgct tactcccagg cggggctggg 720
ggagtakggg aagttcgatg cccccaggtg aaaggacgtg ctcctccctg acccgctccg 780
ccgcagggcg tgtgccaggt gtccgcccag gcgctgcagg cctatggggg gcgctttacg 840
cgactgccgc tggagcgcg tgtgggtggc tgcacttggc tggaggcccc cgcgcgtgcc 900
ttgcctcgcg ccgtggagcg cgacgcccgg gccgcccgtg gccccttctc ccgccacggc 960
ctgcggtgga cagacgcctt cgtgggcctg agcacttgcg gccggcacat gtccgctcac 1020
cgcggtgtccg gggccctggc gcgggtcctg gaagtaccct agcgggccac accctgacag 1080
ccgagctgat ggcgcacccc ggctacccca gtgtgcctcc caccggcggc tgcggtgaag 1140
gccccgacgc tttctcttgc tcttgggagc ggctgcatga gctgcgcgtc ctcaccgcgc 1200
ccacgctgcg ggcccagctt gccaggatg gcgtgcagct ttgcgcccct gacgacctgg 1260
actccaagag gccaggggag gaggtcccct gtgagccac tctggaaccc ttcctggaac 1320
cctccctact ctgacccctt acagacaacc aagcactaat ccccttagta ccaagaaagg 1380
ggagccaggga ttagtctctg gccagccca gagctgggac ctggagcacg atctgttgac 1440
ttccctgggt aggacactgc cacctctggg ctcaggctct catgcctcca aatggcatct 1500
agagtttgag cagccttctt ggctgcaggc aggcctagcc tgtggcancg ggctagggcc 1560
cgagagcat ttgtgcccc tccatgttgc aatgcaaaca ccttcaccac tggggcagtg 1620
gggagagatg gctatatata taaaataacg tgtgtcttcc aaaaaaaaaa aaaaaaaaaa 1680
tcgagacagt tct 1693
```

<210> 408

<211> 1342

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (107)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1332)
<223> n equals a,t,g, or c

<400> 408
caggaaaaat ctggagattt acgaggctgt gacgtccccc cagggccccc ccatgacctg 60
gagcatgttt gctgtgggct ggatggagct gaaggacgca tgcgggnccc ggggcctcct 120
ggacaggagc tttgccaaca tggctgaacc cttcaagggtg tggacggaga atgcagacgg 180
gtcaggcgct gtgaacttcc tgacaggcat ggggggcttc ctgcaggcgg tggctctcgg 240
gtgcacgggg ttcagrgtsa gcgtctccgg catcttctac caggggmacr agctcaactt 300
ctstttttcc gaggactccg tgaccgtgga ggtcacagct cgagcagggc cctgggctcc 360
tcacctggag gctgagctgt ggccatccca gtcccggctc tccctgttgc caggacacaa 420
ggctctcctt ccccgctcgg ctggccggat acaaagtca ccccggaagc tgcctggaag 480
ttccagctcc gagttccctg ggaggacttt ttcagatgtt agggaccgcg tccagagccc 540
cctctgggtc accctgggtt cctccagccc caccgagtca ctactgtgg accctgcctc 600
tgaataatca ggaacggttg cttcagagac gtctcttggg ccttccctct ggccacgtct 660
gcacccaccc ctcttgggca ccctcctagc ctgccatccc tcacctgcag ccaggctctc 720
agggaaggtc catgctgctt ggctgagtt caaggcttcc tgctgttagc ctggactccc 780
gtggaccccc gtgggcaggc ggcttccccg tgcatctcc acaccgcctc tgctgcccc 840
tgtggactga tgctatcgcg caccgtccca cgacccacc ccgagctcct gaagccgggg 900
tctgagcctg catcacctct ggcctctcat ccccaactct cctgagagca gtggtcacag 960
cggccggccg ctctgtgag aaggcagaga ggcaggctca ggcctcagcg tggacagcag 1020
ggataaggcg cacgaaggac ggggactcgg ccccttcaga attcctcagg actctcaggt 1080
gcagctttgc caaaaaggaa cttttcatgt catgcagttg aggggactta gtctcaatcc 1140
caggctcctc ttgactctgg gcagcyttrt cttgggcagc tcwgccccag ggttcgggtc 1200
tcagcagttt cccaagaaca agatgtgatg gcactctgct ctgaaacct gatgaggacc 1260
aggccccctg caccgctgtc agcctgagga attaaagctt tgggtgctggg aaaaaaaaaa 1320
aaaaaaaaaa anaaaaaac ca 1342

<210> 409
<211> 2417
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (107)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (680)

<223> n equals a,t,g, or c

<400> 409

```
aaaaaaaaa aaaaaaacca aacacaaaaga gagcaatddd gggccaacag ttaccattca 60
agcctggccc tttaggccag cccagtcac gggctctgag tgtggangct gcgtagcacc 120
aggaagcggc tctgctgagg ttcaaggggc cccagcacag tgtggcatcc gttcagcttt 180
tggttggtcc aggatggtgg ggagccaggc ctgggggcct cggagcaacc acccgagcag 240
acggagtaca cggagcagcg gccccggccc cggcaacgct gccgccggga tgctccagac 300
cttgatgat tacttctggt gggaacgtct gtggctgcct gtgaacttga cctgggccga 360
tctagaagac cgagatggac gtgtctacgc caaagcctca gatctctata tcacgctgcc 420
cctggccttg ctcttcctca tcgttcgata cttctttgag ctgtacgtgg ctacaccact 480
ggctgccctc ttgaacataa aggagaaaac tcggctgcgg gcacctccca acgccacctt 540
gggaacattd ctacctgacc agtggaagc agcccaagca ggtggaagta garcttttgt 600
ccggcgagar cgggcttytc tggccggcag taragcgttg gttccgtcgc cggcgcaacc 660
aggaccggcc cagtctcctn caagaagttc cgagaagcca gctggagatt cacattdtac 720
ctgattgcct tcattgccgg catggccgtc attgtggata aacctgtgt ctatgacatg 780
aagaaagttd gggagggata tccatacag agcactatcc cttcccagta ttggtactac 840
atgattgaac tttccttcta ctggtccctg ctcttcagca ttgcctctga tgtcaagcga 900
aaggatttca aggaacagat catccaccat gtggccacca tcattctcat cagcttdtcc 960
tggtttgcca attacatccg agctgggact ctaatcatgg ctctgcatga ctcttccgat 1020
tacctgctgg agtcagccaa gatgtttaac tacgcgggat ggaagaacac ctgcaacaac 1080
atcttcatcg tcttcgccat tgtdtttatc atcaccgcag tggtcacct gcccttctgg 1140
atcctgcatt gcacctggt gtacctactg gagctctatc ctgccttctt tggctattac 1200
ttcttcaatt ccatgatggg agttctacag ctgctgcata tcttctgggc ctacctatt 1260
ttgcgcatgg cccacaagtt cataactgga aagctggtag aagatgaacg cagtgaccgg 1320
gaagaaacag agagctcaga gggggaggag gctgcagctg ggggaggagc aaagagccgg 1380
cccctagcca atggccaccc catcctcaat aacaaccatc gtaagaatga ctgaaccatt 1440
attccagctg cctcccagat taatgcataa agccaaggaa ctaccygcct ccctgcgcta 1500
tagggtcact ttaagctctg gggaaaaagg agaaagttag aggagagttc tctgcatcct 1560
ccctccttgc ttgtcaccca gttgccttta aaccaaattc taaccagcct atccccaggt 1620
agggggacgt tggttatatt ctgttagagg gggacggtcg tattdtctc cctaccgcc 1680
aagtcacctt tctactgct tttgaggccc tccctcagct ctctgtgggt aggggttaca 1740
attcacattc cttattctga gaatttgcc ccagctgttt gccttgact cctgacctc 1800
cagagccagg gttgtgcctt attgtcccat ctgtgggcct cattctgcca aagctggacc 1860
aaggctaacc tttctaagct ccctaacttg ggccagaaac caaagctgag cttttaactt 1920
tctccctcta tgacacaaat gaattgaggg taggaggagg gtgcacataa cccttaccct 1980
acctctgcca aaaagtggg gctgtactgg ggactgctcg gatgatcttd cttagtgcga 2040
cttctttcag ctgtccctgt agcgacaggt ctaagatctg actgcctcct ctttctctg 2100
gcctcttccc ctttccctct tctcttcagc taggctagct ggtttggagt agaattggca 2160
ctaattctaa tttttattta ttaaattttt ggggttttgg ttttaaagcc agaattacgg 2220
ctagcaccta gcatttcagc agagggacca ttttagacca aaatgtactg ttaatgggtt 2280
tttttttaaa attaaaagat taaataaaaa atattaaata aaacatggca ataagtgtca 2340
gactattagg aattgagaag ggggatcaac taaataaacg aagagagtct tcttaaaaa 2400
aaaaaaaaa aaaaaaa 2417
```

<210> 410

<211> 1401

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1394)

<223> n equals a,t,g, or c

<400> 410

```
ttgtgtatat tgttgacatc tgataatttg tgcaatttta tttttaactt aaaagatggg 60
aaccaacaaa tgtgccagcc aggcaggtat gacagcttac gggactagga ggcattctta 120
tgatcccaaa atgcaaactg acaaaccttt tgaccagacc acaattagtc tgcagatggg 180
cactaataaa ggagccagcc aggcagggat gttagcacca ggtaccagaa gagacatcta 240
tgatcagaag ctaacattac agccggtgga caactcgaca atttccctac agatgggtac 300
caacaaagtt gcttcccaga aaggaatgag tgtgtatggg cttggggcgc aagtatatga 360
tcccaaatat tgtgtctctc ctacagaacc tgtcattcac aacggaagcc aaggaacagg 420
aacaaatggt tcggaatatca gtgatagtga ttatcaggca gaataccctg atgagtatca 480
tggcgagtac caggatgact accccagaga ttaccaatat agcgaccaag gcattgatta 540
ttagatccac acagaaggag ctccagtattt agtcctttgt ttttattcag tgagaaccaa 600
gctagccttg agtaattttt atcttgtctt cctaaaacac tattaagctt attgtacttt 660
taagaaaaat tgccttacgt acattccttt ttcctttttc tgctctctcc ctcaatagtt 720
gccttttagt gctgtaatag ttaaatccta cagcataatc aataactcgc atatgaagta 780
aaaaggaata ctgtgaaagg ggagtactct tgtacagcca gttcttttat gcaaaaatct 840
atgcattttt acaatcttat attaaactgg tattttcaca caataggaaa cttttttttt 900
ttttttttta cagtttagtg tatctgggtt ctacatggaa gactaaactc atgcttattg 960
ctaaatgtgg tctttgccaa ctaaatttaa gatgcagcat tttagaaatt tacatatcaa 1020
tgtttctaca gtattgtttg ctaattttta aataaagtoa tgatcagtgt gcatttgtga 1080
ttatatgtgt actcattctc ttacctagcg aacaagatct tttcagagtg gtgtttctaa 1140
aagagcatgt acaaaaagtgg cctgtggaca tttaggcctg ggtgatgcat ttgctcttcc 1200
tgtttgtgcc aatgtatcaa tgtagagttg ctctgttttc ttcaactgta tttattgctg 1260
catttctcag cataaaactta tcccattgta ttttttataa ataaatattt tttttgaact 1320
ttmaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380
aaaaaaaaaa gggnggccgt t 1401
```

<210> 411

<211> 3016

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (399)

<223> n equals a,t,g, or c

<400> 411

```
cggaccgctt cccccgagcc agcagcgctt gacgtcatcg tgcgtgtggg gccctgctg 60
ccggggctgg tgattggagg aaaccccgctg tctgcggacg gctgtagcct gtgagcagcg 120
agatccaggg acagagtctc agcctcgccg ctgctgccgc cgccgccgcc cagagactgc 180
tgagcccgtc cgtccgccgc caccacccac tccggacaca gaacatccag tcatggataa 240
aaatgagctg gttcagaagg ccaaactggc cgagcaggct gagcgatatg atgacatggc 300
agcctgcatg aagtctgtaa ctgagcaagg agctgaatta tccaatgagg agaggaatct 360
tctctcagtt gcttataaaa atgttgtagg agcccgtang tcatcttgga gggctcgtctc 420
aagtattgaa caaaagacgg aaggtgctga gaaaaaacag cagatggctc gagaatacac 480
agagaaaaat gagacggagc taagagatat ctgcaatgat gtactgtctc ttttgaaaaa 540
gttcttgatc cccaatgctt cacaagcaga gagcaaagtc ttctatttga aaatgaaagg 600
```

```
agattactac cgttacttgg ctgagggttg cgctgggtgat gacaagaaag ggattgtcga 660
tcagtcacaa caagcatacc aagaagcttt tgaaatcagc aaaaaggaaa tgcaaccaac 720
acatcctatc agactgggtc tggcccttaa cttctctgtg ttctattatg agattctgaa 780
ctccccagag aaagcctgct ctcttgcaaa gacagctttt gatgaagcca ttgctgaact 840
tgatacatta agtgaagagt catacaaaga cagcacgcta ataatgcaat tactgagaga 900
caacttgaca ttgtggacat cggataccca aggagacgaa gctgaagcag gagaaggagg 960
ggaaaattaa cggccttcc aacttttgtc tgcctcattc taaaatttac acagtagacc 1020
at ttgtcatc catgctgtcc cacaatagt tttttgttta cgatttatga caggtttatg 1080
ttacttctat ttgaatttct atatttccca tgtgggtttt atgtttaata ttaggggagt 1140
agagccagtt aacatttagg gagttatctg tttcatctt gaggtggcca atatggggat 1200
gtggaatttt tacaagtt ataagtgtt ggcatagtac ttttggtaca ttgtggcttc 1260
aaaagggcca gtgtaaaact gcttccatgt ctaagcaaag aaaactgcct acatactggt 1320
ttgtcctggc ggggaataaa agggatcatt ggttccagtc acaggtgtag taattgtggg 1380
tactttaagg ttggagcac ttacaaggct gtggtagaat catacccat ggataccaca 1440
tattaaacca tgtatatctg tggaaactc aatgtgtaca cctttgacta cagctgcaga 1500
agtgttctt tagacaaagt tgtgacccat tttactctgg ataagggcag aaacggttca 1560
cattccatta ttgtaaagt tacctgctgt tagctttcat tatttttgct acactcattt 1620
tatttgtatt taaatgtttt aggcaacct aagaacaaatg taaaagtaaa gatgcaggaa 1680
aaatgaattg cttgggtattc attacttcat gtatatcaag cacagcagta aaacaaaaac 1740
ccatgtattt aacttttttt taggattttt gcttttgtga tttttttttt ttttttgata 1800
cttgcctaac atgcatgtgc tgtaaaaata gttaacaggg aaataacttg agatgatggc 1860
tagctttgtt taatgtctta tgaaattttc atgaacaatc caagcataat tgtaagaac 1920
acgtgtatta aattcatgta agtggaataa aagttttatg aatggacttt tcaactactt 1980
tctctacagc ttttcatgta aattagtctt ggttctgaaa cttctctaaa ggaaattgta 2040
cattttttga aatttattcc ttattccctc ttggcagcta atgggctctt accaagttta 2100
aacacaaaat ttatcataac aaaaatacta ctaatataac tactgtttcc atgtcccatg 2160
atccccctc ttcctcccca ccctgaaaaa aatgagttcc tattttttct gggggggggg 2220
gggggggggg gggggggggg gggggggggg gggggggggg gggggggggg gggggggggg 2280
ggggaaaaat atttatttat aaaaaataca atgggataag tttatgctga gaaatgcagc 2340
aataaataca gttgaagaaa acagagcaac tctacattga tacattggca caaacaggaa 2400
gagcaaatgc atcaccagc cctaaatgtc cacaggccac tttgtacat gctcttttag 2460
aaacaccact ctgaaaagat cttgttcgct aggtaaagaga atgagtacac atataatcac 2520
aaatgcacac tgatcatgac tttattttaa aattagcaaa caatactgta gaaacattga 2580
tatgtaaatt tctaaaatgc tgcattctaa atttagttgg caaagaccac atttagcaat 2640
aagcatgagt ttagtcttcc atgtagaaac cagatacact aaactgtaaa aaaaaaaaaa 2700
aaaaaagttt cctattgttt gaaaatacca gtttaataa agattgtaaa aatgcataga 2760
tttttgcata aaagaactgg ctgtacaaga gtactccct ttcacagtat tcctttttac 2820
ttcatatgcg agttattgat tatgctgtag gatttaacta ttacagcact aaaaggcaac 2880
tattgaggga agaggcagaa aaaggaaaaa ggaatgtacg taaggcaatt tttcttaaaa 2940
gtacaataag cttaatagtg ttttaggaag acaagataaa aaaaactcga gactagttct 3000
ctctcgtgcc gaattc 3016
```

<210> 412

<211> 958

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (930)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (934)
<223> n equals a,t,g, or c

<400> 412
cttgcgtccc cgcgtgtgtg cgcctaattct caggtggtcc acccgagacc ccttgagcac 60
caaccctagt ccccgcgcg gccccttatt cgctccgaca agatgaaaga aacaatcatg 120
aaccaggaaa aactcgccaa actgcaggca caagtgcgca ttggtgggaa aggaactgct 180
cgcagaaaaga agaaggtggt tcatagaaca gccacagcag atgacaaaaa acttcagttc 240
tccttaaaga agttaggggt aaacaatatc tctggtattg aagagggtgaa tatgtttaca 300
aaccaaggaa cagtgatcca ctttaacaac cctaaagtcc aggcattctct ggcagcgaac 360
actttcacca ttacaggcca tgcttgagaca aagcagctga cagaaatgct acccagcatc 420
ttaaacacgc ttggtgcgga tagcttgact agtttaaggga gactggccga agctctgccc 480
aaacaattctg tggatggaaa agcaccactt gctactggag aggatgatga tgatgaagtt 540
ccagatcttg tggagaattt tgatgaggct tccaagaatg aggcaaaactg aattgagtca 600
acttctgaag ataaaaacctg aagaagttac tgggagctgc tattttatat tatgactgct 660
ttttaagaaa tttttgttta tggatctgat aaaatctaga tctctaatat ttttaagccc 720
aagccccttg gacactgcag ctcttttcag tttttgctta tacacaattc attccttgca 780
gctaattaag ccgaagaagc ctgggaatca agtttgaaac aaagattaat aaagttcttt 840
gcctagttaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggnggccgt tttaaaggaa ccagggtt 958

<210> 413
<211> 500
<212> DNA
<213> Homo sapiens

<400> 413
cgattgaaca ggagaagcaa gcaggcgaat cgtaatgagg cgtgcgcccgc caatatgcac 60
tgtacattcc acaagcattg cttctttatt ttacttcttt tagctgttta actttgtaag 120
atgcaaagag gttggatcaa gtttaaatga ctgtgctgcc cctttcacat caaagaacta 180
ctgacaacga aggccgcgcc tgcctttccc atctgtctat ctatctggct ggcagggaag 240
gaaagaactt gcatgttggg gaaggaagaa gtggggtgga agaagtgggg tgggacgaca 300
gtgaaatcta gagtaaaacc aagctggccc aaggtgtcct gcaggctgta atgcagttta 360
atcagagtgc catttttttt ttgtttcaaa tgattttaat tattggaatg cacaattttt 420
ttaatatgca aataaaaagt ttaaaaactt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 480
gcggccgctc gaattaagcc 500

<210> 414
<211> 3397
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (15)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (24)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (3081)
<223> n equals a,t,g, or c

<400> 414
nggattcgcg gccgntccga ctgnccgcgc ggctagcact gacgtgtctc tcggcggagc 60
tgctgtgcag tggaaacgcgc tgggcccgcgc gcagcgtcgc ctcacgcgga gcagagctga 120
gctgaagcgc gaccgcgagc ccgagcagcc gccgccatgg caatcaaatt tctggaagtc 180
atcaagccct tctgtgtcat cctgccggaa attcagaagc cagagaggaa gattcagttt 240
aaggagaaag tgctgtggac cgctatcacc ctctttatct tcttagtgtg ctgccagatt 300
ccccgtttt ggatcatgtc ttcagattca gctgaccctt tctattggat gagagtgatt 360
ctagcctcta acagaggcac attgatggag ctagggatct ctctattgt cactctgtgc 420
cttataatgc aactcttggc tggcgccaag ataattgaag ttggtgacac cccaaaagac 480
cgagctctct tcaacggagc ccaaaagtta tttggcatga tcattactat cggccagtct 540
atcgtgtatg tgatgaccgc gatgtatggg gacccttctg aaatgggtgc tggaaattgc 600
ctgctaatac ccattcagct ctttgttgc tggcttaattg tcctactttt ggatgaactc 660
ctgcaaaaag gatattggcct tggtcttggc atttctctct tcattgcaac taacatctgt 720
gaaaccatcg tatggaaggc attcagcccc actactgtca aactggccg aggaatggaa 780
tttgaagggt ctatcatcgc acttttccat ctgctggcca cagcacaga caaggtccga 840
gcccttcggg aggcgttcta ccgccagaat ctcccaacc tcatgaatct catcgccacc 900
atctttgtct ttgcagtggc catctatttc cagggtctcc gagtggacct gccaatcaag 960
tcggcccgcg accgtggcca gtacaacacc tatcccatca agctcttcta tacgtccaac 1020
atccccatca tccctgcagtc tgccctgggt tccaaccttt atgtcatctc ccaaatgtct 1080
tcagctcgct tcagtggcaa cttgctggtc agcctgtctg gcacctggtc ggacacgtct 1140
tctgggggcc cagcacgtgc ttatccagtk ggtggccttt gctattacct gtccctcca 1200
tggccatga actcaaccgc tacatcccca cagccgcggc ctttgggtgg ctgtgcatcg 1260
gggcccctct ggtcctggct gacttcctag gcgccattgg gtctggaacc gggatcctgc 1320
tcgcagtcac aatcatctac cagtactttg agatcttcgt taaggagcaa agcgaggttg 1380
gcagcatggg ggccctgctc ttctgagccc gtctcccga caggttgagg aagctgctcc 1440
agaagcgct cggaagggga gctctcatca tggcgctgct tgctgcggca tatggacttt 1500
taataatggt tttgaatttc gtattctttc attccactgt gtaaagtgtc agacattttc 1560
caatttaaaa ttttctttt tatcctggca ctggcaaaaa gaactgtgaa agtgaaattt 1620
tattcagccg actgccagag aagtgggaat ggtataggat tgtccccaag tgtccatgta 1680
acttttgttt taacctttgc accttctcag tgctgtatgc ggctgcagcc gtctcacctg 1740
tttccccaca aagggaattt ctcaactctg ttggaagcac aaactgaa atgtctacgt 1800
ttcatttttg cagtagggtg tgaagctggg agcagatcat gtatttccc gagacgtggg 1860
acctgtctgg catgtctctc tcacaatcag gcgtgggaat atctggctta ggactgtttc 1920
tctctaagac accattgttt tcccttattt taaaagtgtat ttttttaagg acagaacttc 1980
ttccaaaaga gagggatggc ttcccagaa gacactcctg gccatctgtg gatttgtctg 2040
tgcacctatt ggctcttcta gctgactctt ctggttgggc ttagagtctg cctgtttctg 2100
ctagctccgt gtttagtcca cttgggtcat cagctctgcc aagctgagcc tggccaagct 2160

```
aggtggacag acccttgacg tgatgtccgt ttgtccagat tctgccagtc atcactggac 2220
acgtctcctc gcagctgccc tagcaagggg agacattgtg gtagctatca gacatggaca 2280
gaaactgact tagtgctcac aagcccctac accttctggg ctgaagatca cccagctgtg 2340
ttcagaatth tcttactgtg cttaggactg cacgcaagtg agcagacacc accgacttcc 2400
tttctgcgtc accagtgtcg tcagcagaga gaggacagca caggctcaag gttggtagt 2460
aagtcagggt cggggtgcat gggctgtggt ggtgktgatc agttgctcca gtgtttgaaa 2520
taagaagact catgtttatg tctggaataa gttctgtttg tgctgacagg tggcctaggt 2580
cctggagatg agcaccctct ctctggcctt tagggagtcc cctcttagga caggcactgc 2640
ccagcagcaa gggcagcaga gttgggtgct aagatcctga ggagctcgag gtttcgagct 2700
ggcttttagac attggtggga ccaaggatgt tttgcaggat gccctgatcc taagaagggg 2760
gcctgggggt gcgtgcagcc tgcgggggag accycactgc tgrcagtgc agccaggaaa 2820
cagagtgacc aagggacaag aagggacttg cctaaagcca cccagcaact cagcagcaga 2880
accaagatgg gcccagggt cctccatatg gcccagggt taccacccta tcacacgtgg 2940
ccttgcttag acccagtcct gagcagggga gaggtcttg agacctgatg cctcctacc 3000
cacatgggtc tcccactgcc ctgtctgtc tgctgctaca gaggggcagg gcctcccca 3060
gcccacgctt aggaatgctt ngcctctggc aggcaggcag ctgtacccta gctggtggg 3120
agggggctgg aaggcaccag gcctcaggag gagccccata gtcccgcctg cagcctgtaa 3180
ccatcggtg gccctgcaag gccacactc acgccctgtg ggtgatggtc acgggtgggtg 3240
ggtgggggct gacccagct tccaggggac tgtcactgtg gacgccaaaa tggcataact 3300
gagataaggt gaataagtga caataaagc cagtttttta caaggtaaaa aaaaaaaaaa 3360
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 3397
```

<210> 415

<211> 2880

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<400> 415

```
tggnaccct tcaagctctc gtgctcattc ccccatgac gccgtaggaa gtgatgacag 60
tagccccaac gcaatggcca aggttcagat ttttgaatat aatgaaaaca ccaggaaata 120
tgcaaaagct gaaactctta tgacagtcac tgatcctgtt catgatattg cattcgctcc 180
aaatttgagg agatctttcc atattctagc aatagcgacc aaagatgtga gaatttttac 240
attaaagcct gtgaggaaa aactgacttc ctctgggtgg ccaacaaagt ttgaaatcca 300
tatagtggct cagttcgata atcataattc tcaggtctgg cgagtgaagt ggaatataac 360
aggaacgggt ctagcatctt caggagatga tgggtgtgta agattgtgga aagctaatta 420
tatggacaat tggaagtgtg ctgggtatttt gaaaggtaat gggagcccag tcaatgggag 480
ttctcagcag ggaacctcaa atccttccct aggttcaaat attccaagtc ttcagaattc 540
attaaatgga tcttctgtcg gcagaaagca cagctgagta caagctaact ggagtaactt 600
tgctgttttg ctgcttggtg catgcacaca ggaatggaaa gcgagctcct tttccccttc 660
cccagcgccg tttgacctct cccaagatac accagcagcc tgcttactac taaacgcaat 720
ccaaaaggcc tttaaaaata cagtgtatat tttttgtact agtcagttta ttgacactat 780
ttgaaacttt tgaaatataa acggagaggc tttctgttga gacattgtca ccaaaacaat 840
tttttgaaat gttcctgaaa ctaatttggg tttaaagatt aaaagggttg ttaccattct 900
tatctgagta gttgggagga ggggaatacc actttagtcc atttggaata tatagacata 960
tttcttttgc tttcttaaaa cagcttaaaa tgatgaactt ttataatttt aatttgaaag 1020
ttgaataaat attttttata aagattgttt tgagtgtgta tttgtttact tttttagat 1080
```

```
ttgctttatc catgatattc agtacaaactc tgtcatttct ttgtaatat taaaaaatat 1140
tagtaaaagga gtgaattaat aaagtagtaa tagtaaaatg aaaggaactt gactgtacag 1200
tttgtagcca ggttaagcat ttggtattgt ttcatattaca atttgggact aagatggaaa 1260
cacttttttt ataagttttt aattcatagt cactaaagag ataaatgttt cttatatata 1320
tttgtrtatt tttatgggtgt tatttattcc atggccttagc ttccttcaaa tcaaaatttg 1380
gacacacact attaagagaa gccattaaaa ttttactaaa attgtgcatg taaattaatt 1440
gtcagcattc catgtctcaa gattttctta atttagttcg ctgtttaaat taattcatgt 1500
cctgtaaagt tctgaccttg ataacaagc tataaatatt taagtttgct aatatgcgta 1560
agtattatcg gtaagttaca agatggaaga agaataacag tagggcacag tcattctgtg 1620
aatcctttta cttatcaaaa tttggtagct attctaaggc ttttgacagaa aaataagtgt 1680
tcaatgtttg tagttcttca aaagcatgtt gcagtagcca gccatactat gtgtattccc 1740
agtatcatgt acgcactaaa aaaaatgtgt gcttgctgct gctgtgagtg aaccattgct 1800
taagataaaa aacttaacta gatctgtaaa tgtacagaat agcatcagat gtttctgaga 1860
gattagaaaa tgttttgaat ttataaaatt aatgttttcc tttgtaacat ttatatatat 1920
ttypaaacat ttttaagttta acagattgta ttcctttcaa gtttctatac ttgcttaagc 1980
aatcttgatt tgagtaaggg tcttgatttg tgcattatg ttctgttagt tttggcatga 2040
atatactaaa gctttttttt tttttycwag catgtgtttt ctcctctttg gttctctttg 2100
tatttactac ttttctcttt ttcttggtgt ttttttttcc tgtttttgtt ttgtttgggt 2160
ttttgttcct gtcttcattg tttcaggtat ttctttacc ctcctggttc cccacgggct 2220
ggatcgagat ggtccagtta tgcccagctc ctcctcctc ctcctcctc tctggtagag 2280
cactcttgcg atgctgacac tgccaacctc cagtatcctc accctcgag acgatatctc 2340
tctcgccctc ttaatccctt acctgagaat gaagggattt aaaacactga tttaacattg 2400
aaaggcctta ttcaagtgtg tgtaaatgct ttcatattct gctgcttttt gtttttcatt 2460
ttctttcaga agatttttct aacttagggg ctgtcttgca tgtattacaa ccagaataca 2520
gtgtttggaa cctaaatctg tttgtgcgtc tgcacaaag gaacatttgc ttcactgggt 2580
gataaccttt gatgaaatga gatatgtcca agtaacgtta actgtgaagt tacacacagt 2640
agctgacttc aaagtgcctg ttctgtaaat tttattttaa actgttacca tagtcttaag 2700
ttgtttatgc tttatcagac tggctaattg gaaagcataa tattatgaag tttattctgc 2760
cttatgagac cttaaaaaat ggatttcatt ttacaggcta atgttgtaac tgactagtat 2820
gtaaaaataa tcattcctgt gtataaaagca gcaaaaccta aaaaaaaaaa aaaaaaaaaa 2880
```

<210> 416

<211> 1616

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1610)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1611)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1616)

<223> n equals a,t,g, or c

<400> 416

```
cggacgctgg tngattccat gccaaagctt tgcaaggctc gcagtgacca ggcgcccgc 60
atgggagtg atccgcccc acccttttcc ccctcgtctc ctgtgagaat tccccgtcgg 120
atacgagcag cgtggccggt ggctgcctcg cacaggactt ccttcccgcac tccatcactt 180
tctcctggaa atacaagaac aactctgaca tcagcagcac ccggggcttc ccatcagtcc 240
tgagaggggg caagtacgca gccacctcac aggtgctgct gccttccaag gacgtcatgc 300
agggcacaga cgaacacgtg gtgtgcaaag tccagcacc caacggcaac aaagaaaaga 360
acgtgcctct tccagtgaat gcygagctgc ctcccaaagt gagcgtcttc gtcccacccc 420
gcgacggctt ctccggcaac ccccgcaagt ccaagctcat ctgccaggcc acgggtttca 480
gtccccggca gattcaggtg tcctggctgc gcgaggggaa gcaggtgggg tctggcgta 540
ccacggacca ggtgcaggct gagggccaaag agtctgggccc cagcacctac aaggtgacca 600
gcacactgac catcaaagag agcgactggc tcagccagag catgttcacc tgccgcgtgg 660
atcacagggg cctgaccttc cagcagaatg cgtcctccat gtgtgtcccc gatcaagaca 720
cagccatccg ggtcttcgcc atccccccat cctttgccag catcttcttc accaagtcca 780
ccaagttagc ctgcctggtc acagacctga ccacctatga cagcgtgacc atctcctgga 840
cccgcagaa tggcgaagct gtgaaaaccc acaccaacat ctccgagagc caccccaatg 900
ccactttcag cgcctgggtt gagggccagca tctgcgagga tgactggaat tccggggaga 960
ggttcacgtg caccgtgacc cacacagacc tgccctcgcc actgaagcag accatctccc 1020
ggcccaaggg ggtggccctg cacaggcccg atgtctactt gctgccacca gcccgggagc 1080
agctgaacct gcgggagtcg gccaccatca cgtgcctggt gacgggcttc tctcccgcgg 1140
acgtcttcgt gcagtggatg cagagggggc agcccttgtc cccggagaag tatgtgacca 1200
gcgcccgaat gcttgagccc caggccccag gccggctact cgcacacagc atcctgaccg 1260
tgtccgaaga ggaatggaac acgggggaga cctacacctg cgtggtgagg catgaggccc 1320
tgcccaacag ggtcaccgag aggaccgtgg acaagtccac cggtaaacc accctgtaca 1380
acgtgtccct ggtcatgtcc gacacagctg gcacctgcta ctgacctgc tggcctgccc 1440
acaggctcgg ggcggctggc cgtctgtgtg gtgcatgcaa actaaccgtg tcaacgggg 1500
gagatgttgc atcttataaa attagaaata aaaagatcca ttcaaaaara aaaaaaaaaa 1560
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggggggn nccccn 1616
```

<210> 417

<211> 1815

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (270)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1184)

<223> n equals a,t,g, or c

<400> 417

```
cagggtcag agatttctcc acgagcaagc actctggccc gaggttcag atgggtgcctt 60
```

taccacata gtcacagtct ggccaccatc ggtgcttcag tgggcatgca tgccgcactg 120
ggggcagttc tcaggggagg ctgaggctgg gccacgtgag gaagggcctt ccctggcagc 180
caggatgccc ctcgctactc cccttaggag ccccgaggcc aggcactca ggtgtcagat 240
gtgccagcca cctcccgcg gcctgaacan gtcacgtggg cagctcagga acaggagctc 300
gagtcccttc gggagcagct ggaaggagt aaccgcagca ttgaggaggt tgaggccgac 360
atgaagaccc tgggctcac ttgtgtagg cagagtctga gtgccggcac agcaagctca 420
gtacagcaga gcgtgagcag gccctgcgcc tgaagagccg cgcggtggag ctgctgccc 480
atgggactgc caaccttgcc aagctgcags tgtggtggag aatagtgcc agcgggtcat 540
ccacttgcg ggtcagtgg agaagcaccg ggtccactc ctgctgagt accgccacct 600
ccgaaagctg caggattgca gagagctgga atcttctcga cggctggcag agatccaaga 660
actgcaccag agtgtccggg cggctgctga agaggcccg aggaaggagg aggtctataa 720
gcagctgatg tcagagctgg agactctgcc cagagatgtg tcccggctgg cctacacca 780
gcgcatcctg gagatcgtgg gcaacatccg gaagcagaag gaagagatca ccaagatctt 840
gtctgatacg aaggagcttc agaaggaaat caactcccta tctgggaagc tggaccggac 900
gtttgcggtg actgatgagc ttgtgttcaa ggatgccaag aaggacgatg ctgttcggaa 960
ggcctataag tatctagctg ctctgcacga gaactgcagc cagctcatcc agaccatcga 1020
ggacacaggc accatcatgc gggagggttc agacctcgag gacagatcg agacagagct 1080
gggcaagaag accctcagca acctggagaa gatccgggag gactaccgag ccctccgcca 1140
ggagaacgct ggcctcctag gccgggtccg ggaggcctga gganccgccg gcagaggctc 1200
tccccagcc tcaggcaggg atttggggtg ctggaggcag tggccaagca catgccctag 1260
ctacttctc cgtgtccag ttctcctgc tgcggcctg gaccagacc cctgccact 1320
gaccgcaacc cttatatggg gtgatagtcc agcatgtggg gagctcggt gcagtttatt 1380
ggggacggtg ctgtgggtg ggggccttg atcccaaata aatgagtagt tcctctgcag 1440
tctaagctga ggcattgac agggctcagg gaatgggagt gaggtgagt gcaggggaga 1500
cacggggtat ttttgcaag gcagtgtgtg tggctgtgtg tgtctgcacg ggactcaaga 1560
gaccactgg ggggctgtgc gtgtgcatat gcgtgagata cacagggtgaa ttctaacagg 1620
ccgtgtgtgt gagcagcac gtgtgggac ctcagatcct gagggtagt acgctgcttc 1680
tgtgtaggcc tctgggcaca ccctgtgtt gacagtccc ctgtgggcc tgaggctggc 1740
tgtgggtcgc tgccttggg tgtgtgggt gtcagggctg tgcttgtgtg tgattgtgtg 1800
atgatgcagc tttga 1815

<210> 418

<211> 1966

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<400> 418

agaaaaccag tttanggtga cacgtagaga acgcacgccg tgcaggtagc ggtccggaat 60
tcccagggtc gaccacgcg tccggcttga gtaggcaaaa tgttgaagtt aagttttcca 120
ataatgtgac ttcttaaaag ttttattaaa ggggaggggc aaatattggc aattagttgg 180
cagtggcctg ttacggttg gattggtgg gtgggttag gtaattgtt agtttatgat 240
tgcagataaa ctcatgccag agaacttaaa gtcttagaat ggaagaaagta aagaaatc 300
aacttccaag ttggcaagta actcccaatg atttagttt tttccccca gtttgaattg 360
ggaagctggg ggaagttaa tatgagccac tgggtgtacc agtgcatata tttgggcaag 420
gaaagtgtca taatttgata ctgtatctgt tttccttcaa agtatagagc ttttggggaa 480
ggaaagtatt gaactggggg ttggtctggc ctactgggct gacattaact acaattatgg 540

```
gaaatgcaaa agttgttttg atatggtagt gtgtggttct cttttggaat ttttttcagg 600
tgatttaata ataatttaaa actactatag aaactgcaga gcaaaggaag tggcttaatg 660
atcctgaagg gatttcttct gatggtagct tttgtattat caagtaagat tctattttca 720
gttggtgtga agcaagtttt tttttagtgt aggagaaata cttttccatt gtttaactgc 780
aaaacaagat gttaagggtat gcttcaaaaa ttttgtaaat tgtttatttt aaacttatct 840
gtttgtaaat tgtaactgat taagaattgt gatagttagc cttgaatgtc tcttagaggg 900
tgggcttttg ttgatgaggg aggggaaact tttttttttt ctatagactt ttttcagata 960
acatcttctg agtcataacc agcctggcag tatgatggcc tagatgcaga gaaaacagct 1020
ccttggtgaa ttgataagta aaggcagaaa agatttatatg tcatacctcc attggggaat 1080
aagcataacc ctgagattct tactactgat gagaacatta tctgcataatg ccaaaaaatt 1140
ttaagcaaat gaaagctacc aattttaaagt tacggaatct accattttta agttaattgc 1200
ttgtcaagct ataaccacaa aaataatgaa ttgatgagaa atacaatgaa gaggcaatgt 1260
ccatctcaaa atactgcttt tacaaaaagca gaataaaagc gaaaagaaat gaaaatgtta 1320
cactacatta atcctggaat aaaagaagcc gaaataaatg agagatgagt tgggatcaag 1380
tggattgagg aggctgtgct gtgtgccaat gtttcgtttg cctcagacag gtatctcttc 1440
gttatcagaa gagttgcttc atttcatctg ggagcagaaa acagcaggca gctgttaaca 1500
gataagttta acttgcatct gcagtattgc atgttaggga taagtgtcta tttttaagag 1560
ctgtggagtt cttaaataatc aaccatggca ctttctcctg accccttccc taggggattt 1620
caggattgag aaatttttcc atcgagcctt tttaaaattg taggacttgt tcctgtgggc 1680
ttcagtgatg ggatagtaca cttcactcag aggcatttgc atctttaaat aatttcttaa 1740
aagcctctaa agtgatcagt gccttgatgc caactaagga aatttgttta gcattgaatc 1800
tctgaaggct ctatgaaagg aatagcatga tgtgctgtta gaatcagatg ttactgctaa 1860
aatttcatatg ttgtgatgta aattgtgtag aaaaccatta aatcattcaa aataataaac 1920
tattttttatt agagaatgta waaaaaaaaa aaaaaaaaaa ctcgta 1966
```

<210> 419

<211> 2852

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2838)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2843)

<223> n equals a,t,g, or c

<400> 419

```
tcaagagcgg cctgggaatt tctacgtttc ctcagagagc atcaggaaag ggccgcccgt 60
cagaccatgg agggacaggc cccagtcaag tatatatgac ccttttgcg gaatgaaaac 120
gccaggccag cggcagctta tcaccctcca ggagcagggtg aagctgggca ttgtcaacgt 180
ggatgaggct gtgctccact tcaaagagtg gcagctcaac cagaagarac gatcgagtc 240
ctttcgtttc cagcaggaaa atcttaaacc gctaagagac agcatcacc gaagacagag 300
agagaagcaa aatcaggaa agcagacaga cttggagatc acggtcccaa ttcggcactc 360
acagcacctg cctgcaaaaag tggagttttg agtctatgag agtggcccca ggaaaagtgt 420
cattccccct aggacggagc tgagacgagg agactggaaa acagacagca cctccagcac 480
agcaagtagc acaagtaacc gctccagcac ccggagcctc ctcagtgtga gcagcgggat 540
ggaaggggac aacgaggata atgaagtccc tgaggttacc agaagtcgca gtccaggccc 600
```

```
cccacaagtg gatgggacac ccaccatgty cctcgagaga cccccaggg tgcctccgag 660
agctgcctca cagaggmctc cgaccaggga gaccttccat cctcctccac ctgttccacc 720
cagaggagcg tgattccacc tcctaaaacc tgcctacttc aggactttaa gactcacagt 780
cttcagcctg ttaatgatgt cttcatgttg agttttatag catgactgtt gaccttaaga 840
tccattctca ttgctgataa tgctgcagcc ctgctggttt gggcttgcct cgaagatttt 900
attaaggcac gaagaagtga aaaactaagg gcttcattca ccatcaccaa gtatatcgaa 960
ccatatactt gtttgccaaa aggatgaaga cttaatcgaa atacttacct ctaatttgcc 1020
atatcagaag cctaaaaaga atgatcataa atgtacttca ccagtgattt tactgaaatg 1080
cacttatatt agtctttatg tatttgctag ttcagcctga tttctagaag aggttatagt 1140
gtgagacttg tagtattcaa gtaagataag tgacctaat ttaaaataat tcttctactt 1200
ttctgtatat tcagcagggt atttaagtgc tagggctggg cacacacaac caactgaaaa 1260
agactagagg gattagtaca aactcctctt atacagaagg caaatctgag gttccacaga 1320
agtctggaac caagactatt cagttggtta aataaagagg ttagtctaga ctgggcctgc 1380
tcattctagg tcaccacatt ttccatctcc aaatagccag gccctctctc cctcaagaaa 1440
tgcccagatg tagaaattca tcagtgccta ttggtcttcc agaattttcc atcttccgta 1500
tctcccaggc atgagactac caagtttggt tgttttcttt ccaatttggg aattttactt 1560
tcagtatggt ttcaacgcag ttatgtttcc agagaacatc tagaagtggc tggaaaccag 1620
aagctggggg ttccaggggc ccacttagt gctctatttc ctttataggt tttattctg 1680
gtcatagaga gagraggacc tttgactttt tcttcgttga ggcttctgag gaggaaaaac 1740
aaacctaaaa tagaaatata gtcagccttt caaatccatg ggttctgtgt ccgtggattc 1800
aaccaacctt ggatcaaaaa tatttgaaaa aaaatctaca aagtttcaa aagcaaaact 1860
tgaatttgct gcatgccaag aagtatgttg aattcatgta aatgaagtga tgtgtaggca 1920
ttgtattaga tattataaga aatctagaaa tgatttaaag catacaggag gatgtgcata 1980
ggttatatgc aaatactatg ctattttata tatgggactt gagcatttgt ggattttgat 2040
actgggggat cctggaacca atcccccatg gataccaaag tacgactgta gttatctatt 2100
ttttacatac ttattattac caccatgctc agtaagtcca tttttgcatg gaatatggag 2160
ccttaaaaca tgcatgaat ttggagtccc tggcacataa atctaccttc aaatcagagg 2220
tccttaatga tgcctaaaca tacagtaaaa ttagaatcag aamtacttct ttaaaaaata 2280
ttcaaatgt gtttgtttcc catgggatta ttctctatcc cacacgaatg taaaaaaatc 2340
cacattaatg atccatttaa gtatagtttt attgggtcct tttctaata ttaaagggtc 2400
tttctcaatt tcattcctca gtccctgcaag taaggactca tactgaagag tactgaaaaa 2460
aggacttctt gtcagaaaca gcttctggaa tcttgggttt tgtttttgtt ttttgacaaa 2520
atacactatt ggcatgtcc atcacgagag tggttgtagt aattaattac cttgtacagg 2580
acctggcact tagtagcatt cttcaaatgt tccctcagtg atccttttac tctcctgtc 2640
acttatgttg gagaaatagg ggcacrtgag ataagaagaa gaataatttt gatgttggt 2700
tgcttgcctt gttacttata gacagtcttt gtcataggca aacttgaatt tgatttaaaa 2760
tagggctggg aaaaatattc aataactgta agccccctt taaatcaaat tcaagtttgc 2820
ccggcacgag gcctcgtnaa aanttcttgg cc 2852
```

<210> 420

<211> 2705

<212> DNA

<213> Homo sapiens

<400> 420

```
tgagactgca ttcgtatctg agcaggtttt ctatgcctac tgatgtcagt atgtttatag 60
taaccttcat gcttttttcc cagaatccct catctgccag aaaacttgaa agttttattg 120
cttgtagagt tgtactgctt tgatttttga agttggggtg gtagttagaa ctgatttaa 180
ctagtctata atgaacatga aggccttttat atatgaagtt gtataccttt ttgtgtttag 240
agaattatgg gaaacctggg aagcaaaact ttcctcccag ataattgctt ccaaattcga 300
agagtttagtc accaagagag ccatatgtat gaaagcgtat ctgtgaaagg taggaaactt 360
```



```

accccccccta agtgaatgt tgcttttaggc aactcctgta aatagtgaga cttgtttgg 420
ctctttacatg tagagatttg agtgcagttg gtacagtact ttgggtgtctc caccactgtc 480
ccttctcccc gcttcaaaat aagtgaatc cacggtagca gccacacttc ctttagaagg 540
aactgttata atttatttta aagttgaaaa accacccaag atgactacca actttcactt 600
ttttctctcg ccatccaccc tcatttttcc ttttagcaaga tttttatatac taactttcct 660
tcctccatt gagtacgtgc tttgagaaaa catttcttaa aacagtgtgt gccacctaa 720
gctggatggg aaagtgcagt cttgttgttc atataaaaac acacttctta ttagtttacc 780
acttgccttt ttctattgtt aatgttctga atttcctttt cttggcttgt ttctacttca 840
ttttaccctg ggtcacttgc tgccagcagt ttgtgaatgg tgcctttcaa ataacttagt 900
tcttatggct tcacttaaaag actgtctcaa aaatactttg ctctcttctt cttttttgtt 960
catgggacat ggtacctaaag caaataggag ttgggttttg tttttctcct aaaataatgc 1020
tcaatactta cctaataaaa tgcatccat ttgaataaaa tgacaataac taaagctagt 1080
taatgtcagt gacattaaac taactccagg attcaggagt tttaatgtta gaatttagat 1140
ttaacagata gagtgtggct tcatttgtcc atggtagccc atctctccta agacctttc 1200
tagtctgtct tcctgccttc gaacttgatg acagtaaaac cctgtttagt attctcttgt 1260
gcatttggtt tgttggttag ccgactgtct tgaaaactatt cattttgctt ctagttttat 1320
tttacagagg tagcattggg gggttttttt tttttctctg tctctgtgtt tgaagtttca 1380
gtttctgttt tctaggtaag gcttattttt gattagcagt caatggcaaa gaaaaagtaa 1440
atcaaagatg acttcttttc aaaatgtatt gtttagcact taactcagat gaatttataa 1500
attattaatc ttgatactaa ggatttgtta cttttttgca tattagggtta atttttacct 1560
tacatgtgag agtcttacca ctaagccatt ctgtctctgt actgttggga agttttggaa 1620
accctgccca gtgatctggt gatgatctga tgatttatit aaagagccgt tgatgcctcc 1680
aggaaactta agtattttat taatatatat ataggaattt ttttttatit tgctttgtct 1740
ttctctccct tcttttatcc tcatgttcat tcttcaaacc agtgtttttg aagtatgcat 1800
gcaggcctat aaatgaaaaa cacaattctt tatgtgtata gcatgtgtat taatgtctaa 1860
ctacatacgc aaaaacttcc tttacagagg ttccggactaa catttcacat gcacatttca 1920
aaacaagatg tgtcatgaaa acagcccctt tacctgccaa gacaagcagg gctatatattc 1980
agtgcagct gatatttggg ttgaaagtga atctcataat atatatatgt attacacatt 2040
attatgacta gaagtatgta agaaatgatc agaacaaaag aaaatttcta ttttcatgca 2100
aatatttttc atcagtcac ctcctcaa ataaattaaa atataacact cctgaatgcc 2160
tgaggcacga tctggatttt aaatgtgtgg tattcattga aaagaagctc tccacctact 2220
tggattttca agaaaattta aaacgatccc aaggaagat gatattgtatg ttaaagtgc 2280
tgcacaagta aaagtccaat gttgtgtgca tgaaaaggat tccttggtta tgtgcaggga 2340
atcatctcac atgtctgttt tcttatttgg tttgagaaac aggctgacac tattctcttt 2400
gattagaaaa taaactcata aaactcataa tgttgatata atcaagatgt aaccactata 2460
aatatgtaga agaggaagtt ttaaaagacc ttaagctggc attgtgaagg aacaccatgg 2520
tagactcttt ttgtaaatgt attttgtatt taatgaaatg cagtataaag gttggtgaag 2580
tgtaatatata ttgtgtaaac aaatcctgtt aatagagaga tgtacagaat cgttttgtac 2640
tgtatcttga aacttgtgaa ataaagattc cacctctggt taaaaaaaaa aaaaaaaaaa 2700
aaaaa 2705

```

<210> 421

<211> 1901

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1828)

<223> n equals a,t,g, or c

<400> 421

```
accggactgg cctggggcgg gacgtgggcg cgggggcgcg gcgtgcggca cgctgcaggg 60
ctgaagcggc ggcggcgggt gggactgcac gtagcccgcc gctcggcatg gctctcctgg 120
tgctcggctc ggtgagctgt accctcttctc tggcagtgaa tggctctgtat tctctctagt 180
atgatgtgat cgaattaact ccatacraatt tcaaccgaga agttattcag agtgatagtt 240
tgtggcttgt agaattctat gctccatggt gtggtcactg tcaaagatta acaccagaat 300
ggaagaaagc agcaactgca ttaaaagatg ttgtcaaagt tggcgcagtt gatgcagata 360
agcatcatc cctaggaggt cagtatggtg ttcagggtt tctaccatt aagatttttg 420
gatccaacaa aaacagacca gaagattacc aaggtggcag aactggtgaa gccattgtag 480
atgctgcgct gagtgtctct cgccagctcg tgaaggatcg cctcggggga cgaagcggag 540
gatacagttc tggaaaacaa ggcagaagtg atagttcaag taagaaggat gtgattgagc 600
tgacagacga cagctttgat aagaatgttc tggacagtga agatgtttgg atggttgagt 660
tctatgctcc ttggtgtgga cactgcaaaa acctagagcc agagtgggct gccgcagctt 720
cagaagtaaa agagcagacg aaaggaarag tgaaactggc agctgtggat gctacagtca 780
atcaggttct ggctcctcga tacgggatta gaggatttcc tacaatcaag atatttcaga 840
aaggcgagtc tctgtgtgat tatgacggtg ggcggacaag atccgacatc gtgtcccggtg 900
cccttgattt gtttctctat aacgccccac ctctcagct gcttgagatt atcaacgagg 960
acattgcaa gaggacgtgt gaggagcacc agctctgtgt tgtggctgtg ctgccccata 1020
tcttgatac tggagctgca ggcagaaatt cttatctgga agttcttctg aagttggcag 1080
acaaatacaa aaagaaatg tgggggtggc tgtggacaga agctggagcc cagtctgaac 1140
ttgagaccgc gttggggatt ggaggggttg ggtacccgc catggccgcc atcaatgcac 1200
gcaagatgaa atttgcctc ctaaaaggct ccttcagtga gcaaggcatc aacgagtttc 1260
tcaggagct ctcttttgg cgtggctcca cggcacctgt aggaggcggg gctttcccta 1320
ccatcgttga gagagagcct tgggacggca gggatggcga gcttcccggt gaggatgaca 1380
ttgacctcag tgatgtggag cttgatgact tagggaaaga tgagttgtga gagccacaac 1440
agaggcttca gaccattttc ttttcttggg agccagtgga ttttccagc agtgaaggga 1500
cattctctac actcagatga ctctaccagt ggccttttaa ccaagaagta gtacttgatt 1560
ggtcatttga aaactgca acagtgaact tttgcatctc aagaaaacat tgaaaaattc 1620
tatgaattgt ttagaccggg gaattgagtc gtattctgtc acataatatt ttgaagaaaa 1680
cttggtgtgc gaaacatttt tctctctgac tgcgtcttga atgttcttgg aggtgttttc 1740
ttatgtatgg gtttttttta atgtgatccc ttcatgtgaa tattaatggc tttttccatt 1800
aaagaataaa atatttttga caatgccnaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
cyscaggggg ggcccggtcc caattcgccc tatagtgaag c 1901
```

<210> 422

<211> 2477

<212> DNA

<213> Homo sapiens

<400> 422

```
cacactttga gcgcacttct agtaaacggg tctccaggag tctagatgga gctccgattg 60
gtgtcatgga ccaaagtctt atgarggatt ttcctggcgc tgctggggag atttcagcct 120
atggacctgg acttgctcagc attgccgtgg tacaagatgg ggacggcagg agggaaagtga 180
gaagcccaac taaagcccca catttgacgc tcattgaagg aaagagttca catgagactc 240
tgaatatagt ggaggagaag aagcgggcag aggttgggaa agacgaaaga gtaatcacag 300
aagaaatgaa tggtaaagag atatcacctg ggagtgttcc tggggagatt cgtaaggtg 360
agcctgtgac aaaaaagac tccacctccc tgtcttctga gagcagcagc agcagcagtg 420
agagtgaaga ggaagacgtg ggagagtacc gtccccacca ccgagtgaac gagggacca 480
tcagggaaga acaggagtat gaagaagagg tggaggaaga accccgcccg gcagccaagg 540
taataagagag ggaaggaagca gtgcccgaag ccagcccagt cacacaagca ggtgccagtg 600
taatcacagt agaaacagtg atccaggaaa atgtaggtgc ccaaaagata cccggagaga 660
```

agagtgtaca cgaaggcgct cttaaagcaag acatgggaga agaagcagag gaagagccac 720
agaaagttaa cggagagggtg tcccatgttg acattgatgt tttgccacaa attatttgtt 780
gttcagagcc accagtggtgta aaaacagaga tggtaacaat ttctgatgcc tcacaaagga 840
cagaaatctc caccaaggaa gtccccattg tccaaactga gacccaaaacc atcacatatg 900
agtctccaca gattgatggc ggggctgggt gtgattcggg cacgttactg accgcacaaa 960
ccatcacatc tgagtcctgtg tcaacaacga caaccacaca catcaccaag actgtaaaag 1020
gtggaatttc tgaaacaaga attgagaaac gcatttgtat cacaggagat ggagatattg 1080
atcatgacca ggcactggct caggcgatca ggggaagccag agagcagcac cctgacatgt 1140
cggtcacaag agtgggtgta cacaaagaaa cagagttggc tgaggaaggg gaagattaag 1200
taagaaagtc attttttaaa caacactcaa ctttgtgaac ccctgaagat tttttgaccg 1260
ttccaagtct taatgccaca ccactattcc agcgaattta tgctacaact ggtaacaatg 1320
accagaagcc tgaagaatta aaatgccaac accaaacctt tccttaccag ctctgggtcta 1380
tattgctccc atgcatttaa tatattattt tgttttataa ccacttctaa atattctcag 1440
ttctttcttt ttgttgggtg taattaaggg gttttgggtt tgttttctgt ttactttgtg 1500
tgcaactacc tgcttttaat gactcacttt gatcaaatga cagtgaacaa agccagccca 1560
agctgktaag gtgctgttca cttgaacagg tgctgttgcg cagaaaggaa actctgtgac 1620
taatttagat agtggctttc cttcttctgg attcttttca ttgaattctc acagtaaata 1680
tttacggagt tttcaaattg cagcaaatat actgtatgag aaaatattaa tacagattaa 1740
aagcctttct tacatcttga aaattttcta atatttgaga atttcacagg gatgtttttt 1800
atattggacc cttttgactt tccagtcctg tgactttcta cttttagtag agagtcagaa 1860
tctctggact ggagaataat gaagaagttc actgactgtg cactgtgctt agagaccctg 1920
ccgcaccaca gtgccaatgc ttgtcagaca catgcccttc ggcagcattc cagaacagga 1980
gggaagagaa agagaaaact ttcttccctt ctactaaaag attcaggcag cttaaaacct 2040
tagtgctttc tttcttaaca tacccaaatt tcaattcttt ccattatttg aacacttggg 2100
tagaactctt gctttgtatt aaacctcttt gtctacacat gtaaaactta ccttttggtta 2160
ttgagcaggc ctatctcttt cagatagttt tatgattcac acaggtttga ggatgctggg 2220
gagaggggga ggggggtgtg gtggtgttct gttggttaca agaaagtat accattttaa 2280
gctggcacca gagaccgat agggacttat taactatatt gaacattttt tcctttgcct 2340
ttgacctat gtatagttao gatgccagat tagatttata gcagcctcaa gttgtattaa 2400
atgatatttt gcttctgtga atactattat aaaataaagt ttgtttattc tctaaaaaaa 2460
aaaaaaaaa actcgag 2477

<210> 423

<211> 777

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (759)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (764)

<223> n equals a,t,g, or c

<400> 423

ttcctcgcgg aagtggggag gaggcggttg cggttagtgg accgggaccg gtaggggtgc 60
gtgtgccatc atggctgacc ccgacccccg gtaccctcgc tcctcgatcg aggacgactt 120
caactatggc agcagcgtgg cctccgccac cgtgcacatc cgaatggcct ttctgagaaa 180

```
agtctacagc attctttctc tgcaggttct cttactaca gtgacttcaa cagttttttt 240
atactttgag tctgtacgga catttgtaga tgagagtcct gccttaattt tgctgtttgc 300
cctcggtatct ctgggtttga tttttgcgtt gaytttaaag agacataagt atccccctaa 360
cctgtaccta ctttttggtt ttacgctgtt ggaagctctg actgtggcag ttgttggtac 420
tttctatgat gtatatatta ttctgcaagc tttcactactg actactacag tattttttgg 480
tttgactgtg tatactctac aatctaagaa ggatttcagc aaatttgag cagggctgtt 540
tgctcttttg tggatattgt gcctgtcagg attcttgaag tttttttttt atagtggat 600
aatggagtgt gtcttagccg ctgcaggagc ccttcttttc tgggggattc atcatctatg 660
acacacacta ctgatgcata aactgtcacc tgaagagtag gtattagctg gcatcaagcc 720
tctacttggg tatcatcaat ctattcctgg acctgtacng gttnttggga acaagtt 777
```

<210> 424

<211> 1649

<212> DNA

<213> Homo sapiens

<400> 424

```
ggccctttgc gcctgcgccc agctcgccct gcctagccag gagcgccccg cccctgcct 60
gcccgccac cttcgggagc cgcttccaat aggcgttcgc cattggctct ggcgacctcc 120
gcgcgttggg aggtgtagcg cggtctgaa cgcgctgagg gccgttgagt gtcgcaggcg 180
gcgagggcgc gagtgaggag cagacccagg catcgcgcg cgagaaggcc gggcgctccc 240
acactgaagg tccggaaagg cgacttccgg gggcttggc acctggcgga ccctcccgga 300
gcgtcgccac ctgaacgcga ggcgctccat tgcgcgtgcg cgttgagggg cttcccgcac 360
ctgatcgca gacccaacg gctgggtggc tgcctgcgc gtctcggtg agctggccat 420
ggcgagctg tgcgggctga ggcggagccg ggcgtttct gccctgctg gatcgctgct 480
cctctctggg gtcttggcg ccgaccgaga acgcagcatc cacgacttct gcctgggtgc 540
gaagggtgtg ggcagatgcc gggcctccat gcctaggtgg tggtaaatg tcaactgacg 600
atcctgccag ctgtttgtgt atgggggctg tgacggaaac agcaataatt acctgaccaa 660
ggaggagtgc ctcaagaaat gtgccactgt cacagagaat gccacgggtg acctggccac 720
cagcaggaat gcagcggatt cctctgtccc aagtgtccc agaaggcagg attctgaaga 780
ccactccagc gatattgtca actatgaaga atactgcacc gccaacgcag tcaactggcc 840
ttgccgtgca tccttcccac gctgggtactt tgacgtggag aggaactcct gcaataactt 900
catctatgga ggctgccgg gcaataagaa cagctaccgc tctgaggagg cctgcatgct 960
ccgctgcttc cgccagcagg agaatacctc cctgcccctt ggctcaaagg tgggtggtct 1020
ggcggggctg ttcgtgatgg tgttgatcct cttcctggga gcctccatgg tctacctgat 1080
ccgggtggca cggaggaacc aggagcgtgc cctgcgcacc gtctggagct ccggagatga 1140
caaggagcag ctggtgaaga acacatatgt cctgtgccgc cctgtcgcca agaggactgg 1200
ggaagggagg ggagacatgt gtgacttttt ttaaataagag ggattgactc ggatttgagt 1260
gatcattagg gctgaggtct gtttctctgg gaggtaggac ggctgcttcc tgggtctggca 1320
gggatgggtt tgctttggaa atcctctagg aggtcctcc tcgcatggcc tgcagtctgg 1380
cagcagcccc gagttgtttc ctcgctgac gatttcttcc cccaggtaga gttttctttg 1440
cttatgttga atccattgcc tcttttctca tcacagaagt gatgttgaa tcgtttcttt 1500
tgtttgtctg atttatggtt tttttaagta taaacaaaag ttttttatta gcattctgaa 1560
agaaggaaag taaatgtaca agtttaataa aaggggcctt cccctttakt aaaaaaaaaa 1620
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1649
```

<210> 425

<211> 1608

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (1598)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1600)
<223> n equals a,t,g, or c

<400> 425
gcgcggggcg cggcgrggg cgctcgtgcg cggctggcgc gtgagggcgc gcatggggcg 60
agtgcagctc ttcgagatca gcctgagcca cggccgcgtc gtctacagcc ccggggagcc 120
gttggtcggg accgtgcgcg tgcgcctggg ggcaccgctg ccgttccgag ccatccgggt 180
gacctgcata ggttcctgcg gggctctccaa caaggctaata gacacagcgt gggtagtgga 240
ggaggggttac ttcaacagtt ccctgtcgtc ggcagacaag gggagcctgc ccgctggaga 300
gcacagcttc ccctccagt tcctgcttcc tgccactgca cccacgtcct ttgaggggtcc 360
tttcgggaag atcgtgcacc aggtgagggc cgccatccac acgccacggt tttccaagga 420
tcacaagtgc agcctcgtgt tctatatctt gagccccttg aacctgaaca gcatcccaga 480
cattgagcaa cccaacgttg cctctgccac caagaagttc tcctacaagc tgggtgaagac 540
gggcagcgtg gtcctcacag ccagcactga tctccgcggc tatgtgggtg ggcaggcact 600
gcagctgcat gccgacgttg agaaccagtc aggaaggac accagccctg tgggtggccag 660
tctgctgcag aaagtgtcct ataaggccaa gcgctggatc cagcagctac ggaccattgc 720
ggaggtggag ggtgcgggcg tcaaggcctg gcggcgggcg cagtggcacg agcagatcct 780
ggtgcctgcc ttgccccagt cggccctgcc ggctgcagcc tcatccacat cgactactac 840
ttacaggtct ctctgaaggc gccggaagct actgtracc tcccgggtctt cattggcaat 900
attgctgtga accatgcccc agtgagcccc cggccaggcc tggggctgcc tcctggggcc 960
ccacccttg tgctccttcc gcaccacccc aggaggaggc tgaggctgag gctgcggctg 1020
gcggccccc cttcttgagc ccgtcttcc tctccaccaa gagccattcg cagcggcagc 1080
ccctgtcggc acacttgagt tctgtgcctg gtgcgcggga gccctgccct caggatggca 1140
gccctgcctc acaccgctg caccctccct tgtgcatttc aacagggtgc actgtccctc 1200
actttgcaga gggctccggg ggccagtgcc ccactaccag caccttgatt ctctctccag 1260
agtacagttc ttggggctac ccctatgagg ccccaccgtc ttatgagcag agctgcggcg 1320
gcgtggaacc cagcctgacc cctgagagct gaccccgctg tgccttctcc aggcaggcct 1380
ggcctctgcc ctgggaactg ggcgcccagg gcctcgtgcc ttctctcttg gcctagcctg 1440
gcccactcag gacctgccc gacctgcca gctcctctgc atccgccctc ttctccctgg 1500
ggctgggggtg ggggtggcag ggagctggga cctggagaga caactcctgt aaataaaaca 1560
ctttatttgt agaaaaaaaa aaaaaaaaaa aaaaaaantn gggggggg 1608

<210> 426
<211> 1794
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1789)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (1790)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1793)

<223> n equals a,t,g, or c

<400> 426

```
gtctctctct ctctctctct ctctcccttg tgcccgcctt ctgccatccg cgctgtctcg 60
tgtctccctt ttccatttaa atgcctcttt tcttgccggg ctcatstcgg gaatagtga 120
ctacggggac atacctatcc ccaactatcc taggcccgag aaccagccct tgccttcgag 180
taacaggcgg agactcgctg aggcgagttg cacttctaag tgggcgtgag gtcttgtaa 240
tccccaagtt cttccaatca gaagtccggt ccatccagcc ttccgctccc cattggcctg 300
tgtggaggaa gagggtggg taagccgaag tcgctgcgct cagtgcgcag gcgcgaagaa 360
gctggcaggg gcacgagccg ggggcggggt tgaagacgcg tcggtggggt ttggaggccg 420
tgaaacagcc gtttgagttt ggctgcgggt ggagaacggt tgtagggggc ccggccaaga 480
aggaggcccg cctgttacga tgggtgtccat gagtttcaag cggaaccgca gtgaccggtt 540
ctacagcacc cgggtgctgc gctgttgcca tgtccgcacc gggacgatca tcctggggac 600
ctggtacatg gtagtaaac tattgatggc aattttgctg actgtggaag tgactcatcc 660
aaactccatg ccagctgtca acattcagta tgaagtcacg ggtaattact attcgtctga 720
gagaatggct gataatgcct gtgttctttt tgccgtctct gttcttatgt ttataatcag 780
ttcaatgctg gtttatggag caatttctta tcaagtgggt tggctgattc cattctctcg 840
ttaccgactt tttgacttcg tcctcagttg cctggttgct attagttctc tcacctattt 900
gccaaagaatc aaagaatatc tggatcaact acctgatttt ccctacaaag atgacctcct 960
ggccttgagg tccagctgcc tcctgttcat gtctcttggt ttctttgcct tattcatcat 1020
ttttaaggct tatctaatta actgtgtttg gaactgctat aaatacatca acaaccgaaa 1080
cgtgccggag attgctgtgt accctgcctt tgaagcacct cctcagtacg ttttgccaac 1140
ctatgaaatg gccgtgaaaa tgcctgaaaa agaaccacca cctccttact tacctgcctg 1200
aagaaattct gcctttgaca ataaatccta taccagcttt ttgtttggtt atgttacaga 1260
atgtgcaat tcagggtctt tcaaacctgt ttgatataaa atatgttgct tttgttttaa 1320
gcatttattt tcaaacacta aggagctttt tgacatctgt taaacgtctt tttgtttttt 1380
tgttaagtc tttacatttt aatagttttt gaagacaatc taggttaagc aagagcaaa 1440
tgccattggt tgcctttaat tgggggggtg gaagggaaaag aggggtactg ccacatagtt 1500
tcctttttta ctgcactttc tttatataat cgtttgcat tttgttactg ctaccctgag 1560
tactttcagg aagactgact taaatattcg ggggtgagtaa gtagttgggt ataagatctg 1620
aacttttcat ctgcagaggg aagaaaaata tttgacattg tgacttgact gtggaagatg 1680
atggttgcat gtttctagtt tgtatatgtt tccatctttg tgataagatg atttaataaa 1740
tctcttttaa tactaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaann aana 1794
```

<210> 427

<211> 770

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (40)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (97)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (618)
<223> n equals a,t,g, or c

<400> 427
ccaggcccta taancccggc accttgggga ggctgaggcn ggaagcacca cggagcccca 60
ggagttgggg acccggtggg gccaccatag ccagggnccc tgtctatttt tttaaaaaag 120
taaaaaatag aaattatctc actacttaaa tcccattttt ttcacttcat atgaaagaac 180
atattgatag tatattctat attatttcat agatctgtct gaaagagatt gggaacaaaa 240
atatctaatt gagatattct ttaatttttt acatagcagc tttatttttt ttattctgta 300
gtatcagcga aatcagtcac gtttatacct tgaatataaa tatcaggaat catgcaatta 360
tttctactat gtatttagta gtatcttata ttgtataaac attattacat ttgcaaatt 420
agtatcacia ctgctaagta gatgtttctg agtattagaa aaatcagtgt tattacctgc 480
aggatattaa aaaacatttg aaaaagagaa aaagaaaaat cagtgttag aaatgttgat 540
agttattgaa tctttgaatt gaatttttaa aatccattct agtaatcaga gtatactttt 600
tttatagaac aaggtgggna ggtggggagc cctttaccct tctggtgaag ttaaaccata 660
ggaagtttac aatttgcctt tcacaaacat tagcagtcgg gggcatggg gctgragcct 720
gtgratyccc agcatgttgg ggaggcccg gttggggagg gttgcctgag 770

<210> 428
<211> 512
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (18)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (30)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (38)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (491)

<223> n equals a,t,g, or c

<400> 428

```
tg gatcccc gggactgnca gaattccggn cacgaggnaa gagacttgct ttgacaagta 60
cactgggaac acttaccgag tgggtgacac ttatgagcgt cctaaagact ccatgatctg 120
ggactgtacc tgcacgcggg ctgggcgagg gagaataagc tgtaccatcg caaaccgctg 180
ccatgaaggg ggtcagtcct acaagattgg tgacacctgg aggagaccac atgagactgg 240
tggttacatg ttagagtgtg tgtgtcttgg taatggaaaa ggagaatgga cctgcaagcc 300
catagctgag aagtgttttg atcatgctgc tgggacttcc tatgtggtcg gagaaacgtg 360
ggagaagccc taccaaggct ggatgatggt agattgtact tgcctgggag aargcagcgg 420
acgcatcact tgcacttcta gaaatagatg caacgwtcag gacacaagga catctataga 480
atnngagaca ncttgagcaa gaaggataat cg 512
```

<210> 429

<211> 1470

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1357)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1387)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1415)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1454)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1462)

<223> n equals a,t,g, or c

<400> 429

```
gtggacacgg aagtggctgt cgtcgcggca cgggtgggag ctaggcgcga ggctcggagt 60
gcggccagcg ggccgaggcg gtctcgcctc ggccgacgag gagggctcag gcgtcgtcgt 120
ttgggtgggg ggccgctgaa ctgacaagcg acatttcagc tcctttcacc cgccggaacc 180
ccggagcccg ggcccgctca gccggcggtta ccatgaccaa ggccggtagc aaggcgcgga 240
acctccgcga caagctggac ggcaacgaac tggacctgag cctcagcgac ctgaatgagg 300
tcccggtgaa ggagctggct gcccttccaa aggccaccat cctggatctg tcttgtaata 360
aactgactac tctaccgtcg gatctctgtg gcctcacaca cctggtgaag ctagacctga 420
gtaagaacaa gctgcagcag ctgccagcag actttggccg tctggtcaac ctccagcacc 480
tggatctcct caacaacaag ctggtcacct tgccctgcag ctttgctcag ctcaagaacc 540
tgaagtgggt ggacctgaag gataaccccc tggatcctgt cctggccaag gtggcagggtg 600
actgcttgga tgagaagcag tgtaagcagt gtgcaaacia ggtgttacag cacatgaagg 660
ccgtgcagcg agatcaggag cgggagagcg agcggcggtt ggaagtagaa cgtgaggcag 720
agaagaagcg tgaggctaag cagcgagcta aggaagctca ggagcgggaa ctgcggaagc 780
gggagaagcg ggaagagaag gagcgccgga gaaaggagta tgatgccctc aaagcagcca 840
agcgggagca ggagaagaaa cctaagaagg aagcaaatca ggccccgaaa tctaagctcg 900
gctcccgtcc ccgcaagcca ccaccccgga agcacactcg ttcctgggct gtgctgaagc 960
tgctgctgct gctgctgcta ttggtgtgtg cgggagggtt ggttgcttgt cgggtgacag 1020
agctgcagca gcagccctc tgaccagcg tgaacaccat ctatgacaat gcggtccagg 1080
gtctacgccg ccatgagatc ctccagtggg tcctccagac cgactctcag cagtgaactt 1140
gtccccagca cctgctgctt cccagccttg gagtttggat tcctatggaa ttgggttctg 1200
ctggacacaa cctcttttta gcatcagacc tacctgccat catcaaatgg ctgcagattg 1260
gtacatgaga cttctctttt gtaggacttc ttcattcctt agtcagggtt ccctgaagga 1320
atgaggagaa atgggaggtg gccggnnggg ccgtgngggc aagttacctg catgcctaaa 1380
ggagtangct tgggggtggg agagagaaaa catanctttt tagtgtatat aagttgggaa 1440
aggcaaggtt ggtntactaa anggcagttg 1470
```

<210> 430

<211> 434

<212> DNA

<213> Homo sapiens

<400> 430

```
ggccttggtta tggctcctat tgcttgtttg ctgccagcct tctcctcggc cccagaggcc 60
atgcacccgt gggagctctt tgtaaagtac taccatgcta agaacggccg tgcttatgtg 120
gaatccccag cccggaagct ctcccagctc ttgcgccctc ctgttacggg aggcactggt 180
gtcaccccca aacagagcct actgacagcc atccacatgg tgctgacaga gcatgacctt 240
tttaagcgca gtgcagactc agaattgaag gccttggtgt gcatggcact gaatgagcca 300
gcgtctggtg tcctgggtga acctcatctg caaktccggg tcaactsatcg agcctcacta 360
ccagccctgg rrctacatgg cacacacagg cttttgaaaa ttgcctcaac ctgctcagtc 420
gcctcaacaa cctc 434
```

<210> 431

<211> 1823
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1804)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1805)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1815)
<223> n equals a,t,g, or c

<400> 431
ggcacgagcc ccgccccgcc cgcgcgcgcgc cggccgctgt cagctccctc agcgtccggc 60
cgaggcgcgg tgtatgctga gccgctgccg cagcsggctg ctccacgtcc tgggccttag 120
cttctgctg cagaccgcc ggccgattct cctctgctct ccacgtctca tgaagccgct 180
ggtcgtgttc gtcctcggcg gccccggcgc cggcaagggg acccagtgcg cccgcacgtc 240
cgagaaatat ggctacacac acctttctgc aggagagctg ctctgtgatg aaaggaagaa 300
cccagattca cagtatggtg aacttattga aaagtacatt aaagaaggaa agattgtacc 360
agttgagata accatcagtt tattaagag ggaaatggat cagacaatgg ctgccaatgc 420
tcagaagaat aaattcttga ttgatgggtt tccaagaaat caagacaacc ttcaaggatg 480
gaacaagacc atggatggga aggcagatgt atctttcgtt ctcttttttg actgtaataa 540
tgagatttgt attgaacgat gtcttgagag gggaaagagt agtggttaga gtgatgacaa 600
cagagagagc ttgaaaaaga gaattcagac ctaccttcag tcaacaaagc caattattga 660
cttatatgaa gaaatgggga aagtcaagaa aatagatgct tctaaatctg ttgatgaagt 720
ttttgatgaa gttgtgcaga tttttgacaa ggaaggctaa ttctaaacct gaaagcatcc 780
ttgaaatcat gcttgaatat tgctttgata gctgctatca tgacccttt ttaaggcaat 840
tctaactctt cataactaca tctcaattag tggctggaaa gtacatggta aaacaaagta 900
aattttttta tgttcttttt tttggtcaca ggagtagaca gtgaattcag gtttaacttc 960
accttagtta tgggtgtcac caaacgaagg gtatcagcta ttttttttta aattcaaaaa 1020
gaatatccct tttatagttt gtgccttctg tgagcaaaac ttttttagtac gcgtatatat 1080
ccctctagta atcacaacat tttaggattt agggataccc gcttcctctt tttcttgcaa 1140
gttttaaat tccaacctta agtgaatttg tggaccaaat ttcaaaggaa ctttttgtgt 1200
agtcagttct tgcacaatgt gtttggtaaa caaactcaaa atggattctt aggagcattt 1260
tagtgtttat taaataactg accatttgct gtagaaagat gagaaaactt aagctttgtt 1320
ttactacaac ttgtacaaag ttgtatgaca gggcatattc tttgcttcca agatttgggt 1380
tgggggcact aggggttcag agcctggcag aattgtcagc tttagtctga cataatctaa 1440
gggtatgggg caaggatcac atctaagtct tgtgttcctt atactctatt atatagtgtt 1500
attcatgatt cagctgatct taacaaaatt cgtagcagtg gaaccttgaa atgcatgtgg 1560
ctagatttat gctaaaatga ttctcagtta gcatttttagt aacacttcaa aggttttttt 1620
ttgtttgtt tctagactta ataaaagctt aggatattt agaagaagca atctagttaa 1680
atccccatt tgtattttat tttcttgaat acttttttca tagttatttg tttaaaaaga 1740
tttaaaaatc attgcacttt ggtcagaaaa ataataaata tatcttataa gggggggccc 1800
ggannccaat tcggnctgga gga 1823

<210> 432
<211> 3391
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (33)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (68)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (99)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (114)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (3293)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (3391)
<223> n equals a,t,g, or c

<400> 432
nccccctttg ccctcaaadc caaaaatggg aanaattgtg gaaccattg ccacttgcat 60
tgcccttnga ccaggattga aattgatcca ttccctcna ttcttggtt gggnaaccgg 120
ggaaacccta attgaaagac ttgtaaagcc cagccatt atttaagtgg gaaatcgggt 180
gcctccaccc aacacagctg gctgccttag gaatgtaagc ctcagagagg agtgaagctc 240
gccggaaact tcgggaatgt gatggttag ttgatgccct cattttcatt gttcaggctg 300
agattgggca gaaggattca racagcaagc ttgtagagaa ctgtgtttgc cttcttcgga 360
acttatcata tcaagttcac cgggagatcc cacaggcaga gcgttaccaa gaggcagctc 420
ccaatgttgc caacaatact gggccacatg ctgccagttg ctttggggcc aagaagggca 480
aagggaacaa acctatagag gatccagcaa acgatacagt ggatttcct aaaagaacga 540

```

gtccagctcg aggcctatgag ctcttatttc agccagaggt ggttcggata tacatctcac 600
ttcttaagga gagcaagact cctgccatcc tagaagcctc agctggagct atccagaact 660
tgtgtgctgg gcgctggacg tatggctgat acatccgctc tgctctgcgt caagagaagg 720
ctctttctgc catagctgac ctccctgacta atgaacatga acgggtgggtg aaagctgcat 780
ctggagcact gagaaacctg gctgtggatg ctcgcaacaa agaattaatt ggtaaactg 840
ctattcctaa cttggttaaag aatctgccag gaggacagca gaactcctct tggaaatttct 900
ctgaggacac tgtcatctct attttgaaca ctatcaacga ggttatcgct gagaacttgg 960
aggctgccaa aaagcttoga gagacacagg gtattgagaa gctggtgttg atcaacaaat 1020
cagggaaaccg ctcaaaaaa gaagtccgag cagcagcact tgtattacag acaatctggg 1080
gatataagga actgcggaag ccactggaag aagaaggatg gaagaaatca gactttcagg 1140
tgaatctaaa caatgcttcc cgaagccaga gcagtcattc atatgatgat agtactctcc 1200
ctctcattga ccggaaccaa aaatcagata agaaacctga tcgggaagaa attcagatga 1260
gcaatatggg atcaaacaca aaatcactag ataacaacta ttccacacca aatgagagag 1320
gagaccacaa tagaactctg gatcgatcgg gggatctagg cgacatggag ccattgaagg 1380
gaacaacacc cttgatgcag gacgaggggc aggaatctct ggaggaagag ttggatgtgt 1440
tgggttttga tgaatgaggg ggccaagtgt cttaccctc catgcagaag atttagcacc 1500
actatctccg ttccatcttg gcttatatgt acttttattt tttggtggtg aaattgactg 1560
atgattttcc ttttctctcg ctggactatt gtgccaactg ccaggctgcc tcctgccctt 1620
acagccctaa gtggctgcct tctttccatc aactcccaac ttcttctgt gaagtttaat 1680
tgtctcaacg cctccccctc ccccatctcc tccatttttc tcccaagaaa cctgactcaa 1740
ttatttgcat attttgagaa actgctgcag attagtctct tttgccagtt ttccctggaa 1800
ctcctggcct tttgtggagg ggagggatgg agagaatagg aatcttctact agaagccgtg 1860
ggaagaattg gaagtacat gctgtatatg caatgtccag cagtctgata aactgacgat 1920
tcttaataca gatttttttc ctgatgggga agggactttt attttctttt agagagggga 1980
aagtgtgagc tcttccctta ttctaattgg ctatttttga agcaaagaag gccagcaaca 2040
ttggcacatg ccacctggca aaggaccctt gagtaagtga aggtctccta aaactgggat 2100
taagaaacct tgctctcctc atctccaagg cagggacct caagaacct aagactccat 2160
ctcttctgca agcctcatgc caacctggg ctattgtctg tgccccttaa acacaggctg 2220
tccttaaccc acctctcctg ccctgtgata tgtctgtctg gttggccttg ccatttccaa 2280
gaggctgtag aaaggggaga atgtcaagga agacttttgg tagagaagga gcagaaagat 2340
gtgttttttg gaagaagaag acctctagga ggagctagta ggaatgtaca tgaagcaatt 2400
agtctgaaac tggcttcccc actccccctg ttctcctttt cctatcctta taggcctgtc 2460
ccttgccctc gccctggatt ggttggcaaa ctaaaggact tgatgtacat aactcctgtc 2520
ccttttccct tacaagggtg ggattggccc tggctttgcc tcttctttgt gcctttggcc 2580
tggggtgcat ctctccccg ccttccatgt gcctttcttt gcctctgcag tctcatttct 2640
cataattttg caaattatat tttgttgctt tcttacctac tattggccct aaatagcaga 2700
aagaagagaa gtgaccgaga gaacctcaga ttcttcattg aggattggta tagccatgat 2760
ttcagtcata gcaagctttt gctcaacagc atatgggtgg gattttgcaa aaatcctatt 2820
ctgatgaatc tcaaagtaag gctggttaaga gaagtgaagt gtgtgactct tactccttag 2880
gtgcccagaa tttaccatca tctctgaagg agttacaggg aagtgggtct cccaattctc 2940
ccctccctcc agtattgccc cctctcactt tagcatatat taattagcag gttgggctag 3000
agaaatcagc tgctatgcgg gttgattatt attattattt ctaatccttt tccttatttg 3060
ccttctactc cccttaattc aatctaaaag ctctgttcca tgcaactgga gttccttatt 3120
cctctcttcc ccttccctta tatattgagg ctatggggtg ggagaaaagt gcacaaccca 3180
ccaccccttt tactcgtgca ttaaaatttc ttatttacct ttttccccct tcccatttct 3240
tcccacttcc atctaccttt tctgggcaaa aaggarcctt ttgstctctg tgnaccctaa 3300
gagcacactg cacagggaaa attggcccat ccagacctgg gctccactct tgatctctct 3360
tggctctctt ctggctcttt tcctgggtgg n 3391

```

<210> 433

<211> 2553

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (2510)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2516)
<223> n equals a,t,g, or c

<400> 433
ggcacgaggc atccctgacg ctctggatgt gagagtggcc caatgcctga cctctgcac 60
ccccacccct ctcttccctt cctcttctcc agccaaagat ggtgctccct gcaccttcgg 120
tggtacggtg taccgcagcg gagagtcctt ccagagcagc tgcaagtacc agtgcacgtg 180
cctggacggg gcggtgggct gcatgcccct gtgcagcatg gacgttcgtc tgcccagccc 240
tgactgcccc ttcccgagga gggcgaagct gcccgggaaa tgctgcgagg agtgggtgtg 300
tgacgagccc aaggacccaa ccgtgggttg gcctgccctc gcgggtgagt cgagctctcc 360
tctaagtcag ggtcgtgatt ctctcccagg gagggagtcc taactgtgcc gaccgaacgg 420
gggaaatacc ttatccaggc gttttacatg gtgtttgtgt gctctgcyct cgcrgcttac 480
cgactggaag acacgttttg cccagaccca actatgatta gagccaaactg cctggtccag 540
accacagagt ggagcgcctg ttccaagacc tgtgggatgg gcacctccac ccgggttacc 600
aatgacaacg cctcctgcag gctagagaag cagagccgcc tgtgcatggt caggccttgc 660
gaagctgacc tggaagagaa cattaaggtg catgttctgc tcctattaac tatttttcac 720
agggaaaaca gtggatagga cccaacttag ggctcttgcc acgcttggtg gtataagccc 780
gttatctcca aaactatcta accattgagc tgttttgctg gaatgagagc ttgtgtaata 840
gcaaccacca gttttccact acgaaatctt ccacagggtt agttaattca agacattcca 900
agagaggctc tggtatattt kgggacatag caaatgagac tcaaaacttc tccctcaaa 960
atatwaacag aagtcagaca acagaagact aaaacamagr gggttgaaga aagscactcc 1020
tcttgtagag tcgstgattt ttttttccct ctctcttttc ccttgkcttc ctttaagaag 1080
gcaaaaagtg catccgtact cccaaaatct ccaagcctat caagtttgag ctttctggct 1140
gcaccagcat gaagacatac cgagctaat tctgtggagt atgtaccgac ggccgagtgc 1200
gcacccccca cagaaccacc accctgccgg tggagttcaa gtgccctgac ggcgaggtca 1260
tgaagaagaa catgatgttc atcaagacct gtgcctgcca ttacaactgt cccggagaca 1320
atgacatctt tgaatcgctg tactacagga agatgtacgg agacatggca tgaagccaga 1380
gagtgaagaa cattaactca ttagactgga acttgaactg attcacatct catttttccg 1440
taaaaatgat ttcagtagca caagttattt aaatctgttt ttctaactgg gggaaaagat 1500
tcccacccaa ttcaaaacat tgtgccatgt caaacaata gtctatcaac cccagacact 1560
ggtttgaaga atgttaagac ttgacagtgg aactacatta gtacacagca ccagaatgta 1620
tattaagggtg tggctttagg agcagtggga gggtagcagc agaaagggtg gtatcatcag 1680
atagcatctt atacgagtaa tatgcctgct atttgaagtg taattgagaa ggaaaatttt 1740
agcgtgctca ctgacctgcc tgtagcccca gtgacagcta ggatgtgcat tctccagcca 1800
tcaagagact gagtcaagtt gttccttaag tcagaacagc agactcagct ctgacattct 1860
gattcgaatg aactgttca ggaatcgga tctgtcgat tagactggac agcttgtggc 1920
aagtgaattt gcctgtaaca agccagattt tttaaaattt atattgtaaa tattgtgtgt 1980
gtgtgtgtgt gtgtatatat atatatatgt acagttatct aagttaattt aaagttgttt 2040
gtgccttttt atttttgttt ttaatgcctt gatatttcaa tgttagcctc aatttctgaa 2100
caccataggt agaagtataa gcttgcctga tcgttcaaag catgaaatgg atacttatat 2160
ggaaattctg ctcatagata atgacagtcg gtcaaaacag attgtttgca aaggggaggg 2220

atcagtgtcc ttggcaggct gatttctagg taggaaatgt ggtagcctca cttttaatga 2280
acaaatggcc ttattataaa actgagtac tctatatagc tgatcagttt ttccacctgg 2340
aagcatttgt ttctactttg atatgactgt ttttcggaca gtttatttgt tgagagtgtg 2400
acaaaaagtt acatgtttgc acctttctag ttgaaaataa agtgtatatt ttttctataa 2460
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa ccggaattt cgganccgg 2520
tacctgccag gcgtacttgt catcagtgtt cac 2553

<210> 434

<211> 2532

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2470)

<223> n equals a,t,g, or c

<400> 434

ggcgatttca tcatgtccg agccggggcg cgcgcgccgc ttccgtcgcc accctctctg 60
gacagcccg ggccgcagct catgccctct ccgcgtccag tgctgcttag aggtgctcgc 120
gccgctctgc tgctgtgct gccgcccccg ctcttagccc gaccctcgct cctgctccgc 180
cggtcctca gcgcggcctc ctgcgccccg atctccttgc ccgccgccgc ctcccgagc 240
agcatggacg gcgcgggggc tgaggaggtg ctggcacctc tgaggctagc agtgcccgag 300
cagggagatc ttgtgcgaaa actcaaagaa gataaagcac cccaagtaga cgtagacaaa 360
gcagtggctg agctcaaagc ccgcaagagg gttctggaag caaaggagct ggcgttacag 420
cccaaagatg atattgtaga ccgagcaaaa atggaagata ccctgaagag gagggttttc 480
tatgatcaag cttttgctat ttatggaggt gttagtggtc tgtatgactt tgggccagtt 540
ggctgtgctt tgaagaacaa tattattcag acctggaggc agcactttat ccaagaggaa 600
cagatccctg agatcgattg caccatgctc acccctgagc cagttttaaa gacctctggc 660
catgtagaca aatttgctga cttcatggtg aaagacgtaa aaaatggaga atgttttcgt 720
gctgaccatc tattaanaagc tcatttacag aaattgatgt ctgataagaa gtgttctgtc 780
gaaaagaaat cagaaatgga aagtgttttg gccagcttg ataactatgg acagcaagaa 840
cttccgagtc tttttgtgaa ctataatgta aaatctccca ttactggaaa tgatctatcc 900
cctccagtgt cttttaactt aatgttcaag actttcattg ggccctggagg aaacatgcct 960
gggtacttga gaccagaaac tgcacagggg attttcttga atttcaaacg acttttggag 1020
ttcaaccaag gaaagttgcc ttttgtgct gccagattg gaaattcttt tagaaatgag 1080
atctccccct gatctggact gatcagagtc agagaattca caatggcaga aattgagcac 1140
ttttagatc ccagttagaa agaccacccc aagtccaga atgtggcaga ccttcacctt 1200
tatttgtatt cagcaaaagc ccaggtcagc ggacagtccg ctcggaanaa gcgcctggga 1260
gatgctgttg aacagggtgt gattaataac acagtattag gctatttcat tggccgcac 1320
tacctctacc tcacgaaggt tggaaatctt ccagataaac tccgcttccg gcagcacatg 1380
gagaatgaga tggcccatga tgctgtgac tgttgggatg cagaatocaa aacatccctac 1440
ggttggattg agattgttg atgtgctgat cgttcctgtt atgacctctc ctgtcatgca 1500
cgagccacca aagtccact ttagctgag aaacctctga aagaacccaa aacagtcaat 1560
gttggtcagt ttgaacccag taaggagagc attggttaagg catataagaa ggatgcaaaa 1620
ctggtgatgg agtatcttgc catttgtgat gagtgtaca ttacagaaat ggagatgctg 1680
ctgaatgaga aaggggaatt cacaattgaa actgaaggga aaacatttca gtttaacaaa 1740
gacatgatca atgtgaagag attccagaaa acactatatg tggaaagaagt tgttccgaat 1800
gtaattgaac cttccttcgg cctgggtagg atcatgtata cggtatgtga acatacatc 1860
catgtacgag aaggagatga acagagaaca ttcttcagtt tccctgctgt agttgctcca 1920
ttcaaatgtt ccgtcctccc actgagccaa aaccaggagt tcatgccatt tgtcaaggaa 1980

```
ttatcggaa g cccctgaccag gcatggagta tctcacaaag tagacgattc ctctgggtca 2040
atcggaaagg gctatgccag gactgatgag attggcgtgg cttttggtgt caccattgac 2100
tttgacacag tgaacaagac cccccacact gcaactctga gggaccgtga ctcaatgcgg 2160
cagataagag cagagatctc tgagctgccc agcatagtcc aagacctagc caatggcaac 2220
atcacatggg ctgatgtgga ggccaggat cctctgtttg aagggaaga gactggtaaa 2280
aaagagacaa tcgaggaatg aggacaattt tgacaacttt tgaccacttg cgctaataaa 2340
aaaaaaaaa actactctta tgtccacttt acaaaagaaa acagcattgt gattactccc 2400
agggaccgta ttttatcttc agtggctgcc tgattttacc cccacaatta aagttgaagg 2460
aatcctgaan aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2520
aaaaaaaaa aa 2532
```

<210> 435

<211> 1822

<212> DNA

<213> Homo sapiens

<400> 435

```
ggctggcggc ggggtccggt ccgctgcctg ggcgtgcggg cggcgggcca tgggtggttg 60
gattgagccg ggcccggccg gggcggcgag tcggaggggg tggcagtga gggcggcaga 120
ggctacgggg ctcggttttg ctgactgggg agtcggcagg cggcaggaac catgcgaggc 180
cagcggagcc tgctgctggg cccggcccgc ctctgcctcc gcctccttct gctgctgggt 240
tacaggcgcc gctgtccacc tctactccgg ggtctagtac agcgtggcg ctacggcaag 300
gtctgcctgc gctccctgct ctacaactcc tttgggggca gtgacaccgc tgttgatgct 360
gccttttrac ctgtctactg gctggttagc aacgtgatcc gctgggttg agtgggtgtc 420
gtggctcctg tgatcgtgct gacaggctcc attgtagcta tcgcctacct gtgtgtcctg 480
cctctcatcc tccgaacctc ctcaagtcca cgactctgct ggcatttctt ctatagccac 540
tggaatctga tcctgattgt ctccactac taccaggcca tcaccactcc gcctgggtac 600
ccaccccagg gcaggaatga tatcgccacc gtctccatct gtaagaagtg catttacctc 660
aagccagccc gaacacacca ctgcagcatc tgcaacagg gtgtgctgaa gatggatcac 720
cactgcccct ggctaaacaa ttgtgtgggc cactataacc atcggtactt cttctcttcc 780
tgctttttca tgactctggg ctgtgtctac tgcagctatg gaagtggga ccttttccgg 840
gaggcttatg ctgccattga gaaaatgaaa cagctcgaca agaacaaact acaggcgggt 900
gccaaccaga cttatcacca gacccaccca cccaccttct cctttcgaga aaggatgact 960
cacaagagtc ttgtctacct ctggttcctg tgcagttctg tggcacttgc cctgggtgcc 1020
ctaactgtat ggcattgctg tctcatcagt cgaggtgaga ctagcatcga aaggcacatc 1080
aacaagaagg agagacgtcg gctacaggcc aagggcagag tatttaggaa tccttacaac 1140
tacggctgct tggacaactg gaaggatttc ctgggtgtgg atacaggaag gcactggcct 1200
actcgggtgc tcttaccttc tagtcaactg ccccatggga atggaatgag ctgggagccc 1260
cctccctggg tgactgctca ctacgcctct gtgatggcag tgtgagctgg actgtgtcag 1320
ccacgactcg agcactcatt ctgctcccta tgttatttca agggcctcca agggcagctt 1380
ttctcagaat cttgatcaa aaagagccag tgggcctgcc ttaggggtacc atgcaggaca 1440
attcaaggac cagccttttt accactgcag aagaaagaca caatgtggag aaatcttagg 1500
actgacatcc ctttactcag gcaaacagaa gttccaaccc cagactaggg gtcaggcagc 1560
tagctaccta ctttgcccag tgctgacctg gacctcctcc aggatacagc actggagtgt 1620
gccaccacct ctttactctg ctgtctgaaa aaacacctga ctagtacagc tgagatcttg 1680
gtttctcaac agggcaaaag taccaggcct gctgctgagg tcaactgccac ttctcacatg 1740
ctgcttaagg gagcacaat aaagggtattc gattttttaa gawaaaaaaaa aaaaaaaaaa 1800
tttggggggg ggggccccgt ta 1822
```

<210> 436

<211> 1030

<212> DNA

<213> Homo sapiens

<400> 436

```
gttaaggctt ctgtgaaac tccccggccc caaccagtag acaaactgga gaagatcctg 60
gagaagctgc tgacccgggt cccacagtgc aataaggccc agatgaccaa cattcttcag 120
cagatcaaga cagcacgtac caccatggca ggcctgacca tggaggaact tatccagttg 180
gttgctgcac gactggcaga acatgagcgg gtggcagcaa gtactcagcc acttggtcgc 240
atccgggcct tggtccctgc tccactggcc caaatcagta cccaatggt cttgccttct 300
gcccaagttt catatcctgg aaggcttca catgctccag ccacctgtaa gctatgtcta 360
atgtgccaga aactcgtcca gccacgtgag ctgcatccaa tggcgtgtac ccatgtattg 420
cacaaggagt gtatcaaatt ctgggccag accaacacaa atgacacttg tcccttttgt 480
ccaactctta atgacggac ctgactgggg aggaagaaga agagaaactg atgtgaacag 540
gaagcgcggg ttcaagattt ctaaaactct atatttatac agtgacatat actcatgcc 600
tgtacatttt tattatatag gtaatgtgtg tatagaaagt ctgtattcca atgttcgtaa 660
atgaaactat gtatattatg cagaaacagt ctgttcccc tcactcttga attcctttgg 720
gggatgcaga ttgtagggaa gatgatgttt agtttggcct tgaattatg atatccctgc 780
ccagggtgtg ttcaaaatac aatataaaaa ccacctagga acctgctgtt gctctaaggc 840
cattctgctt ttgtttggct cagcctctag tccatttctt taaggctcat gtatgcagat 900
ttaaagcctg gtgtcacc cactgtccaac cagatgcctt gcttaccgaa agcctccaga 960
agcctcagta ttgttttagc cactctactc caaatggata aaatgagact ctgattgagg 1020
aaaaaaaaag 1030
```

<210> 437

<211> 1632

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1602)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1616)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1617)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1628)

<223> n equals a,t,g, or c

<400> 437

```
ggcctgtggc tgtnggccgc gtgcggtga ccgccgagg ccgaracatg gttctgcaga 60
cgaccaagg gctgcggctt ctctttgatg gcgatgcccc cctcctcatg tccatcccca 120
gccccttccg tggacggctc tgtggcctct gtgggaactt caatggcaac tggagtgcag 180
actttgtcct gccaatggc tcagcagcgt ccagtgtgga gaccttcggg gctgcatggc 240
gggygcccg ctcctccaag ggctgtggcg agggctgcgg gcccgaagg tgcccagtg 300
gcttggcaga ggagactgca ccctatgaga gcaacgaggc ctgcgggag ctccggaacc 360
cccagggccc cttcgcgacc tgccaggcg tgctgagtc ctctgagtac ttccgccaat 420
gcgtatacga cctgtgcgcg caaaagggtg aaaaagcctt cctgtgccgc agcctggcag 480
cctacacggc ggctgtcag gcagctggcg tggccgtgaa gccctggagg acagacagct 540
tctgcccgct ccattgcccc gcccacagcc actactccat ctgcactcgc acctgccagg 600
gatcctgtgc ggctctctcc ggctcacgg gctgcaccac ccgctgtttt gagggtgtg 660
agtgcgacga ccgyttcctg ctttcccagg gtgtctgcat ccctgtccaa gattgtggct 720
gcaccataa tggccgatac ttgccggtaa actcctccct gctgacctca gactgcagcg 780
agcgtgttcc ctgttctcca agctctggcc tgacatgcca ggcagctggc tgcccaccag 840
gccgtgtatg tgaggtcaag gctgaagccc ggaactgctg ggccaccctg ggtctctgtg 900
tcctgtctgt gggtgccaac ctcaccacct ttgatggggc ccgtgggtgcc accacctctc 960
ctgggtgtcta tgagctctct tcccgtgcc caggactaca gaataccatc ccctgggtacc 1020
gtgtagtgtc cgaagtccag atctgccatg gcaaaacgga ggctgtgggc cagggtccaca 1080
tcttcttcca ggatgggatg gtgacgttga ctccaaacaa ggggtgtgtg gtgaatggtc 1140
tccgagtgga tctcccagct gagaagttag catctgtgtc cgtgagtcgt acacctgatg 1200
gctccctgct agtccgccag aaggcagggg tccaggtgtg gcttggagcc aatgggaagg 1260
tggctgtgat tgcagcaat gaccatgctg ggaaactgtg tggggcctgt ggaaactttg 1320
acggggacca gaccaatgat tggcatgact cccaggagaa gccagcgatg gagaaatgga 1380
gagcgcagga cttctcccca tgttatggct gatcagtcac ccaccaggaa cgaagatttc 1440
ctgaagaaga cctggctcct ctggaggtg crgtggctga aggatgcac atgtgtcct 1500
accctgctct accgcttttc tgggtcacag aggccaaatg tgagagcatt gaataaatat 1560
cttaagctaa aaaaaaaaaa raaaaagggc cgataagggc anagggccct tggcannag 1620
attcccgnnt cc 1632
```

<210> 438

<211> 1016

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (993)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (994)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (995)

<223> n equals a,t,g, or c

<400> 438

```
actcgtgccg aattcggcac gagcggncac gagcaagccc catctcatcc tggcacgccc 60
tactccactg ccctggcagc agcaggtgtg gccaatggag gggggtgctg gccccagga 120
ttccccacgc caaactgtct ttgtcaccac gtggggctca cttttcatcc ttccccaaact 180
tccctagtag ccgtactagg ttggacagcc cccttcggct acaggaaggc aggaggggtg 240
agtcccttac tccctcttca ctgtggccac agcccccttg ccctccgctt gggatctgag 300
tacatattgt ggtgatggag atgcagtcac ttattgtcca ggtgaggccc aagagccctg 360
tgggcggccc ctgaggtggg ctggggctgc tcccctaacc ctactttgct tccgccactc 420
agccatttcc ccctcctcag atggggcacc aataacaagg agctcaccct gcccgctccc 480
aacccccctc ctgctcctcc ctgcccccca aggttctggt tccatttttc ctctgttcac 540
aaactacctc tggacagtgt tgtgtttttt tgttcaatgt tccattcttc gacatccgtc 600
attgctgctg ctaccagcgc caaatgttca tcctcattgc ctctgtttct gccacgac 660
ccctccccca agatactctt tgtggggaag aggggctggg gcatggcagg ctgggtgacc 720
gactacccca gtcccaggga aggtggggcc ctgcccctag gatgctgcag cagagtgagc 780
aagggggccc gaatcgacca taaagggtgt agggggccacc tcctccccct gttctgttgg 840
ggaggggtag ccatgatttg tcccagcctg gggctccctc tctggtttcc tatttgagc 900
tacttgaata aaaaaaatat cttttcttg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 960
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aannnggggg gggccccccc ccccca 1016
```

<210> 439

<211> 594

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (476)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (519)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (530)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (531)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (539)
<223> n equals a,t,g, or c

<400> 439
ttgaaaaacg ggtcgactgg cmcgwccsgc ccggagccag cggttctcca agcaccacagc 60
atcctgctag acgcgcgcgc caccgacgga ggggacatgg gcagagcaat ggtggccagg 120
ctcgggctgg ggctgctgct gctggcactg ctctaccca cgcagattta ttccagtga 180
acaacaactg gaacttcaag taactcctcc cagagtactt ccaactctgg gttggcccca 240
aatccaacta atgccaccac caaggyggct ggtggtgccc tgcagtcaac agccagtctc 300
ttcgtggtct cactctctct tctgcatctc tactcttaag agactcaggc caagaaacgt 360
cttctaaatt tccccatctt ctaaacccaa tccaaatggc gtctggaagt ccaatgtggc 420
aaggaaaaac aggtcttcat cgaatctact aattccacac cttttaaaaa ttttnggga 480
acccaaccca aagggtaaaa aaaaaaaaaa atttgggnt tttttgggn naaaggggna 540
aaaaaattt ttccccccc ccccaaaaaa aaaaaaaat ttttttttt tttt 594

<210> 440
<211> 1580
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (873)
<223> n equals a,t,g, or c

<400> 440
gcccacgcgt tcgcaaggct gcccacatctg gcgctgatta tcctgctgct gccgccaccg 60
ctgctgctgc tctgcaaaat tcagctgctg cctctgtctt gaggaccca gcgcctttcc 120
cccggggcca tgctgctgct agccacagcc tccctcctgg ggccctcct cactgcctgc 180
gcctgctgctg cttttgccc aaggccagacc cccaactaca ccagaccgt gttcctgtgc 240
ggaggggatg tgaaggggga atcaggttac gtggcaagtg aggggttccc caacctctac 300
ccccctaata aggagtgcac ctggaccata acggtccccg agggccagac tgtgtccctc 360
tcattccgag tcttcgacct ggagctgcac cccgcctgcc gctacgatgc tctggaggtc 420
ttcgtgggt ctgggacttc cggccagcgc ctcggacgct tttgtgggac cttccggcct 480
gcgcccctag tcgcccccg caaccagggt accctgagga tgacgacgga tgagggcaca 540
ggagacgag gcttctgct ctggtacagc gggcgggcca cctcgggcac tgagcaccaa 600
ttttgcggg ggcggtgga gaaggcccag ggaaccctga ccacgccc aa ctggcccag 660
tccgattacc ccccgggcat cagctgttcc tggcacatca tcgcgcccc ggaccaggtc 720
atcgcgctga cttcgagaa gtttgacctg gagccggaca cctactgcc ctatgactcg 780
gtcagcgtgt tcaacggagc cgtgagcgac gactcccga ggctggggaa gttctgcggc 840
gacgcaktcc cgggtccat ctctccgaa ggnaatgaac tcctcgtcca gttcgtctca 900
gatctcagtg tcaccgctga tggtttctca gcctcctaca agaccctgcc gcggggcact 960
gccaaagaag ggcaagggcc cggcccaaaa cggggaactg agcctaaagt caagctgccc 1020
cccaagtccc aacctccgga gaaaacagag gaatctcctt cagccctga tgcaccacc 1080
tgccaaagc agtgccgcgc gacaggcacc ttgcagagca acttctgtgc cagcagcctt 1140
gtggtgactg cgacagtga gtccatggtt cgggagccag gggagggcct tgcctgact 1200
gtcagtcctta ttggtgctta taaaactgga ggactggacc tgccttctcc acccactggg 1260
gcctccctga agttttacgt gccttgcaag cagtgcctcc ccatgaagaa aggagtca 1320
tatctgctga tgggccagg agagagaa agaggcccc tccttctctc agagagcttt 1380
gtggttctcc accggcccaa ccaggaccag atctcacca acctaagcaa gaggaagtgc 1440

```
ccctctcaac ctgtgcgggc tgctgcgtcc caggactgag acgcaggcca gccccggccc 1500
ctagccctca ggccttcttt cttatccaaa taaatgtttc ttaatgagga atgggtcaga 1560
tctccatgct tatggtaaaa                                     1580
```

<210> 441
<211> 1082
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (136)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (462)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (465)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1074)
<223> n equals a,t,g, or c

<400> 441
ctgccgagcg cctcttgagg ctgggctttc ccccgcggtg cggcgccagg agccgccttt 60
tccgctgggt gtcactcggg ggtggggaag atggccatt caaaagcgcc gcgagggggc 120
ccggccagtg ccttnagtg agcgctcgca agaggacggc agaggcccg cagctcggag 180
ctccgggacc ttgtggcgca tcaggacgag gctgtccctc tgccgggacc cagagccgcc 240
gccgcgctc tgctcctgc gtgttagcct cctctgcgag ctccgggcag gcggcgtgg 300
gagccgctgg ggcgaggacg gcgcgaggct gctgtgctg ccccgggccc gcgcggctgg 360
aaacggagag gccgagccaa gcggcgggcc ctcttatgct gggaggatgc tggagagtag 420
cggctgcaaa gcgctgaagg agggcggtg ggagaagcgc anacngggtt gttgcagctc 480
tggaagaaaa agtgttgcat cctcaccgag gaagggtgc tgcttatccc gcccaagcag 540
ctgcaacacc agcagcagca gcaacagcag cagcagcagc agcaacaaca gcccgggcag 600
gggcggggcc agccgtccca acccagtggc cccgctgtcg ccagcctcga gccgcccgtc 660
aagctcaagg aactgcactt ctccaacatg aagaccgtgg actgtgtgga gcgcaagggc 720
aagtacatgt acttactgt ggtgatggca gagggcaagg agatcgactt tcggtgcccg 780
caagaccagg gctggaacgc cgagatcacg ctgcagatgg tgcagtacaa gaatcgtcag 840
gccatcctgg cgggtcaaatc cacgcggcag aagcagcagc acctggtcca gcagcagccc 900
ccctcgcagc cgcagccgca gccgcagctc cagccccaac cccagcctca gcctcagccg 960
caacccagc cccaatcaca accccagcct cagccccaac ccaagcctca gcccagcag 1020
ctccamccgt atycgcatyc amatcamat ycamaatctt atccttmatt tggnaaccaa 1080
aa 1082

<210> 442

<211> 1241
<212> DNA
<213> Homo sapiens

<400> 442
agacgagcgt ggcggccgcg gctgctcggg gccgcgctgg ttgcccattg acagcggcgt 60
ctgcagctcg cttcaagatg gccgcttgct cgcattcatt ttctgctgaa cgacttttaa 120
ctttcattgt cttttccgcc cgcttcgacg gcctcgsgcc ggctgctcct tccgggattt 180
tttatcaagc agaaatgcat cgaacaacga gaatcaagat cactgagcta aatccccacc 240
tgatgtgtgt gctttgtgga gggacttca ttgatgccac aaccataata gaatgtctac 300
attccttctg taaaacgtgt attgttcgtt acctggagac cagcaagtat tgcctattt 360
gtgatgtcca agttcacaag accagaccac tactgaatat aaggtcagat aaaactctcc 420
aagatattgt atacaaatta gttccagggc ttttcaaaaa tgaaatgaag agaagaagg 480
atttttatgc agctcatcct tctgctgatg ctgccaatgg ctctaataa gatagaggag 540
aggttgcaga tgaagataag agaattataa ctgatgatga gataataagc ttatccattg 600
aattctttga ccagaacaga ttggatcgga aagtaaacaa agacaaagag aaatctaagg 660
aggaggtgaa tgataaaaga tacttacgat gccagcagc aatgactgtg atgcacttaa 720
gaaagtttct cagaagtaaa atggacatac ctaataacttt ccagattgat gtcattgatg 780
aggaggaacc tttaaaggat tattatacac taatggatat tgcctacatt tatacctgga 840
gaaggaatgg tccacttcca ttgaaataca gagttcgacc tacttgtaaa agaatgaaga 900
tcagtcacca gagagatgga ctgacaaatg ctggagaact ggaaagtgaac tctgggagt 960
acaaggccaa cagcccagca ggaggtattc cctccacctc ttcttggttg cctagcccca 1020
gtactccagt gcagtctcct catccacagt ttcctcacat ttccagtact atgaatggaa 1080
ccagcaacag ccccagcggg aaccaccaat cttcttttgc caatagacct cgaaaatcat 1140
cagtaaatgg gtcatcagca acttcttctg gttgatacct gagactgtta aggaaaaaaa 1200
aaaaaaaaa accccggccg ctcccacttc agattggtaa c 1241

<210> 443
<211> 968
<212> DNA
<213> Homo sapiens

<400> 443
cccacgcgtc cgcaggaagc caactattttg aaatgcacga gaaactaagt tgtatggcaa 60
actctgtaat aaaaaatcta cagtcacgtt ggagatcacc atcccatgaa aattctattt 120
agtattttca gagaaaattg aaggtttttt taaacatcac tggatttctt gattgaggaa 180
acaagttctg aaataatagc acaatttcaa agaagagact ctttgcaaaag ttgataacat 240
ttcaaaccct gaaggacagt gacttattat gtwagtcaa tkttgtaagt ycattatgtw 300
agatcctttt tttttttcat aatatgtatt cttggctgct atgcgtgggt ttccaggaaa 360
tttaattatc ttactgagat gtgaaagcaa aactagtaac agaacttaca ttttatttca 420
tgctttctta aaccctgca tattctgggt aaacatgtaa aatactttta gtaaaattga 480
acatttttat ttgaattttt gctgaactga taaagggtgt tatatttttg tttgttkgtt 540
tgtttaattc atgtttgttg ggactgaggt ttaggaagt ttgtactggt taaaaacctc 600
aaatgaaatg cgaaagaatt tgaatttttc ctgcataatg caactttgga cagctttcaa 660
gaaaaatgag aaaagtttca acttctggcg gttaaaaat taatgcagaa ttactaaga 720
ttttattcat ttgcattagc aaatattcat gcagcagcag ttgactgaaa atttattctt 780
atgagacgta tagtattcat ttttaaattc atgattgtac attatgtata gacgacaatg 840
tttttaattt ataaatttca ttctttgtta attgcatggg tttttctgca gcttattgtg 900
aataccttgg ttctgttcaa tagaaacatt ttgtatata traataactga aatatcaaaa 960
aaaaaaaaa 968

<210> 444
<211> 1360
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (114)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (302)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (330)
<223> n equals a,t,g, or c

<400> 444
cgccggagcg tcactctgcga' ctccaatgcc actgcactgg agcttcccgg ccttcctctt 60
tccttgcccc agcccagcat ccccgcggtc gtcccgcaga gtgctccacc gganccccac 120
cgggaagaga ccgtgaccgc caccgccact toccaggtag cccagcagcc tccagccgct 180
gcccgccttg gggaacaggc cgtcgcgggc cctgcccttc gactgtcccc agcagtagca 240
gcaaagaccg cccagtgtcc cagcctagcc ttgtggggag caaagaggag ccgccgccgg 300
angaaagtgg cagcggcggc gcaagcgcmn aaggagccac aggaggaacg gagccagcag 360
caggatgata tcgaagagct ggagaccaag gccgtgggaa tgtctaacga tggccgcttt 420
ctcaagtttg acatcgaaat cggcagaggc tcctttaaga cggctctaca aggtctggac 480
actgaaacca ccgtggaagt cgcctggtgt gaactgcagg atcgaaaatt aacaaagtct 540
gagaggcaga gatttaaaga agaagctgaa atgttaaaag gtcttcagca tcccaatatt 600
gttagatttt atgattcctg ggaatccaca gtaaaaggaa agaagtgcac tgttttggtg 660
actgaactta tgacgtcttg aacacttaaa acgtatctga aaaggtttaa agtgatgaag 720
atcaaagtgc taagaagctg gtgccgtcag atccttaaag gtcttcagtt tcttcatact 780
cgaactccac ctatcattca ccgcgatctt aaatgtgaca acatctttat caccggccct 840
actggctcag tcaagrttg agacctcgt ctggcaaccc tgaagcgggc ttcttttgcc 900
aagagtgtga taggtacccc agagtctatg gcccctgaga tgtatgagga gaaatatgat 960
gaatccgttg acgtttatgc ttttgggatg tgcattgctg agatggctac atctgaatat 1020
ccttactcgg agtgccaaaa tgctgcgcag atctaccgtc gcgtgaccag tggggtgaag 1080
ccagccagtt ttgacaaaag agcaattcct gaagtgaagg aaattattga aggatgcata 1140
cgacaaaaca aagatgaaag atattccatc aaagaccttt tgaaccatgc cttcttccaa 1200
gaggaaacag gagtacgggt agaattagca gaagaagatg atggagaaaa aatagccata 1260
aaattatggc tacgtattga agatattaag aaattaagg gaaaaataca agataaaaaa 1320
aaaaaaaaa aaaaaaaaaa aaaaaacacc caccgtgccg 1360

<210> 445
<211> 1835
<212> DNA
<213> Homo sapiens

<220>

<221> misc feature
<222> (326)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1229)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1738)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1747)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1758)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1801)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1806)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1831)
<223> n equals a,t,g, or c

<400> 445
tcgaccacg cgtccgggat gagggccggc ctctcatttc tcctagccct tctgttcttc 60
cttgcccaag ctgcagggga tttgggggat gtgggacctc caattcccag ccccggttc 120
agctctttcc caggtgttga ctccagctcc agcttcagct ccagctccag gtcgggctcc 180
agctccagcc gcagcttagg cagcggaggt tctgtgtccc agttgttttc caatttcacc 240
ggctccgtgg atgaccgtgg gacctgccag tgctctgttt ccctgccaga caccamcttt 300
cccgtggaca gagtggaaacg yttgnaatt cacagctcat gttctttctc agaagtttga 360
gaaagaactt tccaaagtga ggaatatgt ccaattaatt agtgtgtatg aaaagaaact 420
gttaaaccta actgtccgaa ttgacatcat ggagaaggat accatttctt acactgaact 480
ggacttcgag ctgatcaagg tagaagtga ggagatggaa aaactgggtca tacagctgaa 540
ggagmstttt ggtggaagct cagaaattgt tgaccagctg gaggtggaga taagaaatat 600
gactctcttg gtagagaagc ttgagacact agacaaaaac aatgtccttg ccattcgccg 660

```
agaaatcgtg gctctgaaga ccaagctgaa agagtgtgag gcctctaaag atcaaaacac 720
ccctgtcgtc caccctcctc ccactccagg gagctgtggt catggtggtg tgggtgwacat 780
cagcaaaccg tctgtgtgtc agctcaactg gagagggttt tcttatctat atggtgcttg 840
gggtagggat tactctcccc agcatccaaa caaaggactg tattgggtgg cgccattgaa 900
tacagatggg agactgttg agtattatag actgtacaac acactggatg atttgctatt 960
gtatataaat gctcgagagt tgcggatcac ctatggccaa ggtagtggtg cagcagttta 1020
caacaacaac atgtacgtca acatgtacaa caccgggaat attgccagag ttaacctgac 1080
caccaacacg attgctgtga ctcaaaactct ccctaagtct gcctataata accgcttttm 1140
atatgctaata gttgcttggc aagatattga ctttsctgtg gatgagaatg gattgtgggt 1200
tatttattca actgaagcca gcaactggtg catggtgatt agtaaactca atgacaccac 1260
acttcagggtg ctaaacactt ggtataccaa gcagtataaa ccatctgctt ctaacgcctt 1320
catggtatgt ggggttctgt atgccaccgg tactatgaac accagaacag aagagatttt 1380
ttactattat gacacaaaca cagggaaga gggcaacta gacattgtaa tgcataagat 1440
gcaggaaaaa gtgcagagca ttaactataa cctttttgac cagaaacttt atgtctataa 1500
cgatggttac cttctgaatt atgatctttc tgtcttgtag aagccccagt aagctgttta 1560
ggagttaggg tgaagagaga aatgtttgtt gaaaaaatag tcttctccac ttacttagat 1620
atctgcaggg gtgtctaaaa gtgtgttcat tttgcagcaa tgtttargtg catagtctta 1680
ccacactaga gatctaggac atttgtcttg atttgggtgag tctcttgggg atcatctngc 1740
ytttcangcg cmttttgnca taaagtcygt cyagggtggg attgtcagag gtctaggggc 1800
ncttgnnggc ctaatggaac cttctgtgta ngaag 1835
```

<210> 446

<211> 1355

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<400> 446

```
ggcacgagcg cgtcgcacgg gaagtcgaag cggagatccc ggggtcgcgc gaganccgca 60
agcggagttg gtgggcgcta tgctatcacc cgaggcagag cgagtgcgtc ggtaccttgt 120
agaagtggag gagctcgccg aggaggtgct ggccgacaag cggcagattg tggacctgga 180
cactaaaagg aatcagaatc gagagggcct gagggccctg cagaaggatc tcagcctctc 240
tgaagatgtg atggtttgct tcgggaacat gtttatcaag atgcctcacc ctgagacaaa 300
ggaaatgatt gaaaaagatc aagatcatct ggataaagaa atagaaaaac tgcggaagca 360
acttaaagtg aaggtcaacc gcctttttga ggcccaaggc aaaccggagc tgaagggttt 420
taacttgaa cccctcaacc aggatgagct taaagctctc aaggtcatct tgaaggatg 480
agactcaaga accaagatgg gggaccagca acccccagg gtcattggagg acccaggacc 540
ctccaacctt gacacctgta aggacaggat ctgccctgta agggccagcc gtcaggaaac 600
tggccatgaa aacctctttg tagtgcttgg ctactctgtg atggcaggag ggaaccttca 660
gcctgtctgg ctgtggacc tggacaccag ggctcgggtg acacaagatc tattgacggg 720
ccttggtagc caccagtggg tgtgtggggc agtggctgtg ggggtgtaag aatgactgca 780
acaggcactt cccaacaatg gcctgctgtt cacatggacc ctgagcaagg aaggagggag 840
ggaggggcag agtggagtgt cattccagca ttcctctcag aaggagagaga ggttttcagg 900
ctggtgccat gcgattggaa taaagcagga ggctcatggg tggttgctga atgaagaaca 960
gaatcttggg gctttgtggc tcaccacagc catctgtggg gcaggcacac acacctccc 1020
ccagctccaa ttttgcactt tttccctgct tgattccaag agtaggtgct gcctagcagc 1080
ccttcgtggc cactctttac tcaggagggc cttgcagagt cctgcaccag gcctgggtga 1140
```



```

gtggatgcgc ctcttaccat atgacacgtg tcaagatgcc cttccgcccc ctctgaaagt 1200
ggggcccggc cagcactgct cgttactgtc tgccttcagt ggtctgaggt cccagtatga 1260
actgccgtga agtcaaaact cttatgtgtt cattaagggc tcaataaatg ttagctgaat 1320
gaawaaaaaa aaaaaaaaaa amawaaaaaa aaaaaa 1355

```

```

<210> 447
<211> 375
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (153)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (313)
<223> n equals a,t,g, or c

```

```

<400> 447
tgcctctgtg tgtgtgcaag acagagagat aggctatttg tcaagtcagc tagttgccta 60
ggtatctttg tctcacatct ggctgtttcc tcctagagaa ccatccagtt ggctttccag 120
gtctggaggt gagctaattg atgagtgaat atnagcagtg ggtgttcctc atctctttga 180
ggatttgcct cagagttcac taccaaggga tttctggaac taggwgccat tctttacatc 240
agttcttgag ggttctttga tatcaggggc aaaatgatcc cttctctttt ctttcttata 300
tcctgtgctt tgnctcctgg gtgatttctc ttcaagtcag ttgtgggagg tgcctaggaa 360
caacgctaac acggg 375

```

```

<210> 448
<211> 1393
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (1360)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (1383)
<223> n equals a,t,g, or c

```

```

<400> 448
tcttttacat gtttaaattt aaaccattct tcgtgacccc ttttcttggg agattcatgg 60
caagaacgag aagaatgatg gtgcttggtt ggggatgtcc tgtctctctg aactttgggg 120
tcctatgcat taaataattt tcctgacgag ctcaagtgtc ccctctgggt tacaatccct 180
ggcggctggc cttcatccct tgggcaagca ttgcatacag ctcatggccc tccctctacc 240
ataccctcca ccccggttcg cctaagctcc cttctccggg aatttcatca tttcctagaa 300
cagccagaac atttgtgggt tatttctctg ttagtggtta accaaccatc tggttctaaa 360

```

```
gaagggctga actgatggaa ggaatgctgt tagcctgaga ctcaggaaga caacttctgc 420
agggtcactc cctggcttct ggaggaaaaga gaaggagggc agtgctccag tggtagacaga 480
gtgagacata atggaatcag gcttcacctc caaggacacc tatctaagcc attttaaccc 540
tcgggattac ctagaaaaat attacaagtt tgggtctagg cactctgcag aaagccagat 600
tcttaagcac cttctgaaaa atcttttcaa gatattctgc ctagacgggtg tgaagggaga 660
cctgctgatt gacatcggct ctggcccccac tatctatcag ctctctctctg cttgtgaatc 720
ctttaaggag atcgtcgtca ctgactactc agaccagaac ctgcaggagc tggagaagtg 780
gctgaagaaa gagccagagg cctttgactg gtccccagtg gtgacctatg tgtgtgatct 840
tgaagggaac agagtcaagg gtccagagaa ggaggagaag ttgagacagg cggtaacgca 900
ggtgctgaag tgtgatgtga ctcagagcca gccactgggg gccgtcccct tacccccggc 960
tgactgcgtg ctcagcacac tgtgtctgga tgccgcctgc ccagacctcc ccacctactg 1020
cagggcgctc aggaacctcg gcagcctact gaagccaggg ggcttccttg tgatcatgga 1080
tgcgctcaag agcagctact acatgattgg tgagcagaag ttctccagcc tccccctggg 1140
ccgggaggca gtagaggctg ctgtgaaaga ggctggctac acaatcgaat ggtttgaggt 1200
gatctcgcaa agttattctt ccaccatggc caacaacgaa ggacttttct ccctgggtggc 1260
gaggaagctg agcagacccc tgtgatgcct gtgacctcaa ttaaagcaat tcctttgacc 1320
tgtcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380
aanaaaaaaa aaa 1393
```

<210> 449

<211> 1663

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (180)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (621)

<223> n equals a,t,g, or c

<400> 449

```
aaagaacggg ggtgatgtgg ttccacaata ttacaaggac cccaaaaagc tctgcgnaga 60
ggacttgag aagttggtga ccagggtaaa agtaggcagc gagccagcaa aagactgttt 120
gccagcaaag ccctcagagg ccacctcaga ccggtcagag ggcagcagcc gggacgcagn 180
ggtagcgacg agaacgagga gtcgagcggt gtggattacg tggaggtgac ggtcggggag 240
gaggatgcga tctcagatag atcagatagc tggagtcagg ctgcggcaga aggtgtgtcg 300
gaactggctg aatcagactc cgactgcgtc cctgcagagg ctggccaggc ctagacaggg 360
aagtctgtta gaactgctgt gctgatcaac gggacgctcc gtctttgaag aaagaagaga 420
tggtctctcc ccagccatgg gccacccttg ccagtractc caagtggaac tacttagctc 480
gcgtgtgcct ggarggtgcg ggaagtccag cgactctcag acgcacctcc cagaggaccg 540
gtgggaattg ttcatagtgc caaagtccta mtactgcgtt ttcaatgggt ccttgtacat 600
agtttgctcc tctgscctag ncctcacctc ttgctatact ggraccgatt tgtacaatgt 660
```

gggaattttg ttaccytttt aatcaagggc aacttccttt tccagcacta ccattgtaag 720
gttktttttca ggaggaggagg staaccacct tgcttttctc ttttctcttt ttcttttttt 780
tatttttggt ttattaattt ggggaaaggg gtgtagcat tagtgccatg atatctactg 840
gattttaagt agggagactt tttttttaa ggtaggttga aatttgggag atttctcggc 900
aggaagggtt gaaatccagg cccctgtctc aacttggaga gaggtgacag acggcagatc 960
ttccaaatca aattcctttc cagttcttcc cctggctgcc tttttggggg tccctgcctt 1020
agccccacac aaggctttct gaactgccaa gaggggatct ggcttctcaa ctgctcggcc 1080
tcttgggcag gctgtgccc a gccagccctg ggagaactgg gtagcagggtg gctgacttct 1140
ttaagcacct ttctaaatac cagcagaaga ggctcccgcc tctgttagca tgatcagtac 1200
tattgtgaca ttaaaacaac aacaataaga tcttcctatc tggagggtac agagggtgaat 1260
ggcttttggt ttcatctctc ttcttccactg ccttttctcg gtgtggtatt tgacaagatt 1320
ttagctcaaa gcctcaccat gaattgattt tttttgtttg tgtgtgtgtt tgttttgga 1380
caattttaga tacctgagtg cactttttca gttagtccca acttttaaaa gaaggaaaac 1440
caagagacat atctggtgta cgtgttgca tatgaactct ggttgcaatc cctccccctc 1500
ccacactgcc ccccatgtga gtacrcgcga caagtcaaac gctaggaagt ttgaataaaa 1560
ccaatttttc taactgtgtg ctcatgtgtt gtaactcaat aaagcaaaga ctaaactatt 1620
ttataaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1663

<210> 450

<211> 1380

<212> DNA

<213> Homo sapiens

<400> 450

gggtcgaccc acgcgtccgg caccatgctc gcagcagcca tctccactcc aaagttagac 60
aaaatgccag gaatgttctt ctctgctaac ccaaagggaat tgaaaggaac cactcattca 120
cttctagacg aaaaaatgca aaaaaggagg ccaaagactt ttggaatgga tatgaaagca 180
tacctgagat ctatgatccc acatctggaa tctggaatga aatcttccaa gtccaaggat 240
gtactttctg ctgctgaagt aatgcaatgg tctcaatctc tggaaaaact tcttgccaac 300
caaactggtc aaaaatgtctt tggaagtctc cttaaagtctg aattcagtga ggagaatatt 360
gagttctggc tggtctgtga agactataag aaaacagagt ctgatctttt gccctgtaaa 420
gcagaagaga tatataaagc atttgtgcat tcagatgctg ctaaacaaat caatattgac 480
ttccgcactc gagaatctac agccaagaag attaaagcac caacccccac gtgttttgat 540
gaagcacaaa aagtcataata tactcttatg gaaaaggact cttatcccag gttcctcaaa 600
tcagatattt acttaaatct tctaaatgac ctgcaggcta atagcctaaa gtgactggtc 660
cctggctgaa gggaattaac agatagtatc aagcgcagaa ggaatgtgcc agtatggctc 720
cctgggtgaa cagcttggtc ttttttggtt gtcttgacag gccagaaga acaaatgact 780
cagaatggat taacatgaaa gttatccagg cgcagagttg aagaagcata agcaagacaa 840
aaacagagag accgcagaag gaggaagata ctgtgtgact gtcataaaaa acagtggagc 900
tctgtattag aaagccccctc agaactggga aggccaggta actctagtta cacagaaact 960
gtgactaaag tctatgaaac tgattacaac agactgtaag aatcaaagtc aactgacatc 1020
tatgtctacat attattatat agtttgact gagctattga agtccatta acttaaagta 1080
tatgttttca aattgccatt gctactattg cttgtcgggtg ttattttatt ttattgtttt 1140
tgactttgga agagatgaac tgtgtattta acttaagcta ttgctcttaa aaccaggagg 1200
tcagaatata ttgtgaagtt aaatcattgg tgctaataat aaatgtggat tttgtattaa 1260
aatatataga agcaatttct gtttacatgt ccttgctact tttaaaaact tgcatttatt 1320
cctcagattt taaaaataaa taaataattc atttaaaaaa aaaaaaaaaa aaaactcgag 1380

<210> 451

<211> 926

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (687)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (865)

<223> n equals a,t,g, or c

<400> 451

```
gttgcatctt cttgctgtcc tagaaaaaat gatttcacag ggtaacaata acaaaaatgg 60
aaagaatgag actggtaata acaacaacaa agatggatct aatcataaag ctgaaagtgg 120
agctctaata gaagctgcaa aatcaaagat acatcagtac aaagtacgag cttatatcca 180
aatgaagtct ctgaaagcat gtaaaaggga aatcaagtca gtcatgaata cagctggaaa 240
ttccgcaccc tctctctttc ttaaaagcaa ttttgagtac ttaagaggta attatcgaaa 300
agccgtgaag ctattaaata gttcaaacat tgctgagcat ccaggattca tgaaaacagg 360
tgaatgcttg agatgcatgt tctggaataa ccttggttgc atccattttg ccatgagcaa 420
gcacaatttg ggaatattct actttaaaaa ggctctgcaa gagaatgaca atgtctgtgc 480
acagctcagt gcaggtagca ctgatccagg taaaaaattt tcaggaagac ccatgtgtac 540
gttactaacc aataagagat atgagttgct gtataactgt ggaattcagc ttcttcacat 600
tggaaggcct cttgctgcct tcgaatgtct gattgaagct gttcagggtt atcatgcaaa 660
tcctcgccctc tggctacggc tggctgnaat gctgcattgc tgccaataag gggacttctg 720
aacaagaaac taaaggcctt cccagcaaaa aaggaattgt acagtctatt gttggkcaag 780
gctatcatcg taaaatagtt ttggcatcac agtctataca gaatactgtt tatraatgg 840
ggggcagctc tcggccattc ctgtnagcca gtatgggagt tttgcagccc atatgttctc 900
agaaatgcct ggtttgctgg ttacct                                     926
```

<210> 452

<211> 1642

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (147)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (150)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1608)

<223> n equals a,t,g, or c

<400> 452

```
ggcacgaggc gcgagaggac gtgctctgcc agccagtggg aaggcaggcc gcgcgcgcgg 60
gagcgcggga ggatcggcgg ctgcggtcca ctggtccctg gctcgggtcc ccgcaccccc 120
gggctcacac ttaccgcgcg ggaggancan cggccgggtg tccacccccca tcctgcgccc 180
agtctcctcg attccccctg ctctgagccg ggagagccga acagctgaag agagttcact 240
gactccccag cccaggtgg gccttggtgca catcatgacc agttttgaag atgctgacac 300
agaagagaca gtaacttgct tccagatgac ggtttaccat cctggccagt tgcagtgtgg 360
aatatttcag tcaataagtt ttaacagaga gaaactccct tccagcgaag tggtgaaatt 420
tggccgaaat tccaacatct gtcattatac ttttcaggac aaacagggtt cccgagttca 480
gttttctctg cagctgttta aaaaattcaa cagctcagtt ctctcctttg aaataaaaaa 540
tatgagtaaa aagaccaatc tgatcgtgga cagcagagag ctgggctacc taaataaaat 600
ggacctgcca tacagggtgca tggtcagatt cggagagtat cagtttctga tggagaagga 660
agatggcgag tcattggaat tttttgagac tcaatttatt ttatctccaa gatcactctt 720
gcaagaaaac aactggccac cacacaggcc cataccggag tatggcactt actcgctctg 780
ctctcccaa agcagttctc cgacagaaat ggatgaaat gagtcatgaa cacagaaagt 840
ctaagaggag aaatatgatg gatgaagagc tctgtagatg ctgtatagac actaaataag 900
agttgattag ggtagtatat tatagtcac tgttatgctg tgaaatttgg aattcartat 960
tatcattttg aagtctgtaa attgtgttag tcattaactt agtcacctgt tgtattctgg 1020
atctacacaa aattatttta actgctctta ttaatctgtg aggattaata tacaaaaagt 1080
atcctttgag atgaagtcgt gttctcaaaa taaggttata ttattttctt tttctgcttg 1140
attttcatct tgtgttttgc tttgtttttg taaggaaacca tctcttggtt tggtcacatc 1200
agttcacacac agccatttgt tttcaaggtc aaggctccag gcagggtgtt actgggtgtt 1260
gcagcctgtc agtacttgca gtactggaat aggttctagg ctagtgtctg cgcgtcactg 1320
tggttttagc atgggaggac ttatttgaga aatactacct tacttttcta tgatttcttt 1380
ttacagagtt atagtgtgtt tactcctaag atgacagttc tctttgtcta tattcagcat 1440
ctaagacaaa tatttaaaca ttttaaagaa ccactgtgtt aagtttagga ttatttactt 1500
accaaattag aagtttgact tttatgtgtt atacacaatc ttaaaatttc acgaattcac 1560
ctttttaata gtatccatgt acataataaa atcaaagttt aattagcnaa aaaaaaaaaa 1620
aaaaaaaaaa aaaaaaaaaa aa 1642
```

<210> 453

<211> 2254

<212> DNA

<213> Homo sapiens

<400> 453

```
gggagcagct ctgtcgtcac acacgcctct tctacatggt tcgggcacag gctggagcag 60
gacatgcaga ggaccgcaga gcctcctgca cctragttct agactcaacg gtgctctgcg 120
ccaggagcag aatttttctg accgcttcct cctgaatga cgaggctgcc caagctctgg 180
gcaagacctg ctgggaaggc cctggtcagc cccgtggtgc agaacatcac ctcccctgat 240
gaggatggca ttagccccct gggttggctg ctggaccagt acctggagtg tcaggaagct 300
gtcttcaacc cccagagccg cggcccagct ttcttctcgc gggtcgcccg tctcactcac 360
ctgctggtgc atgtcgagcc ctgtgaggca cccctcctg tggtggccac tcctcggccc 420
aaaggcagaa acagaagcca cgactggagc tccttggcta cccggggcct tccaagcagc 480
atcatgagaa acctgacgcg ctggtggcgg gccgtggtgg agaagcaggt gaacaatttt 540
ytgacctcat cctggcggga tgatgacttt gtgccacgct actgtragca ctttaattatt 600
ctgcagaact caagctctga actgtttggg cctcgggyag ccttcttgct ggcgctgcaa 660
aatggctgtg cgggagcctt gctgaagctc ctttttctca aagctgcca cgtgagtga 720
cagttcgccc ggacattga ccagcagatc cagggcagcc ggatcgggtg agcccaggaa 780
atggagaggc tggcacagct gcagcaatgc ctgcaagctg tcctgatttt ctccggttg 840
gagatagcca ccacttttga gcattattac cagcactaca tggcggaccg tctcctgggc 900
gtggtctcga gctggctgga gggggccgtg ctggagcaga tcggtccctg cttccccaac 960
```

```
cgctccccc agcagatggt gcagagcctg agcacctcta aggagctgca gcgccagttc 1020
cacgtctacc agctccagca gctggatcag gaactcctga agctggagga tacagagaag 1080
aaaatacagg tgggccttgg ggccagtggc aaggagcaca agagcgagaa ggaagaggaa 1140
gctggggcag cagcagtggg ggatgtggcg gagggagagg aggaagagga ggagaatgag 1200
gacctctact atgaaggggc aatgccagaa gtgtctgtgc ttgtcctgtc ccgacactcc 1260
tggcctgttg cctcaatctg ccacacactg aaccccagaa cctgcctgcc ctccctacctg 1320
aggggcactt tgaacagata ctccaacttc tacaacaaga gtcagagcca ccctgccttt 1380
gagcgaggct cacagaggcg actgcagtgg acgtggctgg gctgggctga gctgcagttt 1440
gggaaccaga ccctgcatgt gtccaccgtg cagatgtggc tactgctgta tctcaacgac 1500
ctgaaggcgg tctctgtgga gagtctgtg gcgttctcag ggctctccgc agacatgctc 1560
aatcaggcga ttgggccccct cacctcttca agaggcccc tggaccttca cgagcaaaag 1620
gatataccag gaggggtcct caagattcga gatggcagca aggaaccag gtcgagatgg 1680
gacattgtgc ggctcatccc acctcagacg tacctgcaag ctgaggggtga agacggccag 1740
aacttgagga agagcggaa tcttctgaac tgcctcatcg tccgaatcct caaggcccat 1800
ggagatgagg ggctgcacat tgaccagctt gtctgtctgg tgctggaggc ttggcagaag 1860
ggcccgtgtc ctcccagggt tttggtcagc agccttggtg aggggtctgc atgcagcagc 1920
actgacgtcc tctcctgcat cctacacctc ctgggcaagg gcacgctgag acgccatgac 1980
gaccggcccc aggtgctgtc ctatgcagtc cctgtgactg tcatggagcc tcacactgag 2040
tccctgaacc caggctcttc agggcccaac ccacccctca ccttccatac cctacagatt 2100
cgctcccggt gtgtgcctta tgctcctgc actgccacc agagcttctc tacttccggt 2160
agccctagac ttggggtcag gggaaggtag agctggagct tttacagaaa taaaacccaa 2220
gagtttgatt ataaaaaaaa aaaaaaaaaa aaaa 2254
```

<210> 454

<211> 1931

<212> DNA

<213> Homo sapiens

<400> 454

```
ggcacgaggg aaggagcaag agtgggaggc gcgcgcggag gccgcgacgg acgcaagatg 60
gcgacggcga ccatagctct ccagggtcaat ggccagcaag gaggggggtc cgagccggcg 120
gcggcgcgcg cagtgggtggc agcgggagac aaatggaaac ctccacaggg cacagactcc 180
atcaagatgg agaacgggca gagcacagcc gccaaagctgg ggctgcctcc cctgacgccc 240
gagcagcagg aggcccttca gaaggccaag aagtacgcca tggagcagag catcaagagt 300
gtgctggtga agcagacat cgcgaccag cagcagcagc tcaccaacct gcagatggca 360
gcagtgacaa tgggcttttg agatcctctc tcacctttgc aatcgatggc ggctcagcgg 420
cagcggggcg tggccatcat gtgccgcgtc tacgtgggct ctatctacta tgagctgggg 480
gaggacacca tccgccaggc ctttgcccc tttggcccca tcaagagcat cgacatgtcc 540
tgggactccg tcaccatgaa gcacaagggc tttgccttcg tggagtatga ggtccccgaa 600
gctgcacagc tggccttgga gcagatgaac tcggtgatgc tggggggcag gaacatcaag 660
gtgggcagac ccagcaacat agggcaggcc cagcccatca tagaccagtt ggctgaggag 720
gcacgggcct tcaaccgcat ctacgtggcc tctgtgcacc aggacctctc agacgatgac 780
atcaagagcg tgtttgaggc ctttggaag atcaagtcct gcacactggc ccgggacccc 840
acaactggca agcacaaggg ctacggcttc attgagtacg agaaggccca gtcgtcccaa 900
gatgctgtgt cttccatgaa cctctttgac ctgggtggcc agtacttgcg ggtgggcaag 960
gctgtcacac cgcccatgcc cctactcaca ccagccacgc ctggaggcct cccacctgcc 1020
gctgctgtgg cagtgtgtgc agccactgcc aagatcacag ctcaggaagc agtggccgga 1080
gcagcgggtg tgggtaccct gggcacacct ggactggtgt cccagcact gacctggcc 1140
cagccctgag gcactttgcc ccaggctgtc atggctgccc aggcacctgg agtcatcaca 1200
ggtgtgacct cagcccgctc tcctatcccg gtcaccatcc cctcggtggg agtgggtgaa 1260
cccatcctgg ccagccctcc aacgctgggt ctctggagc ccaagaagga gaaggaagaa 1320
```

```
gaggagctgt ttcccgagtc agagcggcca gagatgctga gcgagcagga gcacatgagc 1380
atctcgggca gtagcgcccg acacatggtg atgcagaagc tgctccgcaa gcaggagtct 1440
acagtgatgg ttctgcgcaa catggtggac cccaaggaca tcgatgatga cctggaaggg 1500
gaggtgacag aggagtgtgg caagttcggg gccgtgaacc gcgtcatcat ctaccaagag 1560
aaacaaggcg aggaggagga tgcagaaatc attgtcaaga tctttgtgga gttttccata 1620
gcctctgaga ctcataaggc catccaggcc ctcaatggcc gctggtttgc tggccgcaag 1680
gtgtgtggctg aagtgtacga ccaggagcgt tttgataaca gtgacctctc tgcgtgacag 1740
tggtccctct ccccgactt gcacttgttc cttgtttcct ctgggtttta tagtgataca 1800
gtgtgtgccc cggggccagg cgcgctctgc ccagcccagc ctacagtgcg gataaagggtg 1860
cggatgctgc tggccctgaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1920
aaaaaaaaa a                                     1931
```

<210> 455

<211> 771

<212> DNA

<213> Homo sapiens

<400> 455

```
ggccacgagg tacgtcccg cgtccgctt ggcccaagat ggccggcctcc gtgtgcagcg 60
ggttgtctggg gccacgggtg ctgtcctgga gccgagagct gccttgctgct tggcgcgccc 120
tgcacacctc cccggctctgc gccagaacc gggcgggccc agtacgcgta agcaaggggg 180
acaagccggt gacctacgag gaggcacacg cggcgccacta catcgcccac cgtaaaggct 240
ggctgtcgct gcacacaggt aacctggatg gagaggacca tgccgcagag cgaacggttg 300
aggatgtttt ccttcgcaag ttcattgtgg gtaccttccc aggetgcctg gctgaccagc 360
tggttttaaa gcgcgggggt aaccagtgg agatctgtgc cgtggctctg aggcagtgtg 420
ctccacacaa gtactacttc ctctgtgggt acagtgaaac ttgctgttcc tacttttaca 480
aatgtcctgt gcgactccac ctccaaactg tgccctcaaa ggttgtgtat aagtacctct 540
agaacaatcc ccttttttcc atcaagctgt agcctgcaga gaatggaaac gtgggaaagg 600
aatggtatgt gggggaaatg catccctca gaggactgag gcatagtctc tcatctgcta 660
ttgaataaag accttctatc ttgaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 720
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaagggggg g 771
```

<210> 456

<211> 1169

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1164)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1167)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1169)

<223> n equals a,t,g, or c

<400> 456

```
aattcggcac gagctctctc tctctctctc tctctctctc tctctgctta gggttttcag 60
gaaatttggg agctgccgca gtagttggag tctaaggact cgtgacaatc ttcgggtgcc 120
cttcgagaga aaaggggagg atgccactgg agtcacctc ttcaatgcc aatcctctcc 180
catctctctt accctcagta ccacacaata ctaacccttc ccctcctctg atgtcttaca 240
tcacctccca ggagatgaag tgtattcttc actggtttgc caattggtca ggtccccagc 300
gtgaacgttt cctagaggac ctggtagcta aggcagtggc agaaaaatta caaccactgc 360
tggaatgtct ggagcagctt agtgtgtctg gggcagaccg accaccttct atctttgagt 420
gccagctaca tctttgggat cagtggtttc gaggctgggc tgagcaggag cgcaatgaat 480
ttgtcagaca gctggagttc agtgagccag acttcgtggc aaagttttac caagcagtgg 540
ctgctacagc tggtaaggac tgataggcat tcagaccaa gaagataacc atagctgatg 600
gagccatgac tctctacaat gataactcaa ttcaaatgtg tcgcctaaag ctctggaact 660
ggatattcaa ccagctgacc gaactcactg accagtacag gcatggttat ttcaacatta 720
atagcatgtc aactggactc ctatctgtta atgttatcaa tctaagcaat ccagctcatc 780
agtctactag ttgtctctt tccgagagat gtcaagtcct caagaatttg atggcttctt 840
ctgcagctat aaccacaagg aacctacaca ttgtaactca agtccactgc tggctcatga 900
aatgtgtaaa gtagaacctt ccttcccag aaataagaca ggacaataaa aggtggcggt 960
tttgtacttt acctggattc cattggctgg ttttaccact cctatcagat tgtagtgtaa 1020
ttgtgtgata cgaaaccat tagtttwccc agtgatgatt taataaaatt atgaaaaatc 1080
aggagaggga gataattagt tgcttcctcc ttcacactgt ttgaatcgaa aaaaaaaaaa 1140
aaaaaaaaaa aaaaaaaaaa aaanaanan                                     1169
```

<210> 457

<211> 3249

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3234)

<223> n equals a,t,g, or c

<400> 457

```
gcgcggccgg gccggggcag ccgggaagcg ggtggggtgg tgtgttacc agtagctcct 60
gggacatcgc tcgggtacgc tccacgccgt cgcagccact gctgtggtcg ccggtcggcc 120
gaggggccgc gatactggtt gcccgcggtg taagcagaat tcgacgtgta tcgctgccgt 180
caagatggag gggcctttgt ccgtgttcgg tgaccgcagc actggggaaa cgatccgctc 240
ccaaaaacgtt atggctgcag ctctcattgc caatatgtta aaaagttctc ttggtccagt 300
tggtctggat aaaatgttgg tggatgatat tggatgata accattacta acgatggtgc 360
aaccatcctg aagtactagg aggtagaaca tcctgcagct aaagttcttt gtgagctggc 420
tgatctgcaa gacaaagaag ttggagatgg aactacttca gtggttatta ttgcagcaga 480
actcctaaaa aatgcagatg aattagtcaa acagaaaatt catcccacat cagtatttag 540
tggtatcga cttgcttgca aggcagcag tgcgttatat caatgaaaac ctaattgtta 600
acacagatga actgggaaga gattgcctga ttaatgctgc taagacatcc atgtcttcca 660
aaatcattgg aataaatggg gatttctttg ctaacatggg agtagatgct gtacttgcta 720
ttaaatcac agacataaga ggcagccac gctatccagt caactctgtt aatattttga 780
aagcccatgg gagaagtcaa atggagagta tgctcatcag tggctatgca ctcaactgtg 840
tggtgggac ccagggcatg cccaagagaa tcgtaaatgc aaaaattgct tgccttgact 900
tcagcctgca aaaaacaaaa atgaagcttg gtgtacaggt ggtcattaca gaccctgaaa 960
aactggacca aattagacag agagaatcag atatcaccaa ggagagaatt cagaagatcc 1020
```



```

tggcaactgg tgccaatggt attctaacca ctggtggaat tgatgatatg tgtctgaagt 1080
atthttgtgga ggctggtgct atggcagtta gaagagtttt aaaaaggagac cttaaacgca 1140
ttgccaaagc ttctggagca actattctgt caaccctggc caatttgga ggtgaagaaa 1200
cttttgaagc tgcaatgttg ggacaggcag aagaagtggg acaggagaga atthttgatg 1260
atgagctgat cttaatcaaa aatactaagg ctctgtacgtc tgcacgatt atcttacgtg 1320
gggcaaatga tttcatgtgt gatgagatgg agcgtctctt acatgatgca ctttgtgtag 1380
tgaagagagt tttggagtca aaatctgtgg ttcccgggtg ggggtgctga gaagcagccc 1440
tttccatata ctttgaaaac tatgcaacca gcatggggtc tcgggaacag cttgcgattg 1500
cagagtttgc aagatcactt cttgttattc ccaatacact agcagttaat gctgcccagg 1560
actccacaga tctggttgca aaattaagag cttttcataa tgaggcccag gttaaaccag 1620
aacgtaaaaa tctaaaatgg attggtcttg atthtgagcaa tggtaaacct cgagacaaca 1680
aacaagcagg ggtgthtgaa ccaaccatag ttaaagttaa gagthtgaaa tttgcaacag 1740
aagctgcaat caccattctt cgaattgatg atcttattaa attacatcca gaaagtaaa 1800
atgataaaca tggaagtat gaagatgctg ttcactctgg agcccttaat gattgatctg 1860
atgttctctt tatttataac aatgttaaat gcaattgtct tgtacctga gttgagtatt 1920
acacattaaa gttaaagtaca agctgtaaac ttgggttttt gtgatgtagg aaatggtht 1980
catctgtact ttggtctctt gatthcacat attgcaacct agtacttht tagthtaaaa 2040
agaaattgag gttgttcaaa gtttaagcaa ttcattctct ctgaacacac attgctattc 2100
ccatcccacc ccaatgcac agggctgcaa caccacgact tctgcccatt ctctccagt 2160
tgtgtaacag ggtcacaaga attcgacagc cagatgctcc aagagggtgg cccaaggcta 2220
tagccctctc ttcaatattg accttctctg ggtthtaacc aagthcttta actattgcag 2280
cagagacagc tgcaaaaggc tcattgattt caaatatgtc aacatcttcc agtgaccaac 2340
ctgctthtgt aacagcttgc tttatggctg gaattggtcc tathcccata atggaaggct 2400
ccacaccac ttgggaccag gaaactatcc gtgctaaagg tgaagccca cgtthtatcag 2460
cttctgactt cttcataaga acgacagctg cagcaccatc atttattcct gaagcattgg 2520
ctgggggtgac tgttcccgtt ccatcagtaa gaaagtaagg cthtagcttg gacatggctt 2580
ctatgttgct ccatggcgga ggaaactcat ctgthttaac thcaataaga cctcttctag 2640
ttgacacca aactggtaca atctcttht caaatggcc agctthtctg gcattctctg 2700
tcctgttctg ggacagaact gcaacctgt cctgatcttc tctactcact tgccatttht 2760
tggctacatt ttcagctgta ataccatag gacagthtgg aaatgcact gtaagaccat 2820
cacagatgat actgtcagtc agtggcatct cactatctt tactctgtt ctcaagtaag 2880
ccaagtggag agccttgctc atattthcca tgcctcctgc aaccacaatg ctggagtctc 2940
ctatccctat tgactggact gcaaggcaca cagctthtag gcctgacca cagatcatct 3000
ggcagctcca tgctggaaca gagtaggaa ttcctgcacc cacactggct tgtctaacag 3060
gattctgccc acagctgct gccaaagac gtccaaagat gacctcagac acatcttccg 3120
gagccacagt ggccctcttc aagacttctt tgatgacagt ggagcccagg tcctggacag 3180
gaacagcagc taaggcacca ttgaaggaa ctgctggtct gagcaaagg caanggtggg 3240
tccacaact
3249

```

<210> 458

<211> 1916

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1902)

<223> n equals a,t,g, or c

<400> 458

```
gccacggcac gcagccagca agttgttttt aaatgttaat atagaaaaca gtgaaggatt 60
agctgaaaat atatgagcag gtgacattga ggtttactga aatagccaat ttgactggtg 120
cttagactat tgtgcagtaa acctaaaagg tagtggagaa ttgcttcctg ctgacaggaa 180
gccttcatct tcttgagtac ccaaaccagg cttcagggtg cctttgagga tagccagggt 240
tgaaattttt agtttctcag gaagagctct tctatgtggc aggggctgat agggcaaaat 300
aaaatgacaa tttctttatt gctacagagt atcctctata agttattaaa cgagtgtaat 360
ggtataatgc ccttccatca cacaacagga caccaccca gttttgtttt ctgggtttct 420
tcccccttg taggaatcag ataccttttg tagaaaaaaa tggcttatgc cacgtaaagg 480
tgaattttta gaaaccacct tctaggcggt tttggaaccc ttactgaaat cctccccctt 540
gttacagatg gcgtagaagt cacaagtctg ttaattggac tgttgcttct ttgctgttc 600
ctgcttttct tttctgtctg gatagtcagg aaaagattta atgtttaata tttaaacaaa 660
atatttaagt tctatacagt aaaattattc aaacttcaaa ccagtattga aagcagttgg 720
aaaccagcta atagtttctt aatctcagat ttcgagatga atgtaactg tattcttttg 780
aaatgtgcaa gtgtttgatt catgccattt gataaacttc tgccttgtag tcattgtttg 840
atgggaccaa cttgtaaagt atgagcctta aataaatctc catgctgaaa aatgtgttct 900
aatgcaacac aaaaacatga agtgactgcc cagaggtaga gttagtgttt aggtggaaag 960
ggagatgaca gctttccaaa gaaggacctt aaacacacca agattgtctt ctacaggaat 1020
tgctgggcag gtctccgact aaaggtctta tgatgaaaag gaagaaacaa gcccccaaca 1080
caaggctctg atactactgg taaatgtagg agagaattaa gaatctgtta attaaaatcc 1140
aaacagagct tatttcagta gtcaagttac ctgacatgat aattatttct gcaggataat 1200
tgatgtttta tgttcttttt tggactttat ctctctgcaa aaatttctac aaaaattggt 1260
ttcttcatcc ttgtggtgct tattcatctg agcctctctc acagtcccaa tgcctctgct 1320
ttttgtttta cttttgtagc ataaggtttt tgcctttgct ttgccttaag agttccctag 1380
ggagttacca gggcttttct ttttgtgtag cttttgcagc atggatcaaa cattggctta 1440
ctgtgcta at gtgtgaagag aaaaaattct ctaaagcagg tgagctttaa tgaacaaatg 1500
tgtattttat ctgagtttga gtagggtgcg ttgtggattt tgttttttgg gttttttttt 1560
tttttttcta attatatgaa gaaagtccag ttctcataaa tattgatcac ttaaaaaact 1620
tactctttct tgaaaaagta cacatgtaaa atttaggaaa ataactaaag taggggctgg 1680
aaccataaga agaattgttta tcagcacggt catttattat tttggatttg gaacttggct 1740
ttgtttttca atagtgcacaa gaatgggtca gttctaggaa tgttctggaa gatgctgtta 1800
attttacttt aaaaatgagaa tctggtgtta ctgtatttta tcgttttcaa taaaacttct 1860
taagtgtttt ggaaaaaaa aaaaaaaaa aattnctgcg gnccgcaagg gaattc 1916
```

<210> 459

<211> 2773

<212> DNA

<213> Homo sapiens

<400> 459

```
ggcagaggac caatcgcccc cctagactga gacgttggcg tttgaaatca gccaatggca 60
ggtctacact ggagcttctt ctccgcctcc ttgcctagc ctgcgagtgt tctgagggaa 120
gcaaggaggc ggcgggcgcc agcaggtggc gagtagtgga aacgttgctt ctgaggggag 180
cccaagatga ccggttctaa cgagttcaag ctgaaccagc caccgagga tggcatctcc 240
tccgtgaagt tcagcccaaa cacctcccag ttctctctg tctctctctg ggacacgtcc 300
gtgcgtctct acgatgtgcc ggccaactcc atgcggctca agtaccagca caccggcgcc 360
gtcctggact gcgccttcta cgatccaacg catgcctgga gtggaggact agatcatcaa 420
ttgaaaatgc atgatttgaa cactgatcaa gaaaatcttg ttgggaccca tgatgccctt 480
```

```

atcagatgtg ttgaatactg tccagaagtg aatgtgatgg tcaactggaag ttgggatcag 540
acagttaaac tgtgggatcc cagaactcct tgtaatgctg ggaccttctc tcagcctgaa 600
aaggtatata ccctctcagt gtctggagac cggtgattg tgggaacagc aggccgcaga 660
gtgttggtgt gggacttacg gaacatgggt tacgtgcagc agcgcagga gtccagcctg 720
aaataccaga ctgctgcat acgagcggtt ccaaacaagc agggttatgt attaagctct 780
attgaaggcc gagtggcagt tgagtatttg gacccaagcc ctgaggtaca gaagaagaag 840
tatgccttca aatgtcacag actaaaagaa aataatattg agcagattta cccagtcaat 900
gccatttctt ttcacaatat ccacaatata tttgccacag gtggttctga tggctttgta 960
aatatttggg atccatttaa caaaaagcga ctgtgccaat tccatcggtc cccacagagc 1020
atcgcatcac ttgccttcag taatgatggg actacgcttg caatagcgct atcatatatg 1080
tatgaaatgg atgacacaga acatcctgaa gatggtatct tcattcgcca agtgacagat 1140
gcagaaacaa aaccaagtc accatgtact tgacaagatt tcatttactt aagtgccatg 1200
ttgatgataa taaaacaatt cgtactcccc aatggtggat ttattactat taaagaaacc 1260
agggaaaata ttaattttaa tattataaca acctgaaaat aatggaaaag aggtttttga 1320
attttttttt ttaaataaac accttcttaa gtgcatgaga tggtttgatg gtttgctgca 1380
ttaaaggat ttgggcaaac aaaattggag ggcaagtgc tgcagttttg agaatacagt 1440
ttgaccttga tgattttttg tttccactgt ggaaataaat gtttgtaaat aagtgtata 1500
aaaatccctt tgcattcttt ctggacctta aatggtagag gaaaaggctc gtgagccatt 1560
tgtttctttt gctggttata gttgctaatt ctaaagctgc ttcagactgc ttcagttaga 1620
ggttaatcta caattaaaca atatttcttc ttggccgtcc attattttct gaagcagatg 1680
gttcatcatt tcctgggctg ttaaacaag cgaggttaag gttagactct tgggaatcag 1740
ctagttttca atcttattag ggtgcagaag gaaaactaat aagaaaacct cctaatatca 1800
ttttgtgact gtaacaatt atttattagc aaacaattga tcccagaagg gcaaattgtt 1860
tgagtcagta atgagctgag aaaagacaga gcatactctg gtatttgga aaataattgt 1920
aacgtaattg cagtgcattt agacaggcat ctatttggac ctgtttctat ctctaaatga 1980
atttttggaa acattaatga ggtttacata tttctctgac atttatatag ttcttatgtc 2040
catttcagtt gaccagccgc tgggtgattaa agttaaaaag aaaaaatta tagtgagaat 2100
gagattcatt tcaatgtaat gcactaaagc agaacacgaa cttagcttgg cctattctag 2160
gtagttccaa atagtatttt tgttgtcaaa ctttaaaatt tatattaatt tgcaaatgta 2220
tgtctctgaa gtaggacttg gacctttcct gagatttatt ttatccgtga tgtatttttt 2280
ttaattcttt tgatacagag aagggtcttt ttttttttaa gtatttcagt gaaaacttgg 2340
tgtaagtctg aacctatctt ttgaaatgta ttttctcat tgcaggcca cctaatac 2400
ctgtgaaaag ggtttctcta tggaaaagct tgtttgcttc ctacaaatac atgcttattc 2460
cttaagggat gtgttagagt tactgtggat ttctctgttt tctgtcttac aagaaacttg 2520
tctatgtacc ttaatacttt gtttaggatg aggagtcttt gtgtccctgt acagtagtct 2580
gacgtatttc cccttctgtc ccctagtaag cccagttgct gtatctgaac agtttgagct 2640
ctttttgtaa tatactctaa acctgttatt tctgtgctaa taaacgagat gcagaacct 2700
tgaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gsggcccgtc 2760
cgcatctag aac 2773

```

<210> 460

<211> 2031

<212> DNA

<213> Homo sapiens

<400> 460

```

cccacgcgtc cgcccacgcg tccgcccacg cgtccggcgc cagcggcctc gccgccgctc 60
aagctgtcca catccctggc ctcagcccgc cacatcacc tgacctgctt acgccagat 120
tttcttcaat cacatctgaa taaatcactt gaagaagct tatagcttca ttgcaccatg 180
tgtggcattt gggcgctggt tggcagtgat gattgccttt ctgttcagt tctgagtgt 240
atgaagattg cacacagagg tccagatgca ttccgttttg agaattgtca tggatacacc 300

```

```
aactgctgct ttggatttca cgggttgccg gtagttgacc cgctgtttgg aatgcagcca 360
attcgagtga agaaatatcc gtatttgtgg ctctgttaca atggtgaaat ctacaacccat 420
aagaagatgc aacagcattt tgaatttgaa taccagacca aagtggatgg tgagataatc 480
cttcatcttt atgacaaagg aggaattgag caaacaattt gtatgttgga tgggtgtgtt 540
gcatttgttt tactggatac tgccaataag aaagtgttcc tgggtagaga tacatatgga 600
gtcagacctt tgtttaaagc aatgacagaa gatggatttt tggctgtatg ttcagaagct 660
aaaggtcttg ttacattgaa gcactccgcg actccctttt taaaagtgga gccttttctt 720
cctggacact atgaagtttt ggatttaaag ccaaatggca aagttgcatc cgtggaaatg 780
gttaaatatc atcactgtcg ggatgaaccc ctgcacgccc tctatgacaa tgtggagaaa 840
ctctttccag gttttgagat agaaactgtg aagaacaacc tcaggatcct ttttaataat 900
gctgtaaaga aacgtttgat gacagacaga aggattggct gccttttatc agggggcttg 960
gactccagct tggttgctgc cactctgttg aagcagctga aagaagccca agtacagtat 1020
cctctccaga catattgcaat tggcatggaa gacagccccc atttactggc tgctagaaag 1080
gtggcagatc atattggaag tgaacattat gaagtccttt ttaactctga ggaaggcatt 1140
caggctctgg atgaagtcac attttccttg gaaacttatg acattacaac agttcgtgct 1200
tcagtaggta tgtatttaat ttccaagtat attcgggaag acacagatag cgtggtgatc 1260
ttctctggag aaggatcaga tgaacttacg cagggttaca tatattttca caaggctcct 1320
tctcctgaaa aagccgagga ggagagtga aggcttctga gggaactcta tttgtttgat 1380
gttctccgcg cagatcgaaac tactgctgcc catggtcttg aactgagagt cccatttcta 1440
gatcatcgat tttcttcta ttacttgtct ctgccaccag aaatgagaat tccaaagaat 1500
gggatagaaa aacatctcct gagagagacg tttgaggatt ccaatctgat acccaaagag 1560
attctctggc gacaaaaaga agccttcagt gatggaataa cttcagttaa gaattccttg 1620
tttaagattt tacaggaata cgttgaaacat caggttgatg atgcaatgat ggcaaatgca 1680
gcccagaaat ttcccttcaa tactcctaaa accaaagaag gatattacta ccgtcaagtc 1740
tttgaacgcc attaccagc cggggtgac tggctgagcc attactggat gcccaagtgg 1800
atcaatgcc ctgacccttc tgcccgcacg ctgaccact acaagtcagc tgtcaaagct 1860
taggtggtct ttatgctgta atgtgaaagc aaatatttct tcgtgttgga tggggactgt 1920
gggtagatag ggaacaatg agagtcaact caggctaact tgggtgtgaa aaaaataaaa 1980
gtcctaaatc taaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 2031
```

<210> 461

<211> 1839

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1496)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1832)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1839)

<223> n equals a,t,g, or c

<400> 461

```
gcgcgcgcgt cgtgcgtgcc gctcggcgga ggggacgggc ctgcgttctc tcctccttcc 60
tccccgcctc cagctgccgg caggaccttt ctctcgtctc cgctgggacc ccgtgtcatc 120
gcccaggccg agcacgatgc cccctaaaaa gggagggtgat ggaattaaac ccccccaat 180
cattggaaga tttggaacct cactgaaaat tggattgtt ggattgccaa atgttgggaa 240
atctactttc ttcaatgtgt taaccaatag tcaggcttca gcagaaaact tcccgttctg 300
cactattgat cctaagtaga gcagagtacc tgtgccagat gaaagggttg actttctttg 360
tcaataccac aaaccagcaa gcaaaattcc tgcctttcta aatgtgggtg atattgctgg 420
ccttgtgaaa ggagctcaca atgggcaggg cctggggaat gcttttttat ctcatattag 480
tgcctgtgat ggcatctttc atctaacacg tgcttttgaa gatgatgata tcacgcacgt 540
tgaaggaggt gtagatccta ttcgagatat agaaaataata catgaagagc ttcagcttaa 600
agatgaggaa atgattgggc ccattataga taaactagaa aagggtggctg tgagaggagg 660
agataaaaaa ctaaacctg aatatgatat aatgtgcaaa gtaaaatcct gggttataga 720
tcaaaagaaa cctgttcgct tctatcatga ttggaatgac aaagagattg aagtgttgaa 780
taaacactta tttttgactt caaaaccaat ggtctacttg gttaatcttt ctgaaaaaga 840
ctacattaga aagaaaaaca aatggttgat aaaaattaaa gagtgggtgg acaagtatga 900
cccaggtgct ttggtcattc cttttagtgg ggccttgaa ctcaagttgc aagaattgag 960
tgctgaggag agacagaagt atctggaagc gaacatgaca caaagtgctt tgccaaagat 1020
cattaaggct gggtttgcag cactccaact agaatacttt ttcactgcag gccagatga 1080
agtgcgtgca tggaccatca ggaaaggac taaggctcct caggctgcag gaaagattca 1140
cacagatttt gaaaagggat tcattatggc tgaagtaatg aaatacgaag attttaaaga 1200
ggaaggttct gaaaatgcag tcaaggctgc tggaaagtac agacaacaag gcagaaatta 1260
tattgttgaa gatggagata ttatcttctt caaatttaac acacctcaac aaccgaagaa 1320
gaaataaaat ttagttattg ctacagataaa catacaactt ccaaaaggca tctgattttt 1380
aaaaaattaa aattttctgaa aaccaatgcg acaataaaag ttggggagat gggaatcttt 1440
gacaacaaaa ttatttttat ttgttttaaa attaaaatac tgtgtacccc ccccccncyc 1500
atgaaatgca ggttcactaa atgtgaacag ctttgctttt cacgtgatta agaccctact 1560
ccaaattgta gaagcttttc aggaaccata ttactotcat gatacttcat taatctccat 1620
catgtatgcc aagcctgaca catttgacag tgaggacaat gtggcttgct cctttttgaa 1680
tctacagata atgcatgttt tacagtactc cagatgtcta cactcaataa aacatttgac 1740
aaaacaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1800
aaaaaaaaaa aaaaaaaacc ccgggggggg gnccccaan 1839
```

<210> 462

<211> 779

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (731)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (737)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (759)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (762)
<223> n equals a,t,g, or c

<400> 462
aggcctgatg ggctggagcc agactntggt ctgaggagga gacacagcct tataagctga 60
gggagtggag aggcccgggg ccaggaaagc agagacagac aaagcgtag gagaagaaga 120
gaggcagggg agacaagcca ggcacgatgg ccaccttccc accagcaacc agcgccccc 180
agcagccccc aggcccgag gacgaggact ccagcctgga tgaatctgac ctctatagcc 240
tggcccatc ctacctgga ggtggaggcc ggaaaggctc caccaagaga gaagctgctg 300
ccaacaccaa ccgccccagc cctggcgggc acgagaggaa actggtgacc aagctgcaga 360
attcagagag gaagaagcga ggggcacggc gctgagacag agctggagat gaggccagac 420
catggacact acaccagca atagagacgg gactgcggag gaaggaggac ccaggacagg 480
atccaggccg gcttgccaca cccccaccc ctaggactta ttcccgctga ctgagtctct 540
gaggggctac caggaaagcg cctccaaccc tagcaaaagt gcaagatggg gagtgagagg 600
ctgggaatgg agggcagagc caggaagatc ccccgaaaaa gaaagctaca gaagaaactg 660
gggctcctcc aggggtggcag caacaataaa tagacacgca cggcarccam aaaaaaaaaa 720
aaaaggsgg nccggancca attggcctaa aggggggnt tncaattaat gggccgggt 779

<210> 463
<211> 1717
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (27)
<223> n equals a,t,g, or c

<400> 463
ctagnaactg gtgggtcccc cgggcnnggc attatttcgg gcagagtggc aattactocg 60
tgatctttga tgactattac wcataacagc actctagcac cttwtcttac tggcatggac 120
ttcctcatgg actgctactt catggatgat agcttcattg ctttgggtag ggatttaagg 180
tagtcaaggg gaaaatacgc attttattac aggtcttaac atcaggcaac tttcaacttt 240
aaaacccttt gtgaaaaatg tggttatagc actatagctc tgatttttagg atggttaa 300
gttatattca ttgttggtt accttatcaa actgtgccat taatcctttc acagacatag 360
gtaaggaaga gaacaaccag tggattcagg ggacaattat ctatctcaa ataataggct 420
tttatttctt gcagctaaact ttttcagtga ttctagcaga tgccatctag tacatccttg 480
atcttgttts tttcgtgaga gatctcgcca tggcagcatc ttgttaagta agtgtaattg 540

```
cacatgcaca aaagacttaa ctagctttac atttagcagt cagttgggta gattaggttt 600
catagtaaat gaataggaat agaaagaata ggaagtgttt ttattttcca gtagtaattc 660
cgtggattcc atttgaccca gtttactatc agttcagttc aggtagattt ggttcaactt 720
ttgggtgggtt ttggctctag gatattcttg actttaatat cctagaactt actgagtctt 780
cccttcaata aatacacttc tcacatacct ctaatcctat gcttccttga aacaataatg 840
ctagctgagt tgtttactaa ggattattat aagggcctga aggtgtggga gtggagatta 900
attaaaacct ttatgttctc caatataagg gaaaagcagg ttggtactac ttctgattag 960
gcagaaaaca ccaggattcc ttaagtgatc cttgaaatgg ttattgtttt ctgccttgtc 1020
acatttgcca ctgtgccctt taaaacgatg tggaacacct aggtttgtgg acagcacagg 1080
tggaatgaca tctgtgtctt cctgaggctc ccctctacca ggcacattag cttagtgttt 1140
cagatgtcag cccaagtcct tgttacctcc ttttcctgct gcccagggaa gagtgtgtgt 1200
gctggagctg gagcgcttgc actcttcagg tgactattct cacctccatt tcctccacat 1260
gcattaggtg aaactgaggt ctaagcctcc tgcaaggtct acattttaag gactcacaca 1320
tcaggctctc agaaatgtac acagggtatta gttctgtttg ttctaaagga aatgtgggta 1380
tctctcaggc caggacttag tgactagttt tcgctagaca gcagggttaat acctagatct 1440
catttaaaaa aaaaaaaaaa aaaacaggat taaagggaac tgatcaggtt tgttgagttt 1500
tttagcctaa ttccaaagca tggaagagtg ctctaggtag gaaagaaagc tttttcttac 1560
gattttagtc tacctactgt gcctgacttg gtgcctgtgt gaggattaag cccttagtct 1620
gctcttgcaa ttattcaaat gacaaattaa atttgctttt gtaataacaa taaaagttgt 1680
catcttcctt ttgaaaaaa aaaaaaaaaa aaaaaaag 1717
```

```
<210> 464
<211> 828
<212> DNA
<213> Homo sapiens
```

```
<220>
<221> misc feature
<222> (787)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (819)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (827)
<223> n equals a,t,g, or c
```

```
<400> 464
ggcacgagag atggcggcgc aacagcgga ctagcgggggt gctgcgcagc tggcggggcc 60
ggcggcgag gctgaccccc taggacgctt cacgtgtccc gtgtgcttag aggtgtacga 120
gaagccggtg cagggtgccct gcggacacgt cttttgctct gcatgcctgc aggaatgtct 180
gaagccgaag aagcctgtct gtgggggtgtg tcgcagcgct ctggcacctg gcgtccgagc 240
cgtggagctc gagcggcaga tcgagagcac agagacttct tgccatggct gccgtaagaa 300
tttcttctct tccaagatcc ggtcccacgt ggctacttgt tccaaatacc agaattacat 360
catggaaggt gtgaaggcca ccattaagga tgcattctct cagccaagga atgttccaaa 420
ccgttacacc tttccttgct cttactgtcc tgagaagaac tttgatcagg aaggacttgt 480
ggaacactgc aaattattcc atagcacgga taccaaatct gtgggttgtc cgatatgtgc 540
```

```
ctcgatgccc tggggagacc ccaactaccg cagcgccaac ttcagagagc acatccagcg 600
ccggcaccgg ttttcttatg acacttttgt ggattatgat gttgatgaag aggacatgat 660
gaatcaggtg ttgcagcgct ccatcatcga ccagtgaagc gagtccgtgc ttgctatctg 720
tctcatgtta cagagcttcc attacatatt aaacgtgaaa tctatgaaaa aaaaaagg 780
ggggggnccc ggttacccca atttcggccc tattaggtna agtcgtna 828
```

<210> 465

<211> 1173

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1166)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1171)

<223> n equals a,t,g, or c

<400> 465

```
cctgtcctgc tgtctctgct gctgcttctg ggtcctgctg tccccagga gaaccaagat 60
ggtcgttact ctctgacctt tatctacact gggctgtcca agcatgttga agacgtcccc 120
gcgtttcagg cccttgntca ctcaatgacc tccagttctt tagatacaac agtaaagaca 180
ggaagtctca gcccatggga ctctggagac aggtggaagg aatggaggat tggaagcagg 240
acagccaact tcagaaggcc agggaggaca tctttatgga gaccctgaaa gacatygtgg 300
agtattacaa cgacagtaac ggggtctcacg tattgcaggg aagggttggt tgtgagatcg 360
agaataacag aagcagcggg cattctggaa atattactat gatggaaagg actacattga 420
attcaacaaa gaaatcccag cctgggtccc cttcgaccca gcagcccaga taaccaagca 480
gaagtgggag gcagaaccag tctacgtgca gcgggccaag gcttacctgg aggaggagtg 540
ccctgcgact ctgcggaaat acctgaaata cagcaaaaat atcctggacc ggcaagatcc 600
tccctctgtg gtggtcacca gccaccaggc cccaggagaa aagaagaaac tgaagtgcct 660
ggcctacgac ttctaccagc ggaatattga tgtgcaactg actcgggccg gcgagggtgca 720
ggagcctgag ttacggggag atgttcttca caatggaaat ggcacttacc agtcctgggt 780
ggtggtggca gtgccccgcg aggcacagc cccctactcc tgccacgtgc agcacagcag 840
cctgccccag ccctcgtggt tgccctggga ggccagctag gaagcaaggg ttggaggcaa 900
tgtgggatct cagaccaggt agctgccttt cctgcctgat gtgggagctg aaccacagaa 960
atcacagtca atggatccac aaggcctgag gagcagtgtg gggggacaga caggagggtg 1020
atttgagac cgaagactgg gatgcctgtc ttgagtagac ttggacccaa aaaatcatct 1080
caccttgagc ccacccccac cccattgtct aatctgtaga agctaataaa taatcatccc 1140
```


tccttgcccta gcaaaaaaaaa aaaaangngg ngg

1173

<210> 466

<211> 521

<212> DNA

<213> Homo sapiens

<400> 466

taccagggtc cggaatccca gggtcgaccc acgcgtccgc cggcaagatg gcagaagtag 60
agcagaagaa gaagcggacc ttccgcaagt tcacctaccg cggcgtggac ctcgaccagc 120
tgctggacat gtcctacgag cagctgatgc agctgtacag tgcgcgccag gcggcggctg 180
aaccggggcc tgcggcggaa gcagcactcc ctgctgaagc gcctgcgcaa ggccaagaag 240
gaggcggcgc ccatggagaa gccggaagtg gtgaagacgc acctgcggga catgatcatc 300
ctacccgaga tgggtggcag catggtgggc gtytacaacg gcaagacctt caaccagggtg 360
gagatcaagc ccgagatgat cggccactac ctgggcgagt tctccatcac ctacaagccc 420
gtaaagcatk gccggcccg cgcgggggc acccactset cccgmttcat ccctctcaag 480
taatggctca gytaataaag gcgsacatga ctccaaaaaa a 521

<210> 467

<211> 1428

<212> DNA

<213> Homo sapiens

<400> 467

gcccgtctcc ccgcaggagc ggcccccgcc ttacctggca gtcccaggac atggcgagga 60
gtacccggtg gctggggcac acagcagccc cccaaaggcc cgcttcctgc gggttcccag 120
tgagcaccct tacctgaccc catcccccca atccccctgag cactggggcca gcccctcacc 180
tccctccctc tcagactggc ccgaatccac gcctagccca gccactgccca ctggggccat 240
ggccaccacc actggggcac tgctgcccga gccacttccc ttgtctgttc ccagctccct 300
tgctcaggcc cagaccagc tggggcccca gccggaagtt acccccaaga ggcaagtgtt 360
ggcctgagac gctcgtcagt tcttagatct tgggggccta aagagacccc cgtcctgcct 420
cctttcttcc tctgtctctt ccttcttttt agtctttttc atcctcttct ctttccacca 480
acctctctgc atccttgcc tgcagcgtga ccgagatagg tcatcagccc agggcttcag 540
tcttcttcta tttataatgg gtgggggcta ccaccacccc tgctcagtct tgtgaagagt 600
ctgggacctc cttcttcccc acttctctct tccctcatte ctttctctct ccttctggcc 660
tctcatttcc ttacactctg acatgaatga attattatta tttttctttt tctttttttt 720
tttacatttt gtatagaaac aaattcattt aaacaaactt attattatta ttttttacia 780
aatatatata tggagatgct cctccccct gtgaaccccc cagtgcctcc gtgggctgag 840
tctgtgggcc cattcggcca agctggattc tgtgtacctg gtacacaggg atgactggga 900
tcccggtgac cgagtacacg acccaggatg gtaccaagta ggcacccttg ggcgcaccca 960
ctggggccag gggtcggggg agtggtggga gcctcctccc caccacacct ccctcacttc 1020
actgcattcc agattggaca tgttccatag ccttgctggg gaaggggcca ctgccaaactc 1080
cctctgcccc agccccaccc ttggccatct ccctttggga actagggggc tgctgggtggg 1140
aaatgggagc cagggcagat gtatgcattc ctttatgtcc ctgtaaatgt gggactacaa 1200
gaagaggagc tgcctgagtg gtactttctc ttcttggtaa tctctggcc cagccttatg 1260
gcagaataga ggtattttta ggctattttt gtaatatggc ttctgggtcaa aatccctgtg 1320
tagctgaatt cccaagccct gcattgtaca gccccccact cccctcacca cctaataaag 1380
gaatagttaa cactcaaaaa aaaaaaaaaa aaaaaacttg agggggggg 1428

<210> 468

<211> 3463

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1187)

<223> n equals a,t,g, or c

<400> 468

```
cagtgctccgg gccgagccgg tgcgccgcag actagggcgc ctcggggccag ggagcgcgga 60
ggagccatgg ccaccgctaa cggggccgtg gaaaacgggc agccggacag gaagccgccg 120
gcccctgccgc gcccctcccg caacctggag gtcaagttca ccaagatatt tatcaacaat 180
gaatggcacg aatccaagag tgggaaaaag tttgctacat gtaacccttc aactcgggag 240
caaatatgtg aagtggaaga aggagataag cccgacgtgg acaaggctgt ggargctgca 300
caggttgccct tccagagggg ctcgccatgg cgcgggctgg atgccctgag tcgtgggagg 360
ctgctgcacc agctggctga cctggtkgar agggaccgcg ccaccttggc cgccctggag 420
acgatggata caggggaagc atttcttcat gcttttttca tcgacctgga gggctgtatt 480
agaaccctca gatactttgc aggttgggca gacaaaatcc agggcaagac catccccaca 540
gatgacaacg tgtgtgcttc accaggcatg agcccatagg tgtctgtggg gccatcactc 600
catggaactt cccctgctg atgctgggtg ggaagctggc acccgccctc tgcgtgtgga 660
acaccatggt cctgaagcct gcggagacac ctctcaccgc cctttatctc ggctctctga 720
tcaaagaggc cgggttcctt ccaggagtgg tgaacattgt gccaggattc gggcccacag 780
tgggagcagc aatttcttct caccctcaga tcaacaagat cgccttcacc ggctccacag 840
aggttgaaaa actggttaaa gaagctgcgt cccggagcaa tctgaagcgg gtgacgctgg 900
agctgggggg gaagaacccc tgcctcgtgt gtgcggacgc tgacttggac ttggcagctg 960
agtgtgcccc tcagggagtg ttcttcaacc aaggccagtg ttgcacggca gcctccaggg 1020
tgttctgtga ggagcaggtc tactctgagt ttgtcaggcg gacgtggagt atgccaagaa 1080
acggcccctg ggagaccctt tcgatgtcaa aacagaacag gggcctcaga ttgatcaaaa 1140
gcagttcgac aaaatcttag agctgatcga gagtgggaag aaggaanggg ccaagctgga 1200
atgcgggggc tyagccatgg aagacaaggg gctcttcac aaacctactg tcttctcaga 1260
agtcacagac aacatgcgga ttgcaaaaag ggagattttc gggccagtgc accaatactg 1320
aagttcaaaa gtatcgaaga agtgataaaa agagcgaata gcaccgacta tggactcaca 1380
gcagccgtgt tcacaaaaaa tctcgacaaa gccctgaagt tggcttctgc cttagagtct 1440
ggaaacggtct ggatcaactg ctacaacgcc ctctatgcac aggtctccatt tgggtggctt 1500
aaaaatgtcag gaaatggcag agaactaggt gaatacgctt tggccgaata cacagaagt 1560
aaaactgtca ccatcaaaact tggcgacaag aaccctgaa ggaaaggcgg ggctccttcc 1620
tcaaacatcg gacggcggaa tgtggcagat gaaatgtgct ggaggaaaaa aatgacattt 1680
ctgaccttcc cgggacacat tcttctggag gctttacatc tactggagtt gaatgattgc 1740
tgttttctct tcaactctcct gtttattcac cagactgggg atgcctatag gttgtctgtg 1800
aaatcgcagt cctgcctggg gagggagctg ttggccattt ctgtgtttcc ctttaaaacca 1860
gatcctggag acagtgagat actcagggcg ttgttaacag ggagtggtat ttgaagtgtc 1920
cagcagttgc ttgaaatgct ttgccgaatc tgactccagt aagaatgtgg gaaaaccccc 1980
tgtgtgttct gcaagcaggg ctcttgacc agcgggtctc tcaggggtgga cctgcttaca 2040
gagcaagcca cgcctctttc cgaggtgaag gtgggacat tccttgggaa aggattcaca 2100
gtaaggtttt ttggtttttg ttttttgttt tcttgttttt aaaaaaagga ttacacagt 2160
agaaagtfff ggttagtgca taccgtggaa gggcgccagg gtctttgttg attgcatgtt 2220
gacattgacc gtgagattcg gcttcaaacc aatactgcct ttggaatatg acagaatcaa 2280
tagccagag agcttagtca aagacgatat cacgggtctac ctttaaccaag gcactttctt 2340
aagcagaaaa tattgttag gttacctttg ctgctaagaa tccaatcttc taacgccaca 2400
acagcatagc aaatcctagg ataattcacc tcctcatttg acaaatcaga gctgtaattc 2460
rctttaacaa attacgcatt tctatcacgt tcactaacag cttatgataa gtctgtgtag 2520
```

```
tcttcctttt ctccagttct gttacccaat ttagattagt aaagcgtaca caactggaaa 2580
gactgctgta ataacacagc cttgttattt ttaagtccta ttttgatatt aatttctgat 2640
tagttagtaa ataacacctg gattctatgg aggacctcgg tcttcatcca agtggcctga 2700
gtatttctact ggcagggttg gaatttttct tttcctcttt ggggatccaa atgatgatgt 2760
gcaatttcat gttttaactt gggaaactga aagtgttccc atatagcttc aaaaacaaaa 2820
acaaatgtgt tatccgacgg atacttttat ggttactaac tagtactttc ctaattggga 2880
aagtagtgct taagtttgca aattaagttg gggaggggcaa taataaaatg agggcccgtg 2940
acagaaccag tgtgtgtata acgaaaacca tgtataaaat gggcctatca cccttgtcag 3000
agatataaat taccacattt gccttccctt catcagctaa cacttatcac ttatactacc 3060
aataacttgt taaatcagga tttggcttca taccactgaat ttccagtatt ttatctcaag 3120
tagatataga cactaacctt gatagtata cgttagaggg ttccatttct tccattgtac 3180
gataatgtct ttaatatgaa atgctacatt atttataatt ggtagagtta ttgtatcttt 3240
ttatagttgt aagtacacag aggtggtata tttaaacttc tgtaatatatc tgtatttaga 3300
aatggaaata tatatagtgt taggtttcac ttcctttaaag gtttaccctc gtggtgtggt 3360
ttaaaaatct ataggcctgg gaattccgat cctagctgca gatcgcatcc cacaatgcga 3420
gaatgataaa ataaaattgg atatttgaga aaaaaaaaaa aaa 3463
```

<210> 469

<211> 621

<212> DNA

<213> Homo sapiens

<400> 469

```
atggagaagg tccaggacac gtgggtgggg gaagctgagc gctgagacca agggctaaaag 60
ctgggagact gaaaaaatgc agaccgccgg ggcattattc atttctccag ctctgatccg 120
ctgttgtagc aggggtctaa tcaggcctgt gtctgcctcc ttcttgaata gccagtgaa 180
ttcatctaaa cagccttcct acagcaactt cccactccag gtggccagac gggagtcca 240
gaccagtgtt gtctcccggg acattgacac agcagccaag tttattggtg ctggggcagc 300
cacagtgggt gtggtggtt caggggctgg cattggaacc gtgtttggca gcttgatcat 360
tggtcatgcc aggaaccgct ctctcaagca gcagctcttc tcctatgcca ttcttggtt 420
tgccctgtct gaggccatgg ggcctttctg tttgatggtc gccttctca tcctcttcgc 480
catgtgaggc tccatggggg gtcaccggcc tgttgctact gcaactccac accattcttg 540
gtgctggggg gtgttaagct ttaccattaa acacaacggt tctctaaaaa aaaaaaaaaa 600
aaaaaaaaa aaaaaaaaaa a 621
```

<210> 470

<211> 1833

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (386)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (524)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1798)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1812)
<223> n equals a,t,g, or c

<400> 470
tacgaccgac gagccggtgt cgtggtcgcg gtacctgttc caacacggct cgcgggcccg 60
tgccgggtcc ggtccccggc gcggctgtcc gagccctgc gccgggcgga cgatggtgtg 120
gcgganacac cagacgcggg cggcmcggc ggccggcatg aaggaggatg gaagggcagg 180
acgagggtgc gccgcgggag cagcacttcc acagccaagt gcgggagtcc acgatatgtt 240
tccttctttt tgccattctc tacgttggtt cctacttcat catcacaaga tacaagagaa 300
aatcagatga acaagaagat gaagatgcc aatcgaacag gatttcgttg tttttgagca 360
cgttcactct cgcagtgtca gctggngctg ttttgctttt acccttctca atcatcagca 420
atgaaatcct gctttctttt cctcagaact actatattca gtggctaaat ggctccctga 480
ttcatgggtt gtggaatctt gcttcccttt ttccaacct ttgnttattt gtattgatgc 540
cctttgcctt tttctttctg gaatcagaag gctttgctgg cctgaaaaag ggaatccgag 600
cccgcatttt agagactttg gtcattgctt ttcttcttgc gttactcatt cttgggatag 660
tgtgggtagc ttcagcactc attgacaacg atgccgcaag catggaatct ttatatgatc 720
tctgggagtt ctatctaccc tttttatatt cctgtatatt attgatggga tgtttgttac 780
ttctcttggt tacaccagtt ggcctttctc gtatgttcac agtgatgggt cagttgctag 840
tgaagccaac aattcttgaa gacctggatg aacaaattta tatcattacc ttagaggag 900
aagcactcca gagacgacta aatgggctgt cttcatcggt ggaatacaac ataatggagt 960
tggaacaaga acttgaaaat gtaaagactc ttaagacaaa attagatcct tggagttctt 1020
ttctgtgtgt tcagttctct gtctggcact ttgtgcaca gactccagct gacatagtct 1080
ccccagattc cactttcatg ctctcaactc aagggatgag ctgggctcag cttgtgttcc 1140
tccttctctg atcacggcct ggaaactctc aagacaagag gcgaaaaaag gcttcagcat 1200
gggaaagaaa tttggtgtat cccgctgtta tgggtctcct tcttattgag acatccatct 1260
cggctcctct ggtggtgtgt aatattcttt gcctattggt tgatgaaaca gcaatgccaa 1320
aaggaaacaag ggggscgtga ataggaaatg cctctctttc tacgtttggt tttgtgggag 1380
ctgcgcttga aatcattttg attttctatc ttatggtgtc ctctgttggt ggcttctata 1440
gccttcgatt ttttggaac tttactcca agaaagatga cacaactatg acaaagatca 1500
ttggaattg tgtgtccatc ttgggttttga gctctgctck gcctgtgatg tcgagaacac 1560
tggggcttca taaacttcac ttaccaaata cttcaaggga ttcagaaaca gccaaagcctt 1620
ctgtaaatgg gcatcagaaa gcactgtgag acgcacagac ggctgtcttct gccaccaaga 1680
gaccgagaac tccagattca cgacattcct gtcccatgta gaagcatttc cattcatccg 1740
tgggccctct tcagaacctc gamctatcag tggcattttt ttttcataat ctacgaanaa 1800
cttggctatg gntgatcttt tttaaattta act 1833

<210> 471
<211> 3202
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (4)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (3160)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (3180)
<223> n equals a,t,g, or c

<400> 471
cggnacgcgt gggactgcaa cggagagact caagatgatt ccctttttac ccatgttttc 60
tctactattg ctgcttattg ttaaccctat aaacgccaac aatcattatg acaagatctt 120
ggctcatagt cgtatcaggg gtcgggacca aggcccaaat gtctgtgccc ttcaacagat 180
tttgggcacc aaaaagaaat acttcagcac ttgtaagaac tggataaaaa agtccatctg 240
tggacagaaa acgactgtgt tatatgaatg ttgccctggg tatatgagaa tggaaaggaat 300
gaaaggctgc ccagcagttt tgcccattga ccatgtttat ggcactctgg gcatcgtggg 360
agccaccaca acgcagcgct attctgacgc ctcaaaactg agggaggaga tcgagggaaa 420
gggatccctc acttactttg caccgagtaa tgaggcttgg gacaacttgg attctgatat 480
ccgtagaggt ttggagagca acgtgaatgt tgaattactg aatgctttac atagtcacat 540
gattaataag agaattgtga ccaaggactt aaaaaatggc atgattattc cttcaatgta 600
taacaatttg ggctttttca ttaaccatta tcctaattggg gttgtcactg ttaattgtgc 660
tcgaatcatc catgggaacc agattgcaac aaatgggtgtt gtccatgtca ttgaccgtgt 720
gcttacacaa attggtacct caattcaaga cttcattgaa gcagaagatg acctttcatc 780
ttttagagca gctgccatca catcggacat attggaggcc cttggaagag acggtcactt 840
cacactcttt gctcccacca atgaggcttt tgagaaaactt ccacgagggt tcctagaaaag 900
gatcatggga gacaaagtgg cttccgaagc tcttatgaag taccacatct taaatactct 960
ccagtgttct gagtctatta tgggaggagc agtctttgag acgctggaag gaaatacaat 1020
tgagatagga tgtgacggtg acagtataac agtaaatgga atcaaaatgg tgaacaaaaa 1080
ggatattgtg acaataatg gtgtgatcca tttgattgat caggctcctaa ttcttgattc 1140
tgccaaacaa gttattgagc tggttgaaa acagcaaacc accttcacgg atcttggtgc 1200
ccaattaggc ttggcatctg ctctgaggcc agatggagaa tacactttgc tggcacctgt 1260
gaataatgca ttttctgatg atactctcag catggatcag cgctcctta aattaattct 1320
gcagaatcac atattgaaag taaaagtgg ccttaatgag ctttacaacg ggcaaatact 1380
ggaaaccatc ggaggcaaac agctcagagt cttcgtatat cgtacagctg tctgcattga 1440
aaattcatgc atggagaaaag ggagtaagca agggagaaac ggtgcgattc acatattccg 1500
cgagatcatc aagccagcag agaaatccct ccatgaaaag ttaaaacaag ataagcgtt 1560
tagcaccttc ctcagcctac ttgaagctgc agacttgaaa gagctcctga cacaacctg 1620
agactggaca ttatttgtgc caaccaatga tgcttttaag ggaatgacta gtgaagaaaa 1680
agaaattctg atacgggaca aaaatgctct tcaaaacatc attctttatc acctgacacc 1740
aggagttttc attgaaaaag gatttgaacc tgggtgttact aacattttta agaccacaca 1800
aggaagcaaa atctttctga aagaagtaaa tgatacactt ctggtgaatg aattgaaatc 1860
aaaagaatct gacatcatga caacaaatgg tgaattcat gttgtagata aactcctcta 1920
tccagcagac acacctgttg gaaatgatca actgctggaa atacttaata aattaatcaa 1980
atacatccaa attaagtttg ttcgtggtag caccttcaaa gaaatccccg tgactgtcta 2040

```
taagccaatt attaaaaaat acacccaaaat cattgatgga gtgcctgtgg aaataactga 2100
aaaagagaca cgagaagaac gaatcattac aggtcctgaa ataaaaataca ctaggatttc 2160
tactggaggt ggagaaacag aagaaactct gaagaaattg ttacaagaag aggtcaccaa 2220
ggtcacccaaa ttcattgaag gtggtgatgg tcatttattt gaagatgaag aaattaaaaag 2280
actgcttcag ggagacacac ccgtgaggaa gttgcaagcc aacaaaaaag ttcaaggatc 2340
tagaagacga ttaagggaag gtcgttctca gtgaaaatcc aaaaaccaga aaaaaatgtt 2400
tatacaaccc taagtcaata acctgacctt agaaaattgt gagagccaag ttgacttcag 2460
gaactgaaac atcagcacia agaagcaatc atcaaataat tctgaacaca aatttaatat 2520
ttttttttct gaatgagaaa catgaggga attgtggagt tagcctcctg tggtaaagga 2580
attgaagaaa atataacacc ttacaccctt tttcatcttg acattaaaag ttctggctaa 2640
ctttggaatc cattagagaa aaatccttgt caccagattc attacaattc aaatcgaaga 2700
gttggtgaact gttatcccat tgaaaagacc gagccttgta tgtatgttat ggatacataa 2760
aatgcacgca agccattatc tctccatggg aagctaagtt ataaaaatag gtgcttggtg 2820
tacaaaactt tttatatcaa aaggctttgc acatttctat atgagtgggt ttactggtaa 2880
attatgttat tttttacaac taattttgta ctctcagaat gtttgtcata tgcttcttgc 2940
aatgcatatt ttttaacttc aaacgtttca ataaaacccat ttttcagata taaagagaaat 3000
tacttcaaat tgagtaattc agaaaaactc aagatttaag ttaaaaagtg gtttggactt 3060
gggaacagga ctttatacct cttttactgt aacaagtact cattaaagga aattgaatga 3120
aaaaaaaaaa aaaaaagggg cgggccgctc taagagggtt ccctcgaggg gggcccaagn 3180
tttacgcggg gcatgccgac gt 3202
```

<210> 472

<211> 941

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (927)

<223> n equals a,t,g, or c

<400> 472

```
gttcceaagt ccccttactg acccgagaga cgtcattgcc gcagaggga ctatgggcgc 60
atataggttg taatgaaact gtagtctcag ttggaagcct agacatgaaa tgggtcagtg 120
agcaaggctc tattcctagt ctccagccat gcctgtggca acctgagccc gctctcagca 180
cattggaccc aggcagatgy aaaaaattca cagaactatg atttggactc aagggtttgt 240
agatttcctc cttcattcta atttcagtgt ctaaaattct tgcacccrtg aacgagctgg 300
gcatttgatg agacagggcy gaataactgca gttttcctcc tagaaatcmt ctggggcatt 360
ttctttgaac tgatgggaac aataaggcat aactgtttgc acaaacttgg gataartgat 420
tttgggataa cgatctacca gaatggggat atttcaccct tggttctgag atgcaaacca 480
aagaatatca tgaccagctt tcaggcctcc tgaagtatat ctctcacatt gtccgtttct 540
catgctgagg agcctgagat ccctgtgtgg ggattagaca gtggactgtt atgggtgtag 600
gtgaattggc ttattttgtc tgtccctgtc tgaatgtatt gcaggaatta aaaaggacca 660
agaagaggaa gaagaccaag gcccacccatg cccagggctc agcagggagc tgctggaggt 720
agtagagcct gaagtcttgc aggactcact ggatagatgt tattcaactc cttccagttg 780
tcttgwaaca gcctgactcc tgccwgcctc ayrgaagttc cttttatgca ttggaggaaa 840
aacatgttgg cttttctctt ggacgtggga gaaattgaaa agaaggggaa ggggaagaaa 900
agaaggggaa gaagatcaaa gaagganaga agaaggggac g 941
```

<210> 473

<211> 1279

400

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1144)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1273)

<223> n equals a,t,g, or c

<400> 473

```
tcccggtcg acccacgcgt ccgcgacgc gtgggatcaa caaactcatc cgaattggca 60
ggaatgagtg tgtggtgtgc attaggggtg acaaagaaaa aggatatatt gatttgtcaa 120
aaagaagagt ttctccagag gaagcaatca aatgtgaaga caaattcaca aaatccaaaa 180
ctgtttatag cattcttcgt catgttgctg aggtgttaga atacaccaag gatgagcagc 240
tggaagcct attccagagg actgcctggg tctttgatga caagtacaag agacctggat 300
atgggtgccta tgatgcattt aagcatgcag tctcagaccc atctattttg gatagtttag 360
atttgaatga agatgaacgg gaagtactca ttaataatat taataggcgc ttgacccac 420
aggctgtcaa aattcgagca gatattgaag tggcttgta tggttatgaa ggcattgatg 480
ctgtaaaaga agccctaaga gcagggttga attgttctac agaaaacatg cccattaaga 540
ttaatctaata agctcctcct cggtagttaa tgactacgac aacctggag agaacagaag 600
gcctttctgt cctcagtcaa gctatggctg ttatcaaaga gaagattgag gaaaagaggg 660
gtgtgttcaa tgttcaaatg gagcccaaag tggtcacaga tacagatgag actgaacttg 720
cgaggcagat ggagaggctt gaaagagaaa atgccgaagt ggatggagat gatgatgcag 780
aagaaatgga agccaaagct gaagattaac tttgtgggaa acagagtcca atttaaggaa 840
cacagagcag cgcttccttg ctgtaaatcc tagacttgaa agttttccag tattgaaaac 900
ttcaaagctg aatatttttt atttctaagt atttaaatgt tctaacagat cagaacatga 960
aatgccctcc taaatgtcag ctgttggtcac acagtagctc caacactttg agcattttta 1020
agggagtggc ctcatttcac tagagacaaa tctttaagaa tagttctaaa attgggcttg 1080
tgatttccat ttctgatgtc tccagattgg cacccttct tagttcaatg cctcacgaga 1140
tttncagggg gcatccaagg caaacaatcc caatctttct atataaaatg tattcaagca 1200
aacatcaaat aaatttctgg gatatttaaa aaaaaaaaaa aaaaaggggg gggccttaaa 1260
gaaccaagtt tantttggg 1279
```

<210> 474

<211> 3209

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (427)

<223> n equals a,t,g, or c

<400> 474

```
caactcccgg gacacatcct tcgagcagca tgtgctgtgg caacgggagg gaagggcggt 60
gacctggtct tgaactcctt ggcggaagag aagctgcarg ccagcgtgag gtgcttggt 120
acgcacgggtc gcttcctgga aattggcaaa ttcgaccttt ctcagaacca mccgctcggc 180
```

atggctatct tcctgaagaa cgtgacatcc acgggggtcct actggatgcg ttcttcaaac 240
gagagcagtg ctgactggcg ggaggtgttg gcgcttgtgc aggccggcat ccgggatggg 300
gtggtacggc ccctcaagtg cacggtgttc catggggccc aggtggagga cgccttccgc 360
tacatggccc aagggaagca cattggcaaa gtctgtctgc aggtgcttgc ggaggagccg 420
gasagtngct gaagggggcc aaaccaagc tgatgtcggc catctccaag accttctgcc 480
cggcccacaa gagctacatc atcgtgtgtg gtctgggtgg ctctcgcccg gagttggcgc 540
agtggctgat acagcgtggg gtgcagaagc tcgtgttgac ttctcgctcc gggatccgga 600
caggctacca ggccaagcag gtccgccggg ggaggcgcca gggcgtagag gtgcaggtgt 660
ccaccagcaa catcagctca ctggaggggg cccggggsct cattgccgag gcggcgcast 720
tgggcccgtg ggcgcgctct tcaacctggc cgtggctctg agagatggct tgctggagaa 780
ccagacccca gagttcttcc aggacgtctg caagcccaag tacagcgga ccctgaacct 840
ggacagggtg acccgagagg cgtgccctga gctggactac tttgtgtgtc tctcctctgt 900
gagctgcggg cgtggcaatg cgggacagag caactacggc tttgccaatt ccgccatgga 960
gcgtatctgt gaaaaacgcc ggcacgaagg cctcccaggc ctggccgtgc agtggggcgc 1020
catcggcgac gtgggcattt tgggtggagc gatgagcacc aacgacacga tcgtcagttg 1080
cacgtgccc cagcgcatgg cgtcctgcct ggaggtgctg gacctcttcc tgaaccagcc 1140
ccacatggtc ctgagcagct ttgtgctggc tgagaaggct gcggcctata gggacaggga 1200
cagccagcgg gacctggtgg aggcctggc acacatctg ggcaccccg acttggtgc 1260
tgtcaacctg gacagctcac tggcgacct gggcctggac tcgctcatga gcgtggaggt 1320
gcgccagacg ctggagcgtg agctcaacct ggtgctgtcc gtgcgcgagg tgcggcaact 1380
cacgtctccg aaactgcagg agctgtctc aaaggcgat gaggccagcg agctggcatg 1440
ccccacgccc aaggaggatg gtctggccca gcagcagact cagctgaacc tgcgtccct 1500
gctggtgaac ccggaggccc caccctgatg cggctcaact ccgtgcagag ctccgagcgg 1560
cccctgttcc tgggtgaccc aatcgagggc tccaccaccg tgttccacag cctggcctcc 1620
cggctcagca tccccaccta tggcctgcag tgcacccgag ctgcgccccct tgacagcatc 1680
cacagcctgg ctgcctacta catcgactgc atcaggcagg tgcagcccga gggcccctac 1740
cgcgtggccg gctactccta cggggcctgc gtggcctttg aaatgtgtc ccagctgcag 1800
gcccagcaga gcccagcccc caccacaac agcctcttcc tgttcgacgg ctgcgccacc 1860
tacgtactgg cctacacca gagctaccgg gcaaagctga cccagggctg tgaggctgag 1920
gctgagacgg aggccatatg ctcttctgtg cagcagttca cggacatgga gcacaacagg 1980
gtgctggagg cgtgtctgcc gctgaagggc ctgagaggag gtgtggcagc cgccgtggag 2040
ctgatcatca agagccacca gggcctggac cgccaggagc tgagctttgc ggcccggtcc 2100
ttctactaca agctgcgtgc cgttgagcag tacacacca aggccaagta ccatggcaac 2160
gtgatgctac tgcgcgcaa gacgggtggc gcctacggcg aggacctggg cgcggactac 2220
aacctctccc aggtatgcga cgggaaagta tccgtccacg tcatcgaggg tgaccaccgc 2280
acgtgctggg agggcagcgg cctggagtcc atcatcagca tcatccacag ctccctggct 2340
gagccacgcg tgagcgtgcg ggagggttag gcccgtgcc ccgcctgcca ccggagggtca 2400
ctccaccatc cccacccac cccacccac ccccgccatg caacgggatt gaagggtcct 2460
gccggtggga ccctgtccg cccagtgcc ctgcccccg aggtgctag acgtaggtgt 2520
taggcatgtc ccaccaccc gccgcctccc acggcacctc ggggacacca gagctgccga 2580
cttgagagct cctggtctgt gaagagccgg tgggtgccgt gccgcagga actgggctgg 2640
gcctcgtgcg ccggtgggg ctgcgttgg tctttctgtg cttggatttg catatttatt 2700
gcattgctgg tagagacccc caggcctgtc caccctgcca agactcctca ggcagcgtgt 2760
gggtcccgca ctctgcccc atttccccga tgccccctgc gggcgcgggc agccacccaa 2820
gcctgctggc tgcggcccc tctcgccag gcattggctc agcccgtga gtggggggtc 2880
gtgggccaagt ccccgaggag ctgggcccct gcacaggcac acaggggccg gccacacca 2940
gcggccccc gcacagccac ccgtggggtg ctgcccttat gccggcgcc gggcaccaac 3000
tccatgattg gtgtttgtct gtgtttgttt ttcaagaaat gattcaaat gctgcttga 3060
ttttgaaatt tactgtaact gtcagtgtac acgtctggac cccgtttcat ttttacacca 3120
atttggtaaa aatgctgctc tcagcctccc acaattaaac cgcatgtgat ctccaaaaaa 3180
aaaaaaaaa aaaaaaama mgcgtccgc 3209

<210> 475
<211> 833
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (9)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (15)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (29)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (58)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (73)
<223> n equals a,t,g, or c

<400> 475
accaccgang tggangaccg actactgana actagtggat cccccgggac tgacaggnaa 60
ttcggacacg agncagagat ggctcccaat gcttcctgcc tctgtgtgca tgtccgttcc 120
gaggaatggg atttaatgac ctttgatgcc aacccatatg acagcgtgaa aaaaatcaaa 180
gaacatgtcc ggtctaagac caaggttcct gtgcaggacc aggttctttt gctgggctcc 240
aagatcttaa agccacggag aagcctctca tcttatggca ttgacaaaga gaagaccatc 300
caccttacct tgaaagtggg gaagcccagt gatgaggagc tgcccttggt tcttgtggag 360
tcagggtgatg aggcaaaagag gcacctcctc cagggtgcgaa ggtccagctc agtggcacia 420
gtgaaagcaa tgatcgagac taagacgggt ataatccctg agaccagat tgtgacttgc 480
aatggaaaga gactggaaga tgggaagatg atggcagatt acggcatcag aaagggcaac 540
ttactcttcc tggcatstta ttgtattgga ggggtgaccac cctgggcatg ggggtgttggc 600
aggggtcaaa aagcttattt cttttaatct cttactcaac gaacacatct tctgatgatt 660
tcccaaaatt aatgagaatg agatgagtag agtaagattt ggggtgggatg ggtaggatga 720
agtatatgtc ccaactctat gtttctttga ttctaacaca attaattaag tgacatgatt 780
tttactaatg tattactgag actagtaaataa aaatttttaa ggcaaaaatag agc 833

<210> 476
<211> 1141
<212> DNA
<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<400> 476

```
aaagtgtggg ntgggctttt ccctaacttg acycttcttt cagtgggagr gaactattga 60
gaggaacaaa gagcttataa atacattagg acctggaatt cagttgtcga gccaggacgg 120
tgacagcggt taacaaagct tagagaaacc tccaggagac tgctatcatg gcagagaagc 180
ccaagctcca ctacttcaat gcacggggca gaatggagtc caccgggtgg ctctggctg 240
cagctggagt agagtttgaa gagaaattta taaaatctgc agaagatttg gacaagttaa 300
gaaatgatgg atatttgatg ttccagcaag tgccaatggt tgagattgat gggatgaagc 360
tgggtgcagac cagagccatt ctcaactaca ttgccagcaa atacaacctc tatgggaaa 420
acataaagga gagagccctg attgatatgt atatagaagg tatagcagat ttgggtgaaa 480
tgatcctcct tctgcccgtg tgtccacctg aggaaaaaga tgccaagctt gccttgatca 540
aagagaaaat aaaaaatcgc tacttccctg ccttgaaaa agtcttaag agccatggac 600
aagactacct tgttggaac aagctgagcc gggctgacat tcatctggtg gaacttctct 660
actacgtcga ggagcttgac tccagtctta tctccagctt cctctgctg aaggccctga 720
aaaccagaat cagcaacctg cccacagtga agaagtttct acagcctggc agccaagga 780
agcctcccat ggatgagaaa tctttagaag aagcaaggaa gattttcagg ttttaataac 840
gcagtcattg aggccaagaa cttgcaatac caatgttcta aagttttgca acaataaagt 900
actttacctt agtgttgatt gtgcctgttg tgaagctaag gaactctttc aaattatatg 960
ctaattaaat aatacaactc ctattcgctg acttagttaa aattgatttg ttttcattag 1020
gatctgatgt gaattcagat ttccaatctt ctccatagcca accattttcc tggaattaaa 1080
aattcagtaa aaaaggaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1140
g 1141
```

<210> 477

<211> 1102

<212> DNA

<213> Homo sapiens

<400> 477

```
tttgcacgta cgggtccgga tcccgggtcg acccacgcgt ccgggaattc atgtggaggt 60
cagagtggaa gcaggtgtga gaggtccag cagaaggaaa catggctgcc aaagtgtttg 120
agtccattgg caagtttggc ctggccttag ctgttgacag aggcgtggtg aactctgcct 180
tatataatgt ggatgctggg cacagagctg tcatctttga ccgattccgt ggagtgcagg 240
acattgtggt aggggaaggg actcattttc tcatccctg ggtacagaaa ccaattatct 300
ttgactgccc ttctcgacca cgtaatgtgc cagtcacac tggtagcaaa gatttacaga 360
atgtcaacat cacactgcgc atcctcttcc ggcctgtcgc cagccagctt cctcgcatct 420
tcaccagcat cggagaggac tatgatgagc gtgtgctgcc gtccatcaca actgagatcc 480
tcaagtcagt ggtggctcgc tttgatgctg gagaactaat caccagaga gagctggtct 540
ccaggcaggt gagcgacgac cttacagagc gagccgccac ctttgggctc atcctggatg 600
acgtgtcctt gacacatctg accttcggga aggagtccac agaagcgggt gaagccaaac 660
aggtggctca gcaggaagca gagagggcca gatttgggtt ggaaaaggct gagcaacaga 720
aaaaggcggc catcatctct gctgaggcg actccaaggc agctgagctg attgccaact 780
cactggccac tgcaggggat ggcctgatcg agctgcgcaa gctggaagct gcagaggaca 840
tcgcgtacca gctctcacgc tctcggaaca tcacctacct gccagcggg cagtccgtgc 900
tcctccagct gccccagtga gggcccaccc tgctgcacc tccgcgggct gactggccac 960
agccccgatg attcttaaca cagccttcct tctgctccca cccagaaat cactgtgaaa 1020
```

tttcatgatt ggcttaaagt gaaggaaata aaggtaaaat cacttcagaa aaaaaaaaaa 1080
aaaaaaaaacc ccgggggggg gc 1102

<210> 478

<211> 4201

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4077)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4161)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4186)

<223> n equals a,t,g, or c

<400> 478

gcggacgcgt gggcggacgc gtgggtscgg acgcgtgggc tcgcggcgcc gcctcctgct 60
cctcccgcgt ctgctgccgc tgccgccctg agtcactgcc tcgcgcagctc cggccgcctg 120
gctccccata ctagtgcgcg atatttgag ttcttacaac atggcagaca ttgacaacaa 180
agaacagtct gaacttgatc aagatttgga tgatgttgaa gaagtagaag aagaggaaac 240
tggtgaagaa aaaaaactca aagcacgtca gctaactgtt cagatgatgc aaaatcctca 300
gattcttgca gcccttcaag aaagacttga tggctcggtg gaaacaccaa caggatacat 360
tgaaagcctg cctagggtag ttaaaagacg agtgaatgct ctcaaaaacc tgcaagttaa 420
atgtgcacag atagaagcca aattctatga ggaagttcay gatcttgaaa ggaagtatgc 480
tggtctctat cagcctctat ttgataagcg atttgaaatt attaatgcaa tttatgaacc 540
tacggaagaa gaatgtgaat ggaaaccaga tgaagaagat gagatttcg aggaattgaa 600
agaaaaaggcc aagattgaag atgagaaaaa ggatgaagaa aaagaagacc ccaaaggaat 660
tcctgaatth tggttaactg tttttaagaa tgttgacttg ctacgtgata tggttcagga 720
acacgatgaa cctattctga agcacttgaa agatattaaa gtgaagttct cagatgctgg 780
ccagcctatg agttttgtct tagaatttca ctttgaaccc aatgaatatt ttacaaatga 840
agtgtgaca aagacataca ggatgaggtc agaaccagat gattctgatc ccttttcttt 900
tgatggacca gaaattatgg gttgtacagg gtgccagata gattggaaaa aaggaaagaa 960
tgtcactttg aaaactatta agaagaagca gaaacacaag ggacgtggga cagttcgtac 1020
tgtgactaaa acagtttcca atgactcttt ctttaacttt ttgccccctc ctgaagttcc 1080
tgagagtgga gatctggatg atgatgtgga agctatcctt gctgcagact tcgaaattgg 1140
tcacttttta cgtgagcgta taatcccaag atcagtgtta tattttactg gagaagctat 1200
tgaagatgat gatgatgatt atgatgaaga aggtgaagaa gcggatgagg gttatcagct 1260
ctttgaagaa gtcaaaagct gcagtaaact tttccaacgt tggctgcagt aactattttc 1320
aataaaagct gtctggatgt ctcaagttgt gttgggaaat ttttcatatt agaagctttc 1380
aaattaaatt gtattatcat caaagtctgt aatcatgaaa atctgttgat ccgtagagta 1440
acttgatatta aattttccct acattatgag ccagtttacc tactatgtac atacttcag 1500
gatgcatttt gaactttaat ataggaaggg gaagaagaag gagatgagga aaatgatcca 1560
gactatgacc caaagaagga tcaaaaccca gcagagtgca agcagcagtg aagcaggatg 1620

tatgtggcct tgaggataac ctgcactggt ctaccttctg cttccctgga aaggatgaat 1680
ttacatcatt tgacaagcct attttcaagt tatttgttgt ttgtttgctt gtttttgttt 1740
ttgcagctaa aataaaaaatt tcaaatacaa ttttagttct tacaagataa tgtcttaatt 1800
ttgtaccaat tcaggtagaa gtagaggcct accttgaatt aagggttata ctcagttttt 1860
aacacattgt tgaagaaaag gtaccagctt tggaacgaga tgctatacta ataagcaagt 1920
gtaaaaaaaa aaaaaaaga ggaagaaaat cttaagtgat tgatgctggt ttctttttaa 1980
aaaaaaaaa taaaattcat tttctttggg ttagagctag agagaaggcc ccaagcttct 2040
atggtttctt ctaattctta ttgcttaaag tatgagtatg tcacttaccc gtgcttctgt 2100
ttactgtgta attaaaatgg gtagtactgt ttacctaaact acctcatgga tgtgttaagg 2160
catattgagt taaatctcat ataatgtttc tcaatcttgt taaaagctca aaattttggg 2220
cctatttgta atgccagtggt gacactaagc attttgttca caccacgctt tgataactaa 2280
actgaaaaac aaagggtgta agtacctctg ttctggatct gggcagtcag cactcttttt 2340
agatctttgt gtggctccta tttttataga agtggaggga tgcactatth cacaaggtcc 2400
aagatttggt ttcatagatt tttgatgact gtattgtaaa tactacaggg atagcactat 2460
agtattgtag tcatgagact taaagtggaa ataagactat ttttgacaaa agatgccatt 2520
aaatttcaga ctgtagagcc acatttacia tacctcaggc taattactgt taattttggg 2580
gttgaaacttt tttttgacag tgagggtgga ttattggatt gtcattagag gaaggcttag 2640
atttcctgct cttaataaaa ttacattgaa ttgattttta gaggtaatga aaacttcctt 2700
tctgagaagt tagtggttaag gtcttggaat gtgaacacat tgtttgtagt gctatccatt 2760
cctctcctga gatttttaact tactactgga aatccttaac caattataat agcttttttt 2820
ctttattttt aaaaatgatt cctttgcttt gattagacac tatgtgcttt ttttttttaa 2880
ccatagttca tcgaaaatgca gctttttctg aacttcaaag atagaatccc atttttaatg 2940
aactgaagta gcaaaaatcat ctttttcatt ctttaggaaa tagctattgc caaagtgaag 3000
gtgtagataa tacctagtct tggtacataa aggggatgtg gtttgacaaa gaattttctt 3060
tataaaaattg aagtttttaag ggacgtcagt gtttatgcc a tttttccagt tccaaaatga 3120
ttccattoca ttctagaaat ttgaagtatg taacctgaaa tccttaataa aatttggaat 3180
taattttata aaatgtactg gtgatatttt ggggtgtttt ttttaaatga atgtatatac 3240
tttttttttg aagagtggag agtagtgatg tctagaggga gctattttgt gctgaggcca 3300
ctatgttctg taaatatata attttaagag caacctcaca atccctgcta agtggagttt 3360
attatttgaa gactaaaatg gaattccata gttcctgata ggttatattc tgrgttatta 3420
ttctgagtta tctacaaaaca tttttgagat ttgtctttac actctgattg tagtttccag 3480
cagcccatgc aactgccaa gtaagtctca ttttttctg ttagaaatgg tgaaatatca 3540
tataatcact tataaagaaa actgatatga aaaaatttta gagttgtttg ctttatggtc 3600
actcaagtag ggtaagtgtt ccacaaatcc cacaagttga tagtttaaca tggatgtctg 3660
aaagccacat atataatttc ttaggattct taaattagta aatctagctt actgaagcag 3720
tattagcatt actatttttag attgcaaaaa taccttaatt gtgtggaact ggcttgtaga 3780
gtggtagtta agaaaaatgg gattctacct ctatttctgt tttagcacac ttaatcagga 3840
aaggatatat taactttcat aaaaatattt ttgtgtgtg aatagggtta tgatatggta 3900
aggcccttaa aataactgaa ttaattgttt attgtaattg taggccattc ccattattaa 3960
aaataaagac aaaacttgaa gtaactgaaa atcttatcgt gctatgtaga aatattgaac 4020
taatattcaa atatttgat gctttggttt cagggtattg tttaaaattg gagtcnntt 4080
tttatggggg tagtcttaca aaaaatttaag cctttatatt tttgacttta aatcaaaacc 4140
aaatgttatt ttaaatgtac nggaatwga ttgggttaggt gcmgnagga rtgtwaggtt 4200
c 4201

<210> 479

<211> 787

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (780)

<223> n equals a,t,g, or c

<400> 479

```
gcagagcgca tgctctctct tgcccagat gccgaggatt ttgacaagga ctccgtcgtc 60
ccggatgata gtgctcaggt taatgccagt gggagggcgg cgcccaatag taacttcctt 120
tgaggttgt agtaccgccc ccagagccaa ttttccactt ccgcktccgg cgctgcggca 180
gtccagatca aaaatggcgg tagttggtgt gtccctcggtt tctcggctgc tgggtcggtc 240
ccgcccacag ctggggcggc ctatgtcgag tggcgcccat ggcgaagagg gctcagctcg 300
catgtggaag actctcacct tcttcgtcgc gctccccggg gtggcagtcg gcatgctgaa 360
tgtgtacctg aagtcgcacc acggagagca cgagagaccc gagttcatcg cctaccccc 420
tctccgcac aggaccaagc cgtttccctg gggagatggt aaccatactc tattccataa 480
ccctcatgtg aatccacttc caactggcta cgaagatgaa taaagagaat ctggaccact 540
acccgggac cagggaccac agcactggtt tggaccgtta ctctgcacat ggaccagaaa 600
aagtatatgg gaccttaagc tcaccttctt tacttgatc aaatgatgac tggatatactg 660
gtctcccatc ctttgcctt tggcaggaga tggcttaaat aaataactta aayttaaaaa 720
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaactn 780
ggggccg 787
```

<210> 480

<211> 731

<212> DNA

<213> Homo sapiens

<400> 480

```
gaaacccag gcagccagcg tggaggtgt taagatgctg gatgagatcc tctgcagct 60
gagcgctca gtgcccggtg acgtgatgcc aggcgagttt gatcccacca attacagct 120
ccccagcag cccctccacc cctgcatgtt ccgctggcc actgcctact ccacgtccca 180
gctggtcacc aaccctacc aggccaccat tgatggagtc agatttttgg ggacatcagg 240
acagaacgtg agtgacattt tccgatacag cagcatggag gatcacttgg agatcctgga 300
gtggacccty cgggtccgtc acatcagccc cacagcccct gacactctag gttgttacc 360
cttctacaaa actgaccggt tcacttctcc agagtgcgg catgtctact tttgtggcaa 420
cacccccagc tttggctcca aaatcatccg aggtcctgag gaccagacag tgctgttgg 480
gactgtccct gacttcagt ccacgcagac cgcctgcct gtgaacctgc gcagcctggc 540
ctgccagccc atcagcttct cgggcttcgg ggcagaggac gatgacctgg gaggccttgg 600
ctggggccct gactcaaaaa agtggtttt accagagagg cccagatgga ggctgttcat 660
tccctgcagt gtcggcattg taaataaagc ctgagcactt gctgatgcga aaaaaaaaaa 720
aaaaaaaaa a 731
```

<210> 481

<211> 1119

<212> DNA

<213> Homo sapiens

<400> 481

```
aataacgtgg caaccacca cgagcccgg tcggtgccc cccgcaggg ggacctacta 60
tccggcgccg agccggagg gggaaacg ccccgccgcc cgcccgagc ccgcagcaa 120
ccccagtc cccacccgc gcgtggcgg gccggctccc tagccaccg gggccaccc 180
tcttcggcc tcagctgtcc gggctgctt cgcctccgc tgtggatgct gcgcctctcc 240
gaacgcaaca tgaaggtgct cttgcccgc gccctcatcg cggggtccgt cttcttctg 300
```

```
ctgctgccgg gaccttctgc ggccgatgag aagaagaagg ggcccaaagt caccgtcaag 360
gtgtattttt acctacgaat tggagatgaa gatgtaggcc gggatgattt tggctctctc 420
ggaaagactg ttccaaaaac agtggataat tttgtggcct tagctacagg agagaaagga 480
tttggctaca aaaacagcaa attccatcgt gtaatcaagg acttcatgat ccagggcgga 540
gacttcacca ggggagatgg cacaggagga aagagcatct acggtgagcg cttccccgat 600
gagaacttca aactgaagca ctacgggcct ggctgggtga gcatggccaa cgcaggcaaa 660
gacaccaacg gctcccagtt cttcatcacg acagtcaaga cagcctggct agatggcaag 720
catgtggtgt ttggcaaagt tctagagggc atggaggtgg tgcggaaggt ggagagcacc 780
aagacagaca gccgggataa acccctgaag gatgtgatca tcgcagactg cggcaagatc 840
gaggtggaga agccctttgc catcgccaag gagtagggca cagggacatc tttctttgag 900
tgaccgtctg tgcaggccct gtagtccgcc acagggtctt gagctgcact ggccccggtg 960
ctggcatctg gtggagcgga cccactcccc tcacattcca caggcccatg gactcacttt 1020
tgtaacaaac tcctaccaac actgaccaat aaaaaaaaaa gtgggttttt ttttttttta 1080
ataaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaagg 1119
```

<210> 482

<211> 2056

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<400> 482

```
ccagccgagc gtcgcgaggg cgcggggggc cctgccggcc gcctcgccga gcctcctggg 60
gcgcccgggc ccgcgacccc cgcacccagc tccgcagacc ggcggggcgc cgcgggctct 120
ggaggccacg ggcatgnatg cttcgggtcc tgggtggggc tgcctccct gccatgctac 180
tggctgcccc accacccatc aacaagctgg cactgttccc agataagagt gcctgggtgcg 240
aagcaagaac atcacccaga tcgtggggcca cagcggtgtg gaggccaagt ccatccagaa 300
cagggcggtg ctaggacagt gcttcagcta cagcgtcccc aacaccttcc cacagtccac 360
agagtcctct gttcactgtg actcctgcat gccagcccag tccatgtggg agattgtgac 420
gctggagtgc ccggggcacg aggaggtgcc caggggtggc aagctgggtg agaagatcct 480
gcactgtagc tgcaggccct gcggcaagga gcctagtcac gaggggctga gcgtctatgt 540
gcagggcgag gacggggccg gatcccagcc cggcaccacc cctcaccacc atccccacc 600
ccatcctggc gggcagaccc ctgagcccga ggacccccct gggggcccc acacagagga 660
agagggggct gaggactgag gcccccccaa ctctctctcc cctctcatcc cctgtggaa 720
tgttgggtct cactctctgg ggaagtcagg ggagaagctg aagccccct ttggcactgg 780
atggacttgg cttcagactc ggacttgaat gctgcccggt tgccatggag atctgaagg 840
gcgggggttag agccaagctg cacaatttaa tatattcaag agtgggggga ggaagcagag 900
gtcttcaggc ctcttttttt gggggggggg tggctctctc ctgtctggct tctagagatg 960
tgcctgtggg agggggagga agttggctga gccattgagt gctgggggag gccatccaag 1020
atggcatgaa tcgggctaag gtccctgggg gtgcagatgg tactgctgag gtccggggt 1080
tagtgtgagc atcttgccag cctcaggctt gagggagggc tgggctagaa agaccactgg 1140
cagaaacagg aggtccggc cccacagggt tccccaggc ctctcaccac acttcccatc 1200
tccaggggag cgtcgcccca gtggcactga agtggccctc cctcagcgga ggggtttggg 1260
agtcaggcct gggcaggacc ctgctgactc gtggcgcggg agctgggagc caggctctcc 1320
gggcctttct ctggttctct tggtttgcct ggtgggggaa ggggaggagg ggaagaagga 1380
aagggaagag tcttccaagg ccagaaggag ggggacaacc cccaagacc atccctgaag 1440
acgagcatcc ccctcctctc cctgttagaa atgttagtgc cccgcactgt gcccgaagtt 1500
```

```
ctaggccccc cagaaagctg tcagagccgg ccgccttctc ccctctccca gggatgctct 1560
ttgtaaatat cggatgggtg tgggagttag gggttacctc cctcgcccca aggttccaga 1620
ggccctaggc gggatgggct cgctgaacct cgaggaactc caggacgagg aggacatggg 1680
acttgctggg acagtcaggg ttcacttggg ctctctctag ctccccaatt ctgcctgcct 1740
cctccctccc agctgcactt taaccttaga aggtggggac ctggggggag ggacagggca 1800
ggcgggcccc tgaagaaagc ccctcgttgc ccagcactgt ctgcgtctgc tcttctgtgc 1860
ccagggtggc tgccagcccc ctgcctcctg cctgggggtg cctggccctc ctggctgttg 1920
cgacgcgggc ttctggagct tgtcaccatt ggacagtctc cctgatggac cctcagtctt 1980
ctcatgaata aattccttca acgccaacaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040
aaamaggggg gggccc                                     2056
```

<210> 483

<211> 887

<212> DNA

<213> Homo sapiens

<400> 483

```
tgtacaaaat aggaaggaat tgtaataatg atatttgccc tctactttgt cttagctgtt 60
aaactgtttt tagtatTTTT gttaaataatt tgcaaaggga agcatTTTct acagaggata 120
attaatttca agaaaaatat cttgagtttt aagaaataaa catctccaga aaaggagaaa 180
gtcgatttta taaaatgtcg caactctcca acatttgggg tagtgactcc ttttttgTTa 240
ggacatttga aactagcaag cagccattgt ttctaaagaa ttctggcttc acattgactc 300
atgtttcttt cactccattt tgaaatagct aaaaatcatt aaaactgtaa atattttgtt 360
gcttgggtaa gcatcttctg ggaactttgt atctatggta tataatcata gaattttata 420
ttttcatata aagctaattt ttttctagtt tcaactccgt catagtTktT tttccttttt 480
gtggtggata tgtgaattca actttctgtg tattgaagta gcaaaaacca tctttacatt 540
ccaaaagaat ccaacatgtg ttatttcttt gaggcagtga ttgtgaaagt tgggttttct 600
ttttaattcc attgaccatt tgtgcaatag gaattagaca taattagtca ctgaaaacat 660
tcgtcacatt gaccattttg gaaaaagtgt gctttttttt tttttttaaa tttgttcagg 720
gggaggggtt ttgtaacctg aaatttttcc ctttttcttc tgtttaaact atatcaaatc 780
attctattat agtgttattt aatatgtaaa ttgtattgct atacataaaa taaagtatgg 840
ttttgatgtg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aataaaa                                     887
```

<210> 484

<211> 1878

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1446)

<223> n equals a,t,g, or c

<400> 484

```
tctcctcgtg gctagttcag gcggaaggag cagtcctctg aagcttgagg agcctctaga 60
actatgagcc cgaggccttc ccctctccca gagcgagag gctttgaagg ctacctctgg 120
gaagccgctc accgtcggaa gctgcgggag ctgaaactgc gccatcgtca ctgtcggcgg 180
ccatgacacc gctcgtytcc cgctgaktc gtctgtgggc catcatgagg aagccacgag 240
cagccgtggg aagtggtcac aggaagcagg cccagacca ggaagggagg cagaagcatg 300
ctaagaacaa cagtcaggcc aagccttctg cctgtgatgg cctggccagg cagccggaag 360
aggtgggtatt gcaggcctct gtctcctcat accatctatt cagagacgta gctgaagtca 420
```

cagccttccg agggagcctg ctaagctggt acgaccaaga gaaacgggac ctaccatgga 480
gaagacgggc agaagatgag atggacctgg acaggcgggc atatgctgtg tgggtctcag 540
aggatcatgct gcagcagacc cagggttgcca ctgtgatcaa ctactatacc ggatggatgc 600
agaagtggcc tacactgcag gacctggcca gtgcttccct ggaggagggtg aatcaactct 660
gggctggcct gggtactat tctcgtggcc ggcggctgca ggaggaggct cggaagggtg 720
tagaggagct agggggccac atgccacgta cagcagagac cctgcagcag ctctgcctg 780
gcgtggggcg ctacacagct gggggcattg cctctatcgc ctttggccag gcaaccggtg 840
tgggtgatgg caacgtagca cgggtgctgt gccgtgtccg agccattggt gctgatccca 900
gcagcaccct tgtttcccag cagctctggg gtctagccca gcagctgggt gaccagccc 960
ggccaggaga tttcaaccaa gcagccatgg agctaggggc cacagtgtgt accccacagc 1020
gcccactgtg cagccagtgc cctgtggaga gccgtggcg ggcacggcag agagtggagc 1080
aggaacagct cttagcctca gggagcctgt cgggcagtcc tgacgtggag gagtgtgctc 1140
ccaacactgg acagtgccac ctgtgcctgc ctccctcgga gccctgggac cagaccctgg 1200
gagtgggtcaa ctccccaga aaggccagcc gcaagcccc caggaggagg agctctgcca 1260
cctgtgttct ggaacagcct ggggcccttg gggcccaaat tctgctggtg cagaggcca 1320
actcaggctc gctggcagga ctgtgggagt tcccgctcgt gacctgggag cctcagagc 1380
agcttcagcg caaggccctg ctgcaggaaac tacagcggtk ggctggsgcc ctcccagcca 1440
cgacntccg gcaccttggg gaggttgctc acaccttctc tcacatcaag ctgacatc 1500
aagtatatgg gctggccttg gaagggcaga cccagtgac caccgtacca ccaggtgctc 1560
gctgtgacg caggaggaat ttcacaccgc agctgtttcc accgcatga aaaaggtttt 1620
ccgtgtgtat cagggccaac agccagggac ctgtatgggt tccaaaaggc cccaggtgtc 1680
ctctccgtgc agtcggaaaa agccccgcac gggccagcaa gtccctggata atttctttcg 1740
gtctcacatc tccactgatg cacacagcct caacagtga gccagtgac acctctgaaa 1800
gccccattc cctgagaatc ctgttgtag taaagtgtt atttttgtg ttaaaaaaa 1860
aaaaaaaaa aaaaaaa 1878

<210> 485

<211> 1566

<212> DNA

<213> Homo sapiens

<400> 485

ctttcactat acccttttagt cataaggaga aaaaaacact caaatagtag aagcagcaag 60
tagcaaaactt caggagagct actttctatc caaataattt aaaaaacact tttcacctac 120
tcctttcatg gttataacac attggcagac tttttgctgg ctctgggagc catgatttta 180
atcacattct gcaagggtgac aaatgtcata cattccacat tgtgtggtag ccatctcttt 240
agactcatgt gttttgggga aaggaagaag ttcttggtg agtactattt tgaactttcc 300
agaaccctct cacaccagag acagtctctc tctgttcagt ttccaatccc cgataatttg 360
ctaaaataac attgtacatc caagagaggg aagaagagta tgtcagtata ttatgcagaa 420
gatagataca gccttttcag aagatctcca ctagtttttg ttccaaaaat tcaagtttat 480
gggagaaatc tcaattagcc accttttcac agttgtgtgg atataacatt tgggggatct 540
ttctggactc ctacctatct gtgcatttta ccggcacctc aggaaaggag ggtgaccagg 600
ttgtcttagc ttgtactgct tgggtgatctc tgaggacctt ctaattcagt tgtaccccag 660
tgttccatgt atagaaaaac ttcattagaa caaactttac ttgatatgaa actcctatta 720
acagtctttt ttgaaataa aaagtagctt gagctttctt ttaaaatcat gtatcttgat 780
tgttgattta atgaaggatt tccttttaaa gctgcttttg agcttcaagg taataggaca 840
gcaggaacct aaaaatctg ccactcatctg ccataggaaa gatacccaga gaccatcat 900
gttctctttt tgttgttaca ctgttgggtg ggtataacaa ttggaaaatg acaaaactga 960
ttgattgtgc aaactacttt ttatgacaag cctaaaccct cataatgcgg cagcttaaaag 1020
tgtatacata tgcactaact ttgatcaatt atattctcat atctgttagc tacacagtct 1080
cctattatct caattgctta tgtgcatatg gaatatgtta cttaaacgt gtgcattctt 1140

actgaaaatg ttttcaaagg aaggtatcag ctgtgggcta attgccacca atttcagcct 1200
gccacgattc ttggaatat gtcttccaag tgccatccat catcagtagg acaagtgtcg 1260
ggagtttgtt tatttttttc cagtagcaac gatgggttac atggagccat gaaacctcct 1320
tctggcctcc cttgtgatta atggcatgtg ttgttaaaat ggatagctgg ggttggcaga 1380
tggttagaga agaatcgctt ttggtttaaa atgtatgtgg tcccctaag attgtgacct 1440
cattctgtaa tcaactgagc tagttccaat aaagttaagc aggtttaaat ccactttgtg 1500
cctatctttt cactgacaat aaagttagct attttaaaat gcaaaaaaaaa aaaaaaaaaa 1560
aaaatt 1566

<210> 486

<211> 3046

<212> DNA

<213> Homo sapiens

<400> 486

gtcgaccac gcgtccggac accgccgcag ttgccgttac atcggggatt tctggctctt 60
tcctcttcgc cttaaattcg ggtgtctttt atgaataatc aaaagcagca aaagccaacg 120
ctatcaggcc agcgttttta aactagaaaa agagatgaaa aagagaggtt tgaccctact 180
cagtttcaag actgtattat tcaaggctta actgaaaccg gtactgattt ggaagcagta 240
gctaagtttc ttgatgcttc tggagcaaaa cttgattacc gtcgatatgc agaaacactc 300
tttgacattc tgggtgctgg tggaatgctg gcccaggtg gtacactggc agatgacatg 360
atgcgtacag atgtctgctg gtttgcagcc caagaagatc tagagaccat gcaagcattt 420
gctcaggttt ttaacaagtt aatcaggcgc taaaaatacc tggagaaaag ttttgaagat 480
gaagtaaaaa agctgctgct gttcttgaag ggtttttcag agtcggagag gaacaagcta 540
gctatgttga ctggtgttct tctggctaata ggaacactta atgcatccat tcttaatagc 600
ctttataatg aaaatttggt taaagaagga gtttcagcag cttttgctgt gaagctcttt 660
aaatcatgga taaatgaaaa agatatcaat gcagtagctg caagtcttcg gaaagtcagc 720
atggataaca gactgatgga actctttcct gccataaagc aaagtgttga acacttcaca 780
aaatatttta ctgaggcagg cttgaaagag ctttcagaat atgttcggaa tcagcaaacc 840
atcggagctc gtaaggagct ccagaaagaa cttcaagaac agatgtcccg tggatgacca 900
tttaaggata taattttata tgtcaaggag gagatgaaaa aaaacaacat cccagagcca 960
gttgtcatcg gaatagtctg gtcaagtgtg atgagcactg tggaatggaa caaaaaagag 1020
gagcttgtag cagagcaagc catcaagcac ttgaaagcaat acagccctct acttgctgcc 1080
tttactactc aaggtcagtc tgagctgact ctggttactga agattcagga gtattgctat 1140
gacaacattc atttcatgaa agccttccag aaaatagtgg tgctttttta taaagctgaa 1200
gtcctgagcg aggagcccat tttgaagtgg tataaagatg cacatgttgc aaaggggaag 1260
agtgttttcc ttgagcaaat gaaaaagttt gtagaatggc tcaaaaatgc tgaagaagaa 1320
tctgaatctg aagctgaaga aggtgactga attttgaaac tacacctca gtaaagcaaa 1380
caggagtgtg agataaaatg tcatgtctca tgtgtcctgg ttcttacatc ttctacctc 1440
cctgtatcaa gcatgatata agggctttca tggcaaatat tattttaact gtttctatgg 1500
ttgctggaaa tgttgggttt agtttctaaa accatgtttt aagtagctac aggagctata 1560
gatttgaatc taatgttgca ttagtctttt cagttatctt ctacctcctg tattttctac 1620
tgtaataatg taatttaagg ccttcacaaa tgaacagttc actttattcc ctgggttttc 1680
tataaacagt tttaaggata tgatttggtt aaaaaataat ttgttataaa aattctgttt 1740
gcaaatataa ctggaaaagt atccagagtc tcaaaaggca atgatttgtg agataatatg 1800
gcatgcccgg agccctgctc atcaatgaaa aaccatattg taataatcga attcatttaa 1860
catgaatctt gactacgtgg accattgctt gcatgttaac tttttgtttt gttttgtttt 1920
gttttgtttt gcatttttaa ctccagatat cctaaagctc aattgttttg tctctgggtt 1980
tcaccttag agaagccatg gagaacagac ttgaaaagt taggaaatca taatgtggca 2040
gaggtggtgg gaagaagaaa gttgagcttt ttcccctga gaaactctg catttagttt 2100
ctatctttcc agggcaaaaca aatgggtatt cttttcatat aaccattttc aaatgaacct 2160

```

tagaaaagtc ttaacattta aggtatttta tgcacagaat acacttagat tgataggaaa 2220
gaactcgtaa tggagtttga gtaaagaaaa tgactgatgt actaaaccca gtaaaaattg 2280
ttgaaaatgt taaaggtcag catgttctaa ttgggaatct agatatagct tagatttcct 2340
attggcttag agtatttgct ataacaaatg aagtgcattg acaattatat attcctactc 2400
ggtcatactg gactggcttc gttctcttaa tatactcagt aatgactcaa gcctctggct 2460
attaacatac ctagttggcc gttttttaat tgccatgagc caaatacttc ttggtataca 2520
attgatccat ttattttaat ggctgccttt tcattttcat cttttcttgc tgctacccat 2580
ctatgtatgt agtcattggg gggaaaatgt agccacattt tttatgggaa gactttgtgt 2640
taaaagtgaa cattttgaag gtttttaact ggtgaaacta gcctggaata atgccaccag 2700
agactgagtg gaaatcgccc cttttgaagg tgccattcct atgagccaaa agtttgtcat 2760
ttaaaaagttc attttgaggg aataacatgt aatataatth gaaataaagg tatagtaacc 2820
ttaaaaagaa cattataact gattgtttgt aatgggggtg atttgttaaa atgagtaact 2880
ttgataaagt ttttcatgca caggcaaaat gtattcacta gatttctacg tagtgatctg 2940
cttttacttt gtaatttgta gttctcaaaa gacttttttt taaaaaata aagtccatac 3000
ttacacttaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 3046

```

<210> 487

<211> 1904

<212> DNA

<213> Homo sapiens

<400> 487

```

ctggtagctgc agcgtagggc tcgcctcaac ggcaggagag caggcggctg cggttgctgc 60
agccttcagt ctccaccgag actacgccat gttgggggtt gtgggtcggg tggccgctgc 120
tccggcctcc ggggccttgc ggagactcac cccttcagcg tcgctgcccc cagctcagct 180
cttactgcgg gccgctccga cggcgggtcca tcctgtcagg gactatgcgg cgcaaacatc 240
tccttcgcca aaagcaggcg ccgccaccgg gcgcacgtgt gcggtcattg gcgcagtggt 300
ggacgtccag tttgatgagg gactaccacc aattctaaat gccctggaag tgcaaggcag 360
ggagaccaga ctggttttgg aggtggccca gcatttgggt gagagcacag taaggactat 420
tgctatggat ggtacagaag gcttgggttag aggccagaaa gtactggatt ctgggtgcacc 480
aatcaaaatt cctgttggtc ctgagacttt gggcagaatc atgaatgtca ttggagaacc 540
tattgatgaa agaggtccca tcaaaaccaa acaatttgct ccattcatg ctgaggctcc 600
agagttcatg gaaatgagtg ttgagcagga aattctgggt actggtatca aggttgcga 660
tctgctagct ccctatgcca aggggtggcaa aattgggctt tttgggtgtg ctggagttgg 720
caagactgta ctgatcatgg agttaatcaa caatgtcgcc aaagcccatg gtggttactc 780
tgtgtttgct ggtgttggtg agaggaccgg tgaaggcaat gatttatacc atgaaatgat 840
tgaatctggt gttatcaact taaaagatgc cacctctaag gtacgctgg tataatggtca 900
aatgaatgaa ccacctggtg ctctgtgccc ggtagctctg actgggctga ctgtggctga 960
atacttcaga gaccaagaag gtcaagatgt actgctattt attgataaca tctttcgtt 1020
caccagggct ggttcagagg tgtctgcatt attgggcca atcccttctg ctgtgggcta 1080
tcagcctacc ctggccactg acatgggtac tatgcaggaa agaattacca ctaccaagaa 1140
gggatctatc acctctgtac aggttatcta tgtgcctgct gatgacttga ctgaccctgc 1200
ccctgctact acgtttgccc attttgatgc taccactgta ctgtcgcgtg ccattgctga 1260
gctgggcata tatccagctg tggatcctct agactccacc tctcgtatca tggatcccaa 1320
cattgttggc agtgagcatt acgatgttgc ccgtgggggt caaaagatcc tgcaggacta 1380
caaatccctc caggatatca ttgccatcct gggatgggat gaactttctg aggaagacaa 1440
gttgaccgtg tcccgtgcac ggaaaataca gcgtttcttg tctcagccat tccaggttgc 1500
tgaggtcttc acaggtcata tggggaagct ggtacccttg aaggagacca tcaaaggatt 1560
ccagcagatt ttggcaggtg aatatgacca tctcccagaa caggccttct atatggtggg 1620
cccattgaa gaagctgtgg caaaagctga taagctggct gaagagcatt catcgtgagg 1680
ggctcttctc ctctgtactg tctctctcct tgcccctaac caaaaagct tcatttttct 1740

```

```
gtgtaggctg cacaagagcc ttgattgaag atatattctt tctgaacagt atttaaggtt 1800
tccaataaaa tgtacacccc tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1904
```

<210> 488

<211> 827

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (826)

<223> n equals a,t,g, or c

<400> 488

```
gtacngattc ccggtcgacc cacgcgtccg acatggagct gttcctcgcg ggccgcccgg 60
tgctggtcac cggggcaggc aaaggtatag ggcgcggcac ggtccaggcg ctgcacgcga 120
cgggcgcgcg ggtggtggct gtgagccgga ctcaggcgga tcttgacagc cttgtccgcg 180
agtgcgccgg gatagaacct gtgtgcgtgg acctgggtga ctgggagggc accgagcggg 240
cgctgggcag cgtgggcccc gtggacctgc tgggtgaaca cgcgcgtgtc gcagattgtg 300
gccaggggct taatagcccc gggagtccca ggggccatcg tgaatgtctc cagccagtgc 360
tcccagcggg cagtaactaa ccatagcgtc tactgctcca ccaaggtgtc cctggacatg 420
ctgaccaagg tgatggccct agagctcggg cccacaaga tccgagtga tgcagtaaac 480
cccacagtgg tgatgacgtc catgggccag gccacctgga gtgaccccca caaggccaa 540
actatgtcga accgaatccc acttggcaa tttgtgagg tagagcacgt ggtgaacgcc 600
atcctcttct tgctgagtga ccgaagtggc atgaccacgg gttccacttt gccggtggaa 660
gggggcttct gggcctgctg agctccctcc acacacctca agcccatatc cgtgctcatc 720
ctaccccaaa tccctccaat aaacctgatt ctgctgcccc aaaaaaaaaa aaaaaaaaaa 780
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaana 827
```

<210> 489

<211> 1926

<212> DNA

<213> Homo sapiens

<400> 489

```
aattcggcac gagccatccc ggtgcgggtc ccggacggca gcagtctgct caccaccgcc 60
ctgcccctcca tggcggcggc cgcggggccc ctggacggca aagtcgccgc cctggccgcc 120
agcccggcct cgggtgcagt ggactcgggc tctgaactca acagccgctc ctccacgctc 180
tctccagct ccatgtcctt gtcgcccata ctctgcgcgg agaaagaggc ggccaccagc 240
gaactgcaga gcatccagcg gttggttagc ggcttggaa ccaagccgga cagggtccgc 300
agcgcgtccc cgtagaccgc tcccagacac gtcttttcat tccagtccag ttcaggctgc 360
cgtgcacttt gtcggatata aaataaacca cggggccgcc atgsggttas ccttcctttt 420
gcagttgcgt ctgggaaggg gccccggact ccctcgagag aatgtgctag agacagcccc 480
tgtcttcttg gcgtggttta tatgtccggg atctggatca gattctgggg gctcagaaac 540
gtcggttgca ttgagctact gggggttaga gttccaacat ttatgtccag agcaacttcc 600
```

agcaaggctg gtctgggtct ctgcccacca ggcggggagg tgttcaaaga catctccctc 660
agtgccgatt tatatatata tttttccttc actgtgtcaa gtggaaacaa aaacaaaatc 720
tttcaaaaaa aaaatcsgga caagtgaaca cattaacatg attctgtttg tgcagattaa 780
aaactttata gggacttgca ttatcggttc tcaataaatt actgagcagc tttgtttggg 840
gagggaaagtc cctaccatcc ttgttttagtc tatattaaga aaatctgtgt ctttttaata 900
ttcttgtgat gttttcagag ccgctgtagg tctcttcttg catgtccaca gtaatgtatt 960
tgtggttttt attttgaacg cttgctttta gagagaaaac aatatagccc cctacccttt 1020
tcccaatcct ttgccctcaa atcagtgacc cargggaggg ggggatttaa agggaaggag 1080
tgggcaaaac acataaaatg aatttattat atctaagctc tgtagcagga ttcattgtct 1140
tctttgacag ttctttctct ttcctgtata tgcaataaca aggtttttaa aaaataataa 1200
agaagtgaga ctattagaca aagtatttat gtaattattt gataactctt gtaaataagg 1260
ggaatatgaa tgcttgga aaattaaacttt aatttattga cattgtacat agctctgtgt 1320
aaatagaatt gcaactgtca ggttttgtgt tcttgttttc ctttagttgg gtttatttcc 1380
aggctcacaga attgctgtta acactagaaa acacacttcc tgcaccaaca ccaataccct 1440
ttcaaaagag ttgtctgcaa ctttttgtt ttctttttta atgtccaaaa gtgggggaaa 1500
gtgctatttc ctattttcac caaaattggg gaaggagtgc cactttccag ctccacttca 1560
aattccttaa aatataactg agattgtgt ggggagggrg gagggcagag gctgcggttt 1620
gactttttaa tttttctttt gttatttgta tttgctagtc tctgatttcc tcaaaacgaa 1680
gtggaattta ctactgttgt cagtatcggg gttttgaatt ggtgcctgcc tatagagata 1740
tattcacagt tcaaaagtca ggtgctgaga gatgggttaa agacaaattc atgaaggat 1800
attttgtgtt atagttgttg atgrgttctt tggttttctg ttttttccc cctctcttta 1860
aaacatcact gaaatttcaa taaattttta ttgaaatgtc aaaaaaaaaa aaaaaagggc 1920
ggcgc 1926

<210> 490

<211> 1461

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1432)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1452)

<223> n equals a,t,g, or c

<400> 490

ggacgacaga aggsagacg cagaggcgga caagatggcg gcggcagctg tacaggcgcg 60
gagaagcggg gtagcggag gctgtagtgg ggctgggtgg gcttccaact gcgggacagg 120
aagtggccgt agcggcttgt tggataagtg gaagatagat gataagcctg taaaaattga 180
caagtgggat ggatcagctg tgaaaaactc tttggatgat tctgccaaaa aggtacttct 240
ggaaaaatac aaatatgtgg agaattttgg tctaattgat ggtgcctca ccatctgtac 300
aatctcctgt ttctttgcca tagtggcttt gatttgggat tatatgcacc cttttccaga 360
gtccaaaccc gttttggctt tgtgtgtcat atcctatttt gtgatgatgg ggattctgac 420
catttatacc tcatataagg agaagagcat ctttctcgtg gccacagga aagatcctac 480
aggaatggat cctgatgata tttggcagct gtcctccagt cttaaaagggt ttgatgacaa 540
atacaccttg aagctgacct tcatcagtgg gagaacaaag cagcagcggg aagccgagtt 600
cacaaagtcc attgctaagt tttttgacca cagtgggaca ctgggtcatgg atgcatatga 660

```
gcctgaaata tccaggctcc atgacagtct tgccatagaa agaaaaataa agtagccaat 720
tctaaaagta gccctctttc tcctggatct tgctgaatta gtggcttggg ggggtgggga 780
gataaaaga acttaaaatg ggtaaagtaa gaaatgttaa aaagtccttg ttttgcctg 840
aaattttagt ctattctggg taaataggat tttctgacac agatatgaga agttgtagct 900
ctgatgtcta gctgtagtct ccttgatctg ctgattgcat tattttaatt tgcttttctg 960
ggaaagcagt tttgctaaaa gctgtacaga ctttttcttt tgtacctagc agtactttat 1020
atagtatagc tttgggccat gtagcatttt aagactcaat tttaaaaaat tattaatctg 1080
ttgctgactc ttaattccta tttcaatatg tgtttccttg aagaattcag gatacaactt 1140
cttgtgtatg acagctttcc ttcacacact atttttgtgg gtgtgtatat atctgatttg 1200
ggaagaattt aaaaaacaca tagcttttta atttgtttga aacagacttt ctgcctgtta 1260
catttttgct ttaaccaat taaagaagcc aatggcattt tagttttata ttgtgttttc 1320
cactagtata tccctgttga tttgtttgtg ctttttatta actgccattt tctaaaattt 1380
ttttcaataa aaggaaggaa gatgtgaaaa aaaaaaaaaa aaaaaaatgg gnggccgaac 1440
ttatccctag gngggtattt a 1461
```

<210> 491

<211> 805

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<400> 491

```
tccaaagtgc tgggattacn gctgagccac gtgctcagcc gcaaaattct ttatgaattt 60
tacacttggc aaatgttaat gacggaagcc atagtctgct cctaatacat gtccaaagca 120
ttgactgttg tgtcattagc tgccctggta cattagctcc ctggcttctt gtttagacca 180
ctgctaattc cttaaaaaca agaggtctgg cactagtagc acaacctaaag gtggcattac 240
agatccttga gcgagccaca gcaacttttc tgccaagtca gcttagttta gacttcagtg 300
aatcagggcta ttgctatcct aatgtatgtc tctatgagtg tatttagcca cacatctgcc 360
cttggttgac tttctgactc attgcttgct tgcttgtttc cttgctttgg aaaactattg 420
aagattgcta aaaaatacca ctgcaaagtg atgaaaagg gtggagaaca ggggagtagc 480
caggctggat ggctcaaata taaatgaatg aggaattctt tatgaagtat cagtcagatt 540
ttatgattaa gtgatgtaat ataggaatta tgtaaaaggg aagaatgtct gatactgac 600
tattagagag gtactttaga ggcttcttga ttggcataaa gttcctaagg ttatagattt 660
tccccctttt tggctgtata gcaaagtgtt ttaatccacg gttgtgcctt attgttccat 720
taaaattgta tcttcgatcc atcaataaat acttgtaggtt gaaacaaaaa aaaaaaaaaa 780
aaaaaaaaa aaaaaaaaaa aaaaa 805
```

<210> 492

<211> 2269

<212> DNA

<213> Homo sapiens

<400> 492

```
agaagaatag tctcaccctg cgtgtgccaa ggtggagtat gcctacagcg acaacagcct 60
ggaccctgat gatgaggaca gtgattacca ccaggaggcc tacaaggagt cctacaaaga 120
ccgpcggcgg cgcgcacaca ctcaggctga gcagaagagg agggacgcca tcaagagagg 180
ctatgatgac cttcagacca tcgtcccccac ttgccagcag caggacttct ccattggctc 240
```

```
ccaaaagctc agcaaagcca tcgttctaca aaagaccatt gactacattc agtttttgc 300
caaggagaag aaaaagcagg aggaggaggt gtccacgtta cgcaaggatg tcaccgcct 360
aaagatcatg aaagtgaact atgagcagat tgtgaaggca caccaggaca acccccatga 420
aggggaggac caggtctctg accagggtcaa gttcaacgtg tttcaaggca tcatggattc 480
cctgttccag tccttcaatg cctccatctc agtggccagc ttccaggagc tgtcagcgtg 540
tgtcttcagc tggatcgagg agcactgtaa gcctcagacc ctgcgggaga ttgtgattgg 600
cgtcctgcac caattgaaaa accagcttta ctgaccgggt cttggaaacc tggagaacag 660
ccaacaagag gcccttgaat ctctacgtgg ccactgaact gctgggcccg ggagactgga 720
ctacaacacc tcacactggg cagctgggtt ctacttgggt tttggttttt cccagcccca 780
ttttatcttc agcggagccg cggtgtttgt tttgtgaaag cttctgatta atttattata 840
ttgacgataa aactcaaac taccagcct tcccccaact ccatggaagt ccttgggatg 900
ggcgtctgct ctggacaccc caaagagctc ctgcctctc agccctttat tcaagcctca 960
gatttctgct catgatctac atagatttgg aaactgtttt cctctgtttt ggtctcttgg 1020
gcaacatttt tggcccaagt ttgggcaaca tttggcccaa gtttgggcat tttggcagta 1080
gtctgtatggg agaaaaagag taagaggaat tattccaca gccatgaagg gtgaaaggc 1140
accttgtgcc tagactaggg ctgcctggtc agtcccagggt gagccaagg gcttctctggc 1200
catctcaggg aggggccacc aggttcctcc cctcacccca tattccatca ccttctctct 1260
ctgctctggg tggtaaggga agccctcccg gttccacacag gctatgatgc tgcattggcag 1320
aggcaggtat aacacagcac tacatattgg aaatttttta ttttctaaa taccaatgca 1380
gttttgctac ggttacaatt ttgaaatatt aactgagcct caaaatcacc ctttctgtca 1440
agcatatctt ggcctctccc atgtctcagt gttgcctgca tttctccag gacttggggg 1500
tggggtgaaa agcgtacaaa agatacttaa aagggtcctt ggggtacaca agcccagcag 1560
gtcctgagtg aagcgtggg ccctccaaat gctcgtttta tagcaacctc tctctacct 1620
agttctccaa attcacttct gccttcctca gggttgatat ctggcagggt tgactatcca 1680
gaggaaatta aatattttta tataaatta aattataata aatattgcca aatgctttcc 1740
tttagcattg ttccaagtct aaatgttaac ctcaagctac tgcaatttag acaatgaaat 1800
kggctgggtc tacccccagc caccagccct catctctct acccagtgct ctggtttatg 1860
cttgtctcct gactgctctg cttaaagggt aaagtagcag gaacaacaac aaaagccaac 1920
caaaaacaag gtagccagtg caagacatct cactctctg acatcctgca gtcccacca 1980
gtcctgaccg tgggccctca ggggtctggg agtgtgacgt tgtaatcttc atcgtctct 2040
atcccaactt cctcctgtga gacagggaga caagtgaatg agatgtcacc aggataagac 2100
cacaggaag caaagaagga agagagctcc acttacaag aactgcttct tgctcttggg 2160
gtatccttca agtattgcat cagacagctc tgtagcctga caagaaataa aaccaccctg 2220
tttcagatgg gcagcacctg gcaactgctg tcagtttatg atattgtgt 2269
```

<210> 493

<211> 4108

<212> DNA

<213> Homo sapiens

<400> 493

```
cacgagtact acaatatgtt gtcccagaag tgaaagacct ttacaattgg cttgaagtag 60
aatttaaccc attaaaactc tgtgagcgag tcacaaagggt tctaaattgg gttagggaac 120
aacctgaaaa ggaaccggaa ttgcagcagt atgtgccaca actgcaaac aacaccatcc 180
tccgccttct gcagcaggtg tcacagattt atcagagcat tgagtttct cgtttgactt 240
ctttgggtcc ttttgttgat gctttccaac tggaaacgggc catagtagat gcagccaggc 300
attgcgactt gcaggttcgt attgatcaca ctctctggac cctgagtttt ggatctgatt 360
tgaattatgc tactcgagaa gatgctccga ttggtcctca tttgcaaagc atgccttcag 420
agcagataag aaaccagctg acagccatgt cctcagtact tgcaaaagca cttgaagtca 480
ttaaaccagc tcataactg caagagaaag aagaacagca tcagttggct gtcactgcat 540
accttaaaaa ttcacgaaaa gagcaccagc ggatcctggc tcgccgccag acaattgagg 600
```

agagaaaaga ggccttgag agtctgaata ttcagcgtga gaaagaagaa ttggaacaga 660
gggaagctga actccagaaa gtgcggaagg ctgaggaaga gaggtgcgc caggaagcaa 720
aggagagaga gaaggagcgt atcttacagg aacatgaaca aatcaaaaag aaaactgtcc 780
gagagcgttt ggagcagatc aagaaaacag aactgggtgc caaagcattc aaagatatg 840
atattgaaga ccttgaggaa ttgatccag attttatcat ggctaaacag gttgaacaac 900
tggaagaa aaagaaagaa cttcaagaac gcctaaagaa tcaagaaaag aagattgact 960
atattgaaag agccaaacgt ttggaagaaa ttcctttgat aaagagcgtc tacgaggaa 1020
agagaattaa agacatggat ctgtgggagc aacaagagga agaaagaatt actacaatgc 1080
agctagaacg tgaaaaggct cttgaacata agaatcgaat gtcacgaatg cttgaagaca 1140
gagatttatt cgtaatgcga ctcaaagctg cacggcagtc tgtttatgag gaaaaactta 1200
aacagtttga agagcgatta gcagaagaaa ggcataatcg attggaagaa cggaaaaggc 1260
agcgtaaaaga agaagcgagg ataacatact atagagaaaa agaagaggag gagcagagaa 1320
gggcagaaga acaaatgcta aaagagcggg aagagagaga gcgcgccgaa cgagcaaaac 1380
gcgaggaaga gctacgagag tatcaggagc gggtagaaga attagaagaa gtggaagga 1440
aaaaacgcca aagggagttg gaaattgaag aacgagaacg gcgtagagag gaagagagaa 1500
gacttgccga tagttccctt tctagaaagg actctcgttg gggagataga gattcagaag 1560
gcacctggag aaaaaggacct gaagcagatt ctgagtggag aagaggcccg ccagagaagg 1620
agtggagacg tggagaaggg cgagatgagg acaggtctca tagaagagat gaagagcggc 1680
cccgcgctct ggggatgat gaagatagag agccctctct tagaccagac gatgatcggg 1740
ttccccggcg tggcatggat gatgacagag gccctagacg tggtcctgag gaagataggt 1800
tctctcgtcg tggggcagac gatgaccggc cttcctggcg taacacagat gatgacaggc 1860
ctcccagacg aattgccgat gaagacaggg gaaactggcg tcatgcggat gatgacagac 1920
cacctagacg aggactggat gaggacagag gaagctggcg aacagctgat gaggacagag 1980
gaccaagacg tgggatggat gatgaccggg gggcgaggcg aggaggcgct gatgatgagc 2040
gatcatctcg gcgtaatgct gatgatgacc ggggtcccag gcgaggggtg gatgatgac 2100
gggggtcccag gcgagggcat gatgatgacc ggggtcccag gcgagggcat gatgatgacc 2160
gggggtcccag gcgagggcat gatgatgacc ggggtcccag gcgaggggtg gatgatgac 2220
gaggaccttg gaggaacgcc gatgatgaca gaattcccag gcgtgggtgca gaggatgaca 2280
ggggcccttg gagaacatg gatgatgac gcctttcaag acgtgctgat gatgatcgg 2340
ttcccagacg ggggtgatgac tcaagacctg gtccttgag accattagtc aagccagggtg 2400
gatggagaga gaaagaaaaa gccagagagg agagctgggg tccacctcga gaatcaaggc 2460
catcagaaga acgtgaatgg gacagagaaa aagaaaggga cagagataat caagatcggg 2520
aggagaatga caaggacct gagagagaaa gggacagaga gagagatgtg gatcgagag 2580
atcgcttcag aagacctagg gatgaagggt gctggagaag aggaccagct gaggaatctt 2640
caagctggag agactcaagt cggcgggacg ataggatag ggatgaccgt cgccgtgaga 2700
gggatgaccg gcgtgatcta agagaaagac gagatctaag agacgacagg gaccgaagag 2760
gacctccact cagatcagaa cgtgaagaag taagtctctg gagacgtgct gatgacagga 2820
aagatgaccg ggtggaagag cgggaccctc ctcgtcgagt tcctcccca gctctttcaa 2880
gagaccgaga aagagaccga gaccgagaaa gagaagggtg aaaagagaag gcctcatgga 2940
gagctgagaa agataggga tctctccgtc gtactaaaaa tgagactgat gaagatggat 3000
ggaccacagt acgacgttaa gtctcaagat aatggattta aactgggtgc ttaaataagg 3060
ttgatcacat tcaaggatta ttatacttgt gcttcaacca atctaaattg gattctttaa 3120
tggtgtttca ccataacaca aaaagcatga acttgtatta atcctatata atagattgat 3180
catgcacat atccacagga ggttgaaaaa accatgccat tttctggaat ttaagggtgt 3240
tgcattattt catcaatcat ttgttgacaa aaaagaaaaa ctaaaaaata aatttaaaat 3300
gtgaaccttc aggtattgag taacaccttt atcttggtat agaactgata cttttttttg 3360
atattgaaat atctgataat aatttggaat gaagtaagggt tctgttaaaa tatatttgaa 3420
gaccttttaa agcagtgaat ctgaaacaat tttcacacc ttaagtgggt gatacgtacc 3480
tattttagggt atttgagggt atttaccata aactaaattt agaaattttt tagattcact 3540
tgaagtaaac attacaaaca ttggatacgg tgggggtttt tttatgattt acttgagaga 3600
aggtgagtac aaagcaattt gcagttgttg taatgacaag attactgcgc aagtgtgaat 3660

```
ccaaacagta tagcttttaa attttaaagc atttggtaaa ttatcgctga gtttttttct 3720
gttgccaata gcaaactgct tttccattaa tggagaattc atgcctttca agcattttta 3780
atatgacaat atttataaat gtatggtttg gaggaatcgt ttaaattctc tttcctaatt 3840
ttctttcttt tgaagataga ttctttcaac aagtaatttg tagtaatgac tgtgttgact 3900
tcaatttttg agcgagtag ctatgttaaa gatgaactat ttggtctcat tgaagccaac 3960
acagaacttg ctgctgtgtt ttttcttcag tgataaataa aatacttaca gaatttgttt 4020
tagtgttgat ttgtggttat agtatttggt taataatggt aagtttgcca tattcagttg 4080
gaggtttttt tttacttgaa tttttaat 4108
```

<210> 494

<211> 2209

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<400> 494

```
gcgggcattc accccatgaa cagcatcagc agcctggaca ggactcgcat gatgaccccc 60
ttcatgggca tcagccccct cccgggcgga gagcgcttcc cgtaccttc tttccactgg 120
gaccccatcc gggacccctt gagggatcct taccragaac ttgacattca ccggagagac 180
ccgctgggca rggacttcct gctaaggaaac gaccggytcc accggtcttc gactycccg 240
ctgkacsaag ccgaccgctc cttcaggagc cgggagcctc acgactacag ccaccaccac 300
caccaccacc accaccgct gtctgtggac cctcggcggg agcacgagcg gngaggccac 360
ctggacgagc gggagcgctt gcacatgctc agagaagact acgagcacac gcggctccac 420
tcgctgcacc ccgctccct cgacggacac ctccccacc ccagcctcat cccccggga 480
ctccccagca tgactatcc ccgcatcagc cccaccgagg gcaaccagaa cggactctc 540
aacaagaccc ctccgacagc agcgctgagc gcacctcccc cgctcatctc cagctgggg 600
ggcgccccgg tctctcccag aaggacgact cctctgtccg cagagataag ggagaggccc 660
ccttcccaca cgctgaagga tatcgaggcc cgataagccg agaacaggag caagaacgag 720
gaagaagaaa ccctaggcag acaccaggcc aggcttgaga gacagaactc ctgcatggct 780
cacacagact gggggggaaa gcccccccc tttcccttgt aaaaaatgta tagactcagt 840
gcacattttg aaatgttttg tatattatat gttgagattt ttcagatctt ttagccag 900
catatgttct cagctctcct actttttgtt tctcgtataa aactttttga tttgaaccaa 960
aacagtgaag atgacaacac acaccaattg gatgataatt gtagcggggg cgggtggggg 1020
gagaagtcca cgccatccat catgcaaaat tctttcagat gaggtgggaa ggccgtgtac 1080
atagtatatg aaaaagagat tgcttcatga gctaattggt catatatgca aaagggtaa 1140
atgaaagctt tactttgtac aaatgtaaat agataaagta acataatata ttaatacttc 1200
ttaaaatgtg ctatttgcaa acttacttaa tatcagtga cagctcggc taaagctgtg 1260
ttcccatata ttgttataga cagctaaacc cttcaactat gcaatgaatg ttcgggcttt 1320
tcacaaaagc ccgctaact caaaggagcc ttttcaaate catttacagc atacttaagg 1380
tcatattttc cctgaacaag cgcttacgtg atatgactct gttttccttg cttgtttttt 1440
ttcaaacgga gaaacatcct gttttgcaaa ttggacccca ggctggaact tagcatctga 1500
agttgccgct tgtgggctct gggggaaagt gtagccccg agaggtaact gaggacatga 1560
gcaaccagtg ccaggagggg tgggatttgc cagatgcca aatcagggga cgggtgggtg 1620
tgtctgtcag acacacacag gtcgccagtg acttcacaca cacctcatgt gagaaccatg 1680
ccttttttag tgtgtcctat ttcatactg tacacacttc ctggttttgt aatgagattt 1740
acttacacc aaacagatcc tgaaagaaag cttcaagttt ttcagatga tggatatgtt 1800
ttactgtat tcaataactg acggatgtaa ggtgcacgtt tctgatgtg acgactgta 1860
```



```

ttccagctgg tgatcaagtc tgggaacagc cgtaacaggt caaccttggt gagccatgac 1920
gagtttagagg gtgaaagatg gcagaaaaaa aagtccttggt tgtgagtggt ttttttgagt 1980
ttgcatcaat cttaatgtct cttcataata cttttataat acattaagcc tcttgctctac 2040
atatttgagg agaatatgac ttctactagca gagaaataca atatatcttg tctactggac 2100
tgtaaaatat atgtatgaaa taaaattagt tccatttggt cttctagtat attaaagtgc 2160
tatctgacgt tgttatcctg tttttgcaaa aaaaaaaaaa aaaaaaatt 2209

```

<210> 495

<211> 1677

<212> DNA

<213> Homo sapiens

<400> 495

```

gggggtggagg gactaaagga tgcccaaagt cgggatctcc tgtccccgcc cacagacaac 60
aggccaggtc agatggacaa tcggagcaag ctccggaaca tcgtggagct gcgcctggca 120
ggcctggaca tcacagatgc ctccctgcgg ctcatcatcc gccacatgcc cctgctctcc 180
aagctccacc tcagttactg taaccacgtc accgaccagt ctatcaacct gctcactgct 240
gttggcacca ccaccgaga ctcccttaacc gagatcaacc tgtctgactg caataagggtc 300
actgatcagt gcctgtcctt cttcaaacyc tgtggaaaca tctgtcatat tgacctgagg 360
tactgcaagc aagtcaccaa ggaaggctgt gagcagttca tagccgagat gtctgtgagt 420
gtccagtttg ggcaagtaga agaaaaactc ctgcaaaaac tgagttagtc caaggataag 480
tatgtaataa cggggcgggc tctgggaggg gagagacttt acaaaaatga gggcttttat 540
tttccatttg gaacgtggga caacagacca caacgcaatt ccattttgca agtctttcca 600
agggagaagc tgttcaacca cccgtttggg ggatgagtga gccgacactt tcctttgggc 660
tttctgaatc gtaactgcac tgctttcttg accatttcta aggcggcctt tacaagaaga 720
cattctgtgc ggagaggagg gtggacttcg gagaaattct catactgaag catgagctta 780
ggagtttctg ttagtggtag tgggtgtttg gacacttcat tccttgcaac accgaggttt 840
tgggtgttga cataaagtgg accacacacc acatctgctg ccgtcttgac actttttttt 900
gtttggttgg ttttgttaca tcttacatta tgcagaacta tttttgtaca aattgtttaa 960
aagttattta tgcaaggttt gaatgcatac cagtgttttt attgttttga gattgccaat 1020
tttctgatt tccttaaggt aggagagaat ttaacgtgta ctcatcgac acaaccatc 1080
tacaaatgtg cccagatcta acaaagtagg ctaagacctt ccacttaaaa gcatgtttta 1140
ctggaagttg agagtctgct ttgtacctca agagttacat gagcatgttg tggataaatg 1200
taaattatag tcaaagtaag atactctgcc aagtttctc tgtagagaat tcacttttct 1260
caaattttta aatttcgact tcagcctttg cactcaggag gttctgctcc agcatgagct 1320
cttgtaacta catagatcta atttatacag tgagtcaaga cgtagaataa atgctccac 1380
atagcctttc ttttgctttt gcttctctcc tctgaagtgt gagttgagtt ctcathtag 1440
tttgtaacat ggctatttcc tagttgtaaa gttctgcatt tataagtgcc attgttgtaa 1500
gggtgtgttt cctagacctt ccctgatgcg attttacctt tgttgaaatt gtataaaca 1560
ttgtacaaaa aaaaccactc ttgaactttg agggtttctg ttctaggagt ggactagaag 1620
tttaagccca gagtcaagta acactgtttt gaagtccaaa aaaaaaaaaa aaaaaa 1677

```

<210> 496

<211> 1702

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1691)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1701)

<223> n equals a,t,g, or c

<400> 496

```
cgagattccg ggattggaat caaaatgcta atttaaaagg tcaagtgaag ctgctcctca 60
cgttttggcg tgctgcgct ctctgcaggc agaagcgaac aaagacccag caagagaagg 120
cagaggctaa gaccatccc gtatctgctc tcctgaaata attctggagt catgcctgaa 180
atgccagagg acatggagca ggaggaaagt aacatcccta ataggagggt tctggttact 240
ggtgccactg ggcttcttg cagagctgta cacaagaat ttcagcagaa taattggcat 300
gcagttggct gtggtttcag aagagcaaga ccaaaatttg aacagggtta tctgttggt 360
tctaatacag ttcatcacat cattcatgat ttccagcccc atgttatagt acattgtgca 420
gcagagagaa gaccagatgt tgtagaaaat cagccagatg ctgcctctca acttaattgtg 480
gatgctctctg ggaatttagc aaaggaaagca gctgctgttg gagcatttct catctacatt 540
agctcagatt atgtatttga tggaacaaat ccaccttaca gagaggaaga cataccagct 600
cccctaaatt tgtatggcaa aacaaaatta gatggagaaa aggctgtcct ggagaacaat 660
ctaggagctg ctgttttgag gattcctatt ctgtatgggg aagttgaaaa gctcgaagaa 720
agtgtgtgta ctgttatgtt tgataaagtg cagttcagca acaagtcagc aaacatggat 780
cactggcagc agaggttccc cacacatgtc aaagatgtgg ccactgtgtg ccggcagcta 840
gcagagaaga gaatgctgga tccatcaatt aagggaacct ttcactggtc tggcaatgaa 900
cagatgacta agtatgaaat ggcattgtgca attgcagatg ccttcaacct cccagcagct 960
cacttaagac ctattactga cagccctgtc ctaggagcac aacgtccgag aaatgctcag 1020
cttgactgct ccaaattgga gacctgggc attggccaac gaacaccatt tcgaattgga 1080
atcaaaagaa cactttggcc ttctctcatt gacaagagat ggagacaaac ggtccttcat 1140
tagtttattt gtgttgggtt cttttttttt tttaaatgaa aagtatagta tgtggcactt 1200
tttaaagaac aaaggaaata gttttgtatg agtactttaa ttgtgactct taggatcttt 1260
caggtaaatg atgctcttgc actagtgaag ttgtctaaag aaactaaagg gcagtcagtc 1320
ctgtttgcag taatttttct ttttatcatt ttgtttgtcc tggctaaact tggagtgtga 1380
gtatagtaaa ttatgatcct taaatatttg agagtcagga tgaagcagat ctgctgtaga 1440
cttttcagat gaaattgttc attctcgtaa cctccatatt ttcaggattt ttgaagctgt 1500
tgaccttttc atgttgatta ttttaaattg tgtgaaatag tataaaaaatc attggtgttc 1560
attatttgct ttgcctgagc tcagatcaaa atgtttgaag aaaggaaactt tatttttgca 1620
agttacgtac agtttttatg cttgagatat ttcaacatgt tatgtatatt ggaaaaataa 1680
agttcctttc ntcaaacatt nt 1702
```

<210> 497

<211> 2376

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2354)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2375)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2376)
<223> n equals a,t,g, or c

<400> 497
ggctcnaaca tccttttgct gtgacgagct acgggaagaa tctgtatttc acagactgga 60
agatgaattc cgtggttgct ctcgatcttg caatttccaa ggagacggat gctttccaa 120
cccacaagca gacccggtg tatggcatca ccacggcctt gtctcagtgt ccgcaagcca 180
taactactgc tcagtgaaca atggcggtg caccaccta tgcttgcca cccagggag 240
caggacctgc cgttgccctg acaacacctt gggagttgac tgtatcgaac agaaatgaag 300
acaagagtgc cttatttcct ttccaagtat ttcacagcaa caywytactt gaagcaactt 360
gggtccagatt gaaaagtgtc ctctggctga gtggccacta ggcccagacc cagcccagcc 420
tgagcccaaa caacttttcc ctactgttc cccaaaacat gcacctgga cttctcta 480
agaaaagtct ccaccttac acaaggacag aacctccac ccctacccc aacctcaga 540
cagacttata caccttgag tgaggattac atgcccaccc cagtgtccta ggacctttc 600
ccaatactag cccccagtg gtgaacagaa cctcccaaat ttgagttgca cccttccctg 660
tggtcttatg agctcagcct cgttttgagg taccacccgt cctgtcagct ccttgacct 720
tgagccgggg cctgactagg aaaagttggg agttaaggag gaaattagca ttccttaag 780
ttttgttttg gtgtctgaa tttcttctt attatagtc tatagtttta ctctcagtt 840
cctcaccatc atcatcttgt ctaagacccc cattataata ttcattgcgt gcttttcat 900
caaaacctac cctgtcctag agatctatgg gcatttggtg gatgataatg agcagccct 960
cccagataga atgtcaatat ttgagcagta ggatattggc atttgtagt taaaggctta 1020
aatcaaaaga atgtccaatg gtaggaattt caaggtgtg gtcagatatt tgagaatagg 1080
ggattttttt gatgtgcctt aaattatacc aaagattact aattattcct ctttgcccaa 1140
aatacttgca tccaagggtt tagtctctgt tgctgtgctg gtcttttagc cactgtctg 1200
cactgatgtc cctccttttc acggagacct atctgaggtg caggatggg ctggcaccag 1260
atgtgtccc acccagtc ctcacctcg gcctccacat gacagaacca atttacctc 1320
aaccatgacc tcacctctc ttggtttctc cctcgatctg tggccctttt tggatgtatt 1380
cttatctaac aacacaatcc ggaaagactg aattgaatat ttatacta ggttcata 1440
ctttattgct caatgatcta attaaaggga tcattgccac atttcatgtt tatatttcta 1500
caatttggtt agaaaacatc tcctgacct atcagtagct cgtgttatct ttttatcaac 1560
tgcttcccag agtcctaaaa caatagaaat tttggattga aaagttcagc ataaggagt 1620
tgagtcagta aaggatggga taaaggagtc gagatgattc aatgaaaagt atcacaaaa 1680
agagattgat caacaagaga aataaaaaag ccaagagga agtggtagg gaaggaaatt 1740
aagaacagca ataagtaaaa ctcttaagta actccaaaaa gaaaatggta ctttttgcca 1800
aagaccactt atacttgaga acatggaaga atttgccctg tactctctt ggggaaaaa 1860
gtctctctc ttttctcaa acccagtac actcagcctc tctgccccac cttctcctga 1920
ctttgtctc acttgcttct gcagtacatt ggaacctgaa ttgaaagaaa gtcttctctg 1980
aataattgga gtttgtcttg agaggcaaat atagcccaa gaatcacaag attcgaggac 2040
catgtaggtc ttttacgtag cccaaatcca taaattagtc tcaacttttg tatttatcgt 2100
ttcatattaa accctctata tcaaattgtc atcatgattt tgatgattt ttataacta 2160
tttattcatt ttattagatt tattctaaaa ttttttaag gtaaatctt aaactgtgga 2220
aaccactgaa ggtgcttatt aactgttctc ccagatttgt acaagtattg gatgattcct 2280
tgagtttaca gctgtacaaa tagtgtgga aataaacttt ttttaaaaaa gaaaaaaaaa 2340

aaaaaaaaaa aaanaaaaaaa aaaaaaaaaa aaaann

2376

<210> 498

<211> 840

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (840)

<223> n equals a,t,g, or c

<400> 498

```
acgccgggat ggggcgggtcg garktcmcgg gtcgacccac gcgtctcgca ggccgtagag 60
gaagatggcg gtggagtcgc gcgttaccca ggaggaaatt aagaaggagc cagagaaacc 120
gatcgaccgc gagaagacat gccactgtt gctacgggtc ttcaccacca ataacggccg 180
ccaccaccga atggacgagt tctcccgggg aaatgtaccg tccagcgagt tgcagatcta 240
cacttggatg gatgcaacyt tgaaagaact gacaagctta gtaaaagaag tctaccaga 300
agctagaaag aagggcactc acttcaattt tgcaatcggt tttacagatg ttaaaagacc 360
tggctatcga gttaaggaga ttggcagcac catgtctggc agaaagggga ctgatgattc 420
catgacctg cagtcgcaga agttccagat aggagattac ttggacatag caattacccc 480
tccaaatcgg gcaccacctc cttcagggcg catgagacca tattaaattc tatttactat 540
ttgttgaatt tatttttccg tcagttatgt aaaataaaca tactcttctt cctcccctga 600
ttattgccat taagccttta aattctaaac aaattataat gcatcatcta tttaggagtt 660
agatttggat gtgctattgt atgattacga atagtctgta tgtttcaagc ccttctgtaa 720
aatatgaaga aaagtgtctt tagcattctg tgtaaaactg tactgttaaa tatatgtgtg 780
taatcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 840
```

<210> 499

<211> 461

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (452)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (455)

<223> n equals a,t,g, or c

<400> 499

```
ggcacagctt cctcctctt cctttctccg ccategtggt gtgttcttga ctccgctgct 60
cgccatgtct tctcacaaga ctttcaggat taagcgattc ctggccaaga aacaaaagca 120
aaatcgctcc attccccagt ggattcggat gaaaactgga aataaaatca ggtacaactc 180
caaaaggaga cattggagaa gaaccaagct gggctataa ggaattgcac atgagatggc 240
acacatattt atgctgtctg aagggtcacga tcatgttacc atatcaagct gaaaatgtca 300
ccactatctg gagatttcga cgtgttttcc tctctgaatc tgttatgaac acgttggttg 360
gctggattca gtaataaata tgtaaggcct ttcyttttta aaaaaaaaaa aaaaacyyrr 420
```

422

ggggggggccc ggttcccaat cccccctatt tnaanccccct t

461

<210> 500

<211> 2782

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2620)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2641)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2643)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2712)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2742)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2759)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2779)

<223> n equals a,t,g, or c

<400> 500

ctcaaggttg cccaaactga tgggtgtcaat gtggacatgc acttgaagca gattgagata 60
aagaagttca agtacggtat tgaagagcat ggtaagggtga aaatgcgagg ggggttgctg 120
cgaacctaca tcatcagtat cctcttcaag tctatctttg aggtggcctt cttgctgac 180
cagtgggtaca tctatggatt cagcttgagt gctgtttaca cttgcaaaaag agatccctgc 240
ccacatcagg tggactgttt cctctctcgc cccacggaga aaaccatctt catcatcttc 300
atgctggtgg tgtccttggt gtccctggcc ttgaatatca ttgaactctt ctatgttttc 360
ttcaagggcg ttaaggatcg ggttaaggga aagagcgacc cttaccatgc gaccagtgg 420
gcgctgagcc ctgccaaga ctgtgggtct caaaaatatg cttatttcaa tggctgctcc 480

```
tcaccaaccg ctccccctct gcctatgtct cctcctgggt acaagctggt tactggcgac 540
agaaacaatt cttcttgccg caattacaac aagcaagcaa gtgagcaaaa ctggggcta 600
tacagtgcag aacaaaatcg aatggggcag gcgggaagca ccatctctaa ctcccatgca 660
cagccttttg atttccccga tgataaccag aattctaaaa aactagctgc tggacatgaa 720
ttacagccac tagccattgt ggaccagcga ccttcaagca gagccagcag tcgtgccagc 780
agcagacctc ggctgatga cctggagatc tagatacagg cttgaaagca tcaagattcc 840
actcaattgt ggagaagaaa aaagggtgctg tagaaagtgc accagggtgt aattttgatc 900
cgggtggagg ggtactcaac agccttattc atgaggctta gaaaacacaa agacattaga 960
atacctaggt tcaactggggg tgtatggggg agatgggtgg agagggaggg gataagagag 1020
gtgcatgttg gtattttaaag tagtgatttc aaagaactta gattataaat aagagtcca 1080
ttaggtgata catagataag ggctttttct ccccgcaaac acccctaaga atggttctgt 1140
gtatgtgaat gagcgggttg taattgtggc taaatatattt tgttttacca agaaactgaa 1200
ataattcttg ccaggaataa atacttcctg aacatcttag gtcttttcaa caagaaaaag 1260
acagaggatt gtccttaagt ccctgctaaa acattccatt gttaaaattt gcacttgaa 1320
ggtaagcttt ctaggcctga cctccagggt gtcattggac ttgtgctact atattttttt 1380
attcttggtt tcagttttaa attcagacaa ggcccacaga ataagattt ccatgcat 1440
gcaaatacgt atattctttt tccatccact tgcacaatat cattaccatc actttttcat 1500
cattcctcag ctactactca cattcattta atggtttctg taaacattt taagacagtt 1560
gggatgtcac ttaacattt tttttgagc taaagtcagg gaatcaagcc atgcttaata 1620
tttaacaatc acttatatgt gtgtcgaaga gtttgtttt tttgtcatgt attggtacaa 1680
gcagatacag tataaactca caaacacaga tttgaaaata atgcacatat ggtgttcaaa 1740
tttgaacctt tctcatggat ttttgtggtg tgggccaata tgggtgttac attatataat 1800
tcctgctgtg gcaagtaaaag cacactttt tttctccta aaatgtttt ccctgtgtat 1860
cctattatgg atactggtt tgtaattat gattctttat tttctctcct ttttttagga 1920
tatagcagta atgctattac tgaaatgaat ttcctttttc tgaaatgtaa tcattgatgc 1980
ttgaatgata gaatttttagt actgtaaaca ggcttttagtc attaatgtga gagacttaga 2040
aaaaatgctt agagtggact attaaatgtg cctaaatgaa ttttgcaagta actggtattc 2100
ttgggttttc ctacttaata cacagtaatt cagaacttgt attctattat gagtttagca 2160
gtcttttgga gtgaccagca actttgatgt ttgcactaag attttatttg gaatgcaaga 2220
gaggttgaaa gaggattcag tagtacacat acaactaatt tatttgaaact atagtgtgaa 2280
gacatctacc agtttctcca aatgcctttt ttaaaactca tcacagaaga ttggtgaaaa 2340
tgctgagtag gacacttttc ttcttgcatg catgtcagct acataaacag tttgtacaa 2400
tgaaaattac taatttggtt gacattccat gttaaaactac ggtcatgttc agcttcattg 2460
catgtaatgt agacctagtc catcagatca tgtgttctgg agagtgttct ttattcaata 2520
aagttttaat ttagtataaa catagcttct atattccgtc tcaaaaaaaa aaaaaaaa 2580
acgtgcttag ttcagttcaa gttgctcctt tataatttgn ttttgatga aaaaagattg 2640
ngncatttgt ttaaagtcag aggattatct aaaagccagt tcccagtc aattggatat 2700
aattgtagt gngaatactt cttcaaggac tattacttgg gnggttgag aatttattnt 2760
ggaagaaggc aaatgcttng gg 2782
```

<210> 501

<211> 1249

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<400> 501

```
gcaaggagtc cccaatgcaa agacacagcg ctgcnnttgg cacctccttc ctcactccct 60
caaaattgtt aagaaatgtt agtgggtggg ctgatctgac tgcagccatc ggtaaataaa 120
agttttttgat cctgttgaaac ccgcctgaga cgggtctgtg aggggaaagc cttccgcacc 180
cacacaggaa ttctgctgag gtcccccttc cttccggcca atggcagaag tgggggaaaa 240
tttttagaag aaaagcaaac atgtgagacc aatcattatc aaatactttt attttttggg 300
tgagtattta tctttttatt ttttattttt ttttttgaaa gaatgtcttg gaatgcgcaa 360
gtctcccttt agagccgtct tttgcaggga gcgggaagtg acaagagctc agatctccct 420
cccgatctcc ctccccacct ccgaagtctc ctccgtggac cacagggtga tctttgtgcg 480
aacaacttgc atttcggaag ccactgtccg tctttaaaca gaaagtcgaa ggagccacga 540
agcaagcggc cgtccggggc tccgyctgcc gtcccccttc atgttcctcc tcttccttcg 600
cttcagcctc ttctgttatg ttttgtcttg aattttatct agacttttcc agtgggtatt 660
tttctgtctt ccaacctcta ctgtaaaact tctgggtccga gaacgagccg aacacagcgc 720
gacgcaggga ctaggacggc ccggtgaccg cgcggattca ggattgcggg gacgcagaaa 780
ggttaaggca cttttaaaaa ctatagcaag gctcctgttt atttattcta ctttctttcc 840
ctaataatca aaacaccgcg taggctcctc cgtttatcag tattaatggg gtaactttgt 900
tggcaatatt tgccgtgtag aatttttttt agatatccat tgtaaatttg aaacaaagac 960
cgatctgtgt aaaaacaaat ttccatattg tttatataaa tatatatata atatgaagga 1020
ctaccctcct tttttttttt gtattttggc tgctagagtg cagcatttgt gacacgtatt 1080
tgaaatttga aatttccttc tgcaactgtat aaaaggacca tttgaggatg ttttgccttt 1140
tgtgtatttt ttcttaaaaa aagaacaaaa ataaaaatgt ataacatttg tacatggcct 1200
ttaaaattgt atcaactaga aataaaattg catgagtatt ttaaaaaaa 1249
```

<210> 502

<211> 1358

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1349)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1351)

<223> n equals a,t,g, or c

<400> 502

```
cccgaccct agccaggccc caggagcct ccgctgggcc cagacagcag cgttyggttt 60
tatccacttt tctyggataa tcaggaggtg cccagtsgt cacagtgtgg cattccgagt 120
tggggcgggt ggctcgggtca agatagcagc agcagggtgc agggctcaag acaccacccc 180
```

```
ctccagcttc tggggcccag gagcctctcc ctgctacagg gggtaggggt cctgctcagc 240
agggtaggtg gtggttttag gtcttgctac cctcactcag tggaactgcc tctgggagct 300
ttggcgtctg tractaaagg gacgctggat tgctcaggtc agctgctcgg ggctcccagg 360
ctgggtgtgc cttagccaca ggcagggctg tcaataaccc ccttcctcac tggccaccac 420
ctgacatcag caccagtac aggctgggtca gagggcgagg ctgggtgaggg tttgtcctaa 480
gaggaccacc gccatctctg ggtctccagg gggagagcct ggccctgtcc tttgtctacc 540
agggctgccc ccaggcccat gaagccaata ggagagcgtg tggcactggc ccacaaactg 600
tccctgtcct gtcttcctcc cgagccatgg cctctgctag ctccaccttg aaggagcccc 660
ccacatcctc ccctacatcc cagagatgcc accacttggt tctccacaat gtgctcctgc 720
ccaccgggtg tccgactgt cgcacccctg cacaccactc atgtcaccac ggcgtgcac 780
atgttcatcc ccatctatct atttaagcct ttctttgctt gtagggcatt ttgtatgtag 840
agcagttgaa aacagaacct cagaacttaa catctgtcct gatgttaaag tgcttttcat 900
gaccaccctg ttatctatgt atatgtaaag ttaaggatga gatcttaagt ttacaattaa 960
aaactcagta ctcaatattt aatattctac tcgagcttta tggaagccaa atcatgtgca 1020
tgtgtgtgtg tgcgtgtgtg caagctttga acctccttcc acagccgcat cttctcatga 1080
cacaagctt ttgataagta ctttcctgtg ggtcgctcag ggcctcatag catctcattc 1140
aattacaaga atagaggcca gacacggtgg cgcatgcctg gtagtcccag ctaaactggg 1200
gaggctggag ggcagggagg gatcactttg gagcccagg agattggagg gctggcagtg 1260
gagccatgga tccggcggac actggcactt ccagcctggg ggtggacggg tggagacttt 1320
tgttctccaa aaanaaaaaa aaaaaancnt nggagggc 1358
```

<210> 503

<211> 501

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (457)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (492)

<223> n equals a,t,g, or c

<400> 503

```
gcccacgcgt ccgacggctg cgagaagacg acagaagggg ctttctttct ttccgcgccg 60
atagcgtcca cgcaagcatg gttaacgtcc ctaaaacccg ccgactttc tgaagaagt 120
gtggcaagca ccaaccccat aaagtgcac agtacaagaa gggcaaggat tctctgtacg 180
cccagggaag gcggcgttat gacaggaagc agagtggcta tggtagggca actaagccga 240
ttttccggaa aaaggctaaa actacaaaga agattgtgct aaggcttgag tgcgttgagc 300
ccaactgcag atctaagaga atgctggcta taaaagatg caagcatttt gaactgggag 360
gagataagaa gagaaagggc caagtgatcc agttctaatg gtcacttttt attatgaaga 420
caataaaatc ttgagtttat gttcaaaaaa aaaaaanggg gggggcccgg taccawtcg 480
cctatagggg gncgtttaa a
```

501

<210> 504

<211> 2011

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (1941)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1961)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1974)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1976)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2002)
<223> n equals a,t,g, or c

<400> 504
gatctgcctt cccagttaga ctgagagaac aggggatata cctaaataat aataataata 60
ataataataa taataataat aaataataat ggagagctcc ttgaagatag ggagcctgta 120
agaatcattg agggcattt ttgtatacca actgctaaac tagatgcttc atacattgtt 180
gtcaatactc atgacagcct tgtaaagtag aaawtaattc ttccagttaa cackaaggct 240
gacatatgaa taccttggca aatctggaaa gctgggaaga cagtaattga actcaagact 300
tcttgtcacc aagggcattg acttgtactc tgccatgtgg scctttttta cctcctgtgg 360
attctcccta cctgggtactt ggccttaggt gtacacacac ctggcacttt gcttgacaca 420
taatagggtg accacaaata tctactaaat gaatatttgc atatagtaat attttaagggt 480
actaaaagca gctcaaagta aatattaata tattaatcc attgctatct ggataaccac 540
tcaactttcc tgctgaaaat gccatttaa tttaaagaagg ttggatagag ctctctatat 600
gcatttttga caggcagggg tttcagggtca taaacattct gatgagttaa tataaaataa 660
gagaaactgt aaatttccac tactaaaaat cacaaaaata acagaaacaa aagaagagat 720
aagaatttgg ggaattgtgc tgaacaattt agtgggttaa aaaaacaact gtgcatgttt 780
agacttaa atagccccc ccaagtgtga ggggtccagt aatttttcaa aacatatgaa 840
agtgttaata catttygaca aaggaccatt aaaaaagtcc tgaattctga cttgagggag 900
gaaagtaatg actaatacat tctctagaga cttgcagact ttgggaattc ataaaggaat 960
ggatgataat tattaactgt tgctggctga ttgccagac agttctcaac agccctgtac 1020
aagtctctgg gtttgggatg gatcaattct gagactggaa aatggccaaa tctttgcaaa 1080
tgagaaatat ttttcttata agttcttatt gtaggcaaat aattacatag attattcatc 1140
agagaatttt taaatgctca taatctcaac tctttcattt acaacttgta tttccaatag 1200
tttatgggtc atctctgcat agatgtcaga agtcacctca agtttagygt gtccaaaatc 1260
taactcacag gtctgtttct gacctcccaa cttgctttcc ttgtgttttt cctatgctaa 1320
tgatccacca taatcaaaat aattaacatt tatccagtgc ctactatgta ctattccctg 1380
tcctgtttta catttactca tttaaagtcc ataagaaaca ttaaattctca tctgccttct 1440

```

gaagaagata caaccatgct ctcttttaca aagtaggaaa ctgggtcaca gaaaggtgaa 1500
gtctttaagg ctgaatcaca gtagctcatc ctagtaaata gaaaagccag gattcaactc 1560
caggggctgg gtgcagaact gctattcttc actgcttcac caatcagcag ctaccaaggg 1620
cagaaaactt tttcatcctt ggctccttca ttctccctgt caccocagat cccctctaca 1680
tctagtccaga gaatagggtcc tgtcaattcc aacttctcta tatggctcct ctcaggcatg 1740
tgcccttaat tggcctaatt ctctaataca ccttccctct acatgctcac tccctcagat 1800
cattgcttta tcacgkrtta cctgggttgc tattacataa agagcaatct ttctaaaatg 1860
agggatctta tcacttcact tccacactaa aatgtttttc ctgggggaac cacacttcct 1920
tagcaatctg acccatcaga nctttccagg ctgtctcctg nctggttccc taangntccc 1980
agccaacacc ggaattatca tngggcccaa a 2011

```

<210> 505

<211> 1989

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1917)

<223> n equals a,t,g, or c

<400> 505

```

ggtagaggggt cgcccggtgca cagcctgtcc cagccgtcct gtcctggctg ctgctctgctg 60
ttcgtctgctg cgccactatg ctctccctcc gtgtcccgct cgcgcccac acggaccgcg 120
agcagctgca gctctgcccg ctgaaggggc tcagcttggt cgacaaggag aacacgcccgc 180
cggccctgag cgggacccgc gtcctggcca gcaagaccgc gaggaggatc ttccaggagc 240
ccacggagcc gaaaactaaa gcagctgccc cggcggtgga ggatgagccg ctgctgagag 300
aaaacccccg ccgctttgtc atcttcccca tcgagtacca tgatatctgg cagatgtata 360
agaaggcaga ggcttccttt tggaccgccc aggaggtgga cctctccaag gacattcagc 420
actgggaatc cctgaaaccc gaggagagat atttatata ccatgttctg gctttctttg 480
cagcaagcga tggcatagta aatgaaaact tggtaggagc atttagccaa gaagttcaga 540
ttacagaagc ccgctgtttc tatggcttcc aaattgccat ggaaaacata cattctgaaa 600
tgtatagtct tcttattgac acttacataa aagatcccaa agaaagggaa tttctcttca 660
atgccattga aacgatgcct tgtgtcaaga agaaggcaga ctgggccttg cgttgattg 720
gggacaaaga ggctacctat ggtgaacgtg ttgtagcctt tgctgcagtg gaaggcattt 780
tcttttccgg ttcttttgcg tcgatattct ggctcaagaa acgaggactg atgcctggcc 840
tcacattttc taatgaactt attagcagag atgagggttt aactgtgat tttgcttgcc 900
tgatgttcaa acacctggtg cacaacccat cggaggagag agtaagagaa ataattatca 960
atgctgttcg gatagaacag gagttcctca ctgaggcctt gcctgtgaag ctcatggga 1020
tgaattgcac tctaataaag caatacattg agtttgtggc agacagactt atgctggaac 1080
tgggttttag caaggttttc agagtagaga acccatttga ctttatggag aatatttcac 1140
tggaagggaa gactaacttc tttgagaaga gagtaggcga gtatcagagg atgggagtga 1200
tgtcaagtcc aacagagaat tcttttacct tggatgctga cttctaaaatg aactgaagat 1260
gtgcccttac ttggctgatt ttttttttcc atctcataag aaaaatcagc tgaagtgtta 1320
ccaactagcc acaccatgaa ttgtccgtaa tgttcattaa cagcatcttt aaaactgtgt 1380
agctacctca caaccagtcc tgtctgttta tagtgctggt agtatcacct tttgccagaa 1440
ggcctggctg gctgtgactt accatagcag tgacaatggc agtcttggt ttaaagttag 1500
gggtgaccct ttagtgagct tagcacagcg ggattaaaca gtcctttaac cagcacagcc 1560
agttaaaaga tgcagcctca ctgcttcaac gcagatttta atgtttactt aaatataaac 1620
ctggcacttt acaaacaaat aaacattgtt tgtactcaca aggcgataat agcttgattt 1680
atgtggtttc tacaccaaatt acattctcct gaccactaat gggagccaat tcacaattca 1740

```

```
ctaagtgact aaagtaagtt aaacttgtgt agactaagca tgtaattttt aagttttatt 1800
ttaatgaatt aaaatattttg ttaaccaact ttaaagtcag tcctgtgtat acctagatat 1860
tagtcagttg gtgccagata gaagacaggt tgtgttttta tcctgtggct tgtgtantgt 1920
cctgggattc tctgcccccy ctgagtarag tgttgtgggr taaaggaatc tytcaggggc 1980
agggggcctt 1989
```

<210> 506

<211> 1085

<212> DNA

<213> Homo sapiens

<400> 506

```
gggcgtggcg gcgctgtgcg cgtgcacaaa agagagctga ggggcggggg cgctgcggca 60
cagctggttt gagcaactga actggaaaca agatgcagga cccaacgca gacactgaat 120
ggaatgacat cttacgcaaa aagggtatct taccgcccaa ggaaagtctg aaagaattgg 180
aagaggaggc agaagaggag cagcgcatcc tccagcagtc agtggtgaaa acatatgaag 240
atatgacttt ggaagagctg gaggatcatg aagacgagtt taatgaggag gatgaacgtg 300
ctattgaaat gtacagacgg cggagactgg ctgagtggaa agcaactaaa ctgaagaata 360
aatttgagga agttttggag atctcaggga aggattatgt tcaagaagtt accaaagctg 420
gcgagggctt gtgggtcatc ttgcaccttt acaacaagg aattcccctc tgtgccctga 480
taaatacagc cctcagtggg cttgccagga agtttcctga tgtcaaattt atcaaagcca 540
tttcaacaac ctgcataccc aattatcctg ataggaatct gccacgata tttgtttacc 600
tggaaggaga tatcaaggct cagttttattg gtcctctggt gtttgccggc atgaacctga 660
caagagatga gttggaatgg aaactgtctg aatctggagc aattatgaca gacctggagg 720
aaaaccctaa gaagccgatt gaagacgtgt tgctgtcctc agtgcggcgc tctgtcctca 780
tgaagaggga cagcgattcc gaggggtact gaggtctacg cttctatcac atgccgaact 840
ttcttgtgac aaattgtctg gattttttaa aaaaggaaaa agcaagaatg aatccttgtg 900
gttttttagt ttgtataaat tatgtttcaa atctttacat tttggaaata atcattgtctg 960
gagattctgt taaatattttt ggaactcttt tttttttaa ttatagtatt tcctctaaaa 1020
aaaattaaaa ccagccattt gtatggcaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1080
aaaaa 1085
```

<210> 507

<211> 1485

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (570)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1476)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1485)

<223> n equals a,t,g, or c

<400> 507

```
cgccgcccgt gcctttcctc ttctctctyc tctctcttgg catccgcctc ttcttcctcc 60
tgcgtcctcc cccgctgcct ccgctgctcc cgacgcggag cccggagccc gcgccgagcc 120
cctggcctcg cgggtgccatg ctgccccggc ggccggcgctg aaggatggcg acgccgctgc 180
ctccgccctc cccgcggcac ctgcggtgctg tgcggctgct gctctccggc ctcgctcctg 240
ggccgcccct gcgtggagcc gccgcgggcc acccggatgt agccgcctgt cccgggagcc 300
tggactgtgc cctgaagagg cgggcaaggt gtcctcctgg tgcacatgcc tgtggggcct 360
gccttcagcc cttccaggag gaccagcaag ggctctgtgt gcccaggatg cgcgggcctc 420
caggcggggg ccggccccag cccagactgg aagatgagat tgacttcctg gcccaggagc 480
ttgcccgaa ggagtctgga cactcaactc cggccctacc caaggaccga cagcggctcc 540
cggagcctgc caccctgggc ttctcgcan gggggcaggg gctggakctg ggctccct 600
ccactccagg aacccccacg ccacgcccc acactccct gggtccct gtgtcatccg 660
accggtgca catgtcgccc ctggagcccc ggggagggca aggcgacggc ctgcccctg 720
tgctgacct ggcttctgt gtggccgtg cagccgcct ctccgtagcc tccctctgt 780
gggtcaggct gcagcgtgag atccgcctga ctcagaaggc cgactacgcc actgcgaagg 840
ccccggctc acctgcagct ccccgatct cgctggga ccagcggctg gcacagagcg 900
cggagatgta ccactaccag caccaacggc aacagatgct gtgcctggag cggcataaag 960
agccacccaa ggagctggac acggcctcct cggatgagga gaatgaggac ggagacttca 1020
cgggtgtacg gtgcccggc ctggccccga ccgggaaat ggaggtgcgc aaccctctgt 1080
tcgaccacgc cgcactgtcc ggcgccctgc cggccccag ctaccgcct gactgccat 1140
gacctggagg cagacagacg cccacctgt cccgacctc gaggccccg gggaggggca 1200
gggcctggag cttccacta aaaacatgtt ttgatgctgt gtgcttttg ctgggcctyg 1260
ggctccaggc cctgggacc cttgccagg agaccccg acccttctgtc caggacacct 1320
cctgggtccc tgcacctctc ctgtygtt tagacccca aactggagg ggcattgaga 1380
accgtagagc gcaggaacgg gtgggtaatt cttagagcaa aagccaatta aagtccattt 1440
cagacctgcg gaaaaaaaaa aaaaaaaaaa aaacnngggg ggggn 1485
```

<210> 508

<211> 1930

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<400> 508

```
attttagtaa acttttagac aaaatttgn aaaatgctga catcatttat aatccttcat 60
ttatttgtaa aaagatgagg acacacatta artgawgtca gcattttagt aaacttttag 120
acaaaatttg ttaggtcat tcatgaaac ttaatacta aaagcacttt ccattatata 180
ctttttaaag gtctagataa ttttgaaaca atttattatt gtgtactgag gagaaataat 240
gtatagtaga ggacagcctt ggtttgtaaa gctcagttcc actagtcat ggtttgtgc 300
aacttctgag cctcagtttt ctcttttgca aattaataat tacatacctt tatagatttt 360
gaaattaatt taaatattag tatttggtac atgaaggctt aatgttaaagt ttcctttaat 420
```

```
gatccacaat aatccctttg atcacgttaa tctaaatcta gatgtctttg tctaattttt 480
tttgaatagc agttataaat gttaaaggact caaagtttta gtaaaaagtg atactccacc 540
tttgtgtttca aagaatttag ttccacctct tcataccagt ttaacactta atatatattca 600
ttggatttta gacagggcaa aaggaagaac aggggcctct ggaggccctt ggttatttta 660
atcttggatt atttgtgata gtaatcacaa attttttgct aatttttaac ctgaggtttt 720
gttttttttt taaaggaaat gcagcctagt cttgagaaca taattttata taatcaatta 780
ctaaatgtta aactattacc acacagccca taaaacagca tttgcgttta ttgagagaga 840
ggatgtgccca tcatgattaa tgaaaactat cttttgagtt tgaaaagaaa ttaatttgca 900
gtgtttggat tgtatatatg gtgctaaaaa taaattaatt tactttataa accttatctg 960
tacattatac gatgtgatga aatttgcttt ttatccaaat attttgatc ttgtaaatat 1020
ggctaattat aggaatgcct ataatacatc ttagattcct tataatctaata aagagttaa 1080
agagttaaaga gttgaagtct tgaatgcagg aaactatctg atagtgttct aaaatttggt 1140
tacttgggtt tggataccct tagtgggatg atgtaaatag aggctagcta cctaggcttg 1200
tctatagcaa ccataatgtt gatgtaagta atgcggttac tgaatcataa gaaaatgccca 1260
tctcttttta gttgaaggaa aactctggaa gtaggtgccca ttggtcattc tgcagtgcac 1320
tgcaaccatt gtttccctta gtgccctctt tccctagggt cattgctctc ctattccac 1380
gccttaacac agctctatac ctagaagcag ccagcccagg catgcagtca catttaatca 1440
catccccctt ctagagtgct tcaaaatgat gtagtcctc aacttggtta aagaatctca 1500
atctcttgaa atttattttt ttaatgtcat attcatctgg taaatatcta ctgtttgccca 1560
ggcatttaag aatatggcaa agaacataaa agatgggtgtc accagatttt ggtcaccaat 1620
gagtacccga cccgttgcca tgattaagag agaatgcttt ctattggagt ttcaggaaat 1680
ataatttgag aatactttaa agggaagtgg aagtataagt gaatgatatt tttcttttac 1740
atgtaaacaa tgaagttatt tcaaagttaa gttttaaaca aaatacatga agtagtgtct 1800
gccatacatg ttaatatctt acattcttgc ttccttaaat taatatgttt gtgtgtatat 1860
atgtgcctca cacctgaatt gaaaattaaa gactgggtta aaagtgaaaa aaaaaaaaaa 1920
aaaaaaaaat                                     1930
```

<210> 509

<211> 1134

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1041)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1064)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1090)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1106)

<223> n equals a,t,g, or c

<400> 509

```
gagccacgcc cgggctgtgg gaataagatg gcggggaaga agaattgttct gtcgtctctc 60
gcagtttacg cggaagattc agagcccgag tctgatggcg aggctggaat cgagggcggtg 120
ggcagcgcgg ctgaggagaa aggcggattg gtatctgatg cctatgggga ggatgacttt 180
tctcgtctag ggggtgatga agatggttat gaagaagaag aagatgagaa cagtagacag 240
tcggaagatg acgattcaga gactgaaaaa cctgaggctg atgacccaaa ggataataca 300
gaagcagaaa agcgagaccc ccaggaactc gtggcctcct tttctgaaag agttcggaac 360
atgtcgctg atgaaatcaa gatcccgcca gaacccctg gcagatgttc aaatcacttg 420
caagacaaga tccagaagct ttatgaacga aagataaagg agggaatgga tatgaactac 480
attatccaaa ggaagaaaga atttcggaac cctagcatct acgagaagct gatccagttc 540
tgtgccattg acgagcttgg caccaactac ccaaaggata tgtttgatcc ccatggctgg 600
tctgaggact cctactatga ggcattagcc aaggcccaga aaattgagat ggacaaattg 660
gaaaaggcca aaaaggagcg aacaaaaatt gagtttgtga cgggcaccaa aaaaggcacc 720
acgaccaacg ccacgtccac caccactacc actgccagca cagctgttgc agatgctcag 780
aagagaaaaga gcaagtggga ttcggctatc ccagtgacaa cgattagccc agcccacat 840
cctcaccacc acagccaccc tgccagctgt tgtcacggtc accaccagcg ccagncktcc 900
aaggaccacc gtcactctctg ctgtggggca ccatttgtga gaaggccaag cagtgcctg 960
agggggcacc ttagggaytt gaaaaggac cgttgacgcc ccarttgacc actggccagt 1020
gggaggcgcg ccatttttgt nttatttttc agggatttgg ggancattatt tcccaggtt 1080
gcccaacttn aggaaggagat ttttntttt tgggcttttc cagggttgga aggg 1134
```

<210> 510

<211> 1382

<212> DNA

<213> Homo sapiens

<400> 510

```
ggcgaatggg gaaggatttg aagtcacctt tgggtgtttg gagtgatcag agctgtctgc 60
cctcttgggg agtgacagtg cccactctg ttaagtccca tgccctgccc caactcagct 120
tcagccacaa tgatgtagcc tcttttctt tccatccaca gggcacctgg cctgggtgga 180
gccactcct cagcaccac ctcacttctt gcagtattct gcagacccca gccctgtgcc 240
tgtgtcctg gacagctgga gataaggagt gggccctgga agatgtcat tcaggccctg 300
ctcaagattc cagtctgat tgctggactc gctgaagara gactacgcag gaaagcccca 360
gccacccatc aaatcagaga gaaggaatcc accttcttac gctatggcag gtaagaaagt 420
actcattgtc tatgcacacc aggaacccaa gtctttcaac ggatccttga agaattgtgc 480
tgtatagtaa ctgagcaggc agggctgcac cgtcacagtg tctgatttgt atgccatgaa 540
ctttgagccg agggccacag acaaagatat cactggtact ctttctaata ctgaggtttt 600
caattatgga gtggaaaccc acgaagccta caagcaaagg tctctggcta gcgacatcac 660
tgatgagcag aaaaagggtt cggaggctga cctagtgata ttccagttcc cgctgtactg 720
gttcagcgtg ccggccatcc tgaagggtg gatggatagg gtgctgtgcc agggctttgc 780
ctttgacatc ccaggattct acgattccgg tttgtccag ggtaaaactag cgctcctttc 840
cgtaaccacg ggaggcacgg ccgagatgta cacgaagaca ggagtcaatg gagattctcg 900
atactcctg tggccactcc agcatggcac attacacttc tgtggattta aagtccttgc 960
ccctcagatc agctttgtct ctgaaattgc atccgaagaa gaaagaaagg ggatgggtgc 1020
tgctgtgtcc cagaggctgc agaccatctg gaaggaagag cccatcccct gcacagccca 1080
```

```
ctggcacttc gggcaataac tctgtggcac gtgggcatca cgtaagcagc acactaggag 1140
gcccgaggcg aggcaaagag aagatgggtgc tgtcatgaaa taaaattaca acatagctac 1200
ctgggggatac ttttttcttt ctgttttttg tttgttttta attttagctt taaggagcac 1260
atggccagta ctgtttcagg ggaatattgg gtggcgctgg ggtttgggct tctattgatc 1320
ccatcaccca aacagtgagc atagtccca atagatagtt tttcaacact tcctttcctc 1380
cc 1382
```

<210> 511

<211> 1741

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1696)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1710)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1715)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1717)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1720)

<223> n equals a,t,g, or c

<400> 511

```
aactatccaa gccacctatt ttatttgttc tttcatctgt gactgcttgc tgactttatc 60
ataattttct tcaaacaaaa aaatgtatag aaaaatcatg tctgtgastt catttttaaa 120
tgtacttgct cagctcaact gcatttcagt tgtattatag tccagttctt atcaacatta 180
aaacctatag caatcatttc aaatctattc tgcaaattgt ataagaataa agttagaatt 240
aacaatttta ttttgtacaa cagtgaattt tctgtcatg gataatgtgc ttgagtccct 300
ataatctata gacatgtgat agcaaaaaga acaaacaaaa gccaggaaaa cactcatttt 360
cgccttgaat atgtaaatgg gattaatttt gtccctgtgcc ttatgtggaa aggaacttct 420
ttggttttcc ttttttgttc tgggtggaagc atgtgcagga gacatatcat ccaaacataa 480
accattaaaa tgtttgtggg ttgcttggtt gtaattttca aagtagttaa ttgaggacaa 540
agggtaatgc agaagtgata gcttttggtt gctgagtcct gttttaagtg gccttgatat 600
ttaaaactat tcctgccacc atttcttctc cttggccact tcttccttgc gtctccctgc 660
atgctgcttt atttgcttct ccctcccaa ccacctcatg gtatatttaa gagtgaagg 720
gacaaactag taggtttgtc aagtttaata taaagcactg atgtaacttg ctaggtaaac 780
```

```
ggaaaagataa gttctaactg cctactatcc matgtccagt taattggtgt cttccccccct 840
catttgctct cttccctaaa atgtgtccca gatgccttca tttgctgttt tacttctatg 900
ttctgctttt cctcctctct tkgttccctt cckgtctatc cattgagttt atgaaatgga 960
agagttaact gcatgcaacta gtgtttgrag ggtgtgtggt tttgtctttc taattaggtg 1020
tatagcctat tcacttccta gaataaatct cttamcctaa atttgagtag tctgcatttt 1080
ggcaactcct ctagcagctt ggtagcctag tacaggttgt ttttttaaaa aaggaaaagc 1140
aggaaggagg agtgaatttt attaacatgt ttgccaaatg tattgagatt tggcctctga 1200
agaacacttt ttcagtgtta agtttcttta ccttaagatt cagaaatact ttagaatatt 1260
attaatttta agtcctgtct ttacatcctt ttgaaaaact tgtattacca tgagtttgga 1320
aaaaggacaa cgaaaggctt ttcattgtaa gataagatct ttagctatct ctaaccctgt 1380
ccttttttca ctgcattttt tctagttttg cttcattgct tatcattagg atagggttaag 1440
tgaagtttgc tatgtgcta gcatcctaag atgatacctt tgttgaaaga attgtgaata 1500
gcatgattca tttctagcag aggttgagtt taggacagca gcttccattg agaagtcttt 1560
ctgtgtcgtg aatagcattt taatgacctc ttggctcaca taagcaaaca acatagggac 1620
gtatctgcta tgaaaatcca caaatttttc agatagtgcc ctaaaaacaa ttttatatgc 1680
ctcactgggt gttagnctt aggttattan cacananggn gttattccgt ttaccgcccc 1740
c 1741
```

<210> 512

<211> 1530

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1444)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1488)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1508)

<223> n equals a,t,g, or c

<400> 512

```
gaagcggcgt cggcggctgg agcagaggca gcagccggac gagcagcggg ggcggctcggg 60
agcgatggtg aagatggcgg cggcggcgcg cggaggcggc ggtggccgct actacggcgg 120
cggcagtgag ggcggccggg cccctaagcg gctcaagact gacaacgccg gcgaccagca 180
cggaggcggc ggcgggtggc gtggaggagc cggggcggcg ggcggcggcg gcggtgggga 240
gaactacgat gacccgcaca aaaccctgc ctccccagtt gtccacatca ggggcctgat 300
tgacgggtgt gtggaagcag accttggtga ggccttgag gagtttgag ccatcagcta 360
tgtggtggta atgcctaaaa agagacaagc actggtggag tttgaagatg tgttgggggc 420
```



```
ttgcaacgca gtgaactacg cagccgacaa ccaaataatac attgctggtc acccagcttt 480
tgtcaactac tctaccagcc agaagatctc ccgccctggg gactcggatg actcccggag 540
cgtgaacagt gtgcttctct ttaccatcct gaacccattt tattcgatca ccacggatgt 600
tctttacact atctgtaatc cttgtggccc tgtccagaga attgtcattt tcaggaagaa 660
tggagttcag gcgatgggtg aatttgactc agttcaaagt gccagcggg ccaaggcctc 720
tctcaatggg gctgatatct attctggctg ttgcaactctg aagatcgaat acgcaaagcc 780
tacacgcttg aatgtgttca agaatgatca ggatacttg gactacacaa accccaatct 840
cagtggacaa ggtaatcttg acgaccactt tgttctaaac ataccgcct tgctttcact 900
cgactagtgc acttaatagg cctgggctca gggttatgta atgccattgg gcccccatg 960
gacatgggag ggccttgagg tcagcacttg gacaccctag tgggatggg gagtgaagg 1020
cctccatggg tcttcaactg tgcttggggc cctccgatgc tgctcaggat acagaggcaa 1080
ggcagaagcc tgagatgggc ggggagcagg gcctcactga ggatgaggcg tggggcgggc 1140
cttagaaacc agcagtggct cctttgagag tctggtgagg gtcactcact ccattcttgc 1200
tggaccagga attgtcctct tgttctgcgc tgttgagagg gtctgatttg ggggagtga 1260
agtgttggg ggcgatgagg ctctgggct cttgcagtga gcctttgtga gcaagctgac 1320
ccttgtggag ctgagaacac tntggaatgg accaaggcgg acatgcttta aaataatttg 1380
tagaggggaa cgcaacatct tttgcaagg tggcccaaat gggacaactt cctttcctaa 1440
gggncctggc agaaatgggt tttggccttt tgggtaagca aggggaanaa ggttgggaag 1500
gaattggncc taatgaagaa aacaagcggg 1530
```

<210> 513

<211> 2999

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2606)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2996)

<223> n equals a,t,g, or c

<400> 513

```
ttttttttta ttttttggtt tagcatttaa taggcacata atcaacattt actgttcaat 60
tgaacaaaaa ttaaaattgg gcgctgtctc tatctttatt tgtgatcggc cctaactgca 120
ctggcaatct tttccgtttt tttgttttct gttttccatt cgcagcccc ttagcgtacc 180
tggggctccg gctcctttac aaatgaaacc caaagtgtc cgaagcacag ccagcgaaag 240
ganaaactct gaaacggaca agatggctgc cacctcttcg cgctcttag tcccaccac 300
tcaggcgga ggtctgcgtc atgtgacct cccctcttg gctccgctc taccgcagt 360
cttgacggga ggcggacggg gaacgaggcc gtcggcattt tgtgtctgct tcctgtggga 420
cgtggtggta gccgttgggt tgggaaagtg agggattttt ggcctcgttt ctctgcttc 480
ttttctcctc ccttttactt tgccggtaga acacagttat gggtcgcaag aagaagaagc 540
agctgaagcc gtggtgctgg tattgtaata gagattttga tgatgagaag atccttattc 600
```

agcaccacaaa agcaaagcat tttaaagtcc atatatgtca caagaaattg tatacaggac 660
ctggcttagc tattcattgc atgcaggtag ataaagaaac aatagatgcc gtaccaaatg 720
caatacctgg aagaacagac atagagttgg aaatatatgg tatggaaggt attccagaaa 780
aagacatgga tgaaagacga cgacttcttg aacagaaaac acaagaaagt caaaaaaaga 840
agcaacaaga tgattctgat gaatatgatg atgacgactc tgcagcctca acttcatttc 900
agccacagcc tgttcaacct cagcaaggtt atattcctcc aatggcacag ccaggactgc 960
caccagtacc aggagcacca ggaatgcctc caggcatacc tccattaatg ccagggtgtc 1020
ctcctctgat gccaggaatg ccaccagtta tgccaggcat gccacctgga ttgcatcatc 1080
agagaaaata caccagtcata ttttgcggtg aaaacataat gatgccaatg ggtggaatga 1140
tgccacctgg accaggaata ccacctctga tgccctggaat gccaccagggt atgccccac 1200
ctgttccacg tcctggaatt cctccaatga ctcaagcaca ggctgtttca gcgccaggta 1260
ttcttaatag accacctgca ccaacagcaa ctgtacctgc cccacagcct ccagttacta 1320
agcctctttt cccagtgct ggacaggctc aggagctgt ccaaggacct gttggtacag 1380
atttcaaacc cttaaatagt accctgcaa caactacaga acccccaaag cctacattcc 1440
ctgcttatac acagtctaca gcttcaacaa ctagtacaac aaatagtact gcagctaaac 1500
cagcggtctc aataacaagt aagcctgcta cacttacaac aactagtga accagtaagt 1560
tgatccatcc agatgaggat atatccctgg aagagagaag ggcacagtta cctaagtatc 1620
aacgtaatct tcctcgcca ggacaggccc ccacggtaa tccaccagtt ggaccaattg 1680
gaggtatgat gccaccacag ccaggcatcc cacagcaaca aggaatgaga cccccaatgc 1740
cacctcatgg tcagtatggt ggtcatcatc aaggcatgcc aggatacctt cctggtgcta 1800
tgccccgta tgggcaggga ccgccaatgg tgccccctta ccagggtggg cctcctcgac 1860
ctccgatggg aatgagacct cctgtaatgt cgcaagggtg ccgttactga tcttacttca 1920
tccagtctaa taggtttgga gattaaacct tttctcaact tgtgctgttt atatagccaa 1980
gcttccgtca ataaggcttc attgtgactt taacaaacat tatcttccca cataccagga 2040
actattggac atttatttta catgggaaaa attatttgga ataataaagc aggaactttt 2100
cctgaagttg caatttatac tgtatggctt ctttttcatg tttcatctag gtttttagaa 2160
gtgaagtata gtaaatttgg ttcgttaaat tgtgaaggcg ctggaattac atgaacatac 2220
caccctagta aaggcaagtt ctgtaagctt acattgctat ttgtaaagtt tgccttcaca 2280
gcatttcaga tgctgttgga cttcatgtcc ccaacctagc ttggtgaggg ctgtaactgt 2340
ttccaagtac ttgtacattg gaagtctgaa tgtgtaacaa tatttaatgt atttagagtt 2400
cctcatgttg cagggtttta gaaatctgac ccaccaaggt catgtgactt ttctgtactg 2460
ttaaacttca ttgtaataaa atgagagaaa aatttatgcc tttttattca taaccagct 2520
gtggaccact gcctgaaagg tttgtacaga tcatgcccac agtagatgtc cacataataa 2580
aattcatagt taccaatgca gtttanatat atcattggat tctgtctttg agttgtaggt 2640
tatttcttag ctgcatgttt taaactgaat ttgcatagag ttgtatgtta atgtttcagt 2700
taagagaaaa acttaagata catgagtcac tacataatgg gtatgaaatc tttataatca 2760
cccttcacc ctctatggtg tcagtacaca tcacgtgtca tagatactta aaatgtaaat 2820
gttaacactt ttccttctcg ctgagatgtt tagagcctag tgccagaccc attcatttcc 2880
ttttgattat ttttgagact cagtactagc ttcttgctgt gttaatgggt tattatatat 2940
tattctaagt gtaatgctga gaatctaaat gtgtctctgt tgggatgggt aacagntga 2999

<210> 514

<211> 2048

<212> DNA

<213> Homo sapiens

<400> 514

tttgtcagat gatcagcttc tactgattat cttgctgctt aaaggcctgc tcaccaatct 60
ttctttcaca ccgtgtgggc cgtgttactg gtataccag tatgttctca ctgaagacat 120
ggactttata tgttcaagtg caggaattgg aaagttggac ttgttttcta tgatccaaaa 180
cagccctata agaaggttgg aaaaggagga actatatagc agcctttgct attttctgct 240

```
accattttctt ttctcttgaa gcggccatga cattcccttt ggcaactaac gtagaaactc 300
aacagaacat ttctctttcc tagagtcacc ttttagatga taatggacaa ctatagactt 360
gctcattgtt cagactgatt gcccctcacc tgaatccact ctctgtattc atgctcttgg 420
caatttcttt gactttcttt taagggcaga agcatttttag ttaattgtag ataaagaata 480
gttttcttcc tcttctcctt gggccagtta ataattggtc catggctaca ctgcaacttc 540
cgtccagtgc tgtgatgccc atgacacctg caaaataagt tctgcctggg cattttgtag 600
atattaacag gtgaattccc gactcttttg gtttgaatga cagttctcat tccttctatg 660
gctgcaagta tgcattcagt cttcccaactt acctgatttg tctgtcgggtg gcccctatg 720
gaaacctgac gtgtctgttg gcataatagt ttacaaatgg ttttttcagt cctatccaaa 780
tttattgaac caacaaaaat aattacttct gccctgagat aagcagatta agtttgttca 840
ttctctgctt tattctctcc atgtggcaac attctgtcag cctctttcat agtgtgcaaa 900
cattttatca ttctaaatgg tgactctctg cccttggaac catttattat tcacagatgg 960
ggagaacctt tctgcatgga cctctgtgga ccacagcgta cctgcccctt tctgccctcc 1020
tgctccagcc ccacttctga aagtatcagc tactgatcca gccactggat attttatatc 1080
ctcccttttc cttaagcaca atgtcagacc aaattgcttg tttctttttc ttggactact 1140
ttaatttgga tcctttgggt ttggagaaag ggaatgtgaa agctgtcatt acagacaaca 1200
ggtttcagt atgaggagga caacactgcc tttcaaaactt tttactgatc tcttagattt 1260
taagaactct tgaattgtgt ggtatctaata aaaagggaag gtaagatgga taatcacttt 1320
ctcatttggg ttctgaattg gagactcagt ttttatgaga cacatctttt atgccatgta 1380
tagatcctcc cctgctattt ttggtttatt tttattgtta taaatgcttt ctttctttga 1440
ctcctcttct gcctgccttt ggggataggt ttttttggtt gtttatttgc ttctctgtt 1500
ttgttttaag catcattttc ttatgtgagg tggggaaggg aaagggtatga gggaaagaga 1560
gtctgagaat taaaatattt tagtataagc aattggctgt gatgctcaa tccattgcat 1620
cctcttattg aatttgccaa tttgtaattt ttgcataata agaaccaaa ggtgtaatgt 1680
tttggtgaga ggtggttttag ggattttggc cctaaccaat acattgaatg tatgatgact 1740
atttgggagg acacatttat gtaccagag gcccccacta ataagtggta ctatggttac 1800
ttccttgtgt acatttctct taaaagtgat attatatctg tttgtatgag aaaccagta 1860
accaataaaa tgaccgcata ttctgacta aacgtagtaa ggaaaatgca cactttgttt 1920
ttacttttcc gtttcattct aaaggtagtt aagatgaaat ttatatgaaa gcatttttat 1980
cacaaaataa aaaagggttg ccaagctcaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaa 2048
```

<210> 515

<211> 3300

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

<400> 515

nngacccacg cgtccgcgga cgggtgggtcg agacccacgc gtccgccttta cagggaccca 60
gtctgccttc aagaaaagac agaagtagaa aggggtggtgg ctgactgtct gacaaattgt 120
tatcangtat gcaggaagta tatccttctc caaaatatca tacttgcatc accaggtaga 180
cacatttcct tctacacaga attatcttca gagcttctta aagcaaataa agcctgcttc 240
aaggactgag tccctagtcg aattcccggga aggagtggag cctgtcatat tggtagagggt 300
ttgccttgaa tgcacatcca gtatttcaat attgattaat tagtcttccc tcatgggtccc 360
aactgcatag tttttatttt gttgagtgtt ctgacacatg gtaagggaca tgaaagtatc 420
ctttgagata atctttccat tcatcagtgt ttatctagca tctgctcaag agtgtgctgc 480
agtggaggga aatcagatga cctcccagtc tgggtgtgtt acatacaatc atgtgtaaga 540
agtgccattc aagccgtgtc actggagggg actgacagtg agtgagtgtg gatagagagg 600
acctcctggg gtgggcaatg tgagccctca gactctgtag gtattgcatt ttgcagtga 660
cactggtaga catgttttgt ggctcaagcc agcatgtgtg tgatggttta ggattcaktg 720
acttttgatg atctggctgt ggacttcacc ccagaagaat ggactttact ggacccaact 780
cagagaaacc tctacagaga tgtgatgtcg gagaactaca agaatttggc cacagttaga 840
tatcagctct tcaaacccag tctgatctct tggctggaac aagaagagtc taggacagtg 900
cagagagggtg atttccaagc ttcagaatgg aaagtgaac ttaaaaccaa agagttagcc 960
cttcagcagg atgttttggg ggagccaacc tccagtgga ttc aaatgat aggaagccac 1020
aacggagggg aggtcagtga tgttaagcaa tgtggagatg tctccagtga acactcatgc 1080
cttaagacac atgtgagaac tcaaaatagt gagaacacat ttgagtgtta tctgtatgga 1140
gtagacttcc ttactctgca caagaaaacc tctactggag agcaacgttc tgtatttagt 1200
cagtgtggaa aagccttcag cctgaaccca gatgtgttt gccagagaac gtgcacagga 1260
gagaaagctt ttgattgcag tgactctggg aaatccttca ttaatcattc acaccttcag 1320
ggacatttaa gaactcaciaa tggagaaagt ctccatgaat ggaaggaatg tgggagaggc 1380
tttattcact ccacagacct tgctgtgcgt atacaaactc acaggtcaga aaaaccctac 1440
aaatgtaagg aatgtgaaa aggatttaga tattctgcat accttaatat tcacatggga 1500
accacactg gagacaatcc ctatgagtgt aaggagtgtg ggaaagcctt caccaggtct 1560
tgtcaactta ctcagcacag aaaaactcac actggagaga aaccttataa atgtaaggat 1620
tgtgggagag ccttactgtt ttctcttgc ttaagtcaac atatgaaaat ccatgtgggt 1680
gagaagcctt atgaatgcaa ggaatgtggg atagccttca ctagatcttc tcaacttact 1740
gaacatttaa aaactcacac tgcaaaaggat ccctttgaat gtaagatatg tggaaaatcc 1800
tttagaaatt cctcatgcct cagtgatcac ttctgaattc aactggaat aaaaccctat 1860
aaatgtaagg atgtgggaa agccttcact cagaactcag accttactaa gcatgcacga 1920
actcacagtg gagagaggcc ctatgaatgt aaggaaatgt gaaagcctt tgccagatcc 1980
tctcgcctta gtgaacatac aagaactcac actggagaga agccttttga atgtgtcaaa 2040
tgtgggaaag cctttgctat ttcttcaaat cttagtgagc atttgagaat tcacactgga 2100
gagaagccct ttgagtgcct ggaatgtggt aaagcattta cgcattcctc cagtcttaat 2160
aatcacatgc ggacccacag cgccaaaaaa ccattcacgt gtatggaatg tggcaaagcc 2220
tttaagtttc ccacgtgtgt taaccttcac atgcggatcc acactggaga aaaaccctac 2280
aaatgtwaac agtgtgggaa atccttcagt tactccaatt cgtttcagtt acatgaacga 2340
actcacactg gagagaaacc ctatgaatgt aaggagtgcg ggaaagcctt cagtcttccc 2400
agtccctttc gaaatcatga aagaaggcat gcggatgaga gactgtcagc ataagggaatg 2460
tgggaaaacc taaaggtgtc cctgttctct ctgaagacat gaaaactcac tggggagaaa 2520
ccctatgaat gtaaaaatgt ggaagcaact ttgtatctca ggtcttaatg aacacatatg 2580
aatcacagt ggagaagacc ctgcatcagg gaatgtggaa atgactttgc tgaattctca 2640
agccttacca aacacatcag aaatctcact ggagagaaac ygtatgaatg tagagaatct 2700
gggaatacct ttctgaatcc cacaacacct aatgtgtgta tgtgaactca cattggagag 2760
aaaccctgca atttaaatgg tatggtctgg atgatgcccc actccatatt tgaagccct 2820
aagtcctagt tccttacact ataactgtat ttggacatag ggttttcaaa caggtgagta 2880
acttcaaatg aggtgtgtgg gttcgtatccc taactctgaca tcactggtgt ccctataagg 2940

gaaactgaag gaaggataca catggagaag actgtgtgga tccaccagaa gatggccatc 3000
tacaagccaa ggacagagac ctggaacaga tgctttcatt atggcctcca gaggaacca 3060
accctgtctc caccttgata ttgcacttcc aggctccaga actgtgaggc aataaatttc 3120
tcttggttaa atcattcagt ctgttatttt gtacagcaac cctaggaaac taatactgtg 3180
aggaacttgg gaaaagcttt agatcaagct tgtccaaccc gcaggccagg atggctttga 3240
atgcagacca acacaaattt ttaagctttc ttcaaacata ataaawtttt tttgtgatta 3300

<210> 516

<211> 3425

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<400> 516

gggaagtccc cgaggcgcac agagcaagcc cacgcgaggg cacctctgga ggggagcgcc 60
tgcaggacct tgtaaaagtca aaaatgtcag aaacttccag gaccgccttt ggaggcagaa 120
gagcagttcc acccaataac tctaattgcag cggaagatga cctgcccaca gtggagcttc 180
agggcgtggt gccccggggc gtcaacctgc aagatgatgc tgtgtatctg gacaatgaga 240
aagaaagaga agagtatgtc ctgaatgaca tcggggtaat tttttatgga gaggtcaatg 300
acatcaagac cagaagctgg agctatggtc agtttgaaga tggcatctg gacacttgcc 360
tgtatgtgat ggacagagca caaatggacc tctctggaag anggaatccc atcaaagtca 420
gccgtgtggg gtctgcaatg gtgaatgcca aagatgacga aggtgtcctc gttggatcct 480
gggacaatat ctatgcctat ggcgtccccc catcggcctg gactggaagc gttgacattc 540
tattggaata ccggagctct gagaatccag tccggtatgg ccaatgctgg gtttttgctg 600
gtgtctttaa cacattttta cgatgccttg gaataccagc aagaattgtt accaattatt 660
tctctgcccc tgataatgat gccaatgtgc aaatggacat ctctctgga gaagatggga 720
acgtgaattc caaactcacc aaggattcag tgtggaacta ccaactgctg aatgaagcat 780
ggatgacaag gcctgacctt cctgttgat ttggaggctg gcaagctgtg gacagcacc 840
cccaggaaaa tagcgatggc atgtatcggg ttggccccgc ctcggttcaa gccatcaagc 900
acggccatgt ctgcttccaa tttgatgcac cttttgtttt tgcagaggtc aacagcgacc 960
tcatttacat tacagctaag aaagatggca ctcagtgtgt ggaaaatgtg gatgccacc 1020
acattgggaa attaatgtg accaaacaaa ttggaggaga tggcatgatg gatattactg 1080
atacttaciaa attccaagaa ggtcaagaag aagagagatt ggccctagaa actgccctga 1140
tgtacggagc taaaaagccc ctcaacacag aaggtgtcat gaaatcaagg tccaacgttg 1200
acatggactt tgaagtggaa aatgctgtgc tgggaaaaga cttcaagctc tccatcacct 1260
tccggaaciaa cagccacaac cgttacacca tcacagctta tctctcagcc aacatcacct 1320
tctacaccgg ggtccygaag gcagaattca agaaggagac gttcgactg acgctggagc 1380
ccttgtcctt caagaaagag gcggtgctga tccaagccgg cgagtacatg ggtcagctgc 1440
tggacaagc gtccctgcac ttctttgtca cagctcgcat caatgagacc agggatgttc 1500
tggccaagca aaagtccacc gtgctaacca tccctgagat catcatcaag gtccgtggca 1560
ctcaggtagt tggttctgac atgactgtga cagttgagtt taccaatcct ttaaagaaa 1620
ccctgcgaaa tgtctgggta cacctggatg gtccctggagt aacaagacca atgaagaaga 1680
tgttccgtga aatccggccc aactccaccg tgcagtggga agaagtgtgc cggccctggg 1740
tctctgggca tcggaagctg atagccagca tgagcagtga ctccctgaga catgtgtatg 1800
gcgagctgga cgtgcagatt caaagacgac ctcccatgtg aatgcacagg aagctgagat 1860
gaaccctggc atttggcctc ttgtagtctt ggctaaggaa attctaacgc aaaaatagct 1920
cttgctttga cttaggtgtg aagaccacga caggactgca gagggcycca gagtggagat 1980

```
cccacatatt tcaaaaacat gcttttccaa acccaggcta ttcggcaagg aagttagttt 2040
ttaatctctc caccttccaa agagtgctaa gcattagctt taattaagct ctcatagctc 2100
ataagagtaa cagtcacatc ttatcatcac aaatggctac atctccaaat atcagtgggc 2160
tctcttacca gggagatttg ctcaatacct ggcctcattt aaaacaagac ttcagattcc 2220
ccactcagcc ttttggaat aatagcacat gatttgggct ctagaattcc agtccccctt 2280
ctcgggggtca ggttctaccc tccatgtgag aatatttttc ccaggactag agcacaacat 2340
aatttttatt tttggcaaag ccagaaaaag atctttcatt ttgcacctgc agccaagcaa 2400
atgcctgcc aatttttagat ttacctgtt agaagagggtg gccccatatt aacaaattgc 2460
atttgtggga aacttaacca cctacaagga gataagaaag caggtgcaac actcaagtct 2520
attgaataat gtagttttgt gatgcatttt atagaatgtg tcacactgtg gctgatcag 2580
caggagccaa tatcccttac ttaaccctt tctgggatgc aatactagga agtaaagtga 2640
agaatttato tctttagtta gtgattatat ttcacccatc tctcaggaat catctccttt 2700
gcagaatgat gcaggttcag gtcccccttc agagatataa taagcccaac aagttgaaga 2760
agctggcgga tctagtgacc agatatatag aaggactgca gccactgatt ctctcttgct 2820
cttcacatca ccatgttga gacctcagct tggcactcag gtgctgaagg gtaatatgga 2880
ctcagccttg caaatagcca gtgctagttc tgaccaaac acagaggatg ctgacatcat 2940
ttgtattatg ttccaaggct actacagaga aggctgcctg ctatgtattt gcaaggctga 3000
tttatggtaa gaatttccct ctgatatgtc taggggtgtga tttagggtcag tagactgtga 3060
ttcttagcaa aaaatgaaca gtgataagta tactgggggc aaaatcagaa tggaaatgctc 3120
tgggtctatat aaccacattt ctaagccttt gagactgttc ctgagccttc agcactaacc 3180
tatgaggggtg agctgggtccc ctctatatat acatcactact taactttact aagtaatctc 3240
acagcatttg ccaagtctcc caatatccaa ttttaaaatg aaatgcattt tgctagacag 3300
ttaaactggc ttaacttagt atattattat taattacaat gtaatagaag cttaaaataa 3360
agttaaactg attatatttg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaagggggg 3420
ggggc 3425
```

<210> 517

<211> 1358

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1356)

<223> n equals a,t,g, or c

<400> 517

```
tcgacccacg cgtccggacc cacgcgtccg agtcaacatc aggctactga agttgaggct 60
ttagggtaac ttctctatat tgagcccatg ggttacaagg atttgcaata tattgttcca 120
tttacagcca atacaggttt aatcgatgtt caatattggt ttaggaaatt taaggccttc 180
taaatcataa tagctctttc atgtctaaaa ccattttatg atattgcaa aatgtgatag 240
gaaacctact cattaaattg ttaaactttt taatgactat gtgaagatat gaattgtttc 300
ctgaagataa tactcttaat tgagttgtat tgtacttctt aggc aaagca gtgtaaaact 360
gtatcaatta aggcttgtga gtagtgtatt ccactggggc atcagagtct tggctgggct 420
gaatctgctg cttgttggtt cagtgtttct tatgaacaag agccacagta cagagcttca 480
agttatttaa aatactaagt catcttacgt ttccatttta ttaacgggat gttgcaatcg 540
```

```

tttgtaaact aataaactta taaagtgatt ggcacaaaga ctccttgagc aaaagctgtg 600
cagttaagta caaaaagata cttaatttgg agactcttac agtaattttt gccatgtcaa 660
aacaatggct tttaacattga aagattaata gaaactctac atatgttaat ttttttatag 720
aacctgactc aaatcaagggt actctocatt ttattgcctt acctgaatca gtcctttttg 780
gttggttaata gattttttta tacaccacg tttgatttaa aagtaaattc tagttcttaa 840
gcactttttaa caagaaatcc agaagcacat ttttctgcac aaacaagtta caaagttcaa 900
aagtgtttct tgtgcattag ctttgagatt cagtttttaa ctttgtaaac cacatctgag 960
agacttgtca tttctacatt gtgtgtgttt aatttctttt gattccattt tggtaagag 1020
agcagtaaat agattttctg gtattcttgt tcacttgatt acatttgat aaagtcttga 1080
ttgccagttg ctacagataac aagtgacaag gcagaattct ttaaatcagt aaagttcctt 1140
aagcctaagg ctaaatcttg aatacattgt tgaattcttt aatatcctga tggcaagcag 1200
actgatagct gcacatttgg catgctttgt ttaatggatt ttatttttaa ttgcagattt 1260
atttggaat gtacagtaaa ttttgtaaac ttgcatcaag tttatgaata aagaaccatt 1320
taaaaaaaaa aaaaaaaaaa aaaagnagga aagaanag 1358

```

<210> 518

<211> 1368

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1225)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1311)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1347)

<223> n equals a,t,g, or c

<400> 518

```

gcggattgca acacatgcag ctgcctggag agagggagcc ggtgtcctac gtcagagccg 60
ccgccgccgc ggagccgccg ccggggagga gcagccgctg ccgccagga ctgggccctt 120
agggaggagg aggcgagaag atggcggacg accccagtgc tgccgacagg aacgtggaga 180
tctggaagat caagaagctc attaagagct tggaggcggc ccgcggcaat ggcaccagca 240
tgatatcatt gatcattcct cccaaagacc agatttcacg agtggcaaaa atgttagcgg 300

```

```
atgagtttg aactgcatct aacattaagt cacgagtaaa ccgcctttca gtcctgggag 360
ccattacatc tgtacaacaa agactcaaac ttataacaa agtacctcca aatggtctgg 420
ttgtatactg tggaacaatt gtaacagaag aaggaaagga aaagaaagtc aacattgact 480
ttgaaccttt caaaccaatt aatacgtcat tgtatttgtg tgacaacaaa ttccatacag 540
aggctcttac agcactactt tcagatgata gcaagtttgg attcattgta atagatggta 600
gtggtgcact ttttggcaca ctccaaggaa acacaagaga agtcctgcac aaattcactg 660
tggatctccc aaagaaacac ggtagaggag gtcagtcagc cttgcgtttt gcccgtttaa 720
gaatggaaaa gcgacataac tatgttcgga aagtagcaga gactgctgtg cagctgttta 780
tttctgggga caaagtgaat gtggctggtc tagttttagc tggatccgct gactttaaaa 840
ctgaactaag tcaatctgat atgtttgatc agaggttaca atcaaaaagt tttaaattag 900
ttgatataat ctatggtggt gaaaatggat tcaaccaagc tattgagtta tctactgaag 960
tcctctccaa cgtgaaattc attcaagaga agaaattaat aggacgatac tttgatgaaa 1020
tcagccagga caggggcaag tactgttttg gcgttgaaga taaactaaag gctttggaaa 1080
tgaggagctg agaaattcta atagtctatg aaaatctgga tataatgaga tatgttcttc 1140
attgccaagg cacagaagag gagaaaattc tctatctaac tccagagcaa gaaaaggata 1200
aatctcattc cacagacaaa gaganccgga caggaaccat gascttatcg agagcatgsc 1260
cctktttggg awggkttgst aacaactwta aaaaattggg acttccttgg naaattggcc 1320
caattaattc ccnanaaaag ggtcaanttt ggaaaagaat tgggggaa 1368
```

<210> 519

<211> 933

<212> DNA

<213> Homo sapiens

<400> 519

```
ccacgcgtcc gcggacgcgt gggcggacgc gtgggtggca ggatcagatt ttattaagac 60
ctctactgga aaagaaacag taaatgccac cttcccggta gctatagtaa tgctgcgggc 120
cattagagat ttcttctgga aaactggaaa caagataggg tttaaaccag caggaggcat 180
ccgcagtgca aaggattccc ttgcttggct ctctcttgta aaggaggagc ttggagatga 240
gtggctgaag ccagaactct ttcgaatagg tgccagtact ctgctctcgg acattgagag 300
gcagatttac catcatgtga ctggaagata tgcagcttat catgatcttc caatgtctta 360
aatcagtcac cagtccaga aaagtctttt acgacaatgt ttaaaaatta ttttctacg 420
taattgctaa aattatttaa ttaaaaaatt gggcagtagg taactggcat tcctctcttt 480
aaaatttcta ccgaacttaa tggaatggaa aaagcaaact catccacatg tggtaactcat 540
ttcaggcaca tctgaaatga tcttaattac tagaagatct gcactattaa ctttgtgaag 600
agtttctcct aaaaacttta agtaaaatgt taatggtagc tttgataaca tcaaattcta 660
agggagaaaa aaacaatatt aaaccgcca agcagtggtg cctagcagag gaaaatgcaa 720
catctcgcaa gcgctgctgt aacgacttca ggagtcactg attcagcact aatttcctgc 780
tgtgaaaact catctttcat ttttgccgtg gataggcgtt tttattaatt gttgtcctaa 840
tgaaatttct gacattgtca tatacaacga tgaatatcat taaaattttt aaaataaaaa 900
aaaaaaaaa aaaaaactcg agggggggcc cgg 933
```

<210> 520

<211> 1430

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (105)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1428)
<223> n equals a,t,g, or c

<400> 520
gcggacgcgt gggcggacgc gtgggacggac gcgtggggttt cacagccaaa gtgtgggatg 60
ctgtctcagg agatgaattg atgacctgg ctcataaaca catnntcaag actgtggatt 120
tcacgcagga tagtaattat ttgttaaccg ggggacagga taaactgtta cgcataatg 180
acttgaacaa acctgaagca gaacctaaagg aaattagtgg tcatacttct ggtataaaaa 240
aagctctgtg gtgcagttag gataaacaga ttctttctgc tgatgacaaa actgttcgac 300
tttgggatca tgctactatg acagaagtga aatctctaaa ttttaatatg tctgttagta 360
gtatggaata tattcctgag ggagagattt tgggtataac ttatggacga tctattgctt 420
ttcatagtgc agtaagtttg gacccaatta aatcctttga agctcctgca accatcaatt 480
ctgcatctct tcacctcag aaagaatttc ttgttgacag cgggtgaagat tttaaacttt 540
ataagtatga ttataatagt ggagaagaat tagaatccta caaggacac tttggtccta 600
ttcactgtgt gagatttagt cctgatggag aactctatgc cagtgggttca gaagatgga 660
cattgagact atggcaaaact gtggtaggaa aaacgtatgg cctttggaaa tgtgtgcttc 720
ctgaagaaga tagtggtgag ctggcaaaag caaagattgg tttccagag acaacagaag 780
aggagctaga agaaattgct tcagagaatt cagattgcat ctttccttca gtcctgatg 840
ttaaggcctg agcgtcaatc atatgttgca gttagtatac aactgactaa aacaagcaag 900
cagagaaaag catcagcctt ccagagttag tgtctgctta aggcagaaac agcagtaaatt 960
aatgaggaaa atgaattagc tccagtgtct gaacaactaa ctaacttggt gttacctgta 1020
agtgaaaact caagtgtcag atgaaggag gtggagttat cctctttag tacagtggcc 1080
tggtatcttt ttaatgaata tatacaagcc aacatccaat ttctattatt acaattaggg 1140
ttctgttagc tgtttatgtt aatatggaga agaaaactat attggctgat tttttctgat 1200
cttaaagcag aatgcctttt ctttttttgc ttcagttgta aagaagaggg aatacatgat 1260
aaagtaactg gtttgatttc tcgttcattg tacactgcct ctgaacatct aattgttttt 1320
agtgtgtctaa ataaatgcc tctaaaacaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaanaa 1430

<210> 521
<211> 1169
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1159)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (1166)
<223> n equals a,t,g, or c

<400> 521

```

gccacgcgt ccgccacgm gycgcgtgg agttgtgaac gccgcggact ccggagccgc 60
acaaaccagg gtcgccatg aagccaggat tcagtcctcg tgggggtggc tttggcggcc 120
gagggggcct tggtgaccgt ggtggtcgtg gaggcgagg gggctttggc gggggccgag 180
gtcgaggcgg aggcctttaga ggtcgtggac gaggaggagg tggaggcggc ggcggcgggt 240
gaggaggagg aagaggtggt ggaggcttcc attctggtgg caaccggggt cgtggtcggg 300
gaggaaaaag aggaaaccag tcggggaaga atgtgatggt ggagccgcat cggcatgagg 360
gtgtcttcat ttgtcgagga aaggaagatg cactggtcac caagaacctg gtccctgggg 420
aatcagttta tggagagaag agagtctcga tttcggaagg agatgacaaa attgagtacc 480
gagcctggaa ccccttccgc tccaagctag cagcagcaat cctgggtggt gtggaccaga 540
tccacatcaa accgggggct aaggttctct acctcggggc tgcctcgggc accacggtct 600
cccattgtct tgacatcgtt ggtccggatg gtctagtcta tgcagtcgag ttctcccacc 660
gctctggccg tgacctcatt aacttgcca agaagaggac caacatcatt cctgtgatcg 720
aggatgctcg acaccacac aaataccgca tgctcatcgc aatggtggat gtgatctttg 780
ctgatgtggc ccagccagac cagaccgga ttgtggccct gaatgcccac accttcctgc 840
gtaatggagg acactttgtg atttccatta aggccaactg cattgactcc acagcctcag 900
ccgaggccgt gtttgcctcc gaagtgaata agatgcaaca ggagaacatg aagccgcagg 960
agcagttgac ccttgagcca tatgaaagag accatgccgt ggtcgtggga gtgtacaggc 1020
cacccccaca ggtgaagaac tgaagttag cgctgtcagg attgcgagag atgtgtgttg 1080
atactgttgc acgtgtgttt ttctatataa agactcatcc gtcaaaaaaa aaaaaaaaaa 1140
arggggggcc gctaggggnt ccaagnnta 1169

```

<210> 522

<211> 2162

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (169)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2133)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2136)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2139)

<223> n equals a,t,g, or c

<400> 522

```

gccgggcgcg gagaagtcgg ggcgggcggc agagaggccg ggacgcggac cgggccgggg 60
cgcccacagc cgcccagcgg cgcccagaga gcgcgcgccc cgcagccccg cgcctagccc 120

```

gccgggcatg gggcgcgcg cagccgctga agccccggcc tggccccgnc gcacccggcc 180
ggaggcgag ggcagagcgc gcgcccagtt gcccgggcac caaatcgag cgcggcgtgc 240
gggaggggcc agagcaggac tggaaatgtc ctggccgcgc cgcctcctgc tcagatacct 300
gttccccggc ctctgtctc acgggctggg agagggttct gccctccttc atccagacag 360
caggtctcat cctaggtcct tagagaaaag tgcttgagg gcttttaagg agtcacagt 420
ccatcacatg ctcaaaccatc tccacaatgg tgcaaggatc acagtgcaga tgccacctac 480
aatcgagggc cactgggtct ccacaggctg tgaagtaagg tcaggcccag agttcatcac 540
aagtcctac agattctacc acaataacac cttcaaggcc taccaatttt attatggcag 600
caaccgggtgc aaaaatccca cttatactct catcatccgg ggcaagatcc gcctccgcca 660
ggcctcctgg atcatccgag gggggcacgga agccgactac cagctgcaca acgtccaggt 720
gatctgccac acagaggcgg tggccgagaa gctcgccag caggtgaacc gcacatgcc 780
gggttcctc gcagacgggg gtccctgggt gcaggacgtg gcctatgacc tctggcgaga 840
ggagaacggc tgtgagtgc ccaagggcgt gaactttgcc atgcatgaac ttcagctcat 900
ccgggtggag aagcagtacc ttcaccacaa cctcgaccac ctggtcgagg agctcttct 960
tggtgacatt cacactgatg ccaccagag gatgttctac cggccctcca gttaccagcc 1020
ccctctgcag aatgccaaaga accacgacca tgctgcac gcctgtsgga tcctctatcg 1080
gtcagacgag caccaccctc ccctcctgcc cccaaaggca gacctgacca tcggcctgca 1140
cggggagtgg gtgagccagc gctgtgagg gcgccccgaa gtcctcttcc tcaccgcca 1200
cttcatcttc catgacaaca acaacacctg ggaggccac tactaccact actcagaccc 1260
ggtgtgcaag caccacacct tctccatcta cggccggggc cgctacagcc gcggcgctct 1320
ctcgtccagg gtcattgggag gcaccgagtt cgtgttcaaa gtgaatcaca tgaaggtcac 1380
ccccatggat gcggccacag cctcactgct caacgtcttc aacgggaatg agtgcgggc 1440
cgagggtctc tggcagggtg gcatccagca ggatgtgacc cacaccaatg gctgcgtggc 1500
cctgggcatc aaactacctc acacggagta cgagatcttc aaaatggaac aggatgcccg 1560
ggggcgctat ctgctgttca acggtcagag gccagcgac gggccagcc cagacaggcc 1620
agagaagaga gccacgtcct accagatgcc cttggtccag tgtgcctcct cttcgccgag 1680
ggcagaggac ctgycagaag acagtggag cagcctgtat ggccggggcc ctgggaggca 1740
cacctggctc ctgctgtgg ctgcacttgc ctgycttgc cctctgctgc attggaacat 1800
ccgcagatag aagttttaga aagttctatt tttccaaacc aggattcctt actattgaca 1860
gatttkcttt accaaaagaa aagacattta ttcttttgat gcacttgaat gccagagaac 1920
tgtcctctt tttctcctct cctccctcc cagccctga gtcattgaaca gcaaggagt 1980
tttgaagtt ctgctttgaa ctccgtccag cctgatccct ggctgagca acttcacaac 2040
agtaattgca ctttaagaca gcctagagtt ctggacgagc gtgtttggtg gcagggatga 2100
aagctaccww atttttttct cttrattatt tgnacnaant tgagtagaag ttatttccct 2160
tt

<210> 523

<211> 799

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (758)

<223> n equals a,t,g, or c

<400> 523

```
tctctctccc tctcttcctt cccctgccc caaaactaaa gtaaaataac gttaactgcc 60
cgtttttctg taaccagcag accttatcta tactcccaat tccaattcct tgtaaacata 120
ctttgtaaag tcctgtaaga tcctgtctcc ttgccatga cgctgcaagg tcataaagta 180
gataaaacct aagttgcaat tccggttttc ctcaagatct aagacatgtt acaaatggtt 240
aattgccttt gtttctcgct ttggtaacat cttcccgctt caggtatttc ccgccttgaa 300
gagtttaaaa ggcaatccta taatctaact ctggctaccc attctggacc cctccatgc 360
tttggaaagt ttgtactttc actctgctca ataaagcctr cagctttttc tcaactctag 420
tccatgtctc tttcactcac tgnngtcagc ttccacacca tttctttggt gtggcttggc 480
aagaacctca ggtgttacat cttggcgagc cagacaggag actccagaaa aggatcaaa 540
ccatcaagct acaaatratc ttacaaatgg aacctcaaat gagctcagct cacggcttct 600
accgaggacc cctggwtcaa cccgctggtc cctcaattac cctagaaaat tccccctg 660
aggacaccaa actgcagggc cccttyttca cccctaacca gcaggaagta gccagaacgg 720
actgccacam ggttcccaac agcarttkgg ggtgtccngt tttagaggca ggatttagag 780
gagtgcccca attgggttt 799
```

<210> 524

<211> 1722

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<400> 524

```
ttccacgcgt ttnagagaag ggaactccca cagcanaggn cataaaacca tccagggcag 60
tctggggcgg ctcaattctg cgggtgccagg gagtggagca gagctcagcc ccgtcccaaa 120
yacagatggg accatgaact cggacacag cttcagccag acccctcgg cctccttcca 180
tggcgccgga ggtggctggg gccggcccag gagcttcccc agggctccca ccgtccatgg 240
cggtgcgggg ggagcccga tctccctgtc cttcaccacg cggagctgcc caccctctgg 300
agggctcttg ggttctggaa gaagcagccc cttactaggc ggaaatggga aggccaccat 360
gcagaatctc aacgaccgcc tggcctccta cttggagaag gttcgcgccc tggaggaggc 420
caacatgaag ctggaaagcc gcatcctgaa atggcaccag cagagagatc ctggcagtaa 480
gaaagattat tcccagtatg aggaaacat cacacacctg caggagcaga tagtggtatg 540
taagatgacc aatgtcaga ttattcttct cattgacaat gccaggatgg cagtggatga 600
yttcaacctc aagtwtgaaa atgaacactc ctttaaaaaa gacttggaat ttgaagtcsa 660
gggcctccga aggaccttag acaacctgac cattgtcaca acagacctag aacaggaggt 720
ggaaggaatg aggaaagagc tcattctcat gaagaagcac catgagcagg aaatggagaa 780
gcatcatgtg ccaagtgact tcaatgtcaa tgtgaaggtg gatacaggtc ccagggaaga 840
```

```
tctgattaag gtcctggagg atatgagaca agaatatgag cttataataa agaagaagca 900
tcgagacttg gacacttggt ataaagaaca gtctgcagcc atgtcccagg aggcagccag 960
tccagccact gtgcagagca gacaagggtga catccacgaa ctgaagcgca cattccaggc 1020
cctggagatt gacctgcagr cacagtacag cacgaaatct gctttggaaa acatgtttatc 1080
cgagacccag tctcgktact cctgcaagct ccaggacatg caagagatca tctcccacta 1140
tgaggaggaa ctgacgcagc tacgccayga actggagcgg cagaacaatg aataccaagt 1200
gctgctgggc atcaaaaccc acctggagaa ggaaatcacc acgtaccgac ggctcctgga 1260
gggagagagt gaaggacac gggagaatc aaagtcgagc atgaaagtgt ctgcaactcc 1320
aaagatcaag gccataaccc aggagaccat caacggaaga ttagttcttt gtcaagttaa 1380
tgaaatccaa aagcacgcat gagaccaatg aaagtctccg cctgttgtaa aatctatctt 1440
cccccaagga aagtccttgc acagacacca gtgagtgtgt tctaaaagat acccttgtaa 1500
ttatcagact cagaaacttt tatttttttt ttctgtaaca gtctcaccag acttctcata 1560
atgctcttaa tatattgcac ttttctaata aaagtgcgag tttatgaggg taaagctcta 1620
ctttcctact gcagccttca gattctcatc attttgcac tattttgtag ccaataaaac 1680
tccgcactag caaaaaaaaa aaaaaaaaaa aaaaagtctg ac 1722
```

<210> 525

<211> 562

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (515)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (526)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (557)

<223> n equals a,t,g, or c

<400> 525

```
tcccgggccc gagggcatca gacggcggct gattagctcc ggtttgcac acccggaaccg 60
ggggattagc tccggtttgc atcaccggga ccgggggatt agctccggtt tgcacaccc 120
ggaccggggg ccgggcgcgc acgagactcg cagcggaagt ggaggcggct ccgcgcgcgt 180
ccgctgctag gaccgggca gggctggagc tgggctggga tcccgagctc ggcagcagcg 240
cagcggggcg gccacactgc tgggtgccctg gargetctga gccccggcgg cgccccggcc 300
cacgcggaac gacggggcga gatgcgagcc acccctctgg ctgctcctgc gggttccctg 360
tccaggaaga agcggttgga gttggatgac aacttagata ccgagcgtcc cgtccagaaa 420
cgagctcgaa gtgggccccca gccagactg cccccctgcc tgttgccctc gagccacct 480
actgctccag atcgtgcaac tgctgtggsc actgntccc gtyttnggsc ctatgtccty 540
ctkgaagccc gaagaanggc gg 562
```

<210> 526

<211> 2023

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<400> 526

```
aaagtgataa cncaactaat ggttggtggac ttgaatctyc aggaaatact gttacacctg 60
taaagtgttaa tgaagttaaa cccataaaca aagggtgaaga acaaattggt tttgagctag 120
tggagaaatt atttcaaggt cagctggtat taaggacgcg ttgcttgga tgtgaaagtt 180
taacagaaag aagagaagat tttcaagaca tcagtgtgcc agtacaagaa gatgagcttt 240
ccaaagtaga ggagagttct gaaatttctc cagagccaaa aacagaaatg aagaccctga 300
gatgggcaat ttcacaattt gcttcagtag aaaggattgt aggagaagat aaatatttct 360
gtgaaaactg ccattcattat actgaagctg aacgaagtct tttgtttgac aaaatgcctg 420
aagttataac tatcatttg aagtgccttg ctgctagtgg tttggagttt gattgttatg 480
gtggtggact ttccaagatc aacactcctt tattgacacc tcttaaattg tcactagaag 540
aatggagcac aaagccaact aacgacagct atggattatt tgcggttggt atgcatagtg 600
gcattacaat tagtagtggg cattacactg cttctgttaa agtcactgac cttacagtt 660
tagaactaga taaaggaaat tttgtggttg accaaatgtg tgaaataggt aagccagaac 720
cattgaatga ggaggaagca aggggtgtgg ttgagaatta taatgatgaa gaagtgtcaa 780
ttagagttgg tggaaataca cagccaagta aagttttgaa caaaaaaat gtagaagcta 840
ttgacttct tggaggacaa aagagcaaag cagattatga gctatacaac aaagcctcta 900
atcctgataa ggttgctagt acagcgtttg ctgaaaatag aaattctgag actagtgata 960
ctactgggac ccattgaatct gatagaaaca aggaatccag tgaccaaaaca ggcattaata 1020
ttagtggatt tgagaacaaa atttcatacg tagtgcaaaag cttaaaggag tatgagggga 1080
agtggttgct ttttgatgat tctgaagtca aagtactga agagaaggac tttctgaatt 1140
ctctttcccc ttctacatct cctacttcta ctcttactt gctattttat aagaaattat 1200
agagtgaagt tattttcctt gtgtatata taaacacacc catacaaaca ttggtaaagt 1260
tgattacatc aaagaatctt tagcttatct tttgaagcta ctggatatta ttggtctctc 1320
taggttttta tataaatagt gaaatytgaa ttactgaaaa ccattgttaatt ttttagaact 1380
cattttcttc agtagagact agtgatgcat tagcttctgg gaacaaactt gtatcggttc 1440
ttaattaaat tatccaaaac ggaggcatth aaacacttgg atttacacca gtcttttggtg 1500
tttgcttttt aaaataaagt gctcgtatth gtattctcca tttttggag taattatcta 1560
catgatgttt atagtctctg tggtttttca cccaagaagc agaattctcat tcagtacatt 1620
tagttttata agagtcatga agctaaatcc ttgggctatg tcagaggcac aaagtctaga 1680
atgtgtgtat tcacaatggg gtatgtacat tttgtgcctt gattcactta gaagtgtctc 1740
agaaaacctg gacagttcgc ttctacacaa gaattttata tgtatttatg aagatgattc 1800
tgtaccctag tatacttttt tgggcatgga ctaatttgta tctgtttaac tcatattctg 1860
cacgatctgt atatagtaca tcaaacttag aggtgtgacc ttaaatttaa ctttttttaa 1920
aaactgggag gtcaataaaa tttaaactgc ttaactatgt atatgaatat ttgaattttt 1980
tacttgata tttttataaa tacagctgag ttttcttaaa gcg 2023
```

<210> 527

<211> 2847

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (290)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2842)

<223> n equals a,t,g, or c

<400> 527

```
ggcacagggt attctgtgtc ttcatagta gaaaccttaa tgatcggctc gttgtagtga 60
actctttaaa aagcgcttat agaaaaccaa tttctgagta aaccagcaga cagcatgact 120
tgtaaatggt cttttaatta attaaaaaga aattagtcag ctacaagcat gaacatgtgg 180
aacgcttacc ttgtactag gcgtttttgt ttttgtttta atggcttttg gaatattata 240
gtattaacat ctggaaaact aggtaaatth atcttagaat taagtntttn gctccttttt 300
tgcagaaaaa gaacagcaag aagcgattga acacattgat gaagtacaaa atgaaataga 360
cagacttaat gaacaagcca gtgaggagat tttgaaagta gaacagaaat ataacaaact 420
ccgccaacca ttttttcaga agaggtcaga attgatcgcc aaaatcccaa atttttgggt 480
aacaacattt gtcaaccatc cacaagtgtc tgcactgctt ggggaggaag atgaagaggc 540
actgcattat ttgaccagag ttgaagtgc agaatttgaa gatattaaat cagggttacag 600
aatagatttt tattttgatg aaaatcctta ctttgaaaat aaagttctct ccaaagaatt 660
tcatctgaat gagagtgggt atccatcttc gaagtccacc gaaatcaaat ggaaatctgg 720
aaaggatttg acgaaacgtt cgagtcaaac gcagaataaa gccagcagga agaggcagca 780
tgaggaacca gagagcttct ttacctggtt tactgacct tctgatgcag gtgctgatga 840
gttaggagag gtcacaaaag atgatatttg gccaaaccca ttacagtact acttggttcc 900
cgatatggat gatgaagaag gagaaggaga agaagatgat gatgatgatg aagaggagga 960
aggattagaa gatattgacg aagaagggga tgaggatgaa ggtgaagaag atgaagatga 1020
tgatgaaggg gaggaaggag aggaggatga aggagaagat gactaaatag aacactgatg 1080
gattccaacc ttctttttt taaattttct ccagtccttg ggagcaagtt gcagtccttt 1140
tttttttttt ttttttttcc ctcttggtgc cagtcgccct gttcttgagg tctcttttct 1200
ctactccatg gttctcaatt tatttggggg gaaatacctt gagcagaata caatgggaaa 1260
agagtctcta cccctttctg ttcgaaagttc atttttatcc cttcctgtct gaacaaaaac 1320
tgtatggaat caacaccacc gagctctgtg ggaaaaaaga aaaacctgct cccttcgctc 1380
tgctggaagc tggaggggtgc taggcccctg ttagtagtg catagaattc tagctttttt 1440
cctcctttct ctgtatattg ggctcagaga gtacactgtg tctctatgtg aatatggaca 1500
gttagcattt accaaccatg atctgtctac tttctcttgt ttaaaaaaag aaaaaaaaac 1560
ttaaaaaaat ggggttatag aaggtcagca aagggtgggt ttgagatgtt tgggtgggtt 1620
aagtgggcat tttgacaaca tggcttctcc tttggcatgt ttaattgtga tatttgacag 1680
acatccttgc agtttaagat gacactttta aaataaatc tctcctaatt atgacttgag 1740
ccctgccact caatgggaga atcagcagaa cctgtaggat cttatttgga attgacattc 1800
tctattgtaa ttttgttcct gtttattttt aaattttctt tttgtttcac tggaaaggaa 1860
agatgatgct cagttttaaa cgtaaaaagt gtacaagttg ctttgttaca ataaaactaa 1920
atgtgtacac aaaggatttg atgcttttct ctcagcatag gtatgcttac tatgaccttc 1980
caagtttgac ttgtataaca tcaactgtca actttgtcac cctaacttcg tattttttga 2040
tacgcagttt gcagatgac ctcagggtca tgtggattga gtaatgggat ttgaatcaat 2100
gtattaatat ctccatagct gggaacgtg ggttcaattt gccattgggt tctgaaagta 2160
ttcacatcat ttgggatacc agatagctca atactctctg agtacattgt gcccttgatt 2220
tttatctcca agtggcagtt tttaaaattg gccttttacc tggatataaa ttaattgtgc 2280
```

```

ctgccaccac catccaacag acctgggtgct ctaatgccaa gttatacacg ggacagttgc 2340
tggcatgtct tcattggcta tataaaatgt ggccaagaag ataggctctc agtaagaagt 2400
ctgatgggtga gcagtaactg tccctgcttt ctgggtataaa gctctcaaat gtgaccatgt 2460
gaatctgggt gggataatgg actcagctct gtctgctcaa tgccattgtg cagagaagca 2520
ccctaattgca taagcttttt aatgctgtaa aatatagtcg ctgaaattaa atgccacttt 2580
ttcagaggtg aattaatgga cagtctggtg aacttcaaaa gctttttgat gtataaaact 2640
tgataaatgg aactattcca tcaataggca aaagtgtaac aacctatcta gatggatagt 2700
atgtaatttc tgcacaggtc tctgtttagt aaatacatca ctgtataccg atcaggaatc 2760
ttgctccaat aaaggaacat aaagatttaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2820
aaaaaaaaaa aaaaaaaaaa anaaaaaa 2847

```

<210> 528

<211> 816

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<400> 528

```

aaaacgantg tgtaattaac anaggctgtg cgcataaacg ttgccgttat ggttcgcgaa 60
ttttcccgcg cgccaatgc gagggagacg aaantatgta aatgagtgga ttctgggtga 120
gctatcctat tggtatcgg gacaaaattt gcttgagcca atccaaagtg ctccgtggac 180
aatcgccgtt ctgtctataa aaagggtgaag cagcggcggt ttccggcgact ttcccgatcg 240
ccaggcagga gtttctctcg gtgactacta tcgctgtcat gtctggctcg ggcaagcaag 300
gaggcaaggc ccgcgccaaag gccaaagtcgc gctcgtcccg cgctggcctt cagttcccg 360
taggcgagtg catcgctctg cgcaaaggca actacgcgga gcgagtgggg gccggcgcg 420
ccgtctacat ggctgcggtc ctcgagtatc tgaccgccga gatcctggag ctggcgggca 480
acgcggctcg ggacaacaag aagacgcgca tcatccctcg tcacctccag ctggccatcc 540
gcaacgacga ggaactgaac aagctgctgg gcaaaagtcac catcgcccag ggcggcgtct 600
tgcctaacat ccaggccgta ctgctcccta agaagacgga gagtcaccac aaggcaaaag 660
gcaagtgagg ctgacgtccg cccaagtggc ccagcccgcc ccgcgtctcg aaggggcacc 720
tgtgaactca aaaggctctt ttcagagcca cccacgtttt caaataaaaag agttgttaat 780
gctggcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 816

```

<210> 529

<211> 885

<212> DNA

<213> Homo sapiens

<400> 529

```
ggcagttacc ggtgccgtaa ttcccgggtc ggacccacgc gctctgtcgt ggcgcgggctt 60
cccgcggtct tctctgcaaa tgggctcgtt ggccatagcg ccccgctccc gccacccgtg 120
atcgtgcgcc gagggccgcg aggggtcgcc gccagatcc caccagccag caagctaaag 180
catggcggcc atccccctcca gcggctcgct cgtggccacc cagactact accggcgccg 240
cctgggttcc acttccagca acagctcctg cagcagtacc gagtgcctcg gggagccat 300
tccccacccc ccaggtctcc ccaaggctga cccgggtcat tggaggccca gcttcttttt 360
cgggaagtcc accctccgtt tcatggccac ggtgttgag tccgcagagc actcggaacc 420
tccccaggcc tccagcagca tgaccgctg tggcctggct cgggacgccc cgaggaagca 480
gcccggcggt cagtccagca cagccagcgc tgggcccccg tcctgacctg agcgggtacc 540
accagcccca ggcctgcgga ggcgctagtc caccagagcc cctycccgcc cctctcccca 600
ctccgcatcc ctgcgcccc tccccacctc ccaccccca ccctgtaaac taggcggtg 660
cagcaagcag accttcgcat caacacagca gacacaaaa accagtgaga gccccgctct 720
ctaccgccc gccccagcac tcgctagctt tcctgacacc tggaactgtg cacctggcac 780
caagcggaaa ataaactcca agcagccagt agccccgatg gtgtgtgcct gagctgtgtg 840
gcccgagggt ccaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaa 885
```

<210> 530

<211> 742

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (693)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (695)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (715)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (730)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (741)

<223> n equals a,t,g, or c

<400> 530

```
ggtacctgac agtaccgggt ggaattcccg ggtcgaccca cgcgtccgct gctgctctta 60
aaggtagcagg cctcagggtc cctgctgtag acggggcggg ggagagtacg atgggtgggg 120
```

```
cgtggtgggt cgtagggcgc tcgagatgga gccccagct tccttgatgg atcgcggggc 180
gcgagtgccc tagacaagcc ggagctggga ccggcaatcg ggcgttgatc cttgtcacct 240
gtcgcagacc ctcacccctc ccgtgggagc cccctttgga cactctatga ccctggaccc 300
tcgggggacc tgaacttgat gcgatggag gctgtgcagg ctcgcggcgg cgcttttcgg 360
attccgaggg ggaggagacc gtcccggagc cccggctccc tctgttgga catcagggcg 420
cgcattggaa gaacgcggtg ggcttctggc tgctgggcct ttgcaacaac ttctcttatg 480
tggtgatgct gagtgccgcc cagcacatcc ttagccacaa gaggacatcg ggaaaccaga 540
gccatgtgga cccaggccca acgccgatcc cccacaacag ctcacacga tttgactgca 600
actctgtctc tacggctgct gtgtcctggt cggacatcct cccacactc gtcacaaat 660
tggtggstyc tyttggsctt cacctgtgct ccnlnaccgt tgaggatgct gtgantctct 720
gtgctttatn ggggacagct ng 742
```

<210> 531

<211> 525

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (502)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (510)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (523)

<223> n equals a,t,g, or c

<400> 531

```
gtcggcattc ccgggtcgac ccacgcgtcc gggcccgttt ccggcggcgt cgcgcgtttg 60
cgarccctcg gtggtcctca gggagggtct ctcggccaga acacgtggat gccaccccac 120
cactgagcct catggaggtg gtaacatttg gcgatgtggc tgtgcacttc tctcgggagg 180
agtggcagtg tctggaccct ggccagaggg ccctctacag ggaagtgatg ctggagaacc 240
acagcagtggt ggctggacta gcaggattcc tggttttcaa gcctgagctg atctctcggc 300
tggaagcagg agaagagcca tgggtcctcg acctgcargg agcagagggg acagaggcac 360
caargacctc caagacaggt gaggttaga tcccatcgca gagaagccct ggggtgarga 420
gaaactkcar gaggggtcga caactgtrgg tagctgtagg tgartcgcgg gggctacact 480
kggatgcctg ggaatgctac tnggggaaan cagcatccaa canct 525
```

<210> 532

<211> 1925

<212> DNA

<213> Homo sapiens

<400> 532

```
gtggtctgag gccggtacag ctgcgcgtct gcgggaatag gtgcagcggg cccttgccgg 60
gggactctga gggaggagct ggggacggcg accctaggag agttctttgg ggtgactttc 120
```

aagatggact ctactctaac agcaagtga atccggcagc gatttataga tttcttcaag 180
aggaacgagc atacgtatgt tcaactcgtct gccaccatcc cattggatga cccactttg 240
ctcttttgcca atgcaggcat gaaccagttt aaaccatttt tcctgaacac aattgacca 300
tctcaccoca tggcaaagct gagcagagct gccaatatcc agaagtgcac ccgggctggg 360
ggcaaacata atgacctgga cgatgtgggc aaggatgtct atcatcacac cttcttcgag 420
atgctgggct cttggtcttt tggagattac ttttaaggaat tggcatgtaa gatggctctg 480
gaactcctca cccaagagtt tggcattccc attgaaagac tttatgktac ttactttggc 540
ggggatgaag cagctggctt agaagcagat ctggaatgca aacagatctg caaaatttgg 600
gaaatgattc tggggaccat tctgaccaca tgcattacta tcagggtaaa aaatatttcc 660
gagataggag gggaggtggc agaaattcag actggtcttc agatacaaat cgacaaggac 720
aacagtcatc atctgactgc tacatatatg attctgctac tggctactat tatgacctt 780
tggcaggaac ttattatgac cccaatatcc agcaagaagt ctatgtgcc caggatcctg 840
gattacctga ggaagaagag atcaaggaaa aaaaaccac cagtcaagga aagtcaagta 900
gcaagaagga aatgtctaaa agagatggca aggagaaaaa agacagagga gtgacgaggt 960
ttcaggaaaa tgccagtga ggaagggccc ctgcagaaga cgtctttaag aagccctgc 1020
ctcctactgt gaagaaggaa gagagtcccc ctccacctaa agtggttaac ccactgatcg 1080
gcctcttggg tgaatatgga ggagacagt actatgagga ggaagaagag gaggaacaga 1140
cccctcccc acagccccgc acagcacagc ccagaagcg agaggagcaa accaagaagg 1200
agaatgaaga agacaaactc actgactgga ataaactggc ttgtctgctt tgcagaaggc 1260
agtttcccaa taaagaagtt ctgatcaaac accagcagct gtcagacctg cacaagcaaa 1320
acctggaaat ccaccggaag ataaaacagt ctgagcagga gctagcctat ctggaaaagga 1380
gagaacgaga gggaaagt taaaggaagag gaaatgatcg cagggaagag ctccagtctt 1440
ttgactctcc agaaaggaaa cggattaagt actccaggga aactgacagt gatcgtaaac 1500
ttgttgataa agaagatc gacactagca gcaaaggagg ctgtgtccaa caggctactg 1560
gctggaggaa agggacaggc ctgggatatg gccatcctgg attggcttca tcagaggagg 1620
ctgaaggccg gatgaggggc ccagtggtt gagcctcagg aagaaccagc aaaagacagt 1680
ccaacgagac ttaycgagat gctgttcgaa gagtcatgtt tgctcgatat aaagaactcg 1740
attaagaaag gagacaagtt ccatgggata caacctccct cttgttttgt ttgtctctcc 1800
ttttctttt ttactgttct tgctgctaga acttttttaa ataaactttt tttcaatgtg 1860
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaagggg 1920
ggggg 1925

<210> 533

<211> 502

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (482)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (487)

<223> n equals a,t,g, or c

<400> 533

```
catagaggca aacggtacac tgacagtacc gtccggaatt cccgggtcga cccacgcgtc 60
cgggtccgcaa agcctgagtc ctgtcctttc tctctccccg gacagcatga gcttcaccac 120
tcgctccacc ttctccacca actaccggtc cctggggtct gtccaggcgc ccagctacgg 180
cgcccgcccg gtcagcagcg cggccagcgt ctatgcaggc gctgggggct ctgggtccccg 240
gatctccgtg tcccgctcca ccagcttcag gggcggcatg ggggtccggg gcctggccac 300
cgggatagcc ggggggtctg caggaatggg agcatccaga acgagaagga gaccatgcaa 360
aagctgaacg accgcctggc ctcttacctg gacaaaatga aggagcctgg agaccgagaa 420
accggagggt ggaaagcaaa aaccggggag cactttggag aagaagganc ccaggtcaga 480
gnetggnagc cattaattca ag                                     502
```

<210> 534

<211> 1800

<212> DNA

<213> Homo sapiens

<400> 534

```
tcgacccacg cgtccggccg cgcgcgccac tgccaggcgg ggatcgggag gcgcgagctg 60
agggtggtgag ggactagctc ccgatgtgg agaagctggg gagaaggcgt gggaggaaga 120
tggaactcgtt ggagaagggg gccccacct ccgtctccaa cccgcggggg cgaccgtccc 180
ggggccggcc gccgaagctg cagcgaact ctgcggcgg ccagggccga ggtgtggaga 240
agccccgcga cctggcagcc ctaattctg cccggggagg cagcaaaggc atccccctga 300
agaacattaa gcacctggcg ggggtccgc tcattggctg ggtcctgcgt gcggccctgg 360
attcaggggc cttccagagt gtatgggttt cgacagacca tgatgaaatt gagaatgtgg 420
ccaaacaatt tgggtgcaca gtatcatgaa gaagttctga agtttcaaaa gacagctcta 480
cctcactaga tgccatcata gaatttctta attatcataa tgaggttgac attgtaggaa 540
atattcaagc tacttctcca tgtttacatc ctactgatct tcaaaaagtt gcagaaatga 600
ttcgagaaga aggatatgat tctgttttct ctgttgtgag acgccatcag ttctgatgga 660
gtgaaattca gaaaggagtt cgtgaagtga ccgaacctct gaatttaaat ccagctaaac 720
ggcctcgtcg acaagactgg gatggagaat tatatgaaa tggctcattt tattttgcta 780
aaagacattt gatagagatg ggttacttgc aggggtggaa aatggcatac tacgaaatgc 840
gagctgaaca tagtgtggat atagatgtgg atattgattg gcctattgca gagcaaagag 900
tattaagata tggctatttt ggcaaagaga agcttaagga aataaaactt ttggtttgca 960
atattgatgg atgtctcacc aatggccaca tttatgtatc aggagaccaa aaagaaataa 1020
tatcttatga tgtaaaagat gctattggga taagtttatt aaagaaaagt ggtattgagg 1080
tgaggctaatt ctcaaaaagg gcctgttcaa agcagacgct gtcttcttta aaactggatt 1140
gcaaaatgga agtcagtgtg tcagacaagc tagcagttgt agatgaatgg agaaaagaaa 1200
tgggcctgtg ctggaaagaa gtggcatatc ttggaaatga agtgtctgat gaagagtgtc 1260
tgaagagagt gggcctaagt ggcgctcctg ctgatgcctg ttctactgcc cagaaggctg 1320
ttggatacat ttgcaaatgt aatgggtggc gtggtgccat ccgagaattt gcagagcaca 1380
tttgcctact aatggaaaag gtttaataatt catgccaaaa atagaaatta gcgtaatat 1440
gagaaaaaaa tgatacagcc ttcttcagcc agtttgcttt tatttttgat taagtaaat 1500
ccatgttgta atgttacaga gagtgtgatt tggtttgatg tatatatata ttgtgctcta 1560
cttttctctt tacgcaagat aattatttag agactgatta cagtctttct cagattttta 1620
gtaaatgcaa gtaagaacat catcaaagtt cactttgtat tgtaccctgt aaaactgtgt 1680
gtttgtgtgc tttaaagat gttgggattt tatttatctg gggacagtgt gtatggtaag 1740
acatgccctt ctattaataa aactacattt ctcaaacttg aaaaaactc gtgccgaatt 1800
```

<210> 535

<211> 2497

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2467)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2487)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2493)

<223> n equals a,t,g, or c

<400> 535

```
ggcgggccag ccaagatggc ggcctcatgc ttggtcctgc tggcgctgtg tctgctgctg 60
ccgctgctgc tgctgggagg atggaagcgc tggcgccggg ggcgggcccgc ccggcatgta 120
gtagcgggtg tgctgggcca cgtgggccgc agccccgta tgcagtacca cgcgctgtcg 180
ttggccatgc acggcttctc ggtgaccctc ctggggttct gcaactccaa accccatgat 240
gagctcttgc agaacaacag aattcagatt gtggggttga cagaacttca gagtcttgca 300
gttgggcccc gagttttcca gtacggagtc aaagtgttac ttcaggctat gtacttgctg 360
tggaagttga tgtggaggga gccaggtgcc tatatctttc tccagaaccc ccaggtctg 420
cctagcattg ctgtctgctg gttcgtgggc tgcctttgtg gaagcaagct cgtcattgac 480
tggcacaact atggctactc catcatgggt ctggtgcatg gcccacaacca tcccctcgtt 540
ctgctggcca agtggtagca gaagttcttt gggcgccctgt cccacctgaa cctgtgtggt 600
accaatgcta tgcgagaaga cctggcggat aactggcaca tcagggctgt gaccgtctac 660
gacaagcccc catctttctt taaagagaca cctctggacc tgcagcaccg gctcttcatg 720
aagctgggca gcatgcactc tccgttcagg gcccgcctcag aacctgagga ccagtcacg 780
gagcggtcgc ccttcacgga gcgggatgct gggagcgggc tggtagcgcg tctccgtgag 840
cggccagccc tgctggtcag cagcacgagc tggacagagg acgaagactt ctccatcctg 900
ctggcagctt tagaaaagt tgaacaactg actcttgatg gacacaacct tccttctctc 960
gtctgtgtga taacaggcaa agggcctctg agggagtatt atagccgcct catccaccag 1020
aagcacttcc agcacatcca ggtctgcacc ccctggctgg aggccgagga ctacccccctg 1080
cttctagggg cggcgacact ggggtgtctgt ctgcacacgt cctccagtgg cctggacctg 1140
cccataaggg tggtagacat gttygggtgc tgtttgctg tgtgtgctgt gaacttcaag 1200
tgtttacatg agctgggtga acatgaagaa aatggcctgg tctttgagga ctacagaggaa 1260
ctggcagctc agctgcagat gcttttctca aactttcctg atcctgcggg caagctaaac 1320
cagttccgga agaacctgcg ggagtcgcag cagctccgat gggatgagag ctgggtgcag 1380
actgtgctcc ctttggttat ggacacataa ctctggggcc agaggctaaa accccrggac 1440
ccctgctgtc cttcccgcag cttcttctyg gagtctcagg gcaaacccctt tcgagcagcr 1500
cctcccagtg gccagaagct gaaatgacag cagtgtgact gcctggtaaa agaattgggt 1560
ctgtgacctg ggaagctttg gttggccttg atttcttctc tggaggcttg gaaacgcttc 1620
ctctcttctt ctgttcttca cgccccatgc ccctgctagc gtattactgt tctgtgactt 1680
ccctgtgacc tctgcagaac tcctcatcct gcgtttgggtc tccaggtgtc ccctttctgc 1740
cgtgttcccta acattttgat tcctgtcttg aaaaaagcac ctgctgcacc gtaagcccag 1800
ggatgtggca gctgcagtgg gcttggcttt gtgaggaact gagtgtgtcc acgttggggg 1860
aacatcatat ttgatacaca cgtttttatt tgcacaaaga aaatgctrtt tttggagcca 1920
```

gaattttcat gtctgattta tggtgatttt cttaagaacc agaactgctg gcagaaaggg 1980
ggcaccacaca cgcttagata gccgatgtct tattagaggg cagtttgagg ttcttgattt 2040
ggaawttaac attctccaaa cattccagtc caatgaaagt tttatocgct tcccatata 2100
aaaattcttc ccatgagagt gacttgattc tcacaatccc gttggagtcg tgtgtgagtc 2160
ctacagtgtg aggttcagca ttgccatctc caagtgtctc ycrtagggaa acagtttctg 2220
gtcatgatga gcttccgctt cccatctgat ccagcccg cctagctcgg tgggaacas 2280
ctggcacgtc tctgggttgc ggacrgtaaa ggccaygtag acctcaggag cccgctggtg 2340
ctcccagcag gcagccagcc tccgcaggac sccgaccags gacaygatgg cttctgggca 2400
atacagcacg tctacggtga aagcttcagg ttactgtgt aatgacaaca tctggctgga 2460
aggccanaac tgatggaccg cactacntcc cantcca 2497

<210> 536

<211> 4090

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (528)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (535)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2475)

<223> n equals a,t,g, or c

<400> 536

ccggccacga gaagaaatca ggggtgctcag ctatctgcag gngtggaccc agggcccaag 60
cctgtggcct ccagtcagtc cagcccgcac ctctcccatg ggagggcctg aragcgcggg 120
aacatcctgg gccctggga tctcagaggc tggaccttcc tgggagactc attgagtaag 180
atgcagagga ctcttcttg ggtggtggga gtccctggtc tgctctgggg cccctggcct 240
ttcccatga gaaaaagcag ctggagctgg gaagtccac ctggccatcg tgcagaaggt 300
aaacaacgag ggtgaggggtg accccttcta cgaggtcctg ggcctggtca ccctggagga 360
cgtgatcgag gagatcatca agtcggagat cctggacgag tccgacatgt aactgacaa 420
ccgaagccgg aagcgggtgt ctgagaagaa caagcgtgac ttctctgcct tcaaggatgc 480
ggacaatgag ctcaaagtga aaatctcccc gcagctcctc ctggccgntc atcgnntcct 540
agccacagag gtctctcagt ttagccctc cctgatatca gagaagatcc tgctgcggct 600
actcaagtac ccagatgtca ttcaggaact caagtttgac gagcacaata agtactacgc 660
ccgccattac ctgtacaccc gaaataagcc ggccgactac ttcattctca tcctgcaggg 720
gaaggtggag gtggaggcag ggaaggagaa catgaagttt gagacgggag ccttctccta 780
ctatgggact atggccctga cctcggctcc ctccgaccgt tccccagcac accccacccc 840

actcagccgc tcagcctccc tcagttaccc agaccgcaca gacgtctcaa ctgcagcaac 900
cttggcaggc agcagcaacc agtttggcag ctctgtcctg ggccagtaca tctctgactt 960
cagcgtccgg gcactcgtgg acttgcahta catcaagatc actcggcagc agtaccagaa 1020
cgggctgctg gcttctcgca tggagaacag ccctcagttt cccatagacg ggtgcaccac 1080
ccacatggag aacttggccg agaagtctga gctgcctgtg gtggacgaga ccacaactct 1140
tctcaacgag cgtaactcct tgctgcacaa agcctccac gagaatgcca tctgacagga 1200
gggcccggg cccctgccca ccctgcggg gcctycccag tgggcccaca tgaagagagg 1260
gaacctgtta gtccagaaag gatacggata gatagcctgt ctgactgaac agccagatgg 1320
ccccagcct atgggggatc tggcctctgc cagggaacctc tgagtagctc tgagggtggca 1380
ctgtccagcc ctggataggg ggggcagtgg gccagctacc gtaagcaaa gctgtttttt 1440
actgagagaa tttctaaagt aggtcatca ctttttttta aatatcattt tgggaaggga 1500
agacaggggt aaggaacttt atttaaaaaa aaaatatatt tttcctaaaa actataaaag 1560
aggaaggggt tcttgtcccg ggaagcaacg gacataatct gttcccagcc atggccttcc 1620
agcttgtgtc cctgattcag ggagctctcc ctctctctc ctcctctcc tccggagggtg 1680
ggatcccaga gcctgccagt ggagccttat ctggtgggag gaagacagct cttcacagaa 1740
gcaaagaaca aaatggcatg gagatcagct gcctgagcac ctgctgtgta gcttatctga 1800
caacgctgag gccacgagct cctgggtagc tgtgatcagg gacatgataa tctgagctat 1860
gcagaggagc acatctgttg tcaactgctg taccagaaa tctagaactc tgccgacagc 1920
ctctcctggt gagtcgggac tcagctgagg acacatcccc accctgcctc ccatctggcc 1980
ctttggacaa ctggcccttt gtgacagggc tgactcaagt gttaggcagg gtctcaggcc 2040
tttgattgct caccctgct cccagggcc tgccctcact tttaccaaag gttctcctc 2100
ggcgggagg catctgtgtt ggaggtgatt tgtctgggtt cttccttttg gttccagaag 2160
gaactgtcag tcatcagcat ctgctgtgtt agcagtcagt accacccccg cccacaatg 2220
acagtcaagg ctgacttgtt gactgaagcc tttttcccag accccttatt tcgaatcccc 2280
aagcttcagt cctcttggg ggtggagaca agaggacatg tgggaagcca cggaagcagg 2340
ttctttatgt cctctcctct gtggtggca aggtcacct ggccttatcc acccacttat 2400
ggaacctcag gagaggagg ctctcctaa aggcagcag cttgcagccc ctctttctca 2460
cacgtgtgat cctancgtga gaggtcatcc tgccctgct gaagttagta ctactgtact 2520
aagagctctg ccctcatgtg aattcctgcc ctggcgctc ttccttggg ctgaatcagg 2580
ccctgctgca aaactccagg cttcccagg ttggggaggc tgtgggacca argtccatgt 2640
tggtccttcc actgggtgca gcaggagctg ggtcccgara gcctggcagg tgaaactctg 2700
caggccttcc gcctgattat tatttattca ctcttctct caccccaagt gccctgctct 2760
ccagggtgct agagtatcct aactcttagg accagggatt gtcttgacc aagtatgcct 2820
acccttgcc agtctgaggt ctcttagcca tagaactgac tcctggaagc ctggagagaa 2880
ggtggtgaca cccatgggt ctcaactgta aggaaaaaag acaccagact tttgttccct 2940
agtgggggaa agcccttagt cttgtacagg agcagcttg tcccaagtcc ttttggaagc 3000
tggcagagct atattcctga cagccctgac tgccaggtag agcaaaagac attggtggg 3060
gtatgtgaag caaaaggggc aggtgcacac acctccacag tgacctctgt gcacacggt 3120
accaccaact ggctggccct cctcctctc cctggcccat tgatcatccc ttctcacaga 3180
gggtcatcat tatttccaaa tattgtttgt ctgatgactt cctcttccca gtgcaatttt 3240
tcccttccca tttcaacctc tggttcctgg gatgagccat accctggaac tggccaccc 3300
actgtgtctt ccacgtaagg gagaccttg caaaggcat ccaaatgggt aggcaggtga 3360
cagccgccgt atttattttg cataatattt taatttgtat atttttgtga tttatttttg 3420
cgttatgagt ttgactctcg gggagttttg ttgttatgac tcttgtgtct tttgtcaca 3480
aacaatgata tttgctaaac gatatatgga atttattttt gattggtaat aaaaaatcaa 3540
atatgtataa atcctgggtga atctacaact tgctgtttr ttctgtcagt attcagtatg 3600
ttgttgagat aaaagtggct gtggctggct gtctcttgtg atgggacaag ggcaataaag 3660
gattctagga ccattcagca gtgaaatgca atcagaaatg gaatttctaa atatagtcaa 3720
ggctgtcgtc acaggagtga gaggacgtg gctgctggca gacatacagg acagatgtgc 3780
tcagctgcca taagcatgag tcctgtgaaa cagatcccat agsgcccttg gcttgtgagt 3840
actggaaggg cagtgggctt cagcaaattg ccctcctcc ctacccatgg gactgaaaga 3900

agcttgatcc aaaagtatga gtaatatgtg tttataacat gcagctgcct tttcgtccac 3960
acctacaggg tagtggtttc aaagttggag tggtcatccc ttgaagaacc tgagttacgt 4020
cactataccc actctcaaag ttgcagctct gcaggggact cccatggtgc tgtacaggtg 4080
ctactctgcc 4090

<210> 537

<211> 586

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<400> 537

cgcgggcgcg gggccgctac gtgcgcgggg agcgcgggga gcgcggggag cgcgngggct 60
gcgctcgtgt gcgctcctgg gcgctcgccg ccgcccgtgc cgccgcgcgc ctttgagtca 120
gcaaaactccg cgccccgcaa gcccggctcg gcccggccct gctctgttct gcccggagga 180
gccgcccatt gatcgtgtcc tgtgtgaaag atgtttccgg aacaacagaa agaggaattt 240
gtaagtgtct gggttcgaga tcctaggatt cagaaggagg acttctggca ttcttacatt 300
gactatgaga tatgtattca tactaatagc atgtgtttta caatgaaaac atcctgtgta 360
cgaagaagat atagagaatt cgtgtggctg aggcagagac tccaaagtaa tgcgttgctg 420
gtacaactgc cagaacttcc atctaaaaac ctgtttttca acatgaacaa tcgccagcac 480
gtggatcagc gtcgccaggg tctgggaaat ttctcagaa aagtcctaca gatgcacttt 540
tgctttcaga tagcagcctt cacctcttcc ttacagagcc atctga 586

<210> 538

<211> 1250

<212> DNA

<213> Homo sapiens

<400> 538

aattcggcac gagctctccc ttcggttctt ctctttcggc cggcgcgcgc agttcctggg 60
gcacacccag aggtcccctt ctgcgcgcgc cctgcaactg cgagggtagc ccggggccgc 120
ttggagtcgc ccggacctga gaggtgctg cactgggcct cagccagccc tccggatgct 180
ggtgctgcca tccccctgcc ctacgcctct ggcattttcc tccgttgaga ccatggaggg 240
ccctccccgt cggacttgcc gctccccaga acctggacct tcctcctcca tcggatctcc 300
ccaggcttca tctcctccaa ggcccaacca ctacctgctt attgacactc aggggtgtcc 360
ctacacagtg ctgggtggacg aggagtcaca gaggagacca ggggccagtg gggctccagg 420
ccagaaaaag tgctacagct gcccgtgtg ctcaagggtc ttcgagtaca tgcctacct 480
tcagcgacac agcatcacc actcggaggt aaagcccttc gagtgtgaca tctgtgggaa 540
ggcattcaag cgcgccagcc acttggcacg gcaccattcc attcacctgg cgggtggtgg 600
gcggccccac ggctgcccgc tctgccctcg ccgcttccgg gatgcgggtg agctggccca 660
gcacagccgg gtgcaactct gggaaacgcc gtttcagtgt ccacactgcc ctgcgcgctt 720
tatggagcag aacacactgc agaaacacac gcggtggaag catccatgag ccgggctgcc 780
gggtgcccc a ggtaccacag gactttgcag ggagcctgga ctctgttcca gacacctggt 840
gagagcctga ggctggtgtt cagggccctg gacacagaca cagagcagcc gcatctcaa 900
rgcagagccc tgctgaagg aggaatccgt gagtaatctt caggtcctcc gtgttctgga 960
gctgagatgg gaatgagccc ctacacagaa tggagtcctc tagcctaaag atatcagctg 1020
ttccatggca gagccttgac tggatggagg tggggagtgt ggtgtgtaaa gtctctggcc 1080

tcataaaaagg tggctgtggg tcgtcaggaa tctgcgccat cttcctgggg cttctgcgct 1140
gttggtgggg aagggacccc agtcctgcct tccacccccc aaccaggcct gagactgac 1200
aaacaataaa cacgtttccc actctgaaaa aaaaaaaaaa aaaaaaaaaa 1250

<210> 539

<211> 1350

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1305)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1349)

<223> n equals a,t,g, or c

<400> 539

ggcagagcac atgcgcaccg cagcgggtcg cgcgccctaa ggagtggcac tttttaaag 60
tgcagccgga gaccagccta cagccgcctg catctgtatc cagcgcagg tcccgccagt 120
cccagctgcg cgcgcccccc agtcccgcac ccgttcggcc caggctaagt tagccctcac 180
catgccggtc aaaggaggca ccaagtgcac caaataacctg ctgttcggat ttaacttcat 240
cttctggcct gccgggattg ctgtccttgc cattggacta tggctccgat tcgactctca 300
gaccaagagc atcttcgagc aagaaactaa taataataat tccagcttct acacaggagt 360
ctatattctg atcggagccg gcgcccctcat gatgctggtg ggcttccttg gctgctgcgg 420
ggctgtgcag gagtcccagt gcatgctggg actgttcttc ggcttcctct tggatgatatt 480
cgccattgaa atagctgcgg ccatctgggg atattcccac aaggatgagg tgattaagga 540
agtccaggag ttttacaagg acacctacaa caagctgaaa accaaggatg agccccagcg 600
ggaaacgctg aaagccatcc actatgcgtt gaactgctgt ggtttggctg ggggcgtgga 660
acagtttatc tcagacatct gcccgaagaa ggacgtactc gaaaccttca ccgtgaagtc 720
ctgtcctgat gccatcaaag aggtcttcga caataaatc cacatcatcg gcgcagtggg 780
catcggcatt gccgtggtca tgatatttgg catgatcttc agtatgatct tgtgctgtgc 840
tatccgcagg aaccgcgaga tggctctagag tcagcttaca tccctgagca ggaaagttaa 900
cccatgaaga ttggtgggat tttttgtttg tttgttttgt tttgtttgtt gtttgttgtt 960
tgtttttttg cactaattt tagtattcat tctgcattgc tagataaaag ctgaagttac 1020
tttatgtttg tcttttaattg cttcattcaa tattgacatt tgtagttag cgggggggtt 1080
ggtttgcttt ggtttatatt ttttcagttg tttgttttgg cttgttatat taagcagaaa 1140
tcctgcaatg aaaggtacta tatttgctag actctagaca agatattgta cataaaagaa 1200
ttttttgtgc tttaaataga tacaaatgtc tatcaacttt aatcaagttg taacttatat 1260
tgagacaat ttgatacata ataaaaaatt atgacaatgt cctgnaaaaa aaaaaaaaaa 1320
aaaagggcgg ccgccccaga ggancccnng 1350

<210> 540

<211> 2509

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<400> 540

```
ccttgcctggg aactagtggg tcccccgggc tggcaggnaa ttcgggcsa gccggccaca 60
gtccaccgcg cggagattct cagcttcccc aggagcaaga cctctgagcc cgccaagcgc 120
ggccgcacgg cctcggcagc gatggcactg aaggactacg cgctagagaa ggaaaagggt 180
aagaagtctt tacaagagtt ctaccaggat gatgaactcg ggaagaagca gttcaagtat 240
gggaaccagt tggttcggct ggctcatcgg gaacagggtg ctctgtatgt ggacctggac 300
gacgtagccg aggatgaccc cgagttggtg gactcaattt gtgagaatgc caggcgctac 360
gcgaagntct ttgctgatgc cgtacaagag ctgctgcctc agtacaagga gagggagtg 420
gtaataaag atgtcctgga cgtttacatt gagcatcggc taatgatgga gcagcggagt 480
cgggaccctg ggatggtcgg aagccccag aaccagtacc ctgctgaact catgcgcaga 540
tttgagctgt attttcaagg ccctagcagc aacaagcctc gtgtgatccg ggaagtgcgg 600
gctgactctg tggggaagtt ggtaactgtg cgtggaatcg tcaactcgtg ctctgaagtc 660
aaacccaaga tgggtggtggc cacttacact tgtgaccagt gtggggcaga gacctaccag 720
ccgatccagt ctcccacttt catgcctctg atcatgtgcc caagccagga gtgccaaaac 780
aaccgctcag gaggcggtct gtatctgcag acacggggct ccagattcat caaattccag 840
gagatgaaga tgcaagaaca tagtgatcag gtgcctgtgg gaaatatccc tcgtagtatc 900
acggtgctgg tagaaggaga gaacacaagg attgccagc ctggagacca cgtcagcgtc 960
actggtatct tcttgccaat cctgcgcact gggttccgac aggtggtaca gggtttactc 1020
tcagaaacct acctggaagc ccctcggatt gtgaagatga acaagagtga ggatgatgag 1080
tctggggctg gagagctcac caggaggag ctgaggcaaa ttgcagagga ggatttctac 1140
gaaaagctgg cagcttcaat cgccccagaa atatacgggc atgaagatgt gaagaaggca 1200
ctgctgctcc tgctagtcgg ggtgtgtggc cagtctcctc gaggcagtaa aatccggggc 1260
aacatcaaca tctgtctgat gggggatcct ggtgtggcca agtctcagct cctgtcatac 1320
attgatcgac tggcgcctcg cagccagtac acaacaggcc ggggctcctc aggagtgggg 1380
cttacggcag ctgtgctgag agactccgtg agtgagaac tgaccttaga ggtgggggcc 1440
ctggtgctgg ctgaccaggg tgtgtgctgc attgatgagt tcgacaagat ggctgaggcc 1500
gaccgcacag ccattccacga ggtcatggag cagcagacca tctccattgc caaggccggc 1560
attctcacca cactcaatgc ccgtgctcc atcctggctg ccgccaaccc tgacctaggg 1620
cgctacaacc ctgcgcgcag cctggagcag aacatacagc tacctgctgc actgctctcc 1680
cggtttgacc tcctctggct gattcaggac cggcccagac gagacaatga cctacgggtg 1740
gccagcaca tcacctatgt gcaccagcac agccggcagc cccctccca gtttgaacct 1800
ctggacatga agctcatgag gcgttacata gccatgtgcc gcgagaagca gccatggtg 1860
ccagagtctc tggctgacta catcacagca gcatacgtgg agatgaggcg agaggcttgg 1920
```

gctagtaagg atgccaccta tacttctgcc cggaccctgc tggctatcct gcgcctttcc 1980
actgctctgg cacgtctgag aatggtggat gtggtggaga aagaagatgt gaatgaagcc 2040
atcagagctaa tggagatgtc aaaggactct cttctaggag acaaggggca gacagctagg 2100
actcagagac cagcagatgt gatatttgcc accgtccgtg aactggtctc agggggccga 2160
agtgtccggg tctctgaggg agagcagcgc tgtgtatctc gtggcttcac acccgcccag 2220
ttccaggcgg ctctggatga atatgaggag ctcaatgtct ggcagggtcaa tgcttcccgg 2280
acacggatca cttttgtctg attccagcct gcttgcaacc ctgggggtcct cttgttccct 2340
gctggcctgc cccttgggaa ggggcagtga tgcctttgag gggaaggagg agcccctctt 2400
tctcccatgc tgcacttact ctttttgcta ataaaagtgt ttgtagattg tcaaaaaaaaa 2460
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaggag 2509

<210> 541

<211> 1743

<212> DNA

<213> Homo sapiens

<400> 541

ggcagagggt gggccccgcc cttgtaggct gtccacctca aacggggccgg acaggatata 60
taagagagaa tgcaccgtgc actacacacg cgactcccac aagggtgcag ccggagccgc 120
ccagctcacc gagagcctag ttccggccag ggtcgccccg gcaaccacga gccagccaa 180
tcagcgcccc ggactgcacc agagccatgg tcggcagaag agcactgatc gtactggctc 240
actcagagag gacgtccttc aactatgcc aagaaggagg tgctgcagcg gctttgaaga 300
agaaaaggat ggaggtgggt gagtcggacc tctatgccat gaacttcaat cccatcattt 360
ccagaaaagg catcacaggt aaactgaagg accctgcgaa ctttcagtat cctgcccagt 420
ctgttctggc ttataaagaa ggccatctga gccagatat tgtggctgaa caaaagaagc 480
tggaagccgc agaccttggt atattccagt tccccctgca gtgggttgga gtcccctgcca 540
ttctgaaagg ctgggttgag cgagtgttca taggagagtt tgcttacct tacgctgcca 600
tgtatgacaa aggacccttc cggagtaaga aggcagtgct ttccatcacc actggtggca 660
gtggctccat gtactctctg caagggatcc acggggacat gaatgtcatt ctctggccaa 720
ttcagagtgg cattctgcat ttctgtggct tccaagtctt agaacctcaa ctgacatata 780
gcattgggca cactccagca gacggccgaa ttcaaactct ggaaggatgg aagaaacgcc 840
tggagaatat ttgggatgag acaccactgt attttgctcc aagcagcctc tttgacctaa 900
acttccaggc aggattctta atgaaaaaag aggtacagga tgaggagaaa aacaagaaat 960
ttggcctttc tgtgggcat cacttgggca agtccatccc aactgacaac cagatcaaa 1020
ctagaaaaat agattcctta gcctggattt ctttctaaca tgttatcaaa tctgggtatc 1080
tttccaggct tccctgactt gctttagttt ttaagatttg tgtttttctt tttccacaag 1140
gaataaatga gagggaatcg actgtattcg tgcatttttg gatcattttt aactgattct 1200
tatgattact atcatggcat ataaccaaaa tccgactggg ctcaagaggc cacttaggga 1260
aagatgtaga aagatgctag aaaaatgttc tttaaaggca tctacacaa ttaattcctc 1320
tttttagggc taaagtttta gggtagagtt tggttaggta tcattcaact ctccaatggt 1380
ctattaatca cctctctgta gtttatggca gaagggaatt gctcagagaa ggaaaagact 1440
gaatctacct gccctaaggg acttaacttg ttggtagtgt agccatctaa tgcttggtta 1500
tgatatttct tgctttcaat taaaaagcag ttactaatat gcctagcaca agtaccactc 1560
ttggctcagct tttgttgttt atatacagta cacagatacc ttgaaaggaa gagctaataa 1620
atctcttctt tgctgcagtc atctactttt tttttaatta aaaaaaattt tttttgaac 1680
agcttgctct gtaccargc tggatgcart gggtagctcg gctcactgca acctctgcct 1740
ccc 1743

<210> 542

<211> 2210

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<400> 542

```
cgcgccctgca ggttcgacag tagtggatcc aaagaattcn gcacgaggct ggggtgcagca 60
accggagcgg cgggcgctct ggaggaggct gcagcagcgg aagaccccag tccagatcca 120
ggactgagat ccagaaacca tgaacctggc catcagcatc gctctcctgc taacagtctt 180
gcaggctctc cgagggcaga aggtgaccag cctaaccggc tgcctagtgg accagagcct 240
tcgtctggac tgccgccatg agaataccag cagttcaccc atccagtagc agttcagcct 300
gaccctgtag acaaagaagc acgtgctctt tggcactgtg ggggtgcctg agcacacata 360
ccgctcccg aaccaattca ccagcaaata caacatgaag gtcctctact tatccgcctt 420
cactagcaag gacgagggca cctacacgtg tgactctcac cactctggcc attccccacc 480
catctcctcc cagaacgtca cagtgtctag agacaaactg gtcaagtgtg agggcatcag 540
cctgtctggc cagaacacct cgtggctgct gctgtcctg ctctccctct ccctcctcca 600
ggccacggat ttcattgtcc tgtgactggt ggggcccatg gaggagacag gaagcctcaa 660
gttccagtgc agagatccta cttctctgag tcagctgacc cctccccsc aatccctcaa 720
accttgagga gaagtgggga cccacccct catcaggagt tccagtgtg catgcgatta 780
tctaccacg tccacgcggc cacctcacc tctccgcaca cctctggctg tctttttgta 840
ctttttgtt cagagctgct tctgtctggt ttatttaggt tttatccttc cttttctttg 900
agagttcgtg aagaggggag ccaggattgg ggacctgat gagagtgaga gcatgtgagg 960
ggtagtggga tgggtgggta ccagccactg gaggggcat ccttgcccat cgggaccaga 1020
aacctgggag agacttgat gaggagtggg tgggctgtgc ctgggcctag cacggacatg 1080
gtctgtcctg acagcactcc tcggcaggca tggctgggtg ctgaagacc cagatgtgag 1140
ggcaccacca agaattttgt gcctaccttg taggggagag aactgagcat ctccagcatt 1200
ctcagccaca accaaaaaaa aataaaaagg gcagccctcc ttaccactgt ggaagtccct 1260
cagaggcctt ggggcatgac ccagtgaaga tgcaggtttg accaggaaag cagcgctagt 1320
ggaggggttg agaaggaggt aaaggatgag ggttcatcat ccctccctgc ctaagggaagc 1380
taaaagcatg gccctgctgc ccctccctgc ctccaccac agtggagagg gctacaaaagg 1440
aggacaagac cctctcaggc tgtccaagc tccaagagc ttccagagct ctgaccacca 1500
gcctccaagt cagggtgggt ggagtccag agctgcacag ggtttggccc aagtttctaa 1560
gggagggact tcctccctc gcccatcagt gccagccct gctggctggt gcctgagccc 1620
ctcagacagc cccctgcccc gcaggcctgc cttctcaggg acttctgagg ggcctgaggc 1680
aagccatgga gtgagacca ggagccggac acttctcagg aaatggcttt tcccaacccc 1740
cagccccac ccggtggttc ttctgttct gtgactgtgt atagtccac cacagcttat 1800
ggcatctcat tgaggacaaa gaaaactgca caataaaacc aagcctctgg aatctgtcct 1860
cgtgtccacc tggccttcgc tcctccagca gtgcctgcct gccmcgcttc gctggggtct 1920
ccacgggtga ggctggggaa cgccacctct tcctcttccc tgacttctcc ccaaccactt 1980
agtagcaacg ctaccccagg ggctaatagac tgcacactgg gcttcttttc agaatagacc 2040
taacgagaca catttgccca aataaacgaa catcccatgt ctgctgactc acctggctgg 2100
aacaacatgc ttactgcca catgtgggac gaaccacatg gccctggctt tggaatgcac 2160
aagtggcttt gcgtgaattt gcgctaagct atgcagtttg aaaaaaaaaa 2210
```

<210> 543

<211> 1715

<212> DNA

<213> Homo sapiens

<400> 543

```
ggcaccgagcg cactcccagc cggccgcagc ctgacacgcc gcgcggcccc ccagtctccc 60
gcggtgctgc ccccaggcat ggcacagggc ctgcctcac tatggcagca gcacggcaca 120
gcacgctcga cttcatgctc ggcgccaaag ctgatggtga gaccattcta aaaggcctcc 180
agtccatttt ccaggagcag gggatggcgg agtcggtgca cacctggcag gaccatggct 240
atthagcaac ctacacaaac aagaacggca gctttgccaa tttgagaatt taccacatg 300
gattggtggt gctggacctt cagagttatg atggtgatgc gcaaggcaaa gaagagatcg 360
acagtatttt gaacaaagta gaggaagaa tgaaagaatt gagtcaggac agtactgggc 420
gggtgaaacg attaccaccc atagtgcgag gaggagccat cgacagatac tggcccaccg 480
ccgacgggcg cctggttgaa tatgacatag atgaagtggg atatgacgaa gattcacctt 540
atcaaatat aaaaattcta cactcgaagc agtttgaaa tattctcadc cttagtgggg 600
atgttaattt ggcagagagt gatttggcat ataccgggc catcatgggc agtggcaaa 660
aagattacac tggcaaagat gtactcatte tgggaggtgg agacggaggc atattgtgtg 720
aaatagtcaa actaaaacca aagatggtca ctatggtaga gattgacca atggtgattg 780
atgggtgtaa gaaatacatg cgaaaaacgt gtggcgatgt cttagacaat cttaaaggag 840
actgctatca ggttctaata gaagactgta tcccggtact gaagaggtac gccaaagaag 900
ggagagaatt tgattatgtg attaatgatt tgacagctgt tccaatctcc acgtctccag 960
aagaagattc cacatgggag tttctcagac tgattcttga cctctcaatg aaagtgttga 1020
aacaggatgg gaaatatttt acacagggga actgtgtcaa tctgacagaa gcactgtcgc 1080
tctatgaaga acagctgggg cgcctgtatt gtcctgtgga attttcaaag gagatcgtct 1140
gtgtcccttc atacttgga ttgtgggtat ttacactgt ttggaagaaa gctaaaccct 1200
gaagatcagt agcccctaat cacatgtgct gcaaatagcc ttcctgacct ccatatgctg 1260
tacatgacat caaatgagt caggcaattg attgtgaatt ccttaaagtt ttcctttttt 1320
taataattat ttttaattta aaaaagcaaa tggaaaatgt atattttgat gagcttaggg 1380
tgtttttttt ttgaaagtca gctgaaggat ggtagacag cacagcgaag actgctaaat 1440
gactgaccc ccccatatg aatgtgattt ttgttcctt ttatttctct gtgggctttt 1500
gtttttgttt ttgttttggg agatcttcaa ttggatatt ttgaggagtg aacatcgttg 1560
ttttgctgga gggaagatct tgatggtgtt tctttcccca aaaattgact tagatattaa 1620
aatttggtgc ttataagaga gagttaaaaa aaaataggat tgcttcaatt aaaattacaa 1680
aagagamaaa aaaaaaaaaa aaagaaagtc gacgc 1715
```

<210> 544

<211> 3109

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1011)

<223> n equals a,t,g, or c

<400> 544

```
ggtttgactg cagagatgtg gcattcactg tgggcgaagg agaagaccac gacattccaa 60
ttggaattga caaagctctg gagaaaatgc agcgggaaga acaatgtatt ttatatcttg 120
gaccaagata tggtttttga gaggcaggga agcctaaatt tggcattgaa cctaagtctg 180
agcttatata tgaagttaca cttaagagct tcgaaaaggc caaagaatcc tgggagatgg 240
ataccaaaga aaaattggag caggctgcca ttgtcaaaga gaagggaacc gtatacttca 300
agggaggcaa atacatgcag gcggtgattc agtatgggaa gatagtgtcc tgggttagaga 360
tggaaatagg ttatcagaa aaggaatcga aagcttctga atcatttctc cttgctgcct 420
ttctgaacct ggccatgtgc tacctgaagc ttagagaata caccaaagct gttgaatgct 480
gtgacaaggc ccttgactg gacagtgcga atgagaaagg cttgtatagg aggggtgaag 540
```

cccagctgct catgaacgag tttgagtcag ccaaggggtga ctttgagaaa gtgctggaag 600
taaaccccc gaataaggct gcaagactgc agatctccat gtgccagaaa aaggccaagg 660
agcacaacga gcgggaccgc agatatacgc caacatgttc aagaagtttg cagagcagga 720
tgccaaggaa gagggccaata aagcaatggg caagaagact tcagaagggg tccactaatga 780
aaaaggaaca gacagtcaag caatggaaga agagaaacct gagggccacg tatgacgcca 840
cgccaaggag ggaagagtcc cagtgaactc ggccctcct caatgggctt tcccccaact 900
caggacagaa cagtgtttta tgtaaagttt gttatagtct atgtgattct ggaagcaaat 960
ggcaaaacca gtagcttccc aaaaacagcc cccctgctgc tgcccggagg nttcactgag 1020
gggtggcacg ggaccactcc aggtggaaca aacagaaatg actgtggtgt ggaggagtg 1080
agccagcagc ttaagtccag ctcatctcag tttctatcaa ccttcaagta tccaattcag 1140
ggtccctgga gatcatccta acaatgtggg gctgttaggt tttaccttg aactttcata 1200
gcactgcaga aacctttaaa aaaaaaatgc ttcataaatt tctcctttcc tacagttggg 1260
tagggtaggg gaaggaggat aagcttttgt tttttaaatg actgaagtgc tataaatgta 1320
gtctgttgca tttttaacca acagaacca cagtagaggg gtctcatgtc tccccagttc 1380
cacagcagtg tcacagacgt gaaagccaga acctcagagg ccacttgctt gctgacttag 1440
cctcctccca aagtcctccc cctcagccag cctccttggt agagtggctt tctaccacac 1500
acagcctgtc cctgggggag taattctgtc attcctaaaa cacccttcag caatgataat 1560
gagcagatga gagtttctgg attagctttt cctattttcg atgaagttct gagatactga 1620
aatgtgaaaa gagcaatcag aattgtgctt tttctcccct cctctattcc ttttagggaa 1680
taatattcaa tacacagtac ttctcccag cattgctact gctcagcttc ttctttcatt 1740
ctaactcttg ctattaagaa tttaagactt gtgcttacia tatttttgac ctggagtggg 1800
tctattttaca tagtcattta ggatccatgc agctttttt gtctttttta gattattggc 1860
tcataagcat atgtatactg gtttatggaa ctttatttac actcctctat catgcaaaaa 1920
aattttgact ttttagtact aagcttaatt tttaaaaaca aaatctgtag kgttgacaaa 1980
taaatagttg ctcttctaca ctagggggtt cacctgcagg tttgacacgc agtgctcgc 2040
ttttcctgcc ctgtcaagct tctctgttct ggctgagtt gtgaaagagt tgaagacagc 2100
ttcccatgcc ggtacacagc cagtagccta aatctccagt acttgagctg accattgaac 2160
tagggcaagt cttaaatgtg tacatgtagt tgaatttcag tccttacggg taaacagatt 2220
gagcatggct ctctattccc tcagcctaag aaacactcat gggaatgcat ttggcaaccc 2280
aaggaaccat ttgcttaaac ctggaacatc tcacctttt aaatcctaaa aaacactggc 2340
agttatattt taaattagtt ttatttttta tgatggtttt atcaaaagac ttttattatt 2400
agattgggac ccccttcaaa cctaaaaatc aagttatttc cttttataat acttttcttc 2460
cccatggaac aaatgggac aattgtgtag tttttcctt taatgataac taaaatccct 2520
ctaatttctc atttatgctt ttgtctttt tatgaaatat ttcttttaaa agccccagtc 2580
tcacctacga aatatgaaga gcaaaagctg attttgctta cttgctaacc tgttgggaaa 2640
gctctgtaga gcatggttcc agtgaggcca agattgaaat ttgatactaa aaaggccacc 2700
tagctttttg cagataacaa acaagaaagc tattccaaga ctcatgatg gccagctgtc 2760
tcccacgtgt gtattatggt tcaccagggg gaactggcaa aagtgtgtgt ggggagggga 2820
aggggtgtgt agtggttctg agcaataaac tacagggtgc ccattaccac tcaagaagac 2880
acttcacgta ttctgtatc aaattcaata atcttaacaa atttgtgtag aagtccacag 2940
acatctttca accacctttt aggctgcata tggattgcca agtcagcata tgaggaatta 3000
aagacattgt tttttaaaaa aaaaaatcat ttagatgcac ttttttgtgt gttctttaaa 3060
taaattccaaa aaaaatgtga aaaaaaaaaa aaaaaaaagt cgacgcggc 3109

<210> 545

<211> 1176

<212> DNA

<213> Homo sapiens

<400> 545

cgctcccta taagacaaag cgcggccgac gggctccgag cgcggccct gggttcgaac 60

```
acggcaccgg cactgcgcgt catggtgcag gcctggtata tggacgacgc cccgggcgac 120
ccgcggcaac cccaccgccc cgaccccgcc cgcccagtg gcttgagca gctgcggcg 180
ctcggggtgc tctactggaa gctggatgct gacaaatag agaataatg agaattaga 240
aagatccgaa gagagaggaa ctactcctgg atggacatca taaccatatg caaagataaa 300
ctaccaaatt atgaagaaaa gattaagatg ttctacgagg agcatttgca cttggacgat 360
gagatccgct acatcctgga tggcagtggt tacttcgag tgagggacaa ggaggaccag 420
tggatccgga tcttcctgga gaaggagac atggtgacgc tccccgcgg gatctatcac 480
cgcttcacgg tggacgagaa gaactacacg aaggccatgc ggctgtttgt gggagaaccg 540
gtgtggacag cgtacaaccg gcccgctgac cattttgaag cccgcgggca gtacgtgaaa 600
tttctggcac agaccgccta gcagtgtgc ctgggaacta acacgtgcct cgtaaaaggc 660
cccaatgtaa tgactgagca gaaaatcaat cactttctct ttgcttttag aggatagcct 720
tgaggctaga ttatctttcc tttgtaagat tatttgatca gaataatttg taatgaaagg 780
atctagaagg caacttgga gtgtaagag tcaccttcct tttctgtaac tcaatcaaga 840
ctgggtgggtc catggccctg tgttagttca tgcattcagt tgagtcccaa atgaaagtgt 900
catctcccg aatgcagttc cttagatgac catctggacg tgatgccgcg cctgcctgt 960
aagaagggtc aatcctagat aacacagcta gccagataga agacactttt ttctccaaaa 1020
tgatgccttg ggtggggag tggtagggg aagagctccc accctaagg gcacacactg 1080
agttgcttat gccacttcct tgttcaaaat aaagtaactg ccttaatcct aaaaaaaaaa 1140
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 1176
```

<210> 546

<211> 1735

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<400> 546

```
cttccactgn gccgcccact acagcctgcc cgacggccgc cacggccgccc tggacagccc 60
caccttccac ctcaccctgc actatcccac ggagcacgtg cagttctggg tgggcagccc 120
gtccacccca gcaggctggg tacgcgagg tgacactgtc cagctgctct gccgggggga 180
cggcagcccc agcccggagt atacgtttt ccgccttcag gatgagcagg aggaagtgt 240
gaatgtgaat ctgagggga acttgaccct ggaggagtg acccggggccc agagcgggac 300
ctatggctgc agagtggagg attacgacgc ggcagatgac gtgcagctct ccaagacgt 360
ggagctgcgc gtggcctatc tggaccccct ggagctcagc gaggggaagg tgctttcctt 420
acctctaaac agcagtgcag tcgtgaactg ctccgtgcac ggcctgccc cccctgccct 480
acgctggacc aaggactcca ctcccctggg cgatggcccc atgctgtcgc tcagttctat 540
caccttcgat tccaatggca cctacgtatg tgaggcctcc ctgcccacag tcccggctct 600
cagccgcacc cagaacttca cgctgtgtgt ccaaggctcg ccagagctaa agacagcgga 660
aatagagccc aaggcagatg gcagctggag ggaaggagac gaagtccac tcatctgtc 720
tgcccgcggc catccagacc ccaaactcag ctggagccaa ttggggggga gccccgcaga 780
gccaatcccc ggacggcagg gttgggtgag cagctctctg accctgaaa tgaccagcgc 840
cctgagccgc gatggcatct cctgtgaagc ctccaacccc cacgggaaca agcgccatgt 900
cttccacttc ggcaccgtga gccccagac ctcccaggct ggagtggccg tcatggccgt 960
ggccgtcagc gtgggcctcc tgctcctcgt cgttgctgtc ttctactgcg tgagacgcaa 1020
aggggggccc tgctgccgc agcggcgagg gaagggggct ccgccgccag gggagccagg 1080
gctgagccac tcgggggtcg agcaaccaga gcagaccggc cttctcatgg gaggtgcctc 1140
cggaggagcc aggggtggca gcgggggctt cgagagcag tgctgagcca agaacctcct 1200
```

```
agaggtgtgc cctggacctg gagctgcagg catcagagaa ccagccctgc tcacgccatg 1260
cccgcccccg ccttccctct tccctcttcc ctctccctgc ccagccctcc cttccttcc 1320
ctgccggcaa ggcagggacc cacagtggct gcctgcctcc gggaggggag gagagggagg 1380
gtgggtgggt gggagggggc cttcctccag ggaatgtgac tctcccaggc cccagaatag 1440
ctcctggacc caagcccaag gccagcctg ggacaaggct ccgaggggtc gctggccgga 1500
gctattttta cctcccgct cccctgctgg tccccccacc tgacgtcttg ctgcagagtc 1560
tgacactgga ttccccccc tcaccccgcc cctgggtcca ctctgcccc cgccctacct 1620
ccgccccacc ccatcatctg tggacactgg agtctggaat aaatgctgtt tgtcacatca 1680
amaaaaaaaa aaaaaaaatt cgrggggggc ccggtacca atttgcagga tggga 1735
```

<210> 547

<211> 1048

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1043)

<223> n equals a,t,g, or c

<400> 547

```
accacgcgt ccggcgccg tgtgggtgag ttggctgccg gtgagttggg tgccggtgga 60
gtcgtgttgg tcctcagaat cccgcgtas cgctgcctcc tcctaccctc gccatgtttc 120
ttacccggtc tgagtacgac agggcggtga atactttttc tccgaagga agattatttc 180
aagtgggaata tgccattgag gctatcaagc ttggttctac agccattggg atccagacat 240
cagaggggtg gtgcctagct gtggagaaga gaattacttc cccactgatg gagcccagca 300
gcattgagaa aattgtagag attgatgtc acatagggtg tgccatgagt gggctaattg 360
ctgatgctaa gactttaatt gataaagcca gagtggagac acagaaccac tggttcacct 420
acaatgagac aatgacagtg gagagtgtga cccaagctgt gtccaatctg gctttgcagt 480
ttggagaaga agatgcagat ccaggtgcc a tgtctcgtcc ctttggagta gcattattat 540
ttggaggagt tgatgagaaa ggaccccgagc tgtttcatat ggacccatct gggacctttg 600
tacagtgtga tgctcgagca attggctctg ctccagaggg tgcccagagc tccttgcaag 660
aagtttacc caagtctatg actttgaaag aagccatcaa gtcttcactc atcatcctca 720
aacaagtaat ggaggagaag ctgaatgcaa caaacattga gctagccaca gtgcagcctg 780
gccagaattt ccacatgttc acaaaggaag aacttgaaga ggttatcaag gacatttaag 840
gaatcctgat cctcagaact tctctgggac aatttcagtt ctaataatgt ccttaaat 900
tatttccagc tcctgttcc tggaaaatct ccattgtatg tgcatttttt aaatgatgtc 960
tgtacataaa ggcagttctg aaataaagaa aattttaaaa taaaaaaaaa aaaaaaaaaa 1020
tcgggggtcgc cggtttcgat aangcttg 1048
```

<210> 548

<211> 736

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (719)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (724)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (727)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (734)
<223> n equals a,t,g, or c

<400> 548
ctaaaggtaa caaaagctgg agctccaccg cggtggcggc cgctctagaa ctagtggatc 60
ccccgggctg tttggtttga gcgctcgccg tcttttgccg gcagcggcga cgcgagggct 120
cccggccgcc cgcgtccgct gggaatctag cttctccagg actgtggtcg ccccgctccgc 180
tgtggcggga aagcggcccc cagaaccgac cacaccgtgg caagaggacc cagaaccgga 240
ggacgaaaac ttgtatgaga agaaccgaga ctcccatggt tatgacaagg accccgtttt 300
ggacgtctgg aacatgcgac ttgtcttctt ctttggcgtc tccatcatcc tggtccttgg 360
cagcaccttt gtggcctatc tgcctgacta caggtgcaca ggggtgtccaa gagcgtggga 420
tgggatgaaa gagtgggtccc gccgcgaagc tgagaggctt gtgaaatacc gagaggccaa 480
tggccttccc atcatggaat ccaactgctt cgaccccgag aagatccagc tgccagagga 540
tgagtgacca gttgctaagt ggggctcaag aagcaccgcc ttccccaccc cctgcctgcc 600
attctgacct cttctcagag cacctaatta aaggggctga aagtctgaaa aaaaaaaaaa 660
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggcgcnr 720
ctantntaa atcnrc 736

<210> 549
<211> 2231
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (2224)
<223> n equals a,t,g, or c

<400> 549
ttaaaccagg aactgttgga attattctag ctgtaactac ctattggcta tgtgttgatt 60
gaycctagaa agraanaata atttttcatt ttagatcttg attgaattta agatgtattt 120
atatgcctac aaaaggtctg tcttgtaact gttgtataaa ataaacctaa tctatggttt 180
catttttaat ctaaaaaaag ttgtgcctta acaatagggc attgtatggt aataaggga 240
aacaaccttt ttagtagatg ggggaaaata ggaacttttt gccattaaaa cttaagttct 300
tttgatgttt ttaatattat agttggggga gattcattaa aattaaattg aaataaatt 360
atttttgcat aacctagcat ttacaactaa agtatgtttt ttataagaac tggcatcttg 420
atgtatatag gtcgaaaata atatttcac ttttgatttt taattttaat aatattagac 480
caggatagat cacagtttta caaatcttag ttttaataa attatttcag tgtgctgtta 540
gtcctctaca gtcatttttg tttaaaaagt gactatttat ttatggtagc atatcaataa 600
tttattaatg ttaaaaaata ctgtgtatga cattacmaac cagaacagtt cctgggggag 660

```

aggattctaa ttgattggca gttctgagag ggcaagaaga atggaacttt atacttcaaa 720
aggaggtttt ggttttacca ggtactgctt atgtaaatcg tttattttta tttcatcaaa 780
gcctggcaag tatatgcatt ccaatttacc attggcaaaag ctttatttat ttttaagggt 840
ggatgttgaa ttaattttgt gggaaaatga gatttgtaag tagttttctt tctagataag 900
ataacataaa ccaaaacttc agaagttaag gatgatgaat aatattgaaa tgacttgtaa 960
tatattgtaa gggttccctt aagtatcata attaacaatt tgtggaaatt gaaaaagcat 1020
aaactgtggt atttgattag taatatgttc ccttaaaatt cttttgagg tgtatgttat 1080
acacacagta aatttttggt caggaatgac ttgctcattc tgtgttttta aaaataggaa 1140
ataaggcata gtgagtcac attacatcaa ttaacaaaaa aatatttcat cccctccgtg 1200
cactgaaatt atctacttca gccaccttcc ttattctcgt gttaggaggg cacgtttatg 1260
gactttttta tttccatgtg ccatattgtc cactaccggc agtagccaaa gctagctgtt 1320
tcagtcccac agaagagaca gtgctctgcc atgatgacag ggcactgcta gggctggtt 1380
ttctgtttt tcccttttgg cagtgtggac ttcaggaact agatgtatat gcacaaggga 1440
ttgagtttac actaaaacta ggaaatggag ttttcaatct atgttcttgc ctcttcatac 1500
ttttatttat tttttgtcat cctgccttat actgggctaa caatgagata aaataaaaat 1560
accttgaat actcttttcc ctttcatgca tttaaagcca tggaggaaact agaccattag 1620
ctgttgccgt cacatgctta gacaccagtt tacttagcgt gttatgacct tcctcaccca 1680
tactacaaaa tttaaagggt tcccgacttc accctctgga aggaagtaaa ctcttctctc 1740
cccattggtt cagagcagtt tttacctgca agcaccatct ctgtatgtgc tcttactaga 1800
ttatacagtt cttgagaggg attgcatctt ggtgtttttg tatttccacc tcacccccag 1860
cacatagccc agtctcttgc acaaaattaag tacttaatgt gtgttgagct aaattgaata 1920
aaggattatt agcattagca tttttgtgc ctgtgttgta taagctggtt gtttgttttg 1980
ttacctttgc aaatatattat gattatcacc cccccacata cttaaattgtt tttaaaagtt 2040
ttgcctttcc ttcagatact accccaggca atttgctgta gataatgtga ttgcttccaa 2100
tgacataatt atcccaaact ctctgccccg gatatacttt gccaaacgaa atttgaattc 2160
tctgaataaa ttggtcatgt ctaaaaaaa aaaaaaaaaa aaaaaactcg gggggggggc 2220
cggnacccaa t 2231

```

<210> 550

<211> 1816

<212> DNA

<213> Homo sapiens

<400> 550

```

cccacgcgtc cgtagcggcg ccggtgagtc cgcgtgtgga agtctgtgag gcgcagaggt 60
ggggcaggcc gtctgrctag ctaggcggct gggagcgttt tcgtggcggg gaacggaggt 120
tgaattgccc tgctgggct catagggaag gaggatgtga aggagcttgt gaaggcagag 180
gaagattatt gaataataaa atacagtttt gaaaaaaatg gatgaagaac ctgaaagaac 240
taagcgatgg gaaggaggct atgaaagaac atgggagatt cttaaagaag atgaatctgg 300
atcacttaaa gctacaatag aagacattct attcaaggca aagagaaaaa gagtatttga 360
gcaccatgga caagttcgac ttggaatgat gcgccacctt tatgtggtag tagatggatc 420
aagaacaatg gaagaccaag atttaaagcc taatagactg acgtgtactt taaagtgtgt 480
ggaatacttt gtagaggaat attttgatca aaatcctatt agtcagattg gaataattgt 540
aactaagagt aaaagagctg aaaaattgac tgaactttca ggaaacccaa gaaaacatat 600
aacgtctttg aagaaagctg tggaatgac ctgccatgga gagccatctc tttataattc 660
cctaagcata gctatgcaga ctctaaaaca catgcctgga catacaagtc gagaagtact 720
aatcatcttt agcagcctta caacttgcca tccatctaatt atttatgatg taatcaagac 780
cctaagggca gctaaaatta gagtatctgt tattggattg tctgcagaag ttcgcgtttg 840
cactgtactt gctcgtgaaa ctggtggcac ttaccatggt atttttagatg aaagccatta 900
caaagagttg ctcacacatc atgttagtcc tcctcctgct agctcaagtt ctgaatgctc 960
acttattcgt atgggatttc ctcagcacac cattgcttct ttatctgacc aggatgcaaa 1020

```

accctctttc agcatggcgc atttgatgg caatactgag ccagggtta cattaggagg 1080
ctatttctgc ccacagtgtc gggcaaagta ctgtgagcta cctgttgaat gtaaaatctg 1140
tggctcttact ttggtgtctg ctccccactt ggcacggctt taccatcatt tgtttccttt 1200
ggatgctttt caagaaattc ccctagaaga atataatgga gaaagatttt gttatggatg 1260
tcagggggaa ttgaaagacc aacatgttta tgtttgtgct gtgtgccaaa atgttttctg 1320
tgtggactgt gatgtttttg ttcattgattc tctacactgt tgccctggct gtattcataa 1380
gattccagct ccttcagggtg tttgattcca gcatgtagta tacattgtat gtgttaaaaa 1440
gaaatttgca actgtgaata aaaggacttc tttagaagaa gcttcattta aaacatgaaa 1500
ggataatctg acttaagaaa ctttttgcta agaaaaggta atattttatt aaattttaaa 1560
tttgtgttgt cacagaaata cctgaaattc agtagtactt cattcaatta attttgtttt 1620
ctattatttt gagttatact gttttcaaag tcattatgca gtatgtataa acttataaga 1680
attaaattga tgtgataatt ttatgttttt ataattaaat atagaatctt tatgatttat 1740
gttaattcat taatttagtg taagaagaaa gttaagtctg aatgtaaatt cagtgtaaaga 1800
tgaaaattta tcaata 1816

<210> 551

<211> 2610

<212> DNA

<213> Homo sapiens

<400> 551

gcctgaagga ctgcctcgtt tcaacaacaa ctttatggct cccggaagtg cctcctcccc 60
gtccccttcc tttccagcct cagccccgtg ggctgcagtt ggaacgatgg cggcggcagc 120
tgccgccggg cctagcccg ggtctggacc tggggactcc ccagaagggc ccgaggggga 180
ggctccggag cgctcgccga aggcgcacgg gatgctgaag ctttactacg gcctctcgga 240
aggggaggcg gcgggacgcc ccgcggggcc cgacccctg gacccgactg atctgaacgg 300
ggcgcaactc gacccggaag tttacctaga caagctgctg agagagtgcc ctctggcccc 360
gttgatggac agtgagacgg acatggtgcg gcagatccgg gctctagaca gcgacatgca 420
gaccctggtc tatgagaact acaacaagtt catctcagcc acagacacca tccggaagat 480
gaagaacgat ttccggaaga tggaggatga gatggaccgg ctggccacca acatggcagt 540
gatcaccgca ttcagcgctc gcacagcgcc cagctgcag gaccgccacg agcgcatcac 600
caagctggca ggggtccacg cgctgctgcg gaagctgcag ttcctctttg agctgcccc 660
gcgcctcacc aagtgcgtgg aactggcgcc ctatgggcag gcggtgcgct accagggccg 720
cgcgagggcc gtgctgcagc agtaccacaa cctgccctcg ttccgcgcca tccaggacga 780
ctgccaggtc atcaggcccc gcctggcccc gcagctgcgg cagcgcttta gggaggcg 840
ctcaggcgcc ccggagcagg cagagtgcgt ggagctgctg ctggccctgg gcgagcctgc 900
ggaggagctg tgcgaggagt tctggcgcac gcccgcggcc ggctggagaa ggagctgaga 960
aacctggagg ccgagctggg gccctcacct ccggctcccc acgtgttaga gttcacccgac 1020
catggaggca gtggcttctg gggcgccctc tgccagggtg cggcgcccta ccaggagctg 1080
tttgcgcccc agggcccagc aggtgccgag aagctggcgg ccttcgcccc gcagctgggc 1140
arccgctatt ttgcgctggt ggagcggcgg ctggcgcagg agcagggtgg tggtgacaac 1200
tcaactgctg tgcgggcgct ggaccgyttc caccggcgct tgcgggctcc cggggccctg 1260
ctggccgctg ccgggctcgc agacgctgcc acggagatcg tggaaacgagt ggcccgcgag 1320
cgccctggcc accacctgca gggctctccg gcggccttcc tgggtgcct gacagacgtc 1380
cgccaggcgc tggcagcacc tcgctggct gggaaggagg gccctggcct ggccgagttg 1440
ctggccaatg tggcagctc catcctgagc cacattaagg cctctctggc agcagtgcac 1500
cttttcaccg ccaaagagg gtctctctcc aacaagccct acttccgggg tgagttctgc 1560
agtcaagggt tccgtgagg cctcatcgtg ggcttctcc actctatgtg ccagacggct 1620
cagagcttct gcgacagccc ggggagaaag gggggtgcca caccacctgc cctgctctg 1680
ctgctctccc gcctctgcct ggactacgag acggccacca tctctacat cctcactctc 1740
actgatgaac agtttctggt gcaggatcag ttcccagtg cggcgtgag cacgctgtgt 1800

```

gcagaggcca gggaaacggc gcggcggtg ctgaccact acgtgaaggt gcagggcctg 1860
gtcatatcac agatgctgcg caagagcgtg gagactcgcg actggctcag cactctggag 1920
ccccggaatg tgccggccgt catgaagcgg gtggtggagg ataccaccgc catcgacgtg 1980
caggtggggc tcctgtacga agaggggtgt cgcaaggccc agagcagcga ctccagcaag 2040
aggactttct ccgtgtacag cagctctcgg cagcagggcc gctacgcccc cagctatacc 2100
cccagtgcgc cgatggacac caacctcttg agcaatatcc agaagctatt ctctgaacgt 2160
attgatgtgt tcagccctgt ggagttcaac aagggtgctg tgctgaccgg catcatcaag 2220
atcagcctga agacgctgct ggagtggtg cggtgcgca cctttgggcg cttcgggctg 2280
cagcaggtgc aagtggactg ccactttctg cagctctacc tgtggcggtt tgtggccgac 2340
gaagaactcg tgcacttgct gctggacgaa gtggtggcct ctgctgccct gcgctgcccc 2400
gaccctgtgc ccatggagcc cagtgtggtt gaggtcatct gcgagcgcgg ctaggcgtag 2460
ccgctgccat gcaccggtct gtccctgcac cccatggcac ccaggatctg gtctcggtgg 2520
tccttccccg caggcaggtg tcaggaccgg cctaataaac atgtgtggcc tcctcaaaaa 2580
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2610

```

<210> 552

<211> 4021

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4000)

<223> n equals a,t,g, or c

<400> 552

```

attttctttt cccctctcat cagagccctt ccagggctcc tacaagggtg tggtacagaa 60
gaaatcaggt ggaaggacag agcacccttt caccgtggag gaatttgctc ttcccaagtt 120
tgaagtacaa gtaacagtgc caaagataat caccatcttg gaagaagaga tgaatgtatc 180
agtgtgtggc ctatacacat atgggaagcc tgtccctgga catgtgactg tgagcatttg 240
cagaaagtat agtgacgctt ccgactgcca cgggtgaagat tcacaggctt tctgtgagaa 300
attcagtgga cagctaaaca gccatggctg ctctatcag caagtaaaaa ccaaggctct 360
ccagctgaag aggaaggagt atgaaatgaa acttcacact gaggcccaga tccaagaaga 420
aggaacagtg gtggaattga ctggaaggca gtccagtga atcacaagaa ccataaccaa 480
actctcattt gtgaaagtgg actcacactt tcgacaggga attcccttct ttgggcaggt 540
gcgcctagta gatgggaaag gcgtccctat accaaataaa gtcataattc tcagaggaaa 600
tgaagcaaac tattactcca atgctaccac ggatgagcat ggccttgtag agttctctat 660
caacaccacc aatgttatgg gtacctctct tactgttagg gtcaattaca aggatcgtag 720
tcctgtttac ggctaccagt ggggtgtcaga agaacacgaa gaggcacatc aactgctta 780
tcttggtgtc tcccaagca agagctttgt ccaccttgag cccatgtctc atgaactacc 840
ctgtggccat actcagacag tccaggcaca ttatatctg aatggaggca ccctgctggg 900
gctgaagaag ctctccttct attatctgat aatggcaaa gagggcattg tccgaactgg 960
gactcatgga ctgcttgta agcaggaaga catgaagggc catttttcca tctcaatccc 1020
tgtgaagtca gacattgtc ctgtcgctcg gttgtctatc tatgtgttt tacctaccgg 1080
ggacgtgatt ggggattctg caaaatatga tgttgaaaat tgtctggcca acaagggtga 1140
tttgagcttc agcccatcac aaagtctccc agcctcacac gccacctgc gagtcacagc 1200
ggctcctcag tccgtctgcg cctcctgctg tggtggacca agcgtgctgc tcatgaagcc 1260
tctctgtgag ctctcggcgt cctcgggtta caacctgcta ccagaaaagg acctcactgg 1320
ttccctggg cctttgaatg accaggacga tgaagactgc atcaatcgct ataattgtct 1380
tattaatgga atcacatata ctccagtatc aagtacaaat gaaaaggata tgtacagctt 1440
cctagaggac atgggcttaa aggcattcac caactcaaag attcgtaaac ccaaaatgtg 1500

```

tccacagctt caacagtatg aaatgcatgg acctgaaggt ctacgtgtag gtttttatga 1560
gtcagatgta atgggaagag gccatgcacg cctggtgcat gttgaagagc ctcacacgga 1620
gaccgtacga aagtacttcc ctgagacatg gatctgggat ttggtggtgg taaactcagc 1680
agggtgtggct gaggtaggag taacagtccc tgacaccatc accgagtgga aggcaggggc 1740
cttctgcctg tctgaagatg ctggacttgg tatctcttcc actgcctctc tccgagcctt 1800
ccagcccttc tttgtggagc tcacaatgcc ttactctgtg attcgtggag aggccttcac 1860
actcaaggcc acggtcctaa actaccttcc caaatgcatc cgggtcagtg tgcagctgga 1920
agcctctccc gccttcctag ctgtcccagt ggagaaggaa caagcgctc actgcatctg 1980
tgcaaacggg cggcaaatg tgtcctgggc agtaaccca aagtcattag gaaatgtgaa 2040
tttcaactgt agcgagaggg cactagagtc tcaagagctg tgtgggactg aggtgccttc 2100
agttcctgaa caggaagga aagacacagt catcaagcct ctggttggtg aacctgaagg 2160
actagagaag gaaacaacat tcaactccct actttgtcca tcaggtgggtg aggtttctga 2220
agaattatcc ctgaaactgc caccaaatgt ggtagaagaa tctgcccag agtctgtctc 2280
agttttggga gacatattag gctctgccat gcaaaacaca caaatcttc tccagatgcc 2340
ctatggctgt ggagagcaga atatggtcct ctttgcctc aacatctatg tactggatta 2400
tctaaatgaa acacagcagc ttactccaga gatcaagtcc aaggccattg gctatctcaa 2460
cactggttac cagagacagt tgaactacaa acactatgat ggctcctaca gcacctttgg 2520
ggagcgatat ggcaggaacc agggcaacac ctggctcaca gcctttgttc tgaagacttt 2580
tgcccaagct cgagcctaca tcttcacga tgaagcacac attacccaag cctcatatg 2640
gctctcccag aggcagaagg acaatggctg tttcaggagc tctgggtcac tgctcaaaa 2700
tgccataaag ggaggagtag aagatgaagt gacctctcc gcctatatca ccctgcctt 2760
tctggagatt cctctcacag tcaactaccc tgttgtccgc aatgccctgt tttgcctgga 2820
gtcagcctgg aagacagcac aagaagggga ccatggcagc catgtatata ccaaagcact 2880
gctggcctat gcttttgccc tggcaggtaa ccaggacaag aggaaggaa tactcaagtc 2940
acttaatgag gaagctgtga agaaagacaa ctctgtccat tgggagcgcc ctcagaaacc 3000
caaggcacca gtggggcatt tttacgaacc ccaggctccc tctgtgaggg tggagatgac 3060
atcctatgtg ctctctgctt atctcacggc ccagccagcc ccaacctcgg aggacctgac 3120
ctctgcaacc aacatcgtga agtggatcac gaagcagcag aatgcccgag gcggtttctc 3180
ctccaccag gacacagtgg tggctctcca tgctctgtcc aaatatggag cagccacatt 3240
taccaggact ggggaaggctg cacagggtgac tatccagtct tcagggacat tttccagcaa 3300
attccaagtg gacaacaaca accgcctggt actgcagcag gtctcattgc cagagctgcc 3360
tggggaatac agcatgaaag tgacaggaga aggatgtgtc tacctccaga catccttgaa 3420
atacaatatt ctcccagaaa aggaagagtt cccctttgct ttaggagtg agactctgcc 3480
tcaaaactgt gatgaaccca aagcccacac cagcttccaa atctccctaa gtgtcagtta 3540
cacagggagc cgctctgcct ccaacatggc gatcggtgat gtgaagatgg tctctggctt 3600
cattcccctg aagccaacag tgaaaatgct tgaaagatct aacctgtga gccggacaga 3660
agtcagcagc aacctgtct tgatttacct tgataagggtg tcaaatcaga cactgagctt 3720
gttcttcacg gttctgcaag atgtcccagt aagagatctg aaaccagcca tagtgaaagt 3780
ctatgattac tacgagacgg atgagtttgc aattgctgag tacaatgctc cttgcagcaa 3840
agatcttgga aatgcttgaa gaccacaagg ctgaaaagtg ctttgctgga gtctgttctt 3900
cagagctcca cagaagacac gtgtttttgt atctttaaag acttgatgaa taaacacttt 3960
ttctgggtcaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggggggggc cggaaaccaa 4020
t 4021

<210> 553

<211> 1780

<212> DNA

<213> Homo sapiens

<400> 553

tgtttttgag gtgctcaatt ggaataaaaa tattccaatc tatttgagaga ccaaaggcaa 60

aatcrgtttt cttacctttg gaattattcg taccttttat ggtaaatttc agctttgaca 120
tgtattatga ggaacgtacc aaaaaccggt ttgtaacaaa tctgtagaga aggtctgaat 180
ctatcgtgtt tgcccttttca ggtgccattt ctactgccta atacagtgcc atttgccctg 240
tgaagaccca taaacattca ttgtgttgaa tgtaagatag agactctccc tagtcttact 300
gatctcagta cccacaaaat gattaagaat gatatgaaaa ccagcagcta aggaacatct 360
tattattttg ttgtagcata ttcataacaa gtgtccttca aggataaaca tatattctct 420
atttgatttt agcaagtaaa acttggtgtg accttttagtg cattatattc agcttttaac 480
agtattatgt atgtactgga aagcaaagaa atcttagagt cttggacatt gtttatttgt 540
gcaacaacta gaaaggagca atgaagttaa tttcagttgt atttttccct aagcacaaac 600
tgcaatagtt tatgtatgac agagataaatt caaaaaggaa aactatatat aaaagttgta 660
tataaagttt gtctctgaaa tatttctttg aagtttttaa aaaattgact catgtttaaa 720
aacaacaaaca catattcaga gcattggact tttttaactt gtttctatct gtttatcatg 780
acttttttat ttctgggtga gagtccacat tatttagttt gttgtacttt taaatttcaa 840
agtcaaatc tgaagaatta gcgtttgtga ttctgggata ccatgcagtg gttttaatcc 900
caggaaaaaa actatcaaca aaagtctggt tgattctcat tatgtaactt tgtagaacca 960
tcctttctag atgggtccac cacagtgaat ttgtaacttt gaagtcagga tagaatatca 1020
ttagattatc tgtgagatag cattactatg ttaggaccag cagagtttg gttggtaaaa 1080
ataatgtttg ctctattact gggttacaga catttcagca tttttaggtt ggttttaaat 1140
cactaaaaat atttattcgg atttgaagga tttaagtgt aaaaatcaat ccatttcttg 1200
cccttcaata attgtccatg cctgcctttt gttgtttaca tgctcttctg cccagactgt 1260
tagtaatcta gggacccctt ttggagctga taagtacagt tcagcctttt ctccctcaat 1320
atataatgac tttaacattc ctaagaatat aggtatttct gaatgattta aatttgagga 1380
attttaatac ataaaatata atgtacaaac tttctgcca ctcagatctc ttctccatca 1440
tgtacttagt atttcccatt aacctacaca ctgattttta tgctactcct tgtagaaaca 1500
aaattctggt ttgactcagt ttttgtgtt ataaactttt ggaatgtgta ccccgtttat 1560
gtgaagaatt atgacctatc agtcatagct aaatagtga cctcaaaagt gtttaacttt 1620
gactattcat gtgaggtttg gtatcttgca tttatgtaca tggctgtaaa ttatgtgcat 1680
ttactctgta tttatgttat ctactgtact tttacttgaa ttgttcaaat tttaaaaatt 1740
aaaatacgt catgaaaata tggctttttc tgtaaaaaaa 1780

<210> 554

<211> 3713

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3006)

<223> n equals a,t,g, or c

<400> 554

ccgnacgcgt gggattcacg gcgaaatgag actgttctgt agtgatggcg tcccggttg 60
cttgccggtg ctggccgccc ccgggagagc ccggggcaga gcagaggtgc tcatcagcac 120
tgtagggccc gaagattgtg tggccccgtt cctgaccggg cctaagggtc ctgtcttgca 180
gctggatagc ggcaactacc tcttctccac tagtgcaatc tgccgatatt ttttttgtt 240
atctggctgg gagcaagatg acctcactaa ccagtggctg gaatgggaag cgacagagct 300

gcagccagct ttgtctgctg ccctgtacta ttagtggtc caaggcaaga agggggaaga 360
tggtcttggg tcagtgcgga gagccctgac tcacattgac cacagcttga gtcgtcagaa 420
ctgtcccttc ctggctgggg agacagaatc tctagccgac attgttttgt ggggagccct 480
ataccatta ctgcaagatc ccgcctacct ccctgaggag ctgagtgcc tgcacagctg 540
gttccagaca ctgagtaccc aggaacctg tcagcgagct gcagagactg tactgaaaca 600
gcaagggtgtc ctggctctcc ggccttacct ccaaaagcag cccagccca gccccgctga 660
gggaagggtc gtcaccaatg agcctgagga ggaggagctg gctaccctat ctgaggagga 720
gattgctatg gctgttactg cttgggagaa ggcctagaa agtttgcccc cgctgcggcc 780
ccagcagaat ccagtgttg cttgtggctgg aaaaaggaaat gtgctcatca ccagtgcctt 840
cccttacgtc aacaatgtcc cccaccttg gaaatcatt ggttggtgtc tcagtgcga 900
tgtctttgcc aggtactctc gcctccgcca gtggaacacc ctctatctgt gtgggacaga 960
tgagtatggt acagcaacag agaccaaggc tctggaggag ggactaacc cccaggagat 1020
ctgcgacaag taccacatca tccatgctga catctaccgc tggtttaaca ttctgtttga 1080
tatttttggg cgcaccacca ctccacagca gacaaaaatc acccaggaca tttccagca 1140
gttgctgaaa cgaggtttg tgctgcaaga tactgtggag caactgcgat gtgagcactg 1200
tgctcgcttc ctggctgacc gcttcgtgga gggcggtgtt cccttctgtg gctatgagga 1260
ggctcggggg gaccagtgtg acaagtgtg caagctcatc aatgctgtcg agcttaagaa 1320
gcctcagtgt aaagtctgcc gatcatgccc tgtggtgcag tcgagccagc acctgtttct 1380
ggacctgcct aagctggaga agcgactgga ggagtgggtg gggaggacat tgcttgccag 1440
tgactggaca cccaatgccc agtttatcac ccgttcttg cttcgggatg gcctcaagcc 1500
acgctgcata acccgagacc tcaaatgggg aaccctgtg cccttagaag gttttgaaga 1560
caagggtattc tatgtctggt ttgatgccac tattggctat ctgtccatca cagccaacta 1620
cacagaccag tgggagagat ggtggaagaa cccagagcaa gtggacctgt atcagttcat 1680
ggccaaagac aatgttccct tccatagctt agtctttcct tgctcagccc taggagctga 1740
ggataactat accttggtca gccacctcat tgctacagag tacctgaact atgaggatgg 1800
gaaattctct aagagccgag gtgtgggagt gtttggggac atggcccagg acacggggat 1860
ccctgctgac atctggcgt tctatctgct gtacattcgg cctgagggcc aggacagtgc 1920
tttctcctgg acggacctgc tgctgaagaa taattctgag ctgcttaaca acctgggcaa 1980
cttcatcaac agagctggga tgtttgtgtc taagtctttt gggggctatg tgcttgagat 2040
ggtgtccacc cctgatgatc agcgctgct ggcctatgct accctggagc tccagcata 2100
tcaccagcta cttgagaagg ttcggatccg ggatgccttg cgcagtatcc tcaccatctc 2160
tcgacatggc aaccaatata ttcagggtgaa tgagccctgg aagcggatta aaggcagtga 2220
ggctgacagg caacgggcag gaacagtgc tggcttgcca gtgaatatag ctgccttgct 2280
ctctgtcatg cttcagcctt acatgcccac ggtagtgcc acaatccagg cccagctgca 2340
gctccacct ccagctgca gtatcctgct gacaaacttc ctgtgtacct taccagcagg 2400
acaccagatt ggcacagtca gtcccttgtt ccaaaaattg gaaaatgacc agattgaaag 2460
tttaaggcag cgctttggag ggggccaggc aaaaacgtcc ccgaagccag cagttgtaga 2520
gactgttaca acagccaagc cacagcagat acaagcgtg atggatgaag tgacaaaaca 2580
aggaaacatt gtccgagaac tgaaagcaca aaaggcagac aagaacgagg ttgctgcgga 2640
ggtggcgaaa ctcttgatc taaagaaaca gttggctgta gctgagggaa acccctgaa 2700
gcccctaaag gcaagaagaa aaagtaaaag accttggtc atagaaagtc actttaatat 2760
atagggacag taataaataa atgtacaatc tctatataca agctgagacc ttctctttt 2820
tctactccaa gccttcccc tgctgtatgt ggattgaggg tcacatcatt ggcactagt 2880
agagggtagt cagttagccac ttctgggaaa ggtgggtagt gtggcccaag tgggggactg 2940
atgctcccaa ttgttcatgc ttggtgcaga ttcaccattc ggtcaatcag agctcggcga 3000
gtcgcntcta ctccctggg caggcgctcg atttctgtc tgagccgttc attctcttca 3060
gctagctgtg ccactttcct ttcattcttc tgttctttct ccttcattgc ctgctttcca 3120
gcccgggctg gggaaagacc actctgtttc gtttctctg ttctcccttg gtcttctcc 3180
tcttctctct gagccaggga gctctgactg gaatctggag agtgagggct ctgggaggtg 3240
cttgtgacct ctgctgggtc tggctcctcc tcagtccagc aagccagaga agcagggtca 3300
agagtgtgta agatttttga ttcttctctc tcatttccag gaggtgaaac ataggtagcc 3360

```

ccattttcat ctgaagacag gacctcttgc aggtcctcat accaggcttc cagctcccag 3420
ctggacagtg tcccgaagga gaaaggcaat gactcagctg ccattctctgc agttggatca 3480
gtctggaaaa gcacatctgc aggataatgg ggagtggctg gaacaagctc catgtagcaa 3540
acagtctatg ccacaagttg gcaagctggt ctgatgcctg ctttcagggtg tggatgatga 3600
tgaagataca cttccttctt gaacactctc tcctcaggtt ccagctctga ttttggtctt 3660
gtcgtgacca cccgctcctc ttttaacatga tacgctcagt ccctgtgccg aat 3713

```

<210> 555

<211> 1997

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1887)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1951)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1980)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1992)

<223> n equals a,t,g, or c

<400> 555

```

ggaaccggcg ccgcgcttgc tgctggtaac agggccttgc ctagtgggcc ttccttccca 60
ggtcgcccct cagtctccac tagagacagg actgaccagt tgctcttccct tccaagaacc 120
ttcgagatct gcggtctggg gtctggttga aagatggcgg ccctcactac cctgtttaag 180
tacatagatg aaaatcagga tcgctacatt aagaaactcg caaaatgggt ggctatccag 240
agtgtgtctg cgtggccgga gaagagaggc gaaatcagga ggatgatgga agttgctgct 300
gcagatgtta agcagttggg gggctctgtg gaactggtgg atatcgaaa acaaaagctc 360
cctgatggct cggagatccc gctccctcct attctgctcg gcaggctggg ctccgaccca 420
cagaagaaga ccgtgtgcat ttacgggcac ctggatgtgc agcctgcagc cctggaggac 480
ggctgggaca gcgagccctt caccctggtg gagcgagacg gcaagctgya tgggagaggt 540
tcgactgatg ataagggccg ggtggccggc tggataaacg ccctggaagc gtatcagaaa 600
acaggccagg agattcctgt caacgtccga ttctgcctcg aaggcatgga ggagtcaggc 660
tcgtagggcc tagacgagct gatttttgcc cggaaagaca cattctttaa ggatgtggac 720
taygtctgca tttctgacaa ttactggctg ggaaagaaga agccctgcat cacctacggc 780
ctcaggggca tttgtacttt ttcatcgag gtggagtgcg gcaacaaaga cctccattct 840
ggggtgtacg ggggctcggg gcatgaggcc atgactgac tcattttgct gatgggctct 900
ttggtggaca agagggggaa catcctgatc cccggcatta acgaggccgt ggccgccgtc 960
acggaagagg agcacaagct gtacgacgac atcgactttg acatagagga gtttgccaag 1020
gatgtggggg cgcagatcct cctgcacagc cacaagaaag acatcctcat gcaccgatgg 1080

```


cggtaccctg ctctgtccct ccatggcctc gaaggcgctc tctctgggtc tggggccaag 1140
accgtgattc ccaggaaggt ggttggcaag ttctccatca ggctcgtgcc gaacatgact 1200
cctgaagtcg tcggcgagca ggtcacaagc tacctaacta agaagtttgc tgaactacgc 1260
agccccaatg agttcaaggt gtacatgggc cacgggtgga agccctgggt ctccgacttc 1320
agtcaccctc attacctggc tgggagaaga gccatgaaga cagtttttgg tgttgagcca 1380
gacttgacca gggaaggcgg cagtattccc gtgaccttga cctttcagga ggccacgggc 1440
aagaacgtca tgctgctgcc tgtgggttca gcggatgacg gagcccactc ccagaatgaa 1500
aagctcaaca ggtataacta catagaggga accaagatgc tggccgcgta cctgtatgag 1560
gtctcccagc tgaaggacta ggccaagccc tctgtgtgcc atctccaatg agaaggaatc 1620
ctgccctcac ctcacccttt tccaacttgc ccagggaagt ggaggttccc tctttccttt 1680
ccctcttgtc aggtcatcca tgactttaga gaacagacac aagtgtatcc agctgtccac 1740
gggtggagct acccggtggg cttatgagtg acctggagtg acagctgagt caccctgggt 1800
aagttctcag agtggtcagg atggcttgac ctgcagaaga taccgaaggt ccaaaagcac 1860
aaggtctcg ggaagattct ggtgtncgg ctggggcacc acgggttcac amctatwaat 1920
cgaggcattt ttggggaggg ccaagacagg ngggtycatt tttagggcca gggrrtlytn 1980
aggacaaagg cntaggg 1997

<210> 556

<211> 906

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (879)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (906)

<223> n equals a,t,g, or c

<400> 556

tcttcactctg tnaccacat ccatttcttc atcttcgtct tgctctgtgt cttctgtggt 60
gtctcagcgc ctgacagaat ctccgtgtgc tttggtggcc agccagtacg gatggtctgg 120
caacatggag agaatcatga aagcacaagc gtaccaaacg ggcaaggaca tctctacaaa 180
ttactatgag agtcagaaga aaacatttga aattaatccc agacaccgc tgatcagaga 240
catgcttcga cgaattaagg aagatgaaga tgataaaaca gttttggatc ttgctgtggt 300
tttgtttgaa acagcaacgc ttcggtcagg gtatctttta ccagacacta aagcatatgg 360
agatagaata gaaagaatgc ttgcctcag tttgaacatt gacctgatg caaaggtgga 420
agaagagccc gaagaagaac ctgaagagac agcagaagac acaacagaag acacagagca 480
agacgaagat gaagaaatgg atgtgggaac agatgaagaa gaagaaacag caaaggaatc 540
tacagctgaa aaagatgaat tgtaaatat actctcacca tttggatcct gtgtggagag 600
ggaatgtgaa atttacatca tttctttttg ggagagactt gttttggatg cccctaatac 660
cccttctccc ctgcaactgta aaatgtggga ttatgggtca caggaaaaag tgggtttttt 720
agttgaattt tttttaacat tcctcatgaa tgtaaatgtg tactatttaa ctgactattc 780

ttgatgtaaa atcttgtcat gtgtataaaa ataaaaaaga tcccaaataa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaanc ccccgggggg ggcccccccc 900
cccctn 906

<210> 557

<211> 3484

<212> DNA

<213> Homo sapiens

<400> 557

gggtatttgc aaatatgtag tttaattgta ttattgaact ctcatthttgg gggcttgggc 60
acattaacag attaatccat ctgtataggg cttttgctgt tggatagaat ttaaattgtc 120
tacataaata tttgttttag gacccttaga ttttatctga atacacagat taggctttaa 180
aaacagatat atatgtcatt tttggcttaa ggagtttggc taagttagct tttcaactgg 240
cactgtatgg cagcattttt tggatgggt agcatggcac atggcgaaac ataaagcatt 300
ttactgtaca ggtaaggaat gtgccatgtt gttttacctt tctctcttct tctctcactc 360
ccatgcacac atcctgtgtg tttcagaga ccttcagaaa cattcatatt cattttcatg 420
agtcagcaaa agccctacgc ttgattccaa cagaatattt cctttacata ctttcttctc 480
ttaattttta caaaatttgt atggtaggtg taaaagaaaa tcatagtaac tgtaccatat 540
tattaacccc taaatcaaac tttttttgkc ttgtgkatct tgatttttct gtgtgcttta 600
tagtgaagca gccgacacga gtcgtgttgc ataaaacagc ttttgaaagt tgagagcaca 660
cccctggaga accgactgtg cttgcttacg tttggttcat gacttaaaaa tcgagtacag 720
gagttattcc tgatgaagct aaagctttgt ctctgttggc accagctaag gcagtggcag 780
gtcttctgcc tgggtgggga ctccctgccta ctccctaacc acttaccagc attggcgctg 840
ttccactggc tgctttgggg gctcctactc ttgatcctgc ccttgctgca cttgggcttc 900
ctggagcaaa cttgaactct cagtctcttg ctgcagatca gttgctgaag cttatgagta 960
ctgttgatcc caagttgaat catgtagctg ctgggtctgt ttcaccaagt ctgaaatcgg 1020
atacctctag taaagaaata gaggaagcta tgaagagagt acgagaagca cagtccctaa 1080
tttctgctgc tatagaacca gataagaaag aagaaaaaag aaggcattca agatcaagat 1140
cacgttctag gaggaggagg actccctcat cttctagaca caggcgggtca agaagcagat 1200
cgagacggcg gtcacattct aagtctagga gtcggcgacg atccaaaagc ccaaggcgga 1260
gaagatctca ttccagagaa agaggtagaa ggtcaaggag cacatcaaaa acaagagaca 1320
aaaagaaaga agacaaagaa aagaaacgtt ctaaaacacc accaaaaagt tacagcacag 1380
ccagacgttc tagaagtgc aagcagagaga gacgacgacg aagaagcagg agtggcaca 1440
gatctcctaa aaagcctcgg tctcctaaaa gaaaattgtc ccgctcacca tcccctagga 1500
gacataaaaa ggagaagaag aaagataaag acaaagaaag aagtagggat gaaagagaac 1560
gatcaacaag caagaagaag aagagtaaag ataaggaaaa ggaccgggaa agaaaatcag 1620
agagtataaa agatgtaaaa caggttacac gggattatga tgaagaggaa caggggtatg 1680
acagtgaaga agagaaaaaa gaagagaaga aaccaataga aacaggttcc cctaaaacaa 1740
aggaatgttc tgtggaaaaag ggaactggtg attcactaag agaatccaaa gtgaatggg 1800
atgatcatca tgaagaagac atggatatga gtgactgaat attgcctctg agggagtcca 1860
actgtatacc tgcatacgtg tcattccttt gtgtgatttc ttaatgctgt atttgttcat 1920
ctcaaaccta gatgtataca gctctgagtt ataaatgggt ataaagctcc tgttactcat 1980
attagtattt tacatcaaaa agcttttaga aaatggtagc aggtaaccaa ttcttgtcat 2040
gggaaatctt gattgagtaa ccaagcagtt ttactattct ggtgctgctt cataacaaaa 2100
atgaaaagct gcatgcatct acagcaggca tggattgttt atgtcgtatg atacccttta 2160
ttaagtaagt tcacttatag tatttctata atttgattca ttgccgtaat agagccatgt 2220
aggaaatgca ctgattgcat gttattgtgg caagaatatc ctaaatgtca ttaaaatcct 2280
ccaacatgat ggatctactt atggctctgt ttgttgacat gacaaattaa cattcttata 2340
gttacatctg gaaatgagca tttgaaatag ataactcttt aagccttgtg gcaaaatttt 2400
tgtggctttt gtttaacttt gaaaggttat tatgcactaa ccttttttgg tggctaatta 2460

gggtttaaat acagaaacaa gatttcaaat aaaactgtct ttggcagtga gtaaatagca 2520
tattttgaag tagagttgta tactttttca taagatgttt gggaattttt ttcctgaagt 2580
aataatttat tccacatcta catcagtga agctatctac ctatcctgag tctatcttaa 2640
aggaaaaaaa gaaaaaaacc ttatctcttg cccttatttt gaattttcca ctctttcatt 2700
aatttgtttt aagctccgtg ttggaaaaaa ggggtagtgc attttaaatt gaccttcata 2760
cgcttttaaa ataagacaaa tctacttgat aatgtacctt tatttgatct caagttgtat 2820
aaaaccaata aatttggtgt actgcagtag taatcttatg cacacgggtga tttcatgtta 2880
tatatgcaaa gtaggcaact gttttcttag ttacagaagt ttcaagcttc acttttgtgc 2940
agtagaaaca aaagtaggct acagtctgtg ccatgttgat gtacagtttc tgaaattggt 3000
ttacaagact ttgataataa aacccttaaa cttatgttca tgttcctgta aaaccgtatt 3060
tgtattttatt tacgctactg aatgtatgac atttacctca ttcattttac aaattctttc 3120
cctttctgtc cacatatttc agtatagtaa aaagaggaag tctatcactg tagtgataat 3180
tgccatcaaa attgtcaaaa atgatttaat ttctatccaa aatagtcctt ttcttagctt 3240
agtatcattt tattgcttat tttttgtgtg ggaatggggg ttgataaagc aatgaacttt 3300
agtataaaca aatccacact atatctagca aatttatatt ttcggtgaaa tacagatatt 3360
tgcccttctg gagtagtata gaagctgtca atatgtatct actgtacctg cccgggccc 3420
cgctcgaaat tccagcacac tggcgccgt trctagggat ccgagcgagg tatcccatag 3480
aagt 3484

<210> 558

<211> 790

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (788)

<223> n equals a,t,g, or c

<400> 558

ngcacaggna aaggaggtga aatcgtctcg actcctgggg tccgtgtgct ctggtagaag 60
tgggcgacag tggctcaatt tctgatcagc agcttgacgc ctatagatgag gcagccaaa 120
gaaagacttg gccagcgagg ctccctacca ctccgaaaaa agagagtggg ggtcagcagg 180
gtctgctctg ctctggggat taaggggctg actagaagga tttgagtctt tccttctgtc 240
cactgccaca gggttcttgg agtaactgca ggtttaaaact gcaggtctaa cttccagagg 300
ctgggggttc ctgcccccca gcttagagac attcctgarg tggctgaaga gcaggaagga 360
gaatgaatgc acttcagac tggcccagag tctcagcccc tcctcttctt tgtttcccgc 420
tggtccctct gggctgtacg gcccgatgg aggcctgagg aaaatgaggg ggttttggtt 480
ctccggaatt ccggcgggg ccacaccctc ctgtcttcag atggttcag taccatccc 540
cccttcccgt cctctcctt gtctcctctg tcaccgggac tcccagcaga gattttttt 600
tgtactggct gtgtaacagg acaccgatg cagccctcag gaggggctct gtgcttctra 660

tgaaaaaggm aggcattgac ctccctctga ggcagtttcc aggccccaccg tgggtgcacgc 720
aaaccacttc ctggccatgc gctccctcct gcttctcagc gccttctgcc tcctggaggc 780
ggccctcncg 790

<210> 559
<211> 558
<212> DNA
<213> Homo sapiens

<400> 559
tacgtctcac tcgggacctg caacgtccga cagaacgagg ggacgtaacg gaggcagggt 60
ggagccgctg ccgtcgccat gaccgcggt aaccagcgtg agctcgcccg ccagaagaat 120
atgaaaaagc agagcgactc ggtaagggga aagcgcgag atgacgggct ttctgctgcc 180
gcccgaagc agagggactc ggagatcatg cagcagaagc agaaaaaggc aaacgagaag 240
aaggaggaac ccaagtagct ttgtggcttc gtgtccaacc ctcttgccct tcgcctgtgt 300
gcctggagcc agtcccacca cgctcgcggt tcctcctgta gtgtcacag gtcccagcac 360
cgatggcatt ccctttgccc tgagtctgca gcgggtccct tttgtgcttc cttcccctca 420
ggtagcctct ctccccctgg gccactcccg ggggtgaggg gggtaccct tcccagtggt 480
ttttattcct gtggggctca cccaaaagta ttaaaagtag ctttgtaatt ccaaaaaaaa 540
aaaaaaaagg gsggcccc 558

<210> 560
<211> 534
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (16)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (17)
<223> n equals a,t,g, or c

<400> 560
gcgaccgccg cgccgnnac ccattggacgg ccgggccatc atcaccagc tgaccaaccc 60
caaggaggac gagggccggt tgccgggccc gggcgagaaa gcctcccagt gcaacgtcag 120
cttaaagaag cagaggagcc gcagcatcct tagctccttc ttctgctgct tccgtgatta 180
caatgtggag gccctccac ccagcagccc cagtgtgctt ccgccactgg tggaggagaa 240
tgggtgggctt cagaagccac cagctaagta ccttcttcca gaggtgacgg tgcttgacta 300
tggaagaaaa tgtgtggtca ttgatttaga tgaaacattg gtgcacagtt cgtttaagcc 360
tattagtaat gctgatttta ttgtccggt tgaaatcgat ggaactatac atcaggtgta 420
tgtgtgtaag cggccacatg tggacgagtt cctccagagg atggggcagc ttttgaatgt 480
gtgcwcttta ctgccgcwtg gccaaagtatg cagacctgtg gctgacctcc taga 534

<210> 561
<211> 3043
<212> DNA
<213> Homo sapiens

<220>

<221> misc feature

<222> (3038)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3039)

<223> n equals a,t,g, or c

<400> 561

```
ctcaccatgt attcaggaca gatccagatt gggtagggct ctgccaaagag cctgtgggac 60
tggaagtcgg gccctgggct gcccgatcgc cagcccgagg acttaccatc cacaatgcac 120
cacggaagag gccgttctat gaaaaactga cacagactgt attcctgcat tcaaagtca 180
gccgtttgta aaatgctgta tcctaggaat aagctgccct ggtaaccagt ctctagctag 240
tgccctcttg cctctcctca cctccttttc tctcagtgc tctggaacct gaatgcagct 300
tacaagacaa gcctgacttt tttctctgat taccttggcc tcctcttgga accagtgcgtg 360
aaaggttttg aatcctttac ccaacaatgc aaaaatagag ccaatgggta taacttggct 420
agaaatatca agagtgaat ccatagtgtg gggcccatga ctctagctgg gcaccttgga 480
cctccagctg gccaatagaa gagacaggag acaggaagcc ttcccatttt ttcaaagtct 540
gtttaattgc ctattacttc tctcaaagag aacctgaagt cagaacacat gagcagggtg 600
agagggtgag caaggttcat cctgaatggg agaggaaagtc gaaccactgc tgtgtgtctt 660
gtcaggatgc tcacttgctc ctactgagat gctggatatt gattttgtaa cagcacctgg 720
tgtttcacgg ctgtccgagt gagctaactg ggcggtgtgg ctgcctggac ctccctcttc 780
aggttaacgc tgacagaatg gaggtctcag ctgtctgcaa gaaaacagtt ggtttggtg 840
tgattttgac ctccctcttc ccactgccat cttctaagag actttgtagc tgcctcctag 900
aagcacattc tgagcacatt tgagacctct gtgttagagg ggagactgca caaactatcc 960
tccccaggt tgagacgtct gcagagtggc aagctgactt gttagaatgg ggtgccattt 1020
atgctctact tagacaaggg taatcagaaa tggaaacagt gcaggcaaaa tttaggattt 1080
gccgcttcca taaatcaaag catgactaat agggggtctc tgaaatgtaa gggcacaaac 1140
ttcacttagg gcattgcaga tgtttgcaga atggttggcc taatgattat gctacagatg 1200
gggttttaaa gaccgtctca ggttactgct tccttgcaaa aaaagtcgaa tcctgcattg 1260
aattgaatat gaattctctc aactctctcc agaaaatgga tggagataac ttgtctttaa 1320
aactgtaggc cagccttagc cactgtggag cccttgccctc cgagctctgg cttcaagggg 1380
agctcttctc caggttcaact aggtgaattg atttattatt atcatattga taatgtgaga 1440
ttcttttagc actttgggga gcctgtctct ccagaagcct ttcttagtgg tgcccacagt 1500
tggagcccg gggccatggt tgcaaaactga ttcattgtgca tggctgacag gagtactggt 1560
tcactacca tgctgagct tttctcttac atagaaaaac tgtccrctct cagtaatcac 1620
aagcagcatc cgttttggtt tctcttcttg ggagacatct gtcaaaccag gaatattctt 1680
gaaaagaacg tgagcaggaa aaactgctgg tgatactttt ttaagtttt gtttttatct 1740
tgctgttggt cttcaataca ttgagaata cgctgaagag ggaaaatttc agtgatggag 1800
attctagatt aaatatcagg actgatttcc tgggtgggatt atggtccagt ttaccaaaag 1860
aaccaattcc ttgaatggtg gaatctaact ttttatattg tcattattat tgttggtttt 1920
aaacggttct ttgtcttttc tgttttattt ttctcaagct gctttcagga gctagcagaa 1980
aataactcaa agttgaagac tctggaagat tttgctttta cctaactcgc attgatgtat 2040
taaatttata attttagcat tcccaataga tcctatcatt ccttaaacad aatacccttt 2100
gtcttggagt agaatactaa gttagagtta gtggatttct agtttaggag aggagctcaa 2160
aactataatc tttaacaaat tgaaaaatga aatagggtgt tttccctttt tgtgcacacc 2220
tatattacct taagaaattt ccttccatag acagctgcct caaagggaaa tcctctttaa 2280
accgtagttg gcgcagaggt cagtcctagt cggagcttag gaggggaggga gacgctcaca 2340
```

```

tcgtctgact tgagtcgcca ctgattgtgg caacagcttt gcctcatgag tcaaaaattg 2400
gcaatttctt ttgattttta gttgttgaat ttgctgtttc aagcatttgt acatattaga 2460
agtctaagga gtagcaagtc agtgggagga ctttttcacc cctggcatta gcagcttoga 2520
cctcattttc cagatgcacc agctcctatt aataagttag caaggaaagt gtatgtcacg 2580
tgcaggaaca gtgaggcagg gacaggggtt ctgctccttc tcacttcacc accggcacac 2640
agcttgcccc tgtcttttgc cccaaaggta ttttgtgtct agtgtcamat tggagctatt 2700
cttcactggg ccttaacctt gggtttttaa aagaaggctt ctctgttttg gtagcgtaag 2760
agctgagtat agtaagtcct cttccaaaga gatggcaata tgctgggcat ctacttttaa 2820
acaaagttgt ctgatttttg caagagaggt taggatttta ttgttcttat tcccctttac 2880
agtctgcag ttccatcaca gtattttttt aaataactca ggtgtatgag aagaaattag 2940
aaaagaaaat taacttatgt ggactgtaaa tgttttattt gtaagattct ataaataaag 3000
ctatattctg taaaaaaaaa aaaaaaaaaa aaaaaatnnc tgc 3043

```

<210> 562

<211> 1386

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (480)

<223> n equals a,t,g, or c

<400> 562

```

gcgtccgctc caacatcaga ccctcgcttg gctcccagct ggtgctgaag ctcgtcagtt 60
caccatccgc cctcggttc cgcggggcgc tgggccgcca gcctcggcac cgtcctttcc 120
tttctccctc gcgttaggca ggtgacagca gggacatgtc tcgggagatg caggatgtag 180
acctcgctga ggtgaagcct ttggtggaga aaggggagac catcaccggc ctctgcaag 240
agtttgatgt ccaggagcag gacatcgaga ctttacatgg ctctgttcac gtcacgctgt 300
gtgggactcc caagggaaac cggcctgtca tcctcaccta ccatgacatc ggcatgaacc 360
acaaaacctg ctacaacccc ctctcaact acgaggacat gcaggagatc acccagcact 420
ttgccgtctg ccacgtggac gccctggcc agcaggacgg cgcacytcct tccccgcagn 480
tacatgtacc cctccatgga tcagctggct gaaatgcttc ctggagtcct tcaacagttt 540
gggctgaaaa gcattatttg catgggaaca ggagcaggcg cctacatcct aactcgattt 600
gctctaaaaa accctgagat ggtggagggc cttgtcctta tcaacgtgaa cccttgtgcg 660
gaaggctgga tggactgggc cgcctccaag atctcaggat ggacccaagc tctgccggac 720
atgggtggtgt cccacctttt tgggaaggaa gaaatgcaga gtaacgtgga agtgggtccac 780
acctaccgcc agcacattgt gaatgacatg aaccccgcca acctgcacct gtcatcaat 840
gcctacaaca gccggcgcgga cctggagatt gagcgaccaa tgccgggaac ccacacagtc 900
accctgcagt gccctgctct gttggtggtt ggggacagct cgcctgcagt ggatgccgtg 960
gtggagtgca actcaaaatt ggacccaaca aagaccactc tcctcaagat ggcggactgt 1020
ggcggcctcc cgcagatctc ccagccggcc aagctcgtcg aggccttcaa gtacttcgtg 1080
cagggcatgg gatacatgcc tcggctagca tgaccgcct gatgcggtcc cgcacagcct 1140
ctggttccag cgtcacttct ctggatggca cccgcagccg ctcccacacc agcgagggga 1200
cccgaagccg ctcccacacc agcgagggca cccgcagccg ctgcacacc agcgaggggg 1260
sccacctgga matcaccccc mactcgggtg ctgctgggaa cagcgccggg cccaagtcca 1320
tggaaggctc cctgctaggc ggctgcccc gctgcggccc cggactctga tctctgtagt 1380
ggcccc 1386

```

<210> 563

<211> 2638

<212> DNA

<213> Homo sapiens

<400> 563

```
ccccacgcgtc cggaggtcta cagtatttgt gttggcatag tttttgtaaa aaaaaagatt 60
aaaaaatatc aggatgggtg aaaaactaga tctgtgtatc tctgttttgg catgcattta 120
ttcagtatct tctagcaatg gtttttctct gttgatctac cgtagtatcc tatttttaag 180
tttattttat ttttaaggag tattgtcatc acttttcaag gtgtcttgac ttctacacaa 240
agtatatata ttcaggactt taaaaaatag cagtacacat ttaacagtag cgaattacac 300
caaaatgatt tactttgaga tttgaataat ttgcatagca gtaaaatgtg ttttgtgtaa 360
catacaaata gaaaaatgac ccagtatctt aattgatact tactggagag tatcagaatt 420
accacgcagc tcttacagaa tgccataaat tctttaagac taaatattga aatcaattat 480
ttgaagtaat gttwtgatt tactgttaaa agttgctgag ctcagttttt ggagatatca 540
tttatgcctg cctgttccct tatgacagtg aggccttctt tggtccacc tagtatgata 600
atcatgggtt ctgttttagt tgatgagaag tggtcctat gaatgcctct gctcaatttc 660
tttttatttt actttatttt atttttaggg gtctcgccaa ctctgggct caagtgatc 720
tcctgcttcc acctccccc agtgctgga ttacaggcat gagccaccac gcctggctct 780
ctgttctttt cagtgtctcc gtgccatcag tcagcagtgc ttacatgttt agcatattgt 840
catgcagttt ctcttctgtt cccacgagat atttttggrc aaaaaattga caaaagtaca 900
tgtgtttttt cccacctatc ccttagaaaa cctaattgtt actgctattt ttaaaaccaa 960
aaagagacag cgtgacgatg cgtaaaagcat ttttcttagc ctttcctttg tcttgatctg 1020
ttaatgagaa caaaactgcc agactcaaaa tactctacta ttgtgctgaa agaaatacaa 1080
tttagattgc aaaaaatttg aaaatataac tcagctgtct tttaaaagag ttgtgttgtt 1140
atctacaaga ctattagcag tcttttttca gagcaaattt taacagctag ttgtgagtgg 1200
tttaaaatat agaaaattat taaaatctta gtttgagggg ttttatagtg ggagaaaaaa 1260
caggacccaa gtttatgtgc cttcttcagt agtcttaatt gaccttttct tcctatttga 1320
gactaaagta gtatcagtat tctggttttc aggaatatg tactatatag ttttaaaaga 1380
atgttgtccc accaactatt catccaagca aagaattgta actataaata aagtctcagt 1440
tacacttttg cttttatcac ataatttca ttgtagagca ttgtgcaggt ccaagaatag 1500
agctgctcaa aatctttgtg gtagtttctt tagtttttgt aacctgaggc atatgttcca 1560
gagaacaggg atatttgtct ggtccagtga ccttgggtgat catagtcata attgaaagat 1620
gcctatggca tgcttaaatc agcattgtca actgatttgt tgttgtatta ttttcacttc 1680
ttggatctat gtagtagttg taataacaaa tatttaaaata gctatttttt tgatgccatt 1740
aaaaaaatca tactctggcc ttttttcccc cttactgttg tttcccagat cttttaaaaa 1800
ttcatcccat atccagaaag taccagttat aaagattgct gaccaagcaa agttttgcat 1860
caaagtgtca cctcattgct ctgaccaaag actgactgtt gtggttttaa ctctctctg 1920
taaagcattt tgcattttcc ccaagctcct ttctgaaaga agaccagtg cagagcggcc 1980
tttactttca atttctactg ctgaatagac tacttagaga aaatgtgagt ttcagtgtga 2040
acagaatgga ttaggatgac gagtttgatg ggcattttca gtactgtatc taagaaaaaa 2100
aaaatagcac agctaggagc ctctgacatt gtctggtgtt ttacgtggtc tgttcatcaa 2160
aattccccct ttcagttttt aagaatgttc gtctaacaga agaaaatgct gtaaatattt 2220
gtaacaacat tttttttaac aaggccaaaa aagaaaaaaa ggtttttggg aacaaatgaa 2280
cttataaagt ggttttatat aaaacatcaa ttgtcttgta tattttggat aagcagcagt 2340
accagcttct atttgtaaca gtctgtggca ttggraaaaa aggagtctgt gattgttgaa 2400
gtgaattatg ttataaatgc aaagagaaga taaaatatta aaaaacatat tttctaaatg 2460
cgtagtgcat ggttaattca agcttctgta cactacagta tattccattt tcgttcagtt 2520
tgtatatttg ctgactatta cttgatatct ctaatctctt ttcctaacaa atatagcatt 2580
gtagcatgcc ttttaataaa tgcatgaca tctgtactct cttaaaaaaa aaaaaaaa 2638
```

<210> 564

<211> 691

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (569)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (575)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (581)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (619)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (650)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (653)

<223> n equals a,t,g, or c

<400> 564

```
ggcagagcgc ccgctccagg tcccaggag cgcaggtag gcggcacccc actccccggcg 60
gcccccgggc ctccctccgc acgcaccccg agctgcctcc gcacagttgg aggagcgtag 120
gagggacccc caccagggga tgacactcca ggaaggggac tgcagaggaa gccagactgt 180
gtccctgaca atgggaacag ccgacagtga tgagatggcc ccggaggccc cacagcacac 240
ccacatcgat gtgcacatcc accaggagty tgccctggcc aagctcctgc tcacctgctg 300
ctctgcgctg cggccccggg ccacccaggc magggrcagc agccggctgc tggwggcctc 360
rtgggtgatg cagatcgtgc tggggatctt gagtgcagtc ctaggaggat ttttctacat 420
ccgcgactac accctcctcg tcacctcggg agctgcctct ggacaggggc tgtggctgtg 480
ctgctggagc tgctgccttc atttaygaga aacggggtgg tacatactgg gccctgctga 540
ggactctgct aacgctggca agctttctnc acagncatcg ntggcctcaa actttgggaa 600
tgaagaattc cgatatggnt tactcttaat tacaacaagt ggctggccgn atnttcaggt 660
tcgagtggat tggaacactt caagccccca a 691
```

<210> 565

<211> 1967

<212> DNA

<213> Homo sapiens

<400> 565

```
gtagggatcc attggagcat taaggagcac atatTTTTat taacttcttt tgagctttca 60
atgttgatgt aatTTTTgtt ctctgtgtaa ttaggtaaa ctgcagtgtt taacataata 120
atgttttaaa gacttagttg tcagtattaa ataatcctgg cattataggg aaaaaacctc 180
ctagaagtta gattatttgc tactgtgaga atattgtcac cactggaagt tactttagtt 240
catttaattt taattttata ttttgtgaat attttaagaa ctgtagagct gctttcaata 300
tctagaaatt ttttaattgag tgtaaacaca cctaacttta agaaaaagaa ccgcttgtag 360
gattttcaaa agaacattta gaattctata gagtcaaaac tatagcgtaa tgctgtgttt 420
attaagccag ggattgtggg acttcccca ggcaactaaa cctgcaggat gaaaatgcta 480
tattttcttt catgcactgt cgatattact cagatttggg gaaatgacat ttttatacta 540
aaacaaacac caaaatattt tagaataaat tcttagaaaag ttttgagagg aatttttaga 600
gaggacattt cctccttcct gatttggata ttccctcaaa tccctcctct tactccatgc 660
tgaaggagaa gtactctcag atgcattatg ttaatggaga gaaaaagcac agtattgtag 720
agacaccaat attagctaag gtattttgga gtgttttcca ttttacagtt tatattccag 780
cactcaaaac tcaggggtcaa gttttaacaa aagaggtatg tagtcacagt aaatactaag 840
atggcatttc tatctcagag ggccaaagtg aatcacacca gtttctgaag gtcctaaaaa 900
tagctcagat gtcctaataga acatgcacct acatttaata ggagtacaat aaaactgttg 960
tcagcttttg ttttacagag aacgctagat attaagaatt ttgaaatgga tcatttctac 1020
ttgctgtgca ttttaaccaa taatctgatg aatatagaaa aaaatgatcc aaaatatgga 1080
tatgattgga tgtatgtaac acatacatgg agtatggagg aaattttctg aaaaatacat 1140
ttagattagt ttagtttgaa ggagaggtgg gctgatggct gagttgtatg ttactaactt 1200
ggccctgact ggttgtgcaa ccattgcttc atttctttgc aaaatgtagt taagatatac 1260
tttattctaa tgaaggcctt ttaaatttgt ccactgcatt cttggtattt cactacttca 1320
agtcagtcag aacttcgtag accgacctga agtttctttt tgaatacttg tttcttttagc 1380
actttgaaga tagaaaaacc actttttaag tactaagtca tcatttgcct tgaaagtttc 1440
ctctgcattg ggtttgaaat agtttagtta tgtctttttc tctgtatgta agtagtataa 1500
tttgttactt tcaaataccc gtactttgaa tgtaggtttt tttgttggtg ttatctataa 1560
aaattgaggg aaatggttat gcaaaaaaat attttgcttt ggaccatatt tcttaagcat 1620
aaaaaaaaatg ctgagttttg cttgcattcc ttgagaatgt atttatctga agatcaaaac 1680
aaacaatcca gatgtataag tactaggcag aagccaattt taaaatttcc ttgaataatc 1740
catgaaagga ataattcaaa tacagataaa cagagttggc agtatattat agtgataatt 1800
ttgtattttc acaaaaaaaa agttaaactc ttcttttctt tttattataa tgaccagctt 1860
ttggtatttc attgttacca agttctattt ttagaataaa attgttctcc ttctaataaa 1920
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaggg gggggag 1967
```

<210> 566

<211> 1334

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1253)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1307)

<223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (1309)
 <223> n equals a,t,g, or c

<220>
 <221> misc feature
 <222> (1312)
 <223> n equals a,t,g, or c

<400> 566
 gaattcggca cgaggagacc tcctgggggtg tccacgtgag cgcgcgtgag tccgcccccc 60
 cagtcacgtg accgctgact cggggcggttc tccactatcg cttacctacc tccctctgca 120
 ggaaccgggc gatatggctg ccgctgtgcc ccgcgcgcga tttctctccc cgtgcttcc 180
 ccttctctcg ggcttcctgc tcctctccgc tccgcatggc ggcagcggcc tgcacaccaa 240
 gggcgccctt cccctggata cggtcacttt ctacaaggtc attcccaaaa gcaagttcgt 300
 cttggtgaag ttcgacaccc agtaccacct cggtgagaag caggatgagt tcaagcgtct 360
 tgctgaaaaac tcggcttcca gcgatgatct cttggtggca gagggtggga tctcagatta 420
 tggtgacaag ctgaacatgg agctgagtga gaaatacaag ctggacaaaag agagctaccc 480
 agtcttctac ctcttcggg atggggactt tgagaaccca gtcccataca ctggggcagt 540
 taaggttgga gccatccagc gctggctgaa ggggcaaggg gtctacctag gtatgcctgg 600
 ttgctgcct gtatacgacg ccctggccgg ggagttcatc agggcctctg gtgtggaggc 660
 ccgccaggcc ctctgaagc aggggcaaga taacctctca agtgtgaagg agactcagaa 720
 gaagtgggcc gagcaatacc tgaagatcat ggggaagatc ttagaccaag gggaggactt 780
 cccagcatca gagatgacac ggatcgccag gctgattgag aagaacaaga tgagtgcagg 840
 gaagaaggag gagctccaga agagcttaaa catcctgact gccttccaga agaagggggc 900
 cgagaaagag gagctgtaaa aaggctgtct gtgattttcc agggtttggg gggggtaggg 960
 aggggagagt taacctgctg gctgtgagtc ccttgtggaa tataaggggg tagtgggaaa 1020
 agtggtagta acccacgatt ctgagccctg agtatgcctg gacattgatg ctaacatgac 1080
 catgcttggg atgtctctag ctggtctggg gatagctgga gcacttactc aggtggctgg 1140
 tgaaatgaca cctcagaagg aatgagtgct atagagagga gagaggagtg tactgcccag 1200
 gtctttgaca gatgtaattc tcattcaatt aaagtttcag tgttttgggt aantaaaaaa 1260
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaggg cgccgntnt anagatccc 1320
 tcgaggggcc caag 1334

<210> 567
 <211> 1610
 <212> DNA
 <213> Homo sapiens

<400> 567
 gccggccagt gcgggaaccg tttccgaagg accaccggga acagacggat cggcagggcg 60
 rggcggaaac gcgtttgcaa tggctgtctac tgtgaacttg gaacttgatc ccattttttt 120
 gaaagcacta ggtttcttgc attcaaagag taaagattct gctgaaaagc taaaagcact 180
 gcttgatgaa tctttggctc ggggcattga ttccagttac cgtccatctc aaaaggatgt 240
 ggagccaccc aaaatttcaa gcacaaaaaa catttccatt aagcaagagc ccaaaatatt 300
 atccagtcct ccttctggta ataataatgg caagtcctc acaactgaaa aggtaaagaa 360
 ggaagctgaa aagagacctg ctgataaaat gaaatcgac atcactgaag gagttgatat 420
 tccaaagaaa cctagattgg agaaaccaga aacacagtca tctccatta ctgtccaaag 480
 tagcaaggat ttacctatgg ctgaccttcc cagttttgag gagaccagt ctgatgattt 540
 tgccatggag atgggattgg cctgcgttgg ttgtaggcaa atgatggtgg catctggcaa 600

```
tcaattagta gaatgtcagg agtgccataa tctctaccac cgagattgtc ataaacccca 660
ggtgacagac aaggaagcga atgaccctcg cctggtgtgg tattgtgcc gatgtaccag 720
acaaatgaaa agaattggctc aaaaaactca gaaaccaccg cagaaaccag cccctgcagt 780
tgtttctgta actccagctg tcaaagatcc attggttaag aaaccagaaa ctaaactgaa 840
acaagagaca acttttctag cgtttaagag aacagaagtc aagacatcca cagttatttc 900
aggaaattct tctagtgcc gctttcctc gtcagtaact agtggttaa ctggatgggc 960
agcttttgca gccaaaactt cctctgctgg tccttcaaca gcaaaattga gttcaacaac 1020
acaaaacaat actgggaaac ctgctacttc gtcagctaac cagaaacctg tgggtttgac 1080
tggtctggca acatcatcca aaggtggaat aggttcctaa ataggttcca ataacagcac 1140
tacgccact gtaccttaa aaccacctcc acctctaacc ttgggtaaaa ctggccttag 1200
tcgctcagtt agttgtgaca atgtcagcaa agtaggtctt cctagtccaa gtagtttagt 1260
tccaggaagc agcagccaac taagtgggaa tggaaatagt ggaacatcag gacctagtgg 1320
aagtactacc agcaaaacta cttcagaatc cagcagctct ccctcagcat cccttaaagg 1380
cccaacttca caagaatcac agctcaatgc tatgaagcga ttacagatgg tcaagaagaa 1440
agctgcccac aagaaactca agaagtaatg tggccaagta ggtttttgta tcatattagc 1500
ctaaagatga aaggcttatt attatgatat aatctgtaac aactgtaat ttaataaaaag 1560
tcttcataat caaaaaaaaa aaaaaaaaaa agaaaaaaaa aaaaaaaaaa 1610
```

<210> 568

<211> 1412

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1018)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1037)

<223> n equals a,t,g, or c

<400> 568

```
aattcggcac gagagaaaac attgcaaaag ctaaactgact aaaaaaggat tgaaggactg 60
aacaggcttt gcaaccagag gaaaatcatt tggaaaatta cacagctttg gaagaatcca 120
ctaaagtttc ttctttggat ttcttgacag tatgatttag taaatgaaat ttgaccaa 180
ggaagaatca tgtagttct gacctcaata ctatagtaac ttttaggcgt ggggtgtaga 240
gtttataggt ttctattgac agttattgta aattagcatt tactgtggtg caaattcttt 300
ataactgact tagtcatttg ccgcttagca gtttatatac tgaatgaaa acatcttggt 360
gggaaaagtg actttagatt atgaactcaa ttcaaatgaa ctctatttaa aatgggggtc 420
tattttggac aaaggaaatt aagaatgtaa aagtcagaac agtcttgagg taaaagtgt 480
gctttggctt aaaagggata cagtatatta attacatctt ttattattat tgtttatttc 540
ttagaatcat ttctggcttt ctcaaaacaa aataatatta atgagtactt ctatttgctg 600
catttttctt attacagcct ttgagacagc tggtaattat aagtcatttt ccatttttta 660
aaacataatt ttataaagaa ttctcttatc tcgactatgt agaataccac ctactggaca 720
gaacaatttt tgtactcaca aacactgcca ttttcttaga gatggcttga gaggagtaac 780
actatggttt aaagcttgca gtaaaaatgc caaacactgt agtaccttg aaccagttt 840
attcttggtc taagcagaac tgtaaaatag ttaaaatgtc ttatcaagta attcgccgat 900
tacaaagaca ccatttggtt tttatttcac tctttgkttt aactcatgtg gtagtgatat 960
ttaatacttt ctgatcaaac aggttcaaac taaaacgtta aatttcacat ttcttttnaa 1020
```

```
agaactctta aagtgttnaca gttacgccat acttcataag tggtaaagaa aggtataaaa 1080
tttggaacaa tttgtttggg catagtagtg attgggtgaa aaggataaat tatatcaaaa 1140
tgagaatgtg ctgtaattgg aagtagggag ctaaaggatg tttctttcag tttagtagaa 1200
ctggaacggt ttactattaa acatggcttt tataaatgca tggccaata attttattca 1260
ctgttagtat ttaattcact gtcagcttat taatgttttc tgtaccatt aatgaatttt 1320
aaattacaaa aaattgtcta gcagctacag tttaaaaatg aaactagaca ttaaaataaa 1380
tttgataatt ttttataaaa aaaaaaaaaa ag 1412
```

<210> 569

<211> 1125

<212> DNA

<213> Homo sapiens

<400> 569

```
gacaacgggg gcgaagcgca ggcgaagga gcaagcgag attgtgggag gctgtgtcag 60
ctgacccaag gggccttcga ggtgccttag gccgcttgcc ttgctctcag aatcgctgcc 120
gccatggcta gtcagtctca ggggattcag cagctgtgc aggccgagaa gcgggcagcc 180
gagaagggtg ccgaggcccg caaaagaaag aaccggaggc tgaagcaggc caaagaagaa 240
gctcaggctg aaattgaaca gtaccgctg cagagggaga aagaattcaa ggccaaggaa 300
gctgcggcat tgggatcccg tggcagttgc agcactgaag tggagaagga gaccagag 360
aagatgacca tcctccagac atacttccgg cagaacaggg atgaagtctt ggacaacctc 420
ttggcttttg tctgtgacat tcggccagaa atccatgaaa actaccgcat aaatggatag 480
aagagagaag cacctgtgct gtggagtggc attttagatg ccctcacgaa tatgaagctt 540
agcacagctc tagttacatt cttatgatat ggcattaaat tatttccata tattatataa 600
taggtccttc cacttttttg agagtagcaa atctagcttt tttgtacaga cttagaaatt 660
atctaaagat ttcattcttt tacctcatat ttcttaggaa tttaatgggt atatgttgct 720
tttttttct atgtcttttg gctcaagcaa catgtatatc agtgttgact tttctttct 780
tagatctagt ttaaaaaaaaa aaaaaccac ataacaattc tttgaagaaa ggaagggatt 840
aaataatttt tttccctaac actttcttga aggtcagggg ctttatctat gaaaaagtag 900
taaatagttc tttgtaacct gtgtgaagca gcagccagcc ttaaaagtag ccattcttgc 960
taatggttag aacagtgaat actagtggaa ttgtttgggc tgcttttagt ttctcttaat 1020
caaaattact agatgataga attcaagaac ttgttacatg tattacttgg tgtatcgata 1080
atcatttaaa agtaaagact ctgtcatgca tttttcccca aaaaa 1125
```

<210> 570

<211> 1916

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1899)

<223> n equals a,t,g, or c

<400> 570

```
ggggagggtc agttggaggc aggcgctcgc tgaggcaaaa ggaggcgctc ggcccgcggc 60
ctgacaggga cttagcccgcc agagatcgac cccgcgcgcg tgaccccaaca cccaccact 120
catccatcta tccactccct gcgcgcctc ctcccacct gagcagagcc gccgaggatg 180
ataaacaccc aggacagtag tattttgctt ttgagtaact gtccccagct ccagtgtgc 240
aggcacattg ttccagggcc tctgtggtgc tcctgatgcc cctcaccac tgtcgaagat 300
ccccggtggg cgagggggcg gcagggatcc ttctctctca gctctaatat ataaggacga 360
```

gaagctcact gtgacccagg acctccctgt gaatgatgga aaacctcaca tcgtccactt 420
ccagtatgag gtcaccgagg tgaagggtctc ttcttgggat gcagtcctgt ccagccagag 480
cctgttttga gaaatcccag atggattatt agctgatggg agcaaagaag gattgttagc 540
actgctagag tttgtctgaag agaagatgaa agtgaactat gtcttcatct gcttcaggaa 600
gggccgagaa gacagagctc cactccctgaa gaccttcagc ttcttgggct ttgagattgt 660
acgtccaggc catccctgtg tccctctctg gccagatgtg atgttcatgg tttatccctt 720
ggaccagaac ttgtccgatg aggactaata gtcatagagg atgctttacc caagagccac 780
agtgggggaa gaggggaagt taggcagccc tgggacagac gagagggctc ctgctgtctt 840
aggggaaggac actgaggggc tcaggggtgag ggttgcctat tgtgttctcg gagttgactc 900
gttgaaattg tttccataa agaacagtat aaacatatta ttcacatgta atcaccaata 960
gtaaatgaag atgtttatga actggcatta gaagctttct aaactgctgt gtgtgatgtg 1020
ttctatctag cctaggggag gacattgcct agagggggag ggactgtctg ggttcagggg 1080
catggcctgg agggctgggtg ggcagcactg tcaggtctag gtttccctgc tgttggtttt 1140
ctgttttggg tattaagact tgtgtatatt ctttctttgc ttctgtcac cccaggggct 1200
cctgagtata ggcttttcag tccctgggca gtgtccttga gttgtttttt gacactctta 1260
cctgggcttc tctgtgtgca tttgcgtctg gcctggagta agcaggtccg acccctcctt 1320
ctttacagct tagtgttatt ctggcatttg gttaagctgg cttaatctgt ttaatgttat 1380
cagtacattt taaatagggg cattgaaatt tactcccacc accagggctt ttttggggga 1440
tgccctgggc tttaaaacac tagccaaact ctaattaatt ctcaaatac tgccaggagt 1500
tctgtctcct ggctgcaggc ccaggcccca aggtctcctt cttgggggtca caaacagcag 1560
taaggaagag gaatatatag caactcaggg cctgggaatt gtggggcaat ccgttcttag 1620
ggactggata cttctggctg gctgagtata gtactagctg cctccccacc aggttccgag 1680
tagtgtctga gactctgctc tgcagggcct agggtagcgc tgggagtgtg gaagtggcct 1740
gcccttaact gttttcacta aacagctttt tctaagggga gagcaagggg gagagatcta 1800
gattgggtga gggggacggg gatgtcaggg aggcaagtgt gttgtgttac tgtgtcaata 1860
aactgattta aagttraaaa aaaaaaaaaa aaaaactcng rgggggcgct atagtg 1916

<210> 571

<211> 1253

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1205)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1212)

<223> n equals a,t,g, or c

<400> 571

cgcgctccgc cagcggtccg cccacgcgtc cgcccacgcg tccgctcagg aggcgggagg 60
aggaccggga atgaagacga aggcgtcac cattaaatcg tacggctcgc actgccccct 120
gcccgcagtc cagcgtcttc aaccgtttct gcggcagctc tggaggccgc ggctttggct 180

cagggaagc catgctccca ggactccttc cttgcagcct taaatcggtc tgtacggaaa 240
attccgcgcc ttagaaaccc acgcttggtt gtaaccttat tattgttctt cctgacctac 300
ttctgtttta tcaattccgg gttcatcatt ttggcatttc ggtgatcggg ttggaactat 360
tgaagccgc tttcagggtc ttttccccat tttccctttg aaaggaagac ttctggcttc 420
tcctaaatct ccgttctctg ggtaagggga gtccaagcct ctgtcatgag gaacggaaat 480
gcgagggcct cgggtgttac tctaaaatcc gccctcagct tgcacgccgg aagctgcgat 540
tcctgcagcg gaagaggcgt gatctggcct tcgactcgct atgtccacta acaatatgtc 600
ggaccacagc aggccgaaca aagtgtgag gtacaagccc ccgccgagcg aatgtaaccc 660
ggccttgga caccgcagc cggactacat gaacctgctg ggcagatctc tcagcatgtg 720
cggcctcatg cttaagctga agtggtgtgc ttgggtcgct gtctactgct ccttcatcag 780
ctttgccaac tctcggagct cggaggacac gaagcaaag atgagtagct tcatgtctgc 840
catctctgcc gtggtgatgt cctatctgca gaatcctcag cccatgacgc ccccatgggtg 900
ataccagcct agaagggtca cattttggac cctgtctatc cactaggcct gggctttggc 960
tgctaaacct gctgccttca gctgccatcc tggacttccc tgaatgagcg cgtctcgggtg 1020
ccccagctg gatagaggga acctggcctt ttcctaggga acaccctagg cttacccctc 1080
ctgctccctc tcccctgcct gctgctgggg gagatgctgt ccatgtttct aggggtattc 1140
atttgctttc tcgttgaaac ctgttggttaa taaagttttt cactctgaaa aaaaaaaaaa 1200
aaaanrnaaa anctygrggg gggggccgga acccaattcs ccgatagtg agt 1253

<210> 572

<211> 2013

<212> DNA

<213> Homo sapiens

<400> 572

cctgggagca cctctttgct tttcacacca aacccaaaact gscgaragcc ctccctagcca 60
ccagtgatcc ccaagcatcc agtacagaac caggcatcga gctagctccc tgcacggccg 120
caccctccca gagaactcct tgaggagaac aagtgcctt ggggacagcc ggcakgcgcc 180
cctgtacgtc tgctcatgca ccaggcagca cagccgcagt tctcagttg ttgttttgac 240
atatttcagt ttccacctca ygtttttaga gcagaaccac actgtctccc tggaggggct 300
cgagggcatg accggggact gaccattctg tgaaagkagc agaatgtgag gagcacgcgt 360
gagcttatgt accgtgaaga tgatcagagg atatcttatt ttaagagtaa aaaccacat 420
aattttatct ctgcttgata gtcatggtag tctgtcatat ccacctctgg gactctgcgt 480
ggctgttttg ctgtcacttg tagcaataac gacattagtt ctagtacgtg ctgtttttaca 540
tttttctttt gatgggttta gtcttgcctt ggagtgcgga tgatgattct ccctccagag 600
ccacgcttgg gaacatgaag caagtctggc gtgtgggctg cgtgccggcc ttagtgggac 660
ccgtgggggt ggagcatgcc tttaggggca gtgtctgggc cgaagcacgt cccaccacac 720
agtgcagag ccagagaagg ggcaccacca ccaaggccaa gcttgaccag gtcagcattg 780
ccatggccca gtgtgccccg tggcctctga agatccctct gtgcagggtc tgcagggatc 840
tggtattgaa gggcccaagt ctgcaggctt ggaagcatct tcctataaga gcactttcgc 900
cttctgggtc aggactccaa ggtgcagcgg gcttcacagc cctacaattg ggttctcagc 960
taagccccag agttctggta gaacctccc ggggcgggtg gaggtggga ttttagggag 1020
acgggaacac atggggcagg tcctggaact tgggtggcctg aggactgagg ccattgccct 1080
ggtggaaagg cctggccttg ttcctgtggc ttgggacctg aataggcagg tgctgctggc 1140
tccgtagaaa cccttttccc atcttttgct ctttgccaaa cctacctgac tttgggagct 1200
gcctgcacca cccagagaa ggcaccacct tcttcatccc tcagaccgga ggaggcctcc 1260
cagtaaggag tttcccaaga ggggactcac aggaacaag tcttagtgct tgggagggag 1320
gccccctgc gtgtcagac tcacagccaa cctggaaggt agacgagata gcgccacca 1380
cgcccccca caccacagac tccgagtaaa gcgggcggta gggccggagt caccctccct 1440
atggcagtg ccgccgtgt actccatcct cccgtcagga agatcagctg taaataaacg 1500
ctgggctccc cagagcacct gtccgccac tgcccttgct gttctgggat ctctgctgca 1560

```
gttcacggga aacaagcctg agtccgctcg caccgcggc tgctctccc gctcggccc 1620
gccgcctctg tctccggcca ccgggtggcg ctgccgagcc agagccgcc cgccccggcg 1680
ctttccagga gccccaggcc cggaggagcg aagcccgcag agcaaagggtg gaaacacgtg 1740
cctacgctgt aaagaaatcc tgttccagag catacctgtt gtacaaacag acaactgttcc 1800
taacgagagg agtgacgtat tttcatcacc gtttttaatt tgttttctta cgggtttacg 1860
atthttgaatt tttcttattt ggttgaaaga atthttgattc tatcagcctg agtgagttca 1920
gcctgtaaaa aggatgttaa gctgtgggta aaatatgcaa acgaaaagaa atatattgta 1980
caaattctat ataataagaa aaaaaaaaaaaa aaa 2013
```

<210> 573

<211> 669

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (631)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (638)

<223> n equals a,t,g, or c

<400> 573

```
cgthttgccc ggcgtgccgc gtctctctcg gctcccgtt cctttgacc cctcccccc 60
cggcccggcg gcgcccgcct cctccacggc cactccgcct ctcccctccc ttcgtccctt 120
cttccctctcc ctttttccct tcttccctcc cctcctcgcc gccaccgcc aggaccgcc 180
gccgggggac gagctcgag cagcagccag agtttattaa ccacttaacc tctcagaact 240
gaacaaaagac aacattgttc ctggaacgcc ctctttttta aaaagaaagc ataaccctta 300
ctgtagaact aaatgcactg tgcataaaac ttggaaaaaa accaatgtat aagcctgttg 360
acccttactc tcggatgcak tcmacctata actacaacat gagaggaggt gcttatcccc 420
cgaggtactt ttacccattt ccagntccac ctttacttta tcaagtggaa ctttctgttg 480
gaggacagca atttaattgg aaaggaaaaga caagacaggc tgcgaaacac gatgctgctg 540
ccaaagcggg tgaggatcct gcagaatgag cccctggcag aagaggggct aggtgaaagg 600
aagagaatcc gaagaagaaa actcaataaa nctgaaanaa agcaaggggt tgagatgcct 660
taaacggga 669
```

<210> 574

<211> 2432

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2367)

<223> n equals a,t,g, or c

<400> 574

```
acacagnaga aacacagcat tccaggctgg cccacacctt atattgataa gtagccaatg 60
ggagcgggta gccctgatcc ctggccaatg gaaactragg taggcgggtc atcgcgctgg 120
ggtctgtagt ctgagcgcta cccggttgct gctgccaag gaccgcgag tcggacgcag 180
gcagaccatg tggaccctgg tgagctgggt ggccttaaca gcagggctgg tggctggaac 240
gcggtgcccc gatggtcagt tctgccctgt ggcctgctgc ctggaccccg gaggagccag 300
ctacagctgc tgccgtcccc ttctggacaa atggcccaca acactgagca ggcatctggg 360
tggcccctgc caggttgatg cccactgctc tgccggccac tcctgcatct ttaccgtctc 420
agggacttcc agttgtgctc cttcccaga ggccgtggca tgcggggatg gccatcactg 480
ctgcccacgg ggcttccact gcagtgcaga cgggcgatcc tgcttccaaa gatcaggtaa 540
caactccgtg ggtgccatcc agtgccctga tagtcagttc gaatgcccg acttctccac 600
gtgctgtgtt atggtcgatg gtccttgggg gtgctgcccc atgccccagg ctctctgctg 660
tgaagacagg gtgactgct gtccgcacgg tgccttctgc gacctggttc acaccgctg 720
catcacaccc acgggcaccc acccctggc aaagaagctc ctgcccaga ggactaacag 780
ggcagtgccc ttgtccagct cggtcattgt tccggacgca cggtcocggg gccctgatgg 840
ttctacctgc tgtgagctgc ccagtgggaa gtatggctgc tgcccaatgc ccaacgccac 900
ctgctgctcc gatcacctgc actgctgccc ccaagacact gtgtgtgacc tgatccagag 960
taagtgcctc tccaaggaga acgctaccac ggacctcctc actaagctgc ctgcgcacac 1020
agtgggggat gtgaaatgtg acatggaggt gagctgcccc gatggctata cctgctgccg 1080
tctacagtgc ggggcctggg gctgctgccc ttttaccag gctgtgtgct gtgaggacca 1140
catacactgc tgtccgcggt ggtttacgtg tgacacgcag aagggtacct gtgaacaggg 1200
gccccacagc gtgccctgga tggagaaagg ccagctcac ctcagcctgc cagaccacca 1260
agccttgaag agagatgtcc cctgtgataa tgtcagcagc tgtccctcct ccgatacctg 1320
ctgccaactc acgtctgggg agtggggctg ctgtccaatc ccagaggctg tctgctgctc 1380
ggaccaccag cactgctgcc cccagggtta cacgtgtgta gctgaggggc agtgtcagcg 1440
aggaagcgag atcgtggctg gactggagaa gatgcctgcc cgccgggctt ccttatccca 1500
ccccagagac atcggtgtg accagcacac cagctgcccg gtggggcaga cctgctgccc 1560
gagcctgggt gggagctggg cctgctgcca gttgccccat gctgtgtgct gcgaggatcg 1620
ccagcactgc tgcccgctg gctacacctg caacgtgaag gctcgatcct gcgagaagga 1680
agtgtctctc gccagcctg ccaccttcct ggcccgtagc cctcacgtgg gtgtgaagga 1740
cgtggagtgt ggggaaggac acttctgcca tgataaccag acctgctgcc gagacaaccg 1800
acagggtctg gcctgctgtc cctaccgcca gggcgtctgt tgtgctgatc ggcgccactg 1860
ctgtcctgct ggcttccgct gcgcagccag gggataccaag tgtttgcgca gggaggcccc 1920
gcgctgggac gcccctttga gggaccacgc cttgagacag ctgctgtgag ggacagtact 1980
gaagactctg cagccctcgg gacccactc ggagggtgcc ctctgctcag gcctccctag 2040
cacctcccc taaccaaatt ctccctggac cccattctga gctcccatc accatgggag 2100
gtggggcctc aatctaaggc cttccctgtc agaagggggg tgtggcaaaa gccacattac 2160
aagctgccaat cccctcccc tttcagtgga cccgtgtggc aggtgctttt ccctatccac 2220
aggggtgttt gtgtgtgtgc gcgtgtgcgt ttcaataaag tttgtacact ttcaaaaaaa 2280
```


aaaaaaaaaa aaagggsggc cgctctaaaa gatccaagg gccaanctta cccttgcattg 2340
ccaactctaa ctctctccca ataattnatt cttatataac taaggcactg gccgtctttt 2400
aaaacttctg aatggaaatt gctacttggg at 2432

<210> 575

<211> 1372

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (71)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1370)

<223> n equals a,t,g, or c

<400> 575

tccgcccacg cgtccgagcg gatcgcgkgc tcgggctgcg gggctccggc tgcgggcgct 60
gggcccgcag ngcggagctt gggagcggac ccaggccgtg ccgcgcggcg ccatgaagg 120
caaggaggag aaggaggcg gcgcacggct gggcgctggc ggcggaagcc cgagaagagc 180
ccgagcgcgc aggagctcaa ggagcagggc aatcgctctg tcgtggggccg aaagtaccgc 240
gaggcgggcg cctgtacgg ccgcgcgac acccggaacc cgctgggtggc cgtgtattac 300
accaaccggg ccttgtgcta cctgaagatg cagcagcacg agcaggccct ggccgactgc 360
cggcgcgccc tggagctgga cgggcagtct gtgaaggcgc acttcttcct ggggcagtgc 420
cagctggaga tggagagcta tgatgaggcc atcgccaatc tgcagcgagc ttacagcctg 480
gccaaaggagc agcggctgaa cttcggggac gacatcccca gcgctcttcg aatcggaag 540
aagaagcgct ggaacagcat tgaggagcgg cgcacccacc aggagagcga gctgcactcc 600
tacctctcca ggctcattgc cgcggagcgt gagaggagc tggaaagatg ccagcgaaac 660
cacgagggtg atgaggacga cagccacgtc cgggccacgc aggcctgcat tgaggccaag 720
cacgacaagt acatggcgga catggacgag cttttttctc aggtggatga gaagaggaag 780
aagcgagaca tcccgcacta cctgtgtggc aagatcagct ttgagctgat gcgggagccg 840
tgcatcacgc ccagtggcat cactacgac cgcaaggaca tcgaggagca cctgcagcgt 900
gtgggtcatt ttgaccccg gaccggagc cccctgaccc aggaacagct catccccaac 960
ttggctatga aggaggttat tgacgcattc atctctgaga atggctgggt ggaggactac 1020
tgaggttccc tgcctacct ggctcctgg tccaggggag ccctgggcag aagcccccg 1080
ccctataca tagtttatgt tcctggccac cccgaccgct tcccccaagt tctgtgttg 1140
gactctggag tgttccctc ctcagcatcg cttttgtgg gccgtgacg tcccccttg 1200
tgggctggaa aagcagggtg ggggtgggct ggctgaggcc attgcccga ctatctgtgt 1260

aataaaatcc gtgagcacga aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320
ttggggggggg ccccntancc aattggccct aaagggggggg tttaaaaaan aa 1372

<210> 576

<211> 2020

<212> DNA

<213> Homo sapiens

<400> 576

gctccccgcg kckcttctgc ttttgtggcg gcgcccgcgc tcgcaggcca ctctctgctg 60
tcgcccgtcc cgcgcgctcc tccgaccgcg tccgctccgc tccgctcggc cccgcgcgcg 120
ccgtcaacat gatccgctgc ggctggcct gcgagcgtg ccgctggatc ctgcccctgc 180
tcctactcag cgccatcgcc ttcgacatca tcgcgctggc cggcccgggc tggttgcagt 240
ctagcgacca cggccagacg tcctcgtgtg ggtggaaatg ctcccaagag ggcggcggca 300
gcgggtccta cgaggaggcg tgcagagcc tcatggagta cgcgtggggg agagcagcgg 360
ctgccatgct cttctgtggc ttcacatccc tggatgatct tttcatcctc tccttcttcg 420
ccctctgtgg accccagatg cttgtcttcc tgagagtgat tggaggtctc ctgacctgg 480
ctgctgtggt ccagatcatc tccctggtaa ttaccctcg gaagtacacc cagaccttca 540
cccttcatgc caaccgtgct gtcacttaca tctataactg ggcctacggc tttgggtggg 600
cagccacgat tatcctgaty ggctgtgcct tcttcttctg ctgcctcccc aactacgaag 660
atgaccttct gggcaatgcc aagcccaggc acttctacac atctgcctaa cttgggaatg 720
aatgtgggag aaaatcgctg ctgctgagat ggactccaga agaagaaact gtttctccag 780
gcgactttga acccattttt tggcagtgtt catattatta aactagtcaa aaatgctaaa 840
ataatttggg agaaaatatt ttttaagtag tgttatagtt tcatgtttat cttttattat 900
gttttgtgaa gttgtgtctt ttcactaatt acctatacta tgccaatatt tccttatatc 960
tatccataac atttatacta catttgtaag agaatatgca cgtgaaactt aacactttat 1020
aaggtaaaaa tgaggtttcc aagatttaat aatctgatca agttcttgtt atttccaaat 1080
agaatggact cggctctgta agggctaagg agaagaggaa gataagggtta aaagttgtta 1140
atgaccaaac attctaaaag aaatgcaaaa aaaaagttaa ttttcaagcc ttcgaactat 1200
ttaaggaaag caaaatcatt tcctaaatgc atatcatttg tgagaatttc tcattaatat 1260
cctgaatcat tcatttcagc taaggcttca tgttgactcg atatgtcatc taggaaagta 1320
ctatttcatg gtccaaacct gttgccatag ttggtaaggc tttcctttaa gtgtgaaata 1380
tttagatgaa attttctctt ttaaagttct ttatagggtt aggggtgtggg aaaatgctat 1440
attaataaat ctgtagtgtt ttgtgtttat atgttcagaa ccagagtaga ctggattgaa 1500
agatggactg ggtctaattt atcatgactg atagatctgg ttaagttgtg tagtaagca 1560
ttaggagggt cattcttgtc acaaaagtgc cactaaaaca gcctcaggag aataaatgac 1620
ttgcttttct aaatctcagg tttatctggg ctctatcata tagacaggct tctgatagtt 1680
tgcaactgta agcagaaacc tacatatagt taaaatcctg gtctttcttg gtaaacagat 1740
tttaaagtgc tgatataaaa catgccacag gagaattcgg ggatttgagt ttctctgaat 1800
agcatatata tgatgcatcg gataggcat tatgattttt taccatttcg acttacataa 1860
tgaaaaccaa ttcattttta atatcagatt attattttgt aagttgtgga aaaagctaat 1920
tgtagttttc attatgaagt tttcccaata aaccaggat tctaaaaaaa aaaaaaaaaa 1980
aaaactcgag gggggcccgc taccawtcg ccgtatatga 2020

<210> 577

<211> 3161

<212> DNA

<213> Homo sapiens

<400> 577

ctcatttact gtaatattta tgatacagtg aatatgaaaa tgcactggtc agaaggcact 60

ctcaaagagc cgcactgctc ctgacatcgt ccttagcaat gaaatcacaa agacagccaa 120
agcagtcctg cttcttgga atcagaagct gcctttatca catataaagc caaacagggc 180
ataacatgt cacgtgagca tgcacatcagg cttctgagga cttgttcttt ataaaaaag 240
accttcacaa aatatcttgg cttagagata gcagtcctta ttaacaaagg ccacctaggc 300
tgacacctgc agataatcat ctccctttct ttgtctatgt tgtacatttt catgatataa 360
cttttaacta tgtctagaga aggcaggctc tgcaagagag gtgccctttc aaccgcgtca 420
gtgccctgga caggagatgc tgtgttaaac tgtaaatgga tatctatatg agaagctcat 480
ttttgtatgc tatccctgca gttttttttt ttctaacagg cccatgtttg agaataaaca 540
agtctgtgat gtcagagaca aagggtgtatt cttcagtcgt cagggtgtgtg gcacctccct 600
tctccctgca agccccccac atccagagcc gttcctgaga gtgacatcat gcatacaaga 660
aacataacct tggctcctcag gtgaaccctt ggaacattct gtgaccgcct gatgtccatt 720
ctgagccacc ttggcacaca tgcttacagg cagcactgct aagggttcag gtgccccatg 780
gctgacagcc cgagttgctt ctgtggacca tcatgccgct cggcacgtcc tgagacagaa 840
gttgcctgca gaaggagctt ctggagaggt cctgtggcat gtgtgggggt gtgtgtgtgt 900
atgtttcctt cttgaacaga cattccaact ttagatgtgt ttatagaact gaccttttta 960
ctaacaaaat acaatgatat atgttggaat ctacttaata tgcttttctt gcacacctta 1020
gcaataactg taggggtctc tgctagagtt gttgtatgt acagcaattt tgaacaaatt 1080
gttttaaatg taatataaga gaattagttt aaggaagtaa agagaatcat ttgcttgtgt 1140
tacattttca gtgaggattc agtttaagag tcattcttag gacttccatt tcctaataatt 1200
tattcatggg taatgaagaa atggtttgca tttgtggcc agtcctaatt tattttccag 1260
ctgagcccta acttccgctt cccacctacc tccacggact tcctaacaga gacttatgaa 1320
taccaggatg tgtttttgtt aagtcagggt caattcgttg cccctgtcag ttttatagag 1380
tgtgagggtc actccattaa agatctctcc tgggtggatc ctacttggat gttcagggtg 1440
ttttgaaaac tgctaacatt tttaaaaggc tagaacatcc tttgacttct tgaatatctg 1500
catgtctggc ttgggtttta ttaccacatg cctgagttct tcaagaatgg aaggctcaag 1560
tattctcatc ttccatttgc caaacttctt tcctgatttg agtcacgtgt tccacttgga 1620
aagaaaggga acagagagcc tcctccatgg acagtgtatg aatttcattg ggaatcttgc 1680
tctctcccgc ctctatgcct ttctctcttt ttaaccttac tttacataat attatagatg 1740
ggccaagaaa agaaaagatg acataacatt ttgatgaatt tcacctatct cattcttcac 1800
gtttcagaat tggctgactt tggtagaaga taattgaagt agccttgggt caaaagcaac 1860
cttttcaatt gtgatcatat ctaaaacata taaaaacctt gccgtagatt aaaagcaatt 1920
ataaaatcat aaaattgaat gtttgagaaa tcctggagca gtagatttct ttgtcttttg 1980
cctgaggact agaaagaggg cagcagtagt atgctggagc ttccctggga taccagccac 2040
atggtttctt ttcattagat ctgatttttg tttccactg tagatctgat tttgtagttg 2100
aaaacatttc aacacatca aacactattt ctgaatattg tgccttttta tacctagcct 2160
agatgaaaac cgatgccatt cttattcaga aaatccccc atcctacatg actgttatct 2220
agacataaag caaagtgcatt ttaattcaaa atttggttca caatataagt attttgtaaa 2280
agccagctga accagcattt tatcagggtg aaatctctgc aagccaaatt gctgatactc 2340
cttcatgcag atcaacttgg tgtcccagtc agaatagaac agcataatta cctggagtta 2400
gggggagtat ttctgcacta ttacttgtca gggagagaag aaacttagaa ttgtccctca 2460
aaggagtgtc aagaagtatg aataaatgtc ctttcaccag ctcacaggcc agaaatggag 2520
gacccaagtc aactagggtg aactactagc agaccagct tttccataat aacctaatct 2580
gcaaatgtt ctattaaagt ctcatgttt tcaggatgca atgaaagtgg atttcaaaag 2640
gctttggaag aataagtggg acatgactga tcttgaaaaa aaaagcaaaa gcttaaatat 2700
ttgatacaag tttacttagc tacaacatac tttacattgt tgccttttagt tatctcacag 2760
gcactgacat tttatatatta gaaaataactt ttaatcttct taatcttttt ttgtaaatat 2820
tagtgtccat tctgtatgac tcgctaacct actttgcaag gctttgggca acatttttagc 2880
tcattaactt caagatgatg tgcacatctg ataggtaaaa gaatgggact tctgaactga 2940
ggaatttgct gttgacagcc aaagtatagt gtacaagatt gatgtaactt gatatgtatt 3000
tttgttgaa ttttttgtaa aaaaaaatta tttacaatgt tatttgaatg atttttttaa 3060
atgctgtgaa tctatatattg ttgttttrta tattaataat catttgccaa aaaaaaaaaa 3120

aaaaaaaaa aaaaaaaaaa aaaactcgag actagtcttc t 3161

<210> 578

<211> 2046

<212> DNA

<213> Homo sapiens

<400> 578

gtcatgcagt gcgccggaga actgtgctct ttgaggccga cgctaggggc ccggaagggg 60
aactgcgagg cgaaggtgac cggggaccga gcatttcaga tctgctcggg agacctgggtg 120
caccaccacc atgttggtgct caaggctggt gtgtctccgg aactacctt ctagggtttt 180
ccaccagct ttcaccaagg cctccctgt tgtgaagaat tccatcacga agaataaatg 240
gctgttaaca cctagcaggg aatatgccac caaacaaga attgggatcc ggcgtgggag 300
aactggccaa gaactcaaag aggcagcatt ggaaccatcg atggaaaaa tatttaaat 360
tgatcagatg ggaagatggt ttgttgctgg aggggctgct gttggctctg gagcattgtg 420
ctactatggc ttgggactgt ctaatgagat tggagctatt gaaaaggctg taatttggtc 480
tcagtatgtc aaggatagaa ttcattccac ctatatgtac ttagcaggga gtattggttt 540
aacagctttg tctgccatag caatcagcag aacgcctggt ctcataaact tcatgatgag 600
aggctcttgg gtgacaattg gtgtgacctt tgagccatg gttggagctg gaatgctggt 660
acgatcaata ccatatgacc agagcccagg ccaaaagcat cttgcttggg tgctacattc 720
tggtgtgatg ggtgcagtggt tggctcctct gacaatatta gggggctcctc ttctcatcag 780
agctgcattg tacacagctg gcattgtggg aggcctctcc actgtggcca tgtgtgcgcc 840
cagtgaagaag tttctgaaca tgggtgcacc cctgggagtg ggcctgggtc tcgtctttgt 900
gtcctcattg ggatctatgt ttcttccacc taccaccgtg gctggtgcca ctcttactc 960
agtggcaatg tacggtggat tagttctttt cagcatgttc cttctgtatg ataccagaa 1020
agtaatacag cgtgcagaag tatcaccaat gtatggagtt caaaaatatg atcccatata 1080
ctcgtatgct agtatctaca tggatacatt aaatatatgt atgcgagttg caactatgct 1140
ggcaactgga ggcaacagaa agaaatgaag tgactcagct tctggcttct ctgctacatc 1200
aaatatcttg ttaaatgggg cagatatgca ttaaatagtt tgtacaagca gctttcggtg 1260
aagtttagaa gataagaaac atgtcatcat atttaaatgt tccggtaatg tgatgcctca 1320
ggtctgcctt tttttctgga gaataaatgc agtaatcctc tcccaataa gcacacacat 1380
tttcaattct catgtttgag tgattttaaa atgttttggg gaatgtgaaa actaaagtgt 1440
gtgtcatgag aatgtaagtc tttttctac tttaaaattt agtaggttca ctgagtaact 1500
aaaatttagc aaacctgtgt ttgcataatt ttttgagtg cagaatattg taattaatgt 1560
cataagtgat ttggagcttt ggtaaaggga ccagagagaa ggagtcacct gcagtctttt 1620
gtttttttaa atacttagaa cttagcactt gtgttattga ttagtgagga gccagtaaga 1680
aacatctggg tatttggaag caagtgtgca ttgttacatt catctgctga acttaacaaa 1740
actgttcac ctaaaacagg cacaggtgat gcattctcct gctgttgctt ctgagtgctc 1800
tctttccaat atagatgtgg tcatgtttga cttgtacaga atgttaatca tacagagaat 1860
ccttgatgga attatatatg tgtgttttac ttttgaaagt taaaaagga aataacttta 1920
aaactattct caagagaaaa tattcaaagc atgaaatatg ttgctttttc cagaatacaa 1980
acagtatact catgagcaaa aaaaaaaaaa gggcgccgc tctagaggat ccctcgaggg 2040
gcccaa 2046

<210> 579

<211> 302

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (226)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (241)

<223> n equals a,t,g, or c

<400> 579

```
ctgcgggnaa ctgctgatgg ctcagggact gtcagcctct gctctggaag gcctgaagac 60
ggaagaaggg agtgtcagag gcgccctgcc agctgtgtca tctccccag ctccagtttc 120
acctcatca cccaccacac ataatgggga gctggagccg tcattctccc ccttgctagg 180
agaaggggaa acgcccagaga cgctgcttcc ccagaagtgc tggggncagg gaggcccagg 240
nagatgagag agaaggtccg agtaggtgga tagaagacaa ggggggagac cgagccggag 300
tg                                     302
```

<210> 580

<211> 3067

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (626)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1808)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2945)

<223> n equals a,t,g, or c

<400> 580

```
gcgcctgcag gtcgacacta gtggatccaa agaattcggc acaggagcgg cgcgcgctcg 60
gacctctccc gccctgctcg ttcgctctcc agcttgggat ggccggctac ctgcgggtcg 120
tgcgctcgct ctgcagagcc tcaggctcgc ggccggcctg ggccggggcg gccctgacag 180
ccccacctc gcaagagcag ccgcggcgcc actatgccga caaaaggatc aaggtggcga 240
agcccgtggt ggagatggat ggtgatgaga tgaccgtat tatctggcag ttcatcaagg 300
agaagctcat cctgccccac gtggacatcc agctaaagta ttttgacctc gggctcccaa 360
accgtgacca gactgatgac caggtcacca ttgactctgc actggccacc cagaagtaca 420
gtgtggctgt caagtgtgcc accatcaccg ctgatgaggc ccgtgtggaa gaggttcaagc 480
tgaagaagat gtggaaaagt cccaatggaa ctatccggaa catcctgggg gggactgtct 540
```

tccgggagcc catcatctgc aaaaacatcc caccgctagt ccctggctgg accaagccca 600
tcaccattgg caggcacgcc catgnggacc agtacaaggc cacagacttt gtggcagacc 660
gggcccggcac tttcaaaatg gtcttcaccc caaaagatgg cagtgggtgc aaggagtggt 720
aagtgtacaa cttccccgca ggccggcgtg gcatgggcat gtacaacacc gacgagtcca 780
tctcaggttt tgccgacagc tgcttccagt atgccatcca gaagaaatgg ccgctgtaca 840
tgagcaccac gaacaccata ctgaaagcct acgatgggag tttcaaggac atcttccagg 900
agatctttga caagcactat aagaccgact tcgacaagaa taagatctgg tatgagcacc 960
ggctcattga tgacatgggt gctcagggtcc tcaagtcttc ggggtggcttt gtgtgggctt 1020
gcaagaacta tgacggagat gtgcagtcag acatcctggc ccagggtctt ggctcccttg 1080
gcctgatgac gtccgtcctg gtctgccctg atgggaagac gattgaggct gaggccgctc 1140
atgggaccgt caccgcgccac tatcgggagc accagaaggg ccggcccccacc agcaccaacc 1200
ccatcgccag catcttttgc tggacacgtg gcctggagca ccggggggaag ctggatggga 1260
accaagacct catcaggttt gccagatgc tggagaagggt gtgcgtggag acggtggaga 1320
gtggagccat gaccaaggac ctggcgggct gcattcacgg cctcagcaat gtgaagctga 1380
acgagcactt cctgaacacc acggacttcc tcgacaccat caagagcaac ctggacagag 1440
ccctgggagc gcagtagggg gaggcgccac ccatggctgc agtggagggg ccagggtgta 1500
gccggcgggt cctcctgagc gcggcaragg gtgagcctca carccccag caccgggagt 1560
cttggccagg gatggggagc ggggagggctm carctccgct ccaaccccct gaggagggtca 1620
ctccccatcc agccaccctt gcccgccggc ctccgaggtc ccgaagggtc caccatcccc 1680
gcaggaactc cctggatgga gggggccgat cccggggagc gggttctgca cagcctgaac 1740
cccagcactt ccagcccaaa aagcacaact cttatcccca gccaccccaa cctaccaccag 1800
cccagcgnc cccaggggcc gctaccccc atactact ccccccacga tgagacggca 1860
gcgtttctgc cctgacctca aggagagtgg ggcagctgtg tgagtccac atcctgggca 1920
gagggccttg tggggcccyt tgctaggaga agggaagac cccgagacgc tgcttcccca 1980
gaagtgtctg ggcagggagg cccaggagat gagagagaag gtccgagtag gtgatagaag 2040
acaaggggga gaccgagccg gagytgagga aagggaagag gcacggaktt gccaggagca 2100
aaccaaagtg aagagagaga taggaagctg cctcggggcc accccttgca aagggggtgt 2160
gtcccacaaa cgctgctatg ggtggggtg ggggctggg tgctgcgtag ccagtgtttg 2220
actttctttt caagtgggg aaagtgggag aggactgaga gtgaggcaag ttctccccag 2280
cccctgtccg tctgtctgtc tgtctgtggt ggtttctgtt tcttgggag catggttaga 2340
tcataagtca tccccctccc cttccaggcc tcctgctata tttgggggac ctgactgggt 2400
tggtggagt cccatgagga tgtgggcct ttaataaagg atagcaaaac gggagcttgt 2460
ggcctgtttg ttttgggttt tcatggaggt gtaggttata taaggcaatg gcacaggtct 2520
taagcatact tatcagtga gtattgtatg tgtgctctgt gcaggcacca cccagatctg 2580
gatataagaa tgtttccatc ttgtcttcc gaacttcacc ctctgtctc ttccttcagg 2640
gtgcgcasc gatcttttcc ccgctttttt ttttttggg agacagggtc ttgctttgtt 2700
gccaggctg gaggtagct cttggctcac tgcagcctcc gcctcctgag tagctgggat 2760
tacaggcatg tgccaccacg cccggctcat tactgtttt tttgtagtga cgaggtttca 2820
ccatgttggc caggctggtc tcgaactcct gatgacctca agtgatccgc ccaccttggc 2880
ctcccaaagt ggtgggatta cagggtgtgag ccacgcgcc cggcctcccc tgctttcatg 2940
tttgnattac cagtgtctca gtctgtgcca gcagcamcac tgtctgtwat ggacaaagca 3000
cagaagcggg gatgcragg gaagtagagg gaccgcccag ctgtcaaggc ttaactggct 3060
gttgctg 3067

<210> 581

<211> 1574

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (457)

<223> n equals a,t,g, or c

<400> 581

```
gtacggattc ccgggtcgac ccacgcgtcc ggcgggcgcg acggcgacat ggagagcggg 60
gcctacggcg cggccaaggc gggcggtccc ttcgacctgc ggcgcttcct gacgcagccg 120
caggtgggtg cgcgcgccgt gtgcttggtc ttcgccttga tcgtgttctc ctgcatttat 180
ggtgagggct acagcaatgc ccacgagtct aagcagatgt actgcgtgtt caaccgcaac 240
gaggatgcct gccgctatgg cagtgccatc ggggtgctgg ccttcctggc ctcggccttc 300
ttcttggtgg tcgacgcgta tttccccag atcagcaacg cactgaccg caagtacctg 360
gtcattgggt acctgctctt ctcagctctc tggaccttc tgtggtttgt tggtttctgc 420
ttcctcacca accagtgggc agtcaccaac ccgaagnacg tgcgtggtgg ggccgactct 480
gtgagggcag ccatcacctt cagcttcttt tccatcttct cctggggtgt gctggcctcc 540
ctggcctacc agcgctacaa ggctggcggt gacgacttca tccagaatta cgttgacccc 600
actccggacc ccaacactgc ctacgcctcc taccaggtg catctgtgga caactaccaa 660
cagccaccct tcaccagaa cgcggagacc accgagggct accagccgcc ccctgtgtac 720
tgagcggcgt ttagcgtggg aagggggaca gagagggccc tcccctctgc cctggacttt 780
cccatgagcc tcctggaact gccagccct ctctttcacc tgttccatcc tgtgcagctg 840
acacacagct aaggagcctc atagcctggc gggggctggc agagccacac cccaagtgc 900
tgtgcccaga gggcttcagt cagcygctca ctctccagg gcacttttag gaaagggttt 960
ttagctagt tttttcctcg cttttaatga cctcagcccc gcctgcagt gctagaagcc 1020
agcaggtgcc catgtgctac tgacaagtgc ctcagcttcc ccccgggccg ggtcaggccg 1080
tgaggagccg tattatctgc gttctctgcc aaagactcgt gggggccatc acacctgccc 1140
tgtgcagcgg agccggacca ggctctgtg tcctcactca gggttgcttc ccctgtgccc 1200
actgctgtat gatctggggg ccaccacct gtgccgggtg cctctgggt gcctcccgtg 1260
gtgtgagggc ggggctggtg ctcatggcac ttcctccttg cttccacccc tggcagcagg 1320
gaagggtctt gcctgacaac acccagcttt atgtaaatat tctgcagttg ttacttagga 1380
agcctgggga gggcaggggt gcccatggc tcccagactc tgtctgtgcc gagtgtatta 1440
taaaatcgtg ggggagatgc ccggcctggg atgctgtttg gagacggaat aaatgttttc 1500
tcattcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1560
aaaaaagggc ggcc 1574
```

<210> 582

<211> 960

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (924)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (937)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (939)

<223> n equals a,t,g, or c

<400> 582

```
agagtcagga ggcagagctc tgggaatctc accatggcct ggacccctct cctgctcccc 60
ctcctcactt tctgcacagt ctctgaggcc tcctatgagy tgacacagcc accctcggtg 120
tcagtgtccc caggacaaac ggccmggatc acctgctctg gagatgcmmt gccamaaaaa 180
tatrcattatt ggtaccagca gaagtcaggc caggcccttg tgytggtcat ctatgaggac 240
accagacgac cctccgcgat ccctgagaga ttctctgcct ccagctcagg gacaatggcc 300
accttgacta tcagtggggc ccaggtggag gatgaagcgg actactactg ctactcaaca 360
gacagcagtt cttattacag ggtgttcggc ggagggacca agctgaccgt cctaggtcag 420
cccaaggctg cccctcgggt cactctgttc ccrccctcct ctgaggagct tcaagccaac 480
aaggccacac tgggtgtgtct cataagtgaac ttctacccgg gagccgtgac agtggcctgg 540
aaggcagata gcagccccgt caaggcggga gtggagacca ccacaccctc caaacaaggc 600
aacaacaagt acgcggccag cagctacctg agcctgacgc ctgagcagtg gaagtcacc 660
araagctaca gctgccaggt cacgcatgaa gggagcaccg tggagaagac agtggccctt 720
acagaatgtt cataggttct caaccctcac cccccaccac gggagactag agctgcagga 780
tcccagggga ggggtctctc ctcccacccc aaggcatcaa gcccttctcc ctgcaactca 840
taaaccctca ataaatattc tcattgtcaa tcagaaaaaa aaaaaaaaaa aaaaaggggg 900
ggggcccggt accmattggc cttnggkggg tggtttnanw ttaatggcck ggtttaaagg 960
```

<210> 583

<211> 541

<212> DNA

<213> Homo sapiens

<400> 583

```
cgccggccgc gccacgtga ycggctccggg tgcaaacacg cgggtcagct gatccggccc 60
aactgcggcg tcatccggc tataagcgca cggcctcggc gaccctctcc gaccggccg 120
ccgcccgcct gcagccctcc agccttctgc cgctcgccct ctgcctgctg gctgcacccg 180
cctccgcgct cgtcaggatc ccgctgcaca agttcacgtc catccgcgg accatgtcgg 240
aggttggggg ctctgtggag gacctgattg ccaaaggccc cgtctcaaag tactcccagg 300
cgttgccagc cgtgaccgag gggccattc ccgaggtgct caagaactac atggacgccc 360
agtamtacgg ggagattggc atcgggacgc cccccagtg cttcacagtc gtcttcgaca 420
cgggctycty caacctgtgg gtcccctcca tccactgcaa actgctggac atcgcttgct 480
ggatycacca caagtamaac agcgacaagt ccagcaacta cgtgaagaat ggtaactcgt 540
t 541
```

<210> 584

<211> 2968

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (454)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1437)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2961)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2964)
<223> n equals a,t,g, or c

<400> 584
aattcggcac gagatcctct ggctgctctg ctcccaccgc ccggcccccg gcaggccccc 60
caccacacat gcacacaact ggaggctcgg ccaggcgccc gccarctggt acaatgacac 120
ctacccccctg tctccccac aaaggacacc ggctgggatt cggatcga tgcagttat 180
cgcagacctg gacacagagt caagggccca agaggaaaac acctggttca gttacctgaa 240
aaagggtctac ctgacctgt cagacagtgg ggacaagggt gccgtggaat gggacaaaga 300
ccatgggggtg ctggagtccc acctggcgga gaaggggaga ggcattggagc tatccgacct 360
gattgttttc aatgggaaac tctactccgt ggatgaccgg acgggggtcg tctaccagat 420
cgaaggcagc aaagccgtgc cctgggtgat tctntccgac ggcgacggca ccgtggagaa 480
aggcttcaag gccgaatggc tggcagtga ggacgagcgt ctgtacgtgg gcggcctggg 540
caaggagtgg acgaccacta cgggtgatgt ggtgaacgag aaccgggagt ggggtgaagg 600
ggtgggctac aagggcagcg tggaccacga gaactgggtg tccaactaca acgacctgcg 660
ggctgctgcc ggcattccagc cgccaggcta cctcatccat gagtctgcct gctggagtga 720
cacgtgcag cgctggttct tctgcccgc ccgcgccagc caggagcgt acagcgagaa 780
ggacgacgag cgcaagggcg ccaacctgct gctgagcgcc tcccctgact tcggcgacat 840
cgctgtgagc cacgtcgggg cggtgtccc cactcacggc ttctcgtcct tcaagttcat 900
ccccaacacc gacgaccaga tcattgtggc cctcaaatcc gaggaggaca gcggcagagt 960
cgctcctac atcatggcct tcacgtgga cggcgcttc ctgttgccgg agaccaagat 1020
cggaagcgtg aaatacgaag gcatcgagtt catttaactc aaaacggaaa cactgagcaa 1080
ggccatcagg actcagctt tataaaaaa agaggagtgc acttttgttt tgtttgttc 1140
ttttggaac tgtgcttggg ttggaggtct ggacaggag cccagtcctg gggccatag 1200
tggtgcgggc actggacccc cgggccccac ggaggccgcg gtctgaactg ctttccatg 1260
tgccatctgg tgggtatttc ggtcacttca cagcattgact caaggcctgc ctaactggct 1320
gggtcgtttc ttccatccga cctcgtttct ttcttttct atgttctttt gttcagtga 1380
tatccctaga gtcctacca tatgtcaggc cctatgcctc accctgagaa cgcagtnagc 1440
atgagggtga cctgtttgct gggaacccca ggtcaccccc ttttcttct actctgtgcc 1500
tggagcatca tgtccacccc tgcagatcct tggaaaagaa aatgtttatg ttgcagggtg 1560
ttgcatggtc acgagtgagg gcaggccctt ggggacacat ctgcccacag ctgcacaggc 1620
caggggcgag gcacatctgt tggttctcag gcctcagata aaaccatctc cgcacatat 1680
ggccagtgc cgctttctcc cttcaagaaa attctgtggc tgtgcagtac tttgaagttt 1740
taattattaa cctgctttta ttaaagcagt ttcttttct ataaagtga atcaccaaat 1800
cttatcacac agagcacagt cctgtagtta ccagcccgc tccagcagtg cgggagattg 1860
taaggaagcg gtggcggtg gtgaagcaag tctcacatgt cggcgttctt ggccaatgga 1920
tacaaagata aagaaaatgt tgccttttct taggaactgt cagaaatcct catgcctttc 1980
aagacttctg tgaatgactt gaatttttta ttccctgcct agggctctgt aacgaggcct 2040
gtctcttccc tggggtttct ttccatggcc ttattttct ctcttccagt gggagttttg 2100
caggctcttc tctgtgaaa cttcacgagc gttggctggg cctcggcttc gctggagtgt 2160
actccagggt gaaggcagag tgggatttga gaccagggt aggcacgacc caggctgaga 2220
agggacgttt ccatcattca cagtgcctc cccacagcac tacctaccc cgacccccac 2280
cctcactcct accccacccc gcgacgtca ggggtggccg ggtgggcccg aggggtgccg 2340
ctctggctgt cctgtgccc gtccctcaca aacctctccc cctttgaaac tcaagcacag 2400

ctgcgaggag ggcagcgagg agggacccct ctctcatggt tgtctctttc ccccgctatg 2460
tcataggtag tggaggaagc gaaggaagtg aacgctgaat gtgacgcatt tctgaagagc 2520
tcagctgtca ccgggcatag cctggaagcc ccaagtctgt tctgactttg cctggctgtc 2580
tccttgacc gcctcctaga tcattgtcct tgatgtccag gctgggtcat ttaaaataga 2640
gatgcaatca ggaaggttgg gggacttggg actgtggctg aattgagacc ttgctgatgt 2700
attcatgtca gcacctgagt cacagcccag gtgcccggaa gcagcctctt cgcataaggca 2760
gtgatttgcg attactttaa agctcacctt ttttcttccc ctctctgttc gctgctgtca 2820
gcataatgat tgtgttcctt ccctatggga tccatctgtt ttgtaaacaa taaagcgtct 2880
gagggagtgt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2940
aaaaacaaaa aaaaaaaaaa nagnagag 2968

<210> 585

<211> 2608

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (84)

<223> n equals a,t,g, or c

<400> 585

ggcgcgggct aggaaaggag ttggttcgcg caggtgcggc gcctgggtcc ccattggcgct 60
gtggcgcggc tccgcgtacg cggncctcct ggcgctggcc gtgggctgcy tcttcctgct 120
ggagccagag ctgccaggct cggcgctgcy ctctctctgg agctcgctgt gtctggggcc 180
cgcgctgcy ccccggggac ccgtctcccc cgagggcccg ttggcggcag ctgggacgcy 240
cttatcgtgc ggcaggtccg gcgctggcgc cgcgtggcag tgggagtcaa tgcattgtgt 300
gatgtggtgc tctcaggggt gaagctcttg caggcacttg gccttagtcc tgggaatggg 360
aaagatcaca gcattctgca ttcaaggaat gatctggaag aagccttcatt tcacttcatt 420
gggaaggag cagctgctga gcgcttcttc agtgataagg aaacttttca cgacattgcy 480
caggttgcgt cagagttccc aggagcccag cactatgtag gaggaatgc agctttaatt 540
ggacagaaat ttgcagccaa ctgagattta aaggttcttc ttgcggtcc agttggtcca 600
aagctacatt agcttcttga tgacaatgct tttgtccac cagagtcatt gcaggaaagt 660
gatagttccc acctcatttt agagtatcaa gcaggggagg agtggggcca gttaaaagct 720
ccccatgcca accgattcat ctctctcac gacctctcca acggggccat gaatatgctg 780
gaggtgtttg tgtctagcct ggaggagttt cagccagacc tgggtggtcct ctctggattg 840
cacatgatgg agggacaaa caaggagctc cagaggaaga gactcttggg ggttgtaacc 900
tccatttctg acatccccac tggatttcca gttcacctag agctggccag tatgactaac 960
agggagctca tgagcagcat tgtccatcag caggtctttc ccgcggtgac ttcccttggg 1020
ctgaatgaac aggagctgtt atttctcacc cagtcagcct ctggacctca ctcttctctc 1080
tcttcctgga acggtgttcc tgatgtgggc atggtcagtg acatcctctt ctggatcttg 1140
aaagaacatg ggaggagtaa aagcagagcc tcggatctca ccaggatcca tttccacacg 1200
ctggtctacc acatcctggc aactgtggat ggacactggg ccaaccagct ggcagccggt 1260
gctgcaggag ctcggtgtggc tgggacacag gcctgcgcca cagaaaccat agacaccagc 1320
cgagtgtctc tgagggcacc ccaagagttc atgacttccc attcggaggc aggctccagg 1380
attgtattaa acccaaacaa gccagtagta gaatggcaca gagagggaat atccttccac 1440
ttcacaccag tattggtgtg taaagacccc attcgaactg taggccttgg agatgccatt 1500
tcagccgaag gactcttcta ttcggaagta caccctcact attaggaaga ttcttagggg 1560
taatttttct gaggaaggag aactagccaa cttaagaatt acaggaagaa agtgggttgg 1620
aagacagcca aagaaataaa agcagattaa aytgtatcag gtacattcca gcctgttggc 1680
aactccataa aaacatttca gattttaatc cgaatttagc taatgagact ggatttttgt 1740

```
tttttatggt gtgtgtcaca gagctaaaaa ctcagttccc aaatccccag tttatgcagc 1800
gccatcaggt attttaagct aaacttcttc acccctgaga gcatgtcagc tggagaaaag 1860
cagttcttcc ttgcccactt gagaagtgcg cgcccactca cccaacatcc tggctctctag 1920
gaaagcctca tgtgagggtc ctctttcttt cagctcagtg cccatgggca aggatcatga 1980
tttccattcc gtgttacaat gacaatattt aatgagcata accttctcag tctcctgctc 2040
tcaaatttag gacagagccg ctaaggacaa aacaatccct cccgtgcttt atgatggcag 2100
caggggctgg ggagcctctg agggactctt tcattctgca gttgtctgga agcctgggtg 2160
gcgtcatgag ctgaaggatc atgctttcct gtcctggctc cataggttat aggctggctg 2220
gtgaaagggt cagctggccc aggctgaact tcattgccta gctttggatg tgctttctgc 2280
cataaagact gatttttggt cgttctgagc cttcaaggaa tttgtttttt acaactggaa 2340
tatgctcctg tgtgtgttaa cagatcatgg atgttttatg ttttctactga tcatttaaag 2400
agtttgacct cagagctcca ggatcatcag taaatttgct atgttatata tttatttttt 2460
tataaatcaa gacttctgtg tgctcttaaa tatattaaaa acaatttaca tttcagggaat 2520
tctgtctgta attgattttt gtctccatca ccactctgga accagataag ataaaaatca 2580
ttctgatctt caaaaaaaaa aaaaaaaaaa 2608
```

<210> 586

<211> 1893

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1184)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1865)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1883)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1887)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1893)

<223> n equals a,t,g, or c

<400> 586

```
cccacgcgtc cgcggacgcg tgggcgcgcg ggagctggga ggctgcgaga tccctaccgc 60
agtagccgcc tctgccgccg cgagcttcc cgaacctctt cagccgcccg gagccgctcc 120
cggagcccg cgtagaggc tgcaatcgca gccgggagcc cgcagcccg gccccagacc 180
cgccgccgcc cttcaggggc gccccaggcc gcgccatggt gaaggtgacg ttcaactccg 240
```

```
ctctggccca gaaggaggcc aagaaggacg agcccaagag cggcgaggag gcgctcatca 300
tcccccccg cgcgctcgcg gtggactgca aggaccacaga tgatgtggta ccagttggcc 360
aaagaagagc ctggtgttgg tgcatgtgct ttggactagc atttatgctt gcaggtgtta 420
ttctaggagg agcatacttg tacaaatatt ttgcacttca accagatgac gtgtactact 480
gtggaataaa gtacatcaaa gatgatgtca tcttaaata gacctctgca gatgccccag 540
ctgctctcta ccagacaatt gaagaaaata ttaaaatctt tgaagaagaa gaagttgaat 600
ttatcagtg gtctgtccca gagtttgagc atagtgatcc tgccaacatt gttcatgact 660
ttaacaagaa acttacagcc tatttagatc ttaacctgga taagtgtat gtgatccctc 720
tgaacacttc cattgttatg ccaccagaa acctactgga gttacttatt aacatcaagg 780
ctggaacctt tttgcctcag tcttatctga ttcatgagca catggttatt actgatcgca 840
ttgaaacat tgatcacctg ggtttcttta tttatcgact gtgtcatgac aaggaaaactt 900
acaaactgca acgcagagaa actattaaag gtattcagaa acgtgaagcc agcaattgtt 960
tcgcaattcg gcattttgaa aacaaatttg ccgtggaaac ttaattttgt tcttgaacag 1020
tcaagaaaaa cattattgag gaaaattaat atcacagcat aacccacccc tttacatttt 1080
gtgcagtgat tattttttta agtcttcttt catgtaagta gcaaacaggg ctttactatc 1140
ttttcatctc attaatcaaa ttaaaacat taccttaaaa ttnaaaaaa aaaaaaaaaa 1200
aggcccgccg cgtcgcctc tccgccccgc gtccagctcg ccagctcgc ccagcgtccg 1260
ccgcgcctcg gccaaaggct caacggacca caccaaaatg ccatctcaa tggaacacgc 1320
catggaacc atgatgttta catttcacaa attcgtggg gataaaggct acttaacaaa 1380
ggaggaacct agagtactca tggaaaagga gttccctgga tttttgaaa atcaaaaaga 1440
ccctctggct gtggacaaaa taatgaagga cctggaccag tgtagagatg gcaaagtggg 1500
cttcacagagc tctttttccc taattgcggg cctcaccatt gcatgcaatg actattttgt 1560
agtacacatg aagcagaagg gaaagaagta ggcagaaatg agcagttcgc tcctccctga 1620
taagagttgt cccaaagggc cgttaagga atctgcccc cagcttcccc catagaagga 1680
tttcatgagc agatcaggac acttagcaaa tgtaaaaata aaatctaact ctcatgtgac 1740
aagcagagaa agaaaagtta aataccagat aagcttttga tttttgtatt gtttgcatcc 1800
ccttgccctc aataaataaa gttctttttt agttccaaaa aaaaaaaaaa ggcggccggt 1860
taarngatcc aasttacgta ccntgcntgc gan 1893
```

<210> 587

<211> 2463

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2413)

<223> n equals a,t,g, or c

<400> 587

```
ttggactctt gggcacagga tttgcatcag gattgtgaca tactagagtc gacttcaatg 60
ttcctatgaa gaacaaccag ataacaaaca accagaggat taaggctgct gtcccaagca 120
tcaaattctg ctgggacaat ggagccaagt cggtagtcct tatgagccac ctaggccggc 180
ctgatggtgt gccatgcct gacaagtact ccttagagcc agttgctgta gaactcaaat 240
ctctgctggg caaggatgtt ctgttcttga aggactgtgt aggccagaa gtggagaaaag 300
cctgtgccaa ccagctgctt gggctctgtca tctgctgga gaacctccgc tttcatgttg 360
aggaagaagg gaagggaaaa gatgcttctg ggaacaaggt taaagccgag ccagccaaaa 420
tagaagcttt ccgagcttca ctttccaagc taggggatgt ctatgtcaat gatgcttttg 480
gcactgctca cagagccac agctccatgg taggagtcaa tctgccacag aaggctgggtg 540
ggtttttgat gaagaaggag ctgaactact ttgcaaaggc cttggagagc ccagagcgac 600
ccttcctggc catcctgggc ggagctaaag ttgcagacaa gatccagctc atcaataata 660
```

```

tgctggacaa agtcaatgag atgattattg gtggtggaat ggcttttacc ttccttaagg 720
tgctcaacaa catggagatt ggcaacttctc tgtttgatga agagggagcc aagattgtca 780
aagacctaat gtccaaagct gagaagaatg gtgtgaagat taccttgctt gttgactttg 840
tcactgctga caagtttgat gagaatgcc aagactggcca agccactgtg gcttctggca 900
tacctgctgg ctggatgggc ttggactgtg gtctgaaaag cagcaagaag tatgctgagg 960
ctgtcactcg ggctaagcag attgtgtgga atggtcctgt gggggtattt gaatgggaag 1020
cttttgcccc gggaaccaa gctctcatgg atgaggtggt gaaagccact tctaggggct 1080
gcatcaccat cataggtggt ggagacactg ccacttgctg tgccaaatgg aacacggagg 1140
ataaagtcag ccatgtgagc actgggggtg gtgccagttt ggagctcctg gaaggtaaag 1200
tccttcctgg ggtggatgct ctgagcaata ttagtactt tcctgcctt tagttcctgt 1260
gcacagcccc taagtcaact tagcatttctc tgcatctcca cttggcatta gctaaaacct 1320
tccatgtcaa gattcagcta gtggccaaga gatgcagtgc caggaaccct taaacagttg 1380
cacagcatct cagctcatct tcaactgacc ctggatttgc atacattctt caagatccca 1440
tttgaatttt ttagtgacta aaccattgtg cattctagag tgcataatatt tatattttgc 1500
ctgttaaaaa gaaagtgagc agtggttagct tagttctctt ttgatgtagg ttattatgat 1560
tagctttgtc actgtttcac tactcagcat ggaaacaaga tgaaattcca tttgtaggta 1620
gtgagacaaa attgatgatc cattaagtaa acaataaaaag tgtccattga aaccgtgatt 1680
tttttttttt tcctgtcata ctttgtagg aagggtgaga atagaatctt gaggaacgga 1740
tcagatgtct atattgctga atgcaagaag tggggcagca gcagtggaga gatgggacaa 1800
ttagataaat gtccattctt tatcaagggc ctactttatg gcagacattg tgctagtgtc 1860
tttattctaa cttttatttt tatcagttac acatgatcat aatttaaaaa gtcaaggctt 1920
ataacaaaaa agccccagcc cattcctccc attcaagatt cccactcccc agaggtgacc 1980
actttcaact cttgagtttt tcaggtatat acctccatgt ttctaagtaa tatgcttata 2040
ttgttcactt cttttttttt tattttttta agaaatctat ttcataccat ggaggaaggc 2100
tctgttccac atatatattcc acttcttcat tctctcggtg tagttttgtc acaattatag 2160
attagatcaa aagtctacat aactaataca gctgagctat gtagtatgct atgattaaat 2220
ttacttatgt aacttttatt gtctttggca ttaacagtgt ttcaaaaaat tttctgtgta 2280
taccatcag tgattcattc ccaaattctc tagaagcata agtgtctcaa tatattaaaa 2340
catattgaat aatccttggt agagttatcc ctgcaggagt ccttagtgct cctttatcca 2400
atttgactt gangccctct aggcagggtg tacagctagc tgttgctctg gtatttccta 2460
taa

```

<210> 588

<211> 1945

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1939)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1945)

<223> n equals a,t,g, or c

<400> 588

```
acaggatcta cccctctgc agcccttcaa gaagaggtat gattgctacc acttttcccc 60
acaaagtgc gaaaggaaac agcgacggaa gcgcaaccga accctggaat tgggtgtctcg 120
actggtccat tcccggccca ccccatataa ccggctcgag ccactcccag gacgaagtca 180
aggcctcgga aggcgactac aactcccagc aggtcgagca gctccgcccg cgctgattct 240
ccattggcct tccgggggtg gggattagat gggaggtggc cgtggggctg cggccgggat 300
ttgtcccttc ttcggcttcc gtagaggaag tggcgcgga cttcatttgg ggtttcgggt 360
cccccccttc ccttcccccg gggctctggg gtgacattgc accgcgcccc tcgtggggtc 420
gcgttgccac cccacgcgga ctcccagct ggcgcgcccc tcccatttgc ctgtcctggg 480
caggccccca ccccttccc cactgacca gccatggggg ctgcggtgtt tttcggctgc 540
actttcgtcg cgttcggccc ggccttcgag cttttcttga tcaactgtggc tggggaccgg 600
cttcgcgtta tcatcctggt cgcaggggca tttttctggc tgggtctccct gctcctggcc 660
tctgtggtct ggttcatctt ggtccatgtg accgaccggg cagatgcccg gctccagtac 720
ggcctcctga tttttggtgc tgctgtctct gtccttctac aggaggtgtt ccgctttgcc 780
tactacaagc tgcttaagaa ggcagatgag gggtagcat cgctgagtga ggacggaaga 840
tcacccatct ccatccgcca gatggcctat gtttctggtc tctccttcgg tatcatcagt 900
ggtgtcttct ctgttatcaa tttttggct gatgcacttg ggccaggtgt ggttgggagt 960
catggagact caccctatta ctctctgact tcagccttcc tgacagcagc cattatcctg 1020
ctccatacct tttggggagt tgtgttcttt gatgcctgtg agaggagacg gtactgggct 1080
ttgggcctgg tgggtgggag tcacctactg acatcgggac tgacattcct gaacccttgg 1140
tatgaggcca gcctgctgcc catctatgca gtcactgtt ccatggggct ctgggccttc 1200
atcacagctg gaggttccct ccgaagtatt cagcgcagcn tcttgtgtaa ggactgacta 1260
cctggactga tcgcctgaca gatccacact gcctgtccac tgcccatgac tgagcccagc 1320
cccagcccgg gtccattgcc cacattctct gtctccttct cgtcgggtcta cccactacc 1380
tccagggttt tgctttgtcc ttttgtgacc gttagtctct aagctttacc aggagcagcc 1440
tgggttcagc cagtcagtga ctggtgggtt tgaatctgca cttatcccca ccacctgggg 1500
accccttgtg tgtgtccagg actccccctg tgtcagtgtc ctgctctcac cctgcccagg 1560
actcacctcc cttccctct gcaggccgac ggcaggagga cagtcgggtg atggtgtatt 1620
ctgccctgag catcccaccc gaggactgag ggaacctagg ggggaccctt gggcctgggg 1680
tgccctcctg atgtcctcgc cctgtatttc tccatctcca gttctggaca gtgcaggttg 1740
caaagaaaag ggacctagtt tagccattgc cctggagatg aaattaatgg aggctcaagg 1800
atagatgagc tctgagtttc tcagtactcc ctcaagactg gacatcttgg tctttttcty 1860
aggcctgagg gggaaccatt tttggtgtga taaataccct aaatgscttt ttttcttttt 1920
tgagggtggg ggaagggang aagggn 1945
```

<210> 589

<211> 816

<212> DNA

<213> Homo sapiens

<400> 589

```
tcgaccacag cgtccggtca tggcgccccg aagcctcctc ctgctgctct caggggccct 60
ggccctgacc gatacttggg cgggctccca ctcttgagg tatttcagca ccgctgtgtc 120
gcggcccgcc cgcggggagc cccgctacat cgcctgggag tacgtagacg acacgcaatt 180
cctgcggttc gacagcgacg ccgcgattcc gaggatggag ccgcgggagc cgtgggtgga 240
gcaagagggg ccgcagtatt gggagtggac cacagggtac gccaaaggcca acgcacagac 300
tgaccgagtg gccctgagga acctgctccg ccgctacaac cagagcgagg ctgggtctca 360
caccctccag ggaatgaatg gctgcgacat ggggcccagc ggacgcctcc tccgcgggta 420
tcaccagcac gcgtacgacg gcaaggatta catctccctg aacgaggacc tgcgctcctg 480
gaccgcggcg gacaccgtgg ctcatcac ccagcgcttc tatgaggcag aggaatatgc 540
```

agaggagttc aggacctacc tggagggcga gtgcctggag ttgctccgca gatacttga 600
gaatgggaag gagacgtac agcgcgaga tcctccaaag gcacacgtt cccaccacc 660
catctctgac catgaggcca ccctgaggtg ctgggccctg ggcttctacc ctgcggagat 720
cacgctgacc tggcagcggg atggggagga acagaccag gacacagagc ttgtggagac 780
caggcctgca ggggatggaa ccttcagaag tgggct 816

<210> 590

<211> 2307

<212> DNA

<213> Homo sapiens

<400> 590

gccccacggt ccggcgcccc cgagcagcgc ccggccctc cgcgcccttct ccggcgggac 60
ctcgagcgaa agacgcccgc ccggcgccca gccctcgct ccctgcccac cgggcacacc 120
gcggcgccac ccgacccccg ctgcgcacgg cctgtccgct gcacaccagc ttgttggcgt 180
cttcgtcgcc gcgctcgccc cgggtactc ctgcgcgcca caatgagctc ccgcatcgcc 240
agggcgctcg ccttagtctg cacccttctc cacttgacca ggctggcgct ctccacctgc 300
cccgtgcct gccactgccc cctggaggcg cccaagtgcg cgccgggagt cgggctggtc 360
cgggacggct gcggctgctg taaggctctg gccaaagcagc tcaacgagga ctgcagcaaa 420
acgcagccct gcgaccacac caaggggctg gaatgcaact tcggcgccag ctccaccgct 480
ctgaagggga tctgcagagc tcagtcagag ggcagaccct gtgaatataa ctccagaatc 540
taccaaaacg gggaaagtct ccagcccaac tgtaaacatc agtgacatg tattgatggc 600
gccgtgggct gcatctctct gtgtcccaa gaactatctc tcccaactt gggctgtccc 660
aaccctcggc tggtaaaagt taccgggcag tgctgcgagg agtgggtctg tgacgaggat 720
agtatcaagg accccatgga ggaccaggac ggcctccttg gcaaggagct gggattcgat 780
gcctccgagg tggagttgac gagaaacaat gaattgattg cagttggaaa aggcagctca 840
ctgaagcggc tcctgttttt tggaaatggag cctcgcatcc tatacaacct tttacaaggc 900
cagaaatgta ttgttcaaac aacttcatgg tcccagtgct caaagacctg tggaaactggt 960
atctccacac gagttaccaa tgacaaccct gagtgcggcc ttgtgaaaga aaccgggatt 1020
tgtgaggtgc ggccttgttg acagccagtg tacagcagcc tgaaaaaggg caagaaatgc 1080
agcaagacca agaaatcccc cgaaccagtc aggtttactt acgctggatg tttgagtgtg 1140
aagaaatacc ggcccaagta ctgcgggtcc tgctgggacg gccgatgctg cagcggccag 1200
ctgaccagga ctgtgaagat gcgggtccgc tgcaagatg gggagacatt ttccaagaac 1260
gtcatgatga tcagtcctg caaatgcaac tacaactgcc cgcatgccaa tgaagcagcg 1320
tttcccttct accaggctgt caatgacatt cacaatttta gggactaaat gctacctggg 1380
tttccagggc acacctagac aaacaaggga gaagagtgtc agaatacaga tcatggagaa 1440
aatgggcggg ggtggtgttg gtgatgggac tcattgtaga aaggaagcct tgctcattct 1500
tgaggagcat taaggatatt cgaaactgcc aagggtgctg gtgcggatgg aactaatgc 1560
agccacgatt ggagaatact ttgcttcata gtattggagc acatgttact gcttcatttt 1620
ggagcttgtg gagttgatga ctttctgttt tctgtttgta aattatttgc taagcatatt 1680
ttctctaggc ttttttcctt ttgggggtct acagtcgtaa aagagataat aagattagtt 1740
ggacagttta aagcttttat tcgtcctttg acaaaagtaa atgggagggc attccatccc 1800
ttcctgaagg gggacactcc atgagtgtct gtgagaggca gctatctgca ctctaaactg 1860
caaacagaaa tcagggtgtt taagactgaa tgttttattt atcaaaatgt agcttttggg 1920
gagggagggg aaatgtaata ctggaataat ttgtaaatga ttttaatttt atattcagtg 1980
aaaagatttt atttatggaa ttaaccattt aataaagaaa tttttaccta aaatctgagt 2040
gtatgccatt cggatatttt agaggtgctc caaagtcatt aggaacaacc tagctcacgt 2100
actcaattat tcaaacagga cttattggga tacagcagtg aattaagcta ttaaaataag 2160
ataatgattg cttttatacc ttcagtagag aaaagtcttt gcatataaag taatgtttta 2220
aaaacatgta ttgaacacga cattgtatga agcacaataa agattctgaa gctaaaaaaa 2280
aaaaaaaaa aaaaaaaaaa actcgta 2307

<210> 591
<211> 1438
<212> DNA
<213> Homo sapiens

<400> 591
acagaagggg agacgtggcg cagcgactcg gaggttcgcc tccagcttgc gcatcatctg 60
cggccgggtc ccgatgagcc tcctgttgcc tccgctggcg ctgctgctgc ttctcgcggc 120
gcttgtggcc ccagccacag ccgccactgc ctaccggccg gactggaacc gtctgagcgg 180
cctaaccgcg gcccggttag agacctgcgg gggatgacag ctgaaccgcc taaaggaggt 240
gagtttgaag gaagaggtcc ctagctctgt tccccctgag cctcttgggg agtgggcaac 300
atggtcccaa tgactggggc ggggaggggg gaaggatccc taggctgaga gtctagccta 360
ggctgggagt ctagcctgca cctgacttgc tttatgacct cactgggctt cagtgtctcg 420
tctgtacctc gagtagactg aggtcatggt ctctgatgct ctggttcctc cccaggtgaa 480
ggctttcgtc acgcaggaca ttccattcta gtatccttct gtcttggggg aggggaaatg 540
ggatgggcac ctgggagaat ctccacgtaa cttcagaaa ggggtggcaga tggttttcaa 600
ctgacaattg aattgatygg tagtggctcc cagaggattc tgagggtggtc tccatgtttg 660
gtgggcaaga gagattgact agtgatgact gccacagaat ggagaggagg gccctttact 720
tctttgaacc ctaattttct cacgtataag cgaraccct ggcccctccc gggcacagag 780
taagctctga gcaaaggagg caatgtgtt cccatcagta aggctgcgga aaccaccacc 840
tcctctgcc caccaccccg ctcttaaca ccacctccag tcacaacctg gtgatgaaac 900
acctccctgg ggccgacct gagctcgtgc tgctgggccc cgctacgagg aactagaggt 960
gaggccgtgg gaggtgggct gggggcgagg ccagakgcga ggyccagcct gctgaccccg 1020
cccctcctcc gcctcagcgc atcccactca gtgaaatgac ccgcgaagag atcaatgcgc 1080
tagtgcagga gctcggcttc taccgcaagg cggcgcccga cgcgcagggtg ccccccgagt 1140
acgtgtgggc gcccgcaag cccccagagg aaacttcgga ccacgctgac ctgtaggtcc 1200
gggggcgcg cggagctggg acctacctgc ctgagtcctg gagacagaat gaagcgctca 1260
gcattcccgg aatacttctc ttgctgagag ccgatgcccg tccccgggccc agcaggggatg 1320
gggttgggga ggttctccca accccaactt ctctctccc cagctccact aaattccctc 1380
ctgccttaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg gcggccgc 1438

<210> 592
<211> 1078
<212> DNA
<213> Homo sapiens

<400> 592
ggagctcgcg cgctgcagg tcgacactag tggatccaaa gaattckgca cgagcacacc 60
tgkgcagggtg gaagtggatg tggacgagca gcgcctggcg gaaggtggtg gggctgctc 120
cttccacctg caggcagccc tgggggaaat gctgccctcc ccacccccca gggctctgag 180
tgtggagggc aggggcagga atggcgtccc tcaggagcca gcatggccct ggagcccccg 240
agtccctgag gaaagtgtg atgccctcca gcatggggct ccttctcatc ctgtacgccc 300
ggctgccacc cagcctggtg ggccaggcag gcaggtggat aggggtgggca ggccgggagc 360
gggggagagg ggtcaggcag ccctctccca cagtccctcat cgacggcggtg gagtgcagcg 420
acgtcaagtt ctccagctg gccgcgcagt ggtcctcgca cgtgaagcac ttccccatct 480
gcattctcgg aactccaaag gccaccttct agccccaccc accagggggc ccacctcctg 540
ccccatgctg tgagggggccc agctgcattt ctgttaacat ttcagtttac tacagagaca 600
gacgttaaaa acacaaagag aaacagctct aagtatgaat gtgctcaca cgtggaaact 660
aacgggggag ctccctgccg gagccgaata actgctctgc ttattaaccc gaacgttcgg 720
cccggggctg ggaagccaga aggacgatgc tgagccatgg atcgcggaag gcgtcctctg 780

gcctcaggag ccaccagag cctcacaggc tgagttcttg cctctgtgtc ctgtccttcc 840
tggaagtcag gactctgctt cctcagggag cccggggaag gcggagctca gtggccacag 900
gccgagggcc atggggccgc tcagtcccgt tggggttgtc ctgagttgag cctggggggg 960
ccgtcctgcc cgcctaagag atgccccag caccgcacac tcgtggttcc caataaactc 1020
ctscctgcgg cggaggtttt atagcaaaaa aaaaaaaaaa aaaaacaaaa aaaaaaaa 1078

<210> 593

<211> 2492

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2452)

<223> n equals a,t,g, or c

<400> 593

tcgaccacg cgctcggcga acttgggacc cgctggcctc gctcgggtgag cgcctccctc 60
cccgcagtca gcccggcgag cgctcggggg tccccaggat cgacccttac ggattcagagc 120
ggcctgagga cttcgacgac gccgcctacg agaagttttt ctccagctac ctggtcacgc 180
tcaccgcgag gcgatcaaat ggtcccggct gctgcagggc gggggcgctcc ccaggagccg 240
gacagtgaag cgctatgtcc ggaaaggggt cccgctggag caccgtgccc gcgtctggat 300
ggtgctgagt gggggcccarg cgcaratgga ccagaatccc ggctactacc accagcttct 360
ccaggagagag agaaacccca ggctggagga cgccatcagg acagacctga accggacctt 420
ccccgacaac gtgaagtcc ggaagaccac ggaccctgc ttacagagga ccctgtacaa 480
tgtgtgtgct gcataatggg accataacca gggagtgggc tactgccagg gaatgaattt 540
tatagcagga tatctgatcc ttataacaaa taatgaagaa gaatcttttt ggctgttaga 600
tgctcttggt ggaagaatac taccagatta ctacagcccg gccatgctgg gcctgaagac 660
cgaccaggag gtctcgggg agctggtgag ggcgaagctg ccggctgtgg gggccctgat 720
ggagcgtctc ggtgtgctgt ggacgctgct ggtgtcccgc tggttcatct gcctgtttgt 780
ggacatcttg cccgtggaga cagtgcctcg gatctgggac tgtttgkttt acgaaggctc 840
gaagattatc ttccgggtgg ccctgacctt aattaagcag caccaggagt tgattttgga 900
agccaccagc gttccagaca tttcgataa gtttaagcag ataaccaaa ggagtttctg 960
gatggagtgt cacacgttta tgcagggtgt tggggctgca cgtggctcag tccccctcca 1020
gggggccccg cctcacctgc agcmcggggg ctgctctgac caccggagg gtgcacagga 1080
ygggcaccag tgggcatagg gcacaggatg agcctccagc tctgtcctgc atctgcccc 1140
tgccgctgag ctccgagggc tttcctgtct atggcgccct gtcttcttgg ccctggcact 1200
gcggacgctg ctctgtgtcc taatggctgt actcatctgc tgtgtgtggg gccagaagtg 1260
tggcttcccc agggccggct yccactggg tcctggacct ggcgaggcc gtayagactc 1320
aggtcctgat gagggcggtg tgggagctgt acctgacagg ccttctgagg aagccaagac 1380
gccaggagag gctcaggcct gggagtcagt agtttcctaa gaggagtgagg aggtcgggg 1440
ccactctggg tgcagcatgg caaacgtggg cggtatttca gcagctgggc cttcatcaaa 1500
gagaagacca tggtggcccg gcgcggtggc tcacgcctgc agtcccagca ctttgggagg 1560
ccaaggcgtg tggatcacct gaggtcagga gttcaagacc agcctggcca acacgggtgaa 1620
accccgctct tactaaaaaa taaaaaatt agccagggtg ggtggctcac gcttatgtag 1680
tcccagttac tcgggaggct gaggcacgag aatcacttga acctgggagc ggagggttga 1740

```
gtgagccgag atcgcgccac tgcactccag cctgggcaac agagtgagac tctgtctcaa 1800
aaaaaaaaaa aaagtctaata ggaagcagat ggcccttttct tccaccgttt gattcattta 1860
acattttctga gcagcaaagc tgcagtcyta ggccccaggg caggagtgag atggtgacaa 1920
tctgtgggtc accccagaag cccttggatg tggactgctc ctccctcacc tcacacgagg 1980
cctgtctgtc tgcctgccag tctgggagag ctaacgtaga aatgggttgt tgggtttgtt 2040
ttyaaactaa ctgtttgcct tccagaaaat attttcagaa cctggaagct tatccatggc 2100
caccgtcgcc aangctccgc gagagctgca gggcccggt gctggcacag gggtgagcgt 2160
gcctgtcccc tgcgttgctc gtctctacac tgacgatgcc ctttccaga gttgacactg 2220
gaccaacttt cactgctttc ctttttagtg ttgtaaatac ttgacatcgc tacactttag 2280
ttgtgaattt tttaaaagag cagtttaaaa tcaggtcatt ctaccagctt ttgatgatta 2340
gctatgaagt catacttttt aaagaaaact tatttttacc tgagagatca ataatatata 2400
aaatgtgagt gtgggtttgt atctaataaa gtatgccaac acctgtgttt gngatcagtt 2460
ctcagctgac tggaaattaa catagtgagt gg 2492
```

<210> 594

<211> 1904

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1878)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1893)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1903)

<223> n equals a,t,g, or c

<400> 594

```
aatgaatgta ccggtccgga attccgggtc gaccacgcg tgcggtccgc cccgcgagca 60
cagagcctcg cctttgccga tccgccgccc gtccacaccc gccgccagct caccatggat 120
gatgatatcg ccgcgctcgt cgtcgacaac ggctccggca tgtgcaaggc cggcttcgcg 180
ggcgacgatg ccccccgggc cgtcttcccc tccatcgttg ggcgccccag gcaccagggc 240
gtgatgggtg gcatgggtca gaaggattcc tatgtgggcg acgaggccca gagcaagaga 300
ggcaccctca ccctgaagta ccccatcgag cacggcatcg tcaccaactg ggacgacatg 360
gagaaaatct ggcaccacac cttctacaat gagctgcgtg tggctcccga ggagcacccc 420
gtgctgctga ccgaggcccc cctgaacccc aaggccaacc gcgagaagat gaccagatc 480
atgtttgaga ctttcaacac cccagccatg tacgttgcta tccaggctgt gctatccctg 540
tacgcctctg gccgtaccac tggcatcgtg atggactccg gtgacggggt caccacact 600
tgccccatct acgaggggta tgccctcccc catgccatcc tgcgtctgga cctggctggc 660
```

```

cgggacctga ctgactacct catgaagatc ctcaccgagc gcggtctacag cttcaccacc 720
acggccgagc gggaaatcgt gcgtgacatt aaggagaagc tgtgctacgt cgccctggac 780
ttcgagcaag agatggccac ggctgcttcc agctcctccc tggagaagag ctacgagctg 840
cctgacggcc aggtcatcac cattggcaat gagcgggttcc gctgccctga ggcactcttc 900
cagccttcct tcctgggcat ggagtcctgt ggcatccacg aaactacctt caactccatc 960
atgaagtgtg acgtggacat ccgcaaagac ctgtacgcca acacagtgtc gtctggcggc 1020
accaccatgt accctggcat tgccgacagg atgcagaagg agatcactgc cctggcacc 1080
agcacaatga agatcaagat cattgtctct cctgagcgca agtactccgt gtggatcggc 1140
ggctccatcc tggcctcgtc gtccaccttc cagcagatgt ggatcagcaa gcaggagtat 1200
gacgagtcgc gccctccat cgtccaccgc aaatgcttct aggcggacta tgacttagtt 1260
gcgttacacc ctttcttgac aaaacctaac ttgcgcagaa aacaagatga gattggcatg 1320
gctttatgtt tttttttgt tttgttttg ttttttttt ttttttggt tgactcagga 1380
tttaaaaact ggaacggtga aggtgacagc agtcgggttg agcgagcatc ccccaaagtt 1440
cacaatgtgg ccgaggactt tgattgcaca ttgttgtttt ttaatatgtc attccaaata 1500
tgagatgcr tgttacagga agtccttgc catcctaaaa gccacccac ttctctctaa 1560
ggagaatggc ccagtcctct cccaagtcca cacaggggag gtgatagcat tgctttcgtg 1620
taaattatgt aatgcaaaat ttttttaac ttgccttaa tactttttta tttgtttta 1680
ttttgaatga tgagccttcg tgccccctc tcccccttt ttgtcccca acttgagatg 1740
tatgaaggct tttggtctcc ctgggagtgg gtggaggcag ccagggtta cctgtacact 1800
gacttgagac cagttgaata aaagtgcaca cttaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaaaa aaaaaaanag gggggggccc ccnanggggc ccna 1904

```

<210> 595

<211> 337

<212> DNA

<213> Homo sapiens

<400> 595

```

ctagtcttag atcgcgagcg ggcctctttt ttttttytt tgtaagtcg ttccctctac 60
aaaggacttc ctagtgggtg tgaaaggcag cggaggccac agaggcgcg gagagatggc 120
cttcagcrgt tcccaggctc cctacctgag tccagctgtc cctttttctg ggactattca 180
aggaggtctc caggacggac ttcagatcac tgtaaatggg accgttctca gctccagtgg 240
aaccagtgga aatgacattg cttccactt caacctcgg tttgaagatg gagggtagct 300
ggtgtgcaca gcaggcagaa cggaagctgg ggggccc 337

```

<210> 596

<211> 1288

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1283)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1285)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1287)

<223> n equals a,t,g, or c

<400> 596

```
gcctccgccc cctcaacctt cgcggggcgc gggccgcagc ttttcgggtc acagcgggca 60
gggaaagccg cggaagggt actccaggcg agaggcggac gcgagtcgtc gtggcaggaa 120
aagtgactag ctccccttcg ttgtcagcca gggacgagaa cacagccacg ctcccaccg 180
gctgccaacg atccctcggc ggcgatgtcg gccgcccgtg cccgaggcct gcgggccacc 240
taccaccggc tcctcgataa agtggagctg atgctgcccg agaaattgag gccgttgtag 300
aaccatccag cagggtcccag aacagtttty ttctgggctc caattatgaa atgggggttg 360
gtgtgtgctg gattggctga tatggccaga cctgcagaaa aacttagcac agctcaatct 420
gctgttttga tggtacagg gtttatttgg tcaagatact cacttgtaat tattccaaa 480
aattggagtc tgtttgctgt taatttcttt gtgggggcag caggagcctc tcagcttttt 540
cgtatttga gatataacca agaactaaaa gctaaagcac acaaataaaa gagttcctga 600
tcacctgaac aatctagatg tggacaaaac cattgggacc tagtttatta tttggttatt 660
gataaagcaa agctaactgt gtgttttaga ggcactgtaa ctggtagcta gttcttgatt 720
caatagaaaa atgcagcaaa cttttaataa cagtctctct acatgactta aggaacttat 780
ctatggatat tagtaacatt tttctacat ttgtccgtaa taaaccatac ttgctcgtag 840
ataccocctg cctccttctg ttccagtcag ccaacatatg tacataaaaag aacacacaaa 900
ttcaagaagt tggaagatta aattatctgc ttatttagtg taggatggtc aggtagctag 960
ctataagtga aaggaaattt tgctgaagag actgagaaat gggtagtgga atgactatca 1020
agatgacctc aaactattta aaaacatttt aacttgccat gaagaatctt gatgattttt 1080
gtataaatgt tgtataaaat tcttttacag ctacagattt ttaaatagga tcattgtaar 1140
gattaatgag ataatgtttt aacatagtgc ctgggtccat gataagtgtt aaatttttca 1200
attaccctca gtaactgata atgtagcaag aaaatactct atattcagac agacctgaat 1260
ttgatcccag ctctatacta ccntngna 1288
```

<210> 597

<211> 1052

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (937)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (943)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (995)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1004)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1009)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1040)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1051)

<223> n equals a,t,g, or c

<400> 597

```
agcgctgca ggtcgacact agtggatcca aagaattcgt gcacgtggaa aaaccaatct 60
gagaagaaca acctaccttg tccttgatga agcagataga atgcttgata tgggctttga 120
accccaaata aggaagattg tggatcaaat aagacctgat aggcaaactc taatgtggag 180
tgcgacttgg ccaaaagaag taagacagct tgctgaagat ttcctgaaag actatattca 240
tataaacatt ggtgcacttg aactgagtgc aaaccacaac attcttcaga ttgtggatgt 300
gtgtcatgac gtagaaaagg atgaaaaact tattcgtcta atggaagaga tcatgagtga 360
gaaggagaat aaaaccattg tttttgtgga aaccaaaga agatgtgatg agcttaccag 420
aaaaatgagg agagatgggt ggcctgccat gggatatccat ggtgacaaga gtcaacaaga 480
gcgtgactgg gttctaaatg aattcaaaca tggaaaagct cctattctga ttgctacaga 540
tgtggcctcc agagggctag atgtggaaga tgtgaaattt gtcacatcaatt atgactaccc 600
taactcctca gaggattata ttcacgaat tggaagaact gctcgagta ccaaaacagg 660
cacagcatac actttcttta cacctaataa cataaagcaa gtgagcgacc ttatctctgt 720
gcttcgtgaa gctaatacaag caattaatcc cmagttgctt cagttggtcg aagacagagg 780
ttcaggtcgt tccaggggta gaggaggcat gaaggatgac cgtcgggaca gatactctgc 840
gggcaaaagg ggtggattta atacctttag agacagggaa aattatgaca gaggttactc 900
tagcctgctt aaaagagatt ttggggcaaa aactcanaat ggnnggtaca gtgcttgcaa 960
attcaccaat gggagccttg gaagtaattt tgggncttgc tgggnattcng gaccagtttt 1020
aggactggga attccaacan gggccttacc nc 1052
```

<210> 598

<211> 2093

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (969)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1422)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1425)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1481)

<223> n equals a,t,g, or c

<400> 598

```
ccgccgcat gggaccacgt ggggtaagct ggggtgagag cagcgggagc cgtaaggag 60
ctgcagagtc acgtctgtgc aaagactgca ccagagccct tctgtgtcac ggcgggctgt 120
gcacccatgc acacacctac gcacacacaa cactccgcac tgcagtatat tcttgccaaa 180
gatttccttt aaaagcaagc acttttacta attattattt tgtaaatgtt tatcttcttc 240
tgtcttctcc ctccctgaat ctattttact gttgtttatt gttgaatctg tgtgtcagcc 300
aggagagcgc tgtctggcct tgaacatggg ctgggatggg aaagggtctg ggagaagatg 360
ggcaacaaaag agccaggagag tcatggacat cgcagcgacg cagacccagc cagggttcagt 420
cccgtgctgc caccagctgt ccagctgggt gtctggaggg aagagggcag aggaggggtca 480
tgtcccttca gctgggggag gggcccagtg agctccacgt ggctttttcc caaagggagc 540
aagaggggag gattggggcg gaaaacaatg gagaggggac ctgcgaagga aaacagggag 600
gaagtgagcg gtttgatcag cctgctatca cgggtgtctg gctctcttat ttagccaggc 660
gcttaaggga cagatacatc acatcctaag tttgggaaag gcctttgacc catgtcatct 720
gagcgtctcc tccagtagct ctgaaagctg tggacaccaa tggccaggat tccttctccc 780
ctgggttttg aggatccctg ggtcttctga gactggccag gagagggatg gtggggccag 840
tggttgtgtg aaagcaggag gggcagccct cctggacaag tgtgatcccc ctataaacgg 900
ctctcaggag gttagtgagt aggagattct gccttgttct gatgagcctg tgcaggggct 960
ccagggganc atgctgtcca gggggcacag aagggtggtg agtgtgatca aatctagtct 1020
cactcccact ttttagtctc actcctactt ttgtccacca cccctgcctc ctggatcttc 1080
tcccactttt ttttccagct ttaggacctg gggagatcct gtgagtcaag gcagacaccc 1140
aatcctgccc ccacactcgg ggtcctccaa gaggttgggg ggcagagtcc cagagcagcc 1200
ctttacccca ggtccaggcc ctggaatcct gagactcgcg tttccttggc cagtggtaac 1260
acaggacgtg tgtgcgcatg tgcaagtgtg gatgtatgtg tgtgcgtgtg ttttgctcat 1320
ttcttttagg aacttgggag tcgggggttg aggtgctggg caatggaact tcaaattcaa 1380
tgtcggccag cagtggggg agtcgggagg tgaggcctgt angcnaacca attggtggag 1440
tctcagcgat acccagggtg gaagtgggtc acccagaggg ncagggtggg ggcctcgggc 1500
agatctgtcc ctcttgcccc ctctgtcctc aaatgtccaa aatgttggag gacctctgtt 1560
catatcccac gcctgggctc ttgccagcag tggagtactg gtagagggat gtcccaagct 1620
tgttttccaa tcagtgttaa gctgtttgaa actctcctgt gtctgtgttt tgtttgtgcg 1680
tgtgtgtgag agcacatcag tgtgtgcagg ctgtgtttcc ccatttctct cctcccttca 1740
gacccatcat tgagaacaaa tgtaagaaat cccttcccac caccctccct gcctcccagg 1800
ccctctgcgg gggaaacaag atcaccagc atccttcccc accccagctg tgtatttata 1860
tagatggaaa tatactttat attttgtatc atcgtgccta tagccgctgc caccgtgtat 1920
aaatcctggt gtmgtctcct tatcctggac atgaatgtat tgtacactga cgcgtcccca 1980
ctcctgtaca gctgctttgt ttctttgcaa tgcattgtat ggctttataa atgataaagt 2040
taaagaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 2093
```

<210> 599

<211> 562

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (349)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (437)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (473)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (524)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (549)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (561)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (562)

<223> n equals a,t,g, or c

<400> 599

gcttactgca gcctcgatct tctgggttca agtgatcttc tgcctcagcc tctcgtgtac 60
ctgaggccac aggcacacac cgccacacct ggctaatttt tattattttt tttgtagaga 120
cgaggtctca ctatgccag gttggtctca aactcctgtg ctcaagcaat cctcccatct 180

```
tggtcccta agtctggga ttataggcat gagccaccgt gcccggcctc atgtctgcat 240
gttaaaagtt ctgagaattc ctatggaaaa taaatttgac ttgcttaat gcagttcctc 300
taaaacttact taattccttt ttcttttttt ctttactatt tattaattnt tctcttttct 360
cagaccttgc agggatgaaa ggnccccctt tctcaaaacc ctcttatgat ctctacactc 420
tgcaagggct tctgaangac agcangctga gaaaggcga tctaactact tanccttttg 480
aagacacttt taaaactggt aacagtattt atagctttaa aagnaccat gggtcttaag 540
gcccgttant aaaaaaaaaa nn 562
```

<210> 600

<211> 528

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (444)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (493)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (507)

<223> n equals a,t,g, or c

<400> 600

```
nngcaagnng ncaccaaccc tcactaaagg gaacaaaagc tggagctcca ccgcgggtgcg 60
gccgctctag aactagtgga tcccccgggc tgcaggaatt cggnacgagg gaggctgagg 120
ctggagtgca gtggtgtgat ctcggtcac tgcaacctct gcctcccagg ttccagcaat 180
tctcctgcct cagcctccct agtggctggg atgacaggcg cctgccatca tgcctgacta 240
gtttttgtat ttttagtaga gacggcggtt caccatgttg gccaggctgg tctcaaactc 300
ctgacctcag gtgatccgcc tacctcagcc tcccaaagtg ctgggattac aggcgtgac 360
caccacacct ggcccttgca atcttctact ttaaggtttg cagagataaa ccaatanatc 420
cacaccgtac atctgcaata tganttcaag aaaggaanta gtaccttcaa tacttaaaaa 480
tagtcttcca canaaaatac tttattnctg atctatacaa attttcag 528
```

<210> 601

<211> 475

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (145)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (160)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (174)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (191)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (199)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (212)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (218)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (306)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (341)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (389)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (413)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (444)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (450)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (468)
<223> n equals a,t,g, or c

<400> 601
gcctacacgc cgccgcttgt gctgcagcca tgtctctagt gatccctgaa aagttccagc 60
atattttgcg agtactcaac accaaccatcg atggggcggcg gaaaatagcc ttgccatca 120
ctgccattaa ggggtgtgggc cgaanatatg ctcatgtggn gttgaggaaa gnanacattg 180
acctnaccaa nagggcggn gaactcactg angatgangt ggaacgtgtg atcaccatta 240
tgcagaatcn acgccagtac aagatcccag actggttctt gaacagacag aatgatngta 300
angatnaatc tacttcaagc taacatgcta tcatttctac nttgagtact gctaagggtt 360
ctttccacaa cttgtacaca atgttattna ctgcccagtt tataatttcc ctnttggttc 420
ccattttaag acttatttaa ttantatgcn ttttaaattt ttgagacntg ataga 475

<210> 602
<211> 288
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (84)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (100)
<223> n equals a,t,g, or c

<400> 602

```
cacattctca ggaactctcc ttctttgggg agcctcagat gggaaggagac tcgagcccca 60
cctgtccctg gactctggaa tgtntggctg aagttgaggn tctcttactc tctaggccac 120
ggaattaacc cgagcaggca tggaggcctc tgcctcacc tcatcagcag tgaccagtgt 180
ggccaaagtg gtcagggtgg cctctggctc tgccgtagtt ttgcccctgg ccaggattgc 240
tacagttgtg attggaggag ttgtggccat ggcggtgtg cccatggt 288
```

<210> 603

<211> 432

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (365)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (408)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (421)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (425)

<223> n equals a,t,g, or c

<400> 603

```
ggcgccccgg agagctcttg cgcgtcttgt tcttgccctgg tgcggtggt tagtttctgc 60
gacttggtgtt gggactgctg ataggaagat gtcttcagga aatgctaaaa ttgggcaccc 120
tgcccccaac ttcaaagcca cagctgttat gccagatggt cagtttaaag atatcagcct 180
gtctgactac aaaaggaaaa tatgttgtgt tcttctttta ccctcttgac ttcaccttg 240
tgtgccccac ggagatcatt gcttccagt atagggcaga agaatttaag aaactcaact 300
gccaaagtgat tgggtgcttct gtggattctc acttctgtca tctagcatgg gtcaatacac 360
ctaanaaaca aggaggactg ggacccatga acattccttt ggtatcanac ccaacncaca 420
nttgntcagg at 432
```

<210> 604

<211> 371

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<400> 604

```
atttagtggtg ataaggagaa gaacctgctg catgtcacag acaccggtgt aggaatgacc 60
agagaagagt tggtaaaaaa ccttggtacc atagccaaat ctgggacaag cgagttttta 120
aacaaaatga ctgaagcaca ggaagatggc cagtcaactt ctgatttgat tggccagttt 180
ggtgtcgggtt tctattccgc cttccttgta gcagataagg ttattgtcac ttcaaaacac 240
aacaacgata cccagcacat ctgggagtct gactccaatg anttttctgt naattgctga 300
cccaagaggg aaacactcta ggacggggga acgacaattt acgtggagta tggaccaatt 360
tccttattaa g 371
```

<210> 605

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (322)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (363)

<223> n equals a,t,g, or c

<400> 605

```
ggcacagccg gcacgctggt gtgttcttga ctccgctgct cgccatgtct tctcacaaga 60
ctttcaggat taagcgattc ctggccaaga aacaaaagca aaatcgctccc attccccagt 120
ggattcggat gaaaactggg aaataaaaatc aggtacaact ccaaaaggag acattggaga 180
agaaccaagc tgggtctatg aaggaattgc acatgagatg gcacacatat ttatgctgtc 240
tggaagggtgc acgatccatg ttaccatagc caagctggaa aatgtgcacc antatctggg 300
agatttttgc cgtgtttttc cncctctggan nctgtttatg gnacaagggtt ggtttggttt 360
ggntccatta aattaaatta ggtaaaggcc cc 392
```

<210> 606

<211> 442

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (255)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<400> 606

```
gcgtcttcag ggtggaagcc tggcgcacgt ccggagagac acccgccatt tcaccagta 60
agcgggcccc gcctgcggag gtggcgcgca tgcagctccg ctttgcccgg ctctccgagc 120
acgccacggc cccaccccg ggctccgcgc gcgcgcggg ctacgacctg tacagtgcct 180
atgattacac aataccacct atggagaaaag ctgttgtaa aacggacatt cagatagcgc 240
tcccttctgg gtgtnatgga agagtggctc cacggtcagg cttggctgca aaacacttta 300
ttgatgtagg antggtgtca tagatgaaga ttataagagg aatgttggtg ttgtactgtt 360
taatttttng caagaaagtt tgaagtcaaa aaaggtgatc gaattgcaca gtcatttgca 420
acggattttt tatccagaaa ta 442
```

<210> 607

<211> 182

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (53)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (124)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (132)

<223> n equals a,t,g, or c

<400> 607

```
gcaccatggc ggttggaag aacaagcgcc ttacgaaagg cggcaaaaag ggngccaaga 60
agaaagtggg tgatccattt ttaagaaag attggtatga tgtgaaagca cctgctatgt 120
tcantataag anatattgga aagacgctcg tcaccaggac ccaaggaacc aaaattgcat 180
ct 182
```

<210> 608

<211> 673

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (561)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (569)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (603)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (604)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (627)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (630)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (652)

<223> n equals a,t,g, or c

<400> 608

```
nncaaaatta accccctaataaaaattaatt aaccactcac tcatcgacct ccccaaaaa 60
tccaacatct cgcgatgatg aaacttcggc tcaactcctg ggcgcctgcct gatccctccaa 120
atcaccacag gactattcct agccatgcac tactcaccag acgcctcaac cgccttttca 180
tcaatcgccc acatcactcg agacgtaaat tatggctgaa tcacccgctg ccttcacgcc 240
aatggcgccct caatattctt tatctgcctc ttcctacaca tcgggcgagg cctatatattac 300
ggatcatttc tctactcaga aacctgaaac atcggcatta tcctcctgct tgcaactata 360
gcaacagcct tcataggcta tgcctcccg tgaggccaaa tatcattctg agggggccaca 420
gtaattacaa acttactatc cgccatccca tacattggga cagacctagt tcaatgaatc 480
tgaggaggct actcagtaga cagtcaccac ctcacacgat tctttacctt tcaacttcac 540
ttgcccttca ttattggcag ncctacagna ctcacctcta ttttttgccg aaacggggat 600
canncaaccc ccttagggaa tcacctnccn tttccgataa aaatcaacct tncacccttt 660
actacacaat cat 673
```

<210> 609

<211> 553

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (377)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (536)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (545)
<223> n equals a,t,g, or c

<400> 609
gcggacgcgt gggttttaat acaaatgtta tttatagttt acaatgaatg cactgcataa 60
aaacttttgg acgacaatgg gaacattgct gaagaactga gcattctcaa atggaacaca 120
gacagtgtag aagaattcct gagtgaaaag ttggaacgca tataaatctt gcttaaattt 180
tgtcctatcc ttttgttacc ttatcaaatg aaatattaca gcacctagaa aataatttag 240
ttttgcttgc ttccattgat cagtctttta cttgaggcat taaatatcta attaaatcgt 300
gaaatggcag tatagtccat gatatctaag gagttggcaa gcttaacaaa acccattttt 360
tataaatgtc catcctnctg catttggtga taccactaac aaaatgcttt gtaacagact 420
tgcggttaat tatgcaaatg atagtttgng ataattgggg ccaagtttta cgaacaacag 480
atttctaaat tagaganggt taccaggaca gatgatacta tgcctaaggg ctgggngccc 540
ttttnaagga aga 553

<210> 610
<211> 458
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (17)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (18)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (215)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (225)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (281)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (312)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (314)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (316)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (344)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (369)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (412)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (430)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (442)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (456)
<223> n equals a,t,g, or c

<400> 610
accacgcgt ccggctnncc gatgagacca atatatgcaa tggtaagcca gtagatggac 60
tgactacttt gcgcaatggg acattagttg cattccgagg tcattatttc tggatgctaa 120
gtccattcag tccaccatct ccagctcgca gaattactga agttttgggg aatcctttcc 180
cccattgata ctgttttact aagggggaatt tttcnagaaa aggtngcagc attcagcagt 240

atatttataa acaggaacct gtacagaagt gcccttgga naaggcctgc tctaaaatta 300
tccagtggta tngngnaacg acacaggtta agagacgtcg cttnaacgtg ctaaaaggac 360
ctttccaana cacaccatca gaatccataa tcacctgcca aatgggggtat cnagaccaag 420
gggcctccan aaggagttaa gnggttaccg tggggngg 458

<210> 611

<211> 565

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (534)

<223> n equals a,t,g, or c

<400> 611

aagcnganac caaccctcac taaaggaac aaaagctgga gctccaccgc ggtgcggccg 60
ctctagaact agtggatccc ccgggctgca ggaattcggc acgaggttgc agtgagccga 120
gatcgacca ttgcactcca gtctgggcaa cagagtgaga ttccgtctca aaaaaaaaaa 180
gaaaaggaaa aaaaaatagc attatacttc ttcttgtct caaccgcat gaaaattctg 240
aacactccaa attcagttga ataattccaa acaaaattta taagtataaa ataattttac 300
ttcttatagt aatagtatac tttaaaaagc cttaggggtat attatcttct aaacagctac 360
aattcagtg agctacatta accaactatg ttctctagtt gaggaacaac taggcctatt 420
tcaactgctgt gtagcctcag tgcctaacat ggggtgcaaa taaatatng nggattacac 480
tgaattgtaa aaaccattcg tttttgttta caattgcaa aaatctcaa aggnccgtga 540
tttatgtaat tctttgaaat tatta 565

<210> 612

<211> 442

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (229)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (253)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (294)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (297)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (319)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (328)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (333)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (365)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (413)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (415)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (440)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (441)
<223> n equals a,t,g, or c

<400> 612
gaccaggggtt gctccgtccg tgctccgcct cgccatgact tcctacagct atcgccagtc 60
gtcgggccacg tcgtcccttcg gaggcctggg cggcggtcc gtgcgtattg ggccgggggt 120
cgcttttgcg gcgcccagca ttcacggggg ctccggcggc cgcggcgat ccgtgtcctc 180
cgcccgttt gtgtccctcgt cctcctcggg gggctacggc ggcggctang gcggcgctct 240
gaccgcgtcc gangggetgc tggcgggcaa cgagaagcta accatgcaga actnaangac 300
cgcttggtct ctactggana agttcgcncc tgnaggggca aagggaacta aaagttaaat 360
ccgcnattgt acaaaacagg gcttggcctt cccggataaa gcattataaa gancntcagg 420
aattggggaa aaatttttgn nc 442

<210> 613
<211> 306
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (102)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (129)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (172)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (185)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (190)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (192)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (199)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (213)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (237)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (272)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (299)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (302)
<223> n equals a,t,g, or c

<400> 613
ggcanaggag aactccagga ttgtcctgca gatcgacaac gcccgtttgg ctgcagatga 60
cttccgaacc aagtttgaga cggaacaggc tctgcgcatg ancgtggagg cgcacatcaa 120
cggcctgcnc aggtgctgga tgagctgacc ctggcccaga accgacctg gngatgcagt 180
tcgangcctn angaagagnt ggcctaccta agnaggaccc tgagggggaa tcaattncgt 240
taaggggccca atgggaggcc attaattttg anttggttcc ttccggacct tttggccant 300
cntgtt 306

<210> 614
<211> 555
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (392)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (409)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (433)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (497)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (543)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (545)
<223> n equals a,t,g, or c

<400> 614
ggcgactaca gccactacta cacgaccatc caggacctgc gggacaagat tcttggtgcc 60
accattgaga actccaggat tgtcctgcag atcgacaatg cccgtctggc tgcagatgac 120
ttccgaacca agtttgagac ggaacaggct ctgcgcatga gcgtggaggc cgacatcaac 180
ggcctgcgca ggggtgctgga tgagctgacc ctggccagga ccgacctgga gatgcagatc 240
gaaggcctga aggaagagct ggcctacctg aagaagaacc atgaggagga aatcagtacg 300
cttagggggc aagtgggagg ccaggtcagt gtggagggtg attccgctcc gggcaccgat 360
ctcgccaaga tcctgagtga catgcgaagc cnatatgagg tcatggccna gcagaaccgg 420
aaggatgctt aancctggtc accagcccg actgaagaat tgaaccggga ggtcgcttgc 480
cacacggagc aacttcngat gagcaggtcc aaggttactg acctgcggcg caacccttaa 540
ggnctgaga atgaa 555

<210> 615
<211> 575
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (173)

<223> n equals a,t,g, or c

<400> 615

```
tganagaaat taaccctcac taaagggnac aaaagctgga gctccaccgc ggtgcgnccg 60
ctctagaact agtggatccc ccgggctgca ggaattcggc acgaggctaa ggctgcgttg 120
gggtgaggcc ctcaattcat ccggcgacta gcaccgcgtc cggcagcgcc agncctacac 180
tcgcccgcgc catggcctct gtctccgagc tcgcctgcat ctactcggcc ctcatctctgc 240
acgacgatga ggtgacagtc acggaggata agatcaatgc cctcattaaa gcagccggtg 300
taaatgttga gccttttttg cctggcttgt ttgcaaaggc cctggccaac gtcaacattg 360
ggagcctcat ctgcaatgta ggggccggtg gacctgctcc agcagctggt gctgcaacca 420
gcaggagggtc ctgccccctc cactgctgct gctccagctg aggagaagaa agtggaaagca 480
aagaaagaag aatccgagga gtctgatgat gacatgggct ttggtctttt tgactaaacc 540
tcttttataa catgttcaat aaaaagctga acttt 575
```

<210> 616

<211> 346

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (117)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (139)

<223> n equals a,t,g, or c

<400> 616

```
ctcgtgccga attcggcacg agccgccgce tccgccgcag acgccgccgc gatgcgctac 60
gtcgcctcct acctgctggc tgccctaggg ggcaactcct cccccagcgc caagggnatc 120
aagaagatct tggacaacnt gggatatcgag gcggacgacg accggctcaa caaggttatc 180
agtgaagctga atggaaaaaa cattgaagac gtcattgccc agggattattg caagcttgcc 240
agtgtacctg ctggtggggc tgtagccgct tctgctgccc caggctctgc agccccctgct 300
gctggttctg cccctgctgc agcagaggag aagaaagatg agaaga 346
```


530

<210> 617
<211> 409
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (356)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (380)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (388)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (397)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (408)
<223> n equals a,t,g, or c

<400> 617
gggcagggt gagccagcga cgccctccat tcactctccg cgcccggtct ccggtgtgcc 60
tcccggtccg ctgcccgcgc tgccaccatg acggaacagg ccattctcct cgccaaagac 120
ttcttgccg gaggcacgc cgccgccatc tccaagacgg ccgtgggtcc gatcgagcgg 180
gtcaagctgc tgctgcaggc ccagcacgcc agcaagcaga tcgcccgcga caagcagtac 240
aagggcacgc tgactgcat tgtccgcac cccaaggagc agggcggtgc gtccttctgg 300
aggggcaacc ttgccaacgt cattcgctac ttcccactc aagccctcaa cttcgncttc 360
aaggataagt acaagcagan cttcctgnng ggcgtgnaca agcacacnc 409

<210> 618
<211> 473
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (9)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (241)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (256)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (322)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (337)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (352)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (359)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (360)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (365)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (368)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (416)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (436)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (442)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (446)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (470)
<223> n equals a,t,g, or c

<400> 618
ggcanagcnc aaagacaggc ttttnagatt ggatctccgt ggcgtactat ggatgcttcc 60
gagagggggc gactattata caagttggca agttgatcaa agaagctgcc gggaaaagca 120
atctgaagag ggtgaccctg gagcttggag gaaagagccc ttgcattgtg ttagctgatg 180
ccgacttgga caatgctgtt gaatttgcac accatggggt attctaccac cagggccagt 240
nttgtatagc cgcattncagg atttttgtgg aagaatcaat ttatgatgag tttgttcgaa 300
ggagtgttga gcgggttaag antatattcct tgggaantcc tttgacccca gnagttcann 360
caagnccntc agattgacaa ggaccatttg gtaaatactt gacccatttg agagtnggaa 420
gaaagaaggg gccaanatgga tntggnggag gccctggggg ataaagggtan ttg 473

<210> 619
<211> 604
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (371)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (492)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (537)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (554)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (584)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (587)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (593)

<223> n equals a,t,g, or c

<400> 619

cgacnttccc ctactaaagg gaacaaaagc tggagctcca ccgcggtggc ggccgctcta 60
gaactagtgg atcccccggg ctgcaggaat tcggcacgag gtggtccccc tggcagggac 120
aatggcgag actaccaccc aagggttga tgggctgtct gagcgctgtg cccagtacaa 180
gaaggacgga gctgacttcg ccaagtggcg ttgtgtgctg aagattgggg aacacacccc 240
ctcagccctc gccatcatgg aaaatgccaa tgttctggcc cgttatgcca gtatctgcca 300
gcagaatggc attgtgcca tcgtggagcc tgagatcctc cctgatgggg accatgactt 360
gaagcgcttg ncagtatgtg accgaaaagg tgcttggtt gctgctacaa ggctcttgag 420
tgaccaccac atctacctgn aaggcacctt gctgaagccc aacatgggtcc cccaggccat 480

```
gcttgcactc anaagttttn ttatgaagga gattgcccat ggcgaacccg tctcaancgc 540
tgtgcccgca caantgcccc cccgcttgtc acttgggata aacnttncct gtnttggaag 600
gccca                                           604
```

```
<210> 620
<211> 312
<212> DNA
<213> Homo sapiens
```

```
<220>
<221> misc feature
<222> (2)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (41)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (307)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (309)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (310)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (311)
<223> n equals a,t,g, or c
```

```
<220>
<221> misc feature
<222> (312)
<223> n equals a,t,g, or c
```

```
<400> 620
gngccaacag ccttgccctgt caaggaaagt acactccgag nggtcaggct ggggctgctg 60
ccagcgagtc cctcttcgtc tctaaccacg cctattaagc ggaggtgttc ccaggetgcc 120
cccaacactc caggccctgc cccctccac tcttgaagag gaggccgcct cctcggggct 180
ccaggctggc ttgcccgcg cttttcttcc ctogtgacag tgggtgtgtgg tgcgtctgt 240
gaatgctaag tccatcaccc tttccggcac actgccaaat aaacagctat ttaaggggga 300
aaaaaanann nn                                           312
```

<210> 621
<211> 248
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (141)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (193)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (195)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (198)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (207)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (246)
<223> n equals a,t,g, or c

<400> 621
gatgattgtg aattcaaggc tgaaggaaat agcaaattca cctacacagt tctggaggat 60
ggttgacacga aacacactgg ggaatggagc aaaacagtct ttgaatatcg aacacgcaag 120
gctgtgagac tacctattgt ngatattgca ccctatgaca ttggtggtcc tgatcaagaa 180
tttgggtgtg acntnggncc tgtttgnttt ttataaacca aactctatct gaaatcccaa 240
caaaaanaa 248

<210> 622
<211> 344
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (273)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (279)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (283)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (301)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (303)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (342)
<223> n equals a,t,g, or c

<400> 622
aatncggcac gaggcaccnc ctgcgacccc ncaatcagtc cagcgatgag ctgcagctga 60
gtatgggaaa tgccatgttt gtcaaagagc aactcagtct gctggacagg ttcacggagg 120
atgccaagag gctgtatggc tccgaggcct ttgccactga ctttcaggac tcagctgcag 180
ctaagaagct catcaacgac tacgtgaaga atggaactcg agggactata acctgaacga 240
catacttctc cagctgaagt acacaggcaa tgnccagcgna ctnttcaccc tgcctgntca 300
ngncaagatn gnggaagtgg aagccatgtt gggttttcaga gncc 344

<210> 623
<211> 316
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (248)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (286)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (294)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (308)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (313)
<223> n equals a,t,g, or c

<400> 623
gctcaaaggg agaccgggt ttccaggag caaaggcgag gctggatttt tcggaatacc 60
cggtctgaag ggtctggctg gtgagccagg ttttaaaggc agccgagggg accctgggcc 120
cccaggacca cctcctgtca tcctgccagg aatgaaagac attaaaggag agaaaggaga 180
tgaagggcct atggggctga aaggatacct gggcgcaaaa ggtatccaag gaatgccagg 240
catcccangg ctgtcaggaa tccctgggct gcctggggag cccggncaca tcanaggaat 300
caaggganac atngga 316

<210> 624
<211> 445
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (112)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (172)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (185)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (187)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (222)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (241)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (253)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (266)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (311)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (327)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (331)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (381)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (383)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (426)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (429)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (438)
<223> n equals a,t,g, or c

<400> 624
ggcagagggtg aggagggtgtg gtaccgtgtg ctacagatcg tcaccaaccg tgaatgacgt 60
ccagggctat ggcceaagac cgtctttaag gcgctccagg cccctgcctt gnacgaagaa 120
catggtgaag gttggcggct acatccttgg ggagtttggg aaacctgaat tntggggacc 180
cccgntncca gccccccagt ggcagttctc cctgctccac tncaagttcc atctgtgaca 240
ngtggccagg ggnecgtgct gctgtgccac ctgacatcaa gttcatcaac ctctttcccc 300
gagaccaagg ncaccatcca gggggtncgtg nggggtcggt tttccagttg cgcaatgttg 360
acgtggagtt gcagcaggag ncntggagta acttcacctt cagttcatgg gtcagcaaca 420
agttcnggnc aggtgttnga ggagt 445

<210> 625
<211> 401
<212> DNA
<213> Homo sapiens

<220>

<221> misc feature
<222> (30)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (33)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (380)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (389)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (390)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (393)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (397)
<223> n equals a,t,g, or c

<400> 625
tcgacccacg cgtccgggcg ggtccgccgn gantaagacc cgtgcccgg cacctctagg 60
gtgtgatctg accggtcgcg ggggaccagc ccagccctat ttcggctcga gcgaggaaact 120
tctgtctccg tgactgaact ctgatcttga tagagagtcc cggccatggc agccaaagga 180
ggcaccgtca aagctgcttc agcattcaat gccactgaag atgccagac cctgaggaag 240
gccatgaagg ggcttggcac cgacgaagat gccatcatca gcgtcctcgc ctaccgcaac 300
acagcccagc gccaggaaat caggacggcc ttacaagagc accattcggc aggggacctt 360
gtgttaagga acggaccccn ttttgtttnn gantggngtg a 401

<210> 626
<211> 315
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (103)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (129)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (257)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (296)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (303)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<400> 626

```
cggtaccggt ccctggtgta ccagctgaac tttgatcaga ccctgaggaa tgtanataag 60
gctggcacct gggccccccc gggagctggt gctgggtggtc cangtgcata accggccccga 120
atacctcana ctgctgctgg actcacttcg aaaagcccag ggnaattgac aacgtcctcg 180
tcactcttag ccatgacttc tggtcgaccg agatcaatca gctgatcgcc ggggtgaatn 240
tctgtccggt tctgcangtg ttctttcctt tcagcattca gttgttccct aacgantttc 300
cangttantg accta 315
```

<210> 627

<211> 412
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (211)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (282)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (319)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (320)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (327)
<223> n equals a,t,g, or c

<400> 627
gaaaaagatg agtatgcctg ccgtgtgaac catgtgactt tgtcacagcc caagatagtt 60
aagtgggac gagacatgta agcagcatca tggagggttg aagatgccgc atttggattg 120
gatgaattcc aaattctgct tgcttgcttt ttaatatga tatgcttata cacttacact 180
ttatgcacaa aatgtagggt tataataatg ntaacatgga catgatcttc tttataattc 240
tactttgagt gctgtctcca tgtttgatgt atctgagcag gntgctccac aggtagctct 300
agcagggctg gcaacttann aggtgngag cagagaattc tcttatccaa catcaacatc 360
ttggtcagat ttgaactctt caatctcttg cactcaaagc ttgataagga aa 412

<210> 628
<211> 577
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (52)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (408)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (424)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (430)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (474)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (506)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (518)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (545)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (546)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (560)
<223> n equals a,t,g, or c

<400> 628
gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaggg cggccgctct anaggatcca 60
agcttacgta cgcgtgcatg cgacgtcata gctcttctat agtgtcacct aaattcaatt 120
cactggccgt cgttttaciaa cgtcgtgact gggaaaaccc tggcgttacc caacttaatc 180
gccttgacgc acatccccct ttcgccagct ggcgtaatag cgaagaggcc cgcaccgatc 240
gcccttccca acagttgcgc agcctgaatg gcaaatggga cgcgccctgt agcggcgcat 300
taagcgcggc ggggtgtggtg gttacgcgca gcgtgaccgc tacacttgcc agcgccctac 360
gcccggtcct ttcgtttctt cccttccttt ctgccacgt tcgccggnnt tccccgtnaa 420
gctntaaatn gggggctncc tttanggttc cgattaangn tttacgggac cttngaccca 480
aaaacttgat taggggtgat gttacntaat gggccatngc ctgataaacg gttttgccct 540
ttgannttgg agtcccgttn ttaaaaggga ctttggt 577

<210> 629
<211> 703
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (146)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (344)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (391)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (428)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (457)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (494)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (499)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (518)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (541)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (576)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (580)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (586)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (603)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (621)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (632)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (643)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (651)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (668)
<223> n equals a,t,g, or c

<400> 629
gactagttct agatcgcgag cggccgctct agaggatcca agcttacgta cgcgtgcatg 60
cgacgtcata gctcttctat agtgtcacct aaattcaatt cactggccgt cgttttacaa 120
cgtcgtgact gggaaaaccc tggcgntacc caacttaatc gccttgacag acatccccct 180
ttcgccagct ggcagtaata gcgaagaggc ccgcaccgat cgcccttccc aacagttgcg 240
cagcctgaat ggcgaatggg acgcgccctg tagcggcgca ttaagcgcg cggtgtggt 300
ggttacgcgc agcgtgaccg ctacacttgc cagcgcccta gcgnccgctc ctttcgcttt 360
cttcccttec tttctcgcca cgttcgccgg ntttccccgt caagctctaa atcnggggct 420
ccctttangg ttccgaınta gtgctgtacg gcacctngac cccaaaaaac ttgattaggg 480
tgatggttca cgtngtggn c atcgccctga tagacggnnt ttcgcccttt gacgttggag 540
nccacgttct taatagtggga ctctttggtc caaacnggan caacantgaa cccctatctc 600
ggncatttct ttgatttat nagggatttt gncgatttca ggncatttgg ntaaaaaatg 660
gatcttgnnt ttaacccaaa atttaaacgg cggaaatttta agc 703

<210> 630
<211> 638
<212> DNA
<213> Homo sapiens

<220>

<221> misc feature
<222> (14)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (70)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (72)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (75)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (105)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (120)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (153)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (213)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (222)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (245)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (256)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (305)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (307)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (315)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (319)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (327)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (329)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (342)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (351)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (354)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (357)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (502)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (526)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (532)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (537)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (570)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (574)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (593)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (613)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (629)

<223> n equals a,t,g, or c

<400> 630

```
gaaaaaaaa aaantaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60
gggcggccgn tntanaggat ccaagcttac gtacgcgtgc atgcnacgtc atagctcttn 120
tatagggtca cctaaattca attcactggc cgncgtttta caacgtcgtg actgggaaaa 180
ccctggcggt acccaactta atcgccctgc agnacatccc cntttcgcca gctggcgtaa 240
tagcnaaaag gcccgaccg atcgcccttc ccaacagttg cgcagcctga atggcaaatg 300
ggacncccc tgtancgng cattaancnc ggcggtgtg gnggttacc ncancngac 360
cgctacactt gccagngccc tagcgcgcgc tcctttcgtt ttcttccctt cctttntcgc 420
cacgttcgcc ggctttcccc gtcaagctnt aaatcggggg ctccctttag ggttccgatt 480
aagngcttta cgggaccttn gnccccaaaa aaacttgatt aggggngatg gntcacngta 540
aaggggcat tgcccttgat aaaacggttn ttngccctt ttgaccttg aantccccgt 600
ttctttaaaa aangggacct ttggttcna actgggaa 638
```

<210> 631

<211> 187

<212> DNA

<213> Homo sapiens

<400> 631

```
ctaagttcta gatcgcgagc ggccgctcta gaggatccaa gcttacgtac gcgtgcatgc 60
gacgtcatag ctcttctata gtgtcaccta aattcaattc actggccgtc gttttacaac 120
gtcgtgactg ggaaaaccct gccgttacc aacttaatcg ccttgacgca catccccctt 180
tcgccag 187
```

<210> 632

<211> 305

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature
<222> (2)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (21)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (23)
<223> n equals a,t,g, or c

<400> 632
cnagaagtca agcggggccgt ngncgatagc tggtagcct gcaggtaccg gtccggaatt 60
cccgggtcga cccacgcgtc cgactagtgc tagatcgcca gcggccgctc tagaggatcc 120
aagcttacgt acgcgtgcat gcgacgtcat agctcttcta tagtgcacc taaattcaat 180
tcactggccg tcgttttaca acgtcgtgac tgggaaaacc ctggcggttac ccaacttaat 240
cgccctgcag cacatcccc tttcgccagc tggcgtaata gcgaagaggc ccgcaccgat 300
cgccc 305

<210> 633
<211> 187
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (10)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (15)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (23)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (27)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (144)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (176)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (178)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (180)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (181)
<223> n equals a,t,g, or c

<400> 633
ncttccttan gctcnatata ccntggntgg taccaccct cactataggg aaagctggta 60
cgcctgcagg taccggtccg gaattcccgg gtcgaccac gcgtccgaaa aaaaaaaaaa 120
aaaaaaaaaa aaaaaaaaaa gggngggacga tctagaggat ccaaagctta cgtacncntn 180
natgcaa 187

<210> 634
<211> 243
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (8)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (11)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (15)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (23)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (87)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (119)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (131)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (165)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (196)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (205)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (218)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (229)
<223> n equals a,t,g, or c

<400> 634
aataaggnga ngagngttaa gancggatac gactcactat agggaaagct ggtacgcctg 60
caggtagcgg tccggaattc ccgggtngac ccacgcgtcc gtggaaatct gtcctccana 120
atccaggcca naaagttcac agtcaaatgg ggaggggtat tcttnatgca ggagacccca 180
ggccctggag gctgcnacat acctnaatcc tgtcccangc cggatcctnc tgaagccctt 240

ttt

243

<210> 635

<211> 180

<212> DNA

<213> Homo sapiens

<400> 635

cccacgcgtc cggaatgggt tagcgccagg ttccccacga acgtgcggtg cgtgacgggc 60
gagggggcgg ccgctctaga ggatccaagc ttacgtacgc gtgcatgcga cgtcatagct 120
cttctatagt gtcacctaaa ttcaattcac tggccgctgt ttacaacgt cgtgactggg 180

<210> 636

<211> 747

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (507)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (639)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (657)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (747)

<223> n equals a,t,g, or c

<400> 636

```
atnnanagac ctccatttgg attacgctgg tacgcctgea ggtaccgggc cggaattccc 60
gggtcgaccc acgcgtccgc tagttctaga tcgcgagcgg ccgctctaga ggatccaagc 120
ttacgtacgc gtgcatgcga cgtcatagct cttctatagt gtcacctaaa ttcaattcac 180
tggccgctcgt tttaacaacgt cgtgactggg aaaaccctgg cgttaccxaa cttaatcgcc 240
ttgcagcaca tccccctttc gccagctggc gtaatagcga agaggcccgcc accgatcgcc 300
cttcccaaca gttgcgcagc ctgaatggcg aatgggacgc gccctgtagc ggcgcattaa 360
gcgcgcgcggg tgtggtgggt acgcgcagcg tgaccgctac acttgccagc gccctagcgc 420
ccgctccttt cgctttcttc ccttcctttc tcgccacgtt cgccggcttt ccccgctcaag 480
ctctaaatcg ggggctncct ttagggntcc gatttaagtg ctttacggac ctcgacccca 540
aaaaacttga ttagggtgat gggtcacgta gtgggccatc gcctgataga cggttttcgc 600
ctttgacgtt ggagtcacgt cttaataggg actcttgtnc aaactggaac aacactnaac 660
ctatttggtc atcttttgat tataaggatt tgccgattcg gcattggtaa aaatgagtgt 720
tacaaaatta cgcgattaca aaaatan 747
```

<210> 637

<211> 497

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (415)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<400> 637

```
gtagttctag atcgcgggcg gccgctctag aggatccaag cttacgtacg cgtgcatgcg 60
acgtcatagc tcttctatag tgtcacctaa attcaattca ctggccgtcg ttttacaacg 120
tcgtgactgg gaaaaccctg gcgttaccga acttaatcgc cttgcagcac atcccccttt 180
cgccagctgg cgtaatagcg aagaggcccg caccgatcgc ccttcccaac agttgcgcag 240
cctgaatggc gaatgggacg cgccctgtag cggcgcatga agcgcggcgg gtgtggtggt 300
tacgcgcagc gtgaccgcta cacttgccaa gcgccctaag cgcccggtcc ttctgctttc 360
ttcctttctt ttttngccac gttcggcccg cttttccccc taaagcttta aatcnggggg 420
gttcccttaa ggggttccga ttaannngtt ttacgggaac ttngacccca aaaaaacttg 480
attagggggg aaggttn                                     497
```

<210> 638

<211> 509

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (321)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (394)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (399)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (406)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (424)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (461)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (463)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (492)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (496)
<223> n equals a,t,g, or c

<400> 638
ggactagtgc tagatcgcgga gcggccgctc tagaggatcc aagcttacgt acgcgtgcat 60
gcgacgtcat agctcttcta tagtgtcacc taaattcaat tcaactggccg tcgttttaca 120
acgtcgtgac tgggaaaacc ctggcggttac ccaacttaat cgccttgag caccatcccc 180
tttcgccagc tggcgtaata gcgaagaggc ccgcaccgat cgcccttccc aacagtgtgcg 240
cagcctgaat ggcgaatggg acgcgccctg tagcggcgca ttaagcgcg cgggtgtggt 300
ggttacgcgc agcgtgaccg ntacacttgc cagcgcccta gcgcccgntc ctttcgcttt 360
cttccttctt tctcggcacg gtcgnccggc tttncccgnc aagctntaaa tcggggggct 420
tcnctttagg ggttcggaat taagggttt accgggaacc ntngaacccc caaaaaactt 480
tgaattaggg tngaanggt tcacggtaa 509

<210> 639
<211> 507
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (2)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (214)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (263)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (298)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (334)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (355)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (356)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (360)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (363)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (373)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (375)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (384)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (407)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (430)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (453)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (481)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (485)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (489)
<223> n equals a,t,g, or c

<400> 639
gnctagttct agatcgcgag cggcccgcctc tagaggatcc aagcttacgt acgcgtgcat 60
gcgacgtcat agctcttcta tagtgtcacc taaattcaat tcaactggcg tcgttttaca 120
acgtcgtagc tgggaaaacc ctggcggttac ccaacttaat cgccttgtag cacatcccc 180
tttcgccagc tggcataata gcgaagaggc ccgnaccgat cgcccttccc aacagttgag 240
cagcctgaat ggcgaatggg acncgccctg tagcggcgca ttaagcgagg cgggtgtngt 300
ggttacgcgc agcgtgaccg ctacacttgc agcncctag cgcccgcctc tttcnnttn 360
ttnccttcc tntngcacg tttnacggt ttcccgtaa gctctanac gggggctcct 420
ttagggttcn atttaattgt tacggacctt tanccaaaaa acttgatatg gttatgggta 480
ntgtnttgng ccattgcctt atttccc 507

<210> 640
<211> 496
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (10)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (29)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (33)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (37)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (126)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (140)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (167)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (240)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (317)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (330)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (337)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (346)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (354)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (356)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (372)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (379)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (390)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (392)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (393)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (396)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (426)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (427)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (430)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (433)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (441)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (459)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (478)

<223> n equals a,t,g, or c

<400> 640

aattcggcan agacccaaat gcagatttnc gtnaaanccc ttacggggga agaccatcac 60
cctcaagggtt aaaccctcgg aatacgatag gaaaatgtaa aggccaagat ccaggataag 120
gaaggnattc ctctgaatn cagcagagaa ctgaatcttt gcctggncaa gcagctggga 180

aggatgggac gttactttgt gctgaactta caatatttca aaaggggttc ttacttcttn 240
atcttgtgtt gagaatttcg tgggtggtgc ttaggaaagg ggaaggagga agtttttaca 300
accattccca ggaaggntta ggcccagggn aaagganggt ttaagntggt tgtncncgaa 360
atttttttagg gnggggtgng attgggcaan tnngtnggct ttggttgggg ggttcccctt 420
tttaanngan ttnggggntt ngggngntt tttttgggnn ggnaaatttt tttaaggnc 480
tttttttggg ggaaaa 496

<210> 641
<211> 186
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (112)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (133)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (148)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (167)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (177)
<223> n equals a,t,g, or c

<400> 641
ggcaaacatg cagatctttg tgaagaccct cactggcaaa accatcaccc ttgaggtcga 60
gccagtgac accattgaga atgtcaaagc caaaattcaa gacaaggagg gnatcccacc 120
tgaccagcag cgctgatat ttgccgnaa acagctggaa ggatggncgc aactctntca 180
gactac 186

<210> 642
<211> 519
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (188)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (209)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (216)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (217)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (218)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (316)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (320)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (333)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (364)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (374)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (396)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (405)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (428)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (437)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (494)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (500)
<223> n equals a,t,g, or c

<400> 642
ggcacgaggc cctctgaaga ggaggccccc aggtctccac tggcaccctc cgaagggtg 60
gctccgatgt atttgatggt gacctgggaa tggggcagcc aagggtgca aagcctcccc 120
acacatgacc ccagccctct acagcggtaa ggtgagggac ccacattncc cctgccctct 180
gagacttngg gggacgttgc cccctgana tgcagnnngg gcctgaatat gtgaaccagc 240
cagatgttcg gccccagccc ccttcgcccc gaagatgngc tngnctgctg cccgacctnc 300
ttggtgccac tctggnaagn ggccaagaat ctnttcccca gggaagaatt gggtcgtcaa 360
aagnggtttt tgcnttttgg gggttccgtt gagaancccg agtangttta caacccaag 420
ggaagaanct tcccctnaag ccccaacctt cttccttgct taagccagcc ttgacaacc 480
tctaataatt ggancaagan ccaacaaaac cgggggggtc 519

<210> 643
<211> 138
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (11)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (36)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (72)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (74)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (92)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (102)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (103)
<223> n equals a,t,g, or c

<400> 643
agttccttgc ngcaggcaac ccacttaggt ggccancaat cttgacttcc agatggaaga 60
gtgacatcta tnanaggaaa agtgatggca tntatatcat anntctcaag aggacctggg 120
agaagcttct gctgggca 138

<210> 644
<211> 602
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (530)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (554)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (562)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (591)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (602)
<223> n equals a,t,g, or c

<400> 644
gccacgcgt ccggcgagct gagtggttgt gtggtcgcgt ctcggaacc ggtagcgctt 60
gcagcatggc tgaccaactg actgaagagc agattgcaga attcaaagaa gctttttcac 120
tatttgacaa agatggtgat ggaactataa caacaaagga attgggaact gtaatgagat 180
ctcttgggca gaatcccaca gaagcagagt tacaggacat gattaatgaa gtagatgctg 240
atggtaattg cacaattgac ttccctgaat ttctgacaat gatggcaaga aaaatgaaag 300
acacagacag tgaagaagaa attagagaag cattccgtgt gtttgataag gatggcaatg 360
gctatattag tgctgcagaa cttcgccatg tgatgacaaa ccttggaaga gaagttaaca 420
gatgaagaag tttgatgaaa tgatcagggg agcagatatt gatggtgatg gtcaagtaaa 480
ctatgaagag tttgtaccaa atgatgacag caaaagtga agacctttt ccagaatggg 540
gttaaatctt ttgnaccaa antggttaat ttggcctttt ctttggttg naacttatct 600
gn 602

<210> 645
<211> 112
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (48)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (106)

<223> n equals a,t,g, or c

<400> 645

atntgttggg ccggaactgg gctngtttca ccggaagaa ngtggganct gcctctgana 60
atgtgtatgt ccacatacca caccttagga attctcacga aaagtnttcc aa 112

<210> 646

<211> 514

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (178)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (389)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (391)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (444)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (463)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (466)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (473)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (485)
<223> n equals a,t,g, or c

<400> 646
cagcgggcca ctctggatcc tgggcgacgt cttcatcggc cgctactaca ctgtgtttga 60
ccgtgacaac aacaggggtg gcttcgccga ggctgcccgc ctctagtcc caaggcgtcc 120
gcgcgccagc acagaaacag aggagagtcc cagagcagga ggcccctggc ccagcgggcc 180
ctccacaca caccacaca ctgcgccgcc cactgtcctg ggcgccctgg aagccggcgg 240
gccaagccga cttgctgttt tgttctgtgg ttccccctcc ctgggttcaa aaatgtgtcc 300
tgctgtctgt ctctccatct tgtttggtgg gttaaactga tccaaaanaa aatttgttcc 360
gtgattggaa aaaccaccca acttgaanc nactcttttt cctgggtcct tctctccagg 420
atcccccccg gcctacaagc cgtnggttaa cctacccaac agngcncccg gnccttgaa 480
ctgcnctaa gcccttccaa ttggccattg gttc 514

<210> 647
<211> 525
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (11)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (14)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (23)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (73)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (480)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (517)
<223> n equals a,t,g, or c

<400> 647
ccctactaat ntgngcaaaa gcnengagct ccaccgcggt ggcggccgct ctagaactag 60
tggatcccc ggnttgcagg aattcggcac gagcacgcag cggcccgtgg acatcgtctt 120
cctgctggac ggctccgagc ggctgggtga gcagaacttc cacaaggccc ggcgcttcgt 180
ggagcaggtg gcgcggcggc tgacgctggc ccggagggac gacgaccctc tcaacgcacg 240
cgtggcgctg ctgcagtttg gtggccccgg cgagcagcag gtggccttcc cgctgagcca 300
caacctcacg gccatccacg aggcgctgga gaccacgcaa tacctgaact cttctcgcga 360
cgtgggcgca ggcgtggtgc acgccatcaa tgccatcgtg cgagagccgc gtggcggggc 420
ccggaggcac gcagagctgc cttcgtggtc ctcacggacg gcgtcacggg caacgacagn 480
ctgacgagtc ggcgcaactcc atgcgcgaagc agaacgngga cccac 525

<210> 648
<211> 317
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (79)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (118)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (126)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (146)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (159)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (171)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (173)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (176)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (185)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (194)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (207)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (245)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (258)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (297)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (301)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (316)
<223> n equals a,t,g, or c

<400> 648
gncagatgg gcatgctgaa ggggcctctt cttacaaat ttctgaccac agccaaagat 60
aagaaccgct gggaggacnc tggtaagcag ctctacaacg tggaggccac atcctatncc 120
ctcttngccc tactgcagct aaaagncttt gactttgtnc ctcccgtcgt ncnttngctc 180
aatgnacaga gatnctacgg tgggtgntat ggctctaccc aggccacett catggtgttc 240
caagncttag ctcaatanca gaaggacggc cctgaccacc aggcactgaa ccttgangtg 300
nacctccaaa tgctcng 317

<210> 649
<211> 575
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (501)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (509)

<223> n equals a,t,g, or c

<400> 649

```
gtaggaacac cctcatcatc tacctggaca aggtctcaca ctctgaggat gactgtctag 60
ctttcaaagt tcaccaatac tttaatgtag agcttatcca gcctggagca gtcaagggtct 120
acgcctatta caacctggag gaaagctgta cccggttcta ccatccgga aaggaggatg 180
gaaagctgaa caagctctgc cgtgatgaac tgtgccgctg tgctgaggag aattgcttca 240
tacaaaagtc ggatgacaag gtcaccctgg aagaacggct ggacaaggcc tgtgagccag 300
gagtggacta tgtgtacaag acccgactgg caaggttcaa gctgtccaat gactttgacc 360
gagtacatca tggccattga gcagaccatc aagtcaggct cggtgaggt gcaggttga 420
cagcagcgca cgttcatcag ccccatcaag tgcagagaag ccctgaagct tgaggagaag 480
aaacactact tcatgtgggg nctcttctnc caattctggg gagagaagcc caaccttagc 540
tacatcatcg ggaaggacac ttgggtggag cactg 575
```

<210> 650

<211> 277

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (186)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (256)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (269)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (276)

<223> n equals a,t,g, or c

<400> 650

```
tcgacccacg cgtccggcat tgtctatcat tgcactggag atccaagcac agaagtgtgt 60
agagttaaca gaaggaatag aatgtcttca gacacattcc aagataaatg gcagagattt 120
gaccttctgg caagaacttg tatccaagtg tttaactgaa tattcatcta agcaaagtgg 180
ttccanacca aatgttccag aagtttgaaa atggatttgt tcctggacgt actgcacggc 240
aanctgaagc acaggntact aacngntna acccanc 277
```

<210> 651

<211> 357

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (86)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (89)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (106)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (175)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (185)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (221)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (289)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (299)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (321)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (324)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (355)
<223> n equals a,t,g, or c

<400> 651
ggcacaggnt ccngggtgga gctggctgag tcgcgcgctc tgetccaccc gggggggctg 60
tttttctg gctggctcg cggcgnacng agatgggnagn gcagtnngac gaggccgtga 120
agtaatacac cctaggagga gattcagaag cacaaccaca gcaagagcac ctggnctgat 180
cctgncacca caaggtgtac gaatttgacc aaatttctgg nagaggcatc cctggtgggg 240
gaggaagttt taaggggaac aagcttgag gtgacgtac ttgaggaant tttgaggnt 300
gttcggggca cttttaccag ntgncccaag ggaaaattgt tcccaaaaac atttnca 357

<210> 652
<211> 190
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (138)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (146)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (148)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (172)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (180)
<223> n equals a,t,g, or c

<400> 652
ggacgctact tcccctatca tagaagagct tatcaccttt catgatcacg ccctcataat 60
cattttcctt atctgcttcc tagtcctgta tgcccttttc ctaacactca caacaaaact 120
aactaatact aacatctnag acgctnanga aatagaaacc gtctgaacta tntgcccgn 180
catcatccta 190

<210> 653
<211> 603
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (415)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (600)
<223> n equals a,t,g, or c

<400> 653
gcttcgaccc cgccggagga ggagacccca ttctatacca acacctattc tgatttttcg 60
gtcacccctga agtttatatt cttatcctac caggcttcgg aataatctcc catattgtaa 120
cttactactc cggaaaaaaa gaaccatttg gatacatagg tatgggtctga gctatgatat 180
caattggcct cctagggttt atcgtgtgag cacaccatat atttacagta ggaatagacg 240
tagacacacg agcatatttc acctccgcta ccataatcat cgctatcccc accggcgctca 300
aagtatttag ctgactcgcc aactccacg gaagcaatat gaaatgatct gctgcagtgc 360
tctgagccct aggattcatc tttcttttca ccgtagggtgg cctgactggc attgnattag 420
caaactcatc actagacatc gtactacacg acacgtacta ccgttgtagc ccacttccac 480
tatgtcctat caataggagc tggatttgcc atcataggaa ggcttcattc actgatttcc 540
ctattctcag gctacaccct agaccaaacc tacgccaaaa atcatttcac tatcataatn 600
cac 603

<210> 654
<211> 356
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (198)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (270)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (302)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (328)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (340)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (347)
<223> n equals a,t,g, or c

<400> 654
ggtttttttc ttcgcaggat ttttctgagc cttttaccac tccagcctag cccctacccc 60
ccaattagga gggcactggc ccccaacagg catcaccctg ctaaattccc tagaagtccc 120

actcctaaac acatccgtat tactcgcatc aggagtatca atcacctgag ctcaccatag 180
tctaatagaa aacaaccnaa accaaataat tcaagcactg cttattacaa ttttactggg 240
tctctatttt accctcctac aaagcctcan agtacttcga gtctcccttc accatttccg 300
anggcatacta cggctcaaca ttttttgnag cccaggtctn cacgganttt cacgtc 356

<210> 655

<211> 682

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (660)

<223> n equals a,t,g, or c

<400> 655

gcgcaagtag gtctacaaga cgctacttcc cctatcatag aagagcttat cacctttcat 60
gatcacgccc tcataatcat ttcccttata tgcttcctag tctgtatgc ccttttccta 120
acactacaaa caaaactaac taatactaac atctcagacg ctcaggaaat agaaaccgtc 180
tgaactatcc tgcccgccat catcctagtc ctcacgccc tcccatccct acgcatccct 240
tacataacag acgagggtcaa cgatccctcc cttaccatca aatcaattgg ccaccaatgg 300
tactgaacct acgagtacac cgactacggc ggactaatct tcaactccta catacttccc 360
ccattattcc tagaaccagg cgacctgcca ctccttgacg ttgacaatcg agtagtactc 420
ccgattgaag ccccccattcg tataataatt acatcacaaag acgtcttgca ctcatgagct 480
gtccccacat taggcttaaa aacagatgca attcccgac gtctaaacca aaccactttc 540
accgctacac gaccgggggt atactacggt caatgctctg aaatctgtgg agcaaaccac 600
agtttcatgc ccatcggcct agaattaatt cccctaaaaa tctttgaaat aagggcccg 660
atttacccta tagcaccct ct 682

<210> 656

<211> 520

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (429)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (442)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (483)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (485)

<223> n equals a,t,g, or c

<400> 656

```
gagaagagct tatcaccttt catgatcacg ccctcataat cattttcctt atctgcttcc 60
tagtcctgta tgcccttttc ctaacactca caacaaaact aactaatact aacatctcag 120
acgctcagga aatagaaacc gtctgaacta tcctgcccgc catcatocta gtccctcatcg 180
ccctccccatc cctacgcacg ctttacataa cagacgaggt caacgatccc tcccttacca 240
tcaaataaat tggcaccaat ggtactgaac ctacgagtac accgactacg gcggactaat 300
cttcaactcc tacatacttc ccccattatt cctagaacca ggcgacctgc gactccttga 360
cgggtgacaat cgagtagtac tcccgattga agccccattc gtataataat tacatcaca 420
gacgcttgna ctcaagagct gnccacant aggccttaaaa acaggatgca atttccgggc 480
ggntnaaaca aaacaatttt accggtacac gaacggggggg 520
```

<210> 657

<211> 353

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (227)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<400> 657

```
gcactttctg ccaaagaaat ctctcctttt gcttctagca ccgactagat ttccttcagc 60
tgatgattga ctcccagaat tcgaaagaaa ctgagtccca caaagctctg tctgatctgg 120
agctcgacgc ccagtcaata atcttcattt ttgctggcta tgaaaccacc agcagtgttc 180
tttctttcac ttatatgaa ctggccactc accctgatgt ccagcnaaaa ctgcaaaaagg 240
gagattgatg cagttttgcc caataaggca ccacctacct atgatgccgt ggtacagatg 300
gattaccttg acatggtggt gaatgaaacc tcaaattatn cccgttggtg tta 353
```

<210> 658

<211> 362

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (203)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (215)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (240)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (262)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (310)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (321)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (333)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (338)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (362)
<223> n equals a,t,g, or c

<400> 658
ggcanaggcc accaccatcc tgcattgccc actttacttg gccttctcct ggctctaact 60
caggcagcca agaccctcc cacttccttc ttggcctcc ctctcctcag gtatgaaaat 120
gaagctggcc ctgcgccag gcgtttgaag gctgacatca acggcttgcg ccgagtcctg 180
ggatgagctg accctggcca ggnctgacct ggagntgcag atcgagggcc tgaatgaggn 240

agctagcctt acctgaagtg gnaccacgaa ggagggagat ggaaggagtt tcagcagcca 300
gttggccggn caagttcaat nttggagatg ggncgganca ccgggtgtgg gacctgacct 360
gn 362

<210> 659

<211> 447

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (147)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (175)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (202)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (204)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (228)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (240)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (247)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (286)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (294)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (353)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (445)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (446)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (447)
<223> n equals a,t,g, or c

<400> 659
gcttctnccg tccttctagg atctccgcct ggntcggccc gcctgcntcc actcctgcct 60
ctaccatgtc catcaagggtg acccagaagt cctacaaggn gtccacctct agcccccg 120

```
ccttcagcag ccgctcctac acgaatnggc ccggttcccg catcaacncc tegancttct 180
cccgaatagg cagcagcaac tntngcagtg gcctgggcgg cggtatngt ggggccagcn 240
gcatggnagg catcacgca gttacgggtca accagagcct gctgancccc cttntcctgg 300
aggtggaccc caacatccag gccgtgcgca cccaggagaa ggagcagatc aanaccctca 360
acaacaagtt tgcctcttca tagacaaggt aggttctctg agcagcagaa caagatgttg 420
gaaaccaagt agagctcctt gagcnnn 447
```

<210> 660

<211> 295

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (73)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (82)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (86)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (121)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (131)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (144)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (168)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (173)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (185)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (229)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (241)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (257)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (270)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<400> 660

```
ggnacgagcn aaggcctgca ccattctcct ccgggggggct agcaaagaaa ttctntcgga 60
agtagaacgn gancctccag gntgcnatgc aagtntgtcg caatgttctc ctggggaccct 120
nagctggtgc nagggggtgg ggcntccaaa atggctgtgg cccatgcntt ganagaaaaa 180
tccanggccca tggactggtg tgggaacaat ggccatacag ggctgttgnc cagggcccta 240
naggttcatt cctcgtnacc ctggatccan aaactgtggg gggncagcca ccatt      295
```

<210> 661

<211> 212

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<400> 661

```
gttggcgtgc tgggcctgga cctctggcag gtcaagtctg gcaccatctt tgacaacttc 60
ctcatcacca acgatgaggc atacgctgag gagtttggca acgagacgtg gggcgtaaca 120
aaggcagcag agaaacaaat gaaggacaaa caggacgagg agcagaggct taaggaggag 180
gaagaagaca agaaacgcaa agaggangan ga                                212
```

<210> 662

<211> 130

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (48)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (123)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (129)

<223> n equals a,t,g, or c

<400> 662

```
aaaatacatt ganatacatn atgaaggcca ctatnatacct cttctgntt gcacaacttt 60
cctgggctgg accntttcat cagacaggct tattagactc tatgctagaa catgaagctt 120
atnggatcng                                     130
```

<210> 663

<211> 232

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (21)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (138)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (139)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (195)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (205)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (216)
<223> n equals a,t,g, or c

<400> 663
gnctcatnnn gactgttctg ncccgattgt tgctgctggt gttggtgaat ttgaagctgg 60
tatctccaag aatgggcaga cccgagagca tgcccttctg gttacacac tgggtgtgaa 120
acaactaatt gtcggtgtna acaaaatgga ttccactgag ccaccctaca gccagaagag 180
atatgaggaa attgntaagg aagtnagcac ttaccnttaa gaaaaaactg gg 232

<210> 664
<211> 296
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (241)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (258)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (279)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (292)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (294)
<223> n equals a,t,g, or c

<400> 664
agcggagacc cgcaagcgca agggnctgaa agaaggcatc cctgccctgg acaacttcct 60
ggacaaattg taggtggccc ctgcagcgcc tgccgccccg gggactcgca gcacccacag 120
caccacgtcc cgaattctca gacgacacct ggagactgtc ccgacactcc cctgagaggt 180
ttctggggcc cgctgcggtc acgagggggg gcccggttac ccaattcgtc ctatagtgat 240
natttacaat tcaactggncg tcgttttaca agtcgtgtnt gagttttttt tntntt 296

<210> 665
<211> 376
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (282)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (334)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (335)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (336)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<400> 665

```
gggtcgaccc acgcgtccgg ttgcccga gaacacaggt gtcgtgaaaa ctaccctaa 60
aagccaaaat gggaaaggaa aagactcata tcaacattgt cgtcattgga cacgtagatt 120
cgggcaagtc caccactact ggccatctga tctataaatg cggtggtatc gacaaaagaa 180
ccattgaaaa atttgagaag gaggctgctg agatgggaaa gggctccttc aagtatgcct 240
gggtcttgga taaactgaaa gctgagcgtg aacgtgggat cnccattgga tatctccttg 300
tggaatttg agaccagcaa gtactatgtg actnnncatt gnatgcccc aggacacaga 360
gactttatcc agaaac                                     376
```

<210> 666

<211> 332

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (223)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (323)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (325)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (332)
<223> n equals a,t,g, or c

<400> 666
gccggatcct ncaatcttcg ctccccaat ctccgctcct ccacccagtt caggaacccg 60
cgaccgctcg cagcgctctc ttgaccacta tgagcctcct gtccagccgc gcggcccgtg 120
tccccgggcc ttcgagctcc ttgtgcgcgc tggttggtgct gctgctgctg ctgacgcagc 180
cagggcccat cgccagcgct ggctctgccg ntgctgtgtt ganagagctg cgttgccgtt 240
tgtttacaga ccacgcaagg agtccatccc aaaaatgatc agtaatntgc aagtgtncgc 300
cataggccca acagtgtctc aangngggaa gn 332

<210> 667
<211> 361
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (53)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (81)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (93)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (124)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (128)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (140)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (146)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (188)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (241)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (355)

<223> n equals a,t,g, or c

<400> 667

```
gtccttcgtg gagctaccgc tggccagcat tgtctcactt catgcctcca gcngcgggtgg 60
taggctgcag acctcaccgc naccgatcca gancactcct cccaaggaca cttgtagccc 120
gganctgntc atgtccttgn atccanacaa attgtgccga cgacgccatg gaccctggta 180
ctaaaganag agcttggtgc gcatttggaa ttgcaccatg cacgggcctg accttctggg 240
naccccagct gtgtaggcag aggacagggt gacaattttg tctttgcgca tggcntaatg 300
ccatctgtgg tcatgacagg ttgttcatca agtnnggant caggcaatga aggcngtggg 360
t
```

361

<210> 668
<211> 518
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (272)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (274)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (323)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (344)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (358)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (373)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (376)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (387)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (403)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (411)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (446)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (455)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (491)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (513)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (516)
<223> n equals a,t,g, or c

<400> 668
ggcacgagct cctcccagcg cttctacaag gagaacctgg gacagggctg gatgacccag 60
aagcatgagc ggatgaaggt ctatgtgccc actggcttct ctgccttccc ttttgagcta 120
ttgcacacgc ctgaaaagtg ggtgaggttc aagtacccaa agctcatctc ctattcctac 180
atggttcgtg ggggccactt tgcggccttt gaggagccgg agctgctcgc ccaggacatc 240
cgcaagtcc tgctgggtgct ggagcggcat gnanccaccc ctctcccccc gcttgccact 300
tccccccaca atgccctcca ggntttcttg ggggaagata accntttctg aggatgantt 360
tgctccgtc cntgnccag ttggganccc agttcaaccc ctnaaccttc nagttaattc 420
ccaaccccaa tcgtgtggta agcaanggt ttgangataa agatttaatc taaaaaaaaa 480
aaaaaaaaatc nggggggggc ccgtaacaat tgnccnaa 518

<210> 669
<211> 545
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (8)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (11)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (13)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (58)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (337)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (453)
<223> n equals a,t,g, or c

<400> 669
gcaagatnga nantaaccct cactaaaggg aacaaaagct ggagctccac cgcggtgncg 60
gccgctctag aactagtgga tcccccgggc tgcaggaatt cggcacgaga gatagaggag 120
gcttccctcc aagaggaccc cgggggtccc gagggaaacc ctctggagga ggaaacgtcc 180
agcaccgagc tggagactgg cagtgtccca atccttcaat tggtgatttc tgctgtgatg 240
taattgtatg caggggttgt ggaaaccaga acttcgcctg gagaacagag tgcaaccagt 300
gtggtgatcg tggcagaggt ggccctggtg gcatgcnggg aggaagaggt ggcctcatgg 360
atcgtggttg tcccgggtgga atgttcagag gtggccgtgg tggagacaga ggtggcttcc 420
gtggtggccg gggcatggac cgaggtggct ttngtggagg aagacgaggt ggccctgggg 480
ggcccctgga cctttgatgg aacagatggg aggaagaaga ggaggacgtg gaggacctgg 540
gaaaa 545

<210> 670
<211> 386
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (141)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (173)
<223> n equals a,t,g, or c

595

<220>
<221> misc feature
<222> (192)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (208)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (285)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (320)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (352)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (379)
<223> n equals a,t,g, or c

<400> 670
ggcggaactcg gtggctagcc gatgaggagg ccgcgggggg aaccggcccc cgggccccga 60
gaccgaactga gggagcgacc tgcgcagggc ccggggagtc atgtaagggt ggcacccctg 120
gctacagtca acatcttgat ntcactgtgc caactgcggt gcctgccctt canagccctg 180
cactttgttt tntccctggg cttcatcnac tacatcagtg gcacccctca tgctctgatt 240
gtgcgtcgct acctctccct gctggacacg gccgtggagc tgganctccc aagataccgg 300
ggtccccgcc ttccccgaan gcagtaagtg cccatcttcc cccaacctct cntcaccgac 360
cgtgcccgcgt gcaagtacng tcacaa 386

<210> 671
<211> 436
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (395)
<223> n equals a,t,g, or c

<400> 671
tggagacaga gcgaggggtt gaggagttgc ccctgtgcag ctgccgcatg gaggcaccca 60

```
agattgacag catcagcgag agggcggggc acaagtgcac ggccactgag agtgtggacg 120
gagagctgtc aggctgcaat gccgccatcc tcaagcggga gaccatgagg ccatccagcc 180
gtgtggccct gatggtgtc tgtgagaccc accgcgccc catggtcaaa caccactgct 240
gcccgggctg cggtacttc tgcacggcgg gcaccttcc ggagtggcac cctgacttcc 300
gtgtggccca ccgcttccac aaggcctgtg tgtctcagct gaatgggatg gtcttctgtc 360
cccactgtgg ggaggatact tctgaagctc aagangtgac catccccggg gtgacggggt 420
gacccaacgg ccggca                                     436
```

<210> 672

<211> 504

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (68)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (75)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (89)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (110)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (124)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (147)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (180)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (204)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (224)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (226)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (251)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (265)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (286)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (287)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (288)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (300)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (307)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (334)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (347)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (352)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (363)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (365)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (372)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (381)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (393)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (395)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (400)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (410)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (423)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (427)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (430)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (438)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (456)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (457)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (460)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (462)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (465)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (468)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (470)
<223> n equals a,t,g, or c

<220>
<221> misc feature

601

<222> (478)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (482)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (498)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (503)

<223> n equals a,t,g, or c

<400> 672

```
aattcggcac gagagcatat cnggtgcatc tnnгааagac atcgtgcact ctggntnggc 60
atacacantg gagcnntctg ccaggcaant tatgcgcaca gccatgaagn ataacctggg 120
tttngacctg agaacagctt cctatgntaa tgccattgng aangtcttca aagtgtacan 180
tgaagctggg gtgaccttca catngatgga ncatggctga cttncnact atcctcttca 240
catgtaactt ntgcagacct atcanaagtt tacatgtaac cacagnnntc cctttctctn 300
ctgactnatt aataatggct accattctta acangttaat ccaagtncag cncgtttaag 360
ggngnaaagg antcaagggt nggcgggttc attncaagn tgcgtgtggn agtagtaatt 420
ctnctgnan cagtgggncc attttgggt attttnnctn tnaantanag agggctantt 480
tnatcttgtt gttgcagnct ttnc 504
```

<210> 673

<211> 431

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (34)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (103)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (422)

<223> n equals a,t,g, or c

<400> 673

```
aatacccaca ccnaacggga caaaaacctg gaanaccacc gaggtggcgg ccgcncatag 60
aactagtggg acccccaggg ctgcaggaat tcgggcacga ggnagagcgg acnngtgagc 120
agtactgcgg cctcctctcc tctcctaacc tcgctctcgc ggctagctt tacccgcccg 180
cctgctcggc gaccagaaca ccttccacca tgaccacctc agcaagttcc cacttaaata 240
aaggcatcaa gcaggtgtac atgtccctgc ctcagggtga gaaagtccag gccatgtata 300
tctggatcga tggtagtgga gaaggactgc gctgcaagac ccggaccctg gacagtgage 360
ccaagtgtgt ggaagagttg cctgagtggg atttcgatgg ctctagtact tnacagtctg 420
anggttccag t                                     431
```

<210> 674

<211> 370

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (23)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (81)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (238)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (309)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (360)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (369)
<223> n equals a,t,g, or c

<400> 674
cgggcgggaa agtcaagata cnngctttnc tanccttggtg gagagagtta tccaacaatt 60
ggaaggtgct ttgcaacttg ngtttaaaag tggttcatttt cccgggcaag cagntggcac 120
aaggcgaggt agccctctgt tgattggtgt acggagtga cataaacttt ctactgatca 180
cattcctata ctctacagaa caggcaaaga caagaaagga agctgcaatc tctctcgngt 240
ggacagcaca acctgccttn tcccggngga agaaaaagca gnggagtatt actttgcttc 300
tgatgcaann gctgcataga acacaccaat cgcgtcatct ttctggaaga tgatgatgt 360
gcagcaagna 370

<210> 675
<211> 363
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (49)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (50)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (57)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (65)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (99)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (211)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (212)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (215)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (298)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (316)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (318)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (325)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (329)
<223> n equals a,t,g, or c

<400> 675
ggcanagaga agagagagag agagagagag agactcgtaa ttcggcagnn cccccangta 60
cagtncccttc aagcctacaa gccccgagag aatgatgant tggcactgga gaaagccgac 120
gtggtgatgg tgactcacca gagcagtgca cggctggctg gagggcgta ggctctcaga 180
cggggagcga ggctgggttc ctgtgacagc nntgngagtt catctccaac ccagaggtcc 240
gtgacacaga acctgaaggg aagcttcatc gagtgcaaga cttgccaaac tacagctngt 300
gggaacagca agcctnantt ttctnctgna gaaggagttt tcgtgagctg gaagaacaag 360
ttg 363

<210> 676
<211> 441
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (214)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (413)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (441)

<223> n equals a,t,g, or c

<400> 676

```
ccgaggacca gcgcaacgag gagaaggcgc acgtgaggcc aacaaaaaga tcgagaagca 60
gctgcagaag gacaagcagg tctaccgggc cacgcaccgc ctgctgctgc tgggtgctgg 120
agaatctggt aaaagcacca ttgtgaagca gatgaggatc ctgcatgtta atgggtttaa 180
tggagacagt gagaaggcaa ccaaagtgcg gganatcaaa aacaacctga aagaggcgat 240
tgaaaccatt gtggccgcca tgagcaacct ggtgcccccc gtggagctgg ccaaccccga 300
aaaccagtgc agagtggact acatcctgag tgtgatgaac gtgcctgact ttnacttccc 360
tcccgaattc tatgagcatg ccaaggctct gtggggangat gaangagtgc gtnctgcta 420
cgaacgctcc aacgaatacn n 441
```

<210> 677

<211> 550

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (217)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (429)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (482)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (484)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (487)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (523)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (542)
<223> n equals a,t,g, or c

<400> 677
gcgactcgca gcgccaggcc accaaggatg cgggtgtgat cgcggggctc aacgtgctgc 60
ggatcatcaa cgagcccacg gccgccgcca tcgcctacgg cctggacaga acgggcaagg 120
gggagcgcaa cgtgtctatc tttagcctgg gcggggggcac cttegacgtg tccatcctga 180
cgatcgacga cggcatcttc gaggtgaagg ccacggncgg ggacaccac ctgggtgggg 240
aggactttga caacaggctg gtgaaccact tcgtggagga gttcaagaga aaacacaaga 300
aggacatcag ccagaacaag cgagccgtga ggcggctgcg caccgctgcg agagggccaa 360
gaggaccctg tcgtccagca cccaggccag cctggagatc gacttccttg ttttgagggc 420
atcgacttnt acacgttcat caccagggcg aagggttcgaa ggagctgtgc ttccgacctt 480
gntnccnaaa caccctggg aaccctgtg gaaaaaggc ttnttgcgc gaaaggccca 540
ancttgggac 550

<210> 678
<211> 435
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (134)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (401)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (423)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (434)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (435)
<223> n equals a,t,g, or c

<400> 678
tgcaggaaga gctcgtggaa gaggtggtgg ccccgagtc aaactggnaac caggnatata 60
gtaactattg gaatcaaggc tatggcaact atggatataa cagccaagggt tacggtggtt 120
atggaggata tggactacac tggttacaac aactactatg gatatggtga ttatagcaac 180
cagcagagtg gttatgggaa ggtatccagg cgagggtggtc atcaaaatag ctacaaacca 240
tacttaaatt attccatttg caacttatcc ccaacagggtg gtgaagcata ttttnccatt 300
tgaagggttc tttgaggggg gctccgccc gncttaatt ggcnttccaa ctaaattttt 360
gggtatccag tcccnatgg gagtntgcgg tggggccccc nggagtttaa ttcgggggtcc 420
cctaaagga tttnn 435

<210> 679
<211> 390
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (164)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (217)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (287)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (330)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (333)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (371)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (390)
<223> n equals a,t,g, or c

<400> 679
cggacgcgtg ggctctggcc cctggtcctg tcctgttctc caacatgggtg tgtctgaagt 60
tccctggaag ctccctgcatg gcagctctga cagtgcact gatggtgctg aactccccac 120
tggctttggc tggggacacc cgaccacgtt tcttgagca ggtnaacat gaatgtcatt 180
tcttcaacgg gacggaacgg gtgcggttcc tggacanata cttctatcac caagaagaat 240
acgtgcgctt cgacagcgac gtgggggaat accgggcggg gacgganctg gggcggccta 300
actccgaata ctggaacagc cagaaagacn ccngggacag aagcgggccg cgggtggacac 360
ctactgcaga nacactacgg gggtgggtgn 390

<210> 680
<211> 343
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (2)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (8)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (11)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (18)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (121)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (122)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (132)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (158)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (160)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (175)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (197)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (202)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (223)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (272)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c

<400> 680

```
anngtcanac ngacagtnac cgtccggatt cccgggtcga cccacgcgtc cgtgaggtta 60
cagattatgc cattgccagg cgcatagtag atttgcattc aagaattgag gaatcaattg 120
nnaatatcta tnccctcgat gatatcagaa gatatctnctn ctatgcaaga aagtntaaac 180
ccaagaattc caaagantca gnggacttca ttgtggagca atntaaacat ctccgcccgn 240
aagatggggt ctggagtagc ccagtcttca tngagggntn cagttgcggc cncattgagg 300
gccttggatc cgtctctctt ggaagccaat ngctccgggt gcc 343
```

<210> 681

<211> 523

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (22)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (72)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (141)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (383)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (442)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (487)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (500)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (503)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (514)
<223> n equals a,t,g, or c

<400> 681
natcttcggt gacactnttg anggnacgcc cgcaggtacc cgggtccggaa ttcccgggtc 60

```
gacccacgcg tncgccaat ttaccaatc tatcacccta tagaagagct aatgttagta 120
taagtaacat gaaaacattc ncctccgcat aagcctgctg cagattaaaa cactgaactg 180
acaattaaca gcccaatata tacaatcaac caacaagtca ttattaccct cactgtcaac 240
ccaacacagg catgctcata aggaaagggt aaaaaaagta aaaggaactc ggcaaatctt 300
accccgctcg ttaccacaaa acatcacctc tagcatcacc agtattagag gcaccgctcg 360
cccagtgaca catgtttaac ggncgcggta ccctaaccgt gcaaaggtag cataatcact 420
tggtccttaa ttagggacct gnatgaatgg ctccacgagg gtcagctggc tcttactttt 480
aaccagnгаа attgacctgn cgngaagagg cggnatgaca cag 523
```

<210> 682

<211> 713

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (423)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (583)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (595)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (605)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (626)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (633)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (640)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (646)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (660)

<223> n equals a,t,g, or c

<400> 682

```
ggtcaaccca acacaggcat gtcataagg aaagggttaa aaaagtaaaa ggaactcggc 60
aaatcttacc cgcctgttt accaaaaaca tcacctctag catcaccagt attagaggca 120
ccgcctgccc agtgacacat gtttaacggc cgcggtaccc taaccgtgca aaggtagcat 180
aatcacttgt tccttaaata gggacctgta tgaatggctc cacgagggtt cagctgtctc 240
ttacttttaa ccagtgaat tgacctgcc gtgaagaggc gggcatgaca cagcaagacg 300
agaagaccct atggagcttt aatttattaa tgcaaacagt acctaacaaa cccacaggtc 360
ctaaactacc aaacctgcat taaaaatttc ggttggggcg acctcggagc agaaccacac 420
ctncgagcag tacatgctaa gacttcacca gtcaaagcga actactatac tcaattgac 480
caataacttg accaacggaa caagttaccc tagggataac agcgcaatcc tattctagag 540
tccatatcaa caatagggtt tacgaacctc gatgtttgat cangacattc ccatngtgca 600
gcccncctatt taaaagggtc gttggtcac gantaaaggn cctacntgaa ctgagttcan 660
aaccggagta aattccaagg cggtttttta tctaccttaa aattcccccc tgg 713
```

<210> 683

<211> 289

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (73)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (80)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (225)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (237)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (240)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (252)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (287)
<223> n equals a,t,g, or c

<400> 683
tccccntact aaagngaaca aaagctgnag ctccaccgcg gtggcggccg ctctagaact 60
agtggatccc ccnggctgcn tgaattcggc acgagcggca cgaggccctg cggggtgtac 120
accccccggt gcggtctcggg cctgctctgc taccgcgccg gaggggtgga gaagccctg 180
cacacactga tgcacgggca aggcgtgtgc atggagctgg cgganatcga ggccatncan 240
gaaagcctgc anccctctga caaggacgag ggtgaccacc ccaacanca 289

<210> 684
<211> 464
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (4)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (353)
<223> n equals a,t,g, or c

<400> 684
ggangagccc agccctggga ttttcaggtg gtttcatttg gtgaacagga ctgaacagag 60
agaactcacc atggaatttg ggctgagctg gctttttctt gtggctattt taaaaggtgt 120

```
ccagtgtgag gtgcaattgg tggagtctgg gggaggcttg gtacagcctg ggggggccct 180
gagactctcc tgtacagtct ctggattcac ctttcgcaac tatgccatga gttgggtccg 240
ccagggtcca ggaaggggc tggaatgggt ctcagcaatt gacggtagtg gttataaacac 300
atactacgag aggtccctgc agggccgctt tagtgtctcc agagacaatt ccnagaacac 360
actatatctg caaatgaaca gcctgggagc cgaggacacg gccatctatt attgtgcgaa 420
gacagaacgt atgggtactg gctggtacgg acgaaatgac tact 464
```

<210> 685

<211> 545

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (428)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (442)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (456)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (457)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (505)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (509)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (536)
<223> n equals a,t,g, or c

<400> 685
attgantccn ttananaccn cctttatacg actcactata gggaaagctg gtacgcctgc 60
agggtaccggt cgggaattcc cgggtcgacc cagcggtccg gaccgtcacc cctggagaga 120
cggcctccat ctccctgcagg tctagtcaga ccctcctgca tgtcaatgga cacaactatt 180
tggattggta catgcagaag ccagggcagc ctccacagct cgtggtctat aggggttcca 240
atcgggcctc cgggggtccct gacaggttca gtggcggtgg atcaggcaca gattttacac 300
ttagaatcac cacggtggag gctgangatg ttggcgttta ttactgcatg caagctctac 360
aaagtccgta cacttttggc caggggacca agctggagat caaacgaact gtgggctgca 420
ccatctgnct tcactctncc gncatctgat gaacanntga aatctggaac tgcctctggt 480
gggggcctgc tgaataactt ctatnccana gaggcccaa gtaccagtgg aaaggnggga 540
taacg 545

<210> 686
<211> 496
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (358)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (472)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (481)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (488)

<223> n equals a,t,g, or c

<400> 686

```
ctactaaagg gaacaaaagc tggagctcca ccgcggtggc ggccgctcta gaactagtgg 60
atcccccggg ctgcaggaat tcggcacgag cggctggggc ctgaggatca gccgcttcct 120
gcctggattc cacagcttcg cgccgtgtac tgtcgcccca tccctgcgcg ccagacctgc 180
caagcagcgt gccccggttg caggcgatcat gcagcgggag cgacccacgc tctggggccgc 240
tgcgctgact ctgctggtgc tgctccgcgg gccgcccgtg gcgcgggctg gcgcgagetc 300
ggggggcctt ggtcccgttg tgcgctgcga accgtgcgac gcgcgtgcac tggcccantg 360
cgcgcccttc gcccgccgtg tgcgcccga cttggtgcgc caagccgggc ttgcggntgc 420
tgccctgacgt gcgcactgag cgaaggcca gccgtgcggn atctacaccg ancgctgtgg 480
nttccggnet tcgttg                                     496
```

<210> 687

<211> 476

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<400> 687

```
gcncganacn aaccctcact aaagggaaca aaagctggag ctccaccgcg gtgcnccgc 60
tctagaacta gtggatcccc cgggctgcag gaattcggca cgagattgat gacaccaata 120
tcacacgact gcagctggag acagagatcg aggtctctcaa ggaggagctg ctcttcatga 180
agaagaacca cgaagaggaa gtaaaaggcc tacaagccca gattgccagc tctgggttga 240
ccgtggaggt agatgcccc aaatctcagg acctcgccaa gatcatggca gacatccggg 300
cccaatatga cgagctggct cggaagaacc gagaggagct agacaagtac tggcttcagc 360
agattgagga gagcaccaca gtggtcacca cacagtctgc tgagggttga gctgctgaga 420
cgacgctcac agagctgaga cgtacagtcc agtccttgga gatcgacctg ggactt 476
```

<210> 688

<211> 483

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<400> 688

```
anantaaccc tcactaaagg gaacaaaagc tggagctcca ccgcggtgcg gccgctctag 60
aactagtgga tccccgggc tgcaggaatt cggcacgagc aggttcccgc ccggaagaag 120
cgaccaaagc gcctgaggac cggcaacatg gtgcggtcgg ggaataaggc agctgttgtg 180
ctgtgtatgg acgtgggctt taccatgagt aactccattc ctggtataga atccccattt 240
gaacaagcaa agaaggtgat aaccatgttt gtacagcgac aggtgtttgc tgagaacaag 300
gatgagattg ctttagtcct gtttggtaca gatggcactg acaatccctt ttctgggtgg 360
gatcagtatc agaacatcac agtgcacaga catctgatgc taccagattt tgatttgctg 420
gaggacattg aaaagcaaaa tccaaccagg ttctcaacag gctgacttcc tgggatgcac 480
taa 483
```

<210> 689

<211> 339

<212> DNA

621

<213> Homo sapiens

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (135)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (236)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (289)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<400> 689

aggcaggagg aagccgatcg aaaactcaga gaggaggaag agaagaggag gctaaaggaa 60
gagattgaaa ggcgaggagc agaagctgct gagaaacgcc agaagatgnc agaagatggc 120
ttgtcagatg acagnaaacc attcaagtgt ttcantccta aaaggttcat ctcttcaaga 180

622

tagaagagcg agcagatttt tgattaagtc tgtgcagaaa agcagtgggtg ttcaantcga 240
cccttcaagc agcattagtn ttccaagttt gacagcagan tggagcatnt taccatggca 300
tttgagggga ccaaaagcag ccaaaacctt aaaaaanna 339

<210> 690
<211> 594
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (2)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (473)
<223> n equals a,t,g, or c

<400> 690
gntgctttct ccaccagaag ggcacacttt catctaattt ggggtatcac tgagctgaag 60
acaaagagaa gggggagaaa acctagcaga ccaccatgtg ctatgggaag tgtgcacgat 120
gcatcggaca ttctctgggtg gggctcgccc tcctgtgcat cgcggtaat attttgcttt 180
actttcccaa tggggaaaca aagtatgcct ccgaaaacca cctcagccgc ttcgtgtggt 240
tcttttctgg catcgtagga ggtggcctgc tgatgctcct gccagcatth gtcttcattg 300
ggctggaaca ggatgactgc tgtggctgct gtggccatga aaactgtggc aaacgatgtg 360
cgatgctttc ttctgtattg gctgctctca ttggaattgc aggatctggc tactgtgtca 420
tttgggcagc ccttggtcta gcagaaggac cactatgtct tgattccctc ggnacgtgga 480
actacacctt tgccagcacc gagggccaag taccttctgg ataccttcac atggtccgag 540
tgactgaac ccaacacatt ggggaatgga atggatctct ggtttctatc ctct 594

<210> 691
<211> 538
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (6)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (9)
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<400> 691

```
ganganacna accctcacta aagggaacaa aagetggagc tccaccgcgg tgcgnccgct 60
ctagaactag tggatcccc gggtgcagg aattcggcac gagcgcatga ctttgtcttc 120
tccgcacgac tgttacagag gtctccagag ccttctctct cctgtgcaaa atggcaactc 180
ttaaggaaaa actcattgca ccagttgcgg aagaagaggc aacagttcca aacaataaga 240
tcactgtagt ggggtgttga caagttggta tggcgtgtgc tatcagcatt ctgggaaagt 300
ctctggctga tgaacttgct cttgtggatg ttttggaaga taagcttaaa ggagaaatga 360
tggatctgca gcatgggagc ttatttcttc agacacctaa aattttggca gataaagatt 420
attctgtgac cgccaattct aagattgtag tggtaactgc aggagtccgt cagcaagaag 480
gggagagtcg gctcaatctg gtgcagagaa atgttaatgt cttcaaattc attattcc 538
```

<210> 692

<211> 201

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (125)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (143)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (161)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (165)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<400> 692

```
gctcattgcc acgcgcccc gacgaccgcc cgacgtgcat tcccgattcc ttttggttcc 60
aagtccaata tggcaactct aaaggatcag ctgatttata atcttctaaa ggaagaacag 120
accnccaga ataagattac agntgttggg gttggtgctg ntggnatggc ctgtgccatc 180
aanatcttaa tgaaggactt g                                     201
```

<210> 693
<211> 589
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (2)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (23)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (271)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (312)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (342)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (354)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (377)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (401)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (424)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (437)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (466)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (491)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (551)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (571)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (572)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (576)
<223> n equals a,t,g, or c

<400> 693
nncaaaaaagt acctaggtga cantatagaa ggtacgcctg caggtaccgg tccggaattc 60
ccgggggttgt taacttggtt attgcagctt ataatggtta caaataaagc aatagcatca 120
caaatttcac aaataaagca tttttttcac tgcattctag ttgtgggttg tccaaactca 180
tcaatgtatc ttatcatgtc tggatcgatc ctgcattaat gaacggccaa cgcgcgggga 240
gaggcggttt gcgtattggc tggcgtaata ncgaaaagcc cgcaccgatc gcccttccca 300
acagttgcgc anctggaatg gcgaatggga cgcgccctgt ancggcgcgt taancgcggc 360
gggtgtgttg gttaccncaa cgtgaccgct acacttgcca ncgccctaac gcccgctcct 420
ttcnctttct tcccctncc tctccccca cgttccgcgc ggtttncccc gtc aaactct 480
aaatccgggg ntccccttta agggttccca atttaattgc ttaacggcac ctccaacccc 540
aaaaaaactt naataagggg tgaatggttc nnctanttgg gccaccccc 589

<210> 694
<211> 386
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (59)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (135)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (149)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (173)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (202)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (204)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (244)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (326)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (340)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (369)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (370)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (383)
<223> n equals a,t,g, or c

<400> 694
ggcaaaagcat ggggcagcga gtgtgagaaa tgccctctgc ctggcacaga ggccttcana 60
gagatctgcc ctgccggcca cggctacacc tacgcgagct ccgacatccg cctgtccatg 120
aggaaagccg aggangaaga actggcaang cccccaaggg agcaagggca gangagcagc 180
tgggcactgc ccgggccaac ananaagcag cccctccggg ttcgtcacgg acacctggct 240
tggangccggg accatccctg acaagggtga ctctcaagct ggccagggtca cgaccagtgt 300
cactcatgca cctgcctggg tcacanggaa atgccacaan cccacccaat gcctgaacag 360
ggaattgcnn aaaattccgg aaaaaa 386

<210> 695
<211> 475
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (231)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (278)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (423)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (459)
<223> n equals a,t,g, or c

<220>
<221> misc feature

628

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (465)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (466)

<223> n equals a,t,g, or c

<400> 695

```
ggttcacagc atatatattggt ggattcttgt ccatagtgca tctgctttaa gaattaacga 60
aagcagtgtc aagacagtaa ggattcaaac catttgccaa aaatgagtct aagtgcattt 120
actctcttcc tggcattgat tgggtgtacc agtggccagt actatgatta tgattttccc 180
ctatcaattt atgggcaatc atcaccaaac tgtgcaccag aatgtaactg ncctgaaagc 240
taccgaagtg ccatgtactg tgatgagctg aaattganaa gtgtaccaat ggtgcctcct 300
ggaatcaagt atctttacct taggaataac cagattgacc atattgatga aaaggccttt 360
gagaatgtaa ctgatctgca gtggctcatt ctagatcaca accttctaga aaactccaag 420
atnaaaggga gagttttctc taaattgaaa caactgaana agntnntata accac 475
```

<210> 696

<211> 444

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (410)

<223> n equals a,t,g, or c

<400> 696

```
tatcaagtgt actccaaaat ccaggcaaca aacacatggc tgtttctaag tagctgtaac 60
ggaaatgaaa cttctctttg ggactgcaag aactggcaat ggggtggact tacctgtgat 120
cactatgaag aagccaaaat tacctgtcga gccacaggg aaccagact ggttggaggg 180
gacattccct gttctggacg tgttgaagtg aagcatggtg acacgtgggg ctccatctgt 240
gattcagact tctctctgga agctgccagc gttctatgca gggaattaca gtgtggcaca 300
gttgtctcta tcctgggggg agctcacttt ggagagggaa tggacagatc tgggctgaag 360
aattccagtg ttgagggaca tgaatcccca tctttcatct tnccagtagn aaccccgcgc 420
aaaaggaact tgtagccaca gcaa 444
```

<210> 697

<211> 411

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (305)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (370)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (391)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (410)

<223> n equals a,t,g, or c

<400> 697

```
aacatggcgg gtgtggagga ggtagcggcc tccgggagcc acctgaatgg cgacctggat 60
ccagacgaca gggaagaagg agctgcctct acggctgagg aaanagccaa gaaaaaaga 120
cgaaagaaga agaagagcaa agggccttct gcaggtaaag agagttttat gttttcccag 180
tcccctccgg gaacggctga actgtttggc tcaggcccgt tgagggggcc gggaccgggg 240
ccccagagcc ccgactagac tgattcttgg gcctgacagg gtggcaaagc cgggctatag 300
atcanggtgc acctgagctt tctctgatgt atgccangc agatctccag gtattcagag 360
cacctgcttn cccancctgt tagtcttagt nacccaacc tcctgtgcan a 411
```

<210> 698

<211> 135

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (21)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (27)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (54)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (65)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (79)
<223> n equals a,t,g, or c

<400> 698
ggcgtgggtt tccgggaggg nacctgnggg gccagaccc agcgcattccg gtgnaggggtg 60
ccctncaact ggaagatgna ttctgagccg atttcaagta caaagtttta gaacttgggg 120
tgcgtgtgat taggg 135

<210> 699
<211> 434
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (7)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (15)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (18)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (56)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (61)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (321)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (368)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (369)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (391)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (394)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (427)
<223> n equals a,t,g, or c

<400> 699
cgtacangag ctganggnga gcgcgcctgc aggtcgacac tagtgatcc aaagantgtc 60
ngcacagttt tctctcttgg agcatgcatg gaaggcctga atattttgct taacagactg 120
ttggggattt cattatatgc agagcagcct gcaaaaggag aggtgtggag cgaagatgtc 180
cgaaaactgg ctgttgttca tgaatctgaa ggattgttgg ggtacattta ctgtgatttt 240
tttcagcgag cagacaaacc acatcaggat tgccatttca ctatccgtgg aggcagacta 300
aaaggaagat gggagactat ncaactccca gttgtaagtt cttatgctgg aatcttcccc 360
gttcccgnna gggagttctc caactttggc naangcctgg gcatgatggg aaaacctttc 420
ccagganggg ggac 434

<210> 700
<211> 435

632

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (118)

<223> n equals a,t,g, or c

<400> 700

```
gccgagcgca cgccttgccg ccgccccgca gaaatgcttc ggttaccac agtctttcgc 60
cagatgagac cgggtgtccag ggtactggct cctcatctca ctggggctta tgccaaanat 120
gtaaaaattg gtgcagatgc ccgagcctta atgcttcaag gtgtagacct tttagccgat 180
gctgtggccg ttacaatggg gccaaaagga agaacagtga ttattgagca gagtggggga 240
agtcccaaag taacaaaaga tgggtgtgact gttgcaaagt caattgactt aaaagataaa 300
tacaagaaca ttggagctaa acttgttcaa gatgttgcca ataacacaaa tgaagaagct 360
ggggatggca ctaccactgc tactgtactg gcacgctcta tagccaagga aggcttcgag 420
aagattagca aaggt                                     435
```

<210> 701

<211> 406

<212> DNA

<213> Homo sapiens

<400> 701

```
aaaatttggt gcagatgccc gagccttaat gcttcaaggt gtagaccttt tagccgatgc 60
tgtggccggtt acaatggggc caaaggggaag aacagtgatt attgagcaga gttgggggaag 120
tcccaaagta acaaaagatg gtgtgactgt tgcaaagtca attgacttaa aagataaata 180
caagaacatt ggagctaaac ttgttcaaga tgttgccaat aacacaaatg aagaagctgg 240
ggatggcact accactgcta ctgtactggc acgctctata gccaaaggaag gcttcgagaa 300
gattagcaaa ggtgctaatac cagtggaaat caggagaggt gtgatgttag ctgttgatgc 360
tgtaattgct gaacttaaaa agcagtctaa acctgtgacc acccct                                     406
```

<210> 702

<211> 266

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (203)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (215)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (239)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (252)
<223> n equals a,t,g, or c

<400> 702
tgtgagttca agcgggtgcc gcagtgcccc agcgggaggg tctacgtgct gaagttcaag 60
gcagggtcca agcggctttt cttctggatg caggaaccca agacagacca ggatgaggag 120
cattgccgga aagtcaacga gttatctgga acaaccccc gatgcctggg gcaactggggg 180
ccagcggaac agcggccacg aantctctgc gctangcggg tgagggtggcn tgcagagcnt 240
gctggggaaa cntgagccac agccag 266

<210> 703
<211> 244
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (194)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (207)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (208)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (211)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (216)
<223> n equals a,t,g, or c

<400> 703
tacctacgcc taatctactc cacctcaatc aactactcc ccatatctaa caacgtaaaa 60
ataaaatgac agtttgaaca tacaaaaccc accccattcc tccccacact catcgccctt 120


```
accacgctac tcctacctat ctccccctttt atactaataa tcttataaaa aaaaaaaaaa 180
aaaaaaaaaa aaangggggg gccgggnccc natttngccc aaaggggggg ggtttttaaaa 240
ttca                                         244
```

<210> 704

<211> 462

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (162)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (186)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (189)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (206)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (215)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (224)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (259)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (270)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (294)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (314)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (321)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (323)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (336)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (356)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (358)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (401)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (406)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (427)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<400> 704

gtaagancta agtgaccctc ggctgctgca ggggatctgc agcgnactgc agccatgggg 60
gcccacctgg tccggcgcta cctgggcgat gcctcggtgg ancccgaacc cctgcagatg 120
ccaaccttcc cgccagacta cggcttcccc gaacgcaagg ancgcganat ggtggccaca 180

cancangana tgatggacgc gcactnaagc tccanctgcg ggantactgc gcccaccaac 240
tcattccgggt gctcaattnc aaccttaaan cttccccccac ttcccttggt tgcnaaccag 300
gaacgggaca aatnggaata ntnccaaaca cccanaant tttnttnccc ttaaanantt 360
tttaaacgga aacgaagggt ntcccccccg gaaaaaaaaac nggggnaaaa aaaggggaaa 420
tttttttnccc cccccccgccc cgnggaaatt ttcccccccg tt 462

<210> 705

<211> 436

<212> DNA

<213> Homo sapiens

<400> 705

gaaggtcagc gccgtaatgg cgttcttggc gtcgggaccc tacctgaccc atcagcaaaa 60
ggtgttgccg ctttataagc gggcgctacg ccacctcgag tcgtggtgcg tccagagaga 120
caaataccga tactttgctt gtttgatgag agcccgggtt gaagaacata agaataaaaa 180
ggatatggcg aaggccaccc agctgctgaa ggaggccgag gaagaattct ggtaccgtca 240
gcattccacag ccatacatct tccctgactc tcctgggggc acctoctatg agagatacga 300
ttgctacaag gtcccagaat ggtgcttaga tgactggcat cttctgaga aggcaatgta 360
tcctgattac ttgccaaga gagaacagtg gaagaaactg cgggagggaa agctgggaac 420
gagagggttaa gcagct 436

<210> 706

<211> 487

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (34)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (51)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (72)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (107)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (120)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (122)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (127)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (130)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (161)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (176)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (190)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (202)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (229)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (279)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (289)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (293)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (341)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (346)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (359)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (371)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (378)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (384)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (404)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (442)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (453)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (467)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (483)
<223> n equals a,t,g, or c

<400> 706
gccagaagaa cactgctgct cttggngggac ggggccagag gaatncagag ntaaacccttg 60
agngcctgcg tncgtgagaa ttcagcatgg aatgactcta ctatttinctg ggatttctgn 120
tncgtgntgn aagattgcca cttgatgccg ccaaacgatt ncatgatgag ctgggnaatg 180
aaagaccttn tgcttacatg anggagcaca atcaattaaa tggctggtnt tctgatgaaa 240
atgactggaa tgaaaaactc taccagtggt ggaagcgng agacatgang tngaaaaaac 300
tgctggaagg gagggccgtg tgcaaggcgg tcctgaccag ngactnacca acccttgng 360
ggctcaaata naacattngc cggngaacct gatattccct aaangccaaa aggaagaagc 420
caatggcaac ataggctatg anaagaactg ganaaatgaa gctgggntaa acagctgaac 480
canaagg 487

<210> 707
<211> 414
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (178)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (214)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (219)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (365)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (368)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (382)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (402)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (408)
<223> n equals a,t,g, or c

<400> 707
ggttgttctc tggagcagcg ttcttttata tccgtccgcc ttctctccta cctaagtgcg 60
tgccgccacc cgatggaaga ttcgatggac atggacatga gcccctgag gcccagAAC 120
tatcttttcg gttgtgaact aaaggccgac aaagattatc actttaagggt ggataatnat 180
gaaaatgagc accagttatc tttaagaacg gtcngtttng gggctggtgc aaaggatgag 240
ttgcacattg ttgaagcaga ggcaatgaat tacgaaggca gtccaattaa agtaaacactg 300
gcaactttga aaatgtctgt acagccaacg gtttccctc tgggggcttt gaataacacc 360
accanggncc ttaagggtga antgtggttc agggccatgc cnattagnng acag 414

<210> 708
<211> 360
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (287)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (335)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (343)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (352)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (355)
<223> n equals a,t,g, or c

<400> 708
gaaaagccat ctttgcatg ttctcatcc gcctccttgc tcgccgcagc cgcctccgcc 60
gcgcgcctcc tccgccgccg cggactccgg cagctttatc gccagagtcc ctgaactctc 120
gctttctttt taatcccctg catcggatca ccggcgtgcc ccaccatgtc agacgcagcc 180
gtagacacca gctccgaaat caccaccaag gacttaaagg agaagaagga agttgtggaa 240
gaggcagaaa tggaagagac gccctgctaa cgggatgcta atgaggnaat ggggagcagg 300
aggtgacatg aggtagccga gaagaggaag aagtngggag aanagagaga anaanaagtt 360

<210> 709
<211> 253
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (9)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (17)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (30)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (72)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (80)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (110)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (138)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (183)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (189)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (199)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (241)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (252)
<223> n equals a,t,g, or c

<400> 709
aaagctatnt cgggtganact atataaggtn cgcctgcagg taccgggtccg gaattccccg 60
gtcgacccac gngtccgctn cgggtggtgaa caagtctcca gcaccataatn tggtttgtct 120
ggcccacccat cccggcgngg accttttccg ttagcgtggg tgatattgtt cctgctcgag 180
gcncaaatng gtccttgga tctccttcca tctgcccatt aactctcgca agtgcctccg 240
ngaggaaatt cnc 253

<210> 710
<211> 496
<212> DNA
<213> Homo sapiens

<220>

<221> misc feature
<222> (11)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (14)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (220)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (289)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (304)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (312)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (342)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (344)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (357)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (371)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (376)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (386)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (404)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (407)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (412)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (413)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (420)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (460)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (463)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (469)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (476)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (483)

<223> n equals a,t,g, or c

<400> 710

```
gaattcggca nagnaagagc tcctgacaca acctggagac tggacattat ttgtgccaac 60
caatgatgct ttttaagggaa tgactagtga agaaaaagaa attctgatac gggacaaaaa 120
tgctcttcaa aacatcattc tttatcacct acaccaggag ttttcattgg aaaaggattt 180
gaacctggtg ttactaacat ttttaaagac cacacaaggn agcaaaatct ttctggaagg 240
aagtgaatg gttacacttc tgggtgaatg atttgaaaat ccaaaagant ctgacatcca 300
tggncacca anggtggtaa tttcatgttg taggttaaac tncncttttc cagcagncac 360
accttttggg natggnntcaa ctggtnggga tacttgatta ttnatncaa tnnctcccn 420
atttaagggt ttttccgggg tggggccctt caaggggaatn ccngggctnt ttttnacac 480
ctnaattttt tcccc                                     496
```

<210> 711

<211> 461

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (221)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<400> 711

```
ntncaatgga anctccctgg agctttcacc gcggtgnccg gccgctctag aactagtgga 60
ttnccegggc tgcaggaatt cggcagcagg tcgcagacac tatgctgcct cccatggccc 120
tgcccagtgt atcttggaatg ctgctttcct gcctcatget gctgtctcag gttcaagggtg 180
aagaacccca gaggaactg ccctctgcac ggatccgctg ncccaaaggc tccaaggcct 240
atggctcca ctgctatgcc ttgtttttgt caccaaaatc ctggacagat gcagatctgg 300
cctgccagaa gcggccctct ggaaacctgg tgtctgngct cagtggggct gagggatcct 360
tcgngcctcc ctggtgaaga gcattggtaa cagctactca tacgtctgga ttgggctcca 420
tgaccccaaca cagggcaccg agcccaatgg ataaagggtg g 461
```

<210> 712

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (359)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<400> 712
cgcaaccttt ccaagggagt ggttgtgtga tcgccatctt agggaaaaga tggtctcgtc 60
cgtggcgcac ctggcgcggg cgaacccctt caacacgcca catctgcagc tggcgcacga 120
tggtctcggg gacctccgca gcagctcccc agggcccaag ggccagcccc gccgccctcg 180
caacctggca gccgccgccg tggaagagca gtatagctgt gactatggat ctggcagatt 240
ctttatcctt tgtggacttg gaggaattat tagctgtggc acaacacata cagcattggt 300
tcctctagat ctgggttaaata gcagangcag gtttgttttt gcatgctgga cttagagcna 360
ttgaagcntg actgangtta agtattagna ta 392

<210> 713
<211> 734
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (235)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (256)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (373)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (496)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (580)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (601)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (642)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (655)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (690)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (703)
<223> n equals a,t,g, or c

<400> 713
gagaaaaagg tggaacggca gacggaactt aagcgcaa atgaacagat gaaacaagat 60
aggatcacca gataccaggg tggttaattt tatgtgaaaa atcttgatga tggatttgat 120
gatgaacgtc tccggaaga gttttctcca ttggtacaa tctactagtgc aaagggtatg 180
atggagggtg gtcgcagcaa aggggttggt ttgtatggt tctcctcccc agaanaagcc 240
actaaagcag ttacanaaat gaacggtaga attgtggcca caaagccatt gtatgtagct 300
ttagctcagc gcaaagaaga gcgccaggct cacctcacta accagtatat gcagagaatg 360
gcaagtgtac gancgtgtcc caaccctgta atcaaccct accagccagc acctccttca 420
ggttacttca tggcagctat cccacagact cagaacgtgc tgcatactat cctcctagcc 480
aaattgctca actaanacca agtcctcgct ggactgctca gggtgccata actcatccat 540
tccaaaatat gcccggtgct atccgcccag ctgctcctan aacaccattt agtactatga 600
naacagcttc ttctcagcaa catcttaatg cacagccaca anttacaatg cacancctgc 660
tgttcatggt caaggtcagg aacctttgan tgcttccatg ttngcatctg cccccccca 720
aaacaaaacc aatt 734

<210> 714
<211> 500
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (6)
<223> n equals a,t,g, or c

<220>
<221> misc feature

650

<222> (7)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (22)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (26)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (33)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (36)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (38)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (42)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (449)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (470)
<223> n equals a,t,g, or c

<400> 714
tantnnntta accctcacta anggcnaaa agnctngnc tncaccgcgg tggcgccgc 60
tctagcaact agtggatccc cggggcctgt caggaattcg gcacgagctg ggacaagcga 120
gttttttaaac aaagtgactg aggcacagga agatggccag tcaacttctg aattgattgg 180
ccagtttggg gtcggtttct attccgcctt ccttgtagca gataaggta ttgtcacttc 240
aaaacacaaac aacgataccc agcacatctg ggagtctgac tccaatgaat tttctgtaat 300
tgctgaccca agaggaaaca ctctaggacg gggaaacgaca attacccttg tcttaaaaga 360
agaagcatct gattaccttg aattggatag aattaaaaat ctcgtaaaa aatattcaca 420

gttcataaac tttcctatatt atgtatggng cagcaagact gaaactgttn aggagcccat 480
ggaggaagaa ggagcagcca 500

<210> 715

<211> 491

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (62)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (65)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (248)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (271)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (285)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (293)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (314)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (321)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (360)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (398)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (410)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (422)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (473)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (474)
<223> n equals a,t,g, or c

<400> 715
gnanaaatgt ggtggaggct cagtttgata gccgggttcg tgcaacagga cacagtnttg 60
anaantacaa caagtgggaa acgatagagg ctgggactca acaagtcgcc actganaatc 120
cagccctcat ctctgcagct gttatcgga ccacatttga gggacgcgct atttacctcc 180
tgaagggttg caaagctgga caaaataagc ctgccatttt catggactgt gggtttccca 240
tgccaganan ttggatttct ccctgcattc ngccagtnng tttntaaaa aangegggttc 300
ccttctatn gacntttana ncccanttga caaacttcnc caacaattta aanttttatn 360
ttcccgccct gtggcccaa tattgaaggg caacttcnac cccgggaacn aaaacccaat 420
tntggaaaaa aaaaccccc cccccctgg tgggattcct gctttggttg ggnnccaccc 480
caaaaaaatt t 491

<210> 716
<211> 331
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (242)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (303)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (321)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (322)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (326)
<223> n equals a,t,g, or c

<400> 716
gtaaagccgg ggcagcagcc ggcgggtccgg gtgtaagcgg cgtgtgcgtg tgcaagagcc 60
gctacccggt gtgcggcagc gacggcacca cctacccgag cggctgccag ctgcgcgccg 120
ccagccagag ggccgagagc cgcggggaga aggccatcac ccaggtcagc aagggcacct 180
gcgagcaagg tccttccata gtgacgcccc ccaaggacat ctggaatgtc actggtgccc 240
angtgtactt gagctgtgag gtcacgga tccccgacacc tgtcctcatc tggaacaagg 300
tanaaagggg tcactatgga nntcanagga c 331

<210> 717
<211> 486
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (32)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (68)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (78)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<400> 717

```
tatcnttact aagggtacaa agttnngggtc tnccaccngg tngaggaccg ctccctagcaa 60
ctagtggntc ccccggnct gcaggaattc ggcacgagna tattagnacg cggttattcg 120
gtgagcggtg gtggtttatt ctcccggtga gtttaagggt ccgtggacat ctccaggtctt 180
cagggtcttc catctggaac tatataaagt tcagaaaaca tgtctcgaga tatgactcca 240
ggaccactat attttctcca gaaggctcgt tataccaagt tgaatatgcc atggaagcta 300
ttggacatgc aggcacctgt ttgggaattt tagcaaatga tgggtgtttg cttgcagcag 360
agagacgcaa catccacaag cttcttgatg aagtcctttt ttctgaaaaa atttataaac 420
tcaatgagga catggcttgc agtgtggcag gcataacttt ctgatgctaa tggtctgact 480
aatgac 486
```

<210> 718

<211> 479

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (436)

<223> n equals a,t,g, or c

<400> 718

```
tcgaccacg cgctccgcagc ccacccatcc acgttgactc atcctcagag acgaatcgac 60
```

accctcaact cagatggata cacccttgag ccagacaaac cgcgccgat gcccatggac 120
acgagcgtgt atgagagccc ctacagcgac ccagaggagc tcaaggacaa gaagctcttc 180
ctgaagcgcg ataacctcct catagctgac attgaacttg gctgcggcaa ctttggtca 240
gtgcgccagg gcgtgtaccg catgcgcaag aagcagatcg acgtggccat caaggtgctg 300
aagcagggca cggagaaggc agacacgga gagatgatgc gcgaggcgca gatcatgcac 360
cagctggaca acccctacat cgtgcggctc attggcgtct gccaggccga agccctcatg 420
ctggtcatgg agatgntggg ggcgggcgct gcacaagttc ctggtcggca agaaggaag 479

<210> 719

<211> 572

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (421)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (503)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (526)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (546)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (559)

<223> n equals a,t,g, or c

<400> 719

gcgtgccat gagaatgaga tcaccaaagt gcgaaaagtt actttcaatg gactgaacca 60
gatgattgtc atagaactgg gcaccaatcc gctgaagagc tcaggaattg aaaatggggc 120

tttccagga atgaagaagc tctcctacat ccgcattgct gataccaata tcaccagcat 180
tcctcaaggt cttcctcctt cccttacgga attacatctt gatggcaaca aaatcagcag 240
agttgatgca gctagcctga aaggactgaa taatttggct aagttgggat tgagtttcaa 300
cagcatctct gctgttgaca atggctctct ggccaacacg cctcatctga gggagcttca 360
cttggaacac aacaagctta ccagagtacc tgggtggctg cagagcataa agtacatnca 420
nggtggctac cttcataaca accatatctc tgtagttgga tcaaagtac ttctggccac 480
ctggacacaa ccacccaaaa ngnttcttaa ttccgggtgg gaagcntttt aacaaacccg 540
ggccangact ggggagaana cagccatcca cc 572

<210> 720

<211> 487

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (447)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (459)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (467)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (468)

<223> n equals a,t,g, or c

<400> 720

gntaaatca gaactcgaat ggccttgctt tcttgctctg gggctcttat gctcagaaga 60

agggcagtgc cattgatagg aagcggcacc atgtactaca gacggctcat ccctcccctt 120
tgtcagtgtg tagagggttc ttggatgta gacacttttc aaagaccaat gagctgctgc 180
agaagtcttg caagaagccc attgactgga aggagctgtg atcatcagct gaggggtggc 240
ctttgagaag ctgctgttaa cgtatttgcc agttacgaag ttccactgaa aattttccta 300
ttaattctta agtactctgc ataaggggga aaagcttcca gaaagcagcc atgaaccagg 360
ctgtccagga atggancctg tatccaacca caaacaacaa aggctaccct ttgacccaaa 420
tgtctttctc tgcaacatgg cttcgggcta aaatatgcnn aagacannat gagggccaat 480
acttaat 487

<210> 721

<211> 464

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (222)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (349)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (415)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (436)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (448)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (455)

<223> n equals a,t,g, or c

<400> 721

```
cggacgcgtg ggcgtctgct ggggcacctg aaggagactt gggggcaccc gcgtcgtgcc 60
tcttggttg tgaggagtcg ccgctgccgc cactgcctgt gcttcattgag gaagatgctc 120
gccgccgtct ccgcgtgct gtctggcgct tctcagaagc cggcaagcag agtgctggta 180
gcatcccgtat attttgcaaa tgatgctaca ttgaaatta anaaatgtga ccttcaccgg 240
ctggaagaag ccctcctgtc acaacagtgc tcaccaaggg aagatgggct caaatactac 300
aggatgatgc anactgtacc cgaatggaat tgaacagat cactgtntna acagaaaatt 360
atcntgggtt ctgtccttgt gtgatgtcag aacttgctgt gtggcctgga gccgnatcac 420
cccaaacact ctccanctac ggntccgntt atttnccggg cttc 464
```

<210> 722

<211> 320

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (142)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (152)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (153)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (182)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (263)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (275)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (281)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<400> 722

```
gttgcacagc anctgcacgc gccgtggctc cggatctctt cgnctttgca gcgtagcccg 60
agtcggtcag cgccggatga cctcagcagc catgtcgaag ccccatagtg aancggggac 120
tgcccttcatt cagaccacgc anctgcacgc anncatggct gacacattcc tggagcacat 180
gngccgcctg gacattgatt caccacccat nacaggcccg aacactggca tcattctgtac 240
cattggccca gcttcccgat cangtggaga cggtnaagga natgattaaa gcctggaang 300
aatgtggntc gtctgaactt                                     320
```

<210> 723

<211> 152
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (79)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (87)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (111)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (127)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (148)
<223> n equals a,t,g, or c

<400> 723
gcccacccatg gctgcaatcc gaaagaagct ggtgatcggt ggggatgggt cctgtgggaa 60
gacctgcctc ctcacgtnt tcagcangga tcagtttccg gaggtctacg nccctactgt 120
cctttgngaa ctatattgcg cacattgngg cg 152

<210> 724
<211> 573
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (463)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (514)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (553)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (559)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (569)

<223> n equals a,t,g, or c

<400> 724

```
gctgctatgt tcaatataag aaatattgga aagacgctcg tcaccaggac ccaaggaacc 60
aaaattgcat ctgatggctc caagggtcgt gtgtttgaag tgagtcttgc tgatttgag 120
aatgatgaag ttgcatttag aaaattcaag ctgattactg aagatgttca gggtaaaaac 180
tgcctgacta acttccatgg catggatctt acccgtgaca aaatgtgttc catggtcaaa 240
aaatggcaga caatgattga agctcacgtt gatgtcaaga ctaccgatgg ttacttgctt 300
cgtctgttct gtgttggttt tactaaaaaa cgcaacaatc agatacggaa gacctcttat 360
gctcagcacc aacagggtccg ccaaattccg aagaagatga tggaaatcat gacccgagag 420
gtgcagacaa atgacttgaa agaagtggtc aataaattga ttncagacgc attggaaaag 480
acatagaaaa ggcttggcaa tctattatcc tctncatgat ggcttcgtta gaaaagtaaa 540
aatgctgaag aanccaagnt tgaatgggna aac 573
```

<210> 725

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<400> 725

```
gcttgaaant aaccctcact aaagggaaaca aaagctggag ctccaccgcg gtgcggccgc 60
tctagaacta gtggatcccc cgggctgcag gaattcggca cgagtcttgg tccgcgccag 120
agcccagcgc gcctcgtcgc catgcctcgg aaaattgagg aaatcaagga cttcctgctc 180
acagcccagc gaaaggatgc caaatctgtc aagatcaaga aaaataagga caacgtgaag 240
tttaaagtgc gatgcagcag atacctttac accctggtca tcaactgaaa agagaaggca 300
gagaaactga agcagtcctt gcccccggt ttggcagtga aggaactgaa atgaaccaga 360
cacactgatt ggaactgtat tatattaaaa tactaaaaat cct 403
```

<210> 726

<211> 502

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (8)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (12)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (256)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (281)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (380)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (391)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (428)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (456)
<223> n equals a,t,g, or c

<400> 726
cgcaagnnccg anactaacc tcactaaagg gaacaaaagc tggagctcca ccgcggtgcg 60
gccgctctag aactagtga tcccccggc tgcagggaatt cggcacgaga gccatcaggt 120
aagccaagat ggggtgcatac aagtacatcc aggagctatg gagaaagaag cagtctgatg 180
tcatgcgctt tcttctgagg gtccgctgct ggcagtaccg ccagctctct gctctccaca 240
gggctccccg cccanccgg cctgataaag cgcgccgact nggctacaag gccaagcaag 300
gttacggttat atataggatt cgtgttcgac gtgggtggccg aaaacgcca gttcctaagg 360
gtgcaattac ggcaagcctn tccatcatgg ngttaaccag ctaaagtttg ctcgaagcct 420

tcagtcctntt gcagaggagc gagctggacg ccactntggg gctctgagag tcctgaattc 480
ttactggggtt ggtgaagatt cc 502

<210> 727

<211> 361

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (309)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (318)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (360)

<223> n equals a,t,g, or c

<400> 727

ggcacgagcg aacgcgnaga gcacgccatg aaggcctcgg gcacgctacg agagtacaag 60
gtagtgggtc gctgcctgcc ccccccaaa tgccacacgc cgcccctcta ccgcatgcga 120
atctttgcgc ctaatcatgt cgtcgccaaag tcccgtctct ggtactttgt atctcagtta 180
aagaagatga agaagtcttc aggggagatt gtctactgtg ggcagggtgt tgagaagtcc 240
cccctgcggg tgaagaactt cgggatcttg ctgcgctatg actcccggag cggcacccac 300
aacatgtanc gggaatancg ggacctgacc aacgcaggcg ctgtcaacca gtgtaacggn 360
g 361

<210> 728

<211> 401

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (200)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (234)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (251)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (319)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (332)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (334)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (360)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (389)
<223> n equals a,t,g, or c

<400> 728
gaagangctc gcctctagtg tcctccgctg tggcaagaag aagtctggtt agaccccaat 60
gagaccaatg aaatcgccaa tgccaactcc cgtcagcaga tccggaagct catcaaagat 120
gggctgatca tccgcaagcc tgtgacggtc cattcccggg ctcgatgccg gaaaaacacc 180
ttggcccgcc ggaaaggcan gcacatgggc atagttagcg gaaaggtaca gccnatgccc 240
gaatgccaaa naaggtcaca tggattaaga aaatgaagat tttgcgcccg ctgctcaaaa 300
aatacgtgaa tcttaaaana tcgatcgcca cntntttcac agcctgttcc taaagttaan 360
ggaatttttt caaaaacaac cgattctcnt ggaacacttc c 401

<210> 729
<211> 530
<212> DNA
<213> Homo sapiens

<220>

666

<221> misc feature
<222> (7)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (10)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (12)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (14)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (60)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (527)
<223> n equals a,t,g, or c

<400> 729
gcacagnan ancnaaccct cactaaaggg aacaaaagct ggagctccac cgcggtgcgn 60
ccgctctaga actagtggat cccccgggct gcaggaattc ggcacgagcc gccatcttcc 120
agtaattcgc caaaatgacg aacacaaagg gaaagaggag aggcacccga tatatgttct 180
ctaggccttt tagaaaacat ggagttgttc ctttggccac atatatgcga atctataaga 240
aaggtgatat ttagacatc aagggaatgg gtactgttca aaaaggaatg cccacaagt 300
gttaccatgg caaaactgga agagtctaca atgttaccce gcatgctgtt ggcattgttg 360
taaacaaca agttaaggc aagattcttg ccaagagaat taatgtgcgt attgagcaca 420
ttaagcactc taagagccga gatagcttcc tgaaacgtgt gaaggaaaat gatcagaaaa 480
agaaagaagc caaagagaaa ggtacctggg ttcaactaaa gcgccancct 530

<210> 730
<211> 375
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (33)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (55)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (87)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (97)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (111)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (121)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (124)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (125)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (142)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (181)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (183)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (190)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (198)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (206)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (229)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (241)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (248)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (262)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (269)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (284)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (322)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (354)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<400> 730

```
gggtggttgc tgccgaaatg ggcaagttca tgnaaccaag aaagtgggtgc ttgtnctggc 60
tggacgctac tccggacgca aagctgntca tcgtaanaga acattgaatg ntggcacctc 120
naanngccccc tacagccatg cncctggtggc tgggaattga accgctaccc ccgcaaatga 180
nengctgccn tggggcanga agaagntcgc caggaggtca aagatatant cttttgtgaa 240
ngtgtgtnac tacaatcacc tnatgccnc aaggtactct gtgngatatt ccccttgggg 300
caaagctgta cgttcattag gntgtcttcc ganattcctg gctcttaaac gctnggcccg 360
aaggagnccc aggtc 375
```

<210> 731

<211> 207

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (143)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (187)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (201)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

<400> 731

```
gcgcgcgtgc gaagggagcc gccgccatgt ctgcgcatct gcaatggatg gtcgtgcgga 60
actgctccag ttctctgata aagaggaata agcagaccta cagcactgag cccaataact 120
tgaaggcccg caattccttc cgntacaacg gactgattca ccgcaagact gtgggcntgg 180
agccggnagc cgacggcaaa ngtgtcn 207
```

<210> 732

<211> 702

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (620)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (628)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (655)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (686)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (690)

<223> n equals a,t,g, or c

<400> 732

```
ggcagaatgn ctccgcacaa gaagggtggc gagaagaaaa agggccggtc tgccatcaac 60
gaagtggtaa cccgagaata caccatcaac attcacaagc gcatccatgg agtgggcttc 120
aagaagcgtg cacttcgggc actcaaagag attcggaaat ttgccatgaa ggagatggga 180
actccagatg tgcgcattga caccaggctc aacaaagctg tctgggccaagggaataagg 240
aatgtgccat accgaatccg tgtgcggctg tccagaaaac gtaatgagga tgaagattca 300
ccaaataagc tatatacttt gggtacctat gtacctgtta ccactttcaa aaatctacag 360
acagtcaatg tggatgagaa ctaatcgctg atcgtcagat caaataaagt tataaaattg 420
caaaaaaaaa aaaaaagggc ggccgctcta gaggatccaa gcttacgtac gcgtgcatgc 480
gacgtcatag ctcttctata gtgtcaccta aattcaattc actgccgtcg gtttacaacg 540
```

tcgtgactgg gaaaaccctg cgttacccaa cttaatcgcc ttgcagcaca tcccccttcg 600
ccagctgcgt aataacgaan aggcccgnac cgatcgccctt tccacagttg cgcancctga 660
atggcgaaatg gacgcgcctt taccgngcan taagcgcgcg gg 702

<210> 733

<211> 441

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (62)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (101)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (118)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (152)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (212)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (356)

<223> n equals a,t,g, or c

<400> 733

```
naattaaccc tcactaaagg gngcaaaagc tgggtgctcca ccgcggtgcg accgctctag 60
anctagtggc tcccccgggc tgcaggattt cggcacganc ncgtgcagat tcgagcanag 120
gagcgnaagg gaacgtcatc gtttggaag cntcgcaata agacgcacac gttgtgccgc 180
cgctntggct ctaaggccta ccaccttcag angtcgacct gtggcaaatt tggctaccct 240
gccaaagcga agagaaagtn taactggagt gccaaaggcta aaagacgaaa taccaccgga 300
actggtcgan tgaggcacct aaaatttgta taccgcagat tcaggcatgg ttccntgaa 360
ggaacaacac ctaaacccaa gagggcagct gttgcagcat ccagttcatc ttaagattgt 420
caacgattag tcatgcaata a 441
```

<210> 734

<211> 379

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (323)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<400> 734

```
ggccgcagaa gcgagatgac gaagggaacg tcatcgtttg gnaagcgtcg caataagacg 60
cacacgttgt gccgccgtg tggtcttaag gcctaccacc ttcagaagtc gacctgtggc 120
aaatgtggct accctgccaa gcgcaagaga aagtataact ggagtgccaa ggctaaaaga 180
cgaaatacca ccggaactgg tcgaatgagg cacctaaaaa ttgtataccg cagattcagg 240
catggattcc gtgaaggaac aacacctaaa cccaagaggg cagctgttgc agcattccag 300
ttcatcttta agaatgtcaa cgnntttagt catgcaataa antgtntctg ggttttaaaa 360
aattaaaaga aaagnaanaa 379
```

<210> 735

<211> 187

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (176)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (179)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<400> 735

```
gcgggatcgt cggtaaatac gggacccgct atggggcctc cctccgaaa atggtgaaga 60
aaattgaaat cagccagcac gccaaagtaca cttgctcttt ctgtggcaaa accaagatga 120
agagacgagc tgtggggatc tggcactgtg gttcctgcat gaagacagtg gntggnnngng 180
cctgnac                                     187
```

<210> 736

<211> 576

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (361)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (371)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (409)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (429)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (436)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (440)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (444)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (452)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (466)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (479)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (490)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (519)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (553)
<223> n equals a,t,g, or c

<400> 736

```

tcgacccacg cgtccgccca cgctccggcc tcagccctac cagcactggt catgtctaaa 60
ggtcatcgta ttgaggaagt tcctgaactt cttntggtag ttgaagataa agttgaaggc 120
tacaagaaga ccaaggaagc tgttttgctc ctttaagaaac ttaaagcctg ggaatgatat 180
caaaaaggctc tatgcctctc agcgaatgag agctgggcaa aggcaaaatg gagaaaccgt 240
cgccgtatcc agcgcagggc ccgtgcatca tctataatga ggataatggt atcatcaagg 300
ccttccagaa acatccctgg aattactctg cttnaatgtn aagcaagctg aaacattttg 360
naagcttgct ncctggtggg gcatgtgggg acgtttncgg cattgggang gaaatggctt 420
ttccgggant ttaganggan tgtnacgggc antgggcgta aagcgnnttc cctccaagng 480
ttaactacan tcttcccagg caccaagatg gattaatana gatcttgga gaatctggaa 540
aagcccagag gtnccaaggg cccttcgggc accagc 576

```

<210> 737

<211> 297

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (254)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (261)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (266)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (275)

<223> n equals a,t,g, or c

<400> 737

```

gctccgncat ggcgtgtgct cgccactga tatcgggtga ctccgaaaag ggggagtcac 60
ctggcaaaaa tgtcactttg cctgctgtat tcaaggctcc tattcgacca gatattgtga 120
actttgttca caccaacttg cgcaaaaaca acagacagcc ctatgctgtc agtgaattag 180
caggtcatca gactagtgtc gagtcttggg gtactggcag agctgtggct cgaattccca 240

```

ganttcgagg tggngggact naccgntctg gccanggtgc ttttggaac atgtgtc 297

<210> 738

<211> 354

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (80)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (84)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (98)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (193)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (303)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (329)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (351)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (353)
<223> n equals a,t,g, or c

<400> 738
gcgagaatga agactattct cagcantcag actgtcgaca ttccagaaaa tgctcgacatt 60
actctgaagg gacncacagn tatngtgaag ggccccanag gaaccctgcg gagggacttn 120
aatcacatca atgtataact cagccttntt ggaaagaaaa aaaagaggct ccgggttgac 180
aaatggtggg gtnacagaaa ggaactggct accgttcgga ctatttgtag tcatgtacag 240
aacatgatca aggggtgttac actgggcttc cgttacaaga tgaggngctgt gtatgtcac 300
ttncatcatca acgttggttat ccaagagant ggggtctattg ttgaaatcca nant 354

<210> 739
<211> 504
<212> DNA
<213> Homo sapiens

<400> 739
ccgccatcat gggtcgcatg catgctcccg ggaaggccct gtcccagtcg gctttaccct 60
atcgacgcag cgtcccccact tgggtgaagt tgacatctga cgacgtgaag gagcagattt 120
acaaactggc caagaagggc cttactcctt cacagatcgg tgtaatcctg agagattcac 180
atggtgtgtgc acaagtacgt tttgtgacag gcaataaaat tttaagaatt ctttaagtcta 240
agggacttgc tcctgatctt cctgaagatc tctaccattt aattaagaaa gcagttgctg 300
ttcgaaaagca tcttgagagg aacagaaaagg ataaggatgc taaattccgt ctgattctaa 360
tagagagccg gattcaccgt ttggtctgat attataagac caagcgagtc ctccctccca 420
attggaata tgaatcatct acagcctctg ccctggctgc ataaatttgt ctgtgtactc 480
aagcaataaa atgattgttt aact 504

<210> 740
<211> 399
<212> DNA
<213> Homo sapiens

<400> 740

```

ggacccgcca acatgggccc cgttcgcacc aaaaccgtga agaaggcggc ccgggtcatc 60
atagaaaagt actacacgcg cctgggcaac gacttccaca cgaacaagcg cgtgtgcgag 120
gagatcgcca ttatccccag caaaaagctc cgcaacaaga tagcagggtta cgtcacgcat 180
ctgatgaagc gaattcagag aggcccagta agaggatatc ccatcaagct gcaggaggag 240
gagagagaaa ggagagacaa ttatgttcct gaggtctcag ccttgatca ggagattatt 300
gaagtagatc ctgacactaa ggaaatgctg aagcttttgg acttcggcag tctgtccaac 360
cttcagtcac tcagcctaca gttgggatga tttcaaaac 399

```

<210> 741

<211> 431

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (393)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (425)

<223> n equals a,t,g, or c

<400> 741

```

aaacaacggt cgtgccaaaa agggccgcgg ccatgtgcag cccattcgct gcacgaactg 60
cgcccgggtg gtgccaagg ataaggccat caagaagttt gtcattcgga acattgtaga 120
agccgctgct gtcagggaca tatctgaagc aagcgtcttc gacgcctacg tgcttcccaa 180
gctctatgtc aagctgcatt attgcgtgac tgtgccatcc atagcaaggt tgtaggaat 240
cgatcccgtc aagcccgga ggaccgaaca cccccaccac gattcagacc tgctggcgct 300
gcacctcga cctccaccaa agcccatgta aagangccgt ttttgtaagg acggaaggaa 360
aattaccttg gaaaaataaa atggaagttg tanttttaaa aaaaaaaaaa aaaccnagg 420
ggggncccgt c 431

```

<210> 742

<211> 357

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (178)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (273)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<400> 742

```
gtgcagcggt tcattaaaat cgatggcaag gtccgaactg atataaccta ccctgctgga 60
ttcatggatg tcatcagcat tgacaagacg ggagagaatt tccgtctgat ctatgacacc 120
aagggtcgct ttgctgtaca tcgtattaca cctgaggagg ccaagtacaa gttgtgcnaa 180
gtgagaaaga tctttgtggg cacaaaagga atccctcatc tggtgactca tgatgcccg 240
accatccgct accccgatcc cctcatcaag gtnaatgatc cattcatatt gatttanaga 300
ctggcaagat tactgatttc atcnatttcg aactggtaa cctgtgtatg gnnactg 357
```

<210> 743

<211> 249

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (77)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (115)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (122)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (158)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (200)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (215)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (221)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (248)
<223> n equals a,t,g, or c

<400> 743
ggggcggtat gccgccaaac gcttccgcaa agctcagtgt cncattgtgg agcgccctcac 60
taactccatg atgatgnacg ggcgcaacaa cggcaagaag ctcatgactg tgcgnatcgt 120
cnagcatgcc ttcgagatca tacgcctgct cacaggcnaa gaaccctctg caggtcctgg 180
tgaacgccat catcaacatn ggtccccggg aagantccac ncgcattggg cgcgccggga 240
ctgttgana 249

<210> 744
<211> 383
<212> DNA
<213> Homo sapiens

<400> 744
gaagaattgc atcgtgctca tcgacagcac accgtaccga cagtggtagc agtcccacta 60
tgcgctgccc ctggggccgca agaagggagc caagctgact cctgaggaag aagagatttt 120
aaacaaaaaa cgatctaaaa aaattcagaa gaaatatgat gaaaggaaaa agaatgccaa 180
aatcagcagt ctccctggagg agcagttcca gcagggcaag cttcttgctg gcatcgcttc 240
aaggccggga cagtgtggcc gagcagatgg ctatgtgcta gagggcaaag agttggagtt 300
ctatcttagg aaaatcaagg cccgcaaagg caaataaatc cttgttttgt cttcacccat 360
gtaataaagg tgttttattgg ttt 383

<210> 745
<211> 452
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (314)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (328)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (334)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (352)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (403)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (416)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (429)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<400> 745

```
gcgcacgatg cctggagtta ctgtaaaaga cgtgaaccag caggagtctg tcagagctct 60
ggcagccttc ctcaaaaagt ccgggaagct gaaagtcccc gaatgggtgg ataccgtcaa 120
gctggccaag cacaaaagagc ttgctcccta cgatgagaac tggttctaca cgcgagctgc 180
ttccacagcg cggcacctgt acctccgggg tggcgctggg gttggctcca tgaccaagat 240
ctatggggga cgtcagagaa acggcgctcat gccagccac ttcagccgag gctccaagag 300
tgtggcccg cggntcctcc aagccctnng agngngctgaa aatggtggaa anggaccaag 360
atggcgggcc gcaaaactgac acctcaggga caaagagatc tgnacagaat cgccgnacag 420
gtggcagcnt gccancaaag aagcattaga nc 452
```

<210> 746

<211> 114

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (98)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (103)

<223> n equals a,t,g, or c

<400> 746

tgcattgctgg ngtgggtcct gnccttgctg tctccagct ctgctgagga gtacntgggc 60
ctgtctgcaa accaatgtgc cgtgncagcc aaggacangg tgnactgtgg ctac 114

<210> 747

<211> 165

<212> DNA

<213> Homo sapiens

<400> 747

ggcacagcca cccagggcct gaggcctgct cacaccccag gtgacggcgg gctccacaag 60
gcagtggagcg tgggcccccg ggtgcacatc attgaggagc tgcagatctt ctcacgaggga 120
cagcccgtgg cagaatctgc tctgggaca cccacagggg ggctg 165

<210> 748

<211> 583

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (341)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (387)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (462)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (480)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (537)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (541)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (543)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (546)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (580)
<223> n equals a,t,g, or c

<400> 748
ggctagaaga tgggttttga gagcaccct tttaccactg cctggntgca gaagtgccga 60
aagagcactg gactccggaa ggacacagca ttggttggtt tgccatgtac tattttacct 120
atgaccctg gattggcaag ttattgtatc ttgaggactt ctctgtgatg agtgattata 180
gaggctttgg cataggatca gaaattctga agaattctaa ccagggtgca atgaggtgtc 240
gctgcagcag catgcacttt tttggtagca gaatggaatg aaccattcat naacttctat 300
aaaagaagag gtgcttctga tctgtccagt gaagaagggt ngagacttgt taagaatcga 360
caaggagtct tgctaaaaat ggcaacntag gagtgaggaa tgcttgctgt agatgacaac 420
ctccattcta ttttagaata aaattcccca actttctntt gnttttctat gctggttggn 480
agtgaatta atttaaata gcacccattt caaaagcttt aattaccaag tgggcgnttg 540
ntnccntgtt ttgaaaattg aaggtcttgt tttaaaaggn ggc 583

<210> 749
<211> 419
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (16)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (24)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (29)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (30)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (169)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (342)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (351)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (376)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (398)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (419)
<223> n equals a,t,g, or c

<400> 749

acncggaggc ttcttnatta cggncggggn tgatgagga aagctgggtga cgcctgcagg 60
tgaccgggtcc ggaattcccg ggtcgaccca cgcgtccggg cgtgatgtct cacagaaagt 120
tctccgctcc cagacatggg tccctcggtt tcctgcctcg gaagcgana gcaggcatcg 180
tggaaggtg aagagcttcc ctaaggatga cccgtccaag cgggtccacc tcacagcctt 240
cctgggatac aaggctggca tgactcacat cgtgcgggaa gtcgacaggc cgggatccaa 300
ggtgaacaag aaggaggggtg gtggaggctg tgaccattgt anagacacca nccatgggtg 360
tttgtgggca ttgttngcta cgttggaata ccctcgangg ctccggaact tcaagaatn 419

<210> 750

<211> 507

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (453)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (499)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (503)

<223> n equals a,t,g, or c

<400> 750

ggccgaacat ggagatcaag attatatctg gcactgcatt gatctcttct tagatttcat 60
tactgtcttc agaaaactca tgatgatcct ggccatgaat gaaaaggata agaagaaaga 120
gaagaaatga agtgaccatc cagcctttcc caattagact tcctctcctt ccaccctca 180
tttctttttt gcacacatta cagggtggtg gttctgtgat aatgaaaagc atcagaaaag 240
cttttgtact ttgtggtttc ctctattttg aattttttga tcaaaaaact gatttagcaga 300
atatagtttg gagtttggtt tcactcttct ggggttcccc tcaactcctt ttttggcaac 360
cccatctgta gcctcttctt ctactcaggc agtcgacccg ccacgatgag aagtgggacc 420
agcagagggc gccaaacttca ggagcccgtt ttncaccca gtttcattca cccantggac 480
ctgaactgtt tgggtananc ccnccgg 507

<210> 751

<211> 435
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (11)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (23)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (31)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (34)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (110)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (134)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (151)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (158)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (199)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (215)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (218)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (226)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (239)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (243)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (257)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (295)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (321)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (324)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (331)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (355)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (363)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (365)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (420)

<223> n equals a,t,g, or c

<400> 751

```
nactggaagt nctccgggag aanggatctc nacngcgggtg ccggacgctc tagaactagt 60
ggatcccccg ggctgcaggt agcctgagct tagctcagcg ccggggcttn accaagacct 120
acactgttgg ctgngaggaa tgcacagtgg ntccctgntt atccatcccc tgcaaactgc 180
agagtggcac tcattgctng tggacggacc agctnctnca aggctntgaa aagggtctnc 240
agncccgtca ccttgcntgc ctgcctcggg agccagggct gggcacctgg cagtnctgc 300
gggtcccagat agcctgaata ntgnccggag nggaagctga agcctgcaca gtgtncaccc 360
tgntnccact cccatctttc ttccggacaa tgaaataaag agntaccacc cagcaaaaan 420
aaaaaaaaaa acctg 435
```

<210> 752

<211> 591

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (195)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (319)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (345)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (365)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (407)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (452)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (456)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (480)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (556)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (570)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (572)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (579)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (586)
<223> n equals a,t,g, or c

<400> 752
gcggcacgag gcgcccagag agacaccaga gaaccaccca tggccccctt tgagccccctg 60
gcttctggca tctgtgtgtt gctgtggctg atagcccccgc gcagggcctg cacctgtgtc 120
ccaccccacc cacagacggc cttctgcaat tccgacctcg tcatcagggc caagttcgtg 180
gggacaccag aagtnaacca gaccacctta taccagcgtt atgagatcaa gatgaccaan 240
atgtataaag ggttccaagc cttaggggat gccgctgaca tccggttcgt ctacaccccc 300
gccatggaga gtgtctgcng atactttcac aggtcccaca accgnagcga ggagtttctc 360
attgntggaa aactgcagga tggacttttg cacatcacta cctgcanttt tgtggctccc 420
tggaacagcc tgagcttagc tcagcgccgg gnettnacca agacctacac tgttggctgn 480
gaggaaatgc acaagtgtt ccctgtttat ccatccctg caaactgcag agtgggcact 540
cattgtctgt aggacngacc agctcctacn angtcttna aaaggncctt c 591

<210> 753
<211> 547
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (429)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (454)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (489)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (503)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (512)
<223> n equals a,t,g, or c

<400> 753

aagcacttgt ccagatgagc agtgtgtgaa ttctcctgga tcttaccagt gcgttccctg 60
cacagaagga ttccgaggct ggaatggaca gtgccttgat gtggacgagt gcctggaacc 120
aaacgtctgc gcaaattggtg attgttccaa ccttgaaggc tcctacatgt gttcatgcc 180
caaaggctat acccggaactc cggaccacaa gcaactgtaga gatattgatg aatgtcagca 240
agggaaatcta tgtgtaaacg ggcagtgcga aaataccgag ggctccttca ggtgcactgt 300
ggacaggggt taccagctgt cggcagctaa agaccagttt gaagacattg atgaatgcc 360
caccgtcatc tctgttgctc atgggcatgc aagaacactg aagctctttt ccatgtgttt 420
tttgaccang gttacagaac atctgggctt gganacactg tgaaaaattt caatgaatgc 480
ttggaagana aaatttttgc canaaaagaa antgctttat actgcagggt cctatgatgt 540
cttgtcc 547

<210> 754

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (307)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (374)

<223> n equals a,t,g, or c

<400> 754

gctcggctcc agcgccatgg cgccctccag gaagttcttc gttgggggaa actggaagat 60
gaacggggcg aagcagagtc tgggggagct catcggcact ctgaacgcgg ccaagggtgcc 120
ggccgacacc gagtggttt gtgctcccc tactgcctat atcgacttcg cccggcagaa 180
gctagatccc aagattgctg tggctgcgca gaactgctac aaagtgacta atggggcttt 240
tactggggag atcagccctg gcatgatcaa agactgcgga ccacgtgggt ggtcctgggg 300
cactcanaga gaagcatgtc tttggggaat cagatgagct gattgggcag aaagtggccc 360
atgctctggc aganggactc ggat 384

<210> 755

<211> 253

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (217)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (240)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (244)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (252)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (253)
<223> n equals a,t,g, or c

<400> 755
tgtagatctt tgaagactct gattctctga gactgaggag agatgtotta ccagcagcan 60
cagtgcgaagc agccctgcca gccacctcct gtgtgcccca cgccaaagtg cccaagagcc 120
atgtccaccc ccgaagtgcc ctgagcctta cctgcctcct ccttgtccac ctgagcattg 180
cccacctcca ccttgccagt ataaatgccc tcctgtngca accataccac cctggcagcn 240
gaanttcccc cnn 253

<210> 756
<211> 183
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (9)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (48)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (108)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (141)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (144)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (146)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<400> 756

ggcanaaana aggtaggaat aaggctagac ctttaacttc cctaagggnat acttttntag 60
ctaccttctg ccctgtgtnt ggnacctaca tccttaatga ttgtcctntt acccattctg 120
gaattttttt ttttttaaaa naantncnga aagcattttg aaaaaaaaaa aacaaaaaaaa 180
aag 183

<210> 757

<211> 99

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (82)

<223> n equals a,t,g, or c

<400> 757

agcctttaat anacatata ggaaantggt agntgcagta cggtnngaat tccgggtgac 60
tcagcggtccg ggattgnanc anctgggatt ggagtttg 99

<210> 758

<211> 60

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

697

<220>
<221> misc feature
<222> (40)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (45)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (46)
<223> n equals a,t,g, or c

<400> 758
ggcacgaggt tttttttttt tttttttttt ttttntntn ttttnnttt ttataaaaaa 60

<210> 759
<211> 66
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (6)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (59)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (63)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (65)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (66)
<223> n equals a,t,g, or c

<400> 759
agaganaacc gagttttttt tttttttttt tttttttttt tttttttttt ttttttttnc 60
ccntnn 66

<210> 760
<211> 487
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (409)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (433)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (473)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (475)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (477)
<223> n equals a,t,g, or c

<400> 760
tacagatgga gcaaatgtcc taacagagaa atagaggtga tgctgctaaa gggagaaatg 60
ccaggcggac aaagtgcagt gtcgggaatt ttccccgtga cattcactgg ggcattgagat 120
tttgaagaa gttttttact ttggtttagt ctttttttcc ttctttttta ttcagctaga 180
atctctgggtg ggttgatggt aggggtataat gtgtctgtgt tgcttcaaat tggcttgaaa 240
ggctatcctg ctgaaagtcc tgctttccta tctagcattt atttctctgg caaacttttc 300
tttcttttct tttttaaagt aaacttgtgt attgagctta actgtatttc agtattttcca 360
gcttatgtgt acattattcc aatgataccc aacagttatt tatattttnt aacaaattca 420
cagtctgaat gangacttta ttcatggat tataataagg aatgaggtaa ttngngnctc 480
acattca 487

<210> 761
<211> 422
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (253)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (297)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (350)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (353)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (382)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (403)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (406)
<223> n equals a,t,g, or c

<400> 761
gaaaaggcta aaatcatgaa ttagttacaa gcaacagtac caacttatgt gaccctgag 60
gggtggggct gtgagctctt aatttgtttt tgattctgaa aaactctgct tctggcatc 120
caggagttag agattgagcc ttcatcttc ttctcaaaa ctagtttttg atgctttctt 180
tcatgggaat agtcactttt ttatttagta aatcgattg ctggaaccac caaggatgtg 240
gaatgtcctt gantgtatta tttatgcaag tcacagtcac gtttgccatc atggcantat 300
ttgaaacact aataatgtgt ttttactttt ttatccccgt taaaatgatn ttnaaaagga 360
aaaaggtggt tatagcccct anaatttctg ggtccaaatt atnccnaaaa tttcctaaaa 420
aa 422

<210> 762
<211> 375
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (279)
<223> n equals a,t,g, or c

700

<220>

<221> misc feature

<222> (315)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (373)

<223> n equals a,t,g, or c

<400> 762

```
tttgaccact tgccaagtcc ctgtctcttt cagacacaga caagcttcat ttaaattatt 60
tcaactgatg aagtaacaat aaagttataa atgataatga tcagatgaaa taatttataa 120
ctttattggt acttcatcag tgtttccttt tgaaagggtg atgaattcat tacattttta 180
ttctaagtga ttatctgtag attagaagat aaaatcaagc atgtatctgc ctatactttg 240
tgagttcacc tgtctttata ctcaaaagtg tcccttaana gtgtccttcc ctgaaataaa 300
tacctaaggg agtgnaacag tctctggagg accactttga gcctttggaa gttaagggtt 360
cctcagccac ctngt                                     375
```

<210> 763

<211> 372

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (261)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (301)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (320)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (354)

<223> n equals a,t,g, or c

<400> 763

```
caatatgtag cttactcttt ttttcccccc ttcttaaacc accagtgggtt catttttaag 60
atTTTTtcat caagagaaga ataactttac taaatTTtTat ttctttatTT gcaaaagaat 120
ctttattaaa acaaacaatc ttaactatgc acatgatgtg accagatcat cttgaaaata 180
ttcctcttta gtaggaactc tttgttttta actcttggtg tggtcagaat ataatacttc 240
cataattact tataattcct ntccgggtac tgggggctat aaatacaact tttttaaatg 300
naattcatgg ttatcaaccn ggctccaagt accattangg ggtnccttat gggaattac 360
cttgggaaag tc 372
```

<210> 764

<211> 195

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (52)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (67)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (71)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (86)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (128)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (146)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (151)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (153)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (183)
<223> n equals a,t,g, or c

<400> 764
cggaacgcgtg ggcggacgcg tggggaaagg taagctctag cttaangtct angatttgn 60
ctttganatt naggaaggta aggatnggtc agangatgta acttgatgtg agcagtaata 120
aacctgtntt aaatatcata ctgtgnatat ntnattgaaa atttatttca gagcggaata 180
acnttagcta aaatc 195

<210> 765
<211> 103
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (30)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (76)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (83)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (91)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (94)
<223> n equals a,t,g, or c

<400> 765
attaataatg gataccattc taaacaagtn aatccaagtt aagcccgtta aggagaaaga 60
aattaaggtt agcggntcat gtncaagctg ngnttgaaag tgg 103

<210> 766
<211> 538
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (285)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (316)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (327)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (379)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (436)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (441)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (445)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (450)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (474)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (504)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (516)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (520)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (522)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (526)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (534)
<223> n equals a,t,g, or c

<400> 766
cccgcgcggg cgcaggcggc cggaatggcg gggcccggct ggggtcccc gcgcctggac 60
ggcttcatcc tcaccgagcg cctgggcagc ggcacgtacg ccacgggtga caaggcctac 120
gccaaagaagg aactcgtga agtggttagc ataaagtgtg tagccaagaa aagtctgaac 180
aaggcatcgg tggagaacct cctcacggag attgagatcc tcaaggcatt cgacatcccc 240
acattgtgca gctgaaagac tttcagtgtg agctgggggc ggggncgctg caaaaggag 300
tggagaagga catctntttc aggccgnctc tctgcctctt aaaacaacag ttgggaacag 360

ttgaaccaat taatcttanc ttcaatccat tgggaagttt ttttgccggc caaggggggg 420
gccggaaacc ttggtncctc nggcntttcn aatcccaatt aaaccccggc caanggaatt 480
ttcttgggcc cttgaaagaa aaanggtttg ggcccncccn tnggtncctt tccnaatg 538

<210> 767
<211> 415
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (350)
<223> n equals a,t,g, or c

<400> 767
ctttcccaag ggaaacactc agctttctat agaaaattgc actttttgtc gagtaatcct 60
ctgcagtgat acttctggta gatgtcacc agtggttttt gttaggtcaa atgttcctgt 120
atagtttttg caaatagagc tgtatactgt tttaatgtag caggtgaact gaactgggg 180
ttgctcacct gcacagtata ggcaaacttc aacagcaaaa ctgcaaaaag gtgggttttg 240
cagtaggaga aaggaggatg tttatttgca gggcgccaag caaggagaat tgggcagctc 300
atgcttgaga cccaatctcc atgatgacct acaagctaga gtattttaan gcagtggtaa 360
atttcaggga aagccagaag ttaaaggcca aaattgtaaa tcagtcgaga tcggg 415

<210> 768
<211> 425
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (351)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (381)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (389)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (422)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (423)

<223> n equals a,t,g, or c

<400> 768

```
ctttgtacag gggctcagtt cagggaaagag ttgagcttct ctctgagggg tccctagggg 60
gaccctcag gccaggccct gatccagttc tccagggtct ttctcagggg cagggtccatg 120
gggagaccat ggggtgcttg tctgacctg acctcgccct gctgagtccc cccatcagac 180
tgtccttct ctgcagcgag tgtctgcagg gtctggatcc aggaaaggaa ttctgatctg 240
tggaagtttg tctccccctg gtgtgtcctg cactaaatgt ccaaaccctg atacaggatg 300
taatgcagag agggccacag gcacaacca ggctgacaa tcccgtatgt nggaagtaga 360
actgaccccc aacaccacaga ngtcatgtng aaatactcac ggtatacatg gaaaaaaaaa 420
annaa 425
```

<210> 769

<211> 256

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (34)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (151)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (163)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (200)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (211)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (235)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (250)
<223> n equals a,t,g, or c

<400> 769
attctagatg tagcttgtgc agatgtagca gganaatagg aaaacctacc atctcagtgn 60
gcaccagctg gcctcccaaa ggngnggcag ccgtgcttat atttttatgg tnacaatggn 120
cacaaaatta ttatcaacct aactaaaaca ntccttttct ctnttttcct ggaattatca 180
tggagttttc taattctctn ttttggaat ngtagattgt ttttgaaatg ctttnacgat 240
gttaaaatan tttatt 256

<210> 770
<211> 316
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (46)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (173)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (200)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (228)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (266)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (281)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (294)

<223> n equals a,t,g, or c

<400> 770

ggnagagggtt caacgatgtg gtgtggcatg taagctgggtc catcanagcc aacatcctgg 60
ctgtctctgg tggagacaat aaggaggagt tacagatgca gccacagatt gatcatctgc 120
ctttaacgtg aatcggagat gctttgtaat ctactgtnc agctgaagca ctncatgtta 180

cgaggaagaa actacaagtn atgttcaa atctattttggg tcatttttnat gtacctttgg 240
gttcaggcat tatttggggg gttttnttc caaaggaact naantaaagt natnttgctt 300
attaaaaaaaa ggaaaaa 316

<210> 771
<211> 68
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (8)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (14)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (22)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (32)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (36)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (55)
<223> n equals a,t,g, or c

<400> 771
caaaagcngg agcncaccg cnggcgaccg cncctanaact agtggatccc ccggnctgca 60
ggaattca 68

<210> 772
<211> 258
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (61)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (139)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (189)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (225)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (235)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (250)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (257)
<223> n equals a,t,g, or c

<400> 772
cggacggtgg gttttntnt tttttttttt tttttttttt tnttntnttt tttttttatn 60
nttgggtcat ttccacatgc tttattccag caatcaaaat aattaaaaac atctcaaatt 120
attatacaca tacaaaatng gtacagagtc ttttnttcc tcccaccctt aggggggaaa 180
actgctttnt gctttgggaa gttgtctctg aaaccgggg acagnggacg caggncagac 240
taggagggan ccgggang 258

<210> 773
<211> 587
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (535)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (559)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (565)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (570)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (572)

<223> n equals a,t,g, or c

<400> 773

```
ggatcccaac tgcctcctgcg ccgcccggtaa gaggctgggg atgcccagtg tagactgtag 60
cgctagagaa gcaatttctg acccctcttt ctttctctgg tcaactcaatt tcaggacagg 120
agttgctcct tcccaaagag ttttggggta tctttctctc cattctaggt tattcggagc 180
ccccttttta ccgttaagga gatctgagtt aatggcttgc tcaagttccc aggaatcggg 240
tgtggactga ggaactcggc cccgggctct tagtacgccg tcccttggtc aggtatccag 300
ggacgggttct cacctctgtc ttttctcctt gcagggtgact cctgcacctg cgcgggctcc 360
tgcaaagtca aagagtgcaa atgcacctcc tgcaagaaaa gtaagtggga tcctctcttt 420
cctctacccc ttcctgtcct ccagcctgtc ccctcttcac catcctcagg ggaattaaag 480
caagtctggg gatgccccat tgcgccggga aattggtggc ctccctcagtg atccntatca 540
aggagaagca aggaatccnt aattnccggn gnccggttgta cttaact 587
```

<210> 774

<211> 89

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (86)

<223> n equals a,t,g, or c

<400> 774

ggcagagggga aacatcaggn atgctaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60
aaaaaaaaaa aaanannana aanaantat 89

<210> 775

<211> 113

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (75)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (106)

<223> n equals a,t,g, or c

<400> 775

ggtccggcgn ggtggaggga aacgcctccn tntctatata aggaatttcc cgggtgntnc 60
gggtcctttt ccctntnttc agagtggggg gcccaaattt gggcgtcttg ttt 113

<210> 776

<211> 66

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (65)

<223> n equals a,t,g, or c

<400> 776

ggcanaggat ttnaaccctc accttcgtgt ttccccaat gtttaaaang ttggatggt 60
ttgtng 66

<210> 777

<211> 441

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (401)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (436)

<223> n equals a,t,g, or c

<400> 777

atttgatga aagaacttaa gcaaccttaa tattggctga gacttttaaa agagaaggag 60

```
aatttacttt tttgcctaatt taggaggaag cttggtcata aggaaaaaga gctgtgttta 120
ggaaatagtgt tgtgcccttt gaattaatgg agtgacaccg tgattcatga caggattcca 180
tttactggct gtatgccagc tgctgacagt ctataagtct taatagagat ggagtagagg 240
agctgaagggt tggcatctgc tcattgatga caactatgtt tacaatatgt tgtggactag 300
ttggggcact gaggcaggag aatcacgtgg agcccacggg ttcaagacca gcctgggaaa 360
catagcaaga ccttgtttct aaaaaaaaaa aaaaaaaac ncgagggggg gcccggtacc 420
caattcgccc taaagngagt c 441
```

<210> 778

<211> 483

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (356)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (472)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (478)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (481)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (482)

<223> n equals a,t,g, or c

<400> 778

```
gcttactttt aaccagtgaatttgacctgc ccgtgaagag gcgggcataa cacagcaaga 60
cgagaagacc ctatggagct ttaatttatt aatgcaaaca gtacctaa aaccacag 120
```

716

```

tcctaaacta ccaaaccctgc attaaaaatt tcggttgggg cgacctcgga gcagaaccca 180
acctccgagc agtacatgct aagacttcac cagtcaaagc gaactactat actcaattga 240
tccaataact tgaccaacgg aacaagttac ctaggggata acagcgcaat cctattctag 300
agtccatata aacaataggg tttacgacct cgatnttggg tcaggacatc ccgatngtgc 360
agccgctatt aaagggttcgt ttgttcaacg attaaagtcc tacgtgatct gagttcagac 420
cggagtaatc caggtcggtt tctatctact tcaaattcct ccctggaaaa nnagaagngg 480
nng 483

```

<210> 779

<211> 389

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (261)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (362)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<400> 779

```

ccctcttccc ggctccagct ccgccgccag ctccagcctt tgctccccct cccaaagtcc 60
cctccccgga ggggagcgca cctagggtcc ctcttccgtc cccccagccc agctaccgct 120
tcagaccagc agctcggggg ggcacccccc cgccagcctg cctccctccc gctcagccct 180
gccaggttcc ccagccatg aatctcttcc gattcctggg aaaactctcc caactcctcg 240
ccatcatctt gctaactgtc naaatctgga attcccgctc gtgcgccgaa attcaggaaa 300
aaaacagtcc cgtttggtgt ggggntttca atggccnaat ttgaaatcct ttcacaataa 360
tntttantct aaaaattttt ttaaagggn 389

```

<210> 780
<211> 66
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (18)
<223> n equals a,t,g, or c

<400> 780
ttgtttttaa aactatgnac caggtttcta atgatgaaat aaagcacctg ttgttttat 60
accaaa 66

<210> 781
<211> 255
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (46)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (83)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (94)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (133)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (150)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (163)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (172)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (179)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (182)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (184)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (209)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (224)
<223> n equals a,t,g, or c

<400> 781
ggcagagcag agcagacgca caggccggaa aaggcgcac taacngtat ctaggctttg 60
gtaactgcgg acaagttgct ttnacctgaa tttnatgata catttcatta aggttccagt 120
tataaaatat ttngttaaat atttattaan gtggactata gantgcaaac tnccatttnc 180
cngntaaact tgtttttaaa ttatggccnt aggtaacc ca tatngtaggg tattaatttc 240
cttgaacca aacca 255

<210> 782
<211> 348
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (28)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (32)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (75)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (123)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (135)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (178)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (182)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (296)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (298)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (307)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (323)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (324)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (345)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (346)
<223> n equals a,t,g, or c

<400> 782
ttnagtagag acagggtttc accatgttag tnaggctggt ctggaactcc tgacctcagg 60
tgaatccacc cgagnttggc ctccaagtg gctgggcatt ataggcgtga gcactcacgt 120
ccnqgcctca aaatngcata ttcaaagaag caatttcagt tcctttctaa gctttgttag 180
tnaaggggct ccaactgactt cctaggccct gtaaatttaa accagtcttt aaggttttgc 240
caggaaagtt cccttctttc caagtggggt ttccaaatg ggcacaatgg caagcnanac 300
agaggangaa acattaaaaa aannaaaaa aatttggggg ggggnncc 348

<210> 783
<211> 160
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (29)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (47)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (49)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (78)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (82)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (131)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (141)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (142)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (144)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (146)
<223> n equals a,t,g, or c

<400> 783
ggcaccgagct acaatggcac tgtggactna tgtttccttc gccgagngnc tggagcgggg 60
atctgatgaa aaggtecanac tnaaacgcct tgcacggcctt ctcggccttga tcacagctcc 120
ctaggtaggt naccacagag nngncncttc tagtgagcct 160

<210> 784
<211> 81
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (25)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (77)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (78)
<223> n equals a,t,g, or c

722

<220>
<221> misc feature
<222> (79)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (81)
<223> n equals a,t,g, or c

<400> 784
ggcaccgagcc gggatcgtgc cattncattc cagtctgggt gacagagcta gactccatct 60
caaaaaaaaaa aaaaaannng n 81

<210> 785
<211> 541
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (175)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (265)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (354)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (355)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (356)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (361)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (364)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (369)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (393)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (399)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (405)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (411)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (463)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (489)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (521)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (530)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (539)

<223> n equals a,t,g, or c

<400> 785

```
gagctgcagg catcagagaa ccagccctgc tcacgccatg cccgcccccg ccttccctct 60
tccctcttcc ctctccctgc ccagccctcc ctctcttctc ctgccggcaa ggcagggacc 120
cacagtggct gcctgcctcc gggaggggaag gagagggagg gtgggtgggt ggganggggc 180
cttctccag ggaatgtgac tctcccaggc cccagaatag ctcttgacc caagcccaag 240
gcccagcctg ggacaaaagct ccganggtcg gctggccgga gctattttta cctccgcct 300
cccctgctgg tgccccacc tggacgtctt gctgcagagt ctgacactgg attnnnaaaa 360
nctnaaaang aaccctggta cccaattctg ggncccgnc ctaanctcg ncccaaccca 420
tcatctgtgg acaatggagt ctggaataaa tgctgtttgt canatcaaca aaaaaaaaaa 480
aaaaggggng gccgctttag aggattcaaa gcttaagtaa nggtgcatgn gaagttcana 540
a 541
```

<210> 786

<211> 433

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (350)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (400)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (422)

<223> n equals a,t,g, or c

<400> 786

```
cccacgcgtc cgggtctaaca cgtgcgcgag tcgggggctc gcacgaaagc cgccgtggcg 60
```

```
caatgaaggt gaaggccggc gcgctcgccg gccgaggtgg gatcccgagg cctctccagt 120
ccgccgaggg cgcaccaccg gcccgctctcg cccgccgcgc cggggaggtg gagcacgagc 180
gcacgtgtta ggacccgaaa gatggtgaac tatgcctggg cagggcgaan cagaaggaaa 240
ctctggtgga ggtccgtagc ggtcctgacg tgcaaatacg tcgtccgacc tgggtatagg 300
ggcgaaaagac taaatcgaac catcttagta agctggttcc cctccgaaan tttccctcaa 360
gataagcttg gcgctctcgc aagaccccga aggaaccccn gncanggaat ttttatccgg 420
tnaaagcgaa ttg 433
```

<210> 787

<211> 527

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (492)

<223> n equals a,t,g, or c

<400> 787

```
cccaggatgt gtggcgagag cctggggccag cccacagcgt tcctagtcag gcagccacac 60
cttggtcctc atcttgggcc cttccaatct gaaacctcgt gcctggctcg tctgccacct 120
acatttctct ttccagctgc tgttttgtaa aaagaaaaag aaaaaagaag cccaaactag 180
tgagagtaat atctaattat ctcatTTTTT gtaggtctgt gataaagaac ttagtcatcc 240
cttccacctc ctactgtgaa gaacagaccc tgggtcccac actgaaatcc cctctagtca 300
ccatttccca cccccaggg agctgcctcc caggcagggg gtgcagaaaa tgattgatgg 360
gctggggaac cctggagagc ctcgactccg gaagtctcaa ggtgcctcct cctctcctta 420
gctggcccgt tggttttctg agcagggggc tgaactgtga acaagtcaga caaataaagc 480
aagggtctgc ancatctgca atgtcaaaaa aaaaaaaaaa aaaaaaa 527
```

<210> 788

<211> 203

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (121)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (160)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (179)

<223> n equals a,t,g, or c

<220>

<221> misc feature

726

<222> (181)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (192)

<223> n equals a,t,g, or c

<400> 788

gcttcacgtg gtctgacaat ttatttttgc catcattttt ttaattaaag aaaaaatttc 60
cagaagagga aaaaaaaact acaaaaaaca aaacattgaa gggtgatatt ttatgtggaa 120
naacatttga attgaattca gaatttttct gaagggtgtan atactttttt ttttttttna 180
ncaaaaaccc tnatttcaaa agg 203

<210> 789

<211> 124

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (87)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<400> 789

ggcacgagca gcctacagcc gcctgcatct gstatccancg ccagggtcccg ccagtcccag 60
ctgcgcgcgn cccccagtcc cgcaccngtt cggncaggc taagtttagc ctnaccatgc 120
cggt 124

<210> 790

<211> 293

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (5)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (44)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (52)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (79)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (125)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (134)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (141)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (160)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (179)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (184)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (222)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (266)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (275)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (281)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<400> 790

```
ggcanagcgg cagtcaggga cctgcaggcc ccagaggacc tgtnggaccc antggacctc 60
ctggcaaaga tggaaccant ggacatccag gtgccattgg accaccaggg cctcgaggta 120
acagnnggtga aagnggatct nagggtccc cagggccacn cagggaacc agggccctnc 180
tggnacctcc tgggtgcccct ggtccttgct gtggtggtgt tngagccgct gccattgctg 240
ggattgggag gttgaaaaag cttggnccgt tttgnccccg ngtttantgg ggg          293
```

<210> 791

<211> 129

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (93)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<400> 791

gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60
aaaaaaaaaa aaaaaaaagg gcggccgttt tanaggatcc aagnttacgt acncgngcnt 120
gcaacgtca 129

<210> 792

<211> 267

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (247)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (253)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<400> 792

ggcacgagcg gccttgagcg cgacgaagac gtgtaggcct gctttccgag gggcgagcgc 60
ggcgccgcgg ggaggagggc ctgcgcgcag tccggggcgc gttctagggc gccatgctgc 120

730

gggaagtctc gcgcgattag tggggaggtc tcgcggcttc tggctacttg gtggcgaggt 180
gaagagcttc tgcaggtgct gggggcggcg aacgcggcgg gaaagaaaaa aaaaaaaaaa 240
aaaaaanctn ggnaagtatt ttanan 267

<210> 793
<211> 453
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (68)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (347)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (443)
<223> n equals a,t,g, or c

<400> 793
ggggaaaagt tttggcagga gcgggagaat tctgcggacc tgcgggacgg cggcgggtggc 60
gccgtagnag ccggggacag gtcagtccga gacgagagaa gcggtcagtg ttgtacagtg 120
ttttgggcat gcacgtgata ctcacacagt ggcttctgct caccaacaga tgaagacaga 180
tgcaccaacg aggctgatgg gaaccatcct gtagagggtcc atctgcgttc agaccagac 240
gatgccagag ctatgactgg gcctgcaggt gtggcgccga ggggagatca gccatggagc 300
agccacagga ggaagcccct gaggtccggg aagaggagga gaaagangaa gtggcagaag 360
cagaaggagc cccagagctc aattggggac cacagcatgc acttccttcc agcagctaca 420
cagactctcc cggagctcct cgncaacctt atg 453

<210> 794
<211> 141
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (15)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (17)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (30)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (54)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (63)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (108)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (132)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (137)
<223> n equals a,t,g, or c

<400> 794
caacgaccgc gtttncntgg cacgggggtcn ggccccgctg gccctgggaa agcntccac 60
ggngggggcg cgccggtctc ccggagcggg accgggtcgg aggatggncg agaatacaga 120
gcgacggtgg tngtggnngt t 141

<210> 795
<211> 167
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (46)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (55)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (61)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (93)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (146)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (149)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (164)

<223> n equals a,t,g, or c

<400> 795

ggggacccac ccgaggggtcc agccaccagc cccctcacta atagcngcca ccccnncagc 60
ngcggcacag cagcagcgac gcagcggcga cantcagagc agggaggccg cnccacctgc 120
gggccgggccg gagcgggag ccccgangcnc cctccccggg cacncgc 167

<210> 796

<211> 331

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (16)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (20)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (34)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (41)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (54)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (56)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (58)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (61)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (79)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (88)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (90)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (91)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (101)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (104)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (105)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (114)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (115)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (116)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (123)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (124)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (125)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (126)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (131)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (132)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (146)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (192)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (225)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (228)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (241)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (242)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (244)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (328)

<223> n equals a,t,g, or c

<400> 796

```
aattcgggnan cacgcnacgn cataccgtgg cagnttctgt ntgagacgaa catncngnag 60
nctccactca gctaagttna caacatgngn nctacttctc nctnnctttt acannnacag 120
gannnnnggcc nnagttaata tatcngtgt acctcactgt ccaatatgaa aaccgtaaag 180
tgccttatag gnatttgcgt aactaacaca ccctggttca ttganctnta cttgctgaag 240
nngnaaaaga caggataagn tttcaatagt ggcataccan atgggacttt tgatgaaatg 300
aatatcaata ttttctgcaa ttccatgngc t 331
```

<210> 797

<211> 699

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (521)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (564)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (589)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (597)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (598)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (635)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (643)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (657)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (678)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (695)
<223> n equals a,t,g, or c

<400> 797
gtccacctt actaccagac aaccttagcc aaaccattta cccaaataaa gtataggcga 60
tagaaattga aacctggcgc aatagatata gtaccgcaag ggaaagatga aaaattataa 120
ccaagcataa tatagcaagg actaaccctt ataccttctg cataatgaat taactagaaa 180
taactttgca aggagagcca aagctaagac ccccgaaacc agacgagcta cctaagaaca 240
gctaaaagag cacaccgctc tatgtagcaa aatagtggga agatttatag gtagaggcga 300
caaacctacc gagcctggtg atagctggtt gtccaagata gaatcttagt tcaactttaa 360
atttgcccac agaaccctct aaatcccctt gtaaatttaa ctgntagtcc aaagagggaac 420
agctctttgg aactaggaa aaaaccttgt agagagagta aaaaatttaa caccataggt 480
aggcctaaaa gcagccacca attaagaaag cggtcaagct naacaccacac tacctaaaaa 540
aatcccaaac atataactga actnctacac ccaattgggc caatctatna ccctatnnaa 600
gaactaatgg tagtataagt acatgaaaac cattnttctt cgnataagcc ttgcgtnaga 660
attaaaacac tgaactgnac attaaacagc caatntcta 699

<210> 798
<211> 138

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (115)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (127)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (128)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (133)

<223> n equals a,t,g, or c

<400> 798

```
cccggcacag agtcgatgct caataaatgt gtgttgactg catgaatgac ctggaaaaaa 60
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaanccccc 120
gggggggncc ccncccc                                     138
```

<210> 799

<211> 496

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (442)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (485)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (490)

<223> n equals a,t,g, or c

<400> 799

```
cacactgtna tgctagcctc acgaaactgg aataagcctt cgaaaagaaa ttgtccttga 60
agcttgatc tgatatacagc actggattgt agaacttggt gctgattttg accttgatt 120
gaagttaact gttcccttg gtatttggtt aataccctgt acatatcttt gagttcaacc 180
tttagtacgt gtggcttggt cacttcgtgg ctaaggtaag aacgtgcttg tggaagacaa 240
gtctgtggct tggtagtct gtgtggccag cagcctctga tctgtgcagg gtattaacgt 300
gtcaaggctg agtggtcttg ggaattctct agaggctggc aagaaccagt tggttttgtc 360
cttgcggggt ctgtcaaggg ttggaaatcc caagccgtag gaccagttc cctnccttaa 420
ccgaagtctt tggccaaaca cnngggccgt aactggcctt gagttggaac ggttgcataa 480
gccgnaaagn atcaac 496
```

<210> 800

<211> 516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (80)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (122)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (149)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (157)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (164)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (166)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (169)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (173)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (188)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (190)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (193)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (199)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (208)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (220)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (256)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (270)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (273)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (275)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (294)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (296)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (335)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (336)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (341)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (362)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (370)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (487)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (500)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (501)
<223> n equals a,t,g, or c

<400> 800

743

```
gctgaaaaag gnggggggga gccattann acgcccagac ggantaaccc caggccccgc 60
cacaccaccc cttgccaaan tcatctgcct gctccccggg gggagangac cgccggcctc 120
tntactagc ccaccagccc accaggana aaataanca tganangcng cgnccgccac 180
ccngtgnncn cantccccc cttcccgntt cccttagaan cctgccgcgt cctatctcat 240
gacgctcatg gaaccncttt ctttgatctn ctntntctta tctccccctc tttntngttc 300
taaagaaaat catTTTTgatg caaggTcctg cctgnnatca natccgaagt gtcctgcag 360
tnaccctttt cctggcattt ctcttccacg cgacaagtct gctagtgaga tcttgcata 420
ctcactttgt ttccaaaacc cggggctatt ttgcattctc agtttctctg ggctgcttc 480
ctgtgtncca cttaagggn nctgggcaa gactgt 516
```

<210> 801

<211> 284

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<400> 801

```
naagcncctg gngaacttgg ggaaggcncg cctgcaggta ccggtccgga attccccggg 60
cgaccttcgc gtttttatat ataatagatat ataatagatat ataatagatat ataatagatat 120
ataatagatat ataatagatat agaatagatat agaatagatat agaatagatat agaatagatat 180
ataatagatat ataatagatat ataatagatat ataatagatat ataatagatat ataatagatat 240
ataatagatat ataatagatat ataatatctgg ctcatgcatg aaaa 284
```

<210> 802

<211> 153

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (92)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (119)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (134)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (140)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (143)
<223> n equals a,t,g, or c

<400> 802
cggacggctg tgtagcgcgt ggggtgtaaga cttgcccaag tcccanagca cctcacctcc 60
cgaagccacc atccccaccc tgtcttccac anccgcctga aagccacaat gagaatgant 120
cacactgagg cctngatgtn ctntaatcac ttg 153

<210> 803
<211> 383
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (271)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (301)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (370)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (374)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (375)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (383)
<223> n equals a,t,g, or c

<400> 803
cacgtgagat taaaaccaat tttttcccca ttttttctcc ttttttctct tgctgcccac 60
attgtgcctt tattttatga gcccagttt tctgggctta gtttaaaaaa aaaatcaagt 120
ctaaacattg catttagaaa gcttttgttc ttggataaaa agtcatacac ttttaaaaaa 180
aaaaaaactt ttccaggaa aatatattga aatcatgctg ctgagcctct attttcttct 240
tttgatggtt ttggattcag tattccttta nccataaatt tttagcattt aaaaattcac 300
nggatgggtac attaagccaa taaactggct ttaatggatt acccaaaaaa aaaaaaaaaa 360
aaaggggggn cgcnnccagag ggn 383

<210> 804
<211> 509
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (94)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (397)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (399)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (401)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (434)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (478)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (504)

<223> n equals a,t,g, or c

<400> 804

```
ggcacgagct gggttgtcct ttgcatctgc acgtgttcgc agtcgtttcc gcgatgctga 60
ctctggagct cagcacagcc ctggagcacc agnggtacat tacttttctt gaagacctca 120
agagttttgt caagagccag tagagcagac agatgctgaa agccatagtt tcatggcagg 180
ctttggccag tgaacaaatc ctactctgaa gctagacatg tgctttgaaa tgattatcat 240
cctaatatca tgggggaaaa aataccagat ttaaattata tgttttgtgc tctcatttat 300
ttatcatttt tttctgtaca aatctattat ttctagggtt ttgtattaca tgatagacat 360
aaattgggtt atctctcca ggcagtttgt cttttcnant nctccccctt caaccgtgtc 420
acaaagacca gacngtgtcg ggaaagtttt ttttctccgt attgttaaag gttccatnca 480
attagggtta ataaaggctt nttntccag                                     509
```

<210> 805

<211> 753

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (648)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (668)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (718)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (736)

<223> n equals a,t,g, or c

<400> 805

```
ncaaacccac tccaccttac taccagacaa ccttagccaa accatttacc caaataaagt 60
ataggcgata gaaattgaaa cctggcgcaa tagatatagt accgcaaggg aaagatgaaa 120
aattataacc aagcataata tagcaaggac taacccttat accttctgca taatgaatta 180
actagaaata acttttgaag gagagccaaa gctaagaccc ccgaaaccag acgagctacc 240
taagaacagc taaaagagca caccctgcta tgtagcaaaa tagtgggaag atttataggt 300
agaggcgaca aacctaccga gcctggtgat agctggttgt ccaagataga atcttagttc 360
aactttaaat ttgccacacag aaccctctaa atccccttgt aaatttaact gttagtccaa 420
agaggaacag ctctttggac actaggaaaa aaccttgtag agagagttaa aaatttaaca 480
cccatagtag gcctaaaagc agccaccaat taagaaagcg ttcaagctca acaccacta 540
cctaaaaaat cccaaacata taactgaact cctcacaccc aattggacca atctatcacc 600
ctatagaaga actaatggta gtataagtaa catgaaaaca ttctcctncc cataagcctg 660
cgctcaganta aaacctgact gacaattaac agcccaattc tacaatcaaa caacaagnca 720
ttattaccct tactgncaac ccaaccaggc atg 753
```

<210> 806

<211> 404

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (396)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (398)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<400> 806

```
ggaagaagga ngaaaagcag gaagctggaa aggaagggtac tgcaccatct gaaaatggtg 60
aaactaaagc tgaagaggta ctttccataa atacctccca ctgattgaat cagtgtcttt 120
aaagaaattt ctcaatcctt cagccggtga tagcacgttc ttaatgtctc tttttattgc 180
ctgtaatggt attgcagatc cacatctctc gctcaactgt taatgtctca acctccagag 240
gcacccacc cagcacactg tcagtaaagg ggcagaatga aacagtgaga gttaagggta 300
caggaagaaa atttgcatgt ttgcaagtga ctagaatcag atagtaagtg gnggtgggtt 360
ttttttttta atcattatga aanagtggga agcttngnag gttna 404
```

<210> 807

<211> 428

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (89)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (164)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (198)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (215)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (258)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (266)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (283)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (400)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (413)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (417)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (423)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (426)
<223> n equals a,t,g, or c

<400> 807

```
cngttcctcc gcctgtncn tgggggggccc ctnagaggga aggagaggtt tctcacacca 60
aggcagatgc tcctctggtg ggagggtgnt ggcccggcaa gattgaagga tgtgcagggc 120
ttcctctcag agccgccc aaactgccttga tgtgtggagg ggangcaaga tgggtaaggg 180
ctcaggaagt tgctccanga acagtagctg atganctgcc cagagtgcct ggctccagcc 240
tgtacccttg gtatgccntg aacatntggt ttccccaccc aantgcggct aagtctcttt 300
ttccttggat cagccaggcg aaattggggc ttgacaagg aattttctaa ggaaaccttg 360
ttaaccagac aaaacacaac cagggttaca gggggtatgn aagggttttc tgnccngga 420
ggnttnag 428
```

<210> 808

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (34)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (62)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (257)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (258)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (261)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (270)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (286)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (288)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (342)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (346)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (349)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (365)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (375)
<223> n equals a,t,g, or c

<400> 808
cnagccccga ggggctctcg cttctggcgc caangcccg ccgcgcgcgc gccggggccga 60
cnccgctccg gggacagtgc caggngggga gtttgactgg ggcggtacac ctgtcaaacg 120
gtaacgcagg tgtcctaagg cgagctcagg gaggacagaa acctcccg tgagcagaagg 180
gcaaaagctc gcttgatctt cattttcagt acgaatacag accgtgaaag ccgggcctca 240
cgatcctcct gacctnnncg ntttncagcn ggaggtgtca gaaaantnac cacagggata 300
actcgcttgt cgcggccaag cgttcatagc gacgtcgctt tnccangtnc gatgtcggat 360
cttcntatca ttgtnaagca gaattcacca agcgttgat tgt 403

<210> 809
<211> 583
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (376)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (377)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (421)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (423)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (435)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (440)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (444)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (472)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (478)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (481)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (488)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (565)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (571)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (573)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (581)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (583)
<223> n equals a,t,g, or c

<400> 809
tcgacccacg cgtccgggac gacagttagc tatgctgata cccttctgtg aggagttgaa 60
tttgaagacc acttggtgtg ttcacaaaac cagaagtaat tacagggtgt tcctgaaaag 120
ccccatagtg attgagtctt caaaaccacc gattctgaga gcaaggaaga ttttggaaga 180
aaatctgact gtggattatg acaaagatta tcttttttct taagtaatct atttagatcg 240
ggctgactgt acaaagact cctggaaaaa actcttcacc tagtctagaa taaggagggt 300
gggagaatga tgacttaccc tgaagtcctt cccttgactg cccgactgg ggcctgttct 360
gtgccctggg agcatnntgc ccagctaaagt ggggttcagg cagtgggcag ctttcccaat 420
nantcgattt catnccagn gganttaaaa ccagttggcc aaatttccaa gnccttgnaa 480
ntaaggantc catttaccaa ccgcggttt tgtggtcagt gcccgaagg ggtagggtga 540
agggggctta acaaacatgg aagtnggggg nanaagggat nan 583

<210> 810
<211> 272
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (33)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (43)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (123)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (130)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (163)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (165)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (167)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (228)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (259)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (262)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (265)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (266)
<223> n equals a,t,g, or c

<400> 810
tttttttttt tttttggacg ttaaaggcat ttnattccag cgncttctag agagcttagt 60
gtatacagat gaggtgtgcc gctgctgctt tccttcggaa tccagtgtt ccacagagat 120
tancctgtan cttatatttg acattcttca ctgtctgttg ttnancnacc gtagcttttt 180
accgttcact tccccttcca actatgtcca gatgtgcagg ctccctccnct ctggactttc 240
tccaaaggca ctgaccctng gnetnnactt tg 272

<210> 811
<211> 300
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (8)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (252)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (259)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (264)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (276)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (280)
<223> n equals a,t,g, or c

<400> 811
ggcagagnat aaaatcttaa agcactcata atatggcatc cttcaatttc tgtataaaaag 60
cagatctttt taaaaagata cttctgtaac ttaagaaacc tgggcattta aatcatattt 120
tgtcttttagg taaaagcttt ggtttgtgtt cgtgttttgt ttgtttcact tgtttccctc 180
ccagccccaa accttttggt ctctccgtga acttaccttt ccctttttct ttctcttttt 240
tttttttgga anattaatng ttncaataa aatttncatn gccattaaaa aaaaaaaaaa 300

<210> 812
<211> 478
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (232)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (294)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (325)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (336)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (409)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (427)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (445)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (468)

<223> n equals a,t,g, or c

<400> 812

```
gccaccttac taccagacaa ccttagccaa accatttacc caaataaagt ataggcgata 60
gaaattgaaa cctggcgcaa tagatatagt accgcaaggg aaagatgaaa aattatagcc 120
aagcataata tagcaaggac taacccttat accttctgca taatgaatta actagaaata 180
actttgcaag gagagccaaa gctaagaccc ccgaaaccag acgagctacc tnagaacagc 240
tgaaagagca caccggtcta tgtagcaaaa tagtggggaag atttataggt tgangcgaca 300
aacctaccga gcctngtgat agctngttgt tccaanattg aatccttagt tccactttta 360
atttggtccc aaaaaccccc taattcccct tggttaattt taactgttng tccccaaaaa 420
ggaaccngct ctttgggacc cttanggaaa aaaaccttgn ttaaaaanaa ttaaaaaa 478
```

<210> 813

<211> 63

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (50)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (53)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<400> 813

```
gccgcggtcc ttcagactgc ccggagagcg cgctctgcct gccgcctgnn tgnctgncnc 60
tga 63
```

<210> 814
<211> 73
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (4)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (37)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (38)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (52)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (58)
<223> n equals a,t,g, or c

<400> 814
ggcngacatt cagactgagc gtgcctacca aaagtanncg accatctttc anaacaanaa 60
gagggtcctg ctg 73

<210> 815
<211> 102
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (29)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (91)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (93)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<400> 815

gctgccgcct gctgcctgc cactgaggnt tcccagcacc atgagggcct ggatcttctt 60
tctcctttgc ctggccggga gggccttggc ngncctcan cn 102

<210> 816

<211> 379

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (358)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (359)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (360)

<223> n equals a,t,g, or c

<400> 816

gctccacgag gggtcagctg tctcttactt ttaaccagtg aaattgacct gcccgagaag 60
aggcgggcat aacacagcaa gacgagaaga ccctatggag ctttaattta ttaatgcaaa 120
cagtacctaa caaaccaca ggtcctaaac taccaaacct gcattaaaaa tttcggttg 180

ggcgacctcg gagcagaacc caacctccga gcagtacatg ctaagacttc accagtcaaa 240
gcgaactact atactcaatt gatccaataa cttgaccaac ggaacaagtt accctaggga 300
taacagcgca atcctattct agagtccata tcaacaatan ggtttacnac ctcgatgnnn 360
ggatcaggac attccaatg 379

<210> 817

<211> 500

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (192)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (201)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (215)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (238)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (251)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (259)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (262)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (283)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (293)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (336)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (339)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (345)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (350)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (354)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (363)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (365)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (369)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (373)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (384)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (394)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (397)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (416)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (430)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (445)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (480)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<400> 817

```
tcgacccacg cgtccggcca cagccacagc caggctagcc tcgccggttc ccgggtggcg 60
cgcgttcgct gcctccttca gctccaggat gatcggccag aagacgctct actccttttt 120
ctccccacgc cccgccaaga agcgacangg cccaagnc cagccggcc gtcaagggga 180
ccgngtggtc tngggttgct naagaaagcg gaatncgggg ggcatcccg ccaagaangn 240
cccggtggg naggagaanc tngggaacgc cggcctcctt ggncgctgaa ttnccgaaca 300
ttttggaacc ggattccaga ggaacaaagg gcccgnggnc cttgnttaan aatncggggg 360
ccngnaaang ttnccccttg gggntttttg gaanaanaac ctgggaaaga aagcanccta 420
aggggggggn attttcgggg gaaancgtta tttttaatca aagctaaatt ggggattttt 480
tttncaaaaa ggaaaggaaa 500
```

<210> 818

<211> 329

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (52)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (182)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (184)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (193)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (196)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (208)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (209)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (239)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (256)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (275)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (279)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (320)
<223> n equals a,t,g, or c

<400> 818
cggtaccaat ttacacagga gacagctatg accatgatta cncnagctc gnaattaacc 60
ctcactaatg ggaacanaag ctggagctcc accgngtagg cggnccgtct agaactagtg 120
tgatcccccg ggctgcagga attcggcncg agaggaaana gaaaccgtct gaactatgct 180
gnnngccatc atnctnggcc tcatcgcnnt tccatcccta cgcattgctt acatagcana 240
cgaggtgacg atgccnccct taccatcaag atcanttgnc caccaatggt acttgaacct 300
acgagtacac ccgaccacn ggtggacta 329

<210> 819
<211> 648
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (369)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (518)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (544)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (547)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (565)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (584)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (626)
<223> n equals a,t,g, or c

<400> 819
gcttaaatc ttttgaggat gggatgtatt tttcttgctg ttcagtgtt tttccttttc 60
atctgttggt ctgtgggtcac agtgacctta gctacatagc agactttccc aaatgtattg 120
attacaaata aacagttgtt acttagcaag acctgaaaat atgtctgcag gtttctcctt 180
gaagcaaatg tgtgggatca ttgcatttcc agaaatctgc ctccttcacc ctccgttgac 240
agtatatgtc atgcctcact ttcttctagc tgagctttaa atcattagag cttaaattgt 300
cagatcggtc attgcctttc caggggttatt tagtaaagt tggtagaaac aaaaacgcct 360
tttcttggtt cttttttcag ttattttgaa ggccagcatc ctgattaaat gctgacacat 420
taatgaatga ccagcaacag ctttcagctc ttaaaaagac acttatattt gaatttacat 480
gctgggtacc tgggtccaat ggtggcaaaa ggccactntt cattaaaagg ggtcctccat 540
ttcntanccc caaggacttc ctcanttttc aaattgggaa gggnacctaa aaggggggtac 600
aattaaaacc ctggggtaaa gggggnaaaa aaaaaaaaaa aaaaaaaaaa 648

<210> 820
<211> 469
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (238)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (284)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (293)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (308)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (319)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (370)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (396)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (421)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (428)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (465)
<223> n equals a,t,g, or c

<400> 820
gccactccac cttactacca gacaacctta gccaaacctt ttacccaaat aaagtatagg 60
cgatagaaat tgaaacctgg cgcaatagat atagtaccgc aagggaaaga tgaaaaatta 120
taaccaagca taatatagca aggactaacc cctatacctt ctgcataatg aattaactag 180
aaataacttt gcaaggagag ccaaagctaa aacccccaat aaaccttgaa cagtgaanaa 240
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaacctcgag gtcnacggta tcnataacct 300
tgatatcnaa ttcggcacna gcaaccctca ttcccccaacc cacgccggag gctgcgcctg 360
caggacctgn ctgaccgatt ggtggatcct ctgaanatga acacgactca ccaactgctca 420
ncgaggcntg cttgagcaaa atccgccaat tataaaaaaa aaacnctcc 469

<210> 821
<211> 432
<212> DNA
<213> Homo sapiens

<220>

<221> misc feature
<222> (344)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (385)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (419)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (422)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (425)
<223> n equals a,t,g, or c

<400> 821
ggcacgagag aaactgtgtg tgaggggaag aggcctgttt cgctgtcggg tctctagttc 60
ttgcacgctc ttaagagtc tgcactggag gaactctgcc attaccagct cccttggtgc 120
agaaggaagg ggaaacatac atttattcat gccagtcctgt tgcattgcagg ctttttggtc 180
tcctaccttg caacaaaata attgcaccaa ctccttagtg ccgattccgc ccacagagag 240
tcctggagcc acagtccttt ttgctttgca ttgtaaggag agggactaaa gtgctagaga 300
ctatgtcgtc ttcctgagct aacgagagcg ctcggtgaact ggantcaact gctttcaggg 360
aaaaagaaaa aaaaaaaaaa aaaanccggg ggggggcccg gtaaccatt tccccctana 420
gnggnggggt tt 432

<210> 822
<211> 428
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (323)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (367)
<223> n equals a,t,g, or c

<220>
<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (425)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (427)

<223> n equals a,t,g, or c

<400> 822

```
aagtctcttc agtgcaactcg ctccctctct ggctaaggca tgcattagcc actacacaag 60
tcattagtga aagtgggtctt ttatgtcctc ccagcagaca gacatcaagg atgagttaac 120
caggagacta ctctgttgga ctgtggagct ctggaaggct tgggtgggagt gaatttgccc 180
acaccttaca attgtggcag gatccagaag agcctgtctt tttatatcca ttccttggat 240
gtcattgggc ctctcccacc gatttcatta cggtgccacg catccatggg atctggggta 300
gtccggaaaa acaaaaggag ggnagacagc ctggtaatgg ataagatcct taccacagtt 360
ttcccanggg gaatacctta tnaanccttc aacttttttt tttcccttaa gaattaaaaac 420
ggggnana                                     428
```

<210> 823

<211> 100

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (54)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (71)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (78)

<223> n equals a,t,g, or c

<400> 823

ctcagctcct gggggctcct gctactctgg gntcccgagg gtgccaaaat gtgncatcca 60
agntgaccca ntctccgncc ctccctgtct gcagctggta 100

<210> 824

<211> 173

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (111)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (117)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (156)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (165)

<223> n equals a,t,g, or c

<400> 824

cggacgcgtg ggcggacgcg tgggcggacg cgtgggccga gaaccacagg tgtacaccct 60
gccccatcc cgggaggana tgaccaagaa acagtcagct gaactgcctg nttctanagg 120
tttctatccc acgaaatccc cttgaattgg gaaacnattg ggcanccgaa aaa 173

<210> 825

<211> 341

<212> DNA

<213> Homo sapiens

<220>
<221> misc feature
<222> (283)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (313)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (317)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (335)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (339)
<223> n equals a,t,g, or c

<400> 825
cccaaacc ca ctccacctta ctaccagaca accttagcca aaccatttac ccaaataaag 60
tataggcgat agaaattgaa acctggcgca atagatatag taccgcaagg ggaaagatga 120
aaaattataa ccaagcataa tatagcaagg actaacccct ataccttctg cataatgaat 180
taactagaaa taactttgca aggagagcca aagctaagac ccccgaaacc agaacgagct 240
accttagaac agcttaaaga gcacaccct ctatttttgc canaatagtg ggaaagattt 300
atagggttgaa ggnaacnaac ctaccgagcc tggtnaatnc t 341

<210> 826
<211> 492
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (337)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (416)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (480)

<223> n equals a,t,g, or c

<400> 826

```
gcaaaccac tccaccttac taccagacaa ccttagccaa accatttacc caaataaagt 60
ataggcgata gaaattgaaa cctggcgcaa tagatatagt accgcaaggg aaagatgaaa 120
aattataacc aagcataata tagcaaggac taacccttat accttctgca taatgaatta 180
actagaaata actttgcaag gagagccaaa gctaagaccc ccgaaaccag acgagctacc 240
taagaacagc taaaagagca caccctgcta tgtagcaaaa tagtggaag atttataggt 300
agaggcgaca aacctaccga gcctggtgat agctggntgt ccaagataga atcttagttc 360
aactttaaat ttgccacag aaccctctaa atcccttgt aaatttaact gttagnccaa 420
agaggaacaa gctctttgga cactangaaa aaaccttgta tagagaggaa naaanatttn 480
acaaccata ct 492
```

<210> 827

<211> 290

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (264)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (290)

<223> n equals a,t,g, or c

<400> 827

```
ggtcgtgtc tcccgggccc ggccgagcc ggcacgggag aggggaggac gttcgtggng 60
aacgggaccg tccttctcgc tccgccccgc ggggggtcccc tcgtctctcc tctccccgcc 120
cgccggcggt gcgtgtggga aggcgtgggg tgcggacccc ggcccgcct cgccgtcccc 180
cccgcgcct tctgcgtcgc gggcgccggc cggcggggtc ctctgacgcn gcagacagcc 240
ctcgtgtcnc cctccagtgg angncgactt gcgggcggta ctcctacgan 290
```

<210> 828

<211> 420

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (149)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (396)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<400> 828

```
gggtcgaccc acgcgtccgg cagcacggaa aaagaaggtc tcctccacga agcgacactg 60
agcgtgcacc aagggttggt tctgcggggg ccttggagct cctgctcttc tcccgcacct 120
ccatggatgc actgctgccg agcagagcng cctctgccag gccccgccct gggattccta 180
gagactagct tcagttttgc tttttttttt aagtgggaga aggggtgggca gttatcactg 240
gggaagagag gaccggccac ctgtccagca tgggctccag agccttcctc tctcacaggg 300
cagagtcttg tcggcaaggc agcctcctgg ccantttctc tgctcatgtt tctgggttagc 360
agagttcaga gccaatgtgt tnacttcttg gttgtncctg tgnangaagc ctttcaaaac 420
```

<210> 829

<211> 298

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (125)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (129)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (171)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (181)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (191)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (267)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (268)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (269)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (281)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (287)
<223> n equals a,t,g, or c

<400> 829
ttcagaaaaa acaatagtnn tgtgcctctn tcttctcaaa caatggatga cacaanncta 60
tggagagtga caaaatggtg acaggtagct ggggacctag gctatctcnc catgaagggt 120
gttcngctna ttgtatatct gtgtatgtag tgtaactata ttgtacaatg ngaagactgt 180
naactactat ntagggttgt tgcagattga aatttagttg tctcattggc tgtctgagga 240

agtgtggact tctatatata gatctannnt gaaaactgct ncatgantga aaaccaca 298

<210> 830

<211> 516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (408)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (477)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (513)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (515)
<223> n equals a,t,g, or c

<400> 830
ncggnaaactn ctcactatag ntgaaagctg gtacnccctgc aggtaccggt ccggaattcc 60
cgggggcctc cccttggtccc caagagaccc gacgcttgct tcatggccta cacgttcgag 120
agagagtcctt cgggagagga ggaggagtag ggccgcctcg gggctgggca tccggcccct 180
ggggccacccc cttgtcagcc ggggtgggtag gaaccgtaga ctgcctcatc tcgcctgggt 240
ttgtccgcat gttgtaatcg tgcaataaaa cgctcactcc gaattagcgg tgtatttctt 300
gaagtttaat attgtgtttg tgatactgaa gtatttgctt taattctaaa taaaaattta 360
tattttactt ttttattgct ggtttaagat gattcagatt atccttgnac tttgaggaga 420
agttttctat ttggagcttt tggaacagc ttaagctttt aacttggaat gatagnatt 480
aatccccctt attggtntcc aaaagccaat aangng 516

<210> 831
<211> 636
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (414)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (453)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (530)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (617)
<223> n equals a,t,g, or c

<400> 831
ggaaaaaaat'gagttccatt taaaattttg gcatatggca ttttctaact taggaagcca 60
caatgttctt ggcccatcat gacattgggt agcatctaact gtaagttttg tgcttccaaa 120
tcactttttg gtttttaaga atttcttgat actcttatag cctgccttca attttgatcc 180


```

tttattcttt ctatttgta ggtgcacaag attaccttcc tgttttagcc ttctgtcttg 240
tcaccaacca ttcttacttg gtggccatgt acttggaata aggccgcag atctttcttg 300
ctccactcag tgtctaaggc accctgcttc ctttgcttgc atcccacaga ctatttcctt 360
catcctatctt actgcagcaa atctctcctt agttgatgag actgtgttta tctnccttta 420
aaaccctacc tatcctgaat ggtctgtcat tgnctgcctt taaaatcctt cctctttctt 480
cctcctctat tctctaaata atgatggggc ttaagttata cccaaagctn actttacaaa 540
atatttcctc aagactttgc agaaacacca acaaaatgcc atttaaaaaa ggggattttc 600
tttaaaggaa ctctaanaca ggcaagggtc tgatgt 636

```

<210> 832

<211> 466

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (421)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (453)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (466)

<223> n equals a,t,g, or c

<400> 832

```

gatcagatta tgagttactg tttaaagaa aaatgctgtt tattcatgct gaggtgattc 60
agttccctcc ttcttacaga agtattttaa ttcacccac actagaaatg cagcatcttt 120
gtggacgtct ttttcacaag cctccaaggc tccttagatt ggtcgttac taaaagtaca 180
ttaaacact cttgtttatc gaagtatatt gatgtattct aaagctagta aacttcccta 240
acgtttaatt gccctacaga tgcttctctt gctgtgggtt ttcttttggt agtggctctga 300
aataattatt ttcctgttct attaatacat aagtgtattt tgcacaaaaa aattaacctg 360
gtcaaatagt gattaccaa atatatatta ataactcttg gcaaattttt gccatttata 420
ngaaaacatt ttaacccac ggntangttc tanatttatt ctttcn 466

```

<210> 833

<211> 405

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (237)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (278)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (335)
<223> n equals a,t,g, or c

<400> 833
ttttaattca acccagccat gcaatgccaa ataatagaat tgctccctac cagctgaaca 60
gggaggagtc tgtgcagttt ctgacacttg ttgttgaaca tggctaaata caatgggtat 120
cgctgagact aagttgtaaa aaattaacaa atgtgctgct tggttaaaat ggctacactc 180
atctgactca ttctttattc tattttagtt ggtttgatc ttgcctaagg tgcgtantcc 240
aactcttggt attaccctcc taatagtcac actagtantc atactccctg gtgttatgta 300
ttctctaaaa gctttaaatg tctgcattgc aaccngccat caaatattga atgggctctc 360
ttttggctgg aattacaaac tcaaaaaaatg tttctcagga aaaaa 405

<210> 834
<211> 402
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (277)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (332)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (354)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (359)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (390)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (400)
<223> n equals a,t,g, or c

<400> 834
gcaaaccac aggtcctaaa ctaccaaacc tgcattaaaa atttcggttg gggcgacctc 60
ggagcagaac ccaacctccg agcagtacat gctaagactt caccagtcaa agcgaactac 120
tatactcaat tgatccaata acttgaccaa cggaacaagt taccctaggg ataacagcgc 180
aatcctattc tagagtccat atcaacaata gggtttacga cctcgaatgtt ggatcaggac 240
atcccgatgg tgcagccgct attaaagggtt cgtttgntca acgattaaag tcctacgtga 300
tctgagttca gaccggagta atccaggctg gnttctatct acttcaaatt cctncctgna 360
cgaaaggaca agagaaataa gggctacttn acaaagcgcn tt 402

<210> 835
<211> 121
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (1)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (4)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (40)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (77)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (100)
<223> n equals a,t,g, or c

<220>

<221> misc feature
<222> (110)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (117)
<223> n equals a,t,g, or c

<400> 835
nttnaaaaaa aaaaaaaaaa aaaaaaaaaa aagaaaaaan aaaaaaaaaa aaaaaaaaaa 60
aaaaagggcg gccgttntaa aggatccaag cttacgtacn cgtgcatgcn acgtcanagc 120
t 121

<210> 836
<211> 411
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (340)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (344)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (357)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (386)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (408)
<223> n equals a,t,g, or c

<400> 836
agtaagcctg ccagacacgc tgtggcggtt gcctgaagct agtgagtcgc ggccgccgcgc 60
acttgtggtt gggtcagtgc cgcgcgccgc tcggtcggtta ccgcgaggcg ctggtggcct 120
tcaggctgga cggcgcggtt cagccctggt ttgccggctt ctgggtcttt gaacagccgc 180
gatgtcgatc ttcaccccca ccaaccagat ccgcctaacc aatgtggccg tggtagcgat 240
gaagcgcgcc aggaagcgct tcgaaatcgc ttgctacaga aacaagtcgt cggctggcgg 300
agggccttgg aaaaagactt gatgaatatt gcagaccan caangtttgt aaagttncca 360

aagtcagttt ccaaaaggaa attcancagg ggtttgaaaa atgccaanga a 411

<210> 837

<211> 386

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (384)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (386)

<223> n equals a,t,g, or c

<400> 837

gcggcagctc agcaagtggg ggaccaggcc acagaggcgg ggcagaaagc catggaccag 60
ctggccaaga ccaccagga aaccatcgac aagactgcta accaggcctc tgacaccttc 120
tctgggatcg ggaaaaaatt cggcctcctg aaatgacagc agggagactt gggtcggcct 180
cctgaaatga tagcagggag acttgggtga ccccccttc aggcgccatc tagcacagcc 240
tggccctgat ctccgggcag ccaccacctc ctcggtctgc cccctcatta aaattcacgt 300
tcccaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 360
aaaaaaaaaa aaaaaaaaaa ngnnnn 386

<210> 838

<211> 124

<212> DNA

<213> Homo sapiens

<400> 838

gctttcaata gatcgagcg agggagctgc tctgctacgt acgaaacccc gaccagaag 60
caggtcgtct acgaatggtt tagcgccagg ttccccacga acgtgcggtg cgtgacgggc 120
gagg 124

<210> 839
<211> 270
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (26)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (56)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (107)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (130)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (175)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (178)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (250)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (260)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (261)
<223> n equals a,t,g, or c

<400> 839

```
atctggttgt ggttacaatg aaaatnagaa gcattattga tggattcgca taagcncaat 60
gtgatgtcct gcgccgttct gccccctctc ccttocaggg tgaggggncgtg gggtgagggg 120
taatgttcgn accagtgtg gctgttcccc tcaccctaac cctctcccca aaggncgnag 180
gggcccggtt acccaattcg ccctatagtg agtcgtatta caattcactg gccgtcgttt 240
tacaagacgn agggaggagn ntgatgaaaa 270
```

<210> 840

<211> 430

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (263)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (369)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (409)

<223> n equals a,t,g, or c

<400> 840
ctctacatca ccgccccgac cttagctctc accatogctc ttctactatg aacccccctc 60
cccataccca accccctggt caacctcaac ctaggcctcc tatttattct agccacctct 120
agcctagccg tttactcaat cctctgatca gggtgagcat caaactcaaa ctacgccctg 180
atcggcgcac tgcgagcagt agcccaaacn atctcatatg aagtcaccct agccatcatt 240
cctactatca acattactaa tnngttggct cctttaacct ctccaccctt atcacaacac 300
aagaacactc ctgaatatcc tgccatcata accctttggc catatatnat tatcttccac 360
actagggana acaacgaacc cccttcgaan cttgngaaag ggaatttcna ataatcttca 420
ggttcaaatt 430

<210> 841
<211> 650
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<222> (519)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (555)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (564)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (573)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (589)
<223> n equals a,t,g, or c

<220>
<221> misc feature
<222> (634)
<223> n equals a,t,g, or c

<400> 841
gccgtcatct actctaccat ctttgaggc aactcatca cagcgctaag ctgcactga 60
ttttttacct gaggtagcct agaaataaac atgctagctt ttattccagt tctaaccaaa 120
aaaataaacc ctcggtccac agaagctgcc atcaagtatt tcctcacgca agcaaccgca 180
tcataatcc ttctaatagc tatctcttc aacaatatac tctccggaca atgaaccata 240
accaataata ccaatcaata ctcatcatta ataatcataa tggctatagc aataaaaacta 300


```

ggaatagccc cctttcactt ctgagtccca gaggttacct aaggcacccc tctgacatcc 360
ggcctgcttc ttctcacatg acaaaaacta gcccccatct caatcatata ccaaattctt 420
ccctcactag acgtaagcct tctcctcact ctctcaatct tatccatcat agtaggcagt 480
tgagggtgga ttaaaccaaa acccagctac gcaaaatcnt agcatacttc ctcaattacc 540
cacataggat gaatnaatag cagnttctac cgnacaaccc ttacataanc atttcttaaa 600
ttaactaatt atattaatcc taactactac ggantctact actaacttaa 650

```

<210> 842

<211> 509

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (455)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (462)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (468)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (482)

<223> n equals a,t,g, or c

<400> 842

```

gcctgtgtct gctaaaaaag aaaagaaagt ttcctgcatg ttcattcctg atgggcggggt 60
gtctgtctct gctcgaattg acagaaaagg attctgtgaa ggtgatgaga tttccatcca 120
tgctgacttt gagaatacat gttcccgaat tgtggtcccc aaagctgcca ttgtggcccg 180
ccacacttac cttgccaatg gccagaccaa ggtgctgact cagaagttgt catcagtcag 240
aggcaatcat attatctcag ggacatgctc atcatggcgt ggcaagagcc ttcgggttca 300
gaagatcagg ccttctatcc tgggctgcaa catccttcga gttgaatatt ccttactgat 360
ctatgttagc gttcctggat ccaagaaggt catccttgac ctgcccctgg taattggcag 420
cagatcaggt ctaagcanca gaacatccag ctggnccagcc cnaaccanct ctgaagatga 480
gntgggtaga tctgaacatc ctgatcccc 509

```

<210> 843

<211> 158

<212> PRT

787

<213> Homo sapiens

<400> 843

Lys Arg Asp Trp Val Ile Pro Pro Ile Ser Cys Pro Glu Asn Glu Lys
1 5 10 15

Gly Pro Phe Pro Lys Asn Leu Val Gln Ile Lys Ser Asn Lys Asp Lys
20 25 30

Glu Gly Lys Val Phe Tyr Ser Ile Thr Gly Gln Gly Ala Asp Thr Pro
35 40 45

Pro Val Gly Val Phe Ile Ile Glu Arg Glu Thr Gly Trp Leu Lys Val
50 55 60

Thr Glu Pro Leu Asp Arg Glu Arg Ile Ala Thr Tyr Thr Leu Phe Ser
65 70 75 80

His Ala Val Ser Ser Asn Gly Asn Ala Val Glu Asp Pro Met Glu Ile
85 90 95

Leu Ile Thr Val Thr Asp Gln Asn Asp Asn Lys Pro Glu Phe Thr Gln
100 105 110

Glu Val Phe Lys Gly Ser Val Met Glu Gly Ala Leu Pro Gly Thr Ser
115 120 125

Val Met Glu Val Thr Ala Thr Asp Ala Asp Asp Gly Cys Gly Thr Pro
130 135 140

Thr Met Pro Pro Ser Leu Thr Pro Ser Ser Ala Gln Asp Pro
145 150 155

<210> 844

<211> 601

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

788

<221> SITE
 <222> (103)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (106)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (152)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (358)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (383)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <400> 844
 Thr Glu Leu Leu Lys Ser Ala Ala Arg His Gly Thr Ala Glu Ser Ala
 1 5 10 15

 Pro Trp Pro Arg Gly Gln Gly Trp Gln Gln Trp Gln Gln Gln Trp Arg
 20 25 30

 Arg Arg Trp Xaa Ser Trp Arg Lys Asp Arg Ala Arg Thr Arg Arg Gln
 35 40 45

 Glu Glu Leu Ala Leu Ser Gln Glu Pro Lys Ser Ser Ser Arg Gly Xaa
 50 55 60

 Ser Pro Gly Ala Ser Pro Ala Ser Pro Thr Ser Gln Gln Phe Cys Cys
 65 70 75 80

 Phe Arg Leu Asp Gln Val Ile His Ser Asn Pro Ala Gly Ile Gln Gln
 85 90 95

 Ala Leu Ala Gln Leu Ser Xaa Arg Gln Xaa Ser Val Thr Ala Pro Gly
 100 105 110

 Gly His Pro Arg His Lys Pro Gly Pro Pro Gln Ala Pro Gln Gly Pro
 115 120 125

 Ser Pro Arg Pro Pro Thr Arg Tyr Glu Pro Gln Arg Val Asn Ser Gly
 130 135 140

Leu Ser Ser Asp Pro His Phe Xaa Glu Pro Gly Pro Met Val Arg Gly
 145 150 155 160
 Val Gly Gly Thr Pro Arg Asp Ser Ala Gly Val Ser Pro Phe Pro Pro
 165 170 175
 Lys Arg Arg Glu Arg Pro Pro Arg Lys Pro Glu Leu Leu Gln Glu Glu
 180 185 190
 Ser Leu Pro Pro Pro His Ser Ser Gly Phe Leu Gly Ser Lys Pro Glu
 195 200 205
 Gly Pro Gly Pro Gln Ala Glu Ser Arg Asp Thr Gly Thr Glu Ala Leu
 210 215 220
 Thr Pro His Ile Trp Asn Arg Leu His Thr Ala Thr Ser Arg Lys Ser
 225 230 235 240
 Tyr Arg Pro Ser Ser Met Glu Pro Trp Met Glu Pro Leu Ser Pro Phe
 245 250 255
 Glu Asp Val Ala Gly Thr Glu Met Ser Gln Ser Asp Ser Gly Val Asp
 260 265 270
 Leu Ser Gly Asp Ser Gln Val Ser Ser Gly Pro Cys Ser Gln Arg Ser
 275 280 285
 Ser Pro Asp Gly Gly Leu Lys Gly Ala Ala Glu Gly Pro Pro Lys Arg
 290 295 300
 Pro Gly Gly Ser Ser Pro Leu Asn Ala Val Pro Cys Glu Gly Pro Pro
 305 310 315 320
 Gly Ser Glu Pro Pro Arg Arg Pro Pro Pro Ala Pro His Asp Gly Asp
 325 330 335
 Arg Lys Glu Leu Pro Arg Glu Gln Pro Leu Pro Pro Gly Pro Ile Gly
 340 345 350
 Thr Glu Arg Ser Gln Xaa Thr Asp Arg Gly Thr Glu Pro Gly Pro Ile
 355 360 365
 Arg Pro Ser His Arg Pro Gly Pro Pro Val Gln Phe Gly Thr Xaa Asp
 370 375 380
 Lys Asp Ser Asp Leu Arg Leu Val Val Gly Asp Ser Leu Lys Ala Glu
 385 390 395 400
 Lys Glu Leu Thr Ala Ser Val Thr Glu Ala Ile Pro Val Ser Arg Asp
 405 410 415

790

Trp Glu Leu Leu Pro Ser Ala Ala Ala Ser Ala Glu Pro Gln Ser Lys
 420 425 430
 Asn Leu Asp Ser Gly His Cys Val Pro Glu Pro Ser Ser Ser Gly Gln
 435 440 445
 Arg Leu Tyr Pro Glu Val Phe Tyr Gly Ser Ala Gly Pro Ser Ser Ser
 450 455 460
 Gln Ile Ser Gly Gly Ala Met Asp Ser Gln Leu His Pro Asn Ser Gly
 465 470 475 480
 Gly Phe Arg Pro Gly Thr Pro Ser Leu His Pro Tyr Arg Ser Gln Pro
 485 490 495
 Leu Tyr Leu Pro Pro Gly Pro Ala Pro Pro Ser Ala Leu Leu Ser Gly
 500 505 510
 Val Ala Leu Lys Gly Gln Phe Leu Asp Phe Ser Thr Met Gln Ala Thr
 515 520 525
 Glu Leu Gly Lys Leu Pro Ala Gly Gly Val Leu Tyr Pro Pro Pro Ser
 530 535 540
 Phe Leu Tyr Ser Pro Ala Phe Cys Pro Ser Pro Leu Pro Asp Thr Ser
 545 550 555 560
 Leu Leu Gln Val Arg Gln Asp Leu Pro Ser Pro Ser Asp Phe Tyr Ser
 565 570 575
 Thr Pro Leu Gln Pro Gly Gly Gln Ser Gly Phe Leu Pro Ser Gly Ala
 580 585 590
 Pro Ala Ser Arg Cys Phe Tyr Pro Trp
 595 600

<210> 845

<211> 67

<212> PRT

<213> Homo sapiens

<400> 845

Thr Gln Lys Thr Ser Ser Leu Leu Pro Ala Leu Ser Leu Gln Leu Pro
 1 5 10 15

Leu Leu Thr Arg Phe Ser Ile Met Cys Ser Val Lys Glu Glu Phe Trp
 20 25 30

791

Arg Val Gln Ser Ile Ile Thr Glu Leu Val Leu Lys Gly Glu Phe Gly
 35 40 45

Val Glu Glu Ala Met Lys Leu Ile Thr Gly Thr Glu Ala Lys Tyr Lys
 50 55 60

Ser Ile Asp
 65

<210> 846

<211> 146

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 846

Ser Gln Gly Pro Asp His Pro Ser Ser Gln Leu Gln Pro Leu Asn Xaa
 1 5 10 15

Ser Leu Ser His Leu Leu Val Pro Cys Leu Ser Ile Met Ser Leu Leu
 20 25 30

Asn Lys Pro Lys Ser Glu Met Thr Pro Glu Glu Leu Gln Lys Arg Glu
 35 40 45

Glu Glu Glu Phe Asn Thr Gly Pro Leu Ser Val Leu Thr Gln Ser Val
 50 55 60

Lys Asn Asn Thr Gln Val Leu Ile Asn Cys Arg Asn Asn Lys Lys Leu
 65 70 75 80

Leu Gly Arg Val Lys Ala Phe Asp Arg His Cys Asn Met Val Leu Glu
 85 90 95

Asn Val Lys Glu Met Trp Thr Glu Val Pro Lys Ser Gly Lys Gly Lys
 100 105 110

Lys Lys Ser Lys Pro Val Asn Lys Asp Arg Tyr Ile Ser Lys Met Phe
 115 120 125

Leu Arg Gly Asp Ser Val Ile Val Val Leu Arg Asn Pro Leu Ile Ala
 130 135 140

Gly Lys
 145

<210> 847
 <211> 184
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (8)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (179)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 847
 Ala Arg Met Ala Ala Asp Lys Xaa Pro Ala Ala Gly Pro Arg Ser Arg
 1 5 10 15
 Ala Ala Met Ala Gln Trp Arg Lys Lys Lys Gly Leu Arg Lys Arg Arg
 20 25 30
 Gly Ala Ala Ser Gln Ala Arg Gly Ser Asn Ser Glu Asp Gly Glu Phe
 35 40 45
 Glu Ile Gln Ala Glu Asp Asp Ala Arg Ala Arg Lys Leu Gly Pro Gly
 50 55 60
 Arg Pro Leu Pro Thr Phe Pro Thr Ser Glu Cys Thr Ser Asp Val Glu
 65 70 75 80
 Pro Asp Thr Arg Glu Met Val Arg Ala Gln Asn Lys Lys Lys Lys Lys
 85 90 95
 Ser Gly Gly Phe Gln Ser Met Gly Leu Ser Tyr Pro Val Phe Lys Gly
 100 105 110
 Ile Met Lys Lys Gly Tyr Lys Val Pro Thr Pro Ile Gln Arg Lys Thr
 115 120 125
 Ile Pro Val Ile Leu Asp Gly Lys Asp Val Val Ala Met Ala Arg Thr
 130 135 140
 Gly Ser Gly Lys Thr Ala Cys Phe Leu Leu Pro Met Phe Glu Arg Leu
 145 150 155 160
 Lys Thr His Ser Ala Gln Thr Gly Ala Arg Ala Ser Ser Ser Arg Arg
 165 170 175

Pro Glu Xaa Trp Pro Cys Arg Pro
180

<210> 848

<211> 160

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 848

Ala Arg Ala Ser Ser Glu Cys Ala Arg Cys Ala Ala Ala Val Arg Thr
1 5 10 15

Cys Arg Arg Arg His Arg His His Ala Gln Leu Arg Arg His Leu Glu
20 25 30

Asp Ala Xaa Ser Glu Asn Phe Asp Glu Leu Leu Lys Ala Leu Gly Val
35 40 45

Asn Ala Met Leu Arg Lys Val Ala Val Ala Ala Ala Ser Lys Pro His
50 55 60

Val Glu Ile Arg Gln Asp Gly Asp Gln Phe Tyr Ile Lys Thr Ser Thr
65 70 75 80

Thr Val Arg Thr Thr Glu Ile Asn Phe Lys Val Gly Glu Gly Phe Glu
85 90 95

Glu Glu Thr Val Asp Gly Arg Lys Cys Arg Ser Leu Ala Thr Trp Glu
100 105 110

Asn Glu Asn Lys Ile His Cys Thr Gln Thr Leu Leu Glu Gly Asp Gly
115 120 125

Pro Lys Thr Tyr Trp Thr Arg Glu Leu Ala Asn Asp Glu Leu Ile Leu
130 135 140

Thr Phe Gly Ala Asp Asp Val Val Cys Thr Arg Ile Tyr Val Arg Glu
145 150 155 160

794

<210> 849
 <211> 75
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (15)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (50)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 849
 Val Gln Asn Val Gly Tyr Gln Ser Lys His Cys Gly Ala Val Xaa Tyr
 1 5 10 15
 Ala Arg Leu Pro Cys Glu Met Ile Gln Asp Gln Asn Lys Ala Leu Asp
 20 25 30
 Cys Ser Lys Thr Gln Asn Ser Ser Arg Ala Glu Gly Gly Arg Leu Ile
 35 40 45
 Trp Xaa Glu Gly Pro Lys Tyr Lys Thr Asp Gly Leu Arg Leu Glu Thr
 50 55 60
 Arg Gly Leu Arg Trp Lys Ala His Val Pro Arg
 65 70 75

<210> 850
 <211> 383
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (299)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 850
 Ser Thr His Ala Ser Ala His Ala Ser Val Ala Asn Glu Val Ile Lys
 1 5 10 15
 Cys Lys Ala Ala Val Ala Trp Glu Ala Gly Lys Pro Leu Ser Ile Glu
 20 25 30

796

Ala Ser Gly Glu Glu Ile Ala Thr Arg Pro Phe Gln Leu Val Thr Gly
 305 310 315 320

Arg Thr Trp Lys Gly Thr Ala Phe Gly Gly Trp Lys Ser Val Glu Ser
 325 330 335

Val Pro Lys Leu Val Ser Glu Tyr Met Ser Lys Lys Ile Lys Val Asp
 340 345 350

Glu Phe Val Thr His Asn Leu Ser Phe Asp Glu Ile Asn Lys Ala Phe
 355 360 365

Glu Leu Met His Ser Gly Lys Ser Ile Arg Thr Val Val Lys Ile
 370 375 380

<210> 851

<211> 154

<212> PRT

<213> Homo sapiens

<400> 851

Ala Arg Ala Pro Arg Ala Thr Leu Asn Gly Pro Gly Ala Arg Gly Arg
 1 5 10 15

Val Gly Val Val Val Leu Arg Pro Arg Pro Arg Gly Leu Arg Phe Pro
 20 25 30

Trp Cys Pro Gly Arg Pro Ala Ser Gly Ala Val Ser Tyr Glu Ser Ala
 35 40 45

His Ala Ala Ser Val Arg Leu Thr Leu Arg Thr Met Glu Gly Gly Phe
 50 55 60

Gly Ser Asp Phe Gly Gly Ser Gly Ser Gly Lys Leu Asp Pro Gly Leu
 65 70 75 80

Ile Met Glu Gln Val Lys Val Gln Ile Ala Val Ala Asn Ala Gln Glu
 85 90 95

Leu Leu Gln Arg Met Thr Asp Lys Cys Phe Arg Lys Cys Ile Gly Lys
 100 105 110

Pro Gly Gly Ser Leu Asp Asn Ser Glu Gln Lys Cys Ile Ala Met Cys
 115 120 125

Met Asp Arg Tyr Met Asp Ala Trp Asn Thr Val Ser Arg Ala Tyr Asn
 130 135 140

Ser Arg Leu Gln Arg Glu Arg Ala Asn Met

797

145

150

<210> 852

<211> 396

<212> PRT

<213> Homo sapiens

<400> 852

Asp Ser Arg Val Asp Pro Arg Val Arg Ala Ile Ile Ala Lys Thr Phe
1 5 10 15

Lys Gly Arg Gly Ile Thr Gly Val Glu Asp Lys Glu Ser Trp His Gly
20 25 30

Lys Pro Leu Pro Lys Asn Met Ala Glu Gln Ile Ile Gln Glu Ile Tyr
35 40 45

Ser Gln Ile Gln Ser Lys Lys Lys Ile Leu Ala Thr Pro Pro Gln Glu
50 55 60

Asp Ala Pro Ser Val Asp Ile Ala Asn Ile Arg Met Pro Ser Leu Pro
65 70 75 80

Ser Tyr Lys Val Gly Asp Lys Ile Ala Thr Arg Lys Ala Tyr Gly Gln
85 90 95

Ala Leu Ala Lys Leu Gly His Ala Ser Asp Arg Ile Ile Ala Leu Asp
100 105 110

Gly Asp Thr Lys Asn Ser Thr Phe Ser Glu Ile Phe Lys Lys Glu His
115 120 125

Pro Asp Arg Phe Ile Glu Cys Tyr Ile Ala Glu Gln Asn Met Val Ser
130 135 140

Ile Ala Val Gly Cys Ala Thr Arg Asn Arg Thr Val Pro Phe Cys Ser
145 150 155 160

Thr Phe Ala Ala Phe Phe Thr Arg Ala Phe Asp Gln Ile Arg Met Ala
165 170 175

Ala Ile Ser Glu Ser Asn Ile Asn Leu Cys Gly Ser His Cys Gly Val
180 185 190

Ser Ile Gly Glu Asp Gly Pro Ser Gln Met Ala Leu Glu Asp Leu Ala
195 200 205

Met Phe Arg Ser Val Pro Thr Ser Thr Val Phe Tyr Pro Ser Asp Gly
210 215 220

798

Val Ala Thr Glu Lys Ala Val Glu Leu Ala Ala Asn Thr Lys Gly Ile
 225 230 235 240

Cys Phe Ile Arg Thr Ser Arg Pro Glu Asn Ala Ile Ile Tyr Asn Asn
 245 250 255

Asn Glu Asp Phe Gln Val Gly Gln Ala Lys Val Val Leu Lys Ser Lys
 260 265 270

Asp Asp Gln Val Thr Val Ile Gly Ala Gly Val Thr Leu His Glu Ala
 275 280 285

Leu Ala Ala Ala Glu Leu Leu Lys Lys Glu Lys Ile Asn Ile Arg Val
 290 295 300

Leu Asp Pro Phe Thr Ile Lys Pro Leu Asp Arg Lys Leu Ile Leu Asp
 305 310 315 320

Ser Ala Arg Ala Thr Lys Gly Arg Ile Leu Thr Val Glu Asp His Tyr
 325 330 335

Tyr Glu Gly Gly Ile Gly Glu Ala Val Ser Ser Ala Val Val Gly Glu
 340 345 350

Pro Gly Ile Thr Val Thr His Leu Ala Val Asn Arg Val Pro Arg Ser
 355 360 365

Gly Lys Pro Ala Glu Leu Leu Lys Met Phe Gly Ile Asp Arg Asp Ala
 370 375 380

Ile Ala Gln Ala Val Arg Gly Leu Ile Thr Lys Ala
 385 390 395

<210> 853

<211> 302

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (228)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 853

Ser Arg Leu Gly Leu Gln Ser Cys Gly Leu Ser Thr Gln Ala Ile Thr
 1 5 10 15

Leu Ser Glu Thr Ala Ala Ala Leu Asp Cys Ser Leu Pro Arg Leu His

799

20	25	30
Ala Arg Gln Ser Met Arg Val Thr Leu Ala Thr Ile Ala Trp Met Val		
35	40	45
Ser Phe Val Ser Asn Tyr Ser His Thr Ala Asn Ile Leu Pro Asp Ile		
50	55	60
Glu Asn Glu Asp Phe Ile Lys Asp Cys Val Arg Ile His Asn Lys Phe		
65	70	75
Arg Ser Glu Val Lys Pro Thr Ala Ser Asp Met Leu Tyr Met Thr Trp		
85	90	95
Asp Pro Ala Leu Ala Gln Ile Ala Lys Ala Trp Ala Ser Asn Cys Gln		
100	105	110
Phe Ser His Asn Thr Arg Leu Lys Pro Pro His Lys Leu His Pro Asn		
115	120	125
Phe Thr Ser Leu Gly Glu Asn Ile Trp Thr Gly Ser Val Pro Ile Phe		
130	135	140
Ser Val Ser Ser Ala Ile Thr Asn Trp Tyr Asp Glu Ile Gln Asp Tyr		
145	150	155
Asp Phe Lys Thr Arg Ile Cys Lys Lys Val Cys Gly His Tyr Thr Gln		
165	170	175
Val Val Trp Ala Asp Ser Tyr Lys Val Gly Cys Ala Val Gln Phe Cys		
180	185	190
Pro Lys Val Ser Gly Phe Asp Ala Leu Ser Asn Gly Ala His Phe Ile		
195	200	205
Cys Asn Tyr Gly Pro Gly Gly Asn Tyr Pro Thr Trp Pro Tyr Lys Arg		
210	215	220
Gly Ala Thr Xaa Ser Ala Cys Pro Asn Asn Asp Lys Cys Leu Asp Asn		
225	230	235
Leu Cys Val Asn Arg Gln Arg Asp Gln Val Lys Arg Tyr Tyr Ser Val		
245	250	255
Val Tyr Pro Gly Trp Pro Ile Tyr Pro Arg Asn Arg Tyr Thr Ser Leu		
260	265	270
Phe Leu Ile Val Asn Ser Val Ile Leu Ile Leu Ser Val Ile Ile Thr		
275	280	285
Ile Leu Val Gln His Lys Tyr Pro Asn Leu Val Leu Leu Asp		

800

290

295

300

<210> 854

<211> 237

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (235)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 854

Val Pro Ala Ser Phe Ala Ala Ala Ser Ala Val Leu Ser Ala Val Phe
 1 5 10 15

Pro Gln Glu Pro Ala Tyr Phe Leu Asn Met Glu Ser Val Val Arg Arg
 20 25 30

Cys Pro Phe Leu Ser Arg Val Pro Gln Ala Phe Leu Gln Lys Ala Gly
 35 40 45

Lys Ser Leu Leu Phe Tyr Ala Gln Asn Cys Pro Lys Met Met Glu Val
 50 55 60

Gly Ala Lys Pro Ala Pro Arg Ala Leu Ser Thr Ala Ala Val His Tyr
 65 70 75 80

Gln Gln Ile Lys Glu Thr Pro Pro Ala Ser Glu Lys Asp Lys Thr Ala
 85 90 95

Lys Ala Lys Val Gln Gln Thr Pro Asp Gly Ser Gln Gln Ser Pro Asp
 100 105 110

Gly Thr Gln Leu Pro Ser Gly His Pro Leu Pro Ala Thr Ser Gln Gly
 115 120 125

Thr Ala Ser Lys Cys Pro Phe Leu Ala Ala Gln Met Asn Gln Arg Gly
 130 135 140

Ser Ser Val Phe Cys Lys Ala Ser Leu Glu Leu Gln Glu Asp Val Gln
 145 150 155 160

Glu Met Asn Ala Val Arg Lys Glu Val Ala Glu Thr Ser Ala Gly Pro
 165 170 175

Ser Val Val Ser Val Lys Thr Asp Gly Gly Asp Pro Ser Gly Leu Leu
 180 185 190

801

Lys Asn Phe Gln Asp Ile Met Gln Lys Gln Arg Pro Glu Arg Val Ser
 195 200 205

His Leu Leu Gln Asp Asn Leu Pro Lys Ser Val Ser Thr Phe Gln Tyr
 210 215 220

Asp Arg Phe Phe Glu Lys Lys Ile Asp Glu Xaa Lys Glu
 225 230 235

<210> 855

<211> 272

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (202)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 855

Thr Pro Gly Ile Phe Thr Glu Gln Ser Met Ile Thr Phe Leu Pro Leu
 1 5 10 15

Leu Leu Gly Leu Ser Leu Gly Cys Thr Gly Ala Gly Gly Phe Val Ala
 20 25 30

His Val Glu Ser Thr Cys Leu Leu Asp Asp Ala Gly Thr Pro Lys Asp
 35 40 45

Phe Thr Tyr Cys Ile Ser Phe Asn Lys Asp Leu Leu Thr Cys Trp Asp
 50 55 60

Pro Glu Glu Asn Lys Met Ala Pro Cys Glu Phe Gly Val Leu Asn Ser
 65 70 75 80

Leu Ala Asn Val Leu Ser Gln His Leu Asn Gln Lys Asp Thr Leu Met
 85 90 95

Gln Arg Leu Arg Asn Gly Leu Gln Asn Cys Ala Thr His Thr Gln Pro
 100 105 110

Phe Trp Gly Ser Leu Thr Asn Arg Thr Arg Pro Pro Ser Val Gln Val
 115 120 125

Ala Lys Thr Thr Pro Phe Asn Thr Arg Glu Pro Val Met Leu Ala Cys
 130 135 140

Tyr Val Trp Gly Phe Tyr Pro Ala Glu Val Thr Ile Thr Trp Arg Lys
 145 150 155 160

802

Asn Gly Lys Leu Val Met Pro His Ser Ser Ala His Lys Thr Ala Gln
 165 170 175
 Pro Asn Gly Asp Trp Thr Tyr Gln Thr Leu Ser His Leu Ala Leu Thr
 180 185 190
 Pro Ser Tyr Gly Asp Thr Tyr Thr Cys Xaa Val Glu His Ile Gly Ala
 195 200 205
 Pro Glu Pro Ile Leu Arg Asp Trp Thr Pro Gly Leu Ser Pro Met Gln
 210 215 220
 Thr Leu Lys Val Ser Val Ser Ala Val Thr Leu Gly Leu Gly Leu Ile
 225 230 235 240
 Ile Phe Ser Leu Gly Val Ile Ser Trp Arg Arg Ala Gly His Ser Ser
 245 250 255
 Tyr Thr Pro Leu Pro Gly Ser Asn Tyr Ser Glu Gly Trp His Ile Ser
 260 265 270

<210> 856
 <211> 153
 <212> PRT
 <213> Homo sapiens

<400> 856
 Val Val Ala Arg Phe Ile Arg Ile Tyr Pro Leu Thr Trp Asn Gly Ser
 1 5 10 15
 Leu Cys Met Arg Leu Glu Val Leu Gly Cys Ser Val Ala Pro Val Tyr
 20 25 30
 Ser Tyr Tyr Ala Gln Asn Glu Val Val Ala Thr Asp Asp Leu Asp Phe
 35 40 45
 Arg His His Ser Tyr Lys Asp Met Arg Gln Leu Met Lys Val Val Asn
 50 55 60
 Glu Glu Cys Pro Thr Ile Thr Arg Thr Tyr Ser Leu Gly Lys Ser Ser
 65 70 75 80
 Arg Gly Leu Lys Ile Tyr Ala Met Glu Ile Ser Asp Asn Pro Gly Glu
 85 90 95

803

His Glu Leu Gly Glu Pro Glu Phe Arg Tyr Thr Ala Gly Ile His Gly
 100 105 110

Asn Glu Val Leu Gly Arg Glu Leu Leu Leu Leu Met Gln Tyr Leu
 115 120 125

Cys Arg Glu Tyr Arg Asp Gly Asn Pro Arg Val Arg Ser Trp Cys Arg
 130 135 140

Thr His Ala Ser Thr Trp Cys Pro His
 145 150

<210> 857
 <211> 258
 <212> PRT
 <213> Homo sapiens

<400> 857
 Cys Leu Ser Gln Lys Ala Val Arg Ala Pro Arg Phe Leu Arg Gly Leu
 1 5 10 15

Pro Ser Gly Arg Val Asn Cys Phe Leu Gln Ala Gly His Gly Ala Ser
 20 25 30

Arg Ser Gln Gly Ser Gly Leu Cys Gln Met Leu Lys Glu Gly Ala Lys
 35 40 45

His Phe Ser Gly Leu Glu Glu Ala Val Tyr Arg Asn Ile Gln Ala Cys
 50 55 60

Lys Glu Leu Ala Gln Thr Thr Arg Thr Ala Tyr Gly Pro Asn Gly Met
 65 70 75 80

Asn Lys Met Val Ile Asn His Leu Glu Lys Leu Phe Val Thr Asn Asp
 85 90 95

Ala Ala Thr Ile Leu Arg Glu Leu Glu Val Gln His Pro Ala Ala Lys
 100 105 110

Met Ile Val Met Ala Ser His Met Gln Glu Gln Glu Val Gly Asp Gly
 115 120 125

Thr Asn Phe Val Leu Val Phe Ala Gly Ala Leu Leu Glu Leu Ala Glu
 130 135 140

Glu Leu Leu Arg Ile Gly Leu Ser Val Ser Glu Val Ile Glu Gly Tyr
 145 150 155 160

Glu Ile Ala Cys Arg Lys Ala His Glu Ile Leu Pro Asn Leu Val Cys

804

	165		170		175
Cys Ser Ala Lys Asn Leu Arg Asp Ile Asp Glu Val Ser Ser Leu Leu					
	180		185		190
Arg Thr Ser Ile Met Ser Lys Gln Tyr Gly Asn Glu Val Phe Leu Ala					
	195		200		205
Lys Leu Ile Ala Gln Ala Cys Val Ser Ile Phe Pro Asp Ser Gly His					
	210		215		220
Phe Asn Val Asp Asn Ile Arg Val Cys Lys Ile Leu Gly Ser Gly Ile					
	225		230		240
Ser Ser Ser Ser Val Leu His Gly Met Val Phe Lys Lys Glu Thr Glu					
	245		250		255

Val Met

<210> 858
 <211> 143
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (14)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (135)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 858
Pro Asp Ser Leu Pro Pro Pro Ser Pro Arg Leu Pro Ala Xaa Gly Pro
1 5 10 15
Glu Phe Pro Gly Arg Pro Thr Arg Pro Glu Arg Ser Pro Ser Leu Gly
20 25 30
Ile Pro Lys Cys Phe His Ser Val Ile Arg Thr Glu His Arg Gly Leu
35 40 45
Thr Met Glu Phe Gly Leu Ser Trp Ile Phe Leu Ala Ala Ile Leu Lys
50 55 60
Gly Val Gln Cys Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val

805

```

65              70              75              80
Lys Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr
              85              90              95
Phe Ser Asn Ala Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly
              100             105             110
Leu Glu Trp Val Gly Arg Ile Lys Ser Lys Thr Asp Gly Gly Thr Thr
              115             120             125
Asp Tyr Ala Ala Pro Val Xaa Arg Gln Ile His His Leu Lys Arg
              130             135             140

```

<210> 859

<211> 135

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (132)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (133)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 859

```

Val Thr Met Ala Gln Gln Ala Ala Asp Lys Tyr Leu Tyr Val Asp Lys
  1              5              10              15

```

```

Asn Phe Ile Asn Asn Pro Leu Ala Gln Ala Asp Trp Ala Ala Lys Lys
      20              25              30

```

```

Leu Val Trp Val Pro Ser Asp Lys Ser Gly Phe Glu Pro Ala Ser Leu
      35              40              45

```

```

Lys Glu Glu Val Gly Glu Glu Ala Ile Val Glu Leu Val Glu Asn Gly
      50              55              60

```

```

Lys Lys Val Lys Val Asn Lys Asp Asp Ile Gln Lys Met Asn Pro Pro
      65              70              75              80

```

```

Lys Phe Ser Lys Val Glu Asp Met Ala Glu Leu Thr Cys Leu Asn Glu
      85              90              95

```

```

Ala Ser Val Leu His Asn Leu Lys Glu Arg Tyr Tyr Ser Gly Leu Ile

```

806

100 105 110
Tyr Val Ser Gly Cys Arg Gly Thr Pro Gln Ala Gly Ser Glu Gly Ser
115 120 125

Glu Val Gly Xaa Xaa Ala Gly
130 135

<210> 860
<211> 52
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (2)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 860
Ala Xaa Leu Ile Lys Thr Arg Val Leu Ile Tyr Asn Lys Ser Asn Phe
1 5 10 15

Ser Leu Ser Leu Gly Thr Ser Asn Cys Thr Pro Gln Ile Thr Asp Thr
20 25 30

Ser Glu Phe Phe Met Val Lys Lys Ala Pro Thr Leu Thr Tyr Lys Cys
35 40 45

Gly Pro Arg Asn
50

<210> 861
<211> 321
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (18)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 861
Ala His Gly Val Thr Ser Ala Pro Asp Asn Arg Pro Ala Leu Gly Ser
1 5 10 15

Thr Xaa Pro Pro Val His Asn Val Thr Ser Ala Ser Gly Ser Ala Ser
20 25 30

807

Gly Ser Ala Ser Thr Leu Val His Asn Gly Thr Ser Ala Arg Ala Thr
 35 40 45
 Thr Thr Pro Ala Ser Lys Ser Thr Pro Phe Ser Ile Pro Ser His His
 50 55 60
 Ser Asp Thr Pro Thr Thr Leu Ala Ser His Ser Thr Lys Thr Asp Ala
 65 70 75 80
 Ser Ser Thr His His Ser Thr Val Pro Pro Leu Thr Ser Ser Asn His
 85 90 95
 Ser Thr Ser Pro Gln Leu Ser Thr Gly Val Ser Phe Phe Phe Leu Ser
 100 105 110
 Phe His Ile Ser Asn Leu Gln Phe Asn Ser Ser Leu Glu Asp Pro Ser
 115 120 125
 Thr Asp Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Phe Leu
 130 135 140
 Gln Ile Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe
 145 150 155 160
 Arg Pro Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly
 165 170 175
 Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr
 180 185 190
 Glu Ala Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser
 195 200 205
 Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly
 210 215 220
 Trp Gly Ile Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala
 225 230 235 240
 Ile Val Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn
 245 250 255
 Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met
 260 265 270
 Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser
 275 280 285
 Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly
 290 295 300

808

Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn
 305 310 315 320

Leu

<210> 862

<211> 327

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (307)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 862

Phe Gly Thr Ser Leu Thr Gln Val Leu Leu Gly Ala Gly Glu Asn Thr
 1 5 10 15

Lys Thr Asn Leu Glu Ser Ile Leu Ser Tyr Pro Lys Asp Phe Thr Cys
 20 25 30

Val His Gln Ala Leu Lys Gly Phe Thr Thr Lys Gly Val Thr Ser Val
 35 40 45

Ser Gln Ile Phe His Ser Pro Asp Leu Ala Ile Arg Asp Thr Phe Val
 50 55 60

Asn Ala Ser Arg Thr Leu Tyr Ser Ser Ser Pro Arg Val Leu Ser Asn
 65 70 75 80

Asn Ser Asp Ala Asn Leu Glu Leu Ile Asn Thr Trp Val Ala Lys Asn
 85 90 95

Thr Asn Asn Lys Ile Ser Arg Leu Leu Asp Ser Leu Pro Ser Asp Thr
 100 105 110

Arg Leu Val Leu Leu Asn Ala Ile Tyr Leu Ser Ala Lys Trp Lys Thr
 115 120 125

Thr Phe Asp Pro Lys Lys Thr Arg Met Glu Pro Phe His Phe Lys Asn
 130 135 140

Ser Val Ile Lys Val Pro Met Met Asn Ser Lys Lys Tyr Pro Val Ala
 145 150 155 160

His Phe Ile Asp Gln Thr Leu Lys Ala Lys Val Gly Gln Leu Gln Leu

809

	165		170		175
Ser His Asn Leu Ser Leu Val Ile Leu Val Pro Gln Asn Leu Lys His					
	180		185		190
Arg Leu Glu Asp Met Glu Gln Ala Leu Ser Pro Ser Val Phe Lys Ala					
	195		200		205
Ile Met Glu Lys Leu Glu Met Ser Lys Phe Gln Pro Thr Leu Leu Thr					
	210		215		220
Leu Pro Arg Ile Lys Val Thr Thr Ser Gln Asp Met Leu Ser Ile Met					
	225		230		240
Glu Lys Leu Glu Phe Phe Asp Phe Ser Tyr Asp Leu Asn Leu Cys Gly					
	245		250		255
Leu Thr Glu Asp Pro Asp Leu Gln Val Ser Ala Met Gln His Gln Thr					
	260		265		270
Val Leu Glu Leu Thr Glu Thr Gly Val Glu Ala Ala Ala Ala Ser Ala					
	275		280		285
Ile Ser Val Ala Arg Thr Leu Leu Val Phe Glu Val Gln Gln Pro Phe					
	290		295		300
Leu Phe Xaa Leu Trp Asp Gln Gln His Lys Phe Pro Val Phe Met Gly					
	305		310		320
Arg Val Tyr Asp Pro Arg Ala					
	325				

<210> 863

<211> 86

<212> PRT

<213> Homo sapiens

<400> 863

Tyr Tyr Ile Val His Leu Lys Leu Thr Glu Arg Val Asn Leu Lys Cys					
1		5		10	15
Ser His His Thr Asn Pro Lys Val Thr Met Phe Ser Pro His Lys Pro					
	20		25		30
Lys Gly Asn Tyr Val Leu Ile Ser Leu Ile Val Val Thr Ile Ser Gln					
	35		40		45
Cys Ile His Leu Pro Lys His Tyr Val Val Tyr Leu Glu Tyr Ile Ile					
	50		55		60

810

Leu Phe Ile Asn Tyr Thr Ser Ile Lys Leu Lys Glu Gly Ile Thr Asn
65 70 75 80

Ser His Lys Ile Gln Ile
85

<210> 864

<211> 130

<212> PRT

<213> Homo sapiens

<400> 864

Leu Thr Gln Gln Gln Gln Pro Ala Thr Gly Pro Gln Pro Ser Leu Gly
1 5 10 15

Val Ser Phe Gly Thr Pro Phe Gly Ser Gly Ile Gly Thr Gly Leu Gln
20 25 30

Ser Ser Gly Leu Gly Ser Ser Asn Leu Gly Gly Phe Gly Thr Ser Ser
35 40 45

Gly Phe Gly Cys Ser Thr Thr Gly Ala Ser Thr Phe Gly Phe Gly Thr
50 55 60

Thr Asn Lys Pro Ser Gly Ser Leu Ser Ala Gly Phe Gly Ser Ser Ser
65 70 75 80

Thr Ser Gly Phe Asn Phe Ser Asn Pro Gly Ile Thr Ala Ser Ala Gly
85 90 95

Leu Thr Phe Gly Val Ser Asn Pro Ala Ser Ala Gly Phe Gly Thr Gly
100 105 110

Gly Gln Leu Leu Gln Leu Lys Lys Pro Pro Ala Gly Asn Lys Arg Gly
115 120 125

Lys Arg
130

<210> 865

<211> 78

<212> PRT

<213> Homo sapiens

<400> 865

Ser Glu Trp Lys Ile Lys Gly Pro Ser Ser Pro Leu Ala Ser Leu Pro

811

```

      1             5             10             15
Gly Arg Arg His Gly Gly Ser Ser Ala Thr Gly Ala Cys Gly Glu Ala
      20             25             30
Met Ala Ala Ala Glu Gly Ser Ser Gly Pro Ala Gly Leu Thr Leu Gly
      35             40             45
Arg Ser Phe Ser Asn Tyr Arg Pro Phe Glu Pro Gln Ala Leu Gly Leu
      50             55             60
Ser Pro Ser Trp Arg Leu Thr Gly Phe Ser Gly Met Lys Gly
      65             70             75

```

<210> 866

<211> 529

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (517)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 866

```

Pro Pro Pro Glu Pro Arg Ala Xaa Met Ala Glu Asn Pro Ser Leu Glu
  1             5             10             15

```

```

Asn His Arg Ile Lys Ser Phe Lys Asn Lys Gly Arg Asp Val Glu Thr
      20             25             30

```

```

Met Arg Arg His Arg Asn Glu Val Thr Val Glu Leu Arg Lys Asn Lys
      35             40             45

```

```

Arg Asp Glu His Leu Leu Lys Lys Arg Asn Val Pro Gln Glu Glu Ser
      50             55             60

```

```

Leu Glu Asp Ser Asp Val Asp Ala Asp Phe Lys Ala Gln Asn Val Thr
      65             70             75             80

```

```

Leu Glu Ala Ile Leu Gln Asn Ala Thr Ser Asp Asn Pro Val Val Gln
      85             90             95

```

```

Leu Ser Ala Val Gln Ala Ala Arg Lys Leu Leu Ser Ser Asp Arg Asn

```

100	105	110
Pro Pro Ile Asp Asp Leu Ile Lys Ser Gly Ile Leu Pro Ile Leu Val 115 120 125		
Lys Cys Leu Glu Arg Asp Asp Asn Pro Ser Leu Gln Phe Glu Ala Ala 130 135 140		
Trp Ala Leu Thr Asn Ile Ala Ser Gly Thr Ser Ala Gln Thr Gln Ala 145 150 155 160		
Val Val Gln Ser Asn Ala Val Pro Leu Phe Leu Arg Leu Leu Arg Ser 165 170 175		
Pro His Gln Asn Val Cys Glu Gln Ala Val Trp Ala Leu Gly Asn Ile 180 185 190		
Ile Gly Asp Gly Pro Gln Cys Arg Asp Tyr Val Ile Ser Leu Gly Val 195 200 205		
Val Lys Pro Leu Leu Ser Phe Ile Ser Pro Ser Ile Pro Ile Thr Phe 210 215 220		
Leu Arg Asn Val Thr Trp Val Ile Val Asn Leu Cys Arg Asn Lys Asp 225 230 235 240		
Pro Pro Pro Pro Met Glu Thr Val Gln Glu Ile Leu Pro Ala Leu Cys 245 250 255		
Val Leu Ile Tyr His Thr Asp Ile Asn Ile Leu Val Asp Thr Val Trp 260 265 270		
Ala Leu Ser Tyr Leu Thr Asp Gly Gly Asn Glu Gln Ile Gln Met Val 275 280 285		
Ile Asp Ser Gly Val Val Pro Phe Leu Val Pro Leu Leu Ser His Gln 290 295 300		
Glu Val Lys Val Gln Thr Ala Ala Leu Arg Ala Val Gly Asn Ile Val 305 310 315 320		
Thr Gly Thr Asp Glu Gln Thr Gln Val Val Leu Asn Cys Asp Val Leu 325 330 335		
Ser His Phe Pro Asn Leu Leu Ser His Pro Lys Glu Lys Ile Asn Lys 340 345 350		
Glu Ala Val Trp Phe Leu Ser Asn Ile Thr Ala Gly Asn Gln Gln Gln 355 360 365		
Val Gln Ala Val Ile Asp Ala Gly Leu Ile Pro Met Ile Ile His Gln		

813

370 375 380
 Leu Ala Lys Gly Asp Phe Gly Thr Gln Lys Glu Ala Ala Trp Ala Ile
 385 390 395 400
 Ser Asn Leu Thr Ile Ser Gly Arg Lys Asp Gln Val Glu Tyr Leu Val
 405 410 415
 Gln Gln Asn Val Ile Pro Pro Phe Cys Asn Leu Leu Ser Val Lys Asp
 420 425 430
 Ser Gln Val Val Gln Val Val Leu Asp Gly Leu Lys Asn Ile Leu Ile
 435 440 445
 Met Ala Gly Asp Glu Ala Ser Thr Ile Ala Glu Ile Ile Glu Glu Cys
 450 455 460
 Gly Gly Leu Glu Lys Ile Glu Val Leu Gln Gln His Glu Asn Glu Asp
 465 470 475 480
 Ile Tyr Lys Leu Ala Phe Glu Ile Ile Asp Gln Tyr Phe Ser Gly Asp
 485 490 495
 Asp Ile Asp Glu Asp Pro Cys Leu Ile Pro Glu Ala Thr Gln Gly Gly
 500 505 510
 Thr Tyr Asn Phe Xaa Pro Thr Ala Asn Leu Gln Thr Lys Glu Phe Asn
 515 520 525
 Phe

<210> 867

<211> 237

<212> PRT

<213> Homo sapiens

<400> 867

Arg Pro Gly Pro Val Arg Arg Arg Gly Lys Val Glu Leu Ile Lys Phe
 1 5 10 15
 Val Arg Val Gln Trp Arg Arg Pro Gln Val Glu Trp Arg Arg Arg
 20 25 30
 Trp Gly Pro Gly Pro Gly Ala Ser Met Ala Gly Ser Glu Glu Leu Gly
 35 40 45
 Leu Arg Glu Asp Thr Leu Arg Val Leu Ala Ala Phe Leu Arg Arg Gly
 50 55 60

814

Glu Ala Ala Gly Ser Pro Val Pro Thr Pro Pro Arg Ser Pro Ala Gln
65 70 75 80

Glu Glu Pro Thr Asp Phe Leu Ser Arg Leu Arg Arg Cys Leu Pro Cys
85 90 95

Ser Leu Gly Arg Gly Ala Ala Pro Ser Glu Ser Pro Arg Pro Cys Ser
100 105 110

Leu Pro Ile Arg Pro Cys Tyr Gly Leu Glu Pro Gly Pro Ala Thr Pro
115 120 125

Asp Phe Tyr Ala Leu Val Ala Gln Arg Leu Glu Gln Leu Val Gln Glu
130 135 140

Gln Leu Lys Ser Pro Pro Ser Pro Glu Leu Gln Gly Pro Pro Ser Thr
145 150 155 160

Glu Lys Glu Ala Ile Leu Arg Arg Leu Val Ala Leu Leu Glu Glu Glu
165 170 175

Ala Glu Val Ile Asn Gln Lys Leu Ala Ser Asp Pro Ala Leu Arg Thr
180 185 190

Ser Trp Ser Ala Cys Pro Pro Thr Leu Ser Pro Ala Trp Trp Ser Cys
195 200 205

Ser Val Ala Gly Met Thr Ala Leu Ala Gln Ala Glu His Ala Pro Gly
210 215 220

Pro Arg Leu Leu Pro Arg Ser Pro Trp Pro Ala Trp Pro
225 230 235

<210> 868

<211> 196

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

815

<400> 868

Leu Ser Val Ser Ala Xaa Ala Ala Xaa Val Ala Ala Ala Ala Ile His
 1 5 10 15
 Ser Asp Ser Ala Ala Ala Pro Gly Gly Gly Gly Ala Ala Arg Asp Phe
 20 25 30
 Phe Phe Phe Gln Thr Asp Arg Gly Ala Ala Ala Asp Met Ser Thr Pro
 35 40 45
 Ala Arg Arg Arg Leu Met Arg Asp Phe Lys Arg Leu Gln Glu Asp Pro
 50 55 60
 Pro Val Gly Val Ser Gly Ala Pro Ser Glu Asn Asn Ile Met Gln Trp
 65 70 75 80
 Asn Ala Val Ile Phe Gly Pro Glu Gly Thr Pro Phe Glu Asp Gly Thr
 85 90 95
 Phe Lys Leu Val Ile Glu Phe Ser Glu Glu Tyr Pro Asn Lys Pro Pro
 100 105 110
 Thr Val Arg Phe Leu Ser Lys Met Phe His Pro Asn Val Tyr Ala Asp
 115 120 125
 Gly Ser Ile Cys Leu Asp Ile Leu Gln Asn Arg Trp Ser Pro Thr Tyr
 130 135 140
 Asp Val Ser Ser Ile Leu Thr Ser Ile Gln Ser Leu Leu Asp Glu Pro
 145 150 155 160
 Asn Pro Asn Ser Pro Ala Asn Ser Gln Ala Ala Gln Leu Tyr Gln Glu
 165 170 175
 Asn Lys Arg Glu Tyr Glu Lys Arg Val Ser Ala Ile Val Glu Gln Ser
 180 185 190
 Trp Asn Asp Ser
 195

<210> 869

<211> 544

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

816

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 869

Ala Asp Ala Trp Val Ala Xaa Ala Xaa Ala Ser Ser Gly Leu Val Val
1 5 10 15

Ala Arg Pro Thr Ser Ala Val Pro Ala Glu Pro Arg Pro Phe Arg Pro
20 25 30

Ser Pro Pro His Leu Ala Ala Met Arg Leu Arg Arg Leu Ala Leu Phe
35 40 45

Pro Gly Val Ala Leu Leu Leu Ala Ala Ala Arg Leu Ala Ala Ala Ser
50 55 60

Asp Val Leu Glu Leu Thr Asp Asp Asn Phe Glu Ser Arg Ile Ser Asp
65 70 75 80

Thr Gly Ser Ala Gly Leu Met Leu Val Glu Phe Phe Ala Pro Trp Cys
85 90 95

Gly His Cys Lys Arg Leu Ala Pro Glu Tyr Glu Ala Ala Ala Thr Arg
100 105 110

Leu Lys Gly Ile Val Pro Leu Ala Lys Val Asp Cys Thr Ala Asn Thr
115 120 125

Asn Thr Cys Asn Lys Tyr Gly Val Ser Gly Tyr Pro Thr Leu Lys Ile
130 135 140

Phe Arg Asp Gly Glu Glu Ala Gly Ala Tyr Asp Gly Pro Arg Thr Ala
145 150 155 160

Asp Gly Ile Val Ser His Leu Lys Lys Gln Ala Gly Pro Ala Ser Val
165 170 175

Pro Leu Arg Thr Glu Glu Glu Phe Lys Lys Phe Ile Ser Asp Lys Asp
180 185 190

Ala Ser Ile Val Gly Phe Phe Asp Asp Ser Phe Ser Glu Ala His Ser
195 200 205

Glu Phe Leu Lys Ala Ala Ser Asn Leu Arg Asp Asn Tyr Arg Phe Ala
210 215 220

His Thr Asn Val Glu Ser Leu Val Asn Glu Tyr Asp Asp Asn Gly Glu
225 230 235 240

Gly Ile Ile Leu Phe Arg Pro Ser His Leu Thr Asn Lys Phe Glu Asp
 245 250 255
 Lys Thr Val Ala Tyr Thr Glu Gln Lys Met Thr Ser Gly Lys Ile Lys
 260 265 270
 Lys Phe Ile Gln Glu Asn Ile Phe Gly Ile Cys Pro His Met Thr Glu
 275 280 285
 Asp Asn Lys Asp Leu Ile Gln Gly Lys Asp Leu Leu Ile Ala Tyr Tyr
 290 295 300
 Asp Val Asp Tyr Glu Lys Asn Ala Lys Gly Ser Asn Tyr Trp Arg Asn
 305 310 315 320
 Arg Val Met Met Val Ala Lys Lys Phe Leu Asp Ala Gly His Lys Leu
 325 330 335
 Asn Phe Ala Val Ala Ser Arg Lys Thr Phe Ser His Glu Leu Ser Asp
 340 345 350
 Phe Gly Leu Glu Ser Thr Ala Gly Glu Ile Pro Val Val Ala Ile Arg
 355 360 365
 Thr Ala Lys Gly Glu Lys Phe Val Met Gln Glu Glu Phe Ser Arg Asp
 370 375 380
 Gly Lys Ala Leu Glu Arg Phe Leu Gln Asp Tyr Phe Asp Gly Asn Leu
 385 390 395 400
 Lys Arg Tyr Leu Lys Ser Glu Pro Ile Pro Glu Ser Asn Asp Gly Pro
 405 410 415
 Val Lys Val Val Val Ala Glu Asn Phe Asp Glu Ile Val Asn Asn Glu
 420 425 430
 Asn Lys Asp Val Leu Ile Glu Phe Tyr Ala Pro Trp Cys Gly His Cys
 435 440 445
 Lys Asn Leu Glu Pro Lys Tyr Lys Glu Leu Gly Glu Lys Leu Ser Lys
 450 455 460
 Asp Pro Asn Ile Val Ile Ala Lys Met Asp Ala Thr Ala Asn Asp Val
 465 470 475 480
 Pro Ser Pro Tyr Glu Val Arg Gly Phe Pro Thr Ile Tyr Phe Ser Pro
 485 490 495
 Ala Asn Lys Lys Leu Asn Pro Lys Lys Tyr Glu Gly Gly Arg Glu Leu
 500 505 510


```
<210> 870
<211> 111
<212> PRT
<213> Homo sapiens
```

```
<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>  
<221> SITE  
<222> (17)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

<400> 870
Arg Arg Xaa Ala Ile Phe Thr Cys Glu Val Pro Gly Val Tyr Tyr Phe
1 5 10 15

Xaa Tyr His Val His Cys Lys Gly Gly Asn Val Trp Val Ala Leu Phe
20 25 30

Lys Asn Asn Glu Pro Val Met Tyr Thr Tyr Asp Glu Tyr Lys Lys Gly
35 40 45

Phe Leu Asp Gln Ala Ser Gly Ser Ala Val Leu Leu Leu Arg Pro Gly
50 55 60

Asp Arg Cys Ser Ser Arg Cys Pro Gln Asn Arg Leu Gln Asp Cys Met
65 70 75 80

Pro Gly Ser Met Ser Thr Pro Pro Phe Gln Asp Ile Tyr Cys Ile Pro
85 90 95

Cys Lys Asn Lys Lys Thr Lys Asn Lys Glu Lys Lys Glu Ile Leu
100 105 110

819

<210> 871

<211> 124

<212> PRT

<213> Homo sapiens

<400> 871

Gly Lys Thr Glu Val Asn Tyr Thr Gln Leu Val Asp Leu His Ala Arg
1 5 10 15

Tyr Ala Glu Cys Gly Leu Arg Ile Leu Ala Phe Pro Cys Asn Gln Phe
20 25 30

Gly Lys Gln Glu Pro Gly Ser Asn Glu Glu Ile Lys Glu Phe Ala Ala
35 40 45

Gly Tyr Asn Val Lys Phe Asp Met Phe Ser Lys Ile Cys Val Asn Gly
50 55 60

Asp Asp Ala His Pro Leu Trp Lys Trp Met Lys Ile Gln Pro Lys Gly
65 70 75 80

Lys Gly Ile Leu Gly Asn Ala Ile Lys Trp Asn Phe Thr Lys Phe Leu
85 90 95

Ile Asp Lys Asn Gly Cys Val Val Lys Arg Tyr Gly Pro Met Glu Glu
100 105 110

Pro Leu Val Ile Glu Lys Asp Leu Pro His Tyr Phe
115 120

<210> 872

<211> 35

<212> PRT

<213> Homo sapiens

<400> 872

Ser Gln His Phe Gly Arg Pro Arg Gln Ala Glu His Leu Lys Glu Phe
1 5 10 15

Lys Thr Ser Val Ala Asn Val Val Asn Pro Val Ser Thr Lys Asn Thr
20 25 30

Lys Ile Val
35

<210> 873

<211> 420

820

<212> PRT

<213> Homo sapiens

<400> 873

Val Cys Leu Gln Leu Cys Gln Ser Thr Val Ser Cys Pro Leu Gly Tyr
 1 5 10 15

Leu Ala Ser Thr Ala Thr Asn Asp Cys Gly Cys Thr Thr Thr Thr Cys
 20 25 30

Leu Pro Asp Lys Val Cys Val His Arg Ser Thr Ile Tyr Pro Val Gly
 35 40 45

Gln Phe Trp Glu Glu Gly Cys Asp Val Cys Thr Cys Thr Asp Met Glu
 50 55 60

Asp Ala Val Met Gly Leu Arg Val Ala Gln Cys Ser Gln Lys Pro Cys
 65 70 75 80

Glu Asp Ser Cys Arg Ser Gly Phe Thr Tyr Val Leu His Glu Gly Glu
 85 90 95

Cys Cys Gly Arg Cys Leu Pro Ser Ala Cys Glu Val Val Thr Gly Ser
 100 105 110

Pro Arg Gly Asp Ser Gln Ser Ser Trp Lys Ser Val Gly Ser Gln Trp
 115 120 125

Ala Ser Pro Glu Asn Pro Cys Leu Ile Asn Glu Cys Val Arg Val Lys
 130 135 140

Glu Glu Val Phe Ile Gln Gln Arg Asn Val Ser Cys Pro Gln Leu Glu
 145 150 155 160

Val Pro Val Cys Pro Ser Gly Phe Gln Leu Ser Cys Lys Thr Ser Ala
 165 170 175

Cys Cys Pro Ser Cys Arg Cys Glu Arg Met Glu Ala Cys Met Leu Asn
 180 185 190

Gly Thr Val Ile Gly Pro Gly Lys Thr Val Met Ile Asp Val Cys Thr
 195 200 205

Thr Cys Arg Cys Met Val Gln Val Gly Val Ile Ser Gly Phe Lys Leu
 210 215 220

Glu Cys Arg Lys Thr Thr Cys Asn Pro Cys Pro Leu Gly Tyr Lys Glu
 225 230 235 240

Glu Asn Asn Thr Gly Glu Cys Cys Gly Arg Cys Leu Pro Thr Ala Cys
 245 250 255

821

Thr Ile Gln Leu Arg Gly Gly Gln Ile Met Thr Leu Lys Arg Asp Glu
260 265 270

Thr Leu Gln Asp Gly Cys Asp Thr His Phe Cys Lys Val Asn Glu Arg
275 280 285

Gly Glu Tyr Phe Trp Glu Lys Arg Val Thr Gly Cys Pro Pro Phe Asp
290 295 300

Glu His Lys Cys Leu Ala Glu Gly Gly Lys Ile Met Lys Ile Pro Gly
305 310 315 320

Thr Cys Cys Asp Thr Cys Glu Glu Pro Glu Cys Asn Asp Ile Thr Ala
325 330 335

Arg Leu Gln Tyr Val Lys Val Gly Ser Cys Lys Ser Glu Val Glu Val
340 345 350

Asp Ile His Tyr Cys Gln Gly Lys Cys Ala Ser Lys Ala Met Tyr Ser
355 360 365

Ile Asp Ile Asn Asp Val Gln Asp Gln Cys Ser Cys Cys Ser Pro Thr
370 375 380

Arg Thr Glu Pro Met Gln Val Ala Leu His Cys Thr Asn Gly Ser Val
385 390 395 400

Val Tyr His Glu Val Leu Asn Ala Met Glu Cys Lys Cys Ser Pro Arg
405 410 415

Lys Cys Ser Lys
420

<210> 874

<211> 151

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (90)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

822

<220>

<221> SITE

<222> (143)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 874

Arg Gln Val Pro His Glu Arg Ala Val Arg Asp Gly Arg Gly Gly Gly
 1 5 10 15

Arg Ser Arg Gly Ser Lys Leu Thr Tyr Ala Cys Met Arg Arg His Ser
 20 25 30

Ser Ser Ile Val Ser Pro Lys Phe Asn Ser Leu Ala Val Val Leu Gln
 35 40 45

Arg Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu Asn Arg Leu Ala
 50 55 60

Ala His Pro Pro Phe Ala Ser Trp Arg Asn Ser Glu Glu Ala Arg Thr
 65 70 75 80

Asp Ser Pro Phe Pro Asn Ser Cys Ala Xaa Gly Met Ala Asn Gly Asp
 85 90 95

Ala Pro Cys Met Gly Ala Xaa Lys Arg Gly Gly Cys Gly Gly Tyr Ala
 100 105 110

Gln Trp Thr Arg Tyr Thr Cys Gln Arg Pro Ser Ala Arg Ser Phe Arg
 115 120 125

Phe Leu Pro Phe Leu Ser Arg His Val Arg Arg Leu Ser Pro Xaa Ser
 130 135 140

Ser Lys Ser Val Gly Ser Leu
 145 150

<210> 875

<211> 95

<212> PRT

<213> Homo sapiens

<400> 875

Ala Leu Asn Leu Asn Ser Gln Leu Asn Ile Pro Lys Asp Thr Ser Gln
 1 5 10 15

Leu Lys Lys His Ile Thr Leu Leu Cys Asp Arg Leu Ser Lys Gly Gly
 20 25 30

Arg Leu Cys Leu Ser Thr Asp Ala Ala Ala Pro Gln Thr Met Val Met

823

35 40 45
 Pro Gly Gly Cys Thr Thr Ile Pro Glu Ser Asp Leu Glu Glu Arg Ser
 50 55 60
 Val Glu Gln Asp Ser Thr Glu Leu Phe Thr Asn His Arg His Leu Thr
 65 70 75 80
 Ala Glu Thr Pro Arg Pro Val Ser Pro Leu Gln Gly Val Ser Glu
 85 90 95

<210> 876

<211> 238

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 876

Thr Lys Lys Ala Leu Glu Xaa Ser Asn Xaa Arg Phe Ala Ala Xaa Phe
 1 5 10 15

Phe Arg Thr Xaa Trp Asn Pro Pro Gly Ala Phe Lys Glu Phe Gly Thr
 20 25 30

Ser Leu Leu Arg Arg Arg Arg Gly Ser Gly Ala Asn Met Pro Val Ala
 35 40 45

Arg Ser Trp Val Cys Arg Lys Thr Tyr Val Thr Pro Arg Arg Pro Phe
 50 55 60

824

Glu Lys Ser Arg Leu Asp Gln Glu Leu Lys Leu Ile Gly Glu Tyr Gly
 65 70 75 80
 Leu Arg Asn Lys Arg Glu Val Trp Arg Val Lys Phe Thr Leu Ala Lys
 85 90 95
 Ile Arg Lys Ala Ala Arg Glu Leu Leu Thr Leu Asp Glu Lys Asp Pro
 100 105 110
 Arg Arg Leu Phe Glu Gly Asn Ala Leu Leu Arg Arg Leu Val Arg Ile
 115 120 125
 Gly Val Leu Asp Glu Gly Lys Met Lys Leu Asp Tyr Ile Leu Gly Leu
 130 135 140
 Lys Ile Glu Asp Phe Leu Glu Arg Arg Leu Gln Thr Gln Val Phe Lys
 145 150 155 160
 Leu Gly Leu Ala Lys Ser Ile His His Ala Arg Val Leu Ile Arg Gln
 165 170 175
 Arg His Ile Arg Val Arg Lys Gln Val Val Asn Ile Pro Ser Phe Ile
 180 185 190
 Val Arg Leu Asp Ser Gln Lys His Ile Asp Phe Ser Leu Arg Ser Pro
 195 200 205
 Tyr Gly Gly Gly Arg Pro Gly Arg Val Lys Arg Lys Asn Ala Lys Lys
 210 215 220
 Gly Gln Gly Gly Ala Gly Ala Gly Asp Asp Glu Glu Glu Asp
 225 230 235

<210> 877

<211> 79

<212> PRT

<213> Homo sapiens

<400> 877

Ala Gly Ile Arg His Glu Pro Ser Ala Ala Ala Met Ser Ser Gly Ala
 1 5 10 15
 Ser Ala Ser Ala Leu Gln Arg Leu Val Glu Gln Leu Lys Leu Glu Ala
 20 25 30
 Gly Val Glu Arg Ile Lys Val Ser Gln Ala Ala Ala Glu Leu Gln Gln
 35 40 45
 Tyr Cys Met Gln Asn Ala Cys Lys Asp Ala Leu Leu Val Gly Val Pro

825

50 55 60
 Ala Gly Ser Asn Pro Phe Arg Glu Pro Arg Ser Cys Ala Leu Leu
 65 70 75

 <210> 878
 <211> 136
 <212> PRT
 <213> Homo sapiens

 <400> 878
 Ile Ala Ile Met Asn Asp Thr Val Thr Ile Arg Thr Arg Lys Phe Met
 1 5 10 15
 Thr Asn Arg Leu Leu Gln Arg Lys Gln Met Val Ile Asp Val Leu His
 20 25 30
 Pro Gly Lys Ala Thr Val Pro Lys Thr Glu Ile Arg Glu Lys Leu Ala
 35 40 45
 Lys Met Tyr Lys Thr Thr Pro Asp Val Ile Phe Val Phe Gly Phe Arg
 50 55 60
 Thr His Phe Gly Gly Gly Lys Thr Thr Gly Phe Gly Met Ile Tyr Asp
 65 70 75 80
 Ser Leu Asp Tyr Ala Lys Lys Asn Glu Pro Lys His Arg Leu Ala Arg
 85 90 95
 His Gly Leu Tyr Glu Lys Lys Lys Thr Ser Arg Lys Gln Arg Lys Glu
 100 105 110
 Arg Lys Asn Arg Met Lys Lys Val Arg Gly Thr Ala Lys Ala Asn Val
 115 120 125
 Gly Ala Gly Lys Lys Pro Lys Glu
 130 135

<210> 879
 <211> 141
 <212> PRT
 <213> Homo sapiens

<400> 879
 Gly Cys Val Gly Val Arg Pro Ser Leu His Pro Ala Thr Ser Thr Ala
 1 5 10 15

826

Ser Gly Ser Ala Ser Pro Thr Leu Ala Arg Ala Met Ala Ser Val Ser
20 25 30

Glu Leu Ala Cys Ile Tyr Ser Ala Leu Ile Leu His Asp Asp Glu Val
35 40 45

Thr Val Thr Glu Asp Lys Ile Asn Ala Leu Ile Lys Ala Ala Gly Val
50 55 60

Asn Val Glu Pro Phe Trp Pro Gly Leu Phe Ala Lys Ala Leu Ala Asn
65 70 75 80

Val Asn Ile Gly Ser Leu Ile Cys Asn Val Gly Ala Gly Gly Pro Ala
85 90 95

Pro Ala Ala Gly Ala Ala Pro Ala Gly Gly Pro Ala Pro Ser Thr Ala
100 105 110

Ala Ala Pro Ala Glu Glu Lys Lys Val Glu Ala Lys Lys Glu Glu Ser
115 120 125

Glu Glu Ser Asp Asp Asp Met Gly Phe Gly Leu Phe Asp
130 135 140

<210> 880

<211> 133

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (128)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (130)

<223> Xaa equals any of the naturally occurring L-amino acids

827

<220>

<221> SITE

<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 880

Ser Ala Gly Ala His Ala His Gly Ala Arg Glu Leu Ala Xaa Phe Leu
 1 5 10 15

Thr Pro Xaa Pro Gly Ala Glu Ala Lys Glu Val Glu Glu Thr Ile Glu
 20 25 30

Gly Met Leu Leu Arg Leu Glu Glu Phe Cys Ser Leu Ala Asp Leu Ile
 35 40 45

Arg Ser Asp Thr Ser Gln Ile Leu Glu Glu Asn Ile Pro Val Leu Lys
 50 55 60

Ala Lys Leu Thr Glu Met Arg Gly Ile Tyr Ala Lys Val Asp Arg Leu
 65 70 75 80

Glu Ala Phe Val Lys Met Val Gly His His Val Ala Phe Leu Glu Ala
 85 90 95

Asp Val Leu Gln Ala Glu Arg Asp His Gly Ala Phe Pro Gln Ala Leu
 100 105 110

Arg Arg Trp Leu Gly Ser Ala Gly Ser Pro Pro Ser Gly Thr Ser Xaa
 115 120 125

Leu Xaa Xaa Cys Pro
 130

<210> 881

<211> 260

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (124)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

828

<221> SITE

<222> (136)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (171)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 881

Ile	Glu	Glu	Pro	Arg	Asp	Thr	Arg	Leu	Gln	Val	Cys	Ser	Xaa	Val	His
1				5				10						15	

Ile	Trp	Cys	Leu	Asp	Lys	Phe	Lys	Met	Arg	Lys	His	Arg	His	Leu	Pro
			20					25					30		

Leu	Val	Ala	Val	Phe	Cys	Leu	Phe	Leu	Ser	Gly	Phe	Pro	Thr	Thr	His
		35					40					45			

Ala	Gln	Gln	Gln	Gln	Ala	Val	Ile	Glu	Val	Asn	Lys	Arg	Asp	Ile	Val
	50					55					60				

Phe	Leu	Val	Asp	Gly	Ser	Ser	Ala	Leu	Gly	Leu	Ala	Asn	Phe	Asn	Ala
65					70					75					80

Ile	Arg	Asp	Phe	Ile	Ala	Lys	Val	Ile	Gln	Arg	Leu	Glu	Ile	Gly	Gln
			85						90					95	

Asp	Leu	Ile	Gln	Val	Ala	Val	Ala	Gln	Tyr	Ala	Asp	Thr	Val	Arg	Pro
	100							105					110		

Glu	Phe	Tyr	Phe	Asn	Thr	His	Pro	Thr	Lys	Arg	Xaa	Val	Ile	Thr	Ala
	115						120					125			

Val	Arg	Lys	Met	Lys	Pro	Leu	Xaa	Gly	Ser	Ala	Leu	Tyr	Thr	Gly	Ser
	130					135					140				

Ala	Leu	Asp	Phe	Val	Arg	Asn	Asn	Leu	Phe	Thr	Ser	Ser	Ala	Gly	Tyr
145					150					155					160

Arg	Ala	Ala	Glu	Gly	Ile	Pro	Lys	Leu	Leu	Xaa	Leu	Ile	Thr	Gly	Gly
			165						170					175	

Lys	Ser	Leu	Asp	Glu	Ile	Ser	Gln	Pro	Ala	Gln	Glu	Leu	Lys	Arg	Ser
		180						185					190		

Ser	Ile	Met	Ala	Phe	Ala	Ile	Gly	Asn	Lys	Gly	Ala	Asp	Gln	Ala	Glu
		195					200					205			

Leu	Glu	Glu	Ile	Ala	Phe	Asp	Ser	Ser	Leu	Val	Phe	Ile	Pro	Ala	Glu
	210					215						220			

Phe Arg Ala Ala Pro Leu Gln Gly Met Leu Pro Gly Leu Leu Ala Pro
225 230 235 240

Leu Arg Thr Leu Ser Gly Thr Pro Glu Val His Ser Asn Lys Arg Asp
245 250 255

Ile Ile Phe Leu
260

<210> 882
<211> 149
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (1)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (2)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (6)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (9)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (13)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (16)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (19)
<223> Xaa equals any of the naturally occurring L-amino acids

830

<400> 882

Xaa Xaa Glu Ser Glu Xaa Ser Phe Xaa Cys Arg Lys Xaa Ile Ile Xaa
 1 5 10 15

Phe Leu Xaa Tyr Lys Arg Val Val Phe Leu Lys Gln Leu Ala Ser Gly
 20 25 30

Leu Leu Leu Val Thr Gly Pro Leu Val Leu Asn Arg Val Pro Leu Arg
 35 40 45

Arg Thr His Gln Lys Phe Val Ile Ala Thr Ser Thr Lys Ile Asp Ile
 50 55 60

Ser Asn Val Lys Ile Pro Lys His Leu Thr Asp Ala Tyr Phe Lys Lys
 65 70 75 80

Lys Lys Leu Arg Lys Pro Arg His Gln Glu Gly Glu Ile Phe Asp Thr
 85 90 95

Glu Lys Glu Lys Tyr Glu Ile Thr Glu Gln Arg Lys Ile Asp Gln Lys
 100 105 110

Ala Val Asp Ser Gln Ile Leu Pro Lys Ile Lys Ala Ile Pro Gln Leu
 115 120 125

Gln Gly Tyr Leu Arg Ser Val Phe Ala Leu Thr Asn Gly Ile Tyr Pro
 130 135 140

His Lys Leu Val Phe
 145

<210> 883

<211> 256

<212> PRT

<213> Homo sapiens

<400> 883

Trp Lys Ser Val Val Val Leu Ala Val Ser Ala Gly Ala Gly Ser Ala
 1 5 10 15

His Pro Arg Gln Asn Lys Tyr Ser Val Leu Leu Pro Thr Tyr Asn Glu
 20 25 30

Arg Glu Asn Leu Pro Leu Ile Val Trp Leu Leu Val Lys Ser Phe Ser
 35 40 45

Glu Ser Gly Ile Asn Tyr Glu Ile Ile Ile Ile Asp Asp Gly Ser Pro
 50 55 60

831

Asp Gly Thr Arg Asp Val Ala Glu Gln Leu Glu Lys Ile Tyr Gly Ser
 65 70 75 80
 Asp Arg Ile Leu Leu Arg Pro Arg Glu Lys Lys Leu Gly Leu Gly Thr
 85 90 95
 Ala Tyr Ile His Gly Met Lys His Ala Thr Gly Asn Tyr Ile Ile Ile
 100 105 110
 Met Asp Ala Asp Leu Ser His His Pro Lys Phe Ile Pro Glu Phe Ile
 115 120 125
 Arg Lys Gln Lys Glu Gly Asn Phe Asp Ile Val Ser Gly Thr Arg Tyr
 130 135 140
 Lys Gly Asn Gly Gly Val Tyr Gly Trp Asp Leu Lys Arg Lys Ile Ile
 145 150 155 160
 Ser Arg Gly Ala Asn Phe Leu Thr Gln Ile Leu Leu Arg Pro Gly Ala
 165 170 175
 Ser Asp Leu Thr Gly Ser Phe Arg Leu Tyr Arg Lys Glu Val Leu Glu
 180 185 190
 Lys Leu Ile Glu Lys Cys Val Ser Lys Gly Tyr Val Phe Gln Met Glu
 195 200 205
 Met Ile Val Arg Ala Arg Gln Leu Asn Tyr Thr Ile Gly Glu Val Pro
 210 215 220
 Ile Ser Phe Val Asp Arg Val Tyr Gly Glu Ser Lys Leu Gly Gly Asn
 225 230 235 240
 Glu Ile Val Ser Phe Leu Lys Gly Leu Leu Thr Leu Phe Ala Thr Thr
 245 250 255

<210> 884

<211> 449

<212> PRT

<213> Homo sapiens

<400> 884

Gly Gly Ser Trp Cys Arg Ser Ser Pro Gly Arg Asp Gly Ser Pro Gly
 1 5 10 15

Ala Lys Gly Asp Arg Gly Glu Thr Gly Pro Ala Gly Pro Pro Gly Ala
 20 25 30

Pro Gly Ala Pro Gly Ala Pro Gly Pro Val Gly Pro Ala Gly Lys Ser
 35 40 45

Gly Asp Arg Gly Glu Thr Gly Pro Ala Gly Pro Ala Gly Pro Val Gly
 50 55 60

Pro Val Gly Ala Arg Gly Pro Ala Gly Pro Gln Gly Pro Arg Gly Asp
 65 70 75 80

Lys Gly Glu Thr Gly Glu Gln Gly Asp Arg Gly Ile Lys Gly His Arg
 85 90 95

Gly Phe Ser Gly Leu Gln Gly Pro Pro Gly Pro Pro Gly Ser Pro Gly
 100 105 110

Glu Gln Gly Pro Ser Gly Ala Ser Gly Pro Ala Gly Pro Arg Gly Pro
 115 120 125

Pro Gly Ser Ala Gly Ala Pro Gly Lys Asp Gly Leu Asn Gly Leu Pro
 130 135 140

Gly Pro Ile Gly Pro Pro Gly Pro Arg Gly Arg Thr Gly Asp Ala Gly
 145 150 155 160

Pro Val Gly Pro Pro Gly Pro Pro Gly Pro Pro Gly Pro Pro Gly Pro
 165 170 175

Pro Ser Ala Gly Phe Asp Phe Ser Phe Leu Pro Gln Pro Pro Gln Glu
 180 185 190

Lys Ala His Asp Gly Gly Arg Tyr Tyr Arg Ala Asp Asp Ala Asn Val
 195 200 205

Val Arg Asp Arg Asp Leu Glu Val Asp Thr Thr Leu Lys Ser Leu Ser
 210 215 220

Gln Gln Ile Glu Asn Ile Arg Ser Pro Glu Gly Ser Arg Lys Asn Pro
 225 230 235 240

Ala Arg Thr Cys Arg Asp Leu Lys Met Cys His Ser Asp Trp Lys Ser
 245 250 255

Gly Glu Tyr Trp Ile Asp Pro Asn Gln Gly Cys Asn Leu Asp Ala Ile
 260 265 270

Lys Val Phe Cys Asn Met Glu Thr Gly Glu Thr Cys Val Tyr Pro Thr
 275 280 285

833

Gln Pro Ser Val Ala Gln Lys Asn Trp Tyr Ile Ser Lys Asn Pro Lys
 290 295 300
 Asp Lys Arg His Val Trp Phe Gly Glu Ser Met Thr Asp Gly Phe Gln
 305 310 315 320
 Phe Glu Tyr Gly Gly Gln Gly Ser Asp Pro Ala Asp Val Ala Ile Gln
 325 330 335
 Leu Thr Phe Leu Arg Leu Met Ser Thr Glu Ala Ser Gln Asn Ile Thr
 340 345 350
 Tyr His Cys Lys Asn Ser Val Ala Tyr Met Asp Gln Gln Thr Gly Asn
 355 360 365
 Leu Lys Lys Ala Leu Leu Leu Gln Gly Ser Asn Glu Ile Glu Ile Arg
 370 375 380
 Ala Glu Gly Asn Ser Arg Phe Thr Tyr Ser Val Thr Val Asp Gly Cys
 385 390 395 400
 Thr Ser His Thr Gly Ala Trp Gly Lys Thr Val Ile Glu Tyr Lys Thr
 405 410 415
 Thr Lys Thr Ser Arg Leu Pro Ile Ile Asp Val Ala Pro Leu Asp Val
 420 425 430
 Gly Ala Pro Asp Gln Glu Phe Gly Phe Asp Val Gly Pro Val Cys Phe
 435 440 445

Leu

<210> 885

<211> 64

<212> PRT

<213> Homo sapiens

<400> 885

Gly Lys Leu Val Thr Leu Gln Val Pro Val Arg Asn Ser Arg Val Asp
 1 5 10 15
 Pro Arg Val Arg Trp Gly Phe Thr Lys Phe Asn Ala Asp Glu Phe Glu
 20 25 30
 Asp Met Val Ala Glu Lys Arg Leu Ile Pro Asp Gly Cys Gly Val Lys
 35 40 45
 Tyr Ile Pro Ser Arg Gly Pro Leu Asp Lys Trp Arg Ala Leu His Ser

834

50

55

60

<210> 886

<211> 132

<212> PRT

<213> Homo sapiens

<400> 886

Thr Thr Leu Arg Ala Leu Ala Leu Asn Leu Trp Pro Pro Lys Ser Arg
 1 5 10 15

Ser Leu Ile Ser Ser Trp Gln Ser Cys Gly Gln Glu Val Leu Lys Gly
 20 25 30

Lys Thr His Ser Asp Asn Cys Ser Pro Ile Tyr Gln Pro Ser Ala Gly
 35 40 45

Val Ser Asp Arg Gly Pro Leu Pro Pro Leu Glu Cys Ala Thr Tyr Glu
 50 55 60

Glu Cys Pro Met Gly Lys Arg Arg Leu Ser Cys Pro Leu Ala Ala Cys
 65 70 75 80

Ala Ser Ile Pro Gly Gln Lys Phe Pro Gln Glu Pro Leu Ala Leu Ala
 85 90 95

Gln Ser His Cys Glu Arg Arg Trp Glu Pro Thr Pro Leu Gly Glu Gly
 100 105 110

Ala Val Leu Leu Gly Thr Ser Gln His Gln Val Arg Ser Leu Lys Leu
 115 120 125

Lys Asn Val Asn
 130

<210> 887

<211> 70

<212> PRT

<213> Homo sapiens

<400> 887

Gly Leu Ser Ser Glu Ala Arg Glu Lys Ser Ser Glu Pro Gln Glu Arg
 1 5 10 15

835

Ser Ser Glu Pro Trp Glu Arg Ser Ser Glu Pro Trp Glu Gly Leu Val
 20 25 30

Thr Phe Glu Asp Val Ala Val Glu Phe Thr Gln Glu Glu Trp Ala Leu
 35 40 45

Leu Asp Pro Ala Gln Arg Thr Leu Tyr Arg Asp Val Met Leu Glu Asn
 50 55 60

Cys Arg Thr Trp Pro His
 65 70

<210> 888
 <211> 373
 <212> PRT
 <213> Homo sapiens

<400> 888
 Val Asp Pro Arg Val Arg Phe Arg Glu Glu Phe Leu Phe Ser Ser Leu
 1 5 10 15

Gln Glu Gly Arg Asp Lys Asp Thr Phe Ser Lys Met Ala Met Val Ser
 20 25 30

Glu Phe Leu Lys Gln Ala Trp Phe Ile Glu Asn Glu Glu Gln Glu Tyr
 35 40 45

Val Gln Thr Val Lys Ser Ser Lys Gly Gly Pro Gly Ser Ala Val Ser
 50 55 60

Pro Tyr Pro Thr Phe Asn Pro Ser Ser Asp Val Ala Ala Leu His Lys
 65 70 75 80

Ala Ile Met Val Lys Gly Val Asp Glu Ala Thr Ile Ile Asp Ile Leu
 85 90 95

Thr Lys Arg Asn Asn Ala Gln Arg Gln Gln Ile Lys Ala Ala Tyr Leu
 100 105 110

Gln Glu Thr Gly Lys Pro Leu Asp Glu Thr Leu Lys Lys Ala Leu Thr
 115 120 125

Gly His Leu Glu Glu Val Val Leu Ala Leu Leu Lys Thr Pro Ala Gln
 130 135 140

Phe Asp Ala Asp Glu Leu Arg Ala Ala Met Lys Gly Leu Gly Thr Asp
 145 150 155 160

Glu Asp Thr Leu Ile Glu Ile Leu Ala Ser Arg Thr Asn Lys Glu Ile

836

165	170	175
Arg Asp Ile Asn Arg Val Tyr Arg Glu Glu Leu Lys Arg Asp Leu Ala		
180	185	190
Lys Asp Ile Thr Ser Asp Thr Ser Gly Asp Phe Arg Asn Ala Leu Leu		
195	200	205
Ser Leu Ala Lys Gly Asp Arg Ser Glu Asp Phe Gly Val Asn Glu Asp		
210	215	220
Leu Ala Asp Ser Asp Ala Arg Ala Leu Tyr Glu Ala Gly Glu Arg Arg		
225	230	235 240
Lys Gly Thr Asp Val Asn Val Phe Asn Thr Ile Leu Thr Thr Arg Ser		
245	250	255
Tyr Pro Gln Leu Arg Arg Val Phe Gln Lys Tyr Thr Lys Tyr Ser Lys		
260	265	270
His Asp Met Asn Lys Val Leu Asp Leu Glu Leu Lys Gly Asp Ile Glu		
275	280	285
Lys Cys Leu Thr Ala Ile Val Lys Cys Ala Thr Ser Lys Pro Ala Phe		
290	295	300
Phe Ala Glu Lys Leu His Gln Ala Met Lys Gly Val Gly Thr Arg His		
305	310	315 320
Lys Ala Leu Ile Arg Ile Met Val Ser Arg Ser Glu Ile Asp Met Asn		
325	330	335
Asp Ile Lys Ala Phe Tyr Gln Lys Met Tyr Gly Ile Ser Leu Cys Gln		
340	345	350
Ala Ile Leu Asp Glu Thr Lys Gly Asp Tyr Glu Lys Ile Leu Val Ala		
355	360	365
Leu Cys Gly Gly Asn		
370		

<210> 889

<211> 336

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (100)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (183)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 889

Gly	Arg	Lys	Lys	His	Leu	Xaa	Ala	Arg	Leu	Val	Thr	Glu	Met	Asp	Ser
1				5					10					15	

Lys	Tyr	Gln	Cys	Val	Lys	Leu	Asn	Asp	Gly	His	Phe	Met	Pro	Val	Leu
		20						25					30		

Gly	Phe	Gly	Thr	Tyr	Ala	Pro	Ala	Glu	Val	Pro	Lys	Ser	Lys	Ala	Leu
	35						40					45			

Glu	Ala	Xaa	Lys	Leu	Ala	Ile	Glu	Ala	Gly	Phe	Xaa	His	Ile	Asp	Ser
	50					55						60			

Ala	His	Xaa	Tyr	Asn	Asn	Glu	Glu	Gln	Val	Gly	Leu	Ala	Ile	Arg	Ser
65				70					75					80	

Lys	Ile	Ala	Asp	Gly	Ser	Val	Lys	Arg	Glu	Asp	Ile	Phe	Tyr	Thr	Ser
			85						90				95		

Lys	Leu	Trp	Xaa	Asn	Ser	His	Arg	Pro	Glu	Leu	Val	Arg	Pro	Ala	Leu
		100						105					110		

Glu	Arg	Ser	Leu	Lys	Asn	Leu	Gln	Leu	Asp	Tyr	Val	Asp	Leu	Tyr	Leu
		115					120					125			

838

Ile His Phe Pro Val Ser Val Lys Pro Gly Glu Glu Val Ile Pro Lys
130 135 140

Asp Glu Asn Gly Lys Ile Leu Phe Asp Thr Val Asp Leu Cys Ala Thr
145 150 155 160

Trp Glu Ala Val Glu Lys Cys Lys Asp Ala Gly Leu Ala Lys Ser Ile
165 170 175

Gly Val Ser Asn Phe Asn Xaa Arg Gln Leu Glu Met Ile Leu Asn Lys
180 185 190

Pro Gly Leu Lys Tyr Lys Pro Val Cys Asn Gln Val Glu Cys His Pro
195 200 205

Tyr Phe Asn Gln Arg Lys Leu Leu Asp Phe Cys Lys Ser Lys Asp Ile
210 215 220

Val Leu Val Ala Tyr Ser Ala Leu Gly Ser His Arg Glu Glu Pro Trp
225 230 235 240

Val Asp Pro Asn Ser Pro Val Leu Leu Glu Asp Pro Val Leu Cys Ala
245 250 255

Leu Ala Lys Lys His Lys Arg Thr Pro Ala Leu Ile Ala Leu Arg Tyr
260 265 270

Gln Leu Gln Arg Gly Val Val Val Leu Ala Lys Ser Tyr Asn Glu Gln
275 280 285

Arg Ile Arg Gln Asn Val Gln Val Phe Glu Phe Gln Leu Thr Ser Glu
290 295 300

Glu Met Lys Ala Ile Asp Gly Leu Asn Arg Asn Val Arg Tyr Leu Thr
305 310 315 320

Leu Asp Ile Phe Ala Gly Pro Pro Asn Tyr Pro Phe Ser Asp Glu Tyr
325 330 335

<210> 890

<211> 195

<212> PRT

<213> Homo sapiens

<400> 890

839

Arg Ser Ser Glu Val Tyr Ala Gln Leu Cys Asn Val Ala Arg Ile Glu
 1 5 10 15
 Ala Glu Arg Glu Ala Gly Val His Phe Arg Pro Gly Tyr Glu Tyr Gly
 20 25 30
 Pro Gly Pro Asp Asp Leu His Tyr Ser Ile Tyr Gly Pro Asp Gly Ala
 35 40 45
 Pro Phe Tyr Asn Tyr Leu Gly Pro Glu Asp Thr Val Pro Glu Pro Ala
 50 55 60
 Phe Pro Asn Thr Ala Gly His Ser Ala Asp Arg Thr Pro Ile Leu Glu
 65 70 75 80
 Ser Pro Leu Gln Pro Ser Glu Leu Gln Pro His Tyr Val Ala Ser His
 85 90 95
 Pro Glu Pro Pro Ala Gly Phe Glu Gly Leu Gln Ala Glu Glu Cys Gly
 100 105 110
 Ile Leu Asn Gly Cys Glu Asn Gly Arg Cys Val Arg Val Arg Glu Gly
 115 120 125
 Tyr Thr Cys Asp Cys Phe Glu Gly Phe Gln Leu Asp Ala Ala His Met
 130 135 140
 Ala Cys Val Asp Val Asn Glu Cys Asp Asp Leu Asn Gly Pro Ala Val
 145 150 155 160
 Leu Cys Val His Gly Tyr Cys Glu Asn Thr Glu Gly Ser Tyr Arg Cys
 165 170 175
 His Cys Ser Pro Gly Tyr Val Ala Glu Ala Gly Pro Pro His Cys Thr
 180 185 190
 Ala Lys Glu
 195

<210> 891

<211> 198

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

840

<220>

<221> SITE

<222> (109)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 891

Ser Ala Gly Leu Thr Gly Arg Ile Ala Phe Ala Ala Ala Arg Pro Gln
 1 5 10 15

Thr Phe Val Pro Gly Pro Ser Ser Pro Pro Pro Pro Pro Pro Arg
 20 25 30

Pro Ala Glu Leu Ala Pro Ser Pro Pro Ala Asp Met Ser Glu Ser Lys
 35 40 45

Ser Gly Pro Glu Tyr Ala Ser Phe Phe Ala Val Met Gly Ala Ser Ala
 50 55 60

Ala Met Val Phe Ser Ala Leu Gly Ala Ala Tyr Gly Thr Ala Lys Ser
 65 70 75 80

Gly Thr Gly Ile Ala Ala Met Ser Val Met Arg Pro Glu Gln Ile Met
 85 90 95

Lys Ser Ile Ile Pro Val Val Met Ala Gly Ile Xaa Xaa Ile Tyr Gly
 100 105 110

Leu Val Val Ala Val Leu Ile Ala Asn Ser Leu Asn Asp Asp Ile Ser
 115 120 125

Leu Tyr Lys Ser Phe Leu Gln Leu Gly Ala Gly Leu Ser Val Gly Leu
 130 135 140

Ser Gly Leu Ala Ala Gly Phe Ala Ile Gly Ile Val Gly Asp Ala Gly
 145 150 155 160

Val Arg Gly Asn Ala Gln Gln Pro Arg Leu Phe Val Gly Met Ile Leu
 165 170 175

Ile Leu Ile Phe Ala Glu Val Leu Gly Leu Tyr Gly Leu Ile Val Ala
 180 185 190

Leu Ile Leu Ser Thr Lys
 195

<210> 892

<211> 95

<212> PRT

<213> Homo sapiens

841

<400> 892

Asp Ala Trp Ala Pro Ser Glu Ser Arg Glu Ala Leu Leu Thr Pro Pro
1 5 10 15

Pro His Arg Arg His Thr Ala Ala Ala Ser Val Met Pro Lys His Glu
20 25 30

Phe Ser Val Asp Met Thr Cys Gly Gly Cys Ala Glu Ala Val Ser Arg
35 40 45

Val Leu Asn Lys Leu Gly Gly Val Lys Tyr Asp Ile Asp Leu Pro Asn
50 55 60

Lys Lys Val Cys Ile Glu Ser Glu His Ser Met Asp Thr Leu Leu Ala
65 70 75 80

Thr Leu Lys Lys Thr Gly Lys Thr Val Ser Tyr Leu Gly Leu Glu
85 90 95

<210> 893

<211> 123

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (111)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 893

Gly Glu His Pro Arg Gln Pro Ala Gly Asn Asn Ile Leu Ala Val Leu
1 5 10 15

Thr Cys Cys Gln Gln Ile His Arg Thr Trp Met Lys Phe Pro Phe Pro
20 25 30

Leu Val Ser Ser Cys Ser Thr Pro Leu Leu Asp Pro Lys Ser Leu Thr
35 40 45

Lys Ala Leu Asn Thr Val Lys Met Phe Tyr Ile Pro Phe His Leu Cys
50 55 60

Cys Phe Phe Asn Cys Ile Leu Pro Asp Val Leu Met Leu Ser Leu Met


```

<400> 894
Gln Phe Val Tyr Cys Gly Lys Lys Ala Gln Leu Asn Ile Gly Asn Val
  1              5              10              15

Leu Pro Val Gly Thr Met Pro Glu Gly Thr Ile Val Cys Cys Leu Glu
      20              25              30

Glu Lys Pro Gly Asp Arg Gly Lys Leu Ala Arg Ala Ser Gly Asn Tyr
      35              40              45

Ala Thr Val Ile Ser His Asn Pro Glu Thr Lys Lys Thr Arg Val Lys
      50              55              60

Leu Pro Ser Gly Ser Lys Lys Val Ile Ser Ser Ala Asn Arg Ala Val
  65              70              75              80

Val Gly Val Val Ala Gly Gly Gly Arg Ile Asp Lys Pro Ile Leu Lys
      85              90              95

Ala Gly Arg Ala Tyr His Lys Tyr Lys Ala Lys Arg Asn Cys Trp Pro
      100             105             110

Arg Val Arg Gly Val Ala Met Asn Pro Val Glu His Pro Phe Gly Gly
      115             120             125

Gly Asn His Gln His Ile Gly Lys Pro Ser Thr Ile Arg Arg Asp Ala
      130             135             140

Pro Ala Gly Arg Lys Val Gly Leu Ile Ala Ala Arg Arg Thr Gly Arg
      145             150             155             160

Leu Arg Gly Thr Lys Thr Val Gln Glu Lys Glu Asn
      165             170

```

843

<210> 895

<211> 171

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 895

Asn	Arg	Glu	Gly	Ser	Lys	Gly	Val	Glu	Thr	Arg	Arg	Val	Leu	Val	Gly
1				5					10					15	

Glu	Gln	Gln	Gln	Cys	Xaa	Asp	Ala	Lys	Ser	Gln	Gln	Lys	Glu	Gln	Met
			20					25					30		

Leu	Leu	Leu	Glu	Xaa	Lys	Ser	Ala	Ala	Tyr	Ser	Gln	Val	Leu	Leu	Arg
		35					40					45			

Cys	Leu	Thr	Leu	Leu	Gln	Arg	Leu	Leu	Gln	Glu	His	Arg	Leu	Lys	Thr
	50					55					60				

Gln	Ser	Glu	Leu	Asp	Arg	Ile	Asn	Ala	Gln	Tyr	Leu	Glu	Val	Lys	Cys
	65				70					75					80

Gly	Ala	Met	Ile	Leu	Lys	Leu	Arg	Met	Glu	Glu	Leu	Lys	Ile	Leu	Ser
				85					90					95	

Asp	Thr	Tyr	Thr	Val	Glu	Lys	Val	Glu	Val	His	Arg	Leu	Ile	Arg	Asp
			100					105					110		

Arg	Leu	Glu	Gly	Ala	Ile	His	Leu	Gln	Glu	Gln	Asp	Met	Glu	Asn	Ser
		115					120					125			

Arg	Gln	Val	Leu	Asn	Ser	Tyr	Glu	Val	Leu	Gly	Glu	Glu	Phe	Asp	Arg
	130					135					140				

Leu	Val	Lys	Glu	Tyr	Thr	Val	Leu	Lys	Gln	Ala	Thr	Glu	Asn	Lys	Arg
145					150					155				160	

Trp	Ala	Leu	Gln	Glu	Phe	Ser	Lys	Val	Tyr	Arg
			165						170	

844

<210> 896

<211> 99

<212> PRT

<213> Homo sapiens

<400> 896

Arg Glu Val Met Lys Leu Tyr Leu Phe Gln Trp Ala Leu Phe His Phe
1 5 10 15

Thr Thr Val Pro Leu Phe Gly Ser Trp Ser Tyr Thr Leu Ile Phe Ser
20 25 30

Ile Leu Leu Leu Asn Tyr Gln His Lys Ala Ile Tyr Leu Lys Asp Ser
35 40 45

Val Tyr Pro Ala Ile Ala Leu Lys Ser Ser Arg Lys Arg Asn Pro Leu
50 55 60

Thr Cys Ile Ser Phe Cys Arg Ala Ser Leu Phe Ser Phe Val Leu Cys
65 70 75 80

Phe Leu Pro Phe Glu Ser Asp Ser Val Leu Val Arg Lys Thr Ser Trp
85 90 95

Asp His Ser

<210> 897

<211> 289

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (255)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 897

Ala Pro Glu Phe Pro Gly Arg Pro Thr Arg Pro Pro Thr Arg Arg Pro
1 5 10 15

Arg Val Arg Gly Arg Ser Gln Leu Ser Ala His Gly Pro Ala Ser Phe
20 25 30

Lys Met Ser Thr Val His Glu Ile Leu Cys Lys Leu Ser Leu Glu Gly
35 40 45

845

Asp His Ser Thr Pro Pro Ser Ala Tyr Gly Ser Val Lys Ala Tyr Thr
 50 55 60

Asn Phe Asp Ala Glu Arg Asp Ala Leu Asn Ile Glu Thr Ala Ile Lys
 65 70 75 80

Thr Lys Gly Val Asp Glu Val Thr Ile Val Asn Ile Leu Thr Asn Arg
 85 90 95

Ser Asn Ala Gln Arg Gln Asp Ile Ala Phe Ala Tyr Gln Arg Arg Thr
 100 105 110

Lys Lys Glu Leu Ala Ser Ala Leu Lys Ser Ala Leu Ser Gly His Leu
 115 120 125

Glu Thr Val Ile Leu Gly Leu Leu Lys Thr Pro Ala Gln Tyr Asp Ala
 130 135 140

Ser Glu Leu Lys Ala Ser Met Lys Gly Leu Gly Thr Asp Glu Asp Ser
 145 150 155 160

Leu Ile Glu Ile Ile Cys Ser Arg Thr Asn Gln Glu Leu Gln Glu Ile
 165 170 175

Asn Arg Val Tyr Lys Glu Met Tyr Lys Thr Asp Leu Glu Lys Asp Ile
 180 185 190

Ile Ser Asp Thr Ser Gly Asp Phe Arg Lys Leu Met Val Ala Leu Ala
 195 200 205

Lys Gly Arg Arg Ala Glu Asp Gly Ser Val Ile Asp Tyr Glu Leu Ile
 210 215 220

Asp Gln Asp Ala Arg Asp Leu Tyr Asp Ala Gly Val Lys Arg Lys Gly
 225 230 235 240

Thr Asp Val Pro Lys Trp Ile Ser Ile Met Thr Glu Arg Ser Xaa Pro
 245 250 255

Thr Ser Arg Lys Tyr Leu Ile Gly Thr Arg Val Thr Ala Leu Met Thr
 260 265 270

Cys Trp Lys Ala Ser Gly Lys Arg Leu Lys Glu Thr Trp Lys Met Leu
 275 280 285

Ser

846

<210> 898

<211> 232

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (205)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 898

Asn Pro Arg Gly Lys Val Ala Gly Phe Asp Leu Asp Gly Thr Leu Ile
 1 5 10 15

Thr Thr Arg Ser Gly Lys Val Phe Pro Thr Gly Pro Ser Asp Trp Arg
 20 25 30

Ile Leu Tyr Pro Glu Ile Pro Arg Lys Leu Arg Glu Leu Glu Ala Glu
 35 40 45

Gly Tyr Lys Leu Val Ile Phe Thr Asn Gln Met Ser Ile Gly Arg Gly
 50 55 60

Lys Leu Pro Ala Glu Glu Phe Lys Ala Lys Val Glu Ala Val Val Glu
 65 70 75 80

Lys Leu Gly Val Pro Phe Gln Val Leu Val Ala Thr His Ala Gly Leu
 85 90 95

Tyr Arg Lys Pro Val Thr Gly Met Trp Asp His Leu Gln Glu Gln Ala
 100 105 110

Asn Asp Gly Thr Pro Ile Ser Ile Gly Asp Ser Ile Phe Val Gly Asp
 115 120 125

Ala Ala Gly Arg Pro Ala Asn Trp Ala Pro Gly Arg Lys Lys Lys Asp
 130 135 140

Phe Ser Cys Ala Asp Arg Leu Phe Ala Leu Asn Leu Gly Leu Pro Phe
 145 150 155 160

Ala Thr Pro Glu Glu Phe Phe Leu Lys Trp Pro Ala Ala Gly Phe Glu
 165 170 175

Leu Pro Ala Phe Asp Pro Arg Thr Val Ser Arg Ser Gly Pro Leu Cys
 180 185 190

Leu Pro Glu Ser Arg Ala Leu Leu Ser Ala Thr Arg Xaa Trp Leu Ser
 195 200 205

Gln Trp Asp Ser Leu Gly Pro Gly Ser Pro Pro Phe Ser Arg Ser Thr

847

210 215 220
 Ser Cys Arg Pro Asp Met Ser Thr
 225 230

<210> 899
 <211> 218
 <212> PRT
 <213> Homo sapiens

<400> 899
 Leu Arg Val Ala Arg Pro Asp Ala Ala Arg Ala Ala Pro Leu Ala Pro
 1 5 10 15
 Ala Ala Ala Met Lys Ala Val Val Gln Arg Val Thr Arg Ala Ser Val
 20 25 30
 Thr Val Gly Gly Glu Gln Ile Ser Ala Ile Gly Arg Gly Ile Cys Val
 35 40 45
 Leu Leu Gly Ile Ser Leu Glu Asp Thr Gln Lys Glu Leu Glu His Met
 50 55 60
 Val Arg Lys Ile Leu Asn Leu Arg Val Phe Glu Asp Glu Ser Gly Lys
 65 70 75 80
 His Trp Ser Lys Ser Val Met Asp Lys Gln Tyr Glu Ile Leu Cys Val
 85 90 95
 Ser Gln Phe Thr Leu Gln Cys Val Leu Lys Gly Asn Lys Pro Asp Phe
 100 105 110
 His Leu Ala Met Pro Thr Glu Gln Ala Glu Gly Phe Tyr Asn Ser Phe
 115 120 125
 Leu Glu Gln Leu Arg Lys Thr Tyr Arg Pro Glu Leu Ile Lys Asp Gly
 130 135 140
 Lys Phe Gly Ala Tyr Met Gln Val His Ile Gln Asn Asp Gly Pro Val
 145 150 155 160
 Thr Ile Glu Leu Glu Ser Pro Ala Pro Gly Thr Ala Thr Ser Asp Pro
 165 170 175
 Lys Gln Leu Ser Lys Leu Glu Lys Gln Gln Gln Arg Lys Glu Lys Thr
 180 185 190
 Arg Ala Lys Gly Pro Ser Glu Phe Lys Gln Gly Lys Lys His Ser Pro
 195 200 205

848

Lys Arg Arg Pro Gln Cys Gln Gln Arg Gly
210 215

<210> 900

<211> 152

<212> PRT

<213> Homo sapiens

<400> 900

Ser Lys Arg Gly His Val Pro Trp Gly Leu Glu Glu Ile Leu Asp Val
1 5 10 15

Ile Glu Pro Ser Gln Phe Val Lys Ile Gln Glu Pro Leu Phe Lys Gln
20 25 30

Ile Ala Lys Cys Val Ser Ser Pro His Phe Gln Val Ala Glu Arg Ala
35 40 45

Leu Tyr Tyr Trp Asn Asn Glu Tyr Ile Met Ser Leu Ile Glu Glu Asn
50 55 60

Ser Asn Val Ile Leu Pro Ile Met Phe Ser Ser Leu Tyr Arg Ile Ser
65 70 75 80

Lys Glu His Trp Asn Pro Ala Ile Val Ala Leu Val Tyr Asn Val Leu
85 90 95

Lys Ala Phe Met Glu Met Asn Ser Thr Met Phe Asp Glu Leu Thr Ala
100 105 110

Thr Tyr Lys Ser Asp Arg Gln Arg Glu Lys Lys Lys Glu Lys Glu Arg
115 120 125

Glu Glu Leu Trp Lys Lys Leu Glu Asp Leu Glu Leu Lys Arg Gly Leu
130 135 140

Arg Arg Asp Gly Ile Ile Pro Thr
145 150

<210> 901

<211> 261

<212> PRT

<213> Homo sapiens

<400> 901

Gly Leu Arg Glu Ile Ser Gly Arg Leu Ala Glu Met Pro Ala Asp Ser

849

1	5	10	15
Gly Tyr Pro Ala Tyr Leu Gly Ala Arg Leu Ala Ser Phe Tyr Glu Arg	20	25	30
Ala Gly Arg Val Lys Cys Leu Gly Asn Pro Glu Arg Glu Gly Ser Val	35	40	45
Ser Ile Val Gly Ala Val Ser Pro Pro Gly Gly Asp Phe Ser Asp Pro	50	55	60
Val Thr Ser Ala Thr Leu Gly Ile Val Gln Val Phe Trp Gly Leu Asp	65	70	75
Lys Lys Leu Ala Gln Arg Lys His Phe Pro Ser Val Asn Trp Leu Ile	85	90	95
Ser Tyr Ser Lys Tyr Met Arg Ala Leu Asp Glu Tyr Tyr Asp Lys His	100	105	110
Phe Thr Glu Phe Val Pro Leu Arg Thr Lys Ala Lys Glu Ile Leu Gln	115	120	125
Glu Glu Glu Asp Leu Ala Glu Ile Val Gln Leu Val Gly Lys Ala Ser	130	135	140
Leu Ala Glu Thr Asp Lys Ile Thr Leu Glu Val Ala Lys Leu Ile Lys	145	150	155
Asp Asp Phe Leu Gln Gln Asn Gly Tyr Thr Pro Tyr Asp Arg Phe Cys	165	170	175
Pro Phe Tyr Lys Thr Val Gly Met Leu Ser Asn Met Ile Ala Phe Tyr	180	185	190
Asp Met Ala Arg Arg Val Phe Glu Thr Thr Ala Gln Ser Asp Asn Lys	195	200	205
Ile Thr Trp Ser Ile Ile Arg Glu His Met Gly Asp Ile Leu Tyr Lys	210	215	220
Leu Ser Ser Met Lys Phe Lys Asp Pro Leu Lys Asp Gly Glu Ala Lys	225	230	235
Ile Lys Ser Asp Tyr Ala Gln Leu Leu Glu Asp Met Gln Asn Ala Phe	245	250	255
Arg Ser Leu Glu Asp	260		

850

<210> 902

<211> 169

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 902

Phe Pro Gly Arg Pro Thr Arg Pro Arg Gly Ile Ser Val Ser Gly Gly
 1 5 10 15

Glu Ala Val Cys Pro Val Gln Trp Arg Leu Arg Lys Leu Ala Ala Ala
 20 25 30

Xaa Gly Lys Gly Gln Glu Val Glu Thr Ser Val Thr Tyr Tyr Arg Leu
 35 40 45

Glu Glu Val Ala Lys Arg Asn Ser Leu Lys Glu Leu Trp Leu Val Ile
 50 55 60

His Gly Arg Val Tyr Asp Val Thr Arg Phe Leu Asn Glu His Pro Gly
 65 70 75 80

Gly Glu Glu Val Leu Leu Glu Gln Ala Gly Val Asp Ala Ser Glu Ser
 85 90 95

Phe Glu Asp Val Gly His Ser Ser Asp Ala Arg Glu Met Leu Lys Gln
 100 105 110

Tyr Tyr Ile Gly Asp Ile His Pro Ser Asp Leu Lys Pro Glu Ser Gly
 115 120 125

Ser Lys Asp Pro Ser Lys Asn Asp Thr Cys Lys Ser Cys Trp Ala Tyr
 130 135 140

Trp Ile Leu Pro Ile Ile Gly Ala Val Leu Leu Gly Phe Leu Tyr Arg
 145 150 155 160

Tyr Tyr Thr Ser Glu Ser Lys Ser Ser
 165

<210> 903

<211> 53

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 903

Pro	Leu	Cys	Leu	Ala	Lys	Asn	Lys	Asn	Phe	Leu	Ile	Leu	Arg	Xaa	Asn
1				5					10					15	

Ile	Gln	Xaa	Ile	His	Ile	Lys	Ser	Leu	Glu	Asn	Ile	Ile	Pro	Phe	Asp
			20					25						30	

Ser	Leu	Ile	Thr	Leu	Leu	Glu	Tyr	Lys	Glu	Met	Ile	Leu	Asn	Ile	Tyr
			35					40					45		

Val	Val	Leu	Trp	Ser
			50	

<210> 904

<211> 329

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 904

Arg	Arg	Xaa	Ala	Xaa	Pro	Arg	Val	Arg	Trp	Lys	Ile	Cys	Gly	Leu	Ser
1				5					10					15	

Pro	Thr	Thr	Thr	Leu	Ala	Ile	Tyr	Phe	Glu	Val	Val	Asn	Gln	His	Asn
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

852

20	25	30
Ala Pro Ile Xaa Gln Gly Gly Arg Gly Ala Ile Gln Phe Val Thr Gln		
35	40	45
Tyr Gln His Ser Ser Gly Gln Arg Arg Ile Arg Val Thr Thr Ile Ala		
50	55	60
Arg Asn Trp Ala Asp Ala Gln Thr Gln Ile Gln Asn Ile Ala Ala Ser		
65	70	75
Phe Asp Gln Glu Ala Ala Ala Ile Leu Met Ala Arg Leu Ala Ile Tyr		
85	90	95
Arg Ala Glu Thr Glu Glu Gly Pro Asp Val Leu Arg Trp Leu Asp Arg		
100	105	110
Gln Leu Ile Arg Leu Cys Gln Lys Phe Gly Glu Tyr His Lys Asp Asp		
115	120	125
Pro Ser Ser Phe Arg Phe Ser Glu Thr Phe Ser Leu Tyr Pro Gln Phe		
130	135	140
Met Phe His Leu Arg Arg Ser Ser Phe Leu Gln Val Phe Asn Asn Ser		
145	150	155
Pro Asp Glu Ser Ser Tyr Tyr Arg His His Phe Met Arg Gln Asp Leu		
165	170	175
Thr Gln Ser Leu Ile Met Ile Gln Pro Ile Leu Tyr Ala Tyr Ser Phe		
180	185	190
Ser Gly Pro Pro Glu Pro Val Leu Leu Asp Ser Ser Ser Ile Leu Ala		
195	200	205
Asp Arg Ile Leu Leu Met Asp Thr Phe Phe Gln Ile Leu Ile Tyr His		
210	215	220
Gly Glu Thr Ile Ala Gln Trp Arg Lys Ser Gly Tyr Gln Asp Met Pro		
225	230	235
Glu Tyr Glu Asn Phe Arg His Leu Leu Gln Ala Pro Val Asp Asp Ala		
245	250	255
Gln Glu Ile Leu His Ser Arg Phe Pro Met Pro Arg Tyr Ile Asp Thr		
260	265	270
Glu His Gly Gly Ser Gln Ala Arg Phe Leu Leu Ser Lys Val Asn Pro		
275	280	285
Ser Gln Thr His Asn Asn Met Tyr Ala Trp Gly Gln Glu Ser Gly Ala		

853

290 295 300

Pro Ile Leu Thr Asp Asp Val Ser Leu Gln Val Phe Met Asp His Leu
 305 310 315 320

Lys Lys Leu Ala Val Ser Ser Ala Ala
 325

<210> 905

<211> 264

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 905

Phe Leu Leu Pro Thr Leu Trp Phe Cys Ser Pro Ser Ala Lys Tyr Phe
 1 5 10 15

Phe Lys Met Ala Phe Tyr Asn Gly Trp Ile Leu Phe Leu Ala Val Leu
 20 25 30

Ala Ile Pro Val Cys Ala Val Arg Gly Arg Asn Val Glu Asn Met Xaa
 35 40 45

Ile Leu Arg Leu Met Leu Leu His Ile Lys Tyr Leu Tyr Gly Ile Arg
 50 55 60

Val Glu Val Arg Gly Ala His His Phe Pro Pro Ser Gln Pro Tyr Val
 65 70 75 80

Val Val Ser Asn His Gln Ser Ser Leu Asp Leu Leu Gly Met Met Glu
 85 90 95

Val Leu Pro Gly Arg Cys Val Pro Ile Ala Lys Arg Glu Leu Leu Trp
 100 105 110

Ala Gly Ser Ala Gly Leu Ala Cys Trp Leu Ala Gly Val Ile Phe Ile
 115 120 125

Asp Arg Lys Arg Thr Gly Asp Ala Ile Ser Val Met Ser Glu Val Ala
 130 135 140

Gln Thr Leu Leu Thr Gln Asp Val Arg Val Trp Val Phe Pro Glu Gly
 145 150 155 160

854

Thr Arg Asn His Asn Gly Ser Met Leu Pro Phe Lys Arg Gly Ala Phe
 165 170 175

His Leu Ala Val Gln Ala Gln Val Pro Ile Val Pro Ile Val Met Ser
 180 185 190

Ser Tyr Gln Asp Phe Tyr Cys Lys Lys Glu Arg Arg Phe Thr Ser Gly
 195 200 205

Gln Cys Gln Val Arg Val Leu Pro Pro Val Pro Thr Glu Gly Leu Thr
 210 215 220

Pro Asp Asp Val Pro Ala Leu Ala Asp Arg Val Arg His Ser Met Leu
 225 230 235 240

Thr Val Phe Arg Glu Ile Ser Thr Asp Gly Arg Gly Gly Gly Asp Tyr
 245 250 255

Leu Lys Lys Pro Gly Gly Gly Gly
 260

<210> 906

<211> 189

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 906

Xaa Xaa Pro Xaa Pro Glu Phe Pro Gly Arg Thr His Ala Ser Gly Leu
 1 5 10 15

Leu Arg Ser Arg Leu Ala Leu Arg Trp Leu Ser His Val Arg Arg Pro
 20 25 30

Ser Arg Arg Val Pro Arg Met Pro Arg Gly Ser Arg Ser Arg Thr Ser

855

35	40	45
Arg Met Ala Pro Pro Ala Ser Arg Ala Pro Gln Met Arg Ala Ala Pro		
50	55	60
Arg Pro Ala Pro Val Ala Gln Pro Pro Ala Ala Ala Pro Pro Ser Ala		
65	70	75
Val Gly Ser Ser Ala Ala Ala Pro Arg Gln Pro Gly Leu Met Ala Gln		
	85	90
Met Ala Thr Thr Ala Ala Gly Val Ala Val Gly Ser Ala Val Gly His		
	100	105
Thr Leu Gly His Ala Ile Thr Gly Gly Phe Ser Gly Gly Ser Asn Ala		
	115	120
Glu Pro Ala Arg Pro Asp Ile Thr Tyr Gln Glu Pro Gln Gly Thr Gln		
	130	135
Pro Ala Gln Gln Gln Gln Pro Cys Leu Tyr Glu Ile Lys Gln Phe Leu		
	145	150
Glu Cys Ala Gln Asn Gln Gly Asp Ile Lys Leu Cys Glu Gly Phe Asn		
	165	170
Glu Val Leu Lys Gln Cys Arg Leu Ala Asn Gly Leu Ala		
	180	185

<210> 907

<211> 638

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

856

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (427)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 907

Tyr	Val	Gln	Gly	Tyr	Ser	Leu	Ser	Gln	Ala	Asp	Val	Asp	Ala	Phe	Arg
1					5				10					15	

Gln	Leu	Ser	Ala	Pro	Pro	Ala	Asp	Pro	Gln	Leu	Phe	His	Val	Ala	Arg
			20					25					30		

Trp	Phe	Arg	His	Ile	Glu	Ala	Leu	Leu	Gly	Xaa	Pro	Cys	Gly	Lys	Gly
		35					40						45		

Gln	Pro	Cys	Xaa	Leu	Pro	Ser	Xaa	Gln	Arg	Pro	Ala	Cys	Ala	Ala	Pro
	50					55					60				

Val	Val	Pro	Ser	Cys	Trp	Asp	Pro	Xaa	Cys	Arg	Leu	His	Leu	Tyr	Asn
65					70				75						80

Ser	Leu	Thr	Arg	Asn	Lys	Glu	Val	Phe	Ile	Pro	Gln	Asp	Gly	Lys	Lys
				85					90					95	

Val	Thr	Trp	Tyr	Cys	Cys	Gly	Pro	Thr	Val	Tyr	Asp	Ala	Ser	His	Met
			100					105					110		

Gly	His	Ala	Arg	Ser	Tyr	Ile	Ser	Phe	Asp	Ile	Leu	Arg	Arg	Val	Leu
	115						120					125			

Lys	Asp	Tyr	Phe	Lys	Phe	Asp	Val	Phe	Tyr	Cys	Met	Asn	Ile	Thr	Asp
	130					135					140				

Ile	Asp	Asp	Lys	Ile	Ile	Lys	Arg	Ala	Arg	Gln	Asn	His	Leu	Phe	Glu
145					150					155					160

Gln	Tyr	Arg	Glu	Lys	Arg	Pro	Glu	Ala	Ala	Gln	Leu	Leu	Glu	Asp	Val
				165					170					175	

Gln	Ala	Ala	Leu	Lys	Pro	Phe	Ser	Val	Lys	Leu	Asn	Glu	Thr	Thr	Asp
			180					185					190		

Pro	Asp	Lys	Lys	Gln	Met	Leu	Glu	Arg	Ile	Gln	His	Ala	Val	Gln	Leu
		195				200						205			

Ala	Thr	Glu	Pro	Leu	Glu	Lys	Ala	Val	Gln	Ser	Arg	Leu	Thr	Gly	Glu
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

857

210	215	220
Glu Val Asn Ser Cys	Val Glu Val Leu Leu Glu Glu Ala Lys Asp Leu	
225	230	235 240
Leu Ser Asp Trp Leu Asp Ser Thr Leu Gly Cys Asp Val Thr Asp Asn		
	245	250 255
Ser Ile Phe Ser Lys Leu Pro Lys Phe Trp Glu Gly Asp Phe His Arg		
	260	265 270
Asp Met Glu Ala Leu Asn Val Leu Pro Pro Asp Val Leu Thr Arg Val		
	275	280 285
Ser Glu Tyr Val Pro Glu Ile Val Asn Phe Val Gln Lys Ile Val Asp		
	290	295 300
Asn Gly Tyr Gly Tyr Val Ser Asn Gly Ser Val Tyr Phe Asp Thr Ala		
	305	310 315 320
Lys Phe Ala Ser Ser Glu Lys His Ser Tyr Gly Lys Leu Val Pro Glu		
	325	330 335
Ala Val Gly Asp Gln Lys Ala Leu Gln Glu Gly Glu Gly Asp Leu Ser		
	340	345 350
Ile Ser Ala Asp Arg Leu Ser Glu Lys Arg Ser Pro Asn Asp Phe Ala		
	355	360 365
Leu Trp Lys Ala Ser Lys Pro Gly Glu Pro Ser Trp Pro Cys Pro Trp		
	370	375 380
Gly Lys Gly Arg Pro Gly Trp His Ile Glu Cys Ser Ala Met Ala Gly		
	385	390 395 400
Thr Leu Leu Gly Ala Ser Met Asp Ile His Gly Gly Gly Phe Asp Leu		
	405	410 415
Arg Phe Pro His His Asp Asn Glu Leu Ala Xaa Ser Glu Ala Tyr Phe		
	420	425 430
Glu Asn Asp Cys Trp Val Arg Tyr Phe Leu His Thr Gly His Leu Thr		
	435	440 445
Ile Ala Gly Cys Lys Met Ser Lys Ser Leu Lys Asn Phe Ile Thr Ile		
	450	455 460
Lys Asp Ala Leu Lys Lys His Ser Ala Arg Gln Leu Arg Leu Ala Phe		
	465	470 475 480
Leu Met His Ser Trp Lys Asp Thr Leu Asp Tyr Ser Ser Asn Thr Met		

858

485	490	495
Glu Ser Ala Leu Gln Tyr Glu Lys Phe Leu Asn Glu Phe Phe Leu Asn 500	505	510
Val Lys Asp Ile Leu Arg Ala Pro Val Asp Ile Thr Gly Gln Phe Glu 515	520	525
Lys Trp Gly Glu Glu Glu Ala Glu Leu Asn Lys Asn Phe Tyr Asp Lys 530	535	540
Lys Thr Ala Ile His Lys Ala Leu Cys Asp Asn Val Asp Thr Arg Thr 545	550	555
Val Met Glu Glu Met Arg Ala Leu Val Ser Gln Cys Asn Leu Tyr Met 565	570	575
Ala Ala Arg Lys Ala Val Arg Lys Arg Pro Asn Gln Ala Leu Leu Glu 580	585	590
Asn Ile Ala Leu Tyr Leu Thr His Met Leu Lys Ile Phe Gly Ala Val 595	600	605
Glu Glu Asp Ser Ser Leu Gly Phe Pro Val Gly Gly Pro Gly Thr Ser 610	615	620
Leu Ser Leu Glu Ala Thr Val Met Pro Tyr Leu Gln Val Leu 625	630	635

<210> 908

<211> 248

<212> PRT

<213> Homo sapiens

<400> 908

Ser His Pro Leu Arg Ser Arg Leu Pro Ser Ala Thr Gly Val Gly His 1	5	10	15
Ala Leu Ala Arg Ser Phe Cys Arg His Leu Gly Ser Ala Phe Pro Ala 20	25	30	
Gln Asn Ala Arg Arg Ser Thr Glu Thr Val Pro Ala Thr Glu Gln Glu 35	40	45	
Leu Pro Gln Pro Gln Ala Glu Thr Gly Ser Gly Thr Glu Ser Asp Ser 50	55	60	
Asp Glu Ser Val Pro Glu Leu Glu Glu Gln Asp Ser Thr Gln Ala Thr 65	70	75	80

Thr	Gln	Gln	Ala	Gln	Leu	Ala	Ala	Ala	Ala	Glu	Ile	Asp	Glu	Glu	Pro		
				85					90					95			
Val	Ser	Lys	Ala	Lys	Gln	Ser	Arg	Ser	Glu	Lys	Lys	Ala	Arg	Lys	Ala		
				100					105					110			
Met	Ser	Lys	Leu	Gly	Leu	Arg	Gln	Val	Thr	Gly	Val	Thr	Arg	Val	Thr		
				115					120					125			
Ile	Arg	Lys	Ser	Lys	Asn	Ile	Leu	Phe	Val	Ile	Thr	Lys	Pro	Asp	Val		
				130					135					140			
Tyr	Lys	Ser	Pro	Ala	Ser	Asp	Thr	Tyr	Ile	Val	Phe	Gly	Glu	Ala	Lys		
				145					150					155			
Ile	Glu	Asp	Leu	Ser	Gln	Gln	Ala	Gln	Leu	Ala	Ala	Ala	Glu	Lys	Phe		
				165					170					175			
Lys	Val	Gln	Gly	Glu	Ala	Val	Ser	Asn	Ile	Gln	Glu	Asn	Thr	Gln	Thr		
				180					185					190			
Pro	Thr	Val	Gln	Glu	Glu	Ser	Glu	Glu	Glu	Glu	Val	Asp	Glu	Thr	Gly		
				195					200					205			
Val	Glu	Val	Lys	Asp	Ile	Glu	Leu	Val	Met	Ser	Gln	Ala	Asn	Val	Ser		
				210					215					220			
Arg	Ala	Lys	Ala	Val	Arg	Ala	Leu	Lys	Asn	Asn	Ser	Asn	Asp	Ile	Val		
				225					230					235			
Asn	Ala	Ile	Met	Glu	Leu	Thr	Met										
				245													

<213> Homo sapiens

<223> Xaa equals any of the naturally occurring L-amino acids

<223> Xaa equals any of the naturally occurring L-amino acids

860

<400> 909

Gln Gly Cys Cys Tyr Gly Ala Gly Arg Arg Val Ala Arg Leu Leu Ala
 1 5 10 15

Pro Leu Met Trp Arg Arg Ala Val Ser Ser Val Ala Gly Ser Ala Val
 20 25 30

Gly Ala Glu Pro Gly Leu Arg Leu Leu Ala Val Gln Arg Xaa Pro Val
 35 40 45

Glu Gln Arg Ser Ala Gly Leu Ala Arg Pro Gln Thr Leu Ser Ala Ala
 50 55 60

Cys Thr Ala Lys Pro Gly Leu Glu Glu Arg Ala Glu Gly Thr Val Asn
 65 70 75 80

Glu Gly Arg Pro Glu Ser Asp Ala Ala Asp His Thr Gly Pro Lys Phe
 85 90 95

Asp Ile Asp Met Met Val Ser Leu Leu Arg Gln Glu Asn Ala Arg Asp
 100 105 110

Ile Cys Val Ile Gln Val Pro Pro Glu Met Arg Tyr Thr Asp Tyr Phe
 115 120 125

Val Ile Val Ser Gly Thr Ser Thr Arg His Leu His Ala Met Ala Phe
 130 135 140

Tyr Val Val Lys Met Tyr Lys His Leu Lys Cys Lys Arg Xaa Pro Ser
 145 150 155 160

Cys

<210> 910

<211> 487

<212> PRT

<213> Homo sapiens

<400> 910

Lys Ala Ala Ser Gly Pro Ala Thr Ser Ile Thr Gly Val Thr Met Gly
 1 5 10 15

Ala Val Leu Gly Val Phe Ser Leu Ala Ser Trp Val Pro Cys Leu Cys
 20 25 30

Ser Gly Ala Ser Cys Leu Leu Cys Ser Cys Cys Pro Asn Ser Lys Asn
 35 40 45

Ser Thr Val Thr Arg Leu Ile Tyr Ala Phe Ile Leu Leu Leu Ser Thr
 50 55 60

Val Val Ser Tyr Ile Met Gln Arg Lys Glu Met Glu Thr Tyr Leu Lys
 65 70 75 80

Lys Ile Pro Gly Phe Cys Glu Gly Gly Phe Lys Ile His Glu Ala Asp
 85 90 95

Ile Asn Ala Asp Lys Asp Cys Asp Val Leu Val Gly Tyr Lys Ala Val
 100 105 110

Tyr Arg Ile Ser Phe Ala Met Ala Ile Phe Phe Phe Val Phe Ser Leu
 115 120 125

Leu Met Phe Lys Val Lys Thr Ser Lys Asp Leu Arg Ala Ala Val His
 130 135 140

Asn Gly Phe Trp Phe Phe Lys Ile Ala Ala Leu Ile Gly Ile Met Val
 145 150 155 160

Gly Ser Phe Tyr Ile Pro Gly Gly Tyr Phe Ser Ser Val Trp Phe Val
 165 170 175

Val Gly Met Ile Gly Ala Ala Leu Phe Ile Leu Ile Gln Leu Val Leu
 180 185 190

Leu Val Asp Phe Ala His Ser Trp Asn Glu Ser Trp Val Asn Arg Met
 195 200 205

Glu Glu Gly Asn Pro Arg Leu Trp Tyr Ala Ala Leu Leu Ser Phe Thr
 210 215 220

Ser Ala Phe Tyr Ile Leu Ser Ile Ile Cys Val Gly Leu Leu Tyr Thr
 225 230 235 240

Tyr Tyr Thr Lys Pro Asp Gly Cys Thr Glu Asn Lys Phe Phe Ile Ser
 245 250 255

Ile Asn Leu Ile Leu Cys Val Val Ala Ser Ile Ile Ser Ile His Pro
 260 265 270

Lys Ile Gln Glu His Gln Pro Arg Ser Gly Leu Leu Gln Ser Ser Leu
 275 280 285

Ile Thr Leu Tyr Thr Met Tyr Leu Thr Trp Ser Ala Met Ser Asn Glu
 290 295 300

Pro Asp Arg Ser Cys Asn Pro Asn Leu Met Ser Phe Ile Thr Arg Ile
 305 310 315 320

Leu Val Arg Cys Arg His Phe Ile Cys Pro His Ser Leu Arg Leu Ser
20 25 30

863

Gln Ser Phe Gln Gln Arg Tyr Val Gly Pro Glu His Pro Glu Phe Thr
 35 40 45
 Thr Ser Val Val Arg Arg Ala Thr Met Arg Arg Ala Leu Gly Arg Ile
 50 55 60
 Cys His Phe Gln Xaa Val Arg Gly Thr Ala Ser Leu Gly Glu Gly Ala
 65 70 75 80
 Leu Gly Cys Asp Ser Arg Thr Cys Lys Ala Ala Ser Gly Leu Trp Arg
 85 90 95
 Gly Arg

<210> 912
 <211> 206
 <212> PRT
 <213> Homo sapiens

<400> 912
 Phe Ser Leu Phe Pro Leu Ala Lys Ser Phe Asp Asp Gly Asp Tyr Phe
 1 5 10 15
 Pro Val Trp Gly Thr Cys Leu Gly Phe Glu Glu Leu Ser Leu Leu Ile
 20 25 30
 Ser Gly Glu Cys Leu Leu Thr Ala Thr Asp Thr Val Asp Val Ala Met
 35 40 45
 Pro Leu Asn Phe Thr Gly Gly Gln Leu His Ser Arg Met Phe Gln Asn
 50 55 60
 Phe Pro Thr Glu Leu Leu Leu Ser Leu Ala Val Glu Pro Leu Thr Ala
 65 70 75 80
 Asn Phe His Lys Trp Ser Leu Ser Val Lys Asn Phe Thr Met Asn Glu
 85 90 95
 Lys Leu Lys Lys Phe Phe Asn Val Leu Thr Thr Asn Thr Asp Gly Lys
 100 105 110
 Ile Glu Phe Ile Ser Thr Met Glu Gly Tyr Lys Tyr Pro Val Tyr Gly
 115 120 125
 Val Gln Trp His Pro Glu Lys Ala Pro Tyr Glu Trp Lys Asn Leu Asp
 130 135 140

864

Gly Ile Ser His Ala Pro Asn Ala Val Lys Thr Ala Phe Tyr Leu Ala
 145 150 155 160

Glu Phe Phe Val Asn Glu Ala Arg Lys Asn Asn His His Phe Lys Ser
 165 170 175

Glu Ser Glu Glu Glu Lys Ala Leu Ile Tyr Gln Phe Ser Pro Ile Tyr
 180 185 190

Thr Gly Asn Ile Ser Ser Phe Gln Gln Cys Tyr Ile Phe Asp
 195 200 205

<210> 913
 <211> 91
 <212> PRT
 <213> Homo sapiens

<400> 913
 Phe Ser Gly Pro Cys Pro Val Asn Thr Leu Gly Trp Glu Val Ser Ser
 1 5 10 15

Phe Ser Pro Leu Leu Ser Ser Cys Leu Asn Met Val Arg Thr Lys Ala
 20 25 30

Asp Ser Val Pro Gly Thr Tyr Arg Lys Val Val Ala Ala Arg Ala Pro
 35 40 45

Arg Lys Val Leu Gly Ser Ser Thr Ser Ala Thr Asn Ser Thr Ser Val
 50 55 60

Ser Ser Arg Lys Glu His Val Leu Cys Asn Leu Ile Thr Gln Met Met
 65 70 75 80

Lys Lys Asn Arg Thr Phe Ser Phe Ile Phe Glu
 85 90

<210> 914
 <211> 178
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (132)
 <223> Xaa equals any of the naturally occurring L-amino acids
 <220>

865

<221> SITE

<222> (147)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (154)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 914

Arg	Glu	Leu	Ser	Thr	Arg	Gln	Arg	Ser	Gln	Ala	Lys	Pro	Pro	Ala	Ser
1				5					10					15	

Met	Ala	Ser	Glu	Phe	Lys	Lys	Lys	Leu	Phe	Trp	Arg	Ala	Val	Val	Ala
			20				25						30		

Glu	Phe	Leu	Ala	Thr	Thr	Leu	Phe	Val	Phe	Ile	Ser	Ile	Gly	Ser	Ala
		35				40						45			

Leu	Gly	Phe	Lys	Tyr	Pro	Val	Gly	Asn	Asn	Gln	Thr	Ala	Val	Gln	Asp
	50					55				60					

Asn	Val	Lys	Val	Ser	Leu	Ala	Phe	Gly	Leu	Ser	Ile	Ala	Thr	Leu	Ala
65					70					75					80

Gln	Ser	Val	Gly	His	Ile	Ser	Gly	Ala	His	Leu	Asn	Pro	Ala	Val	Thr
				85					90					95	

Leu	Gly	Leu	Leu	Leu	Ser	Cys	Gln	Ile	Ser	Ile	Phe	Arg	Ala	Leu	Met
		100					105						110		

Tyr	Ile	Ile	Ala	Gln	Cys	Val	Gly	Ala	Ile	Val	Ala	Thr	Ala	Ile	Leu
		115					120					125			

Ser	Gly	Ile	Xaa	Ser	Ser	Leu	Thr	Gly	Asn	Ser	Leu	Gly	Arg	Asn	Asp
	130					135					140				

Leu	Ala	Xaa	Gly	Val	Asn	Phe	Gly	Pro	Xaa	Pro	Gly	His	Arg	Asp	His
145					150					155					160

Arg	Asp	Pro	Pro	Ala	Gly	Ala	Met	Arg	Ala	Gly	Tyr	Tyr	Arg	Pro	Glu
				165					170					175	

Ala Pro

<210> 915

<211> 377

<212> PRT

、 866

<213> Homo sapiens

<220>

<221> SITE

<222> (355)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 915

Val	Cys	Ala	His	Gly	Gln	Gly	Leu	Leu	Arg	Tyr	Phe	Tyr	Ser	Arg	Arg
1				5					10					15	

Ile	Asp	Ile	Thr	Leu	Ser	Ser	Val	Lys	Cys	Phe	His	Lys	Leu	Ala	Ser
			20					25					30		

Ala	Tyr	Gly	Ala	Arg	Gln	Leu	Gln	Gly	Tyr	Cys	Ala	Ser	Leu	Phe	Ala
		35				40						45			

Ile	Leu	Leu	Pro	Gln	Asp	Pro	Ser	Phe	Gln	Met	Pro	Leu	Asp	Leu	Tyr
	50					55					60				

Ala	Tyr	Ala	Val	Ala	Thr	Gly	Asp	Ala	Leu	Leu	Glu	Lys	Leu	Cys	Leu
	65				70					75					80

Gln	Phe	Leu	Ala	Trp	Asn	Phe	Glu	Ala	Leu	Thr	Gln	Ala	Glu	Ala	Trp
			85						90					95	

Pro	Ser	Val	Pro	Thr	Asp	Leu	Leu	Gln	Leu	Leu	Leu	Pro	Arg	Ser	Asp
		100						105					110		

Leu	Ala	Val	Pro	Ser	Glu	Leu	Ala	Leu	Leu	Lys	Ala	Val	Asp	Thr	Trp
		115				120						125			

Ser	Trp	Gly	Glu	Arg	Ala	Ser	His	Glu	Glu	Val	Glu	Gly	Leu	Val	Glu
	130					135					140				

Lys	Ile	Arg	Phe	Pro	Met	Met	Leu	Pro	Glu	Glu	Leu	Phe	Glu	Leu	Gln
	145				150					155					160

Phe	Asn	Leu	Ser	Leu	Tyr	Trp	Ser	His	Glu	Ala	Leu	Phe	Gln	Lys	Lys
			165						170					175	

Thr	Leu	Gln	Ala	Leu	Glu	Phe	His	Thr	Val	Pro	Phe	Gln	Leu	Leu	Ala
		180						185					190		

Arg	Tyr	Lys	Gly	Leu	Asn	Leu	Thr	Glu	Asp	Thr	Tyr	Lys	Pro	Arg	Ile
		195				200						205			

Tyr	Thr	Ser	Pro	Thr	Trp	Ser	Ala	Phe	Val	Thr	Asp	Ser	Ser	Trp	Ser
	210					215					220				

Ala	Arg	Lys	Ser	Gln	Leu	Val	Tyr	Gln	Ser	Arg	Arg	Gly	Pro	Leu	Val
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

225 230 235 240
 Lys Tyr Ser Ser Asp Tyr Phe Gln Ala Pro Ser Asp Tyr Arg Tyr Tyr
 245 250 255
 Pro Tyr Gln Ser Phe Gln Thr Pro Gln His Pro Ser Phe Leu Phe Gln
 260 265 270
 Asp Lys Arg Val Ser Trp Ser Leu Val Tyr Leu Pro Thr Ile Gln Ser
 275 280 285
 Cys Trp Asn Tyr Gly Phe Ser Cys Ser Ser Asp Glu Leu Pro Val Leu
 290 295 300
 Gly Leu Thr Lys Ser Gly Gly Ser Asp Arg Thr Ile Ala Tyr Glu Asn
 305 310 315 320
 Lys Ala Leu Met Leu Cys Glu Gly Leu Phe Val Ala Asp Val Thr Asp
 325 330 335
 Phe Glu Gly Trp Lys Ala Ala Ile Pro Ser Ala Leu Asp Thr Asn Ser
 340 345 350
 Ser Lys Xaa Thr Ser Ser Phe Pro Cys Pro Ala Gly Thr Ser Thr Ala
 355 360 365
 Ser Ala Arg Ser Ser Ala Pro Ser Thr
 370 375

<210> 916
 <211> 100
 <212> PRT
 <213> Homo sapiens

<400> 916
 Arg Val Gln Arg Asp Thr Cys Leu Pro Pro Met Ser Leu Ser Phe His
 1 5 10 15
 Leu Pro Ser Arg Arg Met Lys Asn Pro Ser Ile Val Gly Val Leu Cys
 20 25 30
 Thr Asp Ser Gln Gly Leu Asn Leu Gly Cys Arg Gly Thr Leu Ser Asp
 35 40 45
 Glu His Ala Gly Val Ile Ser Val Leu Ala Gln Gln Ala Ala Lys Leu
 50 55 60
 Thr Ser Asp Pro Thr Asp Ile Pro Val Val Cys Leu Glu Ser Asp Asn
 65 70 75 80

```
<210> 917
<211> 245
<212> PRT
<213> Homo sapiens
```

```
<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>  
<221> SITE  
<222> (64)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (87)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>  
<221> SITE  
<222> (172)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (240)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (242)
<223> Xaa equals any of the naturally occurring L-amino acids
```

<400> 917
Leu Pro Pro Arg Ser Val Gly Gly Leu Gln Lys Met Arg Arg Lys Leu
1 5 10 15

Gly Leu Val Gln Val Glu Leu Glu Glu Asp Gly Ala Leu Val Ser Lys
20 25 30

869

Leu Leu Glu Thr Met His Leu Thr Gly Ala Asp Xaa Thr Asn Thr Phe
 35 40 45
 Tyr Leu Leu Ser Ser Phe Pro Val Glu Leu Glu Ser Pro Gly Leu Xaa
 50 55 60
 Glu Phe Leu Ala Arg Leu Met Glu Gln Cys Ala Ser Leu Glu Glu Leu
 65 70 75 80
 Arg Leu Ala Phe Arg Pro Xaa Met Asp Pro Arg Gln Leu Ser Met Met
 85 90 95
 Leu Met Leu Ala Gln Ser Asn Pro Gln Leu Phe Ala Leu Met Gly Thr
 100 105 110
 Arg Ala Gly Ile Ala Arg Glu Leu Glu Arg Val Glu Gln Gln Ser Arg
 115 120 125
 Leu Glu Gln Leu Ser Ala Ala Glu Leu Gln Ser Arg Asn Gln Gly His
 130 135 140
 Trp Ala Asp Trp Leu Gln Ala Tyr Arg Ala Arg Leu Asp Lys Asp Leu
 145 150 155 160
 Glu Gly Ala Gly Asp Ala Ala Ala Trp Gln Ala Xaa Ala Arg Ala Arg
 165 170 175
 Asp Ala Arg Gln Gln Pro Glu Val Arg Ala Glu Glu Leu His Ser Arg
 180 185 190
 Arg Met Pro Phe Glu Val Ala Glu Arg Gly Asp Phe Ser Glu Val Arg
 195 200 205
 Arg Val Leu Lys Leu Phe Glu Thr Leu Tyr His Cys Glu Ala Gly Ala
 210 215 220
 Ala Thr Arg Arg Pro Arg Pro Arg Glu Ala Asp Gly Gly Gly Arg Xaa
 225 230 235 240
 Gly Xaa Phe Leu Thr
 245

<210> 918

<211> 44

<212> PRT

<213> Homo sapiens

<400> 918

Asn Ser Ala Arg Arg Ile Ser Leu Lys Glu Gly Glu Gly Lys Thr Asp

870

1 5 10 15
 Phe Leu Cys Gly Thr Lys Thr Lys Pro Ser Val Ser Leu Cys Glu Gln
 20 25 30
 Arg Cys Lys Lys Glu Glu Thr Gln Phe Thr His Gly
 35 40

<210> 919
 <211> 160
 <212> PRT
 <213> Homo sapiens

<400> 919
 Phe Gly Thr Arg Val Thr Ser Gly Gly Ser Arg Asp Ala Val Pro Gly
 1 5 10 15
 Ala Glu Pro Pro Lys Met Ala Val Cys Ile Ala Val Ile Ala Lys Glu
 20 25 30
 Asn Tyr Pro Leu Tyr Ile Arg Ser Thr Pro Thr Glu Asn Glu Leu Lys
 35 40 45
 Phe His Tyr Met Val His Thr Ser Leu Asp Val Val Asp Glu Lys Ile
 50 55 60
 Ser Ala Met Gly Lys Ala Leu Val Asp Gln Arg Glu Leu Tyr Leu Gly
 65 70 75 80
 Leu Leu Tyr Pro Thr Glu Asp Tyr Lys Val Tyr Gly Tyr Val Thr Asn
 85 90 95
 Ser Lys Val Lys Phe Val Met Val Val Asp Ser Ser Asn Thr Ala Leu
 100 105 110
 Arg Asp Asn Glu Ile Arg Ser Met Phe Arg Lys Leu His Asn Ser Tyr
 115 120 125
 Thr Asp Val Met Cys Asn Pro Phe Tyr Asn Pro Gly Asp Arg Ile Gln
 130 135 140
 Ser Arg Ala Phe Asp Asn Met Val Thr Ser Met Met Ile Gln Val Cys
 145 150 155 160

871

<210> 920
 <211> 40
 <212> PRT
 <213> Homo sapiens

<400> 920
 Leu Ala Phe Phe Leu Thr Ser Glu Gly Glu Lys Lys Val Ala Thr Tyr
 1 5 10 15
 Met Phe Glu Lys Pro Leu Lys Ser Thr Gln Ser Lys Asp Phe Met Leu
 20 25 30
 Gln Phe Gly His Met Leu Arg Val
 35 40

<210> 921
 <211> 372
 <212> PRT
 <213> Homo sapiens

<400> 921
 Leu Leu Gly Pro Ala Gly Gln Arg Ser His Ala Ala Pro Met Arg Pro
 1 5 10 15
 Leu Pro Pro Val Gly Asp Val Arg Leu Glu Leu Ser Pro Pro Pro Pro
 20 25 30
 Leu Leu Pro Val Pro Val Val Ser Gly Ser Pro Val Gly Ser Ser Gly
 35 40 45
 Arg Leu Met Ala Ser Ser Ser Ser Leu Val Pro Asp Arg Leu Arg Leu
 50 55 60
 Pro Leu Cys Phe Leu Gly Val Phe Val Cys Tyr Phe Tyr Tyr Gly Ile
 65 70 75 80
 Leu Gln Glu Lys Ile Thr Arg Gly Lys Tyr Gly Glu Gly Ala Lys Gln
 85 90 95
 Glu Thr Phe Thr Phe Ala Leu Thr Leu Val Phe Ile Gln Cys Val Ile
 100 105 110
 Asn Ala Val Phe Ala Lys Ile Leu Ile Gln Phe Phe Asp Thr Ala Arg
 115 120 125
 Val Asp Arg Thr Arg Ser Trp Leu Tyr Ala Ala Cys Ser Ile Ser Tyr
 130 135 140
 Leu Gly Ala Met Val Ser Ser Asn Ser Ala Leu Gln Phe Val Asn Tyr

872

145	150	155	160
Pro Thr Gln Val Leu Gly Lys Ser Cys Lys Pro Ile Pro Val Met Leu	165	170	175
Leu Gly Val Thr Leu Leu Lys Lys Lys Tyr Pro Leu Ala Lys Tyr Leu	180	185	190
Cys Val Leu Leu Ile Val Ala Gly Val Ala Leu Phe Met Tyr Lys Pro	195	200	205
Lys Lys Val Val Gly Ile Glu Glu His Thr Val Gly Tyr Gly Glu Leu	210	215	220
Leu Leu Leu Leu Ser Leu Thr Leu Asp Gly Leu Thr Gly Val Ser Gln	225	230	235
Asp His Met Arg Ala His Tyr Gln Thr Gly Ser Asn His Met Met Leu	245	250	255
Asn Ile Asn Leu Trp Ser Thr Leu Leu Leu Gly Met Gly Ile Leu Phe	260	265	270
Thr Gly Glu Leu Trp Glu Phe Leu Ser Phe Ala Glu Arg Tyr Pro Ala	275	280	285
Ile Ile Tyr Asn Ile Leu Leu Phe Gly Leu Thr Ser Ala Leu Gly Gln	290	295	300
Ser Phe Ile Phe Met Thr Val Val Tyr Phe Gly Pro Leu Thr Cys Ser	305	310	315
Ile Ile Thr Thr Thr Arg Lys Phe Phe Thr Ile Leu Ala Ser Val Ile	325	330	335
Leu Phe Ala Asn Pro Ile Ser Pro Met Gln Trp Val Gly Thr Val Leu	340	345	350
Val Phe Leu Gly Leu Gly Leu Asp Ala Lys Phe Gly Lys Gly Ala Lys	355	360	365
Lys Thr Ser His	370		

<210> 922

<211> 363

<212> PRT

<213> Homo sapiens

873

<400> 922

Pro Ala Arg Thr Met Phe Tyr Ala His Phe Val Leu Ser Lys Arg Gly
 1 5 10 15

Pro Leu Ala Lys Ile Trp Leu Ala Ala His Trp Asp Lys Lys Leu Thr
 20 25 30

Lys Ala His Val Phe Glu Cys Asn Leu Glu Ser Ser Val Glu Ser Ile
 35 40 45

Ile Ser Pro Lys Val Lys Met Ala Leu Arg Thr Ser Gly His Leu Leu
 50 55 60

Leu Gly Val Val Arg Ile Tyr His Arg Lys Ala Lys Tyr Leu Leu Ala
 65 70 75 80

Asp Cys Asn Glu Ala Phe Ile Lys Ile Lys Met Ala Phe Arg Pro Gly
 85 90 95

Val Val Asp Leu Pro Glu Glu Asn Arg Glu Ala Ala Tyr Asn Ala Ile
 100 105 110

Thr Leu Pro Glu Glu Phe His Asp Phe Asp Gln Pro Leu Pro Asp Leu
 115 120 125

Asp Asp Ile Asp Val Ala Gln Gln Phe Ser Leu Asn Gln Ser Arg Val
 130 135 140

Glu Glu Ile Thr Met Arg Glu Glu Val Gly Asn Ile Ser Ile Leu Gln
 145 150 155 160

Glu Asn Asp Phe Gly Asp Phe Gly Met Asp Asp Arg Glu Ile Met Arg
 165 170 175

Glu Gly Ser Ala Phe Glu Asp Asp Asp Met Leu Val Ser Thr Thr Thr
 180 185 190

Ser Asn Leu Leu Leu Glu Ser Glu Gln Ser Thr Ser Asn Leu Asn Glu
 195 200 205

Lys Ile Asn His Leu Glu Tyr Glu Asp Gln Tyr Lys Asp Asp Asn Phe
 210 215 220

Gly Glu Gly Asn Asp Gly Gly Ile Leu Asp Asp Lys Leu Ile Ser Asn
 225 230 235 240

Asn Asp Gly Gly Ile Phe Asp Asp Pro Pro Ala Leu Ser Glu Ala Gly
 245 250 255

Val Met Leu Pro Glu Gln Pro Ala His Asp Asp Met Asp Glu Asp Asp
 260 265 270

874

Asn Val Ser Met Gly Gly Pro Asp Ser Pro Asp Ser Val Asp Pro Val
 275 280 285

Glu Pro Met Pro Thr Met Thr Asp Gln Thr Thr Leu Val Pro Asn Glu
 290 295 300

Glu Glu Ala Phe Ala Leu Glu Pro Ile Asp Ile Thr Val Lys Glu Thr
 305 310 315 320

Lys Ala Lys Arg Lys Arg Lys Leu Ile Val Asp Ser Val Lys Glu Leu
 325 330 335

Asp Ser Lys Thr Ile Arg Ala Gln Leu Ser Asp Tyr Ser Asp Ile Val
 340 345 350

Thr Thr Leu Asp Leu Ala Pro Pro Pro Arg Asn
 355 360

<210> 923

<211> 296

<212> PRT

<213> Homo sapiens

<400> 923

Val Ala Val Ile Trp Ala Tyr Trp Leu Gly Leu Lys Val Arg Arg Glu
 1 5 10 15

Tyr Arg Lys Phe Phe Arg Ala Asn Ala Gly Lys Lys Ile Tyr Glu Phe
 20 25 30

Thr Leu Gln Arg Ile Val Gln Lys Tyr Phe Leu Glu Met Lys Asn Lys
 35 40 45

Met Pro Ser Leu Ser Pro Ile Asp Lys Asn Trp Pro Ser Arg Pro Tyr
 50 55 60

Leu Phe Leu Asp Ser Thr His Lys Glu Leu Lys Arg Ile Phe His Leu
 65 70 75 80

Trp Arg Cys Lys Lys Tyr Arg Asp Gln Phe Thr Asp Gln Gln Lys Leu
 85 90 95

Ile Tyr Glu Glu Lys Leu Glu Ala Ser Glu Leu Phe Lys Asp Lys Lys
 100 105 110

Ala Leu Tyr Pro Ser Ser Val Gly Gln Pro Phe Gln Gly Ala Tyr Leu
 115 120 125

875

Glu Ile Asn Lys Asn Pro Lys Tyr Lys Lys Leu Lys Asp Ala Ile Glu
 130 135 140
 Glu Lys Ile Ile Ile Ala Glu Val Val Asn Lys Ile Asn Arg Ala Asn
 145 150 155 160
 Gly Lys Ser Thr Ser Arg Ile Phe Leu Leu Thr Asn Asn Asn Leu Leu
 165 170 175
 Leu Ala Asp Gln Lys Ser Gly Gln Ile Lys Ser Glu Val Pro Leu Val
 180 185 190
 Asp Val Thr Lys Val Ser Met Ser Ser Gln Asn Asp Gly Phe Phe Ala
 195 200 205
 Val His Leu Lys Glu Gly Ser Glu Ala Ala Ser Lys Gly Asp Phe Leu
 210 215 220
 Phe Ser Ser Asp His Leu Ile Glu Met Ala Thr Lys Leu Tyr Arg Thr
 225 230 235 240
 Thr Leu Ser Gln Thr Lys Gln Lys Leu Asn Ile Glu Ile Ser Asp Glu
 245 250 255
 Phe Leu Val Gln Phe Arg Gln Asp Lys Val Cys Val Lys Phe Ile Gln
 260 265 270
 Gly Asn Gln Lys Asn Gly Ser Val Pro Thr Cys Lys Arg Lys Asn Asn
 275 280 285
 Arg Leu Leu Glu Val Ala Val Pro
 290 295

<210> 924
 <211> 91
 <212> PRT
 <213> Homo sapiens

<400> 924
 His Phe Ser Ile Asn Tyr Asn Gln Lys Ser Asp Leu Leu Lys Glu Lys
 1 5 10 15
 Ser Asp Cys Lys Ser Phe Gln Gly Gln Thr Ala Thr Glu Pro Pro Thr
 20 25 30
 Pro Lys Gln Glu Thr Leu Val Lys Val Gln Glu Ala Arg Arg Phe Ser
 35 40 45
 Pro Thr Lys Val Gln Leu Gly Asn Asp Ala Glu Arg Met Thr Thr Thr

Cys His Lys Ser Ser Leu Ser His Cys Leu Ile
85 90

<213> Homo sapiens

Asn Ser Ala Arg Ala Gly Gly Arg Ala Val Leu Ser Gly Glu Pro Glu
1 5 10 15

Val Thr Leu Ile Ser Val Val Gln Asn Gly Phe Phe Ala His Lys Val
35 40 45

Glu His Glu Ser Arg Thr Gln Asn Gly Arg Ser Phe Gln Arg Thr Gly
50 55 60

Thr	Leu	Ala	Phe	Glu	Arg	Val	Tyr	Thr	Ala	Asn	Gln	Asn	Cys	Val	Asp
65					70					75					80

Ala Tyr Pro Thr Phe Leu Ala Val Leu Trp Ser Ala Gly Leu Leu Cys
85 90 95

Ser Gln Val Pro Ala Ala Phe Ala Gly Leu Met Tyr Leu Phe Val Arg
100 105 110

Gln Lys Tyr Phe Val Gly Tyr Leu Gly Glu Arg Thr Gln Ser Thr Pro
115 120 125

Gly Tyr Ile Phe Gly Glu Thr His His Thr Leu Pro Val Pro His Val
130 135 140

Arg Cys Trp His Ile Gln Leu Leu Pro His Leu Leu Phe Arg Lys
145 150 155

<212> PRT

<213> Homo sapiens

<400> 926

Gly Ser Leu Ala Ser Pro Pro Ser Leu Gly Ser Met Gly Glu Lys Ser
 1 5 10 15

Glu Asn Cys Gly Val Pro Glu Asp Leu Leu Asn Gly Leu Lys Val Thr
 20 25 30

Asp Thr Gln Glu Ala Glu Cys Ala Gly Pro Pro Val Pro Asp Pro Lys
 35 40 45

Asn Gln His Ser Gln Ser Lys Leu Leu Arg Asp Asp Glu Ala His Leu
 50 55 60

Gln Glu Asp Gln Gly Glu Glu Glu Cys Phe His Asp Cys Ser Ala Ser
 65 70 75 80

Phe Glu Glu Glu Pro Gly Ala Asp Lys Val Glu Asn Lys Ser Asn Glu
 85 90 95

Asp Val Asn Ser Ser Glu Leu Asp Glu Glu Tyr Leu Ile Glu Leu Glu
 100 105 110

Lys Asn Met Ser Asp Glu Glu Lys Gln Lys Arg Arg Glu Glu Ser Thr
 115 120 125

Arg Leu Lys Glu Glu Gly Asn Glu Gln Phe Lys Lys Gly Asp Tyr Ile
 130 135 140

Glu Ala Glu Ser Ser Tyr Ser Arg Ala Leu Glu Met Cys Pro Ser Cys
 145 150 155 160

Phe Gln Lys Glu Arg Ser Ile Leu Phe Ser Asn Arg Ala Ala Ala Arg
 165 170 175

Met Lys Gln Asp Lys Lys Glu Met Ala Ile Asn Asp Cys Ser Lys Ala
 180 185 190

Ile Gln Leu Asn Pro Ser Tyr Ile Arg Ala Ile Leu Arg Arg Ala Glu
 195 200 205

Leu Tyr Glu Lys Thr Asp Lys Leu Asp Glu Ala Leu Glu Asp Tyr Lys
 210 215 220

Ser Ile Leu Glu Lys Asp Pro Ser Ile His Gln Ala Arg Glu Ala Cys
 225 230 235 240

Met Arg Leu Pro Lys Gln Ile Glu Glu Arg Asn Glu Arg Leu Lys Glu
 245 250 255

878

Glu Met Leu Gly Lys Leu Lys Asp Leu Gly Asn Leu Val Leu Arg Pro
 260 265 270

Phe Gly Leu Ser Thr Glu Asn Phe Gln Ile Lys Gln Asp Ser Ser Thr
 275 280 285

Gly Ser Tyr Ser Ile Asn Phe Val Gln Asn Pro Asn Asn Asn Arg
 290 295 300

<210> 927

<211> 329

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 927

Xaa Gly Gly Cys Cys Ser Gly Pro Gly His Ser Lys Arg Arg Arg Gln
 1 5 10 15

Ala Pro Gly Val Gly Ala Val Gly Gly Gly Ser Pro Glu Arg Glu Glu
 20 25 30

Val Gly Ala Gly Tyr Asn Ser Glu Asp Glu Tyr Glu Ala Ala Ala Ala
 35 40 45

Arg Ile Glu Ala Met Asp Pro Ala Thr Val Glu Gln Gln Glu His Trp
 50 55 60

Phe Glu Lys Ala Leu Arg Asp Lys Lys Gly Phe Ile Ile Lys Gln Met
 65 70 75 80

Lys Glu Asp Gly Ala Cys Leu Phe Arg Ala Val Ala Asp Gln Val Tyr
 85 90 95

Gly Asp Gln Asp Met His Glu Val Val Arg Lys His Cys Met Asp Tyr
 100 105 110

Leu Met Lys Asn Ala Asp Tyr Phe Ser Asn Tyr Val Thr Glu Asp Phe
 115 120 125

Thr Thr Tyr Ile Asn Arg Lys Arg Lys Asn Asn Cys His Gly Asn His
 130 135 140

Ile Glu Met Gln Ala Met Ala Glu Met Tyr Asn Arg Pro Val Glu Val
 145 150 155 160

879

Tyr Gln Tyr Ser Thr Glu Pro Ile Asn Thr Phe His Gly Ile His Gln
 165 170 175
 Asn Glu Asp Glu Pro Ile Arg Val Ser Tyr His Arg Asn Ile His Tyr
 180 185 190
 Asn Ser Val Val Asn Pro Asn Lys Ala Thr Ile Gly Val Gly Leu Gly
 195 200 205
 Leu Pro Ser Phe Lys Pro Gly Phe Ala Glu Gln Ser Leu Met Lys Asn
 210 215 220
 Ala Ile Lys Thr Ser Glu Glu Ser Trp Ile Glu Gln Gln Met Leu Glu
 225 230 235 240
 Asp Lys Lys Arg Ala Thr Asp Trp Glu Ala Thr Asn Glu Ala Ile Glu
 245 250 255
 Glu Gln Val Ala Arg Glu Ser Tyr Leu Gln Trp Leu Arg Asp Gln Glu
 260 265 270
 Lys Gln Ala Arg Gln Val Arg Gly Pro Ser Gln Pro Arg Lys Ala Ser
 275 280 285
 Ala Thr Cys Ser Ser Ala Thr Ala Ala Ala Ser Ser Gly Leu Glu Glu
 290 295 300
 Trp Thr Ser Arg Ser Pro Arg Gln Glu Phe Gln Pro Arg His Leu Ser
 305 310 315 320
 Thr Leu Ser Cys Met Leu Asn Trp Ala
 325

<210> 928

<211> 436

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (210)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (217)

<223> Xaa equals any of the naturally occurring L-amino acids

880

<220>

<221> SITE

<222> (262)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 928

Lys	Arg	Phe	Leu	Arg	Asn	Phe	Lys	Leu	Leu	Thr	Lys	Arg	Glu	Phe	Trp
1				5				10					15		
Lys	Glu	Asn	Gln	Glu	His	Tyr	His	Ile	Val	Gln	Lys	Phe	Leu	Ile	Leu
			20					25					30		
Gly	Asp	Ile	Asp	Gly	Leu	Met	Asp	Glu	Phe	Ser	Lys	Trp	Leu	Ser	Lys
		35					40					45			
Ser	Arg	Asn	Asn	Leu	Pro	Gly	His	Leu	Leu	Arg	Phe	Met	Thr	His	Leu
		50					55				60				
Ile	Leu	Phe	Phe	Arg	Thr	Leu	Gly	Leu	Gln	Thr	Lys	Glu	Glu	Val	Ser
65					70					75					80
Ile	Glu	Val	Leu	Lys	Thr	Tyr	Ile	Gln	Leu	Leu	Ile	Arg	Glu	Lys	His
				85					90					95	
Thr	Asn	Leu	Ile	Ala	Phe	Tyr	Thr	Cys	His	Leu	Pro	Gln	Asp	Leu	Ala
			100					105					110		
Val	Ala	Gln	Tyr	Ala	Leu	Phe	Leu	Glu	Ser	Val	Thr	Glu	Phe	Glu	Gln
		115					120					125			
Arg	His	His	Cys	Leu	Glu	Leu	Ala	Lys	Glu	Ala	Asp	Leu	Asp	Val	Ala
	130						135				140				
Thr	Ile	Thr	Lys	Thr	Val	Val	Glu	Asn	Ile	Arg	Lys	Lys	Asp	Asn	Gly
145					150					155					160
Glu	Phe	Ser	His	His	Asp	Leu	Ala	Pro	Ala	Leu	Asp	Thr	Gly	Thr	Thr
				165					170					175	
Glu	Glu	Asp	Arg	Leu	Lys	Ile	Asp	Val	Ile	Asp	Trp	Leu	Val	Phe	Asp
			180					185					190		
Pro	Ala	Gln	Arg	Ala	Glu	Ala	Leu	Lys	Gln	Gly	Asn	Ala	Ile	Met	Arg
		195					200					205			
Lys	Xaa	Leu	Ala	Ser	Lys	Lys	His	Xaa	Ala	Ala	Lys	Glu	Val	Phe	Val
		210				215					220				
Lys	Ile	Pro	Gln	Asp	Ser	Ile	Ala	Glu	Ile	Tyr	Asn	Gln	Cys	Glu	Glu
225					230					235				240	

Gln	Gly	Met	Glu	Ser	Pro	Leu	Pro	Ala	Glu	Asp	Asp	Asn	Ala	Ile	Arg	
				245				250				255				
Glu	His	Leu	Cys	Ile	Xaa	Ala	Tyr	Leu	Glu	Ala	His	Glu	Thr	Phe	Asn	
				260				265				270				
Glu	Trp	Phe	Lys	His	Met	Asn	Ser	Val	Pro	Gln	Lys	Pro	Ala	Leu	Ile	
				275				280				285				
Pro	Gln	Pro	Thr	Phe	Thr	Glu	Lys	Val	Ala	His	Glu	His	Lys	Glu	Lys	
				290				295				300				
Lys	Tyr	Glu	Met	Asp	Phe	Gly	Ile	Trp	Lys	Gly	His	Leu	Asp	Ala	Leu	
305				310				315				320				
Thr	Ala	Asp	Val	Lys	Glu	Lys	Met	Tyr	Asn	Val	Leu	Leu	Phe	Val	Asp	
				325				330				335				
Gly	Gly	Trp	Met	Val	Asp	Val	Arg	Glu	Asp	Ala	Lys	Glu	Asp	His	Glu	
				340				345				350				
Arg	Thr	His	Gln	Met	Val	Leu	Leu	Arg	Lys	Leu	Cys	Leu	Pro	Met	Leu	
				355				360				365				
Cys	Phe	Leu	Leu	His	Thr	Ile	Leu	His	Ser	Thr	Gly	Gln	Tyr	Gln	Glu	
370				375				380								
Cys	Leu	Gln	Leu	Ala	Asp	Met	Val	Ser	Ser	Glu	Arg	His	Lys	Leu	Tyr	
385				390				395				400				
Leu	Val	Phe	Ser	Lys	Glu	Glu	Leu	Arg	Lys	Leu	Leu	Gln	Lys	Leu	Arg	
				405				410				415				
Glu	Ser	Ser	Leu	Met	Leu	Leu	Asp	Gln	Gly	Leu	Asp	Pro	Leu	Gly	Tyr	
				420				425				430				
Glu	Ile	Gln	Leu													
435																

<210> 929

<211> 161

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (159)

<223> Xaa equals any of the naturally occurring L-amino acids

882

<400> 929

Asp Ala Asp Val Gln Phe Leu Ala Ser Val Leu Pro Pro Asp Thr Asp
 1 5 10 15

Pro Ala Phe Phe Glu His Leu Arg Ala Leu Asp Cys Ser Glu Val Thr
 20 25 30

Val Arg Ala Leu Pro Glu Gly Ser Leu Ala Phe Pro Gly Val Pro Leu
 35 40 45

Leu Gln Val Ser Gly Pro Leu Leu Val Val Gln Leu Leu Glu Thr Pro
 50 55 60

Leu Leu Cys Leu Val Ser Tyr Ala Ser Leu Val Ala Thr Asn Ala Ala
 65 70 75 80

Arg Leu Arg Leu Ile Ala Gly Pro Glu Lys Arg Leu Leu Glu Met Gly
 85 90 95

Leu Arg Arg Ala Gln Gly Pro Asp Gly Gly Leu Thr Ala Ser Thr Tyr
 100 105 110

Ser Tyr Leu Gly Gly Phe Asp Ser Ser Ser Asn Val Leu Ala Gly Gln
 115 120 125

Leu Arg Gly Val Pro Val Ala Gly Thr Leu Ala His Ser Phe Val Thr
 130 135 140

Ser Phe Ser Gly Ser Glu Val Pro Leu Thr Arg Cys Trp Gly Xaa Ser
 145 150 155 160

Leu

<210> 930

<211> 741

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

883

<220>

<221> SITE

<222> (282)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 930

Leu	Met	Lys	Ile	Glu	Ala	Asn	Xaa	Asp	His	Met	Gly	Phe	His	Phe	Thr
1				5					10					15	

Thr	Gly	Xaa	Pro	Ala	Pro	Ser	Thr	Glu	Thr	Glu	Leu	Asp	Val	Leu	Leu
			20					25					30		

Pro	Thr	Ala	Thr	Ser	Leu	Pro	Ile	Pro	Arg	Lys	Ser	Ala	Thr	Val	Ile
		35					40					45			

Pro	Glu	Ile	Glu	Gly	Ile	Lys	Ala	Glu	Ala	Lys	Ala	Leu	Asp	Asp	Met
	50					55						60			

Phe	Glu	Ser	Ser	Thr	Leu	Ser	Asp	Gly	Gln	Ala	Ile	Ala	Asp	Gln	Ser
65					70				75						80

Glu	Ile	Ile	Pro	Thr	Leu	Gly	Gln	Phe	Glu	Arg	Thr	Gln	Glu	Glu	Tyr
				85					90					95	

Glu	Asp	Lys	Lys	His	Ala	Gly	Pro	Ser	Phe	Gln	Pro	Glu	Phe	Ser	Ser
			100					105					110		

Gly	Ala	Glu	Glu	Ala	Leu	Val	Asp	His	Thr	Pro	Tyr	Leu	Ser	Ile	Ala
		115					120						125		

Thr	Thr	His	Leu	Met	Asp	Gln	Ser	Val	Thr	Glu	Val	Pro	Asp	Val	Met
	130					135					140				

Glu	Gly	Ser	Asn	Pro	Pro	Tyr	Tyr	Thr	Asp	Thr	Thr	Leu	Ala	Val	Ser
145					150					155					160

Thr	Phe	Ala	Lys	Leu	Ser	Ser	Gln	Thr	Pro	Ser	Ser	Pro	Leu	Thr	Ile
			165						170					175	

Tyr	Ser	Gly	Ser	Glu	Ala	Ser	Gly	His	Thr	Glu	Ile	Pro	Gln	Pro	Ser
			180					185					190		

Ala	Leu	Pro	Gly	Ile	Asp	Val	Gly	Ser	Ser	Val	Met	Ser	Pro	Gln	Asp
		195					200					205			

Ser	Phe	Lys	Glu	Ile	His	Val	Asn	Ile	Glu	Ala	Thr	Phe	Lys	Pro	Ser
		210				215					220				

Ser	Glu	Glu	Tyr	Leu	His	Ile	Thr	Glu	Pro	Pro	Ser	Leu	Ser	Pro	Asp
225					230					235					240

884

Thr Lys Leu Glu Pro Ser Glu Asp Asp Gly Lys Pro Glu Leu Leu Glu
 245 250 255
 Glu Met Glu Ala Ser Pro Thr Glu Leu Ile Ala Val Glu Gly Thr Glu
 260 265 270
 Ile Leu Gln Asp Phe Gln Asn Lys Thr Xaa Gly Gln Val Ser Gly Glu
 275 280 285
 Ala Ile Lys Met Phe Pro Thr Ile Lys Thr Pro Glu Ala Gly Thr Val
 290 295 300
 Ile Thr Thr Ala Asp Glu Ile Glu Leu Glu Gly Ala Thr Gln Trp Pro
 305 310 315 320
 His Ser Thr Ser Ala Ser Ala Thr Tyr Gly Val Glu Ala Gly Val Val
 325 330 335
 Pro Trp Leu Ser Pro Gln Thr Ser Glu Arg Pro Thr Leu Ser Ser Ser
 340 345 350
 Pro Glu Ile Asn Pro Glu Thr Gln Ala Ala Leu Ile Arg Gly Gln Asp
 355 360 365
 Ser Thr Ile Ala Ala Ser Glu Gln Gln Val Ala Ala Arg Ile Leu Asp
 370 375 380
 Ser Asn Asp Gln Ala Thr Val Asn Pro Val Glu Phe Asn Thr Glu Val
 385 390 395 400
 Ala Thr Pro Pro Phe Ser Leu Leu Glu Thr Ser Asn Glu Thr Asp Phe
 405 410 415
 Leu Ile Gly Ile Asn Glu Glu Ser Val Glu Gly Thr Ala Ile Tyr Leu
 420 425 430
 Pro Gly Pro Asp Arg Cys Lys Met Asn Pro Cys Leu Asn Gly Gly Thr
 435 440 445
 Cys Tyr Pro Thr Glu Thr Ser Tyr Val Cys Thr Cys Val Pro Gly Tyr
 450 455 460
 Ser Gly Asp Gln Cys Glu Leu Asp Phe Asp Glu Cys His Ser Asn Pro
 465 470 475 480
 Cys Arg Asn Gly Ala Thr Cys Val Asp Gly Phe Asn Thr Phe Arg Cys
 485 490 495
 Leu Cys Leu Pro Ser Tyr Val Gly Ala Leu Cys Glu Gln Asp Thr Glu
 500 505 510

885

Thr Cys Asp Tyr Gly Trp His Lys Phe Gln Gly Gln Cys Tyr Lys Tyr
 515 520 525
 Phe Ala His Arg Arg Thr Trp Asp Ala Ala Glu Arg Glu Cys Arg Leu
 530 535 540
 Gln Gly Ala His Leu Thr Ser Ile Leu Ser His Glu Glu Gln Met Phe
 545 550 555 560
 Val Asn Arg Val Gly His Asp Tyr Gln Trp Ile Gly Leu Asn Asp Lys
 565 570 575
 Met Phe Glu His Asp Phe Arg Trp Thr Asp Gly Ser Thr Leu Gln Tyr
 580 585 590
 Glu Asn Trp Arg Pro Asn Gln Pro Asp Ser Phe Phe Ser Ala Gly Glu
 595 600 605
 Asp Cys Val Val Ile Ile Trp His Glu Asn Gly Gln Trp Asn Asp Val
 610 615 620
 Pro Cys Asn Tyr His Leu Thr Tyr Thr Cys Lys Lys Gly Thr Val Ala
 625 630 635 640
 Cys Gly Gln Pro Pro Val Val Glu Asn Ala Lys Thr Phe Gly Lys Met
 645 650 655
 Lys Pro Arg Tyr Glu Ile Asn Ser Leu Ile Arg Tyr His Cys Lys Asp
 660 665 670
 Gly Phe Ile Gln Arg His Leu Pro Thr Ile Arg Cys Leu Gly Asn Gly
 675 680 685
 Arg Trp Ala Ile Pro Lys Ile Thr Cys Met Asn Pro Ser Ala Tyr Gln
 690 695 700
 Arg Thr Tyr Ser Met Lys Tyr Phe Lys Asn Ser Ser Ser Ala Lys Asp
 705 710 715 720
 Asn Ser Ile Asn Thr Ser Lys His Asp His Arg Trp Ser Arg Arg Trp
 725 730 735
 Gln Glu Ser Arg Arg
 740

<210> 931

<211> 209

<212> PRT

<213> Homo sapiens

<222> (28)

<400> 931

Leu

887

<210> 932

<211> 57

<212> PRT

<213> Homo sapiens

<400> 932

Leu Leu Glu Val Pro Glu Met Gly Leu Thr Phe Ile Lys Gln Ile Ala
1 5 10 15

Tyr Tyr Asp Leu Ala Ala Ala Thr Val Gln Leu His Ile Asn Ser Thr
20 25 30

Asp Gln Thr Ile Cys Ile Trp His His Leu Leu Thr His Asp Met Arg
35 40 45

Leu Phe Cys Ile Asn Cys Tyr Asp Gly
50 55

<210> 933

<211> 125

<212> PRT

<213> Homo sapiens

<400> 933

Ile Lys Glu Glu Ser Asp Tyr His Asp Leu Glu Ser Val Val Gln Gln
1 5 10 15

Val Glu Gln Asn Leu Glu Leu Met Thr Lys Arg Ala Val Lys Ala Glu
20 25 30

Asn His Val Val Lys Leu Lys Gln Glu Ile Ser Leu Leu Gln Ala Gln
35 40 45

Val Ser Asn Phe Gln Arg Glu Asn Glu Ala Leu Arg Cys Gly Gln Gly
50 55 60

Ala Ser Leu Thr Val Val Lys Gln Asn Ala Asp Val Ala Leu Gln Asn
65 70 75 80

Leu Arg Val Val Met Asn Ser Ala Gln Ala Ser Ile Lys Gln Leu Val
85 90 95

Ser Gly Ala Glu Thr Leu Asn Leu Val Ala Glu Ile Leu Lys Ser Ile
100 105 110

Asp Arg Ile Ser Glu Val Lys Asp Glu Glu Glu Asp Ser
115 120 125

888

<210> 934

<211> 306

<212> PRT

<213> Homo sapiens

<400> 934

Pro Thr Phe Ser Arg Ala Val Ala Thr Met Phe Ser Arg Ala Gly Val
 1 5 10 15

Ala Gly Leu Ser Ala Trp Thr Leu Gln Pro Gln Trp Ile Gln Val Arg
 20 25 30

Asn Met Ala Thr Leu Lys Asp Ile Thr Arg Arg Leu Lys Ser Ile Lys
 35 40 45

Asn Ile Gln Lys Ile Thr Lys Ser Met Lys Met Val Ala Ala Lys
 50 55 60

Tyr Ala Arg Ala Glu Arg Glu Leu Lys Pro Ala Arg Ile Tyr Gly Leu
 65 70 75 80

Gly Ser Leu Ala Leu Tyr Glu Lys Ala Asp Ile Lys Gly Pro Glu Asp
 85 90 95

Lys Lys Lys His Leu Leu Ile Gly Val Ser Ser Asp Arg Gly Leu Cys
 100 105 110

Gly Ala Ile His Ser Ser Ile Ala Lys Gln Met Lys Ser Glu Val Ala
 115 120 125

Thr Leu Thr Ala Ala Gly Lys Glu Val Met Leu Val Gly Ile Gly Asp
 130 135 140

Lys Ile Arg Gly Ile Leu Tyr Arg Thr His Ser Asp Gln Phe Leu Val
 145 150 155 160

Ala Phe Lys Glu Val Gly Arg Lys Pro Pro Thr Phe Gly Asp Ala Ser
 165 170 175

Val Ile Ala Leu Glu Leu Leu Asn Ser Gly Tyr Glu Phe Asp Glu Gly
 180 185 190

Ser Ile Ile Phe Asn Lys Phe Arg Ser Val Ile Ser Tyr Lys Thr Glu
 195 200 205

Glu Lys Pro Ile Phe Ser Leu Asn Thr Val Ala Ser Ala Asp Ser Met.
 210 215 220

Ser Ile Tyr Asp Asp Ile Asp Ala Asp Val Leu Gln Asn Tyr Gln Glu
 225 230 235 240

```
<210> 935
<211> 135
<212> PRT
<213> Homo sapiens
```

```

<400> 935
Gly Ala Leu Cys Ala Ala Ser Val Pro Arg Cys Val Trp Ser Ser Ala
  1                      5                      10                      15

Gly Val Val Ala Leu Phe Glu Glu His Cys Ala Pro Leu Val Trp Val
                20                      25                      30

Tyr Thr Tyr Glu Cys Cys His Tyr Met Cys Ser Ala Leu Leu Ser Leu
        35                      40                      45

Ser Cys Pro Cys Pro Ala Pro Ser Glu Arg Ala Ala Gly Leu Cys Cys
        50                      55                      60

Arg Leu Val Val Pro Cys His Lys Gly Met Pro Arg Leu Thr Asp Leu
  65                      70                      75                      80

Ser Val Lys Thr Lys Asp Val Trp Glu Ile Pro Arg Glu Ser Leu Gln
                85                      90                      95

Leu Ile Lys Arg Leu Gly Asn Gly Gln Phe Gly Glu Val Trp Met Gly
        100                      105                      110

Met Leu Arg Leu Asn Tyr Ser Leu Ile Ser Phe Pro Val Trp Lys Ile
        115                      120                      125

Pro Asn Thr Lys Asp Gly Arg
  130                      135

```


890

<210> 936

<211> 284

<212> PRT

<213> Homo sapiens

<400> 936

Leu Ser Gly Thr Thr Tyr Ala Arg Ala Cys Arg Ser Gln Cys Ala Ser
1 5 10 15

Ala Ala Gly Gly Cys Thr Gly Gly Ala Gly Gly Gly Gly Gly Gly
20 25 30

Gly Gly Trp Gly Gly Ala Gly Gly Lys Cys Cys Asp Ala Val Pro Gly
35 40 45

Arg Gly Arg Arg Val Glu Ala Glu Tyr Gln Phe Pro Ser Gly Lys Ala
50 55 60

Ala Met Ala Ile Phe Ser Val Tyr Val Val Asn Lys Ala Gly Gly Leu
65 70 75 80

Ile Tyr Gln Leu Asp Ser Tyr Ala Pro Arg Ala Glu Ala Glu Lys Thr
85 90 95

Phe Ser Tyr Pro Leu Asp Leu Leu Leu Lys Leu His Asp Glu Arg Val
100 105 110

Leu Val Ala Phe Gly Gln Arg Asp Gly Ile Arg Val Gly His Ala Val
115 120 125

Leu Ala Ile Asn Gly Met Asp Val Asn Gly Arg Tyr Thr Ala Asp Gly
130 135 140

Lys Glu Val Leu Glu Tyr Leu Gly Asn Pro Ala Asn Tyr Pro Val Ser
145 150 155 160

Ile Arg Phe Gly Arg Pro Arg Leu Thr Ser Asn Glu Lys Leu Met Leu
165 170 175

Ala Ser Met Phe His Ser Leu Phe Ala Ile Gly Ser Gln Leu Ser Pro
180 185 190

Glu Gln Gly Ser Ser Gly Ile Glu Met Leu Glu Thr Asp Thr Phe Lys
195 200 205

Leu His Cys Tyr Gln Thr Leu Thr Gly Ile Lys Phe Val Val Leu Ala
210 215 220

Asp Pro Arg Gln Ala Gly Ile Asp Ser Leu Leu Arg Lys Ile Tyr Glu

891

225 230 235 240
 Ile Tyr Ser Asp Phe Ala Leu Lys Asn Pro Phe Tyr Ser Leu Glu Met
 245 250 255
 Pro Ile Arg Cys Glu Leu Phe Asp Gln Asn Leu Lys Leu Ala Leu Glu
 260 265 270
 Val Ala Glu Lys Ala Gly Thr Phe Gly Pro Gly Ser
 275 280

<210> 937
 <211> 338
 <212> PRT
 <213> Homo sapiens

<400> 937
 Pro Val Ser Pro Leu His Arg Glu Glu Gly Asp Lys Trp Gly Glu Val
 1 5 10 15
 Trp Cys Gln Met Gly Trp Arg Arg Lys Arg Val Pro Gln Arg Gly Arg
 20 25 30
 Lys Ala Pro Pro Pro Gln Leu His Gly Asn Ile Asn Asn Leu Tyr Phe
 35 40 45
 Pro Ile Arg Trp Arg Asp Arg Leu His Trp Asp Ser Pro Asn Pro Ala
 50 55 60
 Ala Glu Cys Gln Arg Pro Arg Ser Thr Leu Val Ser Arg Lys Pro Gly
 65 70 75 80
 Pro Gly Arg Ile Thr Trp Asp Glu Leu Ala Ala Ser Gly Leu Pro Ser
 85 90 95
 Cys Asp Ala Ala Val Asn Leu Ala Gly Glu Asn Ile Leu Asn Pro Leu
 100 105 110
 Arg Arg Trp Asn Glu Thr Phe Gln Lys Glu Val Leu Gly Ser Arg Leu
 115 120 125
 Glu Thr Thr Gln Leu Leu Ala Lys Ala Ile Thr Lys Ala Pro Gln Pro
 130 135 140
 Pro Lys Ala Trp Val Leu Val Thr Gly Val Ala Tyr Tyr Gln Pro Ser
 145 150 155 160
 Leu Thr Ala Glu Tyr Asp Glu Asp Ser Pro Gly Gly Asp Phe Asp Phe
 165 170 175

892

Phe Ser Asn Leu Val Thr Lys Trp Glu Ala Ala Ala Arg Leu Pro Gly
180 185 190

Asp Ser Thr Arg Gln Val Val Val Arg Ser Gly Val Val Leu Gly Arg
195 200 205

Gly Gly Gly Ala Met Gly His Met Leu Leu Pro Phe Arg Leu Gly Leu
210 215 220

Gly Gly Pro Ile Gly Ser Gly His Gln Phe Phe Pro Trp Ile His Ile
225 230 235 240

Gly Asp Leu Ala Gly Ile Leu Thr His Ala Leu Glu Ala Asn His Val
245 250 255

His Gly Val Leu Asn Gly Val Ala Pro Ser Ser Ala Thr Asn Ala Glu
260 265 270

Phe Ala Gln Thr Phe Gly Ala Ala Leu Gly Arg Arg Ala Phe Ile Pro
275 280 285

Leu Pro Ser Ala Val Val Gln Ala Val Phe Gly Arg Gln Arg Ala Ile
290 295 300

Met Leu Leu Glu Gly Gln Lys Val Ile Pro Arg Arg Thr Leu Ala Thr
305 310 315 320

Gly Tyr Gln Tyr Ser Phe Pro Glu Leu Gly Ala Ala Leu Lys Glu Ile
325 330 335

Val Ala

<210> 938

<211> 321

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (164)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (220)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (221)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (238)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (263)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (267)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (268)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 938
 Cys Gln Glu Trp Val Pro Asp Arg Glu Ser Tyr Val Ser His Met Lys
 1 5 10 15
 Lys Ser His Gly Arg Thr Leu Lys Arg Tyr Pro Cys Arg Gln Xaa Glu
 20 25 30
 Gln Ser Phe His Thr Pro Asn Ser Leu Arg Lys His Ile Arg Asn Asn
 35 40 45
 His Asp Thr Val Lys Lys Phe Tyr Thr Cys Gly Tyr Cys Thr Glu Asp
 50 55 60
 Ser Pro Ser Phe Pro Arg Pro Ser Leu Leu Glu Ser His Ile Ser Leu
 65 70 75 80
 Met His Gly Ile Arg Asn Pro Asp Leu Ser Gln Thr Ser Lys Val Lys
 85 90 95
 Pro Pro Gly Gly His Ser Pro Gln Val Asn His Leu Lys Arg Pro Val
 100 105 110

894

Ser Gly Val Gly Asp Ala Pro Gly Thr Ser Asn Gly Ala Thr Val Ser
 115 120 125
 Ser Thr Lys Arg His Lys Ser Leu Phe Gln Cys Ala Lys Cys Ser Phe
 130 135 140
 Ala Thr Asp Ser Gly Leu Glu Phe Gln Ser His Ile Pro Gln His Gln
 145 150 155 160
 Val Gly Gln Xaa His Ser Pro Met Ser Pro Leu Trp Phe Val Leu His
 165 170 175
 Leu Cys Gln Leu Pro Gln Pro Pro Pro Leu His Cys Pro Gln Gly Glu
 180 185 190
 Arg Pro Gly Gly Gly Gly Gly Arg Gly Gly Gly Gly Thr Glu Met Ala
 195 200 205
 Val Glu Val Ala Glu Gln Arg Arg Ala Pro Gly Xaa Xaa Cys Pro Trp
 210 215 220
 Arg Leu Glu Arg Met Asp Trp Lys Asn Val Pro Val Ser Xaa Cys Gln
 225 230 235 240
 Leu Thr Gln Arg Arg Gly Asp Cys Trp Ala Arg Pro Leu Arg Thr Met
 245 250 255
 Val Ala Thr Met Ile Thr Xaa Asn His Arg Xaa Xaa Arg Thr Arg Thr
 260 265 270
 Ala Thr His Cys Pro Leu Arg Cys Asp Arg Arg Leu Cys Ser Val His
 275 280 285
 Gly Gln Gly Trp Cys Arg Ser Val Phe His Leu Pro Cys Gly Pro Trp
 290 295 300
 Lys Ile Lys Gly Ser Ala Pro Ser Val Ser Val Thr Gly Cys Thr Leu
 305 310 315 320
 Glu

<210> 939

<211> 151

<212> PRT

<213> Homo sapiens

<220>

<221> SITE
 <222> (4)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (44)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (67)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (71)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (81)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (103)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <400> 939
 Ala Ala Ser Xaa Gly Glu Gln Arg Glu Arg Ala Arg Leu Gln Thr Pro
 1 5 10 15
 Thr Arg Pro His Ser Thr Ser Ala Arg Pro Arg Arg Arg Gln Val Gln
 20 25 30
 Leu Leu Gln Leu Cys Gly Cys Ala Ala Lys Gly Xaa Ala His Gly Leu
 35 40 45
 Asp Val Thr Ser Pro Thr Val Ser Trp Leu Ala Cys Pro Cys Ala Arg
 50 55 60
 Pro Ser Xaa Ser Arg Gln Xaa Leu Gly Thr Ser Glu Glu Glu Pro Gly
 65 70 75 80
 Xaa Asn Gly Lys Gly Gly Ile Gly Val His His Ser Leu Leu Leu Trp
 85 90 95
 Ser Ser Thr Gly Gly Thr Xaa Met Glu Val Ser Cys Leu Thr Ser Leu
 100 105 110

896

His Cys Thr Gly Pro Gly Met Pro Ile His Pro Leu Ala Glu Asp Thr
115 120 125

His Gln Val Ile Cys Glu Glu Thr Leu Gly Ser His His Leu Lys Ala
130 135 140

Arg Gly Ser Pro Ser His Arg
145 150

<210> 940

<211> 103

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 940

Arg Cys Gly Trp Ser Ser Arg Ser Arg Arg Ser Arg Cys Ala Arg Arg
1 5 10 15

Cys Pro Pro Ser Pro Cys Pro Thr Pro Arg His Val Pro Ser Ser Arg
20 25 30

His Pro Glu Val Cys Gly Leu Arg Thr Asn Ser His Arg Cys Leu Phe
35 40 45

Arg Pro Gln Leu Gln Ala Met Pro Ala Ala Gly Gly Val Leu Tyr Gln
50 55 60

Pro Ser Gly Pro Ala Ser Phe Pro Ser Thr Phe Ser Pro Ala Gly Ser
65 70 75 80

Val Glu Gly Ser Pro Met His Gly Val Tyr Met Ser Gln Pro Val Pro
85 90 95

Ala Ala Gly Pro Tyr Pro Xaa
100

<210> 941

<211> 136

<212> PRT

<213> Homo sapiens

<220>

897

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 941

Thr Ala Gly Arg Ser Asp Val Leu Pro Val Ala Gly Gly Glu Val Arg
 1 5 10 15

Ala Leu Gln Glu Gly Gly Cys Gly Asp Lys Met Lys Ile Phe Val Gly
 20 25 30

Asn Val Asp Gly Ala Asp Thr Thr Pro Glu Glu Leu Ala Ala Leu Phe
 35 40 45

Ala Pro Tyr Gly Thr Val Met Ser Cys Ala Val Met Lys Gln Phe Ala
 50 55 60

Phe Val His Met Arg Glu Asn Ala Gly Ala Leu Arg Ala Ile Glu Ala
 65 70 75 80

Leu His Gly His Glu Leu Arg Pro Gly Arg Ala Leu Val Val Glu Met
 85 90 95

Ser Arg Pro Arg Pro Leu Asn Thr Trp Lys Ile Phe Val Gly Asn Val
 100 105 110

Ser Ala Ala Cys Thr Ser Gln Glu Leu Arg Xaa Ser Ser Ser Ala Ala
 115 120 125

Asp Ala Ser Ser Ser Val Thr Trp
 130 135

<210> 942

<211> 61

<212> PRT

<213> Homo sapiens

<400> 942

Ile Met Lys Glu Ser Ser Ser Val Leu Ala Lys Cys Ser Ser Ile Ala
 1 5 10 15

Gly Tyr Ile Gln Trp Ser Ser Ile Asn Ser Tyr Leu Ser Gly Leu Asn
 20 25 30

Gln Asn Cys Val Ser Leu Asn Ser Tyr His Thr Glu Gly Ala Ser Gln
 35 40 45

Ile Thr Ile Phe Leu Ser Ala Val Phe Leu Gln Lys Ser
 50 55 60

<210> 943
 <211> 580
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (52)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (73)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 943
 Gly Ala Gln Ala Gln Ala Ser Ala Arg Pro Leu Gln Ala Phe Gly Ala
 1 5 10 15
 Arg Ala Arg Leu Gly Tyr Gly Pro Gly Arg Arg Arg Pro Pro Ser Ala
 20 25 30
 Arg Cys Leu Ser Gly Thr Ala Asn Arg Arg Glu Arg Arg Val Gly
 35 40 45
 Leu Ser Ala Xaa Leu Gly Ala Gly Ala His Ala Arg Ala Pro Pro Gln
 50 55 60
 Ala Gly Ala Met Ala Ser Gly Ser Xaa Ala Glu Cys Leu Gln Gln Glu
 65 70 75 80
 Thr Thr Cys Pro Val Cys Leu Gln Tyr Phe Ala Glu Pro Met Met Leu
 85 90 95
 Asp Cys Gly His Asn Ile Cys Cys Ala Cys Leu Ala Arg Cys Trp Gly
 100 105 110
 Thr Ala Glu Thr Asn Val Ser Cys Pro Gln Cys Arg Glu Thr Phe Pro
 115 120 125
 Gln Arg His Met Arg Pro Asn Arg His Leu Ala Asn Val Thr Gln Leu
 130 135 140
 Val Lys Gln Leu Arg Thr Glu Arg Pro Ser Gly Pro Gly Gly Glu Met
 145 150 155 160
 Gly Val Cys Glu Lys His Arg Glu Pro Leu Lys Leu Tyr Cys Glu Glu
 165 170 175

Asp	Gln	Met	Pro	Ile	Cys	Val	Val	Cys	Asp	Arg	Ser	Arg	Glu	His	Arg			
			180					185					190					
Gly	His	Ser	Val	Leu	Pro	Leu	Glu	Glu	Ala	Val	Glu	Gly	Phe	Lys	Glu			
		195					200					205						
Gln	Ile	Gln	Asn	Gln	Leu	Asp	His	Leu	Lys	Arg	Val	Lys	Asp	Leu	Lys			
	210						215					220						
Lys	Arg	Arg	Arg	Ala	Gln	Gly	Glu	Gln	Ala	Arg	Ala	Glu	Leu	Leu	Ser			
225					230					235					240			
Leu	Thr	Gln	Met	Glu	Arg	Glu	Lys	Ile	Val	Trp	Glu	Phe	Glu	Gln	Leu			
				245					250						255			
Tyr	His	Ser	Leu	Lys	Glu	His	Glu	Tyr	Arg	Leu	Leu	Ala	Arg	Leu	Glu			
			260					265						270				
Glu	Leu	Asp	Leu	Ala	Ile	Tyr	Asn	Ser	Ile	Asn	Gly	Ala	Ile	Thr	Gln			
		275					280					285						
Phe	Ser	Cys	Asn	Ile	Ser	His	Leu	Ser	Ser	Leu	Ile	Ala	Gln	Leu	Glu			
	290					295						300						
Glu	Lys	Gln	Gln	Gln	Pro	Thr	Arg	Glu	Leu	Leu	Gln	Asp	Ile	Gly	Asp			
305					310					315					320			
Thr	Leu	Ser	Arg	Ala	Glu	Arg	Ile	Arg	Ile	Pro	Glu	Pro	Trp	Ile	Thr			
				325					330					335				
Pro	Pro	Asp	Leu	Gln	Glu	Lys	Ile	His	Ile	Phe	Ala	Gln	Lys	Cys	Leu			
			340					345					350					
Phe	Leu	Thr	Glu	Ser	Leu	Lys	Gln	Phe	Thr	Glu	Lys	Met	Gln	Ser	Asp			
		355					360					365						
Met	Glu	Lys	Ile	Gln	Glu	Leu	Arg	Glu	Ala	Gln	Leu	Tyr	Ser	Val	Asp			
	370					375					380							
Val	Thr	Leu	Asp	Pro	Asp	Thr	Ala	Tyr	Pro	Ser	Leu	Ile	Leu	Ser	Asp			
385					390					395					400			
Asn	Leu	Arg	Gln	Val	Arg	Tyr	Ser	Tyr	Leu	Gln	Gln	Asp	Leu	Pro	Asp			
			405						410					415				
Asn	Pro	Glu	Arg	Phe	Asn	Leu	Phe	Pro	Cys	Val	Leu	Gly	Ser	Pro	Cys			
			420					425					430					
Phe	Ile	Ala	Gly	Arg	His	Tyr	Trp	Glu	Val	Glu	Val	Gly	Asp	Lys	Ala			
	435						440						445					

900

Lys Trp Thr Ile Gly Val Cys Glu Asp Ser Val Cys Arg Lys Gly Gly
450 455 460

Val Thr Ser Ala Pro Gln Asn Gly Phe Trp Ala Val Ser Leu Trp Tyr
465 470 475 480

Gly Lys Glu Tyr Trp Ala Leu Thr Ser Pro Met Thr Ala Leu Pro Leu
485 490 495

Arg Thr Pro Leu Gln Arg Val Gly Ile Phe Leu Asp Tyr Asp Ala Gly
500 505 510

Glu Val Ser Phe Tyr Asn Val Thr Glu Arg Cys His Thr Phe Thr Phe
515 520 525

Ser His Ala Thr Phe Cys Gly Pro Val Arg Pro Tyr Phe Ser Leu Ser
530 535 540

Tyr Ser Gly Gly Lys Ser Ala Ala Pro Leu Ile Ile Cys Pro Met Ser
545 550 555 560

Gly Ile Asp Gly Phe Ser Gly His Val Gly Asn His Gly His Ser Met
565 570 575

Glu Thr Ser Pro
580

<210> 944

<211> 437

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (166)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (317)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 944

901

Ser Ala Thr Gly Ser Gly Glu Lys Glu Cys Gly Val Thr Ala Thr Phe
 1 5 10 15
 Asp Ala Ser Arg Thr Thr Phe Thr Arg Glu Gly Ser Phe Arg Val Thr
 20 25 30
 Thr Ala Thr Glu Gln Ala Glu Arg Glu Glu Ile Met Lys Gln Met Gln
 35 40 45
 Asp Ala Lys Lys Ala Glu Thr Asp Lys Ile Val Val Gly Ser Ser Val
 50 55 60
 Ala Pro Gly Xaa Thr Ala Pro Ser Pro Ser Ser Pro Thr Ser Pro Thr
 65 70 75 80
 Ser Asp Ala Thr Thr Ser Leu Glu Met Asn Asn Pro His Ala Ile Pro
 85 90 95
 Arg Arg His Ala Pro Ile Glu Gln Leu Ala Arg Gln Gly Ser Phe Arg
 100 105 110
 Gly Phe Pro Ala Leu Ser Gln Lys Met Ser Pro Phe Lys Arg Gln Leu
 115 120 125
 Ser Leu Arg Ile Asn Glu Leu Pro Ser Thr Met Gln Arg Lys Thr Asp
 130 135 140
 Phe Pro Ile Lys Asn Ala Val Pro Glu Val Glu Gly Glu Ala Glu Ser
 145 150 155 160
 Ile Ser Ser Leu Cys Xaa Gln Ile Thr Asn Ala Phe Ser Thr Pro Glu
 165 170 175
 Asp Pro Phe Ser Ser Ala Pro Met Thr Lys Pro Val Thr Val Val Ala
 180 185 190
 Pro Gln Ser Pro Thr Phe Gln Gly Thr Glu Trp Gly Gln Ser Ser Gly
 195 200 205
 Ala Ala Ser Pro Gly Leu Phe Gln Ala Gly His Arg Arg Thr Pro Ser
 210 215 220
 Glu Ala Asp Arg Trp Leu Glu Glu Val Ser Lys Ser Val Arg Ala Gln
 225 230 235 240
 Gln Pro Gln Ala Ser Ala Ala Pro Leu Gln Pro Val Leu Gln Pro Pro
 245 250 255
 Pro Pro Thr Ala Ile Ser Gln Pro Ala Ser Pro Phe Gln Gly Asn Ala
 260 265 270

Phe Leu Thr Ser Gln Pro Val Pro Val Gly Val Val Pro Ala Leu Gln
 275 280 285
 Pro Ala Phe Val Pro Ala Gln Ser Tyr Pro Val Ala Asn Gly Met Pro
 290 295 300
 Tyr Pro Ala Pro Asn Val Pro Val Val Gly Ile Thr Xaa Ser Gln Met
 305 310 315 320
 Val Ala Asn Val Phe Gly Thr Ala Gly His Pro Gln Ala Ala His Pro
 325 330 335
 His Gln Ser Pro Ser Leu Val Arg Gln Gln Thr Phe Pro His Tyr Glu
 340 345 350
 Ala Ser Ser Ala Thr Thr Ser Pro Phe Phe Lys Pro Pro Ala Gln His
 355 360 365
 Leu Asn Gly Ser Ala Ala Phe Asn Gly Val Asp Asp Gly Arg Leu Ala
 370 375 380
 Ser Ala Asp Arg His Thr Glu Val Pro Thr Gly Thr Cys Pro Val Asp
 385 390 395 400
 Pro Phe Glu Ala Gln Trp Ala Ala Leu Glu Asn Lys Ser Lys Gln Arg
 405 410 415
 Thr Asn Pro Ser Pro Thr Asn Pro Phe Ser Ser Asp Leu Gln Lys Thr
 420 425 430
 Phe Glu Ile Glu Leu
 435

<210> 945

<211> 160

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (119)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 945

His Gly Ser Met Arg Arg Leu Leu Ile Pro Leu Ala Leu Trp Leu Gly
 1 5 10 15
 Ala Val Gly Val Gly Val Ala Glu Leu Thr Glu Ala Gln Arg Arg Gly
 20 25 30

903

Leu Gln Val Ala Leu Glu Glu Phe His Lys His Pro Pro Val Gln Trp
 35 40 45
 Ala Phe Gln Glu Thr Ser Val Glu Ser Ala Val Asp Thr Pro Phe Pro
 50 55 60
 Ala Gly Ile Phe Val Arg Leu Glu Phe Lys Leu Gln Gln Thr Ser Cys
 65 70 75 80
 Arg Lys Arg Asp Trp Lys Lys Pro Glu Cys Lys Val Arg Pro Asn Gly
 85 90 95
 Arg Lys Arg Lys Cys Leu Ala Cys Ile Lys Leu Gly Ser Glu Asp Lys
 100 105 110
 Val Leu Gly Arg Leu Val Xaa Cys Pro Ile Glu Thr Gln Val Leu Arg
 115 120 125
 Glu Thr Gln Cys Leu Arg Val Gln Arg Ala Gly Glu Asp Pro His Ser
 130 135 140
 Phe Tyr Phe Pro Gly Gln Phe Ala Phe Ser Lys Ala Leu Pro Arg Ser
 145 150 155 160

<210> 946

<211> 221

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (198)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 946

Gly Gly Asp Pro Pro Gly Asp Leu Ser Ser Leu Ser Ser Lys Leu Leu
 1 5 10 15
 Pro Gly Phe Thr Thr Leu Gly Phe Lys Asp Glu Arg Arg Asn Lys Val
 20 25 30
 Thr Phe Leu Ser Ser Ala Thr Thr Ala Leu Ser Met Gln Asn Asn Ser
 35 40 45
 Val Phe Gly Asp Leu Lys Ser Asp Glu Met Glu Leu Leu Tyr Ser Ala

904

50	55	60
Tyr Gly Asp Glu Thr Gly Val Gln Cys Ala Leu Ser Leu Gln Glu Phe		
65	70	75 80
Val Lys Asp Ala Gly Ser Tyr Ser Lys Lys Val Val Asp Asp Leu Leu		
	85	90 95
Asp Gln Ile Thr Gly Gly Asp His Ser Arg Thr Leu Phe Gln Leu Lys		
	100	105 110
Gln Arg Arg Asn Val Pro Met Lys Pro Pro Asp Glu Ala Lys Val Gly		
	115	120 125
Asp Thr Leu Gly Asp Ser Ser Ser Ser Val Leu Glu Phe Met Ser Met		
	130	135 140
Lys Ser Tyr Pro Asp Val Ser Val Asp Ile Ser Met Leu Ser Ser Leu		
	145	150 155 160
Gly Lys Val Lys Lys Glu Leu Asp Pro Asp Asp Ser His Leu Asn Leu		
	165	170 175
Asp Glu Thr Thr Lys Leu Leu Gln Asp Leu His Glu Ala Gln Ala Asp		
	180	185 190
Ala Ala Ala Leu Gly Xaa Arg Pro Thr Ser Ala Pro Cys Pro Thr Pro		
	195	200 205
Pro Arg Gly Thr Ser Thr Thr Trp Glu Ala Leu Leu Ala		
	210	215 220

<210> 947

<211> 316

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (293)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (312)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 947

Glu Gln Tyr Val Cys Ala Gln Arg Asp Glu Tyr Leu Glu Ser Phe Cys

905

1	5	10	15
Lys Met Ala Thr Arg Lys Ile Ser Val Ile Thr Ile Phe Gly Pro Val	20	25	30
Asn Asn Ser Thr Met Lys Ile Asp His Phe Gln Leu Asp Asn Glu Lys	35	40	45
Pro Met Arg Val Val Asp Asp Glu Asp Leu Val Asp Gln Arg Leu Ile	50	55	60
Ser Glu Leu Arg Lys Glu Tyr Gly Met Thr Tyr Asn Asp Phe Phe Met	65	70	75
Val Leu Thr Asp Val Asp Leu Arg Val Lys Gln Tyr Tyr Glu Val Pro	85	90	95
Ile Thr Met Lys Ser Val Phe Asp Leu Ile Asp Thr Phe Gln Ser Arg	100	105	110
Ile Lys Asp Met Glu Lys Gln Lys Lys Glu Gly Ile Val Cys Lys Glu	115	120	125
Asp Lys Lys Gln Ser Leu Glu Asn Phe Leu Ser Arg Phe Arg Trp Arg	130	135	140
Arg Arg Leu Leu Val Ile Ser Ala Pro Asn Asp Glu Asp Trp Ala Tyr	145	150	155
Ser Gln Gln Leu Ser Ala Leu Ser Gly Gln Ala Cys Asn Phe Gly Leu	165	170	175
Arg His Ile Thr Ile Leu Lys Leu Leu Gly Val Gly Glu Glu Val Gly	180	185	190
Gly Val Leu Glu Leu Phe Pro Ile Asn Gly Ser Ser Val Val Glu Arg	195	200	205
Glu Asp Val Pro Ala His Leu Val Lys Asp Ile Arg Asn Tyr Phe Gln	210	215	220
Val Ser Pro Glu Tyr Phe Ser Met Leu Leu Val Gly Lys Asp Gly Asn	225	230	235
Val Lys Ser Trp Tyr Pro Ser Pro Met Trp Ser Met Val Ile Val Tyr	245	250	255
Asp Leu Ile Asp Ser Met Gln Leu Arg Arg Gln Glu Met Ala Ile Gln	260	265	270
Gln Ser Leu Gly Met Arg Cys Pro Glu Asp Glu Tyr Ala Gly Tyr Gly			

906

275 280 285
 Tyr His Ser Tyr Xaa Gln Gly Tyr Gln Asp Gly Tyr Gln Asp Asp Tyr
 290 295 300
 Arg His His Glu Ser Tyr His Xaa Gly Tyr Pro Tyr
 305 310 315

 <210> 948
 <211> 162
 <212> PRT
 <213> Homo sapiens

 <400> 948
 Ser Thr His Ala Ser Ala His Ala Ser Gly Lys Gln Cys Gln Asp Ser
 1 5 10 15
 Lys Asp Ser Asn His Leu Pro Lys Met Ser Leu Ser Ala Phe Thr Leu
 20 25 30
 Phe Leu Ala Leu Ile Gly Gly Thr Ser Gly Gln Tyr Tyr Asp Tyr Asp
 35 40 45
 Phe Pro Leu Ser Ile Tyr Gly Gln Ser Ser Pro Asn Cys Ala Pro Glu
 50 55 60
 Cys Asn Cys Pro Glu Ser Tyr Pro Ser Ala Met Tyr Cys Asp Glu Leu
 65 70 75 80
 Lys Leu Lys Ser Val Pro Met Val Pro Pro Gly Ile Lys Tyr Leu Tyr
 85 90 95
 Leu Arg Asn Asn Gln Ile Asp His Ile Asp Glu Lys Ala Phe Glu Asn
 100 105 110
 Val Thr Asp Leu Gln Trp Leu Ile Leu Asp His Asn Leu Leu Glu Asn
 115 120 125
 Ser Lys Ile Lys Gly Arg Val Phe Ser Lys Leu Lys Gln Leu Lys Lys
 130 135 140
 Leu His Ile Asn His Asn Asn Leu Thr Glu Ser Val Gly Pro Leu Pro
 145 150 155 160
 Lys Ser

<210> 949
 <211> 185
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (114)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 949

Leu	Gly	Phe	Asn	Tyr	Tyr	Tyr	Lys	Tyr	Ser	Asn	Glu	Gly	Asp	Ser	His
1				5					10					15	
Leu	Gly	Gly	Gly	Ser	Arg	Glu	Gly	Ser	Phe	Lys	Glu	Thr	Ile	Thr	Leu
			20					25						30	
Lys	Trp	Cys	Thr	Pro	Arg	Thr	Asn	Asn	Ile	Glu	Leu	His	Tyr	Cys	Thr
		35					40						45		
Gly	Ala	Tyr	Arg	Ile	Ser	Pro	Val	Asp	Val	Asn	Ser	Arg	Pro	Ser	Ser
	50					55					60				
Cys	Leu	Thr	Asn	Phe	Leu	Leu	Asn	Gly	Arg	Ser	Val	Leu	Leu	Glu	Gln
65				70					75					80	
Pro	Arg	Lys	Ser	Gly	Ser	Lys	Val	Ile	Ser	His	Met	Leu	Ser	Ser	His
			85						90					95	
Gly	Gly	Glu	Ile	Phe	Leu	His	Val	Leu	Ser	Ser	Ser	Arg	Ser	Ile	Leu
		100						105					110		
Glu	Xaa	Pro	Pro	Ser	Ile	Ser	Glu	Gly	Cys	Gly	Gly	Arg	Val	Thr	Asp
	115						120					125			
Tyr	Arg	Ile	Thr	Asp	Phe	Gly	Glu	Phe	Met	Arg	Glu	Asn	Arg	Leu	Thr
	130					135					140				
Pro	Phe	Leu	Asp	Pro	Arg	Tyr	Lys	Ile	Asp	Gly	Ser	Leu	Glu	Val	Pro
145					150					155				160	
Leu	Glu	Arg	Ala	Lys	Asp	Gln	Leu	Glu	Lys	His	Thr	Arg	Tyr	Trp	Pro
			165					170						175	
Met	Asp	His	Phe	Thr	Asn	His	His	Phe							
		180						185							

<210> 950
 <211> 169

908

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 950

Pro Arg Arg Pro His Arg Ser Cys Asp Met Pro Ala Ser Gly Glu Pro
 1 5 10 15

Leu Gly Cys Thr Pro Leu Leu Pro Asn Asp Ser Gly His Pro Ser Glu
 20 25 30

Leu Gly Gly Thr Arg Arg Ala Gly Asn Gly Ala Leu Gly Gly Pro Lys
 35 40 45

Ala His Arg Lys Leu Gln Thr His Pro Ser Leu Ala Ser Gln Gly Ser
 50 55 60

Lys Lys Ser Lys Ser Ser Ser Lys Ser Thr Thr Ser Gln Ile Pro Leu
 65 70 75 80

Gln Ala Gln Glu Asp Cys Cys Val His Cys Ile Leu Ser Cys Leu Phe
 85 90 95

Cys Glu Phe Leu Thr Leu Cys Asn Ile Val Leu Asp Cys Ala Thr Cys
 100 105 110

Gly Ser Cys Ser Ser Glu Asp Ser Cys Leu Cys Cys Cys Cys Gly
 115 120 125

Ser Gly Glu Cys Ala Asp Cys Asp Leu Pro Cys Asp Leu Asp Cys Gly
 130 135 140

Ile Leu Asp Ala Cys Cys Glu Ser Ala Asp Cys Leu Glu Ile Cys Met
 145 150 155 160

Xaa Cys Cys Gly Leu Cys Phe Ser Ser
 165

<210> 951

<211> 288

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (234)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 951

Met	Ser	Asp	Glu	Thr	Gly	Arg	Val	Pro	Glu	Arg	Asp	Thr	Lys	Arg	Met
1				5					10					15	

Gln	Val	Cys	Leu	Leu	Ser	Ala	Met	Pro	Leu	Pro	Val	Ala	Leu	Gln	Thr
			20					25					30		

Arg	Leu	Ala	Lys	Arg	Gly	Ile	Leu	Lys	His	Leu	Glu	Pro	Glu	Pro	Glu
		35					40					45			

Glu	Glu	Ile	Ile	Ala	Glu	Asp	Tyr	Asp	Asp	Asp	Pro	Val	Asp	Tyr	Glu
	50					55					60				

Ala	Thr	Arg	Leu	Glu	Gly	Leu	Pro	Pro	Ser	Trp	Tyr	Lys	Val	Phe	Asp
65					70					75					80

Pro	Ser	Cys	Gly	Leu	Pro	Tyr	Tyr	Trp	Asn	Ala	Asp	Thr	Asp	Leu	Val
				85					90					95	

Ser	Trp	Leu	Ser	Pro	His	Asp	Pro	Asn	Ser	Val	Val	Thr	Lys	Ser	Ala
		100						105					110		

Lys	Lys	Leu	Arg	Ser	Ser	Asn	Ala	Asp	Ala	Glu	Glu	Lys	Leu	Asp	Arg
		115					120					125			

Ser	His	Asp	Lys	Ser	Asp	Arg	Gly	His	Asp	Lys	Ser	Asp	Arg	Ser	His
	130					135						140			

Glu	Lys	Leu	Asp	Arg	Gly	His	Asp	Lys	Ser	Asp	Arg	Gly	His	Asp	Lys
145					150					155					160

Xaa	Asp	Arg	Asp	Arg	Glu	Arg	Gly	Tyr	Asp	Lys	Val	Asp	Arg	Glu	Arg
				165					170					175	

Glu	Arg	Asp	Arg	Glu	Arg	Asp	Arg	Asp	Arg	Gly	Tyr	Asp	Lys	Ala	Asp
				180					185				190		

Arg	Glu	Glu	Gly	Lys	Glu	Arg	Arg	His	His	Arg	Arg	Glu	Glu	Leu	Ala
		195					200					205			

Pro	Tyr	Pro	Lys	Ser	Lys	Lys	Ala	Val	Ser	Arg	Lys	Asp	Glu	Glu	Leu
	210						215					220			

910

Asp Pro Met Asp Pro Ser Ser Tyr Ser Xaa Arg Pro Arg Gly Thr Trp
 225 230 235 240
 Ser Thr Gly Leu Pro Lys Arg Asn Glu Ala Lys Thr Gly Ala Asp Thr
 245 250 255
 Thr Ala Ala Gly Pro Leu Phe Gln Gln Arg Pro Tyr Pro Ser Pro Gly
 260 265 270
 Ala Val Leu Arg Ala Asn Ala Glu Ala Ser Arg Thr Lys Gln Gln Asp
 275 280 285

<210> 952
 <211> 323
 <212> PRT
 <213> Homo sapiens

<400> 952
 Val Gly Gly Val Leu Pro Gly Trp Lys Leu Arg Pro Arg Ser Asp Gly
 1 5 10 15
 Gly Leu Ser Glu Asp Gly Pro Gly Arg Asp His Gly Gly Gly Ser Arg
 20 25 30
 Gly Gly Arg Gly Gly Ala Ala Gly Gly Arg Gly Gly Cys Gly Pro Gln
 35 40 45
 Gly Ala Val Gly Gly Gly Met Ala Arg Ala Ser Ser Gly Asn Gly Ser
 50 55 60
 Glu Glu Ala Trp Gly Ala Leu Arg Ala Pro Gln Gln Gln Leu Arg Glu
 65 70 75 80
 Leu Cys Pro Gly Val Asn Asn Gln Pro Tyr Leu Cys Glu Ser Gly His
 85 90 95
 Cys Cys Gly Glu Thr Gly Cys Cys Thr Tyr Tyr Tyr Glu Leu Trp Trp
 100 105 110
 Phe Trp Leu Leu Trp Thr Val Leu Ile Leu Phe Ser Cys Cys Cys Ala
 115 120 125
 Phe Arg His Arg Arg Ala Lys Leu Arg Leu Gln Gln Gln Gln Arg Gln
 130 135 140
 Arg Glu Ile Asn Leu Leu Ala Tyr His Gly Ala Cys His Gly Ala Gly

911

145 150 155 160
 Pro Phe Pro Thr Gly Ser Leu Leu Asp Leu Arg Phe Leu Ser Thr Phe
 165 170 175
 Lys Pro Pro Ala Tyr Glu Asp Val Val His Arg Pro Gly Thr Pro Pro
 180 185 190
 Pro Pro Tyr Thr Val Ala Pro Gly Arg Pro Leu Thr Ala Ser Ser Glu
 195 200 205
 Gln Thr Cys Cys Ser Ser Ser Ser Ser Cys Pro Ala His Phe Glu Gly
 210 215 220
 Thr Asn Val Glu Gly Val Ser Ser His Gln Ser Ala Pro Pro His Gln
 225 230 235 240
 Glu Gly Glu Pro Gly Ala Gly Val Thr Pro Ala Ser Thr Pro Pro Ser
 245 250 255
 Cys Arg Tyr Arg Arg Leu Thr Gly Asp Ser Gly Ile Glu Leu Cys Pro
 260 265 270
 Cys Pro Ala Ser Gly Glu Gly Glu Pro Val Lys Glu Val Arg Val Ser
 275 280 285
 Ala Thr Leu Pro Asp Leu Glu Asp Tyr Ser Pro Cys Ala Leu Pro Pro
 290 295 300
 Glu Ser Val Pro Gln Ile Phe Pro Met Gly Leu Ser Ser Ser Glu Gly
 305 310 315 320
 Asp Ile Pro

<210> 953

<211> 433

<212> PRT

<213> Homo sapiens

<400> 953

Ala Lys Met Ser Val Asn Val Asn Arg Ser Val Ser Asp Gln Phe Tyr
 1 5 10 15
 Arg Tyr Lys Met Pro Arg Leu Ile Ala Lys Val Glu Gly Lys Gly Asn
 20 25 30
 Gly Ile Lys Thr Val Ile Val Asn Met Val Asp Val Ala Lys Ala Leu
 35 40 45

Asn Arg Pro Pro Thr Tyr Pro Thr Lys Tyr Phe Gly Cys Glu Leu Gly
 50 55 60
 Ala Gln Thr Gln Phe Asp Val Lys Asn Asp Arg Tyr Ile Val Asn Gly
 65 70 75 80
 Ser His Glu Ala Asn Lys Leu Gln Asp Met Leu Asp Gly Phe Ile Lys
 85 90 95
 Lys Phe Val Leu Cys Pro Glu Cys Glu Asn Pro Glu Thr Asp Leu His
 100 105 110
 Val Asn Pro Lys Lys Gln Thr Ile Gly Asn Ser Cys Lys Ala Cys Gly
 115 120 125
 Tyr Arg Gly Met Leu Asp Thr His His Lys Leu Cys Thr Phe Ile Leu
 130 135 140
 Lys Asn Pro Pro Glu Asn Ser Asp Ser Gly Thr Gly Lys Lys Glu Lys
 145 150 155 160
 Glu Lys Lys Asn Arg Lys Gly Lys Asp Lys Glu Asn Gly Ser Val Ser
 165 170 175
 Ser Ser Glu Thr Pro Pro Pro Pro Pro Pro Pro Asn Glu Ile Asn Pro
 180 185 190
 Pro Pro His Thr Met Glu Glu Glu Glu Asp Asp Asp Trp Gly Glu Asp
 195 200 205
 Thr Thr Glu Glu Ala Gln Arg Arg Arg Met Asp Glu Ile Ser Asp His
 210 215 220
 Ala Lys Val Leu Thr Leu Ser Asp Asp Leu Glu Arg Thr Ile Glu Glu
 225 230 235 240
 Arg Val Asn Ile Leu Phe Asp Phe Val Lys Lys Lys Lys Glu Glu Gly
 245 250 255
 Val Ile Asp Ser Ser Asp Lys Glu Ile Val Ala Glu Ala Glu Arg Leu
 260 265 270
 Asp Val Lys Ala Met Gly Pro Leu Val Leu Thr Glu Val Leu Phe Asn
 275 280 285
 Glu Lys Ile Arg Glu Gln Ile Lys Lys Tyr Arg Arg His Phe Leu Arg
 290 295 300
 Phe Cys His Asn Asn Lys Lys Ala Gln Arg Tyr Leu Leu His Gly Leu
 305 310 315 320

```
<210> 954
<211> 428
<212> PRT
<213> Homo sapiens
```

```

<400> 954
Gly Tyr Gln Ile Gly Met Ala Leu Ala Ser Gly Pro Ala Arg Arg Ala
 1             5             10             15
Leu Ala Gly Ser Gly Gln Leu Gly Leu Gly Gly Phe Gly Ala Pro Arg
      20             25             30
Arg Gly Ala Tyr Glu Trp Gly Val Arg Ser Thr Arg Lys Ser Glu Pro
      35             40             45
Pro Pro Leu Asp Arg Val Tyr Glu Ile Pro Gly Leu Glu Pro Ile Thr
      50             55             60
Phe Ala Gly Lys Met His Phe Val Pro Trp Leu Ala Arg Pro Ile Phe
 65             70             75             80
Pro Pro Trp Asp Arg Gly Tyr Lys Asp Pro Arg Phe Tyr Arg Ser Pro
      85             90             95

```


914

Pro Leu His Glu His Pro Leu Tyr Lys Asp Gln Ala Cys Tyr Ile Phe
 100 105 110

His His Arg Cys Arg Leu Leu Glu Gly Val Lys Gln Ala Leu Trp Leu
 115 120 125

Thr Lys Thr Lys Leu Ile Glu Gly Leu Pro Glu Lys Val Leu Ser Leu
 130 135 140

Val Asp Asp Pro Arg Asn His Ile Glu Asn Gln Asp Glu Cys Val Leu
 145 150 155 160

Asn Val Ile Ser His Ala Arg Leu Trp Gln Thr Thr Glu Glu Ile Pro
 165 170 175

Lys Arg Glu Thr Tyr Cys Pro Val Ile Val Asp Asn Leu Ile Gln Leu
 180 185 190

Cys Lys Ser Gln Ile Leu Lys His Pro Ser Leu Ala Arg Arg Ile Cys
 195 200 205

Val Gln Asn Ser Thr Phe Ser Ala Thr Trp Asn Arg Glu Ser Leu Leu
 210 215 220

Leu Gln Val Arg Gly Ser Gly Gly Ala Arg Leu Ser Thr Lys Asp Pro
 225 230 235 240

Leu Pro Thr Ile Ala Ser Arg Glu Glu Ile Glu Ala Thr Lys Asn His
 245 250 255

Val Leu Glu Thr Phe Tyr Pro Ile Ser Pro Ile Ile Asp Leu His Glu
 260 265 270

Cys Asn Ile Tyr Asp Val Lys Asn Asp Thr Gly Phe Gln Glu Gly Tyr
 275 280 285

Pro Tyr Pro Tyr Pro His Thr Leu Tyr Leu Leu Asp Lys Ala Asn Leu
 290 295 300

Arg Pro His Arg Leu Gln Pro Asp Gln Leu Arg Ala Lys Met Ile Leu
 305 310 315 320

Phe Ala Phe Gly Ser Ala Leu Ala Gln Ala Arg Leu Leu Tyr Gly Asn
 325 330 335

Asp Ala Lys Val Leu Glu Gln Pro Val Val Val Gln Ser Val Gly Thr
 340 345 350

Asp Gly Arg Val Phe His Phe Leu Val Phe Gln Leu Asn Thr Thr Asp
 355 360 365

915

Leu Asp Ser Asn Glu Gly Val Lys Asn Leu Ala Trp Val Asp Ser Asp
 370 375 380

Gln Leu Leu Tyr Gln His Phe Trp Cys Leu Pro Val Ile Lys Lys Arg
 385 390 395 400

Val Val Val Glu Pro Val Gly Pro Val Gly Phe Lys Pro Glu Thr Phe
 405 410 415

Arg Lys Phe Leu Ala Leu Tyr Leu His Gly Ala Ala
 420 425

<210> 955

<211> 169

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (140)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (166)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 955

Asp Pro Arg Val Arg Pro Arg Val Arg Pro Arg Val Arg Glu Pro Gly
 1 5 10 15

Asp Arg Met Leu Val Leu Val Leu Gly Asp Leu His Ile Pro His Arg
 20 25 30

Cys Asn Ser Leu Pro Ala Lys Phe Lys Lys Leu Leu Val Pro Gly Lys
 35 40 45

Ile Gln His Ile Leu Cys Thr Gly Asn Leu Cys Thr Lys Glu Ser Tyr
 50 55 60

Asp Tyr Leu Lys Thr Leu Ala Gly Asp Val His Ile Val Arg Gly Asp
 65 70 75 80

Phe Asp Glu Asn Leu Asn Tyr Pro Glu Gln Lys Val Val Thr Val Gly

916

	85		90		95
Gln Phe Lys Ile Gly Leu Ile His Gly His Gln Val Ile Pro Trp Gly					
	100		105		110
Asp Met Ala Ser Leu Ala Leu Leu Gln Arg Gln Phe Asp Val Asp Ile					
	115		120		125
Leu Ile Xaa Gly His Thr His Lys Phe Glu Ala Xaa Glu His Glu Asn					
	130		135		140
Lys Phe Tyr Ile Asn Pro Gly Ser Ala Thr Gly Ala Tyr Asn Ala Leu					
	145		150		155
					160
Glu Thr Asn Ile Ile Xaa Ser Leu Cys					
	165				

<210> 956
 <211> 39
 <212> PRT
 <213> Homo sapiens

<400> 956
 Ser Pro Tyr Cys Gly Leu Gln Val Met Leu Phe Leu Leu His His Thr
 1 5 10 15
 Leu Trp Cys Leu Leu Pro Cys Ala Ser Ser Leu Arg Leu Ile Lys Lys
 20 25 30
 Val Ser Arg Leu Leu Gln Leu
 35

<210> 957
 <211> 219
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (7)
 <223> Xaa equals any of the naturally occurring L-amino acids
 <220>
 <221> SITE
 <222> (9)
 <223> Xaa equals any of the naturally occurring L-amino acids

917

<400> 957

Gln Gly His Cys Gly Cys Xaa Leu Xaa Ser Leu Leu Ala Asn Gly His
 1 5 10 15

Asp Leu Ala Ala Ala Met Ala Val Asp Lys Ser Asn Pro Thr Ser Lys
 20 25 30

His Lys Ser Gly Ala Val Ala Ser Leu Leu Ser Lys Ala Glu Arg Ala
 35 40 45

Thr Glu Leu Ala Ala Glu Gly Gln Leu Thr Leu Gln Gln Phe Ala Gln
 50 55 60

Ser Thr Glu Met Leu Lys Arg Val Val Gln Glu His Leu Pro Leu Met
 65 70 75 80

Ser Glu Ala Gly Ala Gly Leu Pro Asp Met Glu Ala Val Ala Gly Ala
 85 90 95

Glu Ala Leu Asn Gly Gln Ser Asp Phe Pro Tyr Leu Gly Ala Phe Pro
 100 105 110

Ile Asn Pro Gly Leu Phe Ile Met Thr Pro Ala Gly Val Phe Leu Ala
 115 120 125

Glu Ser Ala Leu His Met Ala Gly Leu Ala Glu Tyr Pro Met Gln Gly
 130 135 140

Glu Leu Ala Ser Ala Ile Ser Ser Gly Lys Lys Lys Arg Lys Arg Cys
 145 150 155 160

Gly Met Cys Ala Pro Cys Arg Arg Arg Ile Asn Cys Glu Gln Cys Ser
 165 170 175

Ser Cys Arg Asn Arg Lys Thr Gly His Gln Ile Cys Lys Phe Arg Lys
 180 185 190

Cys Glu Glu Leu Lys Lys Lys Pro Ser Ala Ala Leu Glu Lys Val Met
 195 200 205

Leu Pro Thr Gly Ala Ala Phe Arg Trp Phe Gln
 210 215

<210> 958

<211> 259

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 958

Leu Pro Gln Asn Ala Val Leu Glu Ala Asp Phe Ala Lys Arg Gly Tyr
 1 5 10 15

Lys Leu Pro Lys Xaa Arg Lys Thr Gly Thr Thr Ile Ala Gly Val Val
 20 25 30

Tyr Lys Asp Gly Ile Val Leu Gly Ala Asp Thr Arg Ala Thr Glu Gly
 35 40 45

Met Val Val Ala Asp Lys Asn Cys Ser Lys Ile His Phe Ile Ser Pro
 50 55 60

Asn Ile Tyr Cys Cys Gly Ala Gly Thr Xaa Ala Asp Thr Asp Met Thr
 65 70 75 80

Thr Gln Leu Ile Ser Ser Asn Leu Glu Leu His Ser Leu Ser Thr Gly
 85 90 95

Arg Leu Pro Arg Val Val Thr Ala Asn Arg Met Leu Lys Gln Met Leu
 100 105 110

Phe Arg Tyr Gln Gly Tyr Ile Gly Ala Ala Leu Val Leu Gly Gly Val
 115 120 125

Asp Val Thr Gly Pro His Leu Tyr Ser Ile Tyr Pro His Gly Ser Thr
 130 135 140

Asp Lys Leu Pro Tyr Val Thr Met Gly Ser Gly Ser Leu Ala Ala Met
 145 150 155 160

Ala Val Phe Glu Asp Lys Phe Arg Pro Asp Met Glu Glu Glu Glu Ala
 165 170 175

Lys Asn Leu Val Ser Glu Ala Ile Ala Ala Gly Ile Phe Asn Asp Leu
 180 185 190

Gly Ser Gly Ser Asn Ile Asp Leu Cys Val Ile Ser Lys Asn Lys Leu
 195 200 205

Asp Phe Leu Arg Pro Tyr Thr Val Pro Asn Lys Lys Gly Thr Arg Leu
 210 215 220

919

Gly Arg Tyr Arg Cys Glu Lys Gly Thr Thr Ala Val Leu Thr Glu Lys
225 230 235 240

Ile Thr Pro Leu Glu Ile Glu Val Leu Glu Glu Thr Val Gln Thr Met
245 250 255

Asp Thr Ser

<210> 959

<211> 75

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 959

Phe Trp Ser Ala Ala Lys Phe Asp Phe Thr Ser His Thr Pro Phe Leu
1 5 10 15

Pro Leu Glu Met Gln Phe Arg Gln Arg Pro Cys Gly Glu Ser Cys Asn
20 25 30

Ile Lys Phe Xaa Phe Arg Arg Ser Xaa Pro Gln Thr Ser Glu Pro Leu
35 40 45

Ala Val Leu Pro Xaa Asn Lys Asn Glu Leu Glu Lys Lys Val Ala Gln
50 55 60

Leu Gln Arg Ser Lys Ser Ser Tyr Phe Pro Thr
65 70 75

<210> 960

920

<211> 128

<212> PRT

<213> Homo sapiens

<400> 960

Gln Ser Arg Gly Leu Arg Leu Leu Gly Pro Gly Asp Gly Ala Gly Met
 1 5 10 15

Thr Pro Gly Val Val His Ala Ser Pro Pro Gln Ser Gln Arg Val Pro
 20 25 30

Arg Gln Ala Pro Cys Glu Trp Ala Ile Arg Asn Ile Gly Gln Lys Pro
 35 40 45

Lys Glu Pro Asn Cys His Asn Cys Gly Thr His Ile Gly Leu Arg Ser
 50 55 60

Lys Thr Leu Arg Gly Thr Pro Asn Tyr Leu Pro Ile Arg Gln Asp Thr
 65 70 75 80

His Pro Pro Ser Val Ile Phe Cys Leu Ala Gly Val Gly Val Pro Gly
 85 90 95

Gly Thr Cys Arg Pro Ala Pro Cys Val Pro Arg Phe Ala Ala Leu Pro
 100 105 110

Trp Ala Thr Asn His Pro Gly Pro Gly Cys Leu Ser Asp Leu Arg Ala
 115 120 125

<210> 961

<211> 564

<212> PRT

<213> Homo sapiens

<400> 961

Lys Met Lys Ser Val Lys Ile Ala Phe Ala Val Thr Leu Glu Thr Val
 1 5 10 15

Leu Ala Gly His Glu Asn Trp Val Asn Ala Val His Trp Gln Pro Val
 20 25 30

Phe Tyr Lys Asp Gly Val Leu Gln Gln Pro Val Arg Leu Leu Ser Ala
 35 40 45

Ser Met Asp Lys Thr Met Ile Leu Trp Ala Pro Asp Glu Glu Ser Gly
 50 55 60

Val	Trp	Leu	Glu	Gln	Val	Arg	Val	Gly	Glu	Val	Gly	Gly	Asn	Thr	Leu	65	70	75	80
Gly	Phe	Tyr	Asp	Cys	Gln	Phe	Asn	Glu	Asp	Gly	Ser	Met	Ile	Ile	Ala	85	90	95	
His	Ala	Phe	His	Gly	Ala	Leu	His	Leu	Trp	Lys	Gln	Asn	Thr	Val	Asn	100	105	110	
Pro	Arg	Glu	Trp	Thr	Pro	Glu	Ile	Val	Ile	Ser	Gly	His	Phe	Asp	Gly	115	120	125	
Val	Gln	Asp	Leu	Val	Trp	Asp	Pro	Glu	Gly	Glu	Phe	Ile	Ile	Thr	Val	130	135	140	
Gly	Thr	Asp	Gln	Thr	Thr	Arg	Leu	Phe	Ala	Pro	Trp	Lys	Arg	Lys	Asp	145	150	155	160
Gln	Ser	Gln	Val	Thr	Trp	His	Glu	Ile	Ala	Arg	Pro	Gln	Ile	His	Gly	165	170	175	
Tyr	Asp	Leu	Lys	Cys	Leu	Ala	Met	Ile	Asn	Arg	Phe	Gln	Phe	Val	Ser	180	185	190	
Gly	Ala	Asp	Glu	Lys	Val	Leu	Arg	Val	Phe	Ser	Ala	Pro	Arg	Asn	Phe	195	200	205	
Val	Glu	Asn	Phe	Cys	Ala	Ile	Thr	Gly	Gln	Ser	Leu	Asn	His	Val	Leu	210	215	220	
Cys	Asn	Gln	Asp	Ser	Asp	Leu	Pro	Glu	Gly	Ala	Thr	Val	Pro	Ala	Leu	225	230	235	240
Gly	Leu	Ser	Asn	Lys	Ala	Val	Phe	Gln	Gly	Asp	Ile	Ala	Ser	Gln	Pro	245	250	255	
Ser	Asp	Glu	Glu	Glu	Leu	Leu	Thr	Ser	Thr	Gly	Phe	Glu	Tyr	Gln	Gln	260	265	270	
Val	Ala	Phe	Gln	Pro	Ser	Ile	Leu	Thr	Glu	Pro	Pro	Thr	Glu	Asp	His	275	280	285	
Leu	Leu	Gln	Asn	Thr	Leu	Trp	Pro	Glu	Val	Gln	Lys	Leu	Tyr	Gly	His	290	295	300	
Gly	Tyr	Glu	Ile	Phe	Cys	Val	Thr	Cys	Asn	Ser	Ser	Lys	Thr	Leu	Leu	305	310	315	320
Ala	Ser	Ala	Cys	Lys	Ala	Ala	Lys	Lys	Glu	His	Ala	Ala	Ile	Ile	Leu	325	330	335	

922

Trp Asn Thr Thr Ser Trp Lys Gln Val Gln Asn Leu Val Phe His Ser
 340 345 350
 Leu Thr Val Thr Gln Met Ala Phe Ser Pro Asn Glu Lys Phe Leu Leu
 355 360 365
 Ala Val Ser Arg Asp Arg Thr Trp Ser Leu Trp Lys Lys Gln Asp Thr
 370 375 380
 Ile Ser Pro Glu Phe Glu Pro Val Phe Ser Leu Phe Ala Phe Thr Asn
 385 390 395 400
 Lys Ile Thr Ser Val His Ser Arg Ile Ile Trp Ser Cys Asp Trp Ser
 405 410 415
 Pro Asp Ser Lys Tyr Phe Phe Thr Gly Ser Arg Asp Lys Lys Val Val
 420 425 430
 Val Trp Gly Glu Cys Asp Ser Thr Asp Asp Cys Ile Glu His Asn Ile
 435 440 445
 Gly Pro Cys Ser Ser Val Leu Asp Val Gly Gly Ala Val Thr Ala Val
 450 455 460
 Ser Val Cys Pro Val Leu His Pro Ser Gln Arg Tyr Val Val Ala Val
 465 470 475 480
 Gly Leu Glu Cys Gly Lys Ile Cys Leu Tyr Thr Trp Lys Lys Thr Asp
 485 490 495
 Gln Val Pro Glu Ile Asn Asp Trp Thr His Cys Val Glu Thr Ser Gln
 500 505 510
 Ser Gln Ser His Thr Leu Ala Ile Arg Lys Leu Cys Trp Lys Asn Cys
 515 520 525
 Ser Gly Lys Thr Glu Gln Lys Glu Ala Glu Gly Ala Glu Trp Leu His
 530 535 540
 Phe Ala Ser Cys Gly Glu Asp His Thr Val Lys Ile His Arg Val Asn
 545 550 555 560
 Lys Cys Ala Leu

<210> 962

<211> 43

<212> PRT

923

<213> Homo sapiens

<400> 962

Phe Lys Tyr Val Lys Cys Gly Ser Phe Thr Pro His His Ser Glu His
 1 5 10 15

Thr Gly Glu Met Cys Phe Phe Gly Lys Leu Lys Gly Ala Ser Ser Leu
 20 25 30

Ile Gln Arg Asn Ile Ser His Val Cys Ser Phe
 35 40

<210> 963

<211> 132

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 963

Glu Ser Arg Val Asp Pro Arg Val Arg Glu Arg Ser Ala Arg Thr Ala
 1 5 10 15

Gly Ala Thr Val Gly Pro Ala Ala Val Met Ser Val Leu Arg Pro Leu
 20 25 30

Asp Lys Leu Pro Gly Leu Asn Thr Ala Thr Ile Leu Leu Val Gly Thr
 35 40 45

Glu Asp Ala Leu Leu Gln Gln Leu Ala Asp Ser Met Leu Lys Glu Asp
 50 55 60

Cys Ala Ser Glu Leu Lys Val His Leu Ala Lys Ser Leu Pro Leu Pro
 65 70 75 80

Ser Ser Val Asn Arg Pro Arg Ile Asp Leu Ile Val Phe Val Val Asn
 85 90 95

Leu His Ser Lys Tyr Ser Leu Gln Asn Thr Glu Glu Ser Leu Arg His
 100 105 110

Val Asp Ala Ser Phe Phe Leu Gly Lys Val Cys Phe Leu Ala Thr Gly
 115 120 125

Gly Gly Xaa Leu
 130

<210> 964
 <211> 175
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (13)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (72)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 964
 His Glu Arg Ser Cys Cys Asp Ala Arg Ser Glu Ala Xaa Gln Gly Arg
 1 5 10 15
 Gly Arg Val Gly Ala Gly Ala Gly Ala Ala Trp Ser Ser Cys Gly Val
 20 25 30
 Ser Gly Pro Gly Arg Gly Met Gly Val Leu Ala Ala Ala Ala Arg Cys
 35 40 45
 Leu Val Arg Gly Ala Asp Arg Met Ser Lys Trp Thr Ser Lys Arg Gly
 50 55 60
 Pro Arg Ser Phe Arg Gly Arg Xaa Gly Arg Gly Ala Lys Gly Ile Gly
 65 70 75 80
 Phe Leu Thr Ser Gly Trp Arg Phe Val Gln Ile Lys Glu Met Val Pro
 85 90 95
 Glu Phe Val Val Pro Asp Leu Thr Gly Phe Lys Leu Lys Pro Tyr Val
 100 105 110
 Ser Tyr Leu Ala Pro Glu Ser Glu Glu Thr Pro Leu Thr Ala Ala Gln
 115 120 125
 Leu Phe Ser Glu Ala Val Ala Pro Ala Ile Glu Lys Asp Phe Lys Asp
 130 135 140
 Gly Thr Phe Asp Pro Asp Asn Leu Glu Lys Tyr Gly Phe Glu Pro Thr
 145 150 155 160
 Gln Glu Gly Lys Leu Phe Gln Leu Tyr Pro Arg Asn Phe Leu Arg
 165 170 175

<210> 965
<211> 363
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (356)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 965

Leu	Leu	Arg	Arg	Leu	Arg	Thr	Ala	Val	Pro	Gly	Ser	Leu	Glu	Ala	Gln
1				5					10					15	
Lys	Arg	Lys	Pro	Ser	Pro	Gly	Pro	Gly	Ser	Leu	Asp	Leu	Val	Ser	Leu
			20					25					30		
Gly	Ser	Gly	Asn	Ser	Gly	Ser	Gln	Arg	Thr	Val	Leu	Ile	Met	Asp	Lys
		35					40					45			
Gln	Asn	Ser	Gln	Met	Asn	Ala	Ser	His	Pro	Glu	Thr	Asn	Leu	Pro	Val
	50						55					60			
Gly	Tyr	Pro	Pro	Gln	Tyr	Pro	Pro	Thr	Ala	Phe	Gln	Gly	Pro	Pro	Gly
65				70					75					80	
Tyr	Ser	Gly	Tyr	Pro	Gly	Pro	Gln	Val	Ser	Tyr	Pro	Pro	Pro	Pro	Ala
				85					90					95	
Gly	His	Ser	Gly	Pro	Gly	Pro	Ala	Gly	Phe	Pro	Val	Pro	Asn	Gln	Pro
			100					105					110		
Val	Tyr	Asn	Gln	Pro	Val	Tyr	Asn	Gln	Pro	Val	Gly	Ala	Ala	Gly	Val
	115						120					125			
Pro	Trp	Met	Pro	Ala	Pro	Gln	Pro	Pro	Leu	Asn	Cys	Pro	Pro	Gly	Leu
	130					135					140				
Glu	Tyr	Leu	Ser	Gln	Ile	Asp	Gln	Ile	Leu	Ile	His	Gln	Gln	Ile	Glu
145				150					155					160	
Leu	Leu	Glu	Val	Leu	Thr	Gly	Phe	Glu	Thr	Asn	Asn	Lys	Tyr	Glu	Ile
				165					170					175	
Lys	Asn	Ser	Phe	Gly	Gln	Arg	Val	Tyr	Phe	Ala	Ala	Glu	Asp	Thr	Asp
			180					185					190		
Cys	Cys	Thr	Arg	Asn	Cys	Cys	Gly	Pro	Ser	Arg	Pro	Phe	Thr	Leu	Arg

926

195	200	205
Ile Ile Asp Asn Met Gly Gln Glu Val Ile Thr Leu Glu Arg Pro Leu		
210	215	220
Arg Cys Ser Ser Cys Cys Cys Pro Cys Cys Leu Gln Glu Ile Glu Ile		
225	230	235 240
Gln Ala Pro Pro Gly Val Pro Ile Gly Tyr Val Ile Gln Thr Trp His		
	245	250 255
Pro Cys Leu Pro Lys Phe Thr Ile Gln Asn Glu Lys Arg Glu Asp Val		
	260	265 270
Leu Lys Ile Ser Gly Pro Cys Val Val Cys Ser Cys Cys Gly Asp Val		
	275	280 285
Asp Phe Glu Ile Lys Ser Leu Asp Glu Gln Cys Val Val Gly Lys Ile		
	290	295 300
Ser Lys His Trp Thr Gly Ile Leu Arg Glu Ala Phe Thr Asp Ala Asp		
305	310	315 320
Asn Phe Gly Ile Gln Phe Pro Leu Asp Leu Asp Val Lys Met Lys Ala		
	325	330 335
Val Met Ile Gly Ala Cys Phe Leu Ile Asp Phe Met Phe Phe Glu Ser		
	340	345 350
Thr Gly Ser Xaa Glu Gln Lys Ser Gly Val Trp		
	355	360

<210> 966

<211> 131

<212> PRT

<213> Homo sapiens

<400> 966

Ala Glu Val His Thr Arg Lys Gln Gly Pro Glu Ala Glu Pro Ala Ala		
1	5	10 15
Met Ser Gly Glu Pro Gly Gln Thr Ser Val Ala Pro Pro Pro Glu Glu		
	20	25 30
Val Glu Pro Gly Ser Gly Val Arg Ile Val Val Glu Tyr Cys Glu Pro		
	35	40 45
Cys Gly Phe Glu Ala Thr Tyr Leu Glu Leu Ala Ser Ala Val Lys Glu		
	50	55 60

927

Gln Tyr Pro Gly Ile Glu Ile Glu Ser Arg Leu Gly Gly Thr Gly Ala
 65 70 75 80
 Phe Glu Ile Glu Ile Asn Gly Gln Leu Val Phe Ser Lys Leu Glu Asn
 85 90 95
 Gly Gly Phe Pro Tyr Glu Lys Asp Leu Ile Glu Ala Ile Arg Arg Ala
 100 105 110
 Ser Asn Gly Glu Thr Leu Glu Lys Ile Thr Asn Ser Arg Pro Pro Cys
 115 120 125
 Val Ile Leu
 130

<210> 967

<211> 344

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (306)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 967

Pro Thr Pro Ala Ser His Ser Pro Ser Pro Ser Leu Pro Ala Leu Pro
 1 5 10 15

Pro Ser Pro Pro His Arg Pro Asp Ser Pro Leu Phe Asn Ser Arg Cys
 20 25 30

Ser Ser Pro Leu Gln Leu Asn Leu Leu Gln Leu Glu Glu Leu Pro Arg
 35 40 45

Ala Glu Gly Ala Ala Val Ala Gly Gly Pro Gly Ser Ser Ala Gly Pro
 50 55 60

Pro Pro Pro Xaa Ala Glu Ala Ala Glu Pro Glu Ala Arg Leu Ala Glu
 65 70 75 80

Val Thr Glu Ser Ser Asn Gln Asp Ala Leu Ser Gly Ser Ser Asp Leu
 85 90 95

Leu Glu Leu Leu Leu Gln Glu Asp Ser Arg Ser Gly Thr Gly Ser Ala
100 105 110

Ala Ser Gly Ser Leu Gly Ser Gly Leu Gly Ser Gly Ser Gly Ser Gly
115 120 125

Ser His Glu Gly Gly Ser Thr Ser Ala Ser Ile Thr Arg Ser Ser Gln
130 135 140

Ser Ser His Thr Ser Lys Tyr Phe Gly Ser Ile Asp Ser Ser Glu Ala
145 150 155 160

Glu Ala Gly Ala Ala Arg Gly Gly Ala Glu Pro Gly Asp Gln Val Ile
165 170 175

Lys Tyr Val Leu Gln Asp Pro Ile Trp Leu Leu Met Ala Asn Ala Asp
180 185 190

Gln Arg Val Met Met Thr Tyr Gln Val Pro Ser Arg Asp Met Thr Ser
195 200 205

Val Leu Lys Gln Asp Arg Glu Arg Leu Arg Ala Met Gln Lys Gln Gln
210 215 220

Pro Arg Phe Ser Glu Asp Gln Arg Arg Glu Leu Gly Ala Val His Ser
225 230 235 240

Trp Val Arg Lys Gly Gln Leu Pro Arg Ala Leu Asp Val Met Ala Cys
245 250 255

Val Asp Cys Gly Ser Ser Thr Gln Asp Pro Gly His Pro Asp Asp Pro
260 265 270

Leu Phe Ser Glu Leu Asp Gly Leu Gly Leu Glu Pro Met Glu Glu Gly
275 280 285

Gly Gly Glu Gln Gly Ser Ser Gly Gly Gly Ser Gly Glu Gly Glu Gly
290 295 300

Cys Xaa Glu Ala Gln Gly Gly Ala Lys Ala Ser Ser Ser Gln Asp Leu
305 310 315 320

Ala Met Glu Glu Glu Glu Gly Arg Ser Ser Ser Ser Pro Ala Leu
325 330 335

Pro Thr Ala Gly Asn Cys Thr Ser
340

929

<210> 968

<211> 67

<212> PRT

<213> Homo sapiens

<400> 968

Arg Cys Ser Ser Phe Phe Leu Ser Leu Leu Val Lys Ile Thr Asn Ile
 1 5 10 15

Trp Glu Gly Phe Lys Asp Ala Cys Tyr Gly Ala Asn Val Leu Ser Leu
 20 25 30

Leu Asn Ser Arg Ser Glu Leu Leu Thr Cys Ile Gln Asn Ile Asn Ala
 35 40 45

Gln Asn Leu Tyr Met Ser Pro Ile Arg Lys Ile His Trp His Ala Thr
 50 55 60

Gly Asp Ser
 65

<210> 969

<211> 325

<212> PRT

<213> Homo sapiens

<400> 969

Leu Asn Leu Arg Ser Pro His Ile Cys Phe Arg Ser Ser Lys Pro Ser
 1 5 10 15

Trp Ala Asp Gln Val Glu Glu Glu Gly Glu Asp Asp Lys Cys Val Thr
 20 25 30

Ser Glu Leu Leu Lys Gly Ile Pro Leu Ala Thr Gly Asp Thr Ser Pro
 35 40 45

Glu Pro Glu Leu Leu Pro Gly Ala Pro Leu Pro Pro Pro Lys Glu Val
 50 55 60

Ile Asn Gly Asn Ile Lys Thr Val Thr Glu Tyr Lys Ile Asp Glu Asp
 65 70 75 80

Gly Lys Lys Phe Lys Ile Val Arg Thr Phe Arg Ile Glu Thr Arg Lys
 85 90 95

Ala Ser Lys Ala Val Ala Arg Arg Lys Asn Trp Lys Lys Phe Gly Asn
 100 105 110

Ser Glu Phe Asp Pro Pro Gly Pro Asn Val Ala Thr Thr Thr Val Ser

115

125

Lys Pro Ser Thr Asn
325

Val Arg Val Lys Met Ala Ala Ala Glu Ala Ala Asn Cys Ile Met Glu
1 5 10 15

931

Val Ser Cys Gly Gln Ala Glu Ser Ser Glu Lys Pro Asn Ala Glu Asp
20 25 30

Met Thr Ser Lys Asp Tyr Tyr Phe Asp Ser Tyr Ala His Phe Gly Ile
35 40 45

His Glu Glu Met Leu Lys Asp Glu Val Arg Thr Leu Thr Tyr Arg Asn
50 55 60

Ser Met Phe His Asn Arg His Leu Phe Lys Asp Lys Val Val Leu Asp
65 70 75 80

Val Gly Ser Gly Thr Gly Ile Leu Cys Met Phe Ala Ala Lys Ala Gly
85 90 95

Ala Arg Lys Val Ile Gly Ile Glu Cys Ser Ser Ile Ser Asp Tyr Ala
100 105 110

Val Lys Ile Val Lys Ala Asn Lys Leu Asp His Val Val Thr Ile Ile
115 120 125

Lys Gly Lys Val Glu Glu Val Glu Leu Pro Val Glu Lys Val Asp Ile
130 135 140

Ile Ile Ser Glu Trp Met Gly Tyr Cys Leu Phe Tyr Glu Ser Met Leu
145 150 155 160

Asn Thr Val Leu Tyr Ala Arg Asp Lys Trp Leu Ala Pro Asp Gly Leu
165 170 175

Ile Phe Pro Asp Arg Ala Thr Leu Tyr Val Thr Ala Ile Glu Asp Arg
180 185 190

Gln Tyr Lys Asp Tyr Lys Ile His Trp Trp Glu Asn Val Tyr Gly Phe
195 200 205

Asp Met Ser Cys Ile Lys Asp Val Ala Ile Lys Glu Pro Leu Val Asp
210 215 220

Val Val Asp Pro Lys Gln Leu Val Thr Asn Ala Cys Leu Ile Lys Glu
225 230 235 240

Val Asp Ile Tyr Thr Val Lys Val Glu Asp Leu Thr Phe Thr Ser Pro
245 250 255

Phe Cys Leu Gln Val Lys Arg Asn Asp Tyr Val His Ala Leu Val Ala
260 265 270

Tyr Phe Asn Ile Glu Phe Thr Arg Cys His Lys Arg Thr Gly Phe Ser
275 280 285

932

Thr Ser Pro Glu Ser Pro Tyr Thr His Trp Lys Gln Thr Val Phe Tyr
 290 295 300

Met Glu Asp Tyr Leu Thr Val Lys Thr Gly Glu Glu Ile Phe Gly Thr
 305 310 315 320

Ile Gly Met Arg Pro Asn Ala Lys Asn Asn Arg Asp Leu Asp Phe Thr
 325 330 335

Ile Asp Leu Asp Phe Lys Gly Gln Leu Cys Glu Leu Ser Cys Ser Thr
 340 345 350

Asp Tyr Arg Met Arg
 355

<210> 971

<211> 176

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (176)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 971

Gly Val Pro Arg Arg Ala Tyr Gln Ala Xaa Xaa Leu Arg Arg Val Asp
 1 5 10 15

Asp Phe Lys Lys Ala Phe Ser Lys Glu Lys Met Glu Lys Thr Lys Val
 20 25 30

Arg Thr Arg Glu Asn Leu Glu Lys Thr Arg Leu Lys Thr Lys Glu Asn
 35 40 45

Leu Glu Lys Thr Arg His Thr Leu Glu Lys Arg Met Asn Lys Leu Gly
 50 55 60

933

Thr Arg Leu Val Pro Ala Glu Arg Arg Glu Lys Leu Lys Thr Ser Arg
 65 70 75 80
 Asp Lys Leu Arg Lys Ser Phe Thr Pro Asp His Val Val Tyr Ala Arg
 85 90 95
 Ser Lys Thr Ala Val Tyr Lys Val Pro Pro Phe Thr Phe His Val Lys
 100 105 110
 Lys Ile Arg Glu Gly Gln Val Glu Val Leu Lys Ala Thr Glu Met Val
 115 120 125
 Glu Val Gly Ala Asp Asp Asp Glu Gly Gly Ala Glu Arg Gly Glu Ala
 130 135 140
 Gly Asp Leu Arg Arg Gly Ser Ser Pro Asp Val His Ala Leu Leu Glu
 145 150 155 160
 Ile Thr Glu Glu Ser Asp Ala Val Leu Val Asp Lys Ser Asp Ser Xaa
 165 170 175

<210> 972

<211> 159

<212> PRT

<213> Homo sapiens

<400> 972

Gly Lys Ala Arg Arg Ala Ala Lys Leu Gln Ser Ser Gln Glu Pro
 1 5 10 15
 Glu Ala Pro Pro Pro Arg Asp Val Ala Leu Leu Gln Gly Arg Ala Asn
 20 25 30
 Asp Leu Val Lys Tyr Leu Leu Ala Lys Asp Gln Thr Lys Ile Pro Ile
 35 40 45
 Lys Arg Ser Asp Met Leu Lys Asp Ile Ile Lys Glu Tyr Thr Asp Val
 50 55 60
 Tyr Pro Glu Ile Ile Glu Arg Ala Gly Tyr Ser Leu Glu Lys Val Phe
 65 70 75 80
 Gly Ile Gln Leu Lys Glu Ile Asp Lys Asn Asp His Leu Tyr Ile Leu
 85 90 95
 Leu Ser Thr Leu Glu Pro Thr Asp Ala Gly Ile Leu Gly Thr Thr Lys

934

100	105	110
Asp Ser Pro Lys Leu Gly Leu Leu Met Val Leu Leu Ser Ile Ile Phe		
115	120	125
Met Asn Gly Asn Arg Ser Ser Glu Ala Val Ile Trp Glu Val Leu Arg		
130	135	140
Lys Leu Gly Leu Arg Leu Gly Tyr Ile Ile His Ser Leu Gly Thr		
145	150	155

<210> 973

<211> 233

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 973

Arg Ala Xaa Lys Ala Ala Pro Arg Arg Ala Leu Ala Arg Leu Val Leu
1 5 10 15

Ala Trp Cys Arg Trp Leu Val Ser Ala Thr Cys Val Gly Thr Ala Asp
20 25 30

Arg Lys Met Ser Ser Gly Asn Ala Lys Ile Gly His Pro Ala Pro Asn
35 40 45

Phe Lys Ala Thr Ala Val Met Pro Asp Gly Gln Phe Lys Asp Ile Ser
50 55 60

Leu Ser Asp Tyr Lys Gly Lys Tyr Val Val Phe Phe Phe Tyr Pro Leu
65 70 75 80

Asp Phe Thr Phe Val Cys Pro Thr Glu Ile Ile Ala Phe Ser Asp Arg
85 90 95

Ala Glu Glu Phe Lys Lys Leu Asn Cys Gln Val Ile Gly Ala Ser Val
100 105 110

Asp Ser His Phe Cys His Leu Ala Trp Val Asn Thr Pro Lys Lys Gln
115 120 125

Gly Gly Leu Gly Pro Met Asn Ile Pro Leu Val Ser Asp Pro Lys Arg
130 135 140

935

Thr Ile Ala Gln Asp Tyr Gly Val Leu Lys Ala Asp Glu Gly Ile Ser
145 150 155 160

Phe Arg Gly Leu Phe Ile Ile Asp Asp Lys Gly Ile Leu Arg Gln Ile
165 170 175

Thr Val Asn Asp Leu Pro Val Gly Arg Ser Val Asp Glu Thr Leu Arg
180 185 190

Leu Val Gln Ala Phe Gln Phe Thr Asp Lys His Gly Glu Val Cys Pro
195 200 205

Ala Gly Trp Lys Pro Gly Ser Asp Thr Ile Lys Pro Asp Val Gln Lys
210 215 220

Ser Lys Glu Tyr Phe Ser Lys Gln Lys
225 230

<210> 974

<211> 174

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (37)

<223> xaa equals any of the naturally occurring L-amino acids

<400> 974

Ser Trp Asp Arg Arg Leu Met Gln Asp Asp Asn Arg Gly Leu Gly Gln
1 5 10 15

Gly Leu Lys Asp Asn Lys Arg Thr Cys Asn Arg Phe Arg Leu Leu Leu
20 25 30

Glu Arg Arg Thr Xaa Gly Ser Glu Val Gln Asp Ser His Ser Thr Ser
35 40 45

Tyr Pro Ser Leu Leu Ser His Leu Thr Ser Met Tyr Leu Asn Ala Pro
50 55 60

Ala Leu Ala Leu Pro Val Ala Arg Met Gln Leu Pro Gly Pro Gly Leu
65 70 75 80

Arg Ser Phe His Pro Leu Ala Ser Ser Leu Pro Cys Asp Phe His Leu
85 90 95

Leu Asn Leu Arg Thr Leu Gln Ala Glu Glu Asp Thr Leu Pro Ser Ala
100 105 110

936

Glu Thr Ala Leu Ile Leu His Arg Lys Val Leu Thr Ala Ala Trp Arg
 115 120 125

Gln Glu Leu Gly Leu Gln Leu His His Lys Pro Arg Gln Gly Ser Pro
 130 135 140

Gly Gln Pro Phe Pro Trp Pro Gly Cys Gly Ile Pro Ser Ala Asn Leu
 145 150 155 160

Leu Asp Val Thr Val Pro Ser Gly Leu Pro Val Gln Gln His
 165 170

<210> 975

<211> 380

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (134)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 975

Arg Pro Glu Val Arg His Ser Arg Glu Ala Pro Glu Ser Arg Arg Trp
 1 5 10 15

Ala Val Trp Arg Ser Leu Glu Ser Leu Pro Arg His Gln Leu Leu Cys
 20 25 30

Leu Pro Val Gly Ala Pro Pro Ala Pro Ala Met Leu Ser Ala Leu Ala
 35 40 45

Arg Pro Ala Ser Ala Ala Leu Arg Arg Ser Phe Ser Thr Ser Ala Gln
 50 55 60

Asn Asn Ala Lys Val Ala Val Leu Gly Ala Ser Gly Gly Ile Gly Gln
 65 70 75 80

Pro Leu Ser Leu Leu Leu Lys Asn Ser Pro Leu Val Ser Arg Leu Thr
 85 90 95

Leu Tyr Asp Ile Ala His Thr Pro Gly Val Ala Ala Asp Leu Ser His
 100 105 110

Ile Glu Thr Lys Ala Ala Val Lys Gly Tyr Leu Gly Pro Glu Gln Leu
 115 120 125

Pro Asp Cys Leu Lys Xaa Cys Asp Val Val Val Ile Pro Ala Gly Val

937

130	135	140
Pro Arg Lys Pro Gly Met Thr Arg Asp Asp Leu Phe Asn Thr Asn Ala		
145	150	155 160
Thr Ile Val Ala Thr Leu Thr Ala Ala Cys Ala Gln His Cys Pro Glu		
	165	170 175
Ala Met Ile Cys Val Ile Ala Asn Pro Val Asn Ser Thr Ile Pro Ile		
	180	185 190
Thr Ala Glu Val Phe Lys Lys His Gly Val Tyr Asn Pro Asn Lys Ile		
	195	200 205
Phe Gly Val Thr Thr Leu Asp Ile Val Arg Ala Asn Thr Phe Val Ala		
	210	215 220
Glu Leu Lys Gly Leu Asp Pro Ala Arg Val Asn Val Pro Val Ile Gly		
	225	230 235 240
Gly His Ala Gly Lys Thr Ile Ile Pro Leu Ile Ser Gln Cys Thr Pro		
	245	250 255
Lys Val Asp Phe Pro Gln Asp Gln Leu Thr Ala Leu Thr Gly Arg Ile		
	260	265 270
Gln Glu Ala Gly Thr Glu Val Val Lys Ala Lys Ala Gly Ala Gly Ser		
	275	280 285
Ala Thr Leu Ser Met Ala Tyr Ala Gly Ala Arg Phe Val Phe Ser Leu		
	290	295 300
Val Asp Ala Met Asn Gly Lys Glu Gly Val Val Glu Cys Ser Phe Val		
	305	310 315 320
Lys Ser Gln Glu Thr Glu Cys Thr Tyr Phe Ser Thr Pro Leu Leu Leu		
	325	330 335
Gly Lys Lys Gly Ile Glu Lys Asn Leu Gly Ile Gly Lys Val Ser Ser		
	340	345 350
Phe Glu Glu Lys Met Ile Ser Asp Ala Ile Pro Glu Leu Lys Ala Ser		
	355	360 365
Ile Lys Lys Gly Glu Asp Phe Val Lys Thr Leu Lys		
	370	375 380

<210> 976

<211> 269

938

<212> PRT

<213> Homo sapiens

<400> 976

Ala Ala Leu Ser Gln Ile Thr Ile Ala Thr Pro Pro Ala Val Lys Gln
 1 5 10 15

Thr Ile Ser Asn Ile Ser Gly Phe Asn Glu Thr Cys Leu Arg Trp Arg
 20 25 30

Ser Ile Lys Thr Ala Asp Met Glu Glu Met Tyr Leu Phe His Ile Trp
 35 40 45

Gly Gln Arg Trp Tyr Gln Lys Glu Phe Ala Gln Glu Met Thr Phe Asn
 50 55 60

Ile Ser Ser Ser Ser Arg Asp Pro Glu Val Cys Leu Asp Leu Arg Pro
 65 70 75 80

Gly Thr Asn Tyr Asn Val Ser Leu Arg Ala Leu Ser Ser Glu Leu Pro
 85 90 95

Val Val Ile Ser Leu Thr Thr Gln Ile Thr Glu Pro Pro Leu Pro Glu
 100 105 110

Val Glu Phe Phe Thr Val His Arg Gly Pro Leu Pro Arg Leu Arg Leu
 115 120 125

Arg Lys Ala Lys Glu Lys Asn Gly Pro Ile Ser Ser Tyr Gln Val Leu
 130 135 140

Val Leu Pro Leu Ala Leu Gln Ser Thr Phe Ser Cys Asp Ser Glu Gly
 145 150 155 160

Ala Ser Ser Phe Phe Ser Asn Ala Ser Asp Ala Asp Gly Tyr Val Ala
 165 170 175

Ala Glu Leu Leu Ala Lys Asp Val Pro Asp Asp Ala Met Glu Ile Pro
 180 185 190

Ile Gly Asp Arg Leu Tyr Tyr Gly Glu Tyr Tyr Asn Ala Pro Leu Lys
 195 200 205

Arg Gly Ser Asp Tyr Cys Ile Ile Leu Arg Ile Thr Ser Glu Trp Asn
 210 215 220

Lys Val Arg Arg His Ser Cys Ala Val Trp Ala Gln Val Lys Asp Ser
 225 230 235 240

Ser Leu Met Leu Leu Gln Met Ala Gly Val Gly Leu Gly Ser Leu Ala
 245 250 255

939

Val Val Ile Ile Leu Thr Phe Leu Ser Phe Ser Ala Val
 260 265

<210> 977

<211> 477

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (471)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (473)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 977

Leu Phe Ser Pro Gln Val Glu Leu Thr Lys Ala Met Val Met Glu Lys
 1 5 10 15

Pro Ser Pro Leu Leu Val Gly Arg Glu Phe Val Arg Gln Tyr Tyr Thr
 20 25 30

Leu Leu Asn Gln Ala Pro Asp Met Leu His Arg Phe Tyr Gly Lys Asn
 35 40 45

Ser Ser Tyr Val His Gly Gly Leu Asp Ser Asn Gly Lys Pro Ala Asp
 50 55 60

Ala Val Tyr Gly Gln Lys Glu Ile His Arg Lys Val Met Ser Gln Asn
 65 70 75 80

Phe Thr Asn Cys His Thr Lys Ile Arg His Val Asp Ala His Ala Thr
 85 90 95

Leu Asn Asp Gly Val Val Val Gln Val Met Gly Leu Leu Ser Asn Asn
 100 105 110

Asn Gln Ala Leu Arg Arg Phe Met Gln Thr Phe Val Leu Ala Pro Glu
 115 120 125

Gly Ser Val Ala Asn Lys Phe Tyr Val His Asn Asp Ile Phe Arg Tyr
 130 135 140

Gln Asp Glu Val Phe Gly Gly Phe Val Thr Glu Pro Gln Glu Glu Ser
 145 150 155 160

940

Glu Glu Glu Val Glu Glu Pro Glu Glu Arg Gln Gln Thr Pro Glu Val
 165 170 175

Val Pro Asp Asp Ser Gly Thr Phe Tyr Asp Gln Ala Val Val Ser Asn
 180 185 190

Asp Met Glu Glu His Leu Glu Glu Pro Val Ala Glu Pro Glu Pro Asp
 195 200 205

Pro Glu Pro Glu Pro Glu Gln Glu Pro Val Ser Glu Ile Gln Glu Glu
 210 215 220

Lys Pro Glu Pro Val Leu Glu Glu Thr Ala Pro Glu Asp Ala Gln Lys
 225 230 235 240

Ser Ser Ser Pro Ala Pro Ala Asp Ile Ala Gln Thr Val Gln Glu Asp
 245 250 255

Leu Arg Thr Phe Ser Trp Ala Ser Val Thr Ser Lys Asn Leu Pro Pro
 260 265 270

Ser Gly Ala Val Pro Val Thr Gly Ile Pro Pro His Val Val Lys Val
 275 280 285

Pro Ala Ser Gln Pro Arg Pro Glu Ser Lys Pro Glu Ser Gln Ile Pro
 290 295 300

Pro Gln Arg Pro Gln Arg Asp Gln Arg Val Arg Glu Gln Arg Ile Asn
 305 310 315 320

Ile Pro Pro Gln Arg Gly Pro Arg Pro Ile Arg Glu Ala Gly Glu Gln
 325 330 335

Gly Asp Ile Glu Pro Arg Arg Met Val Arg His Pro Asp Ser His Gln
 340 345 350

Leu Phe Ile Gly Asn Leu Pro His Glu Val Asp Lys Ser Glu Leu Lys
 355 360 365

Asp Phe Phe Gln Ser Tyr Gly Asn Val Val Glu Leu Arg Ile Asn Ser
 370 375 380

Gly Gly Lys Leu Pro Asn Phe Gly Phe Val Val Phe Asp Asp Ser Glu
 385 390 395 400

Pro Val Gln Lys Val Leu Ser Asn Arg Pro Ile Met Phe Arg Gly Glu
 405 410 415

Val Arg Leu Asn Val Glu Glu Lys Lys Thr Arg Ala Ala Arg Glu Gly
 420 425 430

941

Asp Arg Arg Asp Asn Arg Leu Arg Gly Pro Gly Gly Pro Arg Gly Gly
 435 440 445

Leu Gly Gly Gly Met Arg Gly Pro Pro Arg Gly Gly Met Val Gln Lys
 450 455 460

Pro Gly Phe Gly Val Gly Xaa Gly Xaa Ala Pro Arg Gln
 465 470 475

<210> 978

<211> 339

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (128)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (326)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (336)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (339)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 978

Pro Val Ala Ala Val Ser Gly Arg Ala Val Gly Gly Ser Arg Gly Gly
 1 5 10 15

Gly Arg Gly Gly Met Ala Ala Ala Ala Gly Ala Gly Ser Gly Pro
 20 25 30

Trp Ala Ala Gln Glu Lys Gln Phe Pro Pro Ala Leu Leu Ser Phe Phe
 35 40 45

Ile Tyr Asn Pro Arg Phe Gly Pro Arg Glu Gly Gln Glu Glu Asn Lys
 50 55 60

Ile Leu Phe Tyr His Pro Asn Glu Val Glu Lys Asn Glu Lys Ile Arg

942

65	70	75	80
Asn Val Gly Leu Cys Glu Ala Ile Val Gln Phe Thr Arg Thr Phe Ser			
85	90	95	
Pro Ser Lys Pro Ala Lys Ser Leu His Thr Gln Lys Asn Arg Gln Phe			
100	105	110	
Phe Asn Glu Pro Glu Glu Asn Phe Trp Met Val Met Val Val Arg Xaa			
115	120	125	
Pro Ile Ile Glu Lys Gln Ser Lys Asp Gly Lys Pro Val Ile Glu Tyr			
130	135	140	
Gln Glu Glu Glu Leu Leu Asp Lys Val Tyr Ser Ser Val Leu Arg Gln			
145	150	155	160
Cys Tyr Ser Met Tyr Lys Leu Phe Asn Gly Thr Phe Leu Lys Ala Met			
165	170	175	
Glu Asp Gly Gly Val Lys Leu Leu Lys Glu Arg Leu Glu Lys Phe Phe			
180	185	190	
His Arg Tyr Leu Gln Thr Leu His Leu Gln Ser Cys Asp Leu Leu Asp			
195	200	205	
Ile Phe Gly Gly Ile Ser Phe Phe Pro Leu Asp Lys Met Thr Tyr Leu			
210	215	220	
Lys Ile Gln Ser Phe Ile Asn Arg Met Glu Glu Ser Leu Asn Ile Val			
225	230	235	240
Lys Tyr Thr Ala Phe Leu Tyr Asn Asp Gln Leu Ile Trp Ser Gly Leu			
245	250	255	
Glu Gln Asp Asp Met Arg Ile Leu Tyr Lys Tyr Leu Thr Thr Ser Leu			
260	265	270	
Phe Pro Arg His Ile Glu Pro Glu Leu Ala Gly Arg Asp Ser Pro Ile			
275	280	285	
Arg Ala Glu Met Pro Gly Asn Leu Gln His Tyr Gly Arg Phe Leu Thr			
290	295	300	
Gly Pro Leu Asn Leu Asn Asp Pro Asp Ala Lys Cys Arg Phe Pro Lys			
305	310	315	320
Ile Phe Val Asn Thr Xaa Asp Thr Tyr Glu Glu Leu His Leu Ile Xaa			
325	330	335	
Tyr Lys Xaa			

943

<210> 979

<211> 283

<212> PRT

<213> Homo sapiens

<400> 979

His Arg Glu Arg Arg Val Gly Leu Arg Cys Ala Arg Arg Thr Ser Glu
 1 5 10 15

Ala Ala Gly Ser Gly Ala Gly Pro Pro Gly Pro Leu Gln Gly Arg Ser
 20 25 30

Gly Ser Ser Trp Ala Pro Arg Pro Gly Arg Arg Thr Glu Glu Arg Arg
 35 40 45

Lys Gly Ala Gly Gly Thr Arg Pro Arg Pro Ala Ala Ala Met Asn Ser
 50 55 60

Asn Val Glu Asn Leu Pro Pro His Ile Ile Arg Leu Val Tyr Lys Glu
 65 70 75 80

Val Thr Thr Leu Thr Ala Asp Pro Pro Asp Gly Ile Lys Val Phe Pro
 85 90 95

Asn Glu Glu Asp Leu Thr Asp Leu Gln Val Thr Ile Glu Gly Pro Glu
 100 105 110

Gly Thr Pro Tyr Ala Gly Gly Leu Phe Arg Met Lys Leu Leu Leu Gly
 115 120 125

Lys Asp Phe Pro Ala Ser Pro Pro Lys Gly Tyr Phe Leu Thr Lys Ile
 130 135 140

Phe His Pro Asn Val Gly Ala Asn Gly Glu Ile Cys Val Asn Val Leu
 145 150 155 160

Lys Arg Asp Trp Thr Ala Glu Leu Gly Ile Arg His Val Leu Leu Thr
 165 170 175

Ile Lys Cys Leu Leu Ile His Pro Asn Pro Glu Ser Ala Leu Asn Glu
 180 185 190

Glu Ala Gly Arg Leu Leu Leu Glu Asn Tyr Glu Glu Tyr Ala Ala Arg
 195 200 205

Ala Arg Leu Leu Thr Glu Ile His Gly Gly Ala Gly Gly Pro Ser Gly
 210 215 220

944

Arg Ala Glu Ala Gly Arg Ala Leu Ala Ser Gly Thr Glu Ala Ser Ser
225 230 235 240

Thr Asp Pro Gly Ala Pro Gly Gly Pro Gly Gly Ala Glu Gly Pro Met
245 250 255

Ala Lys Lys His Ala Gly Glu Arg Asp Lys Lys Leu Ala Ala Lys Lys
260 265 270

Lys Thr Asp Lys Lys Arg Ala Leu Arg Arg Leu
275 280

<210> 980

<211> 353

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (333)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (346)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 980

Arg Lys Gln Cys Gln Asp Ser Lys Asp Ser Asn His Leu Pro Lys Met
1 5 10 15

Ser Leu Ser Ala Phe Thr Leu Phe Leu Ala Leu Ile Gly Gly Thr Ser
20 25 30

Gly Gln Tyr Tyr Asp Tyr Asp Phe Pro Leu Ser Ile Tyr Gly Gln Ser
35 40 45

Ser Pro Asn Cys Ala Pro Glu Cys Asn Cys Pro Glu Ser Tyr Pro Ser
50 55 60

Ala Met Tyr Cys Asp Glu Leu Lys Leu Lys Ser Val Pro Met Val Pro
65 70 75 80

Pro Gly Ile Lys Tyr Leu Tyr Leu Arg Asn Asn Gln Ile Asp His Ile
85 90 95

Asp Glu Lys Ala Phe Glu Asn Val Thr Asp Leu Gln Trp Leu Ile Leu
100 105 110

945

Asp His Asn Leu Leu Glu Asn Ser Lys Ile Lys Gly Arg Val Phe Ser
 115 120 125

Lys Leu Lys Gln Leu Lys Lys Leu His Ile Asn His Asn Asn Leu Thr
 130 135 140

Glu Ser Val Gly Pro Leu Pro Lys Ser Leu Glu Asp Leu Gln Leu Thr
 145 150 155 160

His Asn Lys Ile Thr Lys Leu Gly Ser Phe Glu Gly Leu Val Asn Leu
 165 170 175

Thr Phe Ile His Leu Gln His Asn Arg Leu Lys Glu Asp Ala Val Ser
 180 185 190

Ala Ala Phe Lys Gly Leu Lys Ser Leu Glu Tyr Leu Asp Leu Ser Phe
 195 200 205

Asn Gln Ile Ala Arg Leu Pro Ser Gly Leu Pro Val Ser Leu Leu Thr
 210 215 220

Leu Tyr Leu Asp Asn Asn Lys Ile Ser Asn Ile Pro Asp Glu Tyr Phe
 225 230 235 240

Lys Arg Phe Asn Ala Leu Gln Tyr Leu Arg Leu Ser His Asn Glu Leu
 245 250 255

Ala Asp Ser Gly Ile Pro Gly Asn Ser Phe Asn Val Ser Ser Leu Val
 260 265 270

Glu Leu Asp Leu Ser Tyr Asn Lys Leu Lys Asn Ile Pro Thr Val Asn
 275 280 285

Glu Asn Leu Glu Asn Tyr Tyr Leu Glu Val Asn Gln Leu Glu Lys Phe
 290 295 300

Asp Ile Lys Ser Phe Cys Lys Ile Leu Gly Pro Leu Ser Tyr Ser Lys
 305 310 315 320

Ile Lys His Leu Arg Leu Asp Gly Asn Arg Ile Ser Xaa Thr Ser Leu
 325 330 335

Pro Pro Asp Met Tyr Glu Cys Leu Arg Xaa Ala Asn Glu Val Thr Leu
 340 345 350

Asn

946

<210> 981
 <211> 343
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (343)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 981

Asn	Leu	Thr	Lys	Asn	Met	Thr	Ala	Leu	Ser	Ser	Glu	Asn	Cys	Ser	Phe
1				5					10					15	
Gln	Tyr	Gln	Leu	Arg	Gln	Thr	Asn	Gln	Pro	Leu	Asp	Val	Asn	Tyr	Leu
			20					25					30		
Leu	Phe	Leu	Ile	Ile	Leu	Gly	Lys	Ile	Leu	Leu	Asn	Ile	Leu	Thr	Leu
		35					40					45			
Gly	Met	Arg	Arg	Lys	Asn	Thr	Cys	Gln	Asn	Phe	Met	Glu	Tyr	Phe	Cys
	50					55					60				
Ile	Ser	Leu	Ala	Phe	Val	Asp	Leu	Leu	Leu	Leu	Val	Asn	Ile	Ser	Ile
65					70					75					80
Ile	Leu	Tyr	Phe	Arg	Asp	Phe	Val	Leu	Leu	Ser	Ile	Arg	Phe	Thr	Lys
				85						90					95
Tyr	His	Ile	Cys	Leu	Phe	Thr	Gln	Ile	Ile	Ser	Phe	Thr	Tyr	Gly	Phe
			100					105						110	
Leu	His	Tyr	Pro	Val	Phe	Leu	Thr	Ala	Cys	Ile	Asp	Tyr	Cys	Leu	Asn
		115						120					125		
Phe	Ser	Lys	Thr	Thr	Lys	Leu	Ser	Phe	Lys	Cys	Gln	Lys	Leu	Phe	Tyr
	130					135						140			
Phe	Phe	Thr	Val	Ile	Leu	Ile	Trp	Ile	Ser	Val	Leu	Ala	Tyr	Val	Leu
145					150					155					160
Gly	Asp	Pro	Ala	Ile	Tyr	Gln	Ser	Leu	Lys	Ala	Gln	Asn	Ala	Tyr	Ser
			165						170						175
Arg	His	Cys	Pro	Phe	Tyr	Val	Ser	Ile	Gln	Ser	Tyr	Trp	Leu	Ser	Phe
			180						185					190	
Phe	Met	Val	Met	Ile	Leu	Phe	Val	Ala	Phe	Ile	Thr	Cys	Trp	Glu	Glu
		195						200					205		
Val	Thr	Thr	Leu	Val	Gln	Ala	Ile	Arg	Ile	Thr	Ser	Tyr	Met	Asn	Glu

210	215	220
Thr Ile Leu Tyr Phe Pro Phe Ser Ser His Ser Ser Tyr Thr Val Arg		
225	230	235 240
Ser Lys Lys Ile Phe Leu Ser Lys Leu Ile Val Cys Phe Leu Ser Thr		
	245	250 255
Trp Leu Pro Phe Val Leu Leu Gln Val Ile Ile Val Leu Leu Lys Val		
	260	265 270
Gln Ile Pro Ala Tyr Ile Glu Met Asn Ile Pro Trp Leu Tyr Phe Val		
	275	280 285
Asn Ser Phe Leu Ile Ala Thr Val Tyr Trp Phe Asn Cys His Lys Leu		
	290	295 300
Asn Leu Lys Asp Ile Gly Leu Pro Leu Asp Pro Phe Val Asn Trp Lys		
	305	310 315 320
Cys Cys Phe Ile Pro Leu Thr Ile Pro Asn Leu Glu Gln Ile Glu Lys		
	325	330 335
Pro Ile Ser Ile Met Ile Xaa		
	340	

<210> 982

<211> 142

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (111)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (114)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (121)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (126)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (127)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (132)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 982

Gly Leu Pro Pro Ser Thr Phe Leu His Ser Ala Val Ser Thr Leu Pro
1 5 10 15

His Arg Pro Ser Pro Pro Ser Leu Leu Pro Ala Pro Cys Lys Pro Leu
20 25 30

Arg Leu Gly Leu Ala Thr Val Pro Ala Gly Ser Pro Gly Leu Gly Val
35 40 45

Gly Asp Ser Leu Gln Ala Arg Ser Pro Glu Thr Ser Glu Gly His Pro
50 55 60

Leu Arg Val Ala Arg Pro Pro Val Ala Asn Leu Ser Ala Ala Ser Ala
65 70 75 80

Thr Ser Pro Ala Gly Pro Trp Phe Arg Trp Pro Pro Arg Cys Leu Ala
85 90 95

Glu Thr Arg His Gly Pro Ser Ala Gly Pro His Xaa Phe Pro Xaa Pro
100 105 110

Gly Xaa Trp His Cys Ser Arg Gln Xaa Xaa Gly His Gln Xaa Xaa Asn
115 120 125

Arg Thr Gln Xaa Pro Ala Gln Thr Ala Ala Gly Met Gly Ala
130 135 140

<210> 983
 <211> 193
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (72)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (135)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (139)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 983
 Val Asn Phe Lys Ala Phe Glu Met Gly Lys Asp Tyr Tyr Cys Ile Leu
 1 5 10 15
 Gly Ile Glu Lys Gly Ala Ser Asp Glu Asp Ile Lys Lys Ala Tyr Arg
 20 25 30
 Lys Gln Ala Leu Lys Phe His Pro Asp Lys Asn Lys Ser Pro Gln Ala
 35 40 45
 Glu Glu Lys Phe Lys Glu Val Ala Glu Ala Tyr Glu Val Leu Ser Asp
 50 55 60
 Pro Lys Lys Arg Glu Ile Tyr Xaa Gln Phe Gly Glu Glu Gly Leu Lys
 65 70 75 80
 Gly Gly Ala Gly Gly Thr Asp Gly Gln Gly Gly Thr Phe Arg Tyr Thr
 85 90 95
 Phe His Gly Asp Pro His Ala Thr Phe Ala Ala Phe Phe Gly Gly Ser
 100 105 110
 Asn Pro Phe Glu Ile Phe Phe Gly Arg Arg Met Gly Gly Gly Arg Asp
 115 120 125
 Ser Glu Glu Met Glu Ile Xaa Gly Asp Pro Xaa Ser Ala Phe Gly Phe
 130 135 140
 Ser Met Asn Gly Tyr Pro Arg Asp Arg Asn Ser Val Gly Pro Ser Arg
 145 150 155 160

950

Leu Lys Gln Asp Pro Pro Val Ile His Glu Leu Arg Val Ser Leu Glu
 165 170 175

Glu Ile Tyr Ser Gly Cys Thr Lys Arg Asp Glu Arg Phe Leu Glu Lys
 180 185 190

Gly

<210> 984

<211> 402

<212> PRT

<213> Homo sapiens

<400> 984

Lys Ser Tyr Glu Met Glu Leu Glu Glu Gly Lys Ala Gly Ser Gly Leu
 1 5 10 15

Arg Gln Tyr Tyr Leu Ser Lys Ile Glu Glu Leu Gln Leu Ile Val Asn
 20 25 30

Asp Lys Ser Gln Asn Leu Arg Arg Leu Gln Ala Gln Arg Asn Glu Leu
 35 40 45

Asn Ala Lys Val Arg Leu Leu Arg Glu Glu Leu Gln Leu Leu Gln Glu
 50 55 60

Gln Gly Ser Tyr Val Gly Glu Val Val Arg Ala Met Asp Lys Lys Lys
 65 70 75 80

Val Leu Val Lys Val His Pro Glu Gly Lys Phe Val Val Asp Val Asp
 85 90 95

Lys Asn Ile Asp Ile Asn Asp Val Thr Pro Asn Cys Arg Val Ala Leu
 100 105 110

Arg Asn Asp Ser Tyr Thr Leu His Lys Ile Leu Pro Asn Lys Val Asp
 115 120 125

Pro Leu Val Ser Leu Met Met Val Glu Lys Val Pro Asp Ser Thr Tyr
 130 135 140

Glu Met Ile Gly Gly Leu Asp Lys Gln Ile Lys Glu Ile Lys Glu Val
 145 150 155 160

Ile Glu Leu Pro Val Lys His Pro Glu Leu Phe Glu Ala Leu Gly Ile
 165 170 175

951

Ala Gln Pro Lys Gly Val Leu Leu Tyr Gly Pro Pro Gly Thr Gly Lys
 180 185 190
 Thr Leu Leu Ala Arg Ala Val Ala His His Thr Asp Cys Thr Phe Ile
 195 200 205
 Arg Val Ser Gly Ser Glu Leu Val Gln Lys Phe Ile Gly Glu Gly Ala
 210 215 220
 Arg Met Val Arg Glu Leu Phe Val Met Ala Arg Glu His Ala Pro Ser
 225 230 235 240
 Ile Ile Phe Met Asp Glu Ile Asp Ser Ile Gly Ser Ser Arg Leu Glu
 245 250 255
 Gly Gly Ser Gly Gly Asp Ser Glu Val Gln Arg Thr Met Leu Glu Leu
 260 265 270
 Leu Asn Gln Leu Asp Gly Phe Glu Ala Thr Lys Asn Ile Lys Val Ile
 275 280 285
 Met Ala Thr Asn Arg Ile Asp Ile Leu Asp Ser Ala Leu Leu Arg Pro
 290 295 300
 Gly Arg Ile Asp Arg Lys Ile Glu Phe Pro Pro Pro Asn Glu Glu Ala
 305 310 315 320
 Arg Leu Asp Ile Leu Lys Ile His Ser Arg Lys Met Asn Leu Thr Arg
 325 330 335
 Gly Ile Asn Leu Arg Lys Ile Ala Glu Leu Met Pro Gly Ala Ser Gly
 340 345 350
 Ala Glu Val Lys Gly Val Cys Thr Glu Ala Gly Met Tyr Ala Leu Arg
 355 360 365
 Glu Arg Arg Val His Val Thr Gln Glu Asp Phe Glu Met Ala Val Ala
 370 375 380
 Lys Val Met Gln Lys Asp Ser Glu Lys Asn Met Ser Ile Lys Lys Leu
 385 390 395 400
 Trp Lys

<210> 985

<211> 347

<212> PRT

<213> Homo sapiens

952

<400> 985

Arg Arg Arg Arg Trp His Pro Gly Pro Gly Gly Pro Arg Arg Thr Ala
 1 5 10 15

Gly Lys Gly Pro Arg Lys Val Ala Ser Ala Ser Ala Ala Ala Ser Thr
 20 25 30

Leu Ser Glu Pro Pro Arg Arg Thr Gln Glu Ser Arg Thr Arg Thr Arg
 35 40 45

Ala Leu Gly Leu Pro Thr Leu Pro Met Glu Lys Leu Ala Ala Ser Thr
 50 55 60

Glu Pro Gln Gly Pro Arg Pro Val Leu Gly Arg Glu Ser Val Gln Val
 65 70 75 80

Pro Asp Asp Gln Asp Phe Arg Ser Phe Arg Ser Glu Cys Glu Ala Glu
 85 90 95

Val Gly Trp Asn Leu Thr Tyr Ser Arg Ala Gly Val Ser Val Trp Val
 100 105 110

Gln Ala Val Glu Met Asp Arg Thr Leu His Lys Ile Lys Cys Arg Met
 115 120 125

Glu Cys Cys Asp Val Pro Ala Glu Thr Leu Tyr Asp Val Leu His Asp
 130 135 140

Ile Glu Tyr Arg Lys Lys Trp Asp Ser Asn Val Ile Glu Thr Phe Asp
 145 150 155 160

Ile Ala Arg Leu Thr Val Asn Ala Asp Val Gly Tyr Tyr Ser Trp Arg
 165 170 175

Cys Pro Lys Pro Leu Lys Asn Arg Asp Val Ile Thr Leu Arg Ser Trp
 180 185 190

Leu Pro Met Gly Ala Asp Tyr Ile Ile Met Asn Tyr Ser Val Lys His
 195 200 205

Pro Lys Tyr Pro Pro Arg Lys Asp Leu Val Arg Ala Val Ser Ile Gln
 210 215 220

Thr Gly Tyr Leu Ile Gln Ser Thr Gly Pro Lys Ser Cys Val Ile Thr
 225 230 235 240

Tyr Leu Ala Gln Val Asp Pro Lys Gly Ser Leu Pro Lys Trp Val Val
 245 250 255

Asn Lys Ser Ser Gln Phe Leu Ala Pro Lys Ala Met Lys Lys Met Tyr

953

260	265	270
Lys Ala Cys Leu Lys Tyr Pro Glu Trp Lys Gln Lys His Leu Pro His		
275	280	285
Phe Lys Pro Trp Leu His Pro Glu Gln Ser Pro Leu Pro Ser Leu Ala		
290	295	300
Leu Ser Glu Leu Ser Val Gln His Ala Asp Ser Leu Glu Asn Ile Asp		
305	310	315
Glu Ser Ala Val Ala Glu Ser Arg Glu Glu Arg Met Gly Gly Ala Gly		
	325	330
		335
Gly Glu Gly Ser Asp Asp Asp Thr Ser Leu Thr		
340	345	

<210> 986

<211> 106

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 986

Ala Ser Ile Cys Ala Asp Ala Lys Leu Trp Thr Met Tyr Ala Arg Pro
1 5 10 15

Ser Asn Arg Gln Arg Cys Leu Gly Ser Lys His Thr Glu Arg Thr Trp
20 25 30

Thr Ala Trp Xaa Arg Ser Leu Ile Arg Pro Phe Ser Met His Ile Leu
35 40 45

Pro Lys Gln Ser Gln Ile Pro Leu Lys Gly Ala Asp Ser Ile Ser Ser
50 55 60

Ser Val Gln Thr Leu Arg Ala Glu Arg Ser Gly Ser Gly Ser His Val
65 70 75 80

Thr Ala Gln Asn Asn Leu Arg Asn Pro Leu Cys Pro Glu Gly Ser Leu
85 90 95

Thr Ser Pro Ser Gly Ser Glu Gln Ser Leu
100 105

954

<210> 987

<211> 172

<212> PRT

<213> Homo sapiens

<400> 987

Thr Pro Arg Gly Ala Val Lys Pro Ser Ala Asn Lys Tyr Pro Ile Phe
 1 5 10 15

Phe Phe Gly Thr His Glu Thr Ala Phe Leu Gly Pro Lys Asp Leu Phe
 20 25 30

Pro Tyr Lys Glu Tyr Lys Asp Lys Phe Gly Lys Ser Asn Lys Arg Lys
 35 40 45

Gly Phe Asn Glu Gly Leu Trp Glu Ile Glu Asn Asn Pro Gly Val Lys
 50 55 60

Phe Thr Gly Tyr Gln Ala Ile Gln Gln Gln Ser Ser Ser Glu Thr Glu
 65 70 75 80

Gly Glu Gly Gly Asn Thr Ala Asp Ala Ser Ser Glu Glu Glu Gly Asp
 85 90 95

Arg Val Glu Glu Asp Gly Lys Gly Lys Arg Lys Asn Glu Lys Ala Gly
 100 105 110

Ser Lys Arg Lys Lys Ser Tyr Thr Ser Lys Lys Ser Ser Lys Gln Ser
 115 120 125

Arg Lys Ser Pro Gly Asp Glu Asp Asp Lys Asp Cys Lys Glu Glu Glu
 130 135 140

Asn Lys Ser Ser Ser Glu Gly Gly Asp Ala Gly Asn Asp Thr Arg Asn
 145 150 155 160

Thr Thr Ser Asp Leu Gln Lys Thr Ser Glu Gly Thr
 165 170

<210> 988

<211> 238

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (101)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (146)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 988

Ala Lys Gln Asp Pro Val Pro Glu Gln Glu Met Ser Pro Ser Ile Ser
1 5 10 15

Asp Pro Cys Leu Gly Gln Ala Leu Met Gly Gly Pro Ser Phe Lys Ala
20 25 30

Val Val Gly Thr Ala Pro Pro Asn Ala Ser Leu Ser Phe Leu Pro Ile
35 40 45

His Gln Tyr Thr Ala Gly Pro Phe Leu Val Phe Val Gln Gln Glu Thr
50 55 60

His Phe Trp Trp Asp Met Pro Ser Ser Ala Thr Gly Pro Leu Thr Pro
65 70 75 80

Cys Ile Ser Val Leu Pro Val Ser Ala Gly Thr Asp Ser Lys Gly Lys
85 90 95

Pro Ser Val Trp Xaa Ile Gly Gly Trp Glu Gln Arg Gly Glu Asn Ala
100 105 110

Val Leu Ser Phe Cys Leu Gly Ile Pro His Thr Thr Trp Val Leu Pro
115 120 125

Gly Lys Pro Val Leu Ser Lys Thr Met Asp Leu Ala Ser Pro Thr Gly
130 135 140

Leu Xaa Ser Gln His Leu Arg Glu Gly Gly Trp Lys Arg Leu Cys Pro
145 150 155 160

His Phe Glu Leu Gln Ala Gly Ser Ala Ala Leu Lys Pro Ser Ser Asp
165 170 175

Phe Leu Thr Gln Asp Pro Ala Pro Gly Arg Arg Arg Val Gly Ala Gly
180 185 190

Leu Val Gly Gln Lys Glu Ala Ser Ala Gly Leu Glu Asp Pro Ser Ser
195 200 205

Thr Ser His Ser Val Ser Ser Ser Trp Glu Asn Leu Cys Gln Ala Arg
210 215 220

Ala Val Ile Gly Pro His Glu Val Ser Glu Ala Pro Ser Trp

956

225

230

235

<210> 989

<211> 74

<212> PRT

<213> Homo sapiens

<400> 989

Ser Leu Ile Lys Ala Leu Tyr Ile Leu Tyr Gly Phe Arg His His His
1 5 10 15

Thr Lys Lys Leu Thr Pro Ser Ile Pro Val Phe Val Gly Gln Ala Ser
20 25 30

Phe Phe Ser Pro Cys Ser Val Ser His Thr Val Cys Leu Gln Lys Leu
35 40 45

Leu Ile Gly Ala Lys Tyr Asn Cys Gln Tyr Asn Leu Lys Thr Thr Met
50 55 60

Cys Pro Arg Arg Pro Thr Cys Leu Phe Pro
65 70

<210> 990

<211> 295

<212> PRT

<213> Homo sapiens

<400> 990

Ala Pro Ala Arg Pro Gly Ser Leu Pro Ser Thr Arg Ser Ala Pro Leu
1 5 10 15

Val Pro Ser Ser Arg Arg Arg Pro Ala Glu Ser Pro Leu Arg Ser Arg
20 25 30

Arg Cys Arg Gly Asp Met Val Leu Cys Val Gln Gly Pro Arg Pro Leu
35 40 45

Leu Ala Val Glu Arg Thr Gly Gln Arg Pro Leu Trp Ala Pro Ser Leu
50 55 60

Glu Leu Pro Lys Pro Val Met Gln Pro Leu Pro Ala Gly Ala Phe Leu
65 70 75 80

Glu Glu Val Ala Glu Gly Thr Pro Ala Gln Thr Glu Ser Glu Pro Lys
85 90 95

957

Val Leu Asp Pro Glu Glu Asp Leu Leu Cys Ile Ala Lys Thr Phe Ser
 100 105 110
 Tyr Leu Arg Glu Ser Gly Trp Tyr Trp Gly Ser Ile Thr Ala Ser Glu
 115 120 125
 Ala Arg Gln His Leu Gln Lys Met Pro Glu Gly Thr Phe Leu Val Arg
 130 135 140
 Asp Ser Thr His Pro Ser Tyr Leu Phe Thr Leu Ser Val Lys Thr Thr
 145 150 155 160
 Arg Gly Pro Thr Asn Val Arg Ile Glu Tyr Ala Asp Ser Ser Phe Arg
 165 170 175
 Leu Asp Ser Asn Cys Leu Ser Arg Pro Arg Ile Leu Ala Phe Pro Asp
 180 185 190
 Val Val Ser Leu Val Gln His Tyr Val Ala Ser Cys Thr Ala Asp Thr
 195 200 205
 Arg Ser Asp Ser Pro Asp Pro Ala Pro Thr Pro Ala Leu Pro Met Pro
 210 215 220
 Lys Glu Asp Ala Pro Ser Asp Pro Ala Leu Pro Ala Pro Pro Pro Ala
 225 230 235 240
 Thr Ala Val His Leu Lys Leu Val Gln Pro Phe Val Arg Arg Ser Ser
 245 250 255
 Ala Arg Ser Leu Gln His Leu Cys Arg Leu Val Ile Asn Arg Leu Val
 260 265 270
 Ala Asp Val Asp Cys Leu Pro Leu Pro Arg Arg Met Ala Asp Tyr Leu
 275 280 285
 Arg Gln Tyr Pro Phe Gln Leu
 290 295

<210> 991

<211> 58

<212> PRT

<213> Homo sapiens

<400> 991

Leu His Lys Val Ser Ile Leu Leu Tyr Ser Ala Val Leu Val Ser Phe
 1 5 10 15

Ser Cys Ile Gly Phe His Cys Ile Tyr Ser Leu Phe Met Leu Asn Leu

958

20 25 30
 Ala Lys Asp Glu His Cys Pro Pro Leu Lys Cys Leu Cys His Phe Glu
 35 40 45
 Phe Cys Ala Asn Phe Val Ala Arg Met Arg
 50 55

<210> 992

<211> 203

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 992

Ala His Ala Ser Pro Thr Arg Xaa Glu Ala Arg Val Val Val Val Arg
 1 5 10 15

Cys Leu Pro Ala Cys Val Arg Asp Leu Pro Asp Ser Val Ala Ala Met
 20 25 30

Ala Ser Asp Glu Gly Lys Leu Phe Val Gly Gly Leu Ser Phe Asp Thr
 35 40 45

Asn Glu Gln Ser Leu Glu Gln Val Phe Ser Lys Tyr Gly Gln Ile Ser
 50 55 60

Glu Val Val Val Val Lys Asp Arg Glu Thr Gln Arg Ser Arg Gly Phe
 65 70 75 80

Gly Phe Val Thr Phe Glu Asn Ile Asp Asp Ala Lys Asp Ala Met Met
 85 90 95

Ala Met Asn Gly Lys Ser Val Asp Gly Arg Gln Ile Arg Val Asp Gln
 100 105 110

Ala Gly Lys Ser Ser Asp Asn Arg Ser Arg Gly Tyr Arg Gly Gly Ser
 115 120 125

Ala Gly Gly Arg Gly Phe Phe Arg Gly Gly Arg Gly Arg Gly Arg Gly
 130 135 140

Phe Ser Arg Gly Gly Gly Asp Arg Gly Tyr Gly Gly Asn Arg Phe Glu
 145 150 155 160

959

Ser Arg Ser Gly Gly Tyr Gly Gly Ser Arg Asp Tyr Tyr Ser Ser Arg
 165 170 175

Ser Gln Ser Gly Gly Tyr Ser Asp Arg Ser Ser Gly Gly Ser Tyr Arg
 180 185 190

Asp Ser Tyr Asp Ser Tyr Ala Thr His Asn Glu
 195 200

<210> 993
 <211> 252
 <212> PRT
 <213> Homo sapiens

<400> 993
 Gly Gly Leu Ala Trp Arg Ala Leu Arg Thr Ser Gly Thr Leu Leu Arg
 1 5 10 15

Val Glu Arg Leu Leu Leu Glu Asp Tyr Cys Pro Glu Glu Lys Met Phe
 20 25 30

Gly Phe His Lys Pro Lys Met Tyr Arg Ser Ile Glu Gly Cys Cys Ile
 35 40 45

Cys Arg Ala Lys Ser Ser Ser Ser Arg Phe Thr Asp Ser Lys Arg Tyr
 50 55 60

Glu Lys Asp Phe Gln Ser Cys Phe Gly Leu His Glu Thr Arg Ser Gly
 65 70 75 80

Asp Ile Cys Asn Ala Cys Val Leu Leu Val Lys Arg Trp Lys Lys Leu
 85 90 95

Pro Ala Gly Ser Lys Lys Asn Trp Asn His Val Val Asp Ala Arg Ala
 100 105 110

Gly Pro Ser Leu Lys Thr Thr Leu Lys Pro Lys Lys Val Lys Thr Leu
 115 120 125

Ser Gly Asn Arg Ile Lys Ser Asn Gln Ile Ser Lys Leu Gln Lys Glu
 130 135 140

Phe Lys Arg His Asn Ser Asp Ala His Ser Thr Thr Ser Ser Ala Ser
 145 150 155 160

Pro Ala Gln Ser Pro Cys Tyr Ser Asn Gln Ser Asp Asp Gly Ser Asp
 165 170 175

Thr Glu Met Ala Ser Gly Ser Asn Arg Thr Pro Val Phe Ser Phe Leu

Gln Ser Leu Cys Pro Ser Pro Leu Arg Ser Gly Asp
245 250

Val His Gly Ser Leu Ala Arg Ala Gly Lys Val Arg Gly Gln Thr Pro
115 120 125

993

Gln Val Phe Cys Ile
50

<210> 1020

<211> 70

<212> PRT

<213> Homo sapiens

<400> 1020

Phe Tyr Thr Asn Leu Ile Trp Leu Pro Phe Val Pro Leu Ile Ser Gln
1 5 10 15

Met Phe Lys Cys Ile Gly Phe Gly Phe Ser Met Tyr Lys Leu Pro Tyr
20 25 30

Leu Leu Met Ser Ile Phe Cys Leu Phe Asn Phe Val Tyr Leu Leu Phe
35 40 45

Cys Phe Trp Ile His Phe Leu Ile Arg Ser His Met Ile Asn Ile Ile
50 55 60

Ser Ile Val Ile Ile Pro
65 70

<210> 1021

<211> 337

<212> PRT

<213> Homo sapiens

<400> 1021

Arg Lys Arg Lys Gln Ala Ala Arg Ala Ala Glu Glu Pro Gly Ala Ala
1 5 10 15

Met Asp Val Arg Ala Leu Pro Trp Leu Pro Trp Leu Leu Trp Leu Leu
20 25 30

Cys Arg Gly Gly Gly Asp Ala Asp Ser Arg Ala Pro Phe Thr Pro Thr
35 40 45

Trp Pro Arg Ser Arg Glu Arg Glu Ala Ala Ala Phe Arg Glu Ser Leu
50 55 60

Asn Arg His Arg Tyr Leu Asn Ser Leu Phe Pro Ser Glu Asn Ser Thr
65 70 75 80

Ala Phe Tyr Gly Ile Asn Gln Phe Ser Tyr Leu Phe Pro Glu Glu Phe

85

95

Val

995

<210> 1022

<211> 134

<212> PRT

<213> Homo sapiens

<400> 1022

Ala Ser Ala Glu Phe Glu Met Ala Gly Gly Lys Ala Gly Lys Asp Ser
1 5 10 15

Gly Lys Ala Lys Thr Lys Ala Val Ser Arg Ser Gln Arg Ala Gly Leu
20 25 30

Gln Phe Pro Val Gly Arg Ile His Arg His Leu Lys Ser Arg Thr Thr
35 40 45

Ser His Gly Arg Val Gly Ala Thr Ala Ala Val Tyr Ser Ala Ala Ile
50 55 60

Leu Glu Tyr Leu Thr Ala Glu Val Leu Glu Leu Ala Gly Asn Ala Ser
65 70 75 80

Lys Asp Leu Lys Val Lys Arg Ile Thr Pro Arg His Leu Gln Leu Ala
85 90 95

Ile Arg Gly Asp Glu Glu Leu Asp Ser Leu Ile Lys Ala Thr Ile Ala
100 105 110

Gly Gly Gly Val Ile Pro His Ile His Lys Ser Leu Ile Gly Lys Lys
115 120 125

Gly Gln Gln Lys Thr Val
130

<210> 1023

<211> 226

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1023

Gly Leu Phe Gln Thr Cys Ile His Leu Leu Thr Leu Pro Val Leu Val
 1 5 10 15

His Gly Glu Leu Phe Ala Pro Pro Arg Trp Leu Arg Arg Ala Ala Gly
 20 25 30

Xaa Pro Trp Thr Leu Val Thr Ser Cys Xaa Ser Leu Arg Pro Ser Gly
 35 40 45

Pro Cys Pro Arg Pro Gly Arg Ala Leu Leu Pro Ser Cys Ala Pro Ala
 50 55 60

Ala Arg Xaa Pro Trp Gly Gly Val Val Trp Cys Trp Glu Gly Val Leu
 65 70 75 80

Gln Gly Glu Glu Asp Leu Glu Gly Leu Gly Ala Ala Val Leu Asn Arg
 85 90 95

Leu Thr Leu Arg Arg Pro Leu Ser Ala Ala Leu Leu Phe Ile Thr Val
 100 105 110

Pro His Ser Gly Arg Arg Ser Pro Val Ala Gly Gln Val Pro Met Ala
 115 120 125

Cys Ser Leu Glu Pro Asp Phe Arg Cys Phe Gly Ile Arg Ser Pro Gln
 130 135 140

His Arg Gln Val His Pro Ile Ile Thr Leu Pro Val Pro Gly Trp Ala
 145 150 155 160

Gly Asp Ser Gly Thr Val Met Pro Gly Ala Arg Thr Ala Ala Leu Pro
 165 170 175

Leu His Thr Asp Gly Leu Gly Val Ala Leu Arg Pro His Pro Thr Leu
 180 185 190

Ile Ser Gly Arg Gly Ser Pro Glu Trp Ser Leu Val Arg Ala Val Ala
 195 200 205

Lys Pro Ala Val Ser Phe Leu His Lys Val Pro Pro Pro Leu Ser Val
 210 215 220

Ser Gly
 225

997

<210> 1024

<211> 760

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (330)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1024

Gln Gly Lys Lys Arg Ala Gly Asn Phe Ala Ile Met Glu Ile Gln Cys
1 5 10 15

Pro Ala Leu Arg Lys Thr Leu Pro Ile Leu Phe Gly Ser Leu Arg Arg
20 25 30

Cys Leu Cys Leu Ser Asp Lys Tyr Ser Gln Ala Cys His Pro Leu Gly
35 40 45

Ser Lys Val Arg Arg Cys Arg Lys Pro Gly Pro Arg Asp Arg Gln Leu
50 55 60

Thr Arg Val Asp Lys Ser Pro Glu Met Trp Cys Ile Val Leu Phe Ser
65 70 75 80

Leu Leu Ala Trp Val Tyr Ala Glu Pro Thr Met Tyr Gly Glu Ile Leu
85 90 95

Ser Pro Asn Tyr Pro Gln Ala Tyr Pro Ser Glu Val Glu Lys Ser Trp
100 105 110

Asp Ile Glu Val Pro Glu Gly Tyr Gly Ile His Leu Tyr Phe Thr His
115 120 125

Leu Asp Ile Glu Leu Ser Glu Asn Cys Ala Tyr Asp Ser Val Gln Ile
130 135 140

Ile Ser Gly Asp Thr Glu Glu Gly Arg Leu Cys Gly Gln Arg Ser Ser
145 150 155 160

Asn Asn Pro His Ser Pro Ile Val Glu Glu Phe Gln Val Pro Tyr Asn
165 170 175

Lys Leu Gln Val Ile Phe Lys Ser Asp Phe Ser Asn Glu Glu Arg Phe
180 185 190

Thr Gly Phe Ala Ala Tyr Tyr Val Ala Thr Asp Ile Asn Glu Cys Thr
195 200 205

Asp Phe Val Asp Val Pro Cys Ser His Phe Cys Asn Asn Phe Ile Gly
 210 215 220
 Gly Tyr Phe Cys Ser Cys Pro Pro Glu Tyr Phe Leu His Asp Asp Met
 225 230 235 240
 Lys Asn Cys Gly Val Asn Cys Ser Gly Asp Val Phe Thr Ala Leu Ile
 245 250 255
 Gly Glu Ile Ala Ser Pro Asn Tyr Pro Lys Pro Tyr Pro Glu Asn Ser
 260 265 270
 Arg Cys Glu Tyr Gln Ile Arg Leu Glu Lys Gly Phe Gln Val Val Val
 275 280 285
 Thr Leu Arg Arg Glu Asp Phe Asp Val Glu Ala Ala Asp Ser Ala Gly
 290 295 300
 Asn Cys Leu Asp Ser Leu Val Phe Val Ala Gly Asp Arg Gln Phe Gly
 305 310 315 320
 Pro Tyr Cys Gly His Gly Phe Pro Gly Xaa Leu Asn Ile Glu Thr Lys
 325 330 335
 Ser Asn Ala Leu Asp Ile Ile Phe Gln Thr Asp Leu Thr Gly Gln Lys
 340 345 350
 Lys Gly Trp Lys Leu Arg Tyr His Gly Asp Pro Met Pro Cys Pro Lys
 355 360 365
 Glu Asp Thr Pro Asn Ser Val Trp Glu Pro Ala Lys Ala Lys Tyr Val
 370 375 380
 Phe Arg Asp Val Val Gln Ile Thr Cys Leu Asp Gly Phe Glu Val Val
 385 390 395 400
 Glu Gly Arg Val Gly Ala Thr Ser Phe Tyr Ser Thr Cys Gln Ser Asn
 405 410 415
 Gly Lys Trp Ser Asn Ser Lys Leu Lys Cys Gln Pro Val Asp Cys Gly
 420 425 430
 Ile Pro Glu Ser Ile Glu Asn Gly Lys Val Glu Asp Pro Glu Ser Thr
 435 440 445
 Leu Phe Gly Ser Val Ile Arg Tyr Thr Cys Glu Glu Pro Tyr Tyr Tyr
 450 455 460
 Met Glu Asn Gly Gly Gly Gly Glu Tyr His Cys Ala Gly Asn Gly Ser
 465 470 475 480

999

Trp Val Asn Glu Val Leu Gly Pro Glu Leu Pro Lys Cys Val Pro Val	485	490	495
Cys Gly Val Pro Arg Glu Pro Phe Glu Glu Lys Gln Arg Ile Ile Gly	500	505	510
Gly Ser Asp Ala Asp Ile Lys Asn Phe Pro Trp Gln Val Phe Phe Asp	515	520	525
Asn Pro Trp Ala Gly Gly Ala Leu Ile Asn Glu Tyr Trp Val Leu Thr	530	535	540
Ala Ala His Val Val Glu Gly Asn Arg Glu Pro Thr Met Tyr Val Gly	545	550	555
Ser Thr Ser Val Gln Thr Ser Arg Leu Ala Lys Ser Lys Met Leu Thr	565	570	575
Pro Glu His Val Phe Ile His Pro Gly Trp Lys Leu Leu Glu Val Pro	580	585	590
Glu Gly Arg Thr Asn Phe Asp Asn Asp Ile Ala Leu Val Arg Leu Lys	595	600	605
Asp Pro Val Lys Met Gly Pro Thr Val Ser Pro Ile Cys Leu Pro Gly	610	615	620
Thr Ser Ser Asp Tyr Asn Leu Met Asp Gly Asp Leu Gly Leu Ile Ser	625	630	635
Gly Trp Gly Arg Thr Glu Lys Arg Asp Arg Ala Val Arg Leu Lys Ala	645	650	655
Ala Arg Leu Pro Val Ala Pro Leu Arg Lys Cys Lys Glu Val Lys Val	660	665	670
Glu Lys Pro Thr Ala Asp Ala Glu Ala Tyr Val Phe Thr Pro Asn Met	675	680	685
Ile Cys Ala Gly Gly Glu Lys Gly Met Asp Ser Cys Lys Gly Asp Ser	690	695	700
Gly Gly Ala Phe Ala Val Gln Asp Pro Asn Asp Lys Thr Lys Phe Tyr	705	710	715
Ala Ala Gly Leu Val Ser Trp Gly Pro Gln Cys Gly Thr Tyr Gly Leu	725	730	735
Tyr Thr Arg Val Lys Asn Tyr Val Asp Trp Ile Met Lys Thr Met Gln	740	745	750

1000

Glu Asn Ser Thr Pro Arg Glu Asp
755 760

<210> 1025
<211> 216
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (115)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (139)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1025
Gly Gly Gly Arg Leu Arg Arg Arg Arg Ser Gly Ser Pro Gly Trp Arg
1 5 10 15

Ala Pro Arg Thr Gly Met Leu Leu Gly Leu Ala Ala Met Glu Leu Lys
20 25 30

Val Trp Val Asp Gly Ile Gln Arg Val Val Cys Gly Val Ser Glu Gln
35 40 45

Thr Thr Cys Gln Glu Val Val Ile Ala Leu Ala Gln Ala Ile Gly Gln
50 55 60

Thr Gly Arg Phe Val Leu Val Gln Arg Leu Arg Glu Lys Glu Arg Gln
65 70 75 80

Leu Leu Pro Gln Glu Cys Pro Val Gly Ala Gln Ala Thr Cys Gly Gln
85 90 95

Phe Ala Ser Asp Val Gln Phe Val Leu Arg Arg Thr Gly Pro Ser Leu
100 105 110

Ala Gly Xaa Pro Ser Ser Asp Ser Cys Pro Pro Pro Glu Arg Cys Leu
115 120 125

Ile Arg Ala Ser Leu Pro Val Lys Pro Arg Xaa Ala Leu Gly Cys Glu
130 135 140

Pro Arg Lys Thr Leu Thr Pro Glu Pro Ala Pro Ser Leu Ser Arg Pro
145 150 155 160

Gly Pro Ala Ala Cys Glu His Pro His Gln Ala Ala Ala Gln Thr Cys
165 170 175

Gly Ala Trp Ser Ser Gly Cys Arg Gly Met Leu Arg Ser Trp Ala Met
180 185 190

Arg Pro Ser Gly Ser Lys Ser Cys Ala Gly Ser Arg Pro Gly Ser Glu
195 200 205

Arg Asp Arg His Ala Cys Arg His
210 215

```
<210> 1026
<211> 604
<212> PRT
<213> Homo sapiens
```

```
<220>  
<221> SITE  
<222> (303)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (359)
<223> Xaa equals any of the naturally occurring L-amino acids
```

<400> 1026
Gly Thr Ser Ser Asp Ile Leu Lys Gly Asn Phe Ser Ile Arg Thr Ala
1 5 10 15

Lys Met Gln Gln His Val Cys Glu Thr Ile Ile Arg Ile Phe Lys Arg
20 25 30

His Gly Ala Val Gln Leu Cys Thr Pro Leu Leu Leu Pro Arg Asn Arg
35 40 45

Gln Ile Tyr Glu His Asn Glu Ala Ala Leu Phe Met Asp His Ser Gly
50 55 60

Met Leu Val Met Leu Pro Phe Asp Leu Arg Ile Pro Phe Ala Arg Tyr
65 70 75 80

Val Ala Arg Asn Asn Ile Leu Asn Leu Lys Arg Tyr Cys Ile Glu Arg
85 90 95

Val Phe Arg Pro Arg Lys Leu Asp Arg Phe His Pro Lys Glu Leu Leu
100 105 110

1002

Glu Cys Ala Phe Asp Ile Val Thr Ser Thr Thr Asn Ser Phe Leu Pro			
115	120	125	
Thr Ala Glu Ile Ile Tyr Thr Ile Tyr Glu Ile Ile Gln Glu Phe Pro			
130	135	140	
Ala Leu Gln Glu Arg Asn Tyr Ser Ile Tyr Leu Asn His Thr Met Leu			
145	150	155	160
Leu Lys Ala Ile Leu Leu His Cys Gly Ile Pro Glu Asp Lys Leu Ser			
165	170	175	
Gln Val Tyr Ile Ile Leu Tyr Asp Ala Val Thr Glu Lys Leu Thr Arg			
180	185	190	
Arg Glu Val Glu Ala Lys Phe Cys Asn Leu Ser Leu Ser Ser Asn Ser			
195	200	205	
Leu Cys Arg Leu Tyr Lys Phe Ile Glu Gln Lys Gly Asp Leu Gln Asp			
210	215	220	
Leu Met Pro Thr Ile Asn Ser Leu Ile Lys Gln Lys Thr Gly Ile Ala			
225	230	235	240
Gln Leu Val Lys Tyr Gly Leu Lys Asp Leu Glu Glu Val Val Gly Leu			
245	250	255	
Leu Lys Lys Leu Gly Ile Lys Leu Gln Val Leu Ile Asn Leu Gly Leu			
260	265	270	
Val Tyr Lys Val Gln Gln His Asn Gly Ile Ile Phe Gln Phe Val Ala			
275	280	285	
Phe Ile Lys Arg Arg Gln Arg Ala Val Pro Glu Ile Leu Ala Xaa Gly			
290	295	300	
Gly Arg Tyr Asp Leu Leu Ile Pro Gln Phe Arg Gly Pro Gln Ala Leu			
305	310	315	320
Gly Pro Val Pro Thr Ala Ile Gly Val Ser Ile Ala Ile Asp Lys Ile			
325	330	335	
Ser Ala Ala Val Leu Asn Met Glu Glu Ser Val Thr Ile Ser Ser Cys			
340	345	350	
Asp Leu Leu Val Val Ser Xaa Gly Gln Met Ser Met Ser Arg Ala Ile			
355	360	365	
Asn Leu Thr Gln Lys Leu Trp Thr Ala Gly Ile Thr Ala Glu Ile Met			
370	375	380	

1003

Tyr Asp Trp Ser Gln Ser Gln Glu Glu Leu Gln Glu Tyr Cys Arg His
 385 390 395 400
 His Glu Ile Thr Tyr Val Ala Leu Val Ser Asp Lys Glu Gly Ser His
 405 410 415
 Val Lys Val Lys Ser Phe Glu Lys Glu Arg Gln Thr Glu Lys Arg Val
 420 425 430
 Leu Glu Thr Glu Leu Val Asp His Val Leu Gln Lys Leu Arg Thr Lys
 435 440 445
 Val Thr Asp Glu Arg Asn Gly Arg Glu Ala Ser Asp Asn Leu Ala Val
 450 455 460
 Gln Asn Leu Lys Gly Ser Phe Ser Asn Ala Ser Gly Leu Phe Glu Ile
 465 470 475 480
 His Gly Ala Thr Val Val Pro Ile Val Ser Val Leu Ala Pro Glu Lys
 485 490 495
 Leu Ser Ala Ser Thr Arg Arg Arg Tyr Glu Thr Gln Val Gln Thr Arg
 500 505 510
 Leu Gln Thr Ser Leu Ala Asn Leu His Gln Lys Ser Ser Glu Ile Glu
 515 520 525
 Ile Leu Ala Val Asp Leu Pro Lys Glu Thr Ile Leu Gln Phe Leu Ser
 530 535 540
 Leu Glu Trp Asp Ala Asp Glu Gln Ala Phe Asn Thr Thr Val Lys Gln
 545 550 555 560
 Leu Leu Ser Arg Leu Pro Lys Gln Arg Tyr Leu Lys Leu Val Cys Asp
 565 570 575
 Glu Ile Tyr Asn Ile Lys Val Glu Lys Lys Val Ser Val Leu Phe Leu
 580 585 590
 Tyr Ser Tyr Arg Asp Asp Tyr Tyr Arg Ile Leu Phe
 595 600

<210> 1027

<211> 459

<212> PRT

<213> Homo sapiens

<220>

1004

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1027

Thr Ser Cys Gly Ile Asn Thr Lys Phe Thr Ser Lys Glu Pro Ile Phe
 1 5 10 15

Leu Thr Gln Leu Leu His Phe Ser Asn Leu Xaa Gln Glu Tyr Lys Ile
 20 25 30

Asn Ser Arg Leu Leu Gln Asn Ile Leu Asp Ala Gly Phe Gln Met Pro
 35 40 45

Thr Pro Ile Gln Met Gln Ala Ile Pro Val Met Leu His Gly Arg Glu
 50 55 60

Leu Leu Ala Ser Ala Pro Thr Gly Ser Gly Lys Thr Leu Ala Phe Ser
 65 70 75 80

Ile Pro Ile Leu Met Gln Leu Lys Gln Pro Ala Asn Lys Gly Phe Arg
 85 90 95

Ala Leu Ile Ile Ser Pro Thr Arg Glu Leu Ala Ser Gln Ile His Arg
 100 105 110

Glu Leu Ile Lys Ile Ser Glu Gly Thr Gly Phe Arg Ile His Met Ile
 115 120 125

His Lys Ala Ala Val Ala Ala Lys Lys Phe Gly Pro Lys Ser Ser Lys
 130 135 140

Lys Phe Asp Ile Leu Val Thr Thr Pro Asn Arg Leu Ile Tyr Leu Leu
 145 150 155 160

Lys Gln Asp Pro Pro Gly Ile Asp Leu Ala Ser Val Glu Trp Leu Val
 165 170 175

Val Asp Glu Ser Asp Lys Leu Phe Glu Asp Gly Lys Thr Gly Phe Arg
 180 185 190

Asp Gln Leu Ala Ser Ile Phe Leu Ala Cys Thr Ser His Lys Val Arg
 195 200 205

Arg Ala Met Phe Ser Ala Thr Phe Ala Tyr Asp Val Glu Gln Trp Cys
 210 215 220

Lys Leu Asn Leu Asp Asn Val Ile Ser Val Ser Ile Gly Ala Arg Asn
 225 230 235 240

Ser Ala Val Glu Thr Val Glu Gln Glu Leu Leu Phe Val Gly Ser Glu

1005

245	250	255
Thr Gly Lys Leu Leu Ala Val Arg Glu Leu Val Lys Lys Gly Phe Asn		
260	265	270
Pro Pro Val Leu Val Phe Val Gln Ser Ile Glu Arg Ala Lys Glu Leu		
275	280	285
Phe His Glu Leu Ile Tyr Glu Gly Ile Asn Val Asp Val Ile His Ala		
290	295	300
Glu Arg Thr Gln Gln Gln Arg Asp Asn Thr Val His Ser Phe Arg Ala		
305	310	315
Gly Lys Ile Trp Val Leu Ile Cys Thr Ala Leu Leu Ala Arg Gly Ile		
325	330	335
Asp Phe Lys Gly Val Asn Leu Val Ile Asn Tyr Asp Phe Pro Thr Ser		
340	345	350
Ser Val Glu Tyr Ile His Arg Ile Gly Arg Thr Gly Arg Ala Gly Asn		
355	360	365
Lys Gly Lys Ala Ile Thr Phe Phe Thr Glu Asp Asp Lys Pro Leu Leu		
370	375	380
Arg Ser Val Ala Asn Val Ile Gln Gln Ala Gly Cys Pro Val Pro Glu		
385	390	395
Tyr Ile Lys Gly Phe Gln Lys Leu Leu Ser Lys Gln Lys Lys Lys Met		
405	410	415
Ile Lys Lys Pro Leu Glu Arg Glu Ser Ile Ser Thr Thr Pro Lys Cys		
420	425	430
Phe Leu Glu Lys Ala Lys Asp Lys Gln Lys Lys Val Thr Gly Gln Asn		
435	440	445
Ser Lys Lys Lys Val Ala Leu Glu Asp Lys Ser		
450	455	

<210> 1028

<211> 68

<212> PRT

<213> Homo sapiens

<400> 1028

Gln	Arg	Gly	Phe	Tyr	Ala	Asn	Ala	Leu	Thr	Ser	Ala	Leu	Gly	Asn	Glu
1								5				10			15

1006

Arg Val Thr Ser Ala Ser Ser Leu Ala Ser Phe Leu Val Leu Glu Arg
 20 25 30

Leu Thr Asn Val Cys His Ser His Lys Cys Phe Glu Leu Asp Leu Cys
 35 40 45

Asp Leu Cys Phe Phe Ser Phe Ser Leu Glu Ser Glu Tyr His Cys Leu
 50 55 60

Pro Pro Arg Ser
 65

<210> 1029
 <211> 215
 <212> PRT
 <213> Homo sapiens

<400> 1029
 Tyr Pro Leu Thr Pro Ala Pro Ala Pro His Asp Pro Ser Pro Arg Ala
 1 5 10 15

His Gly Arg Gly Asp Asp Val Thr Gln Ala Thr Ala Leu Thr Ser His
 20 25 30

Ile Thr Val Val Met Ala Ser Arg Gly His Val Asp Val Thr Lys Arg
 35 40 45

Tyr Ser Asp Gly Val Val Gln Met Gln His Val Ala His Arg His Gly
 50 55 60

Glu Leu Gly Met Thr Ser His Arg Asp Ala Ala Thr Thr Ser Arg Ala
 65 70 75 80

Met Ser Thr Ser His Ile Leu Met Ser His Arg Arg Gly Asp Gly Ile
 85 90 95

Thr Gln Thr Val Met Met Ser His Thr Asp Thr Val Thr Thr His Thr
 100 105 110

Met Thr Thr Thr Pro Ile Asp Met Ala Pro Thr Ser His Ala Arg Met
 115 120 125

Pro Phe His Thr His Phe Leu Pro Asn Ser His Leu Val Ser Arg Ser
 130 135 140

Pro Asp Pro Gly Thr Arg Ala Lys Val Pro Thr Gly Ser His Pro Leu
 145 150 155 160

1007

Pro His Ser Pro Gly Pro Gln His Leu Pro Ser Ser Ser Phe Leu Ala
 165 170 175

Ser Gln Pro Leu Pro His Pro Gln Cys Leu Asp Pro Glu Val Arg Thr
 180 185 190

Gly Ser His Ser Pro Pro Leu Leu Glu Arg Glu Cys Phe Gln Asp Pro
 195 200 205

Leu Gly Ala Leu Ser Arg Gly
 210 215

<210> 1030

<211> 297

<212> PRT

<213> Homo sapiens

<400> 1030

Lys Val Arg Leu Gln Val Pro Val Arg Asn Ser Arg Val Asp Pro Arg
 1 5 10 15

Val Arg Pro Arg Val Arg Pro Arg Val Arg Trp Thr Ala Ala Met Arg
 20 25 30

Leu Thr Val Leu Cys Ala Val Cys Leu Leu Pro Gly Ser Leu Ala Leu
 35 40 45

Pro Leu Pro Gln Glu Ala Gly Gly Met Ser Glu Leu Gln Trp Glu Gln
 50 55 60

Ala Gln Asp Tyr Leu Lys Arg Phe Tyr Leu Tyr Asp Ser Glu Thr Lys
 65 70 75 80

Asn Ala Asn Ser Leu Glu Ala Lys Leu Lys Glu Met Gln Lys Phe Phe
 85 90 95

Gly Leu Pro Ile Thr Gly Met Leu Asn Ser Arg Val Ile Glu Ile Met
 100 105 110

Gln Lys Pro Arg Cys Gly Val Pro Asp Val Ala Glu Tyr Ser Leu Phe
 115 120 125

Pro Asn Ser Pro Lys Trp Thr Ser Lys Val Val Thr Tyr Arg Ile Val
 130 135 140

Ser Tyr Thr Arg Asp Leu Pro His Ile Thr Val Asp Arg Leu Val Ser
 145 150 155 160

Lys Ala Leu Asn Met Trp Gly Lys Glu Ile Pro Leu His Phe Arg Lys

1008

	165		170		175
Val Val Trp Gly Thr Ala Asp Ile Met Ile Gly Phe Ala Arg Gly Ala					
	180		185		190
His Gly Asp Ser Tyr Pro Phe Asp Gly Pro Gly Asn Thr Leu Ala His					
	195		200		205
Ala Phe Ala Pro Gly Thr Gly Leu Gly Gly Asp Ala His Phe Asp Glu					
	210		215		220
Asp Glu Arg Trp Thr Asp Gly Ser Ser Leu Gly Ile Asn Phe Leu Tyr					
	225		230		235
Ala Ala Thr His Glu Leu Gly His Ser Leu Gly Met Gly His Ser Ser					
	245		250		255
Asp Pro Asn Ala Val Met Tyr Pro Thr Tyr Gly Asn Gly Asp Pro Gln					
	260		265		270
Asn Phe Lys Leu Ser Gln Asp Asp Ile Lys Gly Ile Gln Lys Leu Tyr					
	275		280		285
Gly Lys Arg Ser Asn Ser Arg Lys Lys					
	290		295		

<210> 1031

<211> 571

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (484)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1031

Arg Val Arg Ser Lys Val Pro Arg Cys Val Asn Thr Gln Pro Gly Phe
1 5 10 15

1009

His Cys Leu Pro Cys Pro Pro Arg Tyr Arg Gly Asn Gln Pro Val Gly
 20 25 30

Val Gly Leu Glu Ala Ala Lys Thr Glu Lys Gln Xaa Cys Glu Pro Glu
 35 40 45

Asn Pro Cys Lys Asp Lys Thr His Asn Cys His Lys His Ala Glu Cys
 50 55 60

Ile Tyr Leu Gly His Phe Ser Asp Pro Met Tyr Lys Cys Glu Cys Gln
 65 70 75 80

Xaa Gly Tyr Ala Gly Asp Gly Leu Ile Cys Gly Glu Asp Ser Asp Leu
 85 90 95

Asp Gly Trp Pro Asn Leu Asn Leu Val Cys Ala Thr Asn Ala Thr Tyr
 100 105 110

His Cys Ile Lys Asp Asn Cys Pro His Leu Pro Asn Ser Gly Gln Glu
 115 120 125

Asp Phe Asp Lys Asp Gly Ile Gly Asp Ala Cys Asp Asp Asp Asp
 130 135 140

Asn Asp Gly Val Thr Asp Glu Lys Asp Asn Cys Gln Leu Leu Phe Asn
 145 150 155 160

Pro Arg Gln Ala Asp Tyr Asp Lys Asp Glu Val Gly Asp Arg Cys Asp
 165 170 175

Asn Cys Pro Tyr Val His Asn Pro Ala Gln Ile Asp Thr Asp Asn Asn
 180 185 190

Gly Glu Gly Asp Ala Cys Ser Val Asp Ile Asp Gly Asp Asp Val Phe
 195 200 205

Asn Glu Arg Asp Asn Cys Pro Tyr Val Tyr Asn Thr Asp Gln Arg Asp
 210 215 220

Thr Asp Gly Asp Gly Val Gly Asp His Cys Asp Asn Cys Pro Leu Val
 225 230 235 240

His Asn Pro Asp Gln Thr Asp Val Asp Asn Asp Leu Val Gly Asp Gln
 245 250 255

Cys Asp Asn Asn Glu Asp Ile Asp Asp Asp Gly His Gln Asn Asn Gln
 260 265 270

Asp Asn Cys Pro Tyr Ile Ser Asn Ala Asn Gln Ala Asp His Asp Arg
 275 280 285

1010

Asp Gly Gln Gly Asp Ala Cys Asp Pro Asp Asp Asp Asn Asp Gly Val
 290 295 300
 Pro Asp Asp Arg Asp Asn Cys Arg Leu Val Phe Asn Pro Asp Gln Glu
 305 310 315 320
 Asp Leu Asp Gly Asp Gly Arg Gly Asp Ile Cys Lys Asp Asp Phe Asp
 325 330 335
 Asn Asp Asn Ile Pro Asp Ile Asp Asp Val Cys Pro Glu Asn Asn Ala
 340 345 350
 Ile Ser Glu Thr Asp Phe Arg Asn Phe Gln Met Val Pro Leu Asp Pro
 355 360 365
 Lys Gly Thr Thr Gln Ile Asp Pro Asn Trp Val Ile Arg His Gln Gly
 370 375 380
 Lys Glu Leu Val Gln Thr Ala Asn Ser Asp Pro Gly Ile Ala Val Gly
 385 390 395 400
 Phe Asp Glu Phe Gly Ser Val Asp Phe Ser Gly Thr Phe Tyr Val Asn
 405 410 415
 Thr Asp Arg Asp Asp Asp Tyr Ala Gly Phe Val Phe Gly Tyr Gln Ser
 420 425 430
 Ser Ser Arg Phe Tyr Val Val Met Trp Lys Gln Val Thr Gln Thr Tyr
 435 440 445
 Trp Glu Asp Gln Pro Thr Arg Ala Tyr Gly Tyr Ser Gly Val Ser Leu
 450 455 460
 Lys Val Val Asn Ser Thr Thr Gly Thr Gly Glu His Leu Arg Asn Ala
 465 470 475 480
 Leu Trp His Xaa Gly Asn Thr Pro Gly Gln Val Arg Thr Leu Trp His
 485 490 495
 Asp Pro Arg Asn Ile Gly Trp Lys Asp Tyr Thr Ala Tyr Arg Trp His
 500 505 510
 Leu Thr His Arg Pro Lys Thr Gly Tyr Ile Arg Val Leu Val His Glu
 515 520 525
 Gly Lys Gln Val Met Ala Asp Ser Gly Pro Ile Tyr Asp Gln Thr Tyr
 530 535 540
 Ala Gly Gly Arg Leu Gly Leu Phe Val Phe Ser Gln Glu Met Val Tyr
 545 550 555 560

1011

Phe Ser Asp Leu Lys Tyr Glu Cys Arg Asp Ile
565 570

<210> 1032
<211> 114
<212> PRT
<213> Homo sapiens

<400> 1032
Gly Arg Gly Thr Ala Thr Phe Pro Thr Gly His Glu Phe Val Gly Pro
1 5 10 15

Cys Leu Gly Arg Ala Glu Ala Phe Trp Arg Ser Lys Met Gly Arg Lys
20 25 30

Asp Ala Ala Thr Ile Lys Leu Pro Val Asp Gln Tyr Arg Lys Gln Ile
35 40 45

Gly Lys Gln Asp Tyr Lys Lys Thr Lys Pro Ile Leu Arg Ala Thr Lys
50 55 60

Leu Lys Ala Glu Ala Lys Lys Thr Ala Ile Gly Ile Lys Glu Val Gly
65 70 75 80

Leu Val Leu Ala Ala Ile Leu Ala Leu Leu Leu Ala Phe Tyr Ala Phe
85 90 95

Phe Tyr Leu Arg Leu Thr Thr Asp Val Asp Pro Asp Leu Asp Gln Asp
100 105 110

Glu Asp

<210> 1033
<211> 243
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (88)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (101)

1012

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1033

His Arg Arg Asp Glu Ala Leu Gln Ser Leu Arg Phe Arg Arg Arg Pro
1 5 10 15

Gly Ala Gln Ala Ala Asp Ala Cys Gly Pro Arg Ala Asp Leu Gly Gly
20 25 30

Pro Arg Glu Pro Ala Ala Gly Gly Arg Ala Ala Trp His Arg Pro Ala
35 40 45

Ala Arg Gly Gln Ser Pro Arg Arg Cys His Ala Gly Val His Arg Ser
50 55 60

Gln Cys His Leu Cys Arg Leu Gly Ala Ala Glu Arg Phe Arg Gly Ile
65 70 75 80

Val Ala Leu Leu Ala Ser Arg Xaa Leu Leu Arg Pro Pro Leu His Trp
85 90 95

Val Leu Leu Ala Xaa Ala Leu Val Asn Leu Leu Leu Ser Val Ala Cys
100 105 110

Ser Leu Gly Leu Leu Leu Ala Val Ser Leu Thr Val Ala Asn Gly Gly
115 120 125

Arg Arg Leu Ile Ala Asp Cys His Pro Gly Leu Leu Asp Pro Leu Val
130 135 140

Pro Leu Asp Glu Gly Pro Gly His Thr Asp Cys Pro Phe Asp Pro Thr
145 150 155 160

Arg Ile Tyr Asp Thr Ala Leu Ala Leu Trp Ile Pro Ser Leu Leu Met
165 170 175

Ser Ala Gly Glu Ala Ala Leu Ser Gly Tyr Cys Cys Val Ala Ala Leu
180 185 190

Thr Leu Arg Gly Val Gly Pro Cys Arg Lys Asp Gly Leu Gln Gly Gln
195 200 205

Leu Glu Glu Met Thr Glu Leu Glu Ser Pro Lys Cys Lys Arg Gln Glu
210 215 220

Asn Glu Gln Leu Leu Asp Gln Asn Gln Glu Ile Arg Ala Ser Gln Arg
225 230 235 240

Ser Trp Val

1013

<210> 1034

<211> 173

<212> PRT

<213> Homo sapiens

<400> 1034

Tyr Thr Trp His Ser Glu Lys Met Asp Leu Lys Asp Lys Asn Gly Gly
 1 5 10 15

Pro Gly Arg Cys Asn Ser His Arg Leu Lys Val Ser Ser Gly Leu Cys
 20 25 30

Lys Thr His Glu Ile Gly Phe Asp Pro Leu Ala Leu Lys Cys Pro Leu
 35 40 45

Arg Ser Arg Thr Ala Pro Trp Trp Pro Leu Asp Arg Val Ser Phe Asp
 50 55 60

Leu His His Leu Val Ile Gly Asn Phe Phe Val Gly Asn Arg Lys Ile
 65 70 75 80

Phe Leu Asp Tyr Leu Val Tyr Gly Phe Ala His Asn Asn Arg Trp Lys
 85 90 95

Leu Leu Val Gln Ser Trp Ser Asp Gly Cys Val His Arg Thr Phe Gly
 100 105 110

Leu Val Lys Ser Phe Ser Lys Ala Ser Phe Cys Ile Phe Ile Thr Lys
 115 120 125

Gln Arg Lys Ser Ser Glu Asp Leu Ala Leu Lys Gln Ile Cys Ala Asn
 130 135 140

Thr Ala Arg Val Ile Leu Lys Leu Lys His Phe His Phe Val Ser Tyr
 145 150 155 160

Met Cys Thr Phe Leu Phe Thr Cys Glu Asn Gly His Leu
 165 170

<210> 1035

<211> 241

<212> PRT

<213> Homo sapiens

<400> 1035

Ser Phe Ser Glu Met Ala Gly Val Ser Ala Cys Ile Lys Tyr Ser Met
 1 5 10 15

1014

Phe Thr Phe Asn Phe Leu Phe Trp Leu Cys Gly Ile Leu Ile Leu Ala
 20 25 30
 Leu Ala Ile Trp Val Arg Val Ser Asn Asp Ser Gln Ala Ile Phe Gly
 35 40 45
 Ser Glu Asp Val Gly Ser Ser Ser Tyr Val Ala Val Asp Ile Leu Ile
 50 55 60
 Ala Val Gly Ala Ile Ile Met Ile Leu Gly Phe Leu Gly Cys Cys Gly
 65 70 75 80
 Ala Ile Lys Glu Ser Arg Cys Met Leu Leu Leu Phe Phe Ile Gly Leu
 85 90 95
 Leu Leu Ile Leu Leu Leu Gln Val Ala Thr Gly Ile Leu Gly Ala Val
 100 105 110
 Phe Lys Ser Lys Ser Asp Arg Ile Val Asn Glu Thr Leu Tyr Glu Asn
 115 120 125
 Thr Lys Leu Leu Ser Ala Thr Gly Glu Ser Glu Lys Gln Phe Gln Glu
 130 135 140
 Ala Ile Ile Val Phe Gln Glu Glu Phe Lys Cys Cys Gly Leu Val Asn
 145 150 155 160
 Gly Ala Ala Asp Trp Gly Asn Asn Phe Gln His Tyr Pro Glu Leu Cys
 165 170 175
 Ala Cys Leu Asp Lys Gln Arg Pro Cys Gln Ser Tyr Asn Gly Lys Gln
 180 185 190
 Val Tyr Lys Glu Thr Cys Ile Ser Phe Ile Lys Asp Phe Leu Ala Lys
 195 200 205
 Asn Leu Ile Ile Val Ile Gly Ile Ser Phe Gly Leu Ala Val Ile Glu
 210 215 220
 Ile Leu Gly Leu Val Phe Ser Met Val Leu Tyr Cys Gln Ile Gly Asn
 225 230 235 240

Lys

<210> 1036

<211> 335

<212> PRT

1015

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1036

Pro Thr Xaa Gly Arg Ala Glu Glu Ala Lys Met Ala Ala Ala Ala Ala
 1 5 10 15

Ser Leu Arg Gly Val Val Leu Gly Pro Arg Gly Ala Gly Leu Pro Gly
 20 25 30

Ala Arg Ala Arg Gly Leu Leu Cys Ser Ala Arg Pro Gly Gln Leu Pro
 35 40 45

Leu Arg Thr Pro Gln Ala Val Ala Leu Ser Ser Lys Ser Gly Leu Ser
 50 55 60

Arg Gly Arg Lys Val Met Leu Ser Ala Leu Gly Met Leu Ala Ala Gly
 65 70 75 80

Gly Ala Gly Leu Ala Val Ala Leu His Ser Ala Val Ser Ala Ser Asp
 85 90 95

Leu Glu Leu His Pro Pro Ser Tyr Pro Trp Ser His Arg Gly Leu Leu
 100 105 110

Ser Ser Leu Asp His Thr Ser Ile Arg Arg Gly Phe Gln Val Tyr Lys
 115 120 125

Gln Val Cys Ala Ser Cys His Ser Met Asp Phe Val Ala Tyr Arg His
 130 135 140

Leu Val Gly Val Cys Tyr Thr Glu Asp Glu Ala Lys Glu Leu Ala Ala
 145 150 155 160

Glu Val Glu Val Gln Asp Gly Pro Asn Glu Asp Gly Glu Met Phe Met
 165 170 175

Arg Pro Gly Lys Leu Phe Asp Tyr Phe Pro Lys Pro Tyr Pro Asn Ser
 180 185 190

Glu Ala Ala Arg Ala Ala Asn Asn Gly Ala Leu Pro Pro Asp Leu Ser
 195 200 205

Tyr Ile Val Arg Ala Arg His Gly Gly Glu Asp Tyr Val Phe Ser Leu
 210 215 220

Leu Thr Gly Tyr Cys Glu Pro Pro Thr Gly Val Ser Leu Arg Glu Gly

1016

225 230 235 240
 Leu Tyr Phe Asn Pro Tyr Phe Pro Gly Gln Ala Ile Ala Met Ala Pro
 245 250 255
 Pro Ile Tyr Thr Asp Val Leu Glu Phe Asp Asp Gly Thr Pro Ala Thr
 260 265 270
 Met Ser Gln Ile Ala Lys Asp Val Cys Thr Phe Leu Arg Trp Ala Ser
 275 280 285
 Glu Pro Glu His Asp His Arg Lys Arg Met Gly Leu Lys Met Leu Met
 290 295 300
 Met Met Ala Leu Leu Val Pro Leu Val Tyr Thr Ile Lys Arg His Lys
 305 310 315 320
 Trp Ser Val Leu Lys Ser Arg Lys Leu Ala Tyr Arg Pro Pro Lys
 325 330 335

<210> 1037

<211> 511

<212> PRT

<213> Homo sapiens

<400> 1037

His Gln Leu Gln Gly Pro Leu Pro Leu Arg Ala Leu Pro Trp His Ser
 1 5 10 15
 Ser Arg Ser Arg Val Thr Cys Thr Arg Cys Phe Ser Trp Met His Pro
 20 25 30
 Ser Pro Met His Pro Leu Arg Ala Gly Ser Lys Ser Gln Gly Ser Arg
 35 40 45
 Ser Pro Ala Pro Ser Pro Met Arg Ala Ala Asn Arg Ser His Ser Ala
 50 55 60
 Gly Arg Thr Pro Gly Arg Thr Pro Gly Lys Ser Ser Ser Lys Val Gln
 65 70 75 80
 Thr Thr Pro Ser Lys Pro Gly Gly Asp Arg Tyr Ile Pro His Arg Ser
 85 90 95
 Ala Ala Gln Met Glu Val Ala Ser Phe Leu Leu Ser Lys Glu Asn Gln
 100 105 110
 Pro Glu Asn Ser Gln Thr Pro Thr Lys Lys Glu His Gln Lys Ala Trp
 115 120 125

1017

Ala Leu Asn Leu Asn Gly Phe Asp Val Glu Glu Ala Lys Ile Leu Arg
 130 135 140

Leu Ser Gly Lys Pro Gln Asn Ala Pro Glu Gly Tyr Gln Asn Arg Leu
 145 150 155 160

Lys Val Leu Tyr Ser Gln Lys Ala Thr Pro Gly Ser Ser Arg Lys Thr
 165 170 175

Cys Arg Tyr Ile Pro Ser Leu Pro Asp Arg Ile Leu Asp Ala Pro Glu
 180 185 190

Ile Arg Asn Asp Tyr Tyr Leu Asn Leu Val Asp Trp Ser Ser Gly Asn
 195 200 205

Val Leu Ala Val Ala Leu Asp Asn Ser Val Tyr Leu Trp Ser Ala Ser
 210 215 220

Ser Gly Asp Ile Leu Gln Leu Leu Gln Met Glu Gln Pro Gly Glu Tyr
 225 230 235 240

Ile Ser Ser Val Ala Trp Ile Lys Glu Gly Asn Tyr Leu Ala Val Gly
 245 250 255

Thr Ser Ser Ala Glu Val Gln Leu Trp Asp Val Gln Gln Gln Lys Arg
 260 265 270

Leu Arg Asn Met Thr Ser His Ser Ala Arg Val Gly Ser Leu Ser Trp
 275 280 285

Asn Ser Tyr Ile Leu Ser Ser Gly Ser Arg Ser Gly His Ile His His
 290 295 300

His Asp Val Arg Val Ala Glu His His Val Ala Thr Leu Ser Gly His
 305 310 315 320

Ser Gln Glu Val Cys Gly Leu Arg Trp Ala Pro Asp Gly Arg His Leu
 325 330 335

Ala Ser Gly Gly Asn Asp Asn Leu Val Asn Val Trp Pro Ser Ala Pro
 340 345 350

Gly Glu Gly Gly Trp Val Pro Leu Gln Thr Phe Thr Gln His Gln Gly
 355 360 365

Ala Val Lys Ala Val Ala Trp Cys Pro Trp Gln Ser Asn Val Leu Ala
 370 375 380

Thr Gly Gly Gly Thr Ser Asp Arg His Ile Arg Ile Trp Asn Val Cys
 385 390 395 400

1018

Ser Gly Ala Cys Leu Ser Ala Val Asp Ala His Ser Gln Val Cys Ser
 405 410 415

Ile Leu Trp Ser Pro His Tyr Lys Glu Leu Ile Ser Gly His Gly Phe
 420 425 430

Ala Gln Asn Gln Leu Val Ile Trp Lys Tyr Pro Thr Met Ala Lys Val
 435 440 445

Ala Glu Leu Lys Gly His Thr Ser Arg Val Leu Ser Leu Thr Met Ser
 450 455 460

Pro Asp Gly Ala Thr Val Ala Ser Ala Ala Asp Glu Thr Leu Arg
 465 470 475 480

Leu Trp Arg Cys Phe Glu Leu Asp Pro Ala Arg Arg Arg Glu Arg Glu
 485 490 495

Lys Ala Ser Ala Ala Lys Ser Ser Leu Ile His Gln Gly Ile Arg
 500 505 510

<210> 1038

<211> 209

<212> PRT

<213> Homo sapiens

<400> 1038

His Glu Pro Pro Ser Ala Ser Ser Val Ala Gly Asp Leu Gly Arg Gly
 1 5 10 15

Thr Arg Thr Glu Val Glu Ala Arg Ala Ala Arg Pro Gly Ala Glu Ser
 20 25 30

Ala Pro Ala Ala Ala Met Pro Asp Ser Trp Asp Lys Asp Val Tyr Pro
 35 40 45

Glu Pro Pro Arg Arg Thr Pro Val Gln Pro Asn Pro Ile Val Tyr Met
 50 55 60

Met Lys Ala Phe Asp Leu Ile Val Asp Arg Pro Val Thr Leu Val Arg
 65 70 75 80

Glu Phe Ile Glu Arg Gln His Ala Lys Asn Arg Tyr Tyr Tyr Tyr His
 85 90 95

Arg Gln Tyr Arg Arg Val Pro Asp Ile Thr Glu Cys Lys Glu Glu Asp
 100 105 110

Ile	Met	Cys	Met	Tyr	Glu	Ala	Glu	Met	Gln	Trp	Lys	Arg	Asp	Tyr	Lys
		115						120					125		
Val	Asp	Gln	Glu	Ile	Ile	Asn	Ile	Met	Gln	Asp	Arg	Leu	Lys	Ala	Cys
		130					135					140			
Gln	Gln	Arg	Glu	Gly	Gln	Asn	Tyr	Gln	Gln	Asn	Cys	Ile	Lys	Glu	Val
145						150					155				160
Glu	Gln	Phe	Thr	Gln	Val	Ala	Lys	Ala	Tyr	Gln	Asp	Arg	Tyr	Gln	Asp
				165						170					175
Leu	Gly	Ala	Tyr	Ser	Ser	Ala	Arg	Lys	Cys	Leu	Ala	Lys	Gln	Arg	Gln
			180						185					190	
Arg	Met	Leu	Gln	Glu	Arg	Lys	Ala	Ala	Lys	Glu	Ala	Ala	Ala	Ala	Thr
		195						200					205		

Ser

```
<210> 1039
<211> 219
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> SITE
<222> (153)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```

<400> 1039
Leu Ala Ala Pro Asp Leu Ser Lys Pro Arg Gly Tyr His Trp Asp Thr
  1                      5                      10                      15
Ser Asp Trp Met Pro Ser Val Pro Leu Pro Asp Ile Gln Glu Phe Pro
  20                      25                      30
Asn Tyr Glu Val Ile Asp Glu Gln Thr Pro Leu Tyr Ser Ala Asp Pro
  35                      40                      45
Asn Ala Ile Asp Thr Asp Tyr Tyr Pro Gly Gly Tyr Asp Ile Glu Ser
  50                      55                      60
Asp Phe Pro Pro Pro Pro Glu Asp Phe Pro Ala Ala Asp Glu Leu Pro
  65                      70                      75                      80
Pro Leu Pro Pro Glu Phe Ser Asn Gln Phe Glu Ser Ile His Pro Pro
  85                      90                      95

```

1020

Arg Asp Met Pro Ala Ala Gly Ser Leu Gly Ser Ser Ser Arg Asn Arg
 100 105 110
 Gln Arg Phe Asn Leu Asn Gln Tyr Leu Pro Asn Phe Tyr Pro Leu Asp
 115 120 125
 Met Ser Glu Pro Gln Thr Lys Gly Thr Gly Glu Asn Ser Thr Cys Arg
 130 135 140
 Glu Pro His Ala Pro Tyr Pro Pro Xaa Tyr Gln Arg His Phe Glu Ala
 145 150 155 160
 Pro Ala Val Glu Ser Met Pro Met Ser Val Tyr Ala Ser Thr Ala Ser
 165 170 175
 Cys Ser Asp Val Ser Ala Cys Cys Glu Val Glu Ser Glu Val Met Met
 180 185 190
 Ser Asp Tyr Glu Ser Gly Asp Asp Gly His Phe Glu Glu Val Thr Ile
 195 200 205
 Pro Pro Leu Asp Ser Gln Gln His Thr Glu Val
 210 215

<210> 1040

<211> 178

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1040

Phe Asp Leu Pro Tyr Arg Ala Glu Phe Gly Xaa Pro Gly Pro Pro Leu
 1 5 10 15
 Ser Ala Ala Cys Ser Trp Lys Phe Arg Leu Gly Cys Leu Leu Gly Ala
 20 25 30
 Met Glu Ser Asp Phe Tyr Leu Arg Tyr Tyr Val Gly His Lys Gly Lys
 35 40 45
 Phe Gly His Glu Phe Leu Glu Phe Glu Phe Arg Pro Asp Gly Lys Leu
 50 55 60
 Arg Tyr Ala Asn Asn Ser Asn Tyr Lys Asn Asp Val Met Ile Arg Lys

1021

```

65              70              75              80
Glu Ala Tyr Val His Lys Ser Val Met Glu Glu Leu Lys Arg Ile Ile
              85              90              95
Asp Asp Ser Glu Ile Thr Lys Glu Asp Asp Ala Leu Trp Pro Pro Pro
              100              105              110
Asp Arg Val Gly Arg Gln Glu Leu Glu Ile Val Ile Gly Asp Glu His
              115              120              125
Ile Ser Phe Thr Thr Ser Lys Ile Gly Ser Leu Ile Asp Val Asn Gln
              130              135              140
Ser Lys Asp Pro Glu Gly Leu Arg Val Phe Tyr Tyr Leu Val Gln Asp
145              150              155              160
Leu Lys Cys Leu Val Phe Ser Leu Ile Gly Leu His Phe Lys Ile Lys
              165              170              175

Pro Ile

```

```

<210> 1041
<211> 121
<212> PRT
<213> Homo sapiens.

```

```

<400> 1041
Leu Val Pro Asn Ser Ala Arg Ala Gly Ala Ser Tyr Ala Ala Ala Ala
 1              5              10              15
Val Thr Met Ala His Tyr Lys Ala Ala Asp Ser Lys Arg Glu Gln Phe
              20              25              30
Arg Arg Tyr Leu Glu Lys Ser Gly Val Leu Asp Thr Leu Thr Lys Val
              35              40              45
Leu Val Ala Leu Tyr Glu Glu Pro Glu Lys Pro Asn Ser Ala Leu Asp
              50              55              60
Phe Leu Lys His His Leu Gly Ala Ala Thr Pro Glu Asn Pro Glu Ile
65              70              75              80
Glu Leu Leu Arg Leu Glu Leu Ala Glu Met Lys Glu Lys Tyr Glu Ala
              85              90              95
Ile Val Glu Glu Asn Lys Lys Leu Lys Ala Lys Leu Ala Gln Tyr Glu
              100              105              110

```

1022

Pro Pro Gln Glu Glu Lys Arg Ala Glu
 115 120

<210> 1042

<211> 253

<212> PRT

<213> Homo sapiens

<400> 1042

Val Asp Pro Arg Val Arg Pro Arg Ser Val Asn Gly Glu Leu Gln Lys
 1 5 10 15

Ala Ile Asp Leu Phe Thr Asp Ala Ile Lys Leu Asn Pro Arg Leu Ala
 20 25 30

Ile Leu Tyr Ala Lys Arg Ala Ser Val Phe Val Lys Leu Gln Lys Pro
 35 40 45

Asn Ala Ala Ile Arg Asp Cys Asp Arg Ala Ile Glu Ile Asn Pro Asp
 50 55 60

Ser Ala Gln Pro Tyr Lys Trp Arg Gly Lys Ala His Arg Leu Leu Gly
 65 70 75 80

His Trp Glu Glu Ala Ala His Asp Leu Ala Leu Ala Cys Lys Leu Asp
 85 90 95

Tyr Asp Glu Asp Ala Ser Ala Met Leu Lys Glu Val Gln Pro Arg Ala
 100 105 110

Gln Lys Ile Ala Glu His Arg Arg Lys Tyr Glu Arg Lys Arg Glu Glu
 115 120 125

Arg Glu Ile Lys Glu Arg Ile Glu Arg Val Lys Lys Ala Arg Glu Glu
 130 135 140

His Glu Arg Ala Gln Arg Glu Glu Glu Ala Arg Arg Gln Ser Gly Ala
 145 150 155 160

Gln Tyr Gly Ser Phe Pro Gly Gly Phe Pro Gly Gly Met Pro Gly Asn
 165 170 175

Phe Pro Gly Gly Met Pro Gly Met Gly Gly Gly Met Pro Gly Met Ala
 180 185 190

Gly Met Pro Gly Leu Asn Glu Ile Leu Ser Asp Pro Glu Val Leu Ala
 195 200 205

1023

Ala Met Gln Asp Pro Glu Val Met Val Ala Phe Gln Asp Val Ala Gln
 210 215 220

Asn Pro Ala Asn Met Ser Lys Tyr Gln Ser Asn Pro Lys Val Met Asn
 225 230 235 240

Leu Ile Ser Lys Leu Ser Ala Lys Phe Gly Gly Gln Ala
 245 250

<210> 1043

<211> 343

<212> PRT

<213> Homo sapiens

<400> 1043

Met Lys Thr Cys Gln Glu Glu Lys Leu Met Gly His Leu Gly Val Val
 1 5 10 15

Leu Tyr Glu Tyr Leu Gly Glu Glu Tyr Pro Glu Val Leu Gly Ser Ile
 20 25 30

Leu Gly Ala Leu Lys Ala Ile Val Asn Val Ile Gly Met His Lys Met
 35 40 45

Thr Pro Pro Ile Lys Asp Leu Leu Pro Arg Leu Thr Pro Ile Leu Lys
 50 55 60

Asn Arg His Glu Lys Val Gln Glu Asn Cys Ile Asp Leu Val Gly Arg
 65 70 75 80

Ile Ala Asp Arg Gly Ala Glu Tyr Val Ser Ala Arg Glu Trp Met Arg
 85 90 95

Ile Cys Phe Glu Leu Leu Glu Leu Lys Ala His Lys Lys Ala Ile
 100 105 110

Arg Arg Ala Thr Val Asn Thr Phe Gly Tyr Ile Ala Lys Ala Ile Gly
 115 120 125

Pro His Asp Val Leu Ala Thr Leu Leu Asn Asn Leu Lys Val Gln Glu
 130 135 140

Arg Gln Asn Arg Val Cys Thr Thr Val Ala Ile Ala Ile Val Ala Glu
 145 150 155 160

Thr Cys Ser Pro Phe Thr Val Leu Pro Ala Leu Met Asn Glu Tyr Arg
 165 170 175

Val Pro Glu Leu Asn Val Gln Asn Gly Val Leu Lys Ser Leu Ser Phe

1024

180	185	190
Leu Phe Glu Tyr Ile Gly Glu Met Gly Lys Asp Tyr Ile Tyr Ala Val		
195	200	205
Thr Pro Leu Leu Glu Asp Ala Leu Met Asp Arg Asp Leu Val His Arg		
210	215	220
Gln Thr Ala Ser Ala Val Val Gln His Met Ser Leu Gly Val Tyr Gly		
225	230	240
Phe Gly Cys Glu Asp Ser Leu Asn His Leu Leu Asn Tyr Val Trp Pro		
245	250	255
Asn Val Phe Glu Thr Ser Pro His Val Ile Gln Ala Val Met Gly Ala		
260	265	270
Leu Glu Gly Leu Arg Val Ala Ile Gly Pro Cys Arg Met Leu Gln Tyr		
275	280	285
Cys Leu Gln Gly Leu Phe His Pro Ala Arg Lys Val Arg Asp Val Tyr		
290	295	300
Trp Lys Ile Tyr Asn Ser Ile Tyr Ile Gly Ser Gln Asp Ala Leu Ile		
305	310	320
Ala His Tyr Pro Arg Ile Tyr Asn Asp Asp Lys Asn Thr Tyr Ile Arg		
325	330	335
Tyr Glu Leu Asp Tyr Ile Leu		
340		

<210> 1044

<211> 268

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1044

Leu Arg Arg Pro Tyr Ala Arg Tyr Asn Gly Leu Tyr Arg Ser Gly Ile
1 5 10 15

Arg Gly Arg Xaa Asn Leu Glu Ser Thr Arg Val Arg Glu Leu Pro Gly
20 25 30

1025

Gly Ala Met Ser Cys Ile Asn Leu Pro Thr Val Leu Pro Gly Ser Pro
 35 40 45
 Ser Lys Thr Arg Gly Gln Ile Gln Val Ile Leu Gly Pro Met Phe Ser
 50 55 60
 Gly Lys Ser Thr Glu Leu Met Arg Arg Val Arg Arg Phe Gln Ile Ala
 65 70 75 80
 Gln Tyr Lys Cys Leu Val Ile Lys Tyr Ala Lys Asp Thr Arg Tyr Ser
 85 90 95
 Ser Ser Phe Cys Thr His Asp Arg Asn Thr Met Glu Ala Leu Pro Ala
 100 105 110
 Cys Leu Leu Arg Asp Val Ala Gln Glu Ala Leu Gly Val Ala Val Ile
 115 120 125
 Gly Ile Asp Glu Gly Gln Phe Phe Pro Asp Ile Val Glu Phe Cys Glu
 130 135 140
 Ala Met Ala Asn Ala Gly Lys Thr Val Ile Val Ala Ala Leu Asp Gly
 145 150 155 160
 Thr Phe Gln Arg Lys Pro Phe Gly Ala Ile Leu Asn Leu Val Pro Leu
 165 170 175
 Ala Glu Ser Val Val Lys Leu Thr Ala Val Cys Met Glu Cys Phe Arg
 180 185 190
 Glu Ala Ala Tyr Thr Lys Arg Leu Gly Thr Glu Lys Glu Val Glu Val
 195 200 205
 Ile Gly Gly Ala Asp Lys Tyr His Ser Val Cys Arg Leu Cys Tyr Phe
 210 215 220
 Lys Lys Ala Ser Gly Gln Pro Ala Gly Pro Asp Asn Lys Glu Asn Cys
 225 230 235 240
 Pro Val Pro Gly Lys Pro Gly Glu Ala Val Ala Ala Arg Lys Leu Phe
 245 250 255
 Ala Pro Gln Gln Ile Leu Gln Cys Ser Pro Ala Asn
 260 265

<210> 1045

<211> 139

<212> PRT

<213> Homo sapiens

1026

<220>

<221> SITE

<222> (128)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1045

Pro Gly Gln Ser Arg Trp Gln Gly Pro Pro Leu Pro Leu Cys Gln Ala
 1 5 10 15

Gly Ser Ala Lys Ser Gly Glu Pro Gly Ala Gly Gly Lys Ala Gly Asp
 20 25 30

Ser Pro Ala Leu Pro Pro Pro Pro Leu Gly Ala Gln Gln Leu Leu Arg
 35 40 45

Lys Val Trp His Pro Trp Arg Gly Gly Ala Pro Gly Trp Ala Gly Ser
 50 55 60

Arg Trp Pro Gly Ala Trp Arg Cys Ala Ala Gly Ala Cys Met Ala Pro
 65 70 75 80

Arg Gly Thr Gln Ala Glu Glu Ser Pro Phe Val Gly Asn Pro Gly Asn
 85 90 95

Ile Thr Gly Ala Arg Gly Leu Thr Gly Thr Leu Arg Cys Gln Leu Gln
 100 105 110

Val Gln Gly Glu Pro Pro Glu Val His Trp Leu Arg Asp Gly Gln Xaa
 115 120 125

Leu Glu Leu Ala Asp Ser Thr Gln Thr Gln Val
 130 135

<210> 1046

<211> 416

<212> PRT

<213> Homo sapiens

<400> 1046

Ser Pro Ser Glu Arg Leu Gln Arg Gly Arg Glu Glu Gln Pro Ala Gly
 1 5 10 15

Gly Gly Gly Glu Ser Val Ser Ser Trp Glu Glu Gln Asn Arg Gly Gly
 20 25 30

Ala Pro Ala Gly Ala Gly Gly Gly Pro Thr Met Ala Ile Arg Lys Lys
 35 40 45

1027

Ser Thr Lys Ser Pro Pro Val Leu Ser His Glu Phe Val Leu Gln Asn
 50 55 60

His Ala Asp Ile Val Ser Cys Val Ala Met Val Phe Leu Leu Gly Leu
 65 70 75 80

Met Phe Glu Ile Thr Ala Lys Ala Ser Ile Ile Phe Val Thr Leu Gln
 85 90 95

Tyr Asn Val Thr Leu Pro Ala Thr Glu Glu Gln Ala Thr Glu Ser Val
 100 105 110

Ser Leu Tyr Tyr Tyr Gly Ile Lys Asp Leu Ala Thr Val Phe Phe Tyr
 115 120 125

Met Leu Val Ala Ile Ile Ile His Ala Val Ile Gln Glu Tyr Met Leu
 130 135 140

Asp Lys Ile Asn Arg Arg Met His Phe Ser Lys Thr Lys His Ser Lys
 145 150 155 160

Phe Asn Glu Ser Gly Gln Leu Ser Ala Phe Tyr Leu Phe Ala Cys Val
 165 170 175

Trp Gly Thr Phe Ile Leu Ile Ser Glu Asn Tyr Ile Ser Asp Pro Thr
 180 185 190

Ile Leu Trp Arg Ala Tyr Pro His Asn Leu Met Thr Phe Gln Met Lys
 195 200 205

Phe Phe Tyr Ile Ser Gln Leu Ala Tyr Trp Leu His Ala Phe Pro Glu
 210 215 220

Leu Tyr Phe Gln Lys Thr Lys Lys Glu Asp Ile Pro Arg Gln Leu Val
 225 230 235 240

Tyr Ile Gly Leu Tyr Leu Phe His Ile Ala Gly Ala Tyr Leu Leu Asn
 245 250 255

Leu Asn His Leu Gly Leu Val Leu Leu Val Leu His Tyr Phe Val Glu
 260 265 270

Phe Leu Phe His Ile Ser Arg Leu Phe Tyr Phe Ser Asn Glu Lys Tyr
 275 280 285

Gln Lys Gly Phe Ser Leu Trp Ala Val Leu Phe Val Leu Gly Arg Leu
 290 295 300

Leu Thr Leu Ile Leu Ser Val Leu Thr Val Gly Phe Gly Leu Ala Arg
 305 310 315 320

```
<210> 1047
<211> 466
<212> PRT
<213> Homo sapiens
```

```

<400> 1047
Pro Ala Ser Ser Gly Leu Leu Pro Leu Ser Arg Ser Asn Leu Tyr Ser
  1                      5                      10                      15

Gly Arg Thr Gly Ile Pro Arg Ala Pro Pro Ala Leu Ala Ala Leu Ala
      20                      25                      30

Thr Ala Pro Gly Arg Arg Ala Pro Val His Thr Gly Ser Leu Leu Gly
      35                      40                      45

Thr Asn Ser Ser Thr Met Gly Leu Ala Trp Gly Leu Gly Val Leu Phe
      50                      55                      60

Leu Met His Val Cys Gly Thr Asn Arg Ile Pro Glu Ser Gly Gly Asp
      65                      70                      75                      80

Asn Ser Val Phe Asp Ile Phe Glu Leu Thr Gly Ala Ala Arg Lys Gly
      85                      90                      95

Ser Gly Arg Arg Leu Val Lys Gly Pro Asp Pro Ser Ser Pro Ala Phe
      100                      105                      110

Arg Ile Glu Asp Ala Asn Leu Ile Pro Pro Val Pro Asp Asp Lys Phe

```

1029

115	120	125
Gln Asp Leu Val Asp Ala Val Arg Ala Glu Lys Gly Phe Leu Leu Leu		
130	135	140
Ala Ser Leu Arg Gln Met Lys Lys Thr Arg Gly Thr Leu Leu Ala Leu		
145	150	155
Glu Arg Lys Asp His Ser Gly Gln Val Phe Ser Val Val Ser Asn Gly		
165	170	175
Lys Ala Gly Thr Leu Asp Leu Ser Leu Thr Val Gln Gly Lys Gln His		
180	185	190
Val Val Ser Val Glu Glu Ala Leu Leu Ala Thr Gly Gln Trp Lys Ser		
195	200	205
Ile Thr Leu Phe Val Gln Glu Asp Arg Ala Gln Leu Tyr Ile Asp Cys		
210	215	220
Glu Lys Met Glu Asn Ala Glu Leu Asp Val Pro Ile Gln Ser Val Phe		
225	230	235
Thr Arg Asp Leu Ala Ser Ile Ala Arg Leu Arg Ile Ala Lys Gly Gly		
245	250	255
Val Asn Asp Asn Phe Gln Gly Val Leu Gln Asn Val Arg Phe Val Phe		
260	265	270
Gly Thr Thr Pro Glu Asp Ile Leu Arg Asn Lys Gly Cys Ser Ser Ser		
275	280	285
Thr Ser Val Leu Leu Thr Leu Asp Asn Asn Val Val Asn Gly Ser Ser		
290	295	300
Pro Ala Ile Arg Thr Asn Tyr Ile Gly His Lys Thr Lys Asp Leu Gln		
305	310	315
Ala Ile Cys Gly Ile Ser Cys Asp Glu Leu Ser Ser Met Val Leu Glu		
325	330	335
Leu Arg Gly Leu Arg Thr Ile Val Thr Thr Leu Gln Asp Ser Ile Arg		
340	345	350
Lys Val Thr Glu Glu Asn Lys Glu Leu Ala Asn Glu Leu Arg Arg Pro		
355	360	365
Pro Leu Cys Tyr His Asn Gly Val Gln Tyr Arg Asn Asn Glu Glu Trp		
370	375	380
Thr Val Asp Ser Cys Thr Glu Cys His Cys Gln Asn Ser Val Thr Ile		

1030

```

385              390              395              400
Cys Lys Lys Val Ser Cys Pro Ile Met Pro Cys Ser Asn Ala Thr Val
              405              410              415
Pro Asp Gly Glu Cys Cys Pro Arg Cys Trp Pro Ser Asp Ser Ala Asp
              420              425              430
Asp Gly Trp Ser Pro Trp Ser Glu Trp Thr Ser Cys Ser Thr Ser Cys
              435              440              445
Gly Asn Gly Ile Gln Gln Arg Gly Arg Ser Cys Asp Ser Ala Gln Gln
              450              455              460
Pro Met
465

```

```

<210> 1048
<211> 217
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> SITE
<222> (122)
<223> Xaa equals any of the naturally occurring L-amino acids

```

```

<220>
<221> SITE
<222> (186)
<223> Xaa equals any of the naturally occurring L-amino acids

```

```

<220>
<221> SITE
<222> (200)
<223> Xaa equals any of the naturally occurring L-amino acids

```

```

<400> 1048
Asp Pro Arg Val Arg Gln Ser His Ile Ser Asp Thr Ser Val Val Val
  1              5              10              15
Lys Leu Asp Asn Ser Arg Asp Leu Asn Met Asp Cys Ile Ile Ala Glu
              20              25              30
Ile Lys Ala Gln Tyr Asp Asp Ile Val Thr Arg Ser Arg Ala Glu Ala
              35              40              45
Glu Ser Trp Tyr Arg Ser Lys Cys Glu Glu Met Lys Ala Thr Val Ile
              50              55              60

```

1031

Arg His Gly Glu Thr Leu Arg Arg Thr Lys Glu Glu Ile Asn Glu Leu
 65 70 75 80
 Asn Arg Met Ile Gln Arg Leu Thr Ala Glu Val Glu Asn Ala Lys Cys
 85 90 95
 Gln Asn Ser Lys Leu Glu Ala Ala Val Ala Gln Ser Glu Gln Gln Gly
 100 105 110
 Glu Ala Ala Leu Ser Asp Ala Arg Cys Xaa Leu Ala Glu Leu Glu Gly
 115 120 125
 Ala Leu Gln Lys Ala Lys Gln Asp Met Ala Cys Leu Ile Arg Glu Tyr
 130 135 140
 Gln Glu Val Met Asn Ser Lys Leu Gly Leu Asp Ile Glu Ile Ala Thr
 145 150 155 160
 Tyr Arg Arg Leu Leu Glu Gly Glu Glu Gln Arg Leu Cys Glu Gly Ile
 165 170 175
 Gly Ala Val Asn Val Cys Val Ser Ser Xaa Arg Gly Gly Val Val Cys
 180 185 190
 Gly Asp Leu Cys Val Ser Gly Xaa Arg Pro Val Thr Ala Val Ser Ala
 195 200 205
 Ala Leu Arg Ala Thr Gly Thr Trp Arg
 210 215

<210> 1049

<211> 406

<212> PRT

<213> Homo sapiens

<400> 1049

Gly Ser Ala Ala Ala Arg Tyr Leu Ser Ala Thr Trp Arg Asn Trp Ile
 1 5 10 15
 Ser Leu Pro Pro Ala Gly Leu Pro Ala Thr Ala Gly Leu Arg His Ser
 20 25 30
 Gly Ser Leu Met Ala Ala Thr Cys Glu Ile Ser Asn Ile Phe Ser Asn
 35 40 45
 Tyr Phe Ser Ala Met Tyr Ser Ser Glu Asp Ser Thr Leu Ala Ser Val
 50 55 60

1032

Pro Pro Ala Ala Thr Phe Gly Ala Asp Asp Leu Val Leu Thr Leu Ser
 65 70 75 80

Asn Pro Gln Met Ser Leu Glu Gly Thr Glu Lys Ala Ser Trp Leu Gly
 85 90 95

Glu Gln Pro Gln Phe Trp Ser Lys Thr Gln Val Leu Asp Trp Ile Ser
 100 105 110

Tyr Gln Val Glu Lys Asn Lys Tyr Asp Ala Ser Ala Ile Asp Phe Ser
 115 120 125

Arg Cys Asp Met Asp Gly Ala Thr Leu Cys Asn Cys Ala Leu Glu Glu
 130 135 140

Leu Arg Leu Val Phe Gly Pro Leu Gly Asp Gln Leu His Ala Gln Leu
 145 150 155 160

Arg Asp Leu Thr Ser Ser Ser Ser Asp Glu Leu Ser Trp Ile Ile Glu
 165 170 175

Leu Leu Glu Lys Asp Gly Met Ala Phe Gln Glu Ala Leu Asp Pro Gly
 180 185 190

Pro Phe Asp Gln Gly Ser Pro Phe Ala Gln Glu Leu Leu Asp Asp Gly
 195 200 205

Gln Gln Ala Ser Pro Tyr His Pro Gly Ser Cys Gly Ala Gly Ala Pro
 210 215 220

Ser Pro Gly Ser Ser Asp Val Ser Thr Ala Gly Thr Gly Ala Ser Arg
 225 230 235 240

Ser Ser His Ser Ser Asp Ser Gly Gly Ser Asp Val Asp Leu Asp Pro
 245 250 255

Thr Asp Gly Lys Leu Phe Pro Ser Asp Gly Phe Arg Asp Cys Lys Lys
 260 265 270

Gly Asp Pro Lys His Gly Lys Arg Lys Arg Gly Arg Pro Arg Lys Leu
 275 280 285

Ser Lys Glu Tyr Trp Asp Cys Leu Glu Gly Lys Lys Ser Lys His Ala
 290 295 300

Pro Arg Gly Thr His Leu Trp Glu Phe Ile Arg Asp Ile Leu Ile His
 305 310 315 320

Pro Glu Leu Asn Glu Gly Leu Met Lys Trp Glu Asn Arg His Glu Gly
 325 330 335

1033

Val Phe Lys Phe Leu Arg Ser Glu Ala Val Ala Gln Leu Trp Gly Gln
 340 345 350

Lys Lys Lys Asn Ser Asn Met Thr Tyr Glu Lys Leu Ser Arg Ala Met
 355 360 365

Arg Tyr Tyr Tyr Lys Arg Glu Ile Leu Glu Arg Val Asp Gly Arg Arg
 370 375 380

Leu Val Tyr Lys Phe Gly Lys Asn Ser Ser Gly Trp Lys Glu Glu Glu
 385 390 395 400

Val Leu Gln Ser Arg Asn
 405

<210> 1050

<211> 251

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (86)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1050

Arg Pro Ala Leu Asp Thr Cys Cys Pro Phe Pro Ala Arg Ile Leu Gly
 1 5 10 15

Ser Phe Pro Leu Ser Gln His Leu Gly Pro Ala Phe Asp Thr Thr Pro
 20 25 30

Arg Leu Pro Thr Leu Arg Ala Trp Ser Leu Pro Gln Gly Pro Leu Ser
 35 40 45

Trp Ala Met Ala Xaa Lys Gly Val Leu Gly Pro Gly Gln Leu Gly Ala
 50 55 60

Val Ala Ile Leu Leu Tyr Leu Gly Leu Leu Arg Ser Gly Thr Gly Ala
 65 70 75 80

Glu Gly Ala Glu Ala Xaa Cys Gly Val Ala Pro Gln Ala Arg Ile Thr
 85 90 95

1034

Gly Gly Ser Ser Ala Val Ala Gly Gln Trp Pro Trp Gln Val Ser Ile
 100 105 110
 Thr Tyr Glu Gly Val His Val Cys Gly Gly Ser Leu Val Ser Glu Gln
 115 120 125
 Trp Val Leu Ser Ala Ala His Cys Phe Pro Ser Glu His His Lys Glu
 130 135 140
 Ala Tyr Glu Val Lys Leu Gly Ala His Gln Leu Asp Ser Tyr Ser Glu
 145 150 155 160
 Asp Ala Lys Val Ser Thr Leu Lys Asp Ile Ile Pro His Pro Ser Tyr
 165 170 175
 Leu Gln Glu Gly Ser Gln Gly Asp Ile Ala Leu Leu Gln Leu Ser Arg
 180 185 190
 Pro Ile Thr Phe Ser Arg Tyr Ile Arg Pro Ile Cys Leu Pro Ala Ala
 195 200 205
 Asn Ala Ser Phe Pro Asn Gly Leu His Cys Thr Val Thr Gly Trp Gly
 210 215 220
 His Val Ala Pro Ser Val Ser Leu Leu Thr Pro Lys Pro Leu Gln Gln
 225 230 235 240
 Leu Glu Val Pro Leu Ile Ser Arg Glu Thr Trp
 245 250

<210> 1051

<211> 171

<212> PRT

<213> Homo sapiens

<400> 1051

His Tyr Arg Arg Tyr Ala Cys Arg Tyr Arg Ser Gly Ile Arg Gly Arg
 1 5 10 15
 Val Asp Ile Arg Arg Arg Ser Ser Arg Arg Pro Arg Glu Pro Pro Gly
 20 25 30
 Pro Ser Arg Arg Arg Arg Arg Arg Arg Pro Asp Pro Arg Thr Met Pro
 35 40 45
 Ser Glu Lys Thr Phe Lys Gln Arg Arg Thr Phe Glu Gln Arg Val Glu
 50 55 60
 Asp Val Arg Leu Ile Arg Glu Gln His Pro Thr Lys Ile Pro Val Ile

1035

```

65              70              75              80
Ile Glu Arg Tyr Lys Gly Glu Lys Gln Leu Pro Val Leu Asp Lys Thr
      85              90              95
Lys Phe Leu Val Pro Asp His Val Asn Met Ser Glu Leu Ile Lys Ile
      100              105              110
Ile Arg Arg Arg Leu Gln Leu Asn Ala Asn Gln Ala Phe Phe Leu Leu
      115              120              125
Val Asn Gly His Ser Met Val Ser Val Ser Thr Pro Ile Ser Glu Val
      130              135              140
Tyr Glu Ser Glu Lys Asp Glu Asp Gly Phe Leu Tyr Met Val Tyr Ala
145              150              155              160
Ser Gln Glu Thr Phe Gly Met Lys Leu Ser Val
      165              170

```

<210> 1052
 <211> 189
 <212> PRT
 <213> Homo sapiens

```

<400> 1052
Gly Gly Pro Thr Cys Ser Ala Arg Cys Glu Pro Val Arg Pro Pro Pro
 1              5              10              15
Ala Pro Glu Gln Pro Ala Ser Leu His Arg Leu Leu Ser Val Leu Ser
      20              25              30
Pro Arg Ala Ala Ile Ala Val Met Leu Gly Ala Ala Leu Arg Arg Cys
      35              40              45
Ala Val Ala Ala Thr Thr Arg Ala Asp Pro Arg Gly Leu Leu His Ser
      50              55              60
Ala Arg Thr Pro Gly Pro Ala Val Ala Ile Gln Ser Val Arg Cys Tyr
      65              70              75              80
Ser His Gly Ser Gln Glu Thr Asp Glu Glu Phe Asp Ala Arg Trp Val
      85              90              95
Thr Tyr Phe Asn Lys Pro Asp Ile Asp Ala Trp Glu Leu Arg Lys Gly
      100              105              110
Ile Asn Thr Leu Val Thr Tyr Asp Met Val Pro Glu Pro Lys Ile Ile
      115              120              125

```

1036

Asp Ala Ala Leu Arg Ala Cys Arg Arg Leu Asn Asp Phe Ala Ser Thr
 130 135 140

Val Arg Ile Leu Glu Val Val Lys Asp Lys Ala Gly Pro His Lys Glu
 145 150 155 160

Ile Tyr Pro Tyr Val Ile Gln Glu Leu Arg Pro Thr Leu Asn Glu Leu
 165 170 175

Gly Ile Ser Thr Pro Glu Glu Leu Gly Leu Asp Lys Val
 180 185

<210> 1053

<211> 315

<212> PRT

<213> Homo sapiens

<400> 1053

Arg His Ser Ala Ser Pro Arg Cys Arg Leu Pro Pro Thr Glu Pro Val
 1 5 10 15

Ser Gly Leu Arg Ala Ser Gly Glu Met Leu Leu Pro Leu Leu Leu Leu
 20 25 30

Leu Pro Met Cys Trp Ala Val Glu Val Lys Arg Pro Arg Gly Val Ser
 35 40 45

Leu Thr Asn His His Phe Tyr Asp Glu Ser Lys Pro Phe Thr Cys Leu
 50 55 60

Asp Gly Ser Ala Thr Ile Pro Phe Asp Gln Val Asn Asp Asp Tyr Cys
 65 70 75 80

Asp Cys Lys Asp Gly Ser Asp Glu Pro Gly Thr Ala Ala Cys Pro Asn
 85 90 95

Gly Ser Phe His Cys Thr Asn Thr Gly Tyr Lys Pro Leu Tyr Ile Pro
 100 105 110

Ser Asn Arg Val Asn Asp Gly Val Cys Asp Cys Cys Asp Gly Thr Asp
 115 120 125

Glu Tyr Asn Ser Gly Val Ile Cys Glu Asn Thr Cys Lys Glu Lys Gly
 130 135 140

Arg Lys Glu Arg Glu Ser Leu Gln Gln Met Ala Glu Val Thr Arg Glu
 145 150 155 160

Gly	Phe	Arg	Leu	Lys	Lys	Ile	Leu	Ile	Glu	Asp	Trp	Lys	Lys	Ala	Arg	165	170	175
Glu	Glu	Lys	Gln	Lys	Lys	Leu	Ile	Glu	Leu	Gln	Ala	Gly	Lys	Lys	Ser	180	185	190
Leu	Glu	Asp	Gln	Val	Glu	Met	Leu	Arg	Thr	Val	Lys	Glu	Glu	Ala	Glu	195	200	205
Lys	Pro	Glu	Arg	Glu	Ala	Lys	Glu	Gln	His	Gln	Lys	Leu	Trp	Glu	Glu	210	215	220
Gln	Leu	Ala	Ala	Ala	Lys	Ala	Gln	Gln	Glu	Gln	Glu	Leu	Ala	Ala	Asp	225	230	235
Ala	Phe	Lys	Glu	Leu	Asp	Asp	Asp	Met	Asp	Gly	Thr	Val	Ser	Val	Thr	245	250	255
Glu	Leu	Gln	Thr	His	Pro	Glu	Leu	Asp	Thr	Asp	Gly	Asp	Gly	Ala	Leu	260	265	270
Ser	Glu	Ala	Glu	Ala	Gln	Ala	Leu	Leu	Ser	Gly	Asp	Thr	Gln	Thr	Asp	275	280	285
Ala	Thr	Ser	Phe	Tyr	Asp	Arg	Val	Trp	Gly	Pro	Gly	Gly	Ala	Gly	Pro	290	295	300
His	Ser	Gln	Ala	Pro	Thr	Ala	Phe	Lys	Asp	Gly						305	310	315

Met Val Ala Lys Val Asp Glu Val Lys Ser Thr Ile Lys Phe Gln Met

```

65              70              75              80
Lys Lys Val Leu Cys Leu Ala Val Ala Val Gly His Val Lys Met Thr
      85              90              95
Asp Asp Glu Leu Val Tyr Asn Ile His Leu Ala Val Asn Phe Leu Val
      100              105              110
Ser Leu Leu Lys Lys Asn Trp Gln Asn Val Arg Ala Leu Tyr Ile Lys
      115              120              125
Ser Thr Met Gly Lys Pro Gln Arg Leu Tyr
      130              135

```

Gln Glu Phe Ile Arg Val Gly Tyr Tyr Val Asn Asn Glu Tyr Leu Asn
145 150 155 160

1039

Pro Glu Leu Arg Glu Asn Pro Pro Met Lys Pro Asp Phe Ser Gln Leu
 165 170 175

Gln Arg Asn Ile Leu Ala Ser Asn Pro Arg Val Thr Arg Phe His Ile
 180 185 190

Asn Trp Asp Asn Asn Met Asp Arg Leu Glu Ala Ile Glu Thr Gln Asp
 195 200 205

Pro Ser Leu Gly Cys Gly Leu Pro Leu Asn Cys Thr Pro Ile Lys Gly
 210 215 220

Leu Gly Leu Pro Gly Cys Ile Pro Gly Leu Leu Pro Glu Asn Ser Met
 225 230 235 240

Asp Cys Ile

<210> 1056

<211> 211

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1056

His Glu Pro Arg Arg Leu Leu Xaa Asp Ala Glu Gly Pro Glu Glu Thr
 1 5 10 15

Val Arg Leu Trp Pro Ala Ala Arg Ala Ala Met Asp Ala Ala Glu Val
 20 25 30

Glu Phe Leu Ala Glu Lys Glu Leu Val Thr Ile Ile Pro Asn Phe Ser
 35 40 45

Leu Asp Lys Ile Tyr Leu Ile Gly Gly Asp Leu Gly Pro Phe Asn Pro
 50 55 60

Gly Leu Pro Val Glu Val Pro Leu Trp Leu Ala Ile Asn Leu Lys Gln
 65 70 75 80

Arg Gln Lys Cys Arg Leu Leu Pro Pro Glu Trp Met Asp Val Glu Lys
 85 90 95

Leu Glu Lys Met Arg Asp His Glu Arg Lys Glu Glu Thr Phe Thr Pro

1040

100	105	110
Met Pro Ser Pro Tyr Tyr Met Glu Leu Thr Lys Leu Leu Leu Asn His		
115	120	125
Ala Ser Asp Asn Ile Pro Lys Ala Asp Glu Ile Arg Thr Leu Val Lys		
130	135	140
Asp Met Trp Asp Thr Arg Ile Ala Lys Leu Arg Val Ser Ala Asp Ser		
145	150	155
Phe Val Arg Gln Gln Glu Ala His Ala Lys Leu Asp Asn Leu Thr Leu		
165	170	175
Met Glu Ile Asn Thr Ser Gly Thr Phe Leu Thr Gln Ala Leu Asn His		
180	185	190
Met Tyr Lys Leu Arg Thr Asn Leu Gln Pro Leu Glu Ser Thr Gln Ser		
195	200	205
Gln Asp Phe		
210		

<210> 1057

<211> 407

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (343)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1057

Val Ile Leu Gly Ala Gly Leu Arg Asp Lys Asp Met Trp Ile Pro Val
1 5 10 15

Val Gly Leu Pro Arg Arg Leu Arg Leu Ser Ala Leu Ala Gly Ala Gly
20 25 30

Arg Phe Cys Ile Leu Gly Ser Glu Ala Ala Thr Arg Lys His Leu Pro
35 40 45

Ala Arg Asn His Cys Gly Leu Ser Asp Ser Ser Pro Gln Leu Trp Pro
50 55 60

Glu Pro Asp Phe Arg Asn Pro Pro Arg Lys Ala Ser Lys Ala Ser Leu
65 70 75 80

1041

Asp	Phe	Lys	Arg	Tyr	Val	Thr	Asp	Arg	Arg	Leu	Ala	Glu	Thr	Leu	Ala		85	90	95	
Gln	Ile	Tyr	Leu	Gly	Lys	Pro	Ser	Arg	Pro	Pro	His	Leu	Leu	Leu	Glu		100	105	110	
Cys	Asn	Pro	Gly	Pro	Gly	Ile	Leu	Thr	Gln	Ala	Leu	Leu	Glu	Ala	Gly		115	120	125	
Ala	Lys	Val	Val	Ala	Leu	Glu	Ser	Asp	Lys	Thr	Phe	Ile	Pro	His	Leu		130	135	140	
Glu	Ser	Leu	Gly	Lys	Asn	Leu	Asp	Gly	Lys	Leu	Arg	Val	Ile	His	Cys		145	150	155	160
Asp	Phe	Phe	Lys	Leu	Asp	Pro	Arg	Ser	Gly	Gly	Val	Ile	Lys	Pro	Pro		165	170	175	
Ala	Met	Ser	Ser	Arg	Gly	Leu	Phe	Lys	Asn	Leu	Gly	Ile	Glu	Ala	Val		180	185	190	
Pro	Trp	Thr	Ala	Asp	Ile	Pro	Leu	Lys	Val	Val	Gly	Met	Phe	Pro	Ser		195	200	205	
Arg	Gly	Glu	Lys	Arg	Ala	Leu	Trp	Lys	Leu	Ala	Tyr	Asp	Leu	Tyr	Ser		210	215	220	
Cys	Thr	Ser	Ile	Tyr	Lys	Phe	Gly	Arg	Ile	Glu	Val	Asn	Met	Phe	Ile		225	230	235	240
Gly	Glu	Lys	Glu	Phe	Gln	Lys	Leu	Met	Ala	Asp	Pro	Gly	Asn	Pro	Asp		245	250	255	
Leu	Tyr	His	Val	Leu	Ser	Val	Ile	Trp	Gln	Leu	Ala	Cys	Glu	Ile	Lys		260	265	270	
Val	Leu	His	Met	Glu	Pro	Trp	Ser	Ser	Phe	Asp	Ile	Tyr	Thr	Arg	Lys		275	280	285	
Gly	Pro	Leu	Glu	Asn	Pro	Lys	Arg	Arg	Glu	Leu	Leu	Asp	Gln	Leu	Gln		290	295	300	
Gln	Lys	Leu	Tyr	Leu	Ile	Gln	Met	Ile	Pro	Arg	Gln	Asn	Leu	Phe	Thr		305	310	315	320
Lys	Asn	Leu	Thr	Pro	Met	Asn	Tyr	Asn	Ile	Phe	Phe	His	Leu	Leu	Lys		325	330	335	
His	Cys	Phe	Gly	Arg	Arg	Xaa	Ala	Thr	Val	Ile	Asp	His	Leu	Arg	Ser		340	345	350	

Leu Thr Pro Leu Asp Ala Arg Asp Ile Leu Met Gln Ile Gly Lys Gln
 355 360 365

Glu Asp Glu Lys Val Val Asn Met His Pro Gln Asp Phe Lys Thr Leu
 370 375 380

Phe Glu Thr Ile Glu Arg Ser Lys Asp Cys Ala Tyr Lys Trp Leu Tyr
385 390 395 400

Asp Glu Thr Leu Glu Asp Arg
 405

```
<210> 1058
<211> 89
<212> PRT
<213> Homo sapiens
```

```

<400> 1058
Ser Ser Trp Val Gly Gly Ser Leu Arg Gln Ala Ala Thr Leu Glu Gly
  1                      5                      10                      15
Glu Gln Gly Ser Ala Val Ser Ala Ala Ser His Ala Arg Ser Asp Leu
          20                      25                      30
Ser Leu Gly Thr Pro Gln Glu Pro Glu Asp Ser Ser Gly Gln Cys Arg
      35                      40                      45
Trp Gly Val Gly Gly Glu Ser Gly Arg Glu Ala Leu Arg Ala Pro Ser
      50                      55                      60
Pro Thr Thr Asn Leu Ala Leu Val Val Ile Phe Arg Gln Asn Phe Val
  65                      70                      75                      80
Val Phe Phe Pro Phe Tyr Asp Gly Phe
          85

```

```
<210> 1059
<211> 457
<212> PRT
<213> Homo sapiens
```

<400> 1059
Gly Thr Arg Pro Ser Ser Cys Ser Gln Thr Glu Ala Gln Pro Pro Ser
1 5 10 15
Pro Val Ser Ile Thr Ser Ala Ala Ser Met Ser Asp Lys Leu Pro Tyr
20 25 30

1043

Lys Val Ala Asp Ile Gly Leu Ala Ala Trp Gly Arg Lys Ala Leu Asp
 35 40 45
 Ile Ala Glu Asn Glu Met Pro Gly Leu Met Arg Met Arg Glu Arg Tyr
 50 55 60
 Ser Ala Ser Lys Pro Leu Lys Gly Ala Arg Ile Ala Gly Cys Leu His
 65 70 75 80
 Met Thr Val Glu Thr Ala Val Leu Ile Glu Thr Leu Val Thr Leu Gly
 85 90 95
 Ala Glu Val Gln Trp Ser Ser Cys Asn Ile Phe Ser Thr Gln Asp His
 100 105 110
 Ala Ala Ala Ala Ile Ala Lys Ala Gly Ile Pro Val Tyr Ala Trp Lys
 115 120 125
 Gly Glu Thr Asp Glu Glu Tyr Leu Trp Cys Ile Glu Gln Thr Leu Tyr
 130 135 140
 Phe Lys Asp Gly Pro Leu Asn Met Ile Leu Asp Asp Gly Gly Asp Leu
 145 150 155 160
 Thr Asn Leu Ile His Thr Lys Tyr Pro Gln Leu Leu Pro Gly Ile Arg
 165 170 175
 Gly Ile Ser Glu Glu Thr Thr Thr Gly Val His Asn Leu Tyr Lys Met
 180 185 190
 Met Ala Asn Gly Ile Leu Lys Val Pro Ala Ile Asn Val Asn Asp Ser
 195 200 205
 Val Thr Lys Ser Lys Phe Asp Asn Leu Tyr Gly Cys Arg Glu Ser Leu
 210 215 220
 Ile Asp Gly Ile Lys Arg Ala Thr Asp Val Met Ile Ala Gly Lys Val
 225 230 235 240
 Ala Val Val Ala Gly Tyr Gly Asp Val Gly Lys Gly Cys Ala Gln Ala
 245 250 255
 Leu Arg Gly Phe Gly Ala Arg Val Ile Ile Thr Glu Ile Asp Pro Ile
 260 265 270
 Asn Ala Leu Gln Ala Ala Met Glu Gly Tyr Glu Val Thr Thr Met Asp
 275 280 285
 Glu Ala Cys Gln Glu Gly Asn Ile Phe Val Thr Thr Thr Gly Cys Ile
 290 295 300

1044

Asp Ile Ile Leu Gly Arg His Phe Glu Gln Met Lys Asp Asp Ala Ile
 305 310 315 320

Val Cys Asn Ile Gly His Phe Asp Val Glu Ile Asp Val Lys Trp Leu
 325 330 335

Asn Glu Asn Ala Val Glu Lys Val Asn Ile Lys Pro Gln Val Asp Arg
 340 345 350

Tyr Arg Leu Lys Asn Gly Arg Arg Ile Ile Leu Leu Ala Glu Gly Arg
 355 360 365

Leu Val Asn Leu Gly Cys Ala Met Gly His Pro Ser Phe Val Met Ser
 370 375 380

Asn Ser Phe Thr Asn Gln Val Met Ala Gln Ile Glu Leu Trp Thr His
 385 390 395 400

Pro Asp Lys Tyr Pro Val Gly Val His Phe Leu Pro Lys Lys Leu Asp
 405 410 415

Glu Ala Val Ala Glu Ala His Leu Gly Lys Leu Asn Val Lys Leu Thr
 420 425 430

Lys Leu Thr Glu Lys Gln Ala Gln Tyr Leu Gly Met Ser Cys Asp Gly
 435 440 445

Pro Phe Lys Pro Asp His Tyr Arg Tyr
 450 455

<210> 1060

<211> 511

<212> PRT

<213> Homo sapiens

<400> 1060

Glu Gly Val Met Ala Asp Gly Gln Val Ala Glu Leu Leu Leu Arg Arg
 1 5 10 15

Leu Glu Ala Ser Asp Gly Gly Leu Asp Ser Ala Glu Leu Ala Ala Glu
 20 25 30

Leu Gly Met Glu His Gln Ala Val Val Gly Ala Val Lys Ser Leu Gln
 35 40 45

Ala Leu Gly Glu Val Ile Glu Ala Glu Leu Arg Ser Thr Lys His Trp
 50 55 60

1045

Glu Leu Thr Ala Glu Gly Glu Glu Ile Ala Arg Glu Gly Ser His Glu
 65 70 75 80
 Ala Arg Val Phe Arg Ser Ile Pro Pro Glu Gly Leu Ala Gln Ser Glu
 85 90 95
 Leu Met Arg Leu Pro Ser Gly Lys Val Gly Phe Ser Lys Ala Met Ser
 100 105 110
 Asn Lys Trp Ile Arg Val Asp Lys Ser Ala Ala Asp Gly Pro Arg Val
 115 120 125
 Phe Arg Val Val Asp Ser Met Glu Asp Glu Val Gln Arg Arg Leu Gln
 130 135 140
 Leu Val Arg Gly Gly Gln Ala Glu Lys Leu Gly Glu Lys Glu Arg Ser
 145 150 155 160
 Glu Leu Arg Lys Arg Lys Leu Leu Ala Glu Val Thr Leu Lys Thr Tyr
 165 170 175
 Trp Val Ser Lys Gly Ser Ala Phe Ser Thr Ser Ile Ser Lys Gln Glu
 180 185 190
 Thr Glu Leu Ser Pro Glu Met Ile Ser Ser Gly Ser Trp Arg Asp Arg
 195 200 205
 Pro Phe Lys Pro Tyr Asn Phe Leu Ala His Gly Val Leu Pro Asp Ser
 210 215 220
 Gly His Leu His Pro Leu Leu Lys Val Arg Ser Gln Phe Arg Gln Ile
 225 230 235 240
 Phe Leu Glu Met Gly Phe Thr Glu Met Pro Thr Asp Asn Phe Ile Glu
 245 250 255
 Ser Ser Phe Trp Asn Phe Asp Ala Leu Phe Gln Pro Gln Gln His Pro
 260 265 270
 Ala Arg Asp Gln His Asp Thr Phe Phe Leu Arg Asp Pro Ala Glu Ala
 275 280 285
 Leu Gln Leu Pro Met Asp Tyr Val Gln Arg Val Lys Arg Thr His Ser
 290 295 300
 Gln Gly Gly Tyr Gly Ser Gln Gly Tyr Lys Tyr Asn Trp Lys Leu Asp
 305 310 315 320
 Glu Ala Arg Lys Asn Leu Leu Arg Thr His Thr Thr Ser Ala Ser Ala
 325 330 335

1046

Arg Ala Leu Tyr Arg Leu Ala Gln Lys Lys Pro Phe Thr Pro Val Lys
 340 345 350
 Tyr Phe Ser Ile Asp Arg Val Phe Arg Asn Glu Thr Leu Asp Ala Thr
 355 360 365
 His Leu Ala Glu Phe His Gln Ile Glu Gly Val Val Ala Asp His Gly
 370 375 380
 Leu Thr Leu Gly His Leu Met Gly Val Leu Arg Glu Phe Phe Thr Lys
 385 390 395 400
 Leu Gly Ile Thr Gln Leu Arg Phe Lys Pro Ala Tyr Asn Pro Tyr Thr
 405 410 415
 Glu Pro Ser Met Glu Val Phe Ser Tyr His Gln Gly Leu Lys Lys Trp
 420 425 430
 Val Glu Val Gly Asn Ser Gly Val Phe Arg Pro Glu Met Leu Leu Pro
 435 440 445
 Met Gly Leu Pro Glu Asn Val Ser Val Ile Ala Trp Gly Leu Ser Leu
 450 455 460
 Glu Arg Pro Thr Met Ile Lys Tyr Gly Ile Asn Asn Ile Arg Glu Leu
 465 470 475 480
 Val Gly His Lys Val Asn Leu Gln Met Val Tyr Asp Ser Pro Leu Cys
 485 490 495
 Arg Leu Asp Ala Glu Pro Arg Pro Pro Pro Thr Gln Glu Ala Ala
 500 505 510

<210> 1061

<211> 228

<212> PRT

<213> Homo sapiens

<400> 1061

Arg Ala Ala Ser Thr Pro Arg Ala Ala Pro Gly Ala Ala Leu Leu Ser
 1 5 10 15
 Pro Pro Gly Leu Arg Ala Ala Pro Ala Ala Leu Val Met Gly Glu Gly
 20 25 30
 Thr Cys Glu Lys Arg Arg Asp Ala Glu Tyr Gly Ala Ser Pro Glu Gln
 35 40 45
 Val Ala Asp Asn Gly Asp Asp His Ser Glu Gly Gly Leu Val Glu Asn

1047

50 55 60
 His Val Asp Ser Thr Met Asn Met Leu Gly Gly Gly Gly Ser Ala Gly
 65 70 75 80
 Arg Lys Pro Leu Lys Ser Gly Met Lys Glu Leu Ala Val Phe Arg Glu
 85 90 95
 Lys Val Thr Glu Gln His Arg Gln Met Gly Lys Gly Gly Lys His His
 100 105 110
 Leu Gly Leu Glu Glu Pro Lys Lys Leu Arg Pro Pro Pro Ala Arg Thr
 115 120 125
 Pro Cys Gln Gln Glu Leu Asp Gln Val Leu Glu Arg Ile Ser Thr Met
 130 135 140
 Arg Leu Pro Asp Glu Arg Gly Pro Leu Glu His Leu Tyr Ser Leu His
 145 150 155 160
 Ile Pro Asn Cys Asp Lys His Gly Leu Tyr Asn Leu Lys Gln Cys Lys
 165 170 175
 Met Ser Leu Asn Gly Gln Arg Gly Glu Cys Trp Cys Val Asn Pro Asn
 180 185 190
 Thr Gly Lys Leu Ile Gln Gly Ala Pro Thr Ile Arg Gly Asp Pro Glu
 195 200 205
 Cys His Leu Phe Tyr Asn Glu Gln Gln Glu Ala Arg Gly Val His Thr
 210 215 220
 Gln Arg Met Gln
 225

<210> 1062

<211> 324

<212> PRT

<213> Homo sapiens

<400> 1062

Pro Arg Val Met Ala Met Ala Thr Lys Gly Gly Thr Val Lys Ala Ala
 1 5 10 15
 Ser Gly Phe Asn Ala Met Glu Asp Ala Gln Thr Leu Arg Lys Ala Met
 20 25 30
 Lys Gly Leu Gly Thr Asp Glu Asp Ala Ile Ile Ser Val Leu Ala Tyr
 35 40 45

1048

Arg Asn Thr Ala Gln Arg Gln Glu Ile Arg Thr Ala Tyr Lys Ser Thr
 50 55 60

Ile Gly Arg Asp Leu Ile Asp Asp Leu Lys Ser Glu Leu Ser Gly Asn
 65 70 75 80

Phe Glu Gln Val Ile Val Gly Met Met Thr Pro Thr Val Leu Tyr Asp
 85 90 95

Val Gln Glu Leu Arg Arg Ala Met Lys Gly Ala Gly Thr Asp Glu Gly
 100 105 110

Cys Leu Ile Glu Ile Leu Ala Ser Arg Thr Pro Glu Glu Ile Arg Arg
 115 120 125

Ile Ser Gln Thr Tyr Gln Gln Gln Tyr Gly Arg Ser Leu Glu Asp Asp
 130 135 140

Ile Arg Ser Asp Thr Ser Phe Met Phe Gln Arg Val Leu Val Ser Leu
 145 150 155 160

Ser Ala Gly Gly Arg Asp Glu Gly Asn Tyr Leu Asp Asp Ala Leu Val
 165 170 175

Arg Gln Asp Ala Gln Asp Leu Tyr Glu Ala Gly Glu Lys Lys Trp Gly
 180 185 190

Thr Asp Glu Val Lys Phe Leu Thr Val Leu Cys Ser Arg Asn Arg Asn
 195 200 205

His Leu Leu His Val Phe Asp Glu Tyr Lys Arg Ile Ser Gln Lys Asp
 210 215 220

Ile Glu Gln Ser Ile Lys Ser Glu Thr Ser Gly Ser Phe Glu Asp Ala
 225 230 235 240

Leu Leu Ala Ile Val Lys Cys Met Arg Asn Lys Ser Ala Tyr Phe Ala
 245 250 255

Glu Lys Leu Tyr Lys Ser Met Lys Gly Leu Gly Thr Asp Asp Asn Thr
 260 265 270

Leu Ile Arg Val Met Val Ser Arg Ala Glu Ile Asp Met Leu Asp Ile
 275 280 285

Arg Ala His Phe Lys Arg Leu Tyr Gly Lys Ser Leu Tyr Ser Phe Ile
 290 295 300

Lys Gly Asp Thr Ser Gly Asp Tyr Arg Lys Val Leu Leu Val Leu Cys
 305 310 315 320

1049

Gly Gly Asp Asp

<210> 1063

<211> 355

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1063

Xaa	Tyr	Xaa	Ile	Pro	Gly	Ser	Thr	His	Ala	Ser	Gly	Lys	Ile	Leu	Gly
1				5					10					15	

Ser	Gly	Ile	Ser	Ser	Ser	Ser	Val	Leu	His	Gly	Met	Val	Phe	Lys	Lys
			20					25					30		

Glu	Thr	Glu	Val	Xaa	Val	Thr	Ser	Val	Lys	Asp	Ala	Lys	Ile	Ala	Val
		35					40					45			

Tyr	Ser	Cys	Pro	Phe	Asp	Gly	Met	Ile	Thr	Glu	Thr	Lys	Gly	Thr	Val
	50					55					60				

Leu	Ile	Lys	Thr	Ala	Glu	Glu	Leu	Met	Asn	Phe	Ser	Lys	Gly	Glu	Glu
65					70					75				80	

Asn	Leu	Met	Asp	Ala	Gln	Val	Lys	Ala	Ile	Ala	Asp	Thr	Gly	Ala	Asn
			85						90					95	

Val	Val	Val	Thr	Gly	Gly	Lys	Val	Ala	Asp	Met	Ala	Leu	His	Tyr	Ala
			100					105					110		

Asn	Lys	Tyr	Asn	Ile	Met	Leu	Val	Arg	Leu	Asn	Ser	Lys	Trp	Asp	Leu
		115					120					125			

1050

```

Arg Arg Leu Cys Lys Thr Val Gly Ala Thr Ala Leu Pro Arg Leu Thr
 130                      135                      140

Pro Pro Val Leu Glu Glu Met Gly His Cys Asp Ser Val Tyr Leu Ser
 145                      150                      155                      160

Glu Val Gly Asp Thr Gln Val Val Val Phe Lys His Glu Lys Glu Asp
                      165                      170                      175

Gly Ala Ile Ser Thr Ile Val Leu Arg Gly Ser Thr Asp Asn Leu Met
                      180                      185                      190

Asp Asp Ile Glu Arg Ala Val Asp Asp Gly Val Asn Thr Phe Lys Val
                      195                      200                      205

Leu Thr Arg Asp Lys Arg Leu Val Pro Gly Gly Gly Ala Thr Glu Ile
 210                      215                      220

Glu Leu Ala Lys Gln Ile Thr Ser Tyr Gly Glu Thr Cys Pro Gly Leu
 225                      230                      235                      240

Glu Gln Tyr Ala Ile Lys Lys Phe Ala Glu Ala Phe Glu Ala Ile Pro
                      245                      250                      255

Arg Ala Leu Ala Glu Asn Ser Gly Val Lys Ala Asn Glu Val Ile Ser
                      260                      265                      270

Lys Leu Tyr Ala Val His Gln Glu Gly Asn Lys Asn Val Gly Leu Asp
 275                      280                      285

Ile Glu Ala Glu Val Pro Ala Val Lys Asp Met Leu Glu Ala Gly Ile
 290                      295                      300

Leu Asp Thr Tyr Leu Gly Lys Tyr Trp Ala Ile Lys Leu Ala Thr Asn
 305                      310                      315                      320

Ala Ala Val Thr Val Leu Arg Val Asp Gln Ile Ile Met Ala Lys Pro
                      325                      330                      335

Ala Gly Gly Pro Lys Pro Pro Ser Gly Lys Lys Asp Trp Asp Asp Asp
 340                      345                      350

Gln Asn Asp
 355

```

<210> 1064

<211> 113

<212> PRT

<213> Homo sapiens

1051

<400> 1064

Ser Pro Phe Thr Leu His Cys Cys His Ser Thr Leu Tyr Asp Gly Arg
 1 5 10 15

Thr Gly Ser Ser Arg Glu Asn Cys Thr Val Thr Thr Val Phe Phe Thr
 20 25 30

Leu Phe Gln Gly Ser Leu Ser Pro Asp Ile Glu Glu Ile Ser Phe Arg
 35 40 45

Pro Glu Thr Gln Arg Pro His Ser Pro Val Ile Lys Pro Arg Phe His
 50 55 60

Ser Gly Pro Arg Ser Gly Ala Trp Pro Leu Leu Phe Gly Ser His Trp
 65 70 75 80

Glu Ala His Trp Pro Trp Ile Ile Ser Ser Cys Thr Pro Gly Val Leu
 85 90 95

Pro Ala Cys Leu Leu Ser Trp Thr Ala Val Cys Lys Lys Val Thr Lys
 100 105 110

Thr

<210> 1065

<211> 634

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (325)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1065

Val Gln Gly Phe Glu Ser Ala Thr Phe Leu Gly Tyr Phe Lys Ser Gly
 1 5 10 15

Leu Lys Tyr Lys Lys Gly Gly Val Ala Ser Gly Phe Lys His Val Val
 20 25 30

Pro Asn Glu Val Val Val Gln Arg Leu Phe Gln Val Lys Gly Arg Arg
 35 40 45

Val Val Arg Ala Thr Glu Val Pro Val Ser Trp Glu Ser Phe Asn Asn
 50 55 60

1052

Gly Asp Cys Phe Ile Leu Asp Leu Gly Asn Asn Ile His Gln Trp Cys
 65 70 75 80

Gly Ser Asn Ser Asn Arg Tyr Glu Arg Leu Lys Ala Thr Gln Val Ser
 85 90 95

Lys Gly Ile Arg Asp Asn Glu Arg Ser Gly Arg Ala Arg Val His Val
 100 105 110

Ser Glu Glu Gly Thr Glu Pro Glu Ala Met Leu Gln Val Leu Gly Pro
 115 120 125

Lys Pro Ala Leu Pro Ala Gly Thr Glu Asp Thr Ala Lys Glu Asp Ala
 130 135 140

Ala Asn Arg Lys Leu Ala Lys Leu Tyr Lys Val Ser Asn Gly Ala Gly
 145 150 155 160

Thr Met Ser Val Ser Leu Val Ala Asp Glu Asn Pro Phe Ala Gln Gly
 165 170 175

Ala Leu Lys Ser Glu Asp Cys Phe Ile Leu Asp His Gly Lys Asp Gly
 180 185 190

Lys Ile Phe Val Trp Lys Gly Lys Gln Ala Asn Thr Glu Glu Arg Lys
 195 200 205

Ala Ala Leu Lys Thr Ala Ser Asp Phe Ile Thr Lys Met Asp Tyr Pro
 210 215 220

Lys Gln Thr Gln Val Ser Val Leu Pro Glu Gly Gly Glu Thr Pro Leu
 225 230 235 240

Phe Lys Gln Phe Phe Lys Asn Trp Arg Asp Pro Asp Gln Thr Asp Gly
 245 250 255

Leu Gly Leu Ser Tyr Leu Ser Ser His Ile Ala Asn Val Glu Arg Val
 260 265 270

Pro Phe Asp Ala Ala Thr Leu His Thr Ser Thr Ala Met Ala Ala Gln
 275 280 285

His Gly Met Asp Asp Asp Gly Thr Gly Gln Lys Gln Ile Trp Arg Ile
 290 295 300

Glu Gly Ser Asn Lys Val Pro Val Asp Pro Ala Thr Tyr Gly Gln Phe
 305 310 315 320

Tyr Gly Gly Asp Xaa Tyr Ile Ile Leu Tyr Asn Tyr Arg His Gly Gly
 325 330 335

1053

Arg Gln Gly Gln Ile Ile Tyr Asn Trp Gln Gly Ala Gln Ser Thr Gln
340 345 350

Asp Glu Val Ala Ala Ser Ala Ile Leu Thr Ala Gln Leu Asp Glu Glu
355 360 365

Leu Gly Gly Thr Pro Val Gln Ser Arg Val Val Gln Gly Lys Glu Pro
370 375 380

Ala His Leu Met Ser Leu Phe Gly Gly Lys Pro Met Ile Ile Tyr Lys
385 390 395 400

Gly Gly Thr Ser Arg Glu Gly Gly Gln Thr Ala Pro Ala Ser Thr Arg
405 410 415

Leu Phe Gln Val Arg Ala Asn Ser Ala Gly Ala Thr Arg Ala Val Glu
420 425 430

Val Leu Pro Lys Ala Gly Ala Leu Asn Ser Asn Asp Ala Phe Val Leu
435 440 445

Lys Thr Pro Ser Ala Ala Tyr Leu Trp Val Gly Thr Gly Ala Ser Glu
450 455 460

Ala Glu Lys Thr Gly Ala Gln Glu Leu Leu Arg Val Leu Arg Ala Gln
465 470 475 480

Pro Val Gln Val Ala Glu Gly Ser Glu Pro Asp Gly Phe Trp Glu Ala
485 490 495

Leu Gly Gly Lys Ala Ala Tyr Arg Thr Ser Pro Arg Leu Lys Asp Lys
500 505 510

Lys Met Asp Ala His Pro Pro Arg Leu Phe Ala Cys Ser Asn Lys Ile
515 520 525

Gly Arg Phe Val Ile Glu Glu Val Pro Gly Glu Leu Met Gln Glu Asp
530 535 540

Leu Ala Thr Asp Asp Val Met Leu Leu Asp Thr Trp Asp Gln Val Phe
545 550 555 560

Val Trp Val Gly Lys Asp Ser Gln Glu Glu Glu Lys Thr Glu Ala Leu
565 570 575

Thr Ser Ala Lys Arg Tyr Ile Glu Thr Asp Pro Ala Asn Arg Asp Arg
580 585 590

Arg Thr Pro Ile Thr Val Val Lys Gln Gly Phe Glu Pro Pro Ser Phe
595 600 605

1054

Val Gly Trp Phe Leu Gly Trp Asp Asp Asp Tyr Trp Ser Val Asp Pro
610 615 620

Leu Asp Arg Ala Met Ala Glu Leu Ala Ala
625 630

<210> 1066

<211> 117

<212> PRT

<213> Homo sapiens

<400> 1066

Arg Ala Arg Gly Arg Cys Arg Arg Ser Pro Asp Gly Val Gly Ile Glu
1 5 10 15

Ala Pro Arg Lys Lys Val Lys Tyr Gln Glu Ile Gln Val Glu Glu Pro
20 25 30

Tyr Tyr Asp Cys His Glu Cys Thr Glu Thr Phe Thr Ser Ser Thr Ala
35 40 45

Phe Ser Glu His Leu Lys Thr His Ala Ser Met Ile Ile Phe Glu Pro
50 55 60

Ala Asn Ala Phe Gly Glu Cys Ser Gly Tyr Ile Glu Arg Ala Ser Thr
65 70 75 80

Ser Thr Gly Gly Ala Asn Gln Ala Asp Glu Lys Tyr Phe Lys Cys Asp
85 90 95

Val Cys Gly Gln Leu Phe Asn Asp Arg Leu Ser Leu Ala Arg His Gln
100 105 110

Asn Thr His Thr Gly
115

<210> 1067

<211> 192

<212> PRT

<213> Homo sapiens

<400> 1067

Pro Glu Gln Arg Gly Ser Ser Met Ala His Gly Pro Gly Ala Leu Met
1 5 10 15

Leu Lys Cys Val Val Val Gly Asp Gly Ala Val Gly Lys Thr Cys Leu
20 25 30

Leu	Met	Ser	Tyr	Ala	Asn	Asp	Ala	Phe	Pro	Glu	Ser	Thr	Cys	Pro	Pro
		35					40					45			
Ser	Ser	Thr	Thr	Thr	Gln	Glu	Asp	Tyr	Asp	Arg	Leu	Arg	Pro	Leu	Ser
	50					55					60				
Tyr	Pro	Met	Thr	Asp	Val	Phe	Leu	Ile	Cys	Phe	Ser	Val	Val	Asn	Pro
65					70					75					80
Ala	Ser	Phe	Gln	Asn	Val	Lys	Glu	Glu	Trp	Val	Pro	Glu	Leu	Lys	Glu
				85					90					95	
Tyr	Ala	Pro	Asn	Val	Pro	Phe	Leu	Leu	Ile	Gly	Thr	Gln	Ile	Asp	Leu
			100					105					110		
Arg	Asp	Asp	Pro	Lys	Thr	Leu	Ala	Arg	Leu	Asn	Asp	Met	Lys	Glu	Lys
		115					120					125			
Pro	Ile	Cys	Val	Glu	Gln	Gly	Gln	Lys	Leu	Ala	Lys	Glu	Ile	Gly	Ala
	130					135					140				
Cys	Cys	Tyr	Val	Glu	Cys	Ser	Ala	Leu	Thr	Gln	Lys	Gly	Leu	Lys	Thr
145					150					155					160
Val	Phe	Asp	Glu	Ala	Ile	Ile	Ala	Ile	Leu	Thr	Pro	Lys	Lys	His	Thr
				165					170					175	
Val	Lys	Lys	Arg	Ile	Gly	Ser	Arg	Cys	Ile	Asn	Cys	Cys	Leu	Ile	Thr
			180					185					190		

<400> 1068

Ser	Arg	Trp	Ala	Arg	Arg	Asp	Pro	Gln	Glu	Arg	Arg	Glu	Arg	Gly	Thr
1				5					10					15	
Arg	Val	Gln	Ser	Ser	Gly	Thr	Trp	Ile	Gly	Ala	Gly	Ala	Met	Gly	Gly
			20					25					30		
Glu	Gln	Glu	Glu	Glu	Arg	Phe	Asp	Gly	Met	Leu	Leu	Ala	Met	Ala	Gln
		35					40					45			

1056

Gln His Glu Gly Gly Val Gln Glu Leu Val Asn Thr Phe Phe Ser Phe
 50 55 60

Leu Arg Arg Lys Thr Asp Phe Phe Ile Gly Gly Glu Glu Gly Met Ala
 65 70 75 80

Glu Lys Leu Ile Thr Gln Thr Phe Ser His His Asn Gln Leu Ala Gln
 85 90 95

Lys Thr Arg Arg Glu Lys Arg Ala Arg Gln Glu Ala Glu Arg Arg Glu
 100 105 110

Lys Ala Glu Arg Ala Ala Arg Leu Ala Lys Glu Ala Lys Ser Glu Thr
 115 120 125

Ser Gly Pro Gln Ile Lys Glu Leu Thr Asp Glu Glu Ala Glu Arg Leu
 130 135 140

Gln Leu Glu Ile Asp Gln Lys Lys Asp Ala Glu Asn His Glu Ala Gln
 145 150 155 160

Leu Lys Asn Gly Ser Leu Asp Ser Pro Gly Lys Gln Asp Thr Glu Glu
 165 170 175

Asp Glu Glu Glu Asp Glu Lys Asp Lys Gly Lys Leu Lys Pro Asn Leu
 180 185 190

Gly Asn Gly Ala Asp Leu Pro Asn Tyr Arg Trp Thr Gln Thr Leu Ser
 195 200 205

Glu Leu Asp Leu Ala Val Pro Phe Cys Val Asn Phe Arg Leu Lys Gly
 210 215 220

Lys Asp Met Val Val Asp Ile Gln Arg Arg His Leu Arg Val Gly Leu
 225 230 235 240

Lys Gly Gln Pro Ala Ile Ile Asp Gly Glu Leu Tyr Asn Glu Val Lys
 245 250 255

Val Glu Glu Ser Ser Trp Leu Ile Glu Asp Gly Lys Val Val Thr Val
 260 265 270

His Leu Glu Lys Ile Asn Lys Met Glu Trp Trp Ser Arg Leu Val Ser
 275 280 285

Ser Asp Pro Glu Ile Asn Thr Lys Lys Ile Asn Pro Glu Asn Ser Lys
 290 295 300

Leu Ser Asp Leu Asp Ser Glu Thr Arg Ser Met Val Glu Lys Met Met
 305 310 315 320

1057

Tyr Asp Gln Arg Gln Lys Ser Met Gly Leu Pro Thr Ser Asp Glu Gln
 325 330 335

Lys Lys Gln Glu Ile Leu Lys Lys Phe Met Asp Gln His Pro Glu Met
 340 345 350

Asp Phe Ser Lys Ala Lys Phe Asn
 355 360

<210> 1069

<211> 174

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1069

Val Trp Leu Ser Trp Asp Gln Glu Lys Ile Pro Val Leu Asp Gln Glu
 1 5 10 15

Ala Ala Asp Gly Ser Ser Thr Leu Gly Gly Gly Ala Gly Thr Met Gly
 20 25 30

Leu Ser Ala Arg Tyr Gly Pro Gln Phe Thr Leu Gln His Val Pro Asp
 35 40 45

Tyr Arg Gln Xaa Val Tyr Ile Pro Gly Ser Asn Ala Thr Leu Thr Asn
 50 55 60

Ala Ala Gly Lys Arg Gly Trp Gln Gly Pro Ser Arg Trp Gln Trp Gln
 65 70 75 80

Gln Glu Glu Val Gly Gln Glu Gly Glu Glu Val Thr Trp Arg Pro Gly
 85 90 95

Gln Glu Pro Gln Gly Gly Leu Ser Pro Thr Ser Pro Ala Ser Pro Tyr
 100 105 110

Leu His Pro Gly Leu Arg Val Ser Gly Leu Thr Pro Arg Ile Leu Val
 115 120 125

Gly Ala Lys Ala Met Leu Pro Leu Gly Asn Arg Asn Lys Cys Pro Val
 130 135 140

Ser Thr Tyr Pro Phe Pro Pro Arg Gly Leu Asn Met Gln Lys Gln Phe
 145 150 155 160

1058

Arg Trp Glu Pro Pro Ser Asn Gln Leu Leu Tyr Pro Trp Gly
 165 170

<210> 1070

<211> 445

<212> PRT

<213> Homo sapiens

<400> 1070

Pro Arg Gly Leu Thr Gly Leu Trp Arg Ser Ser Leu Pro Ile Arg Lys
 1 5 10 15

Leu Gln Leu Pro Pro Asp Ala Leu Lys Met Ala Thr Ser Leu Gly Ser
 20 25 30

Asn Thr Tyr Asn Arg Gln Asn Trp Glu Asp Ala Asp Phe Pro Ile Leu
 35 40 45

Cys Gln Thr Cys Leu Gly Glu Asn Pro Tyr Ile Arg Met Thr Lys Glu
 50 55 60

Lys Tyr Gly Lys Glu Cys Lys Ile Cys Ala Arg Pro Phe Thr Val Phe
 65 70 75 80

Arg Trp Cys Pro Gly Val Arg Met Arg Phe Lys Lys Thr Glu Val Cys
 85 90 95

Gln Thr Cys Ser Lys Leu Lys Asn Val Cys Gln Thr Cys Leu Leu Asp
 100 105 110

Leu Glu Tyr Gly Leu Pro Ile Gln Val Arg Asp Ala Gly Leu Ser Phe
 115 120 125

Lys Asp Asp Met Pro Lys Ser Asp Val Asn Lys Glu Tyr Tyr Thr Gln
 130 135 140

Asn Met Glu Arg Glu Ile Ser Asn Ser Asp Gly Thr Arg Pro Val Gly
 145 150 155 160

Met Leu Gly Lys Ala Thr Ser Thr Ser Asp Met Leu Leu Lys Leu Ala
 165 170 175

Arg Thr Thr Pro Tyr Tyr Lys Arg Asn Arg Pro His Ile Cys Ser Phe
 180 185 190

Trp Val Lys Gly Glu Cys Lys Arg Gly Glu Glu Cys Pro Tyr Arg His
 195 200 205

1059

Glu Lys Pro Thr Asp Pro Asp Asp Pro Leu Ala Asp Gln Asn Ile Lys
 210 215 220
 Asp Arg Tyr Tyr Gly Ile Asn Asp Pro Val Ala Asp Lys Leu Leu Lys
 225 230 235 240
 Arg Ala Ser Thr Met Pro Arg Leu Asp Pro Pro Glu Asp Lys Thr Ile
 245 250 255
 Thr Thr Leu Tyr Val Gly Gly Leu Gly Asp Thr Ile Thr Glu Thr Asp
 260 265 270
 Leu Arg Asn His Phe Tyr Gln Phe Gly Glu Ile Arg Thr Ile Thr Val
 275 280 285
 Val Gln Arg Gln Gln Cys Ala Phe Ile Gln Phe Ala Thr Arg Gln Ala
 290 295 300
 Ala Glu Val Ala Ala Glu Lys Ser Phe Asn Lys Leu Ile Val Asn Gly
 305 310 315 320
 Arg Arg Leu Asn Val Lys Trp Gly Arg Ser Gln Ala Ala Arg Gly Lys
 325 330 335
 Glu Lys Glu Lys Asp Gly Thr Thr Asp Ser Gly Ile Lys Leu Glu Pro
 340 345 350
 Val Pro Gly Leu Pro Gly Ala Leu Pro Pro Pro Pro Ala Ala Glu Glu
 355 360 365
 Glu Ala Ser Ala Asn Tyr Phe Asn Leu Pro Pro Ser Gly Pro Pro Ala
 370 375 380
 Val Val Asn Ile Ala Leu Pro Pro Pro Pro Gly Ile Ala Pro Pro Pro
 385 390 395 400
 Pro Pro Gly Phe Gly Pro His Met Phe His Pro Met Gly Pro Pro Pro
 405 410 415
 Pro Phe Met Arg Ala Pro Gly Pro Ile His Tyr Pro Ser Gln Asp Pro
 420 425 430
 Gln Arg Met Gly Ala His Ala Gly Lys His Ser Ser Pro
 435 440 445

<210> 1071

<211> 346

<212> PRT

<213> Homo sapiens

1060

<220>

<221> SITE

<222> (286)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (287)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (291)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (294)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1071

Trp	Ser	Arg	Leu	Cys	Leu	Leu	Lys	Gln	Tyr	Leu	Phe	Thr	Met	Lys	Leu
1				5				10						15	

Gln	Ser	Pro	Glu	Phe	Gln	Ser	Leu	Phe	Thr	Glu	Gly	Leu	Lys	Ser	Leu
			20					25					30		

Thr	Glu	Leu	Phe	Val	Lys	Glu	Asn	His	Glu	Leu	Arg	Ile	Ala	Gly	Gly
		35					40					45			

Ala	Val	Arg	Asp	Leu	Leu	Asn	Gly	Val	Lys	Pro	Gln	Asp	Ile	Asp	Phe
	50					55					60				

Ala	Thr	Thr	Ala	Thr	Pro	Thr	Gln	Met	Lys	Glu	Met	Phe	Gln	Ser	Ala
65					70					75					80

Gly	Ile	Arg	Met	Ile	Asn	Asn	Arg	Gly	Glu	Lys	His	Gly	Thr	Ile	Thr
			85						90					95	

Ala	Arg	Leu	His	Glu	Glu	Asn	Phe	Glu	Ile	Thr	Thr	Leu	Arg	Ile	Asp
		100						105						110	

Val	Thr	Thr	Asp	Gly	Arg	His	Ala	Glu	Val	Glu	Phe	Thr	Thr	Asp	Trp
		115					120					125			

Gln	Lys	Asp	Ala	Glu	Arg	Arg	Asp	Leu	Thr	Ile	Asn	Ser	Met	Phe	Leu
	130						135					140			

Gly	Phe	Asp	Gly	Thr	Leu	Phe	Asp	Tyr	Phe	Asn	Gly	Tyr	Glu	Asp	Leu
145					150					155					160

1061

Lys Asn Lys Lys Val Arg Phe Val Gly His Ala Lys Gln Arg Ile Gln
 165 170 175
 Glu Asp Tyr Leu Arg Ile Leu Arg Tyr Phe Arg Phe Tyr Gly Arg Ile
 180 185 190
 Val Asp Lys Pro Gly Asp His Asp Pro Glu Thr Leu Glu Ala Ile Ala
 195 200 205
 Glu Asn Ala Lys Gly Leu Ala Gly Ile Ser Gly Glu Arg Ile Trp Val
 210 215 220
 Glu Leu Lys Lys Ile Leu Val Gly Asn His Val Asn His Leu Ile His
 225 230 235 240
 Leu Ile Tyr Asp Leu Asp Val Ala Pro Tyr Ile Gly Leu Pro Ala Asn
 245 250 255
 Ala Ser Leu Glu Glu Phe Asp Lys Val Ser Lys Asn Val Asp Gly Phe
 260 265 270
 Ser Pro Lys Pro Val Thr Leu Leu Ala Ser Leu Phe Lys Xaa Xaa Asp
 275 280 285
 Asp Val Xaa Lys Leu Xaa Leu Arg Leu Lys Ile Ala Lys Glu Glu Lys
 290 295 300
 Asn Leu Gly Leu Phe Ile Val Lys Asn Arg Lys Asp Leu Ile Lys Ala
 305 310 315 320
 Thr Asp Ser Ser Asp Pro Leu Lys Pro Tyr Gln Asp Phe Ile Ile Asp
 325 330 335
 Ser Arg Glu Pro Asp Ala His Ser Cys Met
 340 345

<210> 1072

<211> 404

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (77)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1062

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1072

Glu Asp Ser Leu Asn Leu Asp Leu Thr Pro Arg Met Leu Arg Arg Leu
1 5 10 15

Leu Glu Arg Pro Cys Thr Leu Ala Leu Leu Val Gly Ser Gln Leu Ala
20 25 30

Val Met Met Tyr Leu Ser Leu Gly Gly Phe Arg Ser Leu Ser Ala Leu
35 40 45

Phe Gly Arg Asp Gln Gly Pro Thr Phe Asp Tyr Ser His Pro Arg Asp
50 55 60

Val	Tyr	Ser	Asn	Leu	Ser	His	Leu	Pro	Gly	Ala	Pro	Xaa	Gly	Pro	Pro
65					70					75					80

Xaa Pro Gln Gly Leu Pro Tyr Cys Pro Glu Arg Ser Pro Leu Leu Val
85 90 95

Gly Pro Val Ser Val Ser Phe Ser Pro Val Pro Ser Leu Ala Glu Ile
100 105 110

Val Glu Arg Asn Pro Arg Val Glu Pro Gly Gly Arg Tyr Arg Pro Ala
115 120 125

Gly Cys Glu Pro Arg Ser Arg Thr Ala Ile Ile Val Pro His Arg Ala
130 135 140

Arg Glu His His Leu Arg Leu Leu Leu Tyr His Leu His Pro Phe Leu
145 150 155 160

Gln Arg Gln Gln Leu Ala Tyr Gly Ile Tyr Val Ile His Gln Ala Gly
165 170 175

Asn Gly Thr Phe Asn Arg Ala Lys Leu Leu Asn Val Gly Val Arg Glu
180 185 190

Ala Leu Arg Asp Glu Glu Trp Asp Cys Leu Phe Leu His Asp Val Asp
195 200 205

Leu Leu Pro Glu Asn Asp His Asn Leu Tyr Val Cys Asp Pro Arg Gly
210 215 220

Pro	Arg	His	Val	Ala	Val	Ala	Met	Asn	Lys	Phe	Gly	Tyr	Ser	Leu	Pro
225					230					235					240

Tyr Pro Gln Tyr Phe Gly Gly Val Ser Ala Leu Thr Pro Asp Gln Tyr
245 250 255

1063

Leu Lys Met Asn Gly Phe Pro Asn Glu Tyr Trp Gly Trp Gly Gly Glu
 260 265 270
 Asp Asp Asp Ile Ala Thr Arg Val Arg Leu Ala Gly Met Lys Ile Ser
 275 280 285
 Arg Pro Pro Thr Ser Val Gly His Tyr Lys Met Val Lys His Arg Gly
 290 295 300
 Asp Lys Gly Asn Glu Glu Asn Pro His Arg Phe Asp Leu Leu Val Arg
 305 310 315 320
 Thr Gln Asn Ser Trp Thr Gln Asp Gly Met Asn Ser Leu Thr Tyr Gln
 325 330 335
 Leu Leu Ala Arg Glu Leu Gly Pro Leu Tyr Thr Asn Ile Thr Ala Asp
 340 345 350
 Ile Gly Thr Asp Pro Arg Gly Pro Arg Ala Pro Ser Gly Pro Arg Tyr
 355 360 365
 Pro Pro Gly Ser Ser Gln Ala Phe Arg Gln Glu Met Leu Gln Arg Arg
 370 375 380
 Pro Pro Ala Arg Pro Gly Pro Leu Ser Thr Ala Asn His Thr Ala Leu
 385 390 395 400
 Arg Gly Ser His

<210> 1073

<211> 217

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1073

Asn Lys Glu Gln Leu Met Asp Lys Ser Gly Ile Asp Ser Leu Asp His
 1 5 10 15
 Val Thr Ser Asp Ala Val Glu Leu Ala Asn Arg Ser Asp Asn Ser Ser
 20 25 30
 Asp Ser Ser Leu Phe Lys Thr Gln Cys Ile Pro Tyr Ser Pro Lys Gly

1064

35	40	45
Glu Lys Arg Asn Pro Ile Arg Lys Phe Val Arg Thr Pro Glu Ser Val		
50	55	60
His Ala Ser Xaa Ser Ser Ser Asp Ser Ser Phe Glu Pro Ile Pro Leu		
65	70	75 80
Thr Ile Lys Ala Ile Phe Glu Arg Phe Lys Asn Arg Lys Lys Arg Tyr		
85	90	95
Lys Lys Lys Lys Lys Arg Arg Tyr Gln Pro Thr Gly Arg Pro Arg Gly		
100	105	110
Arg Pro Glu Gly Arg Arg Asn Pro Ile Tyr Ser Leu Ile Asp Lys Lys		
115	120	125
Lys Gln Phe Arg Ser Arg Gly Ser Gly Phe Pro Phe Leu Glu Ser Glu		
130	135	140
Asn Glu Lys Asn Ala Pro Trp Arg Lys Ile Leu Thr Phe Glu Gln Ala		
145	150	155 160
Val Ala Arg Gly Phe Phe Asn Tyr Ile Glu Lys Leu Lys Tyr Glu His		
165	170	175
His Leu Lys Glu Ser Leu Lys Gln Met Asn Val Gly Glu Asp Leu Glu		
180	185	190
Asn Glu Asp Phe Asp Ser Arg Arg Tyr Lys Phe Leu Asp Asp Asp Gly		
195	200	205
Ser Ile Ser Pro Ile Glu Glu Ser Thr		
210	215	

<210> 1074

<211> 161

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

1065

<220>
 <221> SITE
 <222> (123)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (125)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (128)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (147)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1074
 Thr His Tyr Arg Ala Lys Leu Val Arg Leu Pro Gly Thr Gly Ser Gly
 1 5 10 15
 Asn Ser Arg Val Asp Pro Arg Val Arg Glu Gln Pro Ser Pro Ala Ser
 20 25 30
 Ser Ala Pro Gly Gln Leu Asn Ser Cys Gln Asp Val Leu Pro Ala Glu
 35 40 45
 Pro Ala Ala Val Pro Thr Pro Thr Gln Val Ser Leu Thr Gln Val Ser
 50 55 60
 Pro Lys Glu Pro Ser Thr Val Ser Ala Ser Ser Phe Leu Trp Leu Cys
 65 70 75 80
 Pro Lys Leu Trp Gly Leu Trp Pro Ser Ser Glu Gly Gly Cys Phe Leu
 85 90 95
 Asn His His Arg Arg His His Arg Cys Arg Arg Gln Arg Xaa Asn Ser
 100 105 110
 Cys Asp Arg Ala Val Val Ser Lys Ala Xaa Xaa Leu Xaa Ala Ala Xaa
 115 120 125
 Phe Trp Gly Leu Leu Leu Ile Gln Ile Leu Met Leu Arg Gln Ala Ile
 130 135 140
 Phe Gly Xaa Asn Lys Asn Ser Gln Glu Ala Lys Asn Ser Pro Ile Trp
 145 150 155 160

1066

Lys

<210> 1075

<211> 221

<212> PRT

<213> Homo sapiens

<400> 1075

Ser	Ser	Ser	Trp	His	Ala	Arg	Tyr	Thr	Val	Leu	Thr	Tyr	Leu	Gln	Thr
1				5					10					15	

Met	Val	Phe	Tyr	Asn	Leu	Phe	Ile	Phe	Leu	Asn	Asn	Glu	Asp	Ala	Val
			20					25					30		

Lys	Asp	Ile	Arg	Trp	Leu	Val	Ile	Ser	Leu	Leu	Glu	Asp	Glu	Gln	Leu
		35					40					45			

Glu	Val	Arg	Glu	Met	Ala	Ala	Thr	Thr	Leu	Ser	Gly	Leu	Leu	Gln	Cys
	50					55					60				

Asn	Phe	Leu	Thr	Met	Asp	Ser	Pro	Met	Gln	Ile	His	Phe	Glu	Gln	Leu
65					70					75					80

Cys	Lys	Thr	Lys	Leu	Pro	Lys	Lys	Arg	Lys	Arg	Asp	Pro	Gly	Ser	Val
				85					90					95	

Gly	Asp	Thr	Ile	Pro	Ser	Ala	Glu	Leu	Val	Lys	Arg	His	Ala	Gly	Val
			100					105					110		

Leu	Gly	Leu	Gly	Ala	Cys	Val	Leu	Ser	Ser	Pro	Tyr	Asp	Val	Pro	Thr
		115					120					125			

Trp	Met	Pro	Gln	Leu	Leu	Met	Asn	Leu	Ser	Ala	His	Leu	Asn	Asp	Pro
	130					135					140				

Gln	Pro	Ile	Glu	Met	Thr	Val	Lys	Lys	Thr	Leu	Ser	Asn	Phe	Arg	Arg
145					150					155					160

Leu	Thr	Met	Thr	Thr	Gly	Arg	Asn	Ile	Asn	Ser	Asn	Ser	Leu	Met	Thr
				165					170					175	

Asn	Cys	Leu	Phe	Ser	Pro	Ile	Phe	Leu	Cys	His	His	Ala	Ile	Met	His
		180						185					190		

Arg	Lys	Met	Thr	Ser	Pro	His	Phe	Arg	Leu	Phe	Ser	Ser	Lys	Ile	Pro
		195					200					205			

1067

His Pro Gln Val Pro Ser Val Val Ala Leu Cys Lys Phe
 210 215 220

<210> 1076

<211> 166

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (163)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (166)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1076

Ala Arg Gly Ala Arg Val Arg Ala Cys Ala Ser Leu Gly Ser Trp Arg
 1 5 10 15

Gly Pro Arg Gly Glu Gly Trp Lys Met Ser Met Asp Val Thr Phe Leu
 20 25 30

Gly Thr Gly Ala Ala Tyr Pro Ser Pro Thr Arg Gly Ala Ser Ala Val
 35 40 45

Val Leu Arg Cys Glu Gly Glu Xaa Trp Leu Phe Asp Cys Gly Glu Gly
 50 55 60

Thr Gln Thr Gln Leu Met Lys Ser Gln Leu Lys Ala Gly Arg Ile Thr
 65 70 75 80

Lys Ile Phe Ile Thr His Leu His Gly Asp His Phe Phe Gly Leu Pro
 85 90 95

Gly Leu Leu Cys Thr Ile Ser Leu Gln Ser Gly Ser Met Val Ser Lys
 100 105 110

1068

Gln Pro Ile Glu Ile Tyr Gly Pro Val Gly Phe Gly Thr Leu Ser Gly
 115 120 125

Glu Pro Trp Asn Ser Leu Xaa Arg Glu Leu Val Phe His Tyr Val Val
 130 135 140

His Glu Leu Val Pro Thr Ala Asp Gln Cys Pro Ala Glu Gly Thr Lys
 145 150 155 160

Arg Ile Xaa Ala Cys Xaa
 165

<210> 1077

<211> 239

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1077

Gly Leu Arg Ala Leu Ser Gln His Thr Asp Leu Ser Pro Leu Ser Pro
 1 5 10 15

Lys Thr Pro Ala Pro Ser Met Arg Xaa Lys Met Gly Asn Gly Thr Glu
 20 25 30

Glu Asp Tyr Asn Phe Val Phe Lys Val Val Leu Ile Gly Glu Ser Gly
 35 40 45

Val Gly Lys Thr Asn Leu Leu Ser Arg Phe Thr Arg Asn Glu Phe Ser
 50 55 60

His Asp Ser Arg Thr Thr Ile Gly Val Glu Phe Ser Thr Arg Thr Val
 65 70 75 80

Met Leu Gly Thr Ala Ala Val Lys Ala Gln Ile Trp Asp Thr Ala Gly
 85 90 95

Leu Glu Arg Tyr Arg Ala Ile Thr Ser Ala Tyr Tyr Arg Gly Ala Val
 100 105 110

Gly Ala Leu Leu Val Phe Asp Leu Thr Lys His Gln Thr Tyr Ala Val
 115 120 125

Val Glu Arg Trp Leu Lys Glu Leu Tyr Asp His Ala Glu Ala Thr Ile

1069

130	135	140
Val Val Met Leu Val Gly Asn Lys Ser Asp Leu Ser Gln Ala Arg Glu		
145	150	155 160
Val Pro Thr Glu Glu Ala Arg Met Phe Ala Glu Asn Asn Gly Leu Leu		
	165	170 175
Phe Leu Glu Thr Ser Ala Leu Asp Ser Thr Asn Val Glu Leu Ala Phe		
	180	185 190
Glu Thr Val Leu Lys Glu Ile Phe Ala Lys Val Ser Lys Gln Arg Gln		
	195	200 205
Asn Ser Ile Arg Thr Asn Ala Ile Thr Ser Gly Ser Ala Gln Ala Gly		
	210	215 220
Gln Glu Pro Gly Pro Gly Glu Lys Arg Ala Cys Cys Ile Ser Leu		
	225	230 235

<210> 1078

<211> 171

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1078

Ile Leu Lys Gly Ser Ser Gly Ser Val Trp Leu Arg Asn Leu Gln Leu
1 5 10 15

Gly Leu Phe Gly Thr Ala Leu Gly Leu Val Gly Leu Trp Trp Ala Glu
20 25 30

Gly Thr Ala Val Ala Thr Arg Gly Phe Phe Phe Gly Tyr Thr Pro Ala
35 40 45

Val Trp Gly Val Val Leu Asn Gln Ala Phe Gly Gly Leu Leu Val Ala
50 55 60

Val Val Val Lys Tyr Ala Asp Asn Ile Leu Lys Gly Phe Ala Thr Ser
65 70 75 80

Leu Ser Ile Val Leu Ser Thr Val Ala Ser Ile Arg Leu Phe Gly Phe
85 90 95

1070

His Val Asp Pro Leu Phe Ala Leu Gly Ala Gly Leu Val Ile Gly Ala
 100 105 110
 Val Tyr Leu Tyr Ser Leu Pro Arg Gly Ala Xaa Lys Ala Ile Ala Ser
 115 120 125
 Ala Ser Ala Ser Ala Ser Gly Pro Cys Val His Gln Gln Pro Pro Gly
 130 135 140
 Gln Pro Pro Pro Pro Gln Leu Ser Ser His Arg Gly Asp Leu Ile Thr
 145 150 155 160
 Glu Pro Phe Leu Pro Lys Ser Val Leu Val Lys
 165 170

<210> 1079

<211> 141

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1079

Arg Arg Val Cys His Ser Ser Pro His Leu Ser Ser Pro Arg Ala Ala
 1 5 10 15
 Cys Glu Gln Gln Ala Val Ala Leu Thr Leu Gln Glu Asp Arg Ala Ser
 20 25 30
 Leu Thr Leu Ser Gly Gly Pro Ser Ala Leu Ala Phe Asp Leu Ser Lys
 35 40 45
 Val Pro Gly Pro Glu Ala Ala Pro Arg Leu Xaa Ala Leu Thr Leu Gly
 50 55 60
 Leu Ala Lys Arg Val Trp Ser Leu Glu Arg Arg Leu Ala Ala Ala Glu
 65 70 75 80
 Glu Thr Ala Val Ser Pro Arg Lys Ser Pro Arg Pro Ala Gly Pro Gln
 85 90 95
 Leu Phe Leu Pro Asp Pro Asp Pro Gln Arg Gly Gly Pro Gly Pro Gly
 100 105 110
 Val Arg Arg Arg Cys Pro Gly Glu Ser Leu Ile Asn Pro Gly Phe Lys
 115 120 125

1071

Ser Lys Lys Pro Ala Gly Gly Val Asp Phe Asp Glu Thr
 130 135 140

<210> 1080

<211> 359

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1080

Ala Val Glu Ser Arg Xaa Pro Gly Trp Asn His His Gly Ile Gln Phe
 1 5 10 15

Pro Cys Gly Ser Val Trp Leu Glu His Ala Ile Ala Met Ile Cys Gly
 20 25 30

Asn Val Cys Leu Trp Lys Gly Ala Pro Thr Thr Ser Leu Ile Ser Val
 35 40 45

Ala Val Thr Lys Ile Ile Ala Lys Val Leu Glu Asp Asn Lys Leu Pro
 50 55 60

Gly Ala Ile Cys Ser Leu Thr Cys Gly Gly Ala Asp Ile Gly Thr Ala
 65 70 75 80

Met Ala Lys Asp Glu Arg Val Asn Leu Leu Ser Phe Thr Gly Ser Thr
 85 90 95

Gln Val Gly Lys Gln Val Gly Leu Met Val Gln Glu Arg Phe Gly Arg
 100 105 110

Ser Leu Leu Glu Leu Gly Gly Asn Asn Ala Ile Ile Ala Phe Glu Asp
 115 120 125

Ala Asp Leu Ser Leu Val Val Pro Ser Ala Leu Phe Ala Ala Val Gly
 130 135 140

Thr Ala Gly Gln Arg Cys Thr Thr Ala Arg Arg Leu Phe Ile His Glu
 145 150 155 160

Ser Ile His Asp Glu Val Val Asn Arg Leu Lys Lys Ala Tyr Ala Gln
 165 170 175

Ile Arg Val Gly Asn Pro Trp Asp Pro Asn Val Leu Tyr Gly Pro Leu

1072

180	185	190
His Thr Lys Gln Ala Val Ser Met Phe Leu Gly Ala Val Glu Glu Ala		
195	200	205
Lys Lys Glu Gly Gly Thr Val Val Tyr Gly Gly Lys Val Met Asp Arg		
210	215	220
Pro Gly Asn Tyr Val Glu Pro Thr Ile Val Thr Gly Leu Gly His Asp		
225	230	235 240
Ala Ser Ile Ala His Thr Glu Thr Phe Ala Pro Ile Leu Tyr Val Phe		
245	250	255
Lys Phe Lys Asn Glu Glu Glu Val Phe Ala Trp Asn Asn Glu Val Lys		
260	265	270
Gln Gly Leu Ser Ser Ser Ile Phe Thr Lys Asp Leu Gly Arg Ile Phe		
275	280	285
Arg Trp Leu Gly Pro Lys Gly Ser Asp Cys Gly Ile Val Asn Val Asn		
290	295	300
Ile Pro Thr Ser Gly Ala Glu Ile Gly Gly Ala Phe Gly Gly Glu Lys		
305	310	315 320
His Thr Gly Gly Gly Arg Glu Ser Gly Ser Asp Ala Trp Lys Gln Tyr		
325	330	335
Met Arg Arg Ser Thr Cys Thr Ile Asn Tyr Ser Lys Asp Leu Pro Leu		
340	345	350
Ala Gln Gly Ile Lys Phe Gln		
355		

<210> 1081

<211> 138

<212> PRT

<213> Homo sapiens

<400> 1081

Ala Val Pro Leu Leu Gly Arg Pro Thr Arg Pro Val Gly Pro Arg Ala
1 5 10 15
Ala Leu Thr Met Thr Gln Gln Gly Ala Ala Leu Gln Asn Tyr Asn Asn
20 25 30
Glu Leu Val Lys Cys Ile Glu Glu Leu Cys Gln Lys Arg Glu Glu Leu
35 40 45

1073

Cys Arg Gln Ile Gln Glu Glu Glu Asp Glu Lys Gln Arg Leu Gln Asn
 50 55 60
 Glu Val Arg Gln Leu Thr Glu Lys Leu Ala Arg Val Asn Glu Asn Leu
 65 70 75 80
 Ala Arg Lys Ile Ala Ser Arg Asn Glu Phe Asp Arg Thr Ile Ala Glu
 85 90 95
 Thr Glu Ala Ala Tyr Leu Lys Ile Leu Glu Ser Ser Gln Thr Leu Leu
 100 105 110
 Ser Val Leu Lys Arg Glu Ala Gly Asn Leu Thr Lys Ala Thr Ala Pro
 115 120 125
 Asp Gln Lys Ser Ser Gly Gly Arg Asp Ser
 130 135

<210> 1082

<211> 339

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1082

Ser Pro Ile Ser Asn Cys Glu Ile Thr Ile Thr Asp Pro Gly Lys Phe
 1 5 10 15
 Tyr Asn Ser Asn Ser Val Phe Ser Arg Gly Asn Met Ala Lys Val Phe
 20 25 30
 Ser Phe Ile Leu Val Thr Thr Ala Leu Xaa Met Gly Arg Glu Ile Ser
 35 40 45
 Ala Leu Glu Asp Cys Ala Gln Glu Gln Met Arg Leu Arg Ala Gln Val
 50 55 60
 Arg Leu Leu Glu Thr Arg Val Lys Gln Gln Gln Val Lys Ile Lys Gln
 65 70 75 80
 Leu Leu Gln Glu Asn Glu Val Gln Phe Leu Asp Lys Gly Asp Glu Asn
 85 90 95
 Thr Val Val Asp Leu Gly Ser Lys Arg Gln Tyr Ala Asp Cys Ser Glu

1074

100	105	110
Ile Phe Asn Asp Gly Tyr Lys	Leu Ser Gly Phe Tyr Lys	Ile Lys Pro
115	120	125
Leu Gln Ser Pro Ala Glu Phe	Ser Val Tyr Cys Asp Met	Ser Asp Gly
130	135	140
Gly Gly Trp Thr Val Ile Gln Arg Arg	Ser Asp Gly Ser Glu Asn	Phe
145	150	155 160
Asn Arg Gly Trp Lys Asp Tyr Glu Asn Gly	Phe Gly Asn Phe Val	Gln
165	170	175
Lys His Gly Glu Tyr Trp Leu Gly Asn Lys	Asn Leu His Phe Leu Thr	
180	185	190
Thr Gln Glu Asp Tyr Thr Leu Lys Ile	Asp Leu Ala Asp Phe Glu Lys	
195	200	205
Asn Ser Arg Tyr Ala Gln Tyr Lys Asn Phe	Lys Val Gly Asp Glu Lys	
210	215	220
Asn Phe Tyr Glu Leu Asn Ile Gly Glu Tyr	Ser Gly Thr Ala Gly Asp	
225	230	235 240
Ser Leu Ala Gly Asn Phe His Pro Glu Val	Gln Trp Trp Ala Ser His	
245	250	255
Gln Arg Met Lys Phe Ser Thr Trp Asp Arg	Asp His Asp Asn Tyr Glu	
260	265	270
Gly Asn Cys Ala Glu Glu Asp Gln Ser Gly	Trp Trp Phe Asn Arg Cys	
275	280	285
His Ser Ala Asn Leu Asn Gly Val Tyr Tyr	Ser Gly Pro Tyr Thr Ala	
290	295	300
Lys Thr Asp Asn Gly Ile Val Trp Tyr Thr	Trp His Gly Trp Trp Tyr	
305	310	315 320
Ser Leu Lys Ser Val Val Met Lys Ile Arg	Pro Asn Asp Phe Ile Pro	
325	330	335
Asn Val Ile		

<210> 1083

<211> 256

1075

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1083

Lys Ser Leu Asn Gly Pro Ala Asp Phe Glu Lys Arg Val Glu Gly Gly
 1 5 10 15
 Gly Arg Pro Arg Ala Pro Leu Val Asn Ala Leu Leu Thr Ala Pro Glu
 20 25 30
 Phe Leu Ile Tyr Thr Gly Cys Met Val Cys Val Phe Leu Phe Cys Phe
 35 40 45
 Ser Pro Pro Ala Gly Leu Phe Xaa Gly Trp Gly Gly Gly Phe Ala Met
 50 55 60
 Ser Asp Asp Asp Ser Arg Ala Ser Thr Ser Ser Ser Ser Ser Ser
 65 70 75 80
 Ser Asn Gln Gln Thr Glu Lys Glu Thr Asn Thr Pro Lys Lys Lys Glu
 85 90 95
 Ser Lys Val Ser Met Ser Lys Asn Ser Lys Leu Leu Ser Thr Ser Ala
 100 105 110
 Lys Arg Ile Gln Lys Glu Leu Ala Asp Ile Thr Leu Asp Pro Pro Pro
 115 120 125
 Asn Cys Ser Ala Gly Pro Lys Gly Asp Asn Ile Tyr Glu Trp Arg Ser
 130 135 140
 Thr Ile Leu Gly Pro Pro Gly Ser Val Tyr Glu Gly Gly Val Phe Phe
 145 150 155 160
 Leu Asp Ile Thr Phe Thr Pro Glu Tyr Pro Phe Lys Pro Pro Lys Val
 165 170 175
 Thr Phe Arg Thr Arg Ile Tyr His Cys Asn Ile Asn Ser Gln Gly Val
 180 185 190
 Ile Cys Leu Asp Ile Leu Lys Asp Asn Trp Ser Pro Ala Leu Thr Ile
 195 200 205
 Ser Lys Val Leu Leu Ser Ile Cys Ser Leu Leu Thr Asp Cys Asn Pro
 210 215 220

1076

Ala Asp Pro Leu Val Gly Ser Ile Ala Thr Gln Tyr Met Thr Asn Arg
 225 230 235 240

Ala Glu His Asp Arg Met Ala Arg Gln Trp Thr Lys Arg Tyr Ala Thr
 245 250 255

<210> 1084

<211> 176

<212> PRT

<213> Homo sapiens

<400> 1084

Glu Lys Cys Val Ser Phe Ser Ala Val Leu Lys Ser Leu Ser Pro Val
 1 5 10 15

Asp Pro Val Glu Pro Ile Ser Asn Ser Glu Pro Ser Met Asn Ser Asp
 20 25 30

Met Gly Lys Val Ser Lys Asn Asp Thr Glu Glu Glu Ser Asn Lys Ser
 35 40 45

Ala Thr Thr Asp Asn Glu Ile Ser Arg Thr Glu Tyr Leu Cys Glu Asn
 50 55 60

Ser Leu Glu Gly Lys Asn Lys Asp Asn Ser Ser Asn Glu Val Phe Pro
 65 70 75 80

Gln Gly Ala Glu Glu Arg Met Cys Tyr Gln Cys Glu Ser Glu Asp Glu
 85 90 95

Pro Gln Ala Asp Gly Ser Gly Leu Thr Thr Ala Pro Pro Thr Pro Arg
 100 105 110

Asp Ser Leu Gln Pro Ser Ile Lys Gln Arg Leu Ala Arg Leu Gln Leu
 115 120 125

Ser Pro Asp Phe Thr Phe Thr Ala Gly Leu Ala Ala Glu Val Ala Ala
 130 135 140

Arg Ser Leu Ser Phe Thr Thr Met Gln Glu Gln Thr Phe Gly Asp Glu
 145 150 155 160

Glu Glu Glu Gln Ile Ile Glu Glu Asn Lys Asn Glu Ile Glu Glu Lys
 165 170 175

1077

<210> 1085

<211> 220

<212> PRT

<213> Homo sapiens

<400> 1085

His Arg Lys Ser Arg Pro Ala Asn His Cys Val Tyr Phe Tyr Gly Asp
 1 5 10 15

Glu Ile Ser Phe Ser Cys His Glu Thr Ser Arg Phe Ser Ala Ile Cys
 20 25 30

Gln Gly Asp Gly Thr Trp Ser Pro Arg Thr Pro Ser Cys Gly Asp Ile
 35 40 45

Cys Asn Phe Pro Pro Lys Ile Ala His Gly His Tyr Lys Gln Ser Ser
 50 55 60

Ser Tyr Ser Phe Phe Lys Glu Glu Ile Ile Tyr Glu Cys Asp Lys Gly
 65 70 75 80

Tyr Ile Leu Val Gly Gln Ala Lys Leu Ser Cys Ser Tyr Ser His Trp
 85 90 95

Ser Ala Pro Ala Pro Gln Cys Lys Ala Leu Cys Arg Lys Pro Glu Leu
 100 105 110

Val Asn Gly Arg Leu Ser Val Asp Lys Asp Gln Tyr Val Glu Pro Glu
 115 120 125

Asn Val Thr Ile Gln Cys Asp Ser Gly Tyr Gly Val Val Gly Pro Gln
 130 135 140

Ser Ile Thr Cys Ser Gly Asn Arg Thr Trp Tyr Pro Glu Val Pro Lys
 145 150 155 160

Cys Glu Trp Glu Thr Pro Glu Gly Cys Glu Gln Val Leu Thr Gly Lys
 165 170 175

Arg Leu Met Gln Cys Leu Pro Asn Pro Glu Asp Val Lys Met Ala Leu
 180 185 190

Glu Val Tyr Lys Leu Ser Leu Glu Ile Glu Gln Leu Glu Leu Gln Arg
 195 200 205

Asp Ser Ala Arg Gln Ser Thr Leu Asp Lys Glu Leu
 210 215 220

1078

<210> 1086

<211> 133

<212> PRT

<213> Homo sapiens

<400> 1086

Val Lys Pro Ser Gly Gly Glu Gly Asp Val Ala Gln Arg Pro Arg Asp
 1 5 10 15

Arg Leu Ser Ser Arg Leu Leu Gly Ser Pro Ala Trp Arg Arg Arg Leu
 20 25 30

Met Thr Glu Gly Pro Leu Ala Gly Ala Pro Val Cys Ile Phe Glu Gly
 35 40 45

Pro Gly Pro Pro Gly Gly Ala Gly Ser Tyr Ser Trp Gly Leu Gly Phe
 50 55 60

Arg Arg Ala Gly Gly Gly Ala Gly Leu Lys Ala Ala Leu Val Tyr Gly
 65 70 75 80

Val Val Thr Gln Ser His Trp Gln Arg Trp Gly Leu Ala Val Ala Trp
 85 90 95

Gln Tyr Leu Gly Ile Ala Ser Thr Gly Asn Lys Asp Gly His Glu Gln
 100 105 110

Ser Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
 115 120 125

Lys Lys Lys Lys Lys
 130

<210> 1087

<211> 289

<212> PRT

<213> Homo sapiens

<400> 1087

Ile Leu Thr Tyr Lys Met Lys Gln Asp Ala Ser Arg Asn Ala Ala Tyr
 1 5 10 15

Thr Val Asp Cys Glu Asp Tyr Val His Val Val Glu Phe Asn Pro Phe
 20 25 30

Glu Asn Gly Asp Ser Gly Asn Leu Ile Ala Tyr Gly Gly Asn Asn Tyr

1079

35	40	45
Val Val Ile Gly Thr Cys Thr Phe Gln Glu Glu Glu Ala Asp Val Glu		
50	55	60
Gly Ile Gln Tyr Lys Thr Leu Arg Thr Phe His His Gly Val Arg Val		
65	70	75 80
Asp Gly Ile Ala Trp Ser Pro Glu Thr Arg Leu Asp Ser Leu Pro Pro		
	85	90 95
Val Ile Lys Phe Cys Thr Ser Ala Ala Asp Met Lys Ile Arg Leu Phe		
	100	105 110
Thr Ser Asp Leu Gln Asp Lys Asn Glu Tyr Lys Val Leu Glu Gly His		
	115	120 125
Thr Asp Phe Ile Asn Gly Leu Val Phe Asp Pro Lys Glu Gly Gln Glu		
	130	135 140
Ile Ala Ser Val Ser Asp Asp His Thr Cys Arg Ile Trp Asn Leu Glu		
145	150	155 160
Gly Val Gln Thr Ala His Phe Val Leu His Ser Pro Gly Met Ser Val		
	165	170 175
Cys Trp His Pro Glu Glu Thr Phe Lys Leu Met Val Ala Glu Lys Asn		
	180	185 190
Gly Thr Ile Arg Phe Tyr Asp Leu Leu Ala Gln Gln Ala Ile Leu Ser		
	195	200 205
Leu Glu Ser Glu Gln Val Pro Leu Met Ser Ala His Trp Cys Leu Lys		
	210	215 220
Asn Thr Phe Lys Val Gly Ala Val Ala Gly Asn Asp Trp Leu Ile Trp		
225	230	235 240
Asp Ile Thr Arg Ser Ser Tyr Pro Gln Asn Lys Arg Pro Val His Met		
	245	250 255
Asp Arg Ala Cys Leu Phe Arg Trp Ser Thr Ile Ser Glu Asn Leu Phe		
	260	265 270
Ala Thr Thr Gly Tyr Pro Gly Lys Met Gln Ala Ser Phe Lys Phe Ile		
	275	280 285
Ile		

1080

<210> 1088

<211> 836

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (677)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1088

Pro Thr Arg Pro Asn Trp Thr Gly Met Thr Asn Leu Leu Asp Ile Pro
 1 5 10 15

Gly Leu Ser Ser Leu Ser Asp Thr Met Ile Met Asp Ser Ile Ala Ala
 20 25 30

Phe Leu Val Leu Pro Asn Arg Leu Leu Val Pro Leu Val Pro Asp Leu
 35 40 45

Gln Asp Val Ala Gln Leu Arg Ser Pro Leu Pro Arg Gly Ile Ile Arg
 50 55 60

Ile His Leu Leu Ala Ala Arg Gly Leu Ser Ser Lys Asp Lys Tyr Val
 65 70 75 80

Lys Gly Leu Ile Glu Gly Lys Ser Asp Pro Tyr Ala Leu Val Arg Leu
 85 90 95

Gly Thr Gln Thr Phe Cys Ser Arg Val Ile Asp Glu Glu Leu Asn Pro
 100 105 110

Gln Trp Gly Glu Thr Tyr Glu Val Met Val His Glu Val Pro Gly Gln
 115 120 125

Glu Ile Glu Val Glu Val Phe Asp Lys Asp Pro Asp Lys Asp Asp Phe
 130 135 140

Leu Gly Arg Met Lys Leu Asp Val Gly Lys Val Leu Gln Ala Ser Val
 145 150 155 160

Leu Asp Asp Trp Phe Pro Leu Gln Gly Gly Gln Gly Gln Val His Leu
 165 170 175

Arg Leu Glu Trp Leu Ser Leu Leu Ser Asp Ala Glu Lys Leu Glu Gln
 180 185 190

Val Leu Gln Trp Asn Trp Gly Val Ser Ser Arg Pro Asp Pro Pro Ser
 195 200 205

1081

Ala Ala Ile Leu Val Val Tyr Leu Asp Arg Ala Gln Asp Leu Pro Leu
 210 215 220

Lys Lys Gly Asn Lys Glu Pro Asn Pro Met Val Gln Leu Ser Ile Gln
 225 230 235 240

Asp Val Thr Gln Glu Ser Lys Ala Val Tyr Ser Thr Asn Cys Pro Val
 245 250 255

Trp Glu Glu Ala Phe Arg Phe Phe Leu Gln Asp Pro Gln Ser Gln Glu
 260 265 270

Leu Asp Val Gln Val Lys Asp Asp Ser Arg Ala Leu Thr Leu Gly Ala
 275 280 285

Leu Thr Leu Pro Leu Ala Arg Leu Leu Thr Ala Pro Glu Leu Ile Leu
 290 295 300

Asp Gln Trp Phe Gln Leu Ser Ser Ser Gly Pro Asn Ser Arg Leu Tyr
 305 310 315 320

Met Lys Leu Val Met Arg Ile Leu Tyr Leu Asp Ser Ser Glu Ile Cys
 325 330 335

Phe Pro Thr Val Pro Gly Cys Pro Gly Ala Trp Asp Val Asp Ser Glu
 340 345 350

Asn Pro Gln Arg Gly Ser Ser Val Asp Ala Pro Pro Arg Pro Cys His
 355 360 365

Thr Thr Pro Asp Ser Gln Phe Gly Thr Glu His Val Leu Arg Ile His
 370 375 380

Val Leu Glu Ala Gln Asp Leu Ile Ala Lys Asp Arg Phe Leu Gly Gly
 385 390 395 400

Leu Val Lys Gly Lys Ser Asp Pro Tyr Val Lys Leu Lys Leu Ala Gly
 405 410 415

Arg Ser Phe Arg Ser His Val Val Arg Glu Asp Leu Asn Pro Arg Trp
 420 425 430

Asn Glu Val Phe Glu Val Ile Val Thr Ser Val Pro Gly Gln Glu Leu
 435 440 445

Glu Val Glu Val Phe Asp Lys Asp Leu Asp Lys Asp Asp Phe Leu Gly
 450 455 460

Arg Cys Lys Val Arg Leu Thr Thr Val Leu Asn Ser Gly Phe Leu Asp
 465 470 475 480

1082

Glu Trp Leu Thr Leu Glu Asp Val Pro Ser Gly Arg Leu His Leu Arg
 485 490 495

Leu Glu Arg Leu Thr Pro Arg Pro Thr Ala Ala Glu Leu Glu Glu Val
 500 505 510

Leu Gln Val Asn Ser Leu Ile Gln Thr Gln Lys Ser Ala Glu Leu Ala
 515 520 525

Ala Ala Leu Leu Ser Ile Tyr Met Glu Arg Ala Glu Asp Leu Pro Leu
 530 535 540

Arg Lys Gly Thr Lys His Leu Ser Pro Tyr Ala Thr Leu Thr Val Gly
 545 550 555 560

Asp Ser Ser His Lys Thr Lys Thr Ile Ser Gln Thr Ser Ala Pro Val
 565 570 575

Trp Asp Glu Ser Ala Ser Phe Leu Ile Arg Lys Pro His Thr Glu Ser
 580 585 590

Leu Glu Leu Gln Val Arg Gly Glu Gly Thr Gly Val Leu Gly Ser Leu
 595 600 605

Ser Leu Pro Leu Ser Glu Leu Leu Val Ala Asp Gln Leu Cys Leu Asp
 610 615 620

Arg Trp Phe Thr Leu Ser Ser Gly Gln Gly Gln Val Leu Leu Arg Ala
 625 630 635 640

Gln Leu Gly Ile Leu Val Ser Gln His Ser Gly Val Glu Ala His Ser
 645 650 655

His Ser Tyr Ser His Ser Ser Ser Ser Leu Ser Glu Glu Pro Glu Leu
 660 665 670

Ser Gly Gly Pro Xaa His Ile Thr Ser Ser Ala Pro Glu Leu Arg Gln
 675 680 685

Arg Leu Thr His Val Asp Ser Pro Leu Glu Ala Pro Ala Gly Pro Leu
 690 695 700

Gly Gln Val Lys Leu Thr Leu Trp Tyr Tyr Ser Glu Glu Arg Lys Leu
 705 710 715 720

Val Ser Ile Val His Gly Cys Arg Ser Leu Arg Gln Asn Gly Arg Asp
 725 730 735

Pro Pro Asp Pro Tyr Val Ser Leu Leu Leu Leu Pro Asp Lys Asn Arg
 740 745 750

1083

Gly Thr Lys Arg Arg Thr Ser Gln Lys Lys Arg Thr Leu Ser Pro Glu
 755 760 765

Phe Asn Glu Arg Phe Glu Trp Glu Leu Pro Leu Asp Glu Ala Gln Arg
 770 775 780

Arg Lys Leu Asp Val Ser Val Lys Ser Asn Ser Ser Phe Met Ser Arg
 785 790 795 800

Glu Arg Glu Leu Leu Gly Lys Val Gln Leu Asp Leu Ala Glu Thr Asp
 805 810 815

Leu Ser Gln Gly Val Ala Arg Trp Tyr Asp Leu Met Asp Asn Lys Asp
 820 825 830

Lys Gly Ser Ser
 835

<210> 1089

<211> 409

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (393)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (406)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1089

Arg Ser Ser Val Ala Ser Val His Thr Trp Arg Gln Arg Arg Gln Val
 1 5 10 15

Xaa Val Phe Val Leu Pro Ser Thr Ala Asn Met Lys Arg Pro Lys Leu
 20 25 30

1084

Lys Lys Ala Ser Lys Arg Met Thr Cys His Lys Arg Tyr Lys Ile Gln
35 40 45

Lys Lys Val Arg Glu His His Arg Lys Leu Arg Lys Glu Ala Lys Lys
50 55 60

Xaa Gly His Lys Lys Pro Arg Lys Asp Pro Gly Val Pro Asn Ser Ala
65 70 75 80

Pro Phe Lys Glu Ala Leu Leu Arg Glu Ala Glu Leu Arg Lys Gln Arg
85 90 95

Leu Glu Glu Leu Lys Gln Gln Gln Lys Leu Asp Arg Gln Lys Glu Leu
100 105 110

Glu Lys Lys Arg Lys Leu Glu Thr Asn Pro Asp Ile Lys Pro Ser Asn
115 120 125

Val Glu Pro Met Glu Lys Glu Phe Gly Leu Cys Lys Thr Glu Asn Lys
130 135 140

Ala Lys Ser Gly Lys Gln Asn Ser Lys Lys Leu Tyr Cys Gln Glu Leu
145 150 155 160

Lys Lys Val Ile Glu Ala Ser Asp Val Val Leu Glu Val Leu Asp Ala
165 170 175

Arg Asp Pro Leu Gly Cys Arg Cys Pro Gln Val Glu Glu Ala Ile Val
180 185 190

Gln Ser Gly Gln Lys Lys Leu Val Leu Ile Leu Asn Lys Ser Asp Leu
195 200 205

Val Pro Lys Glu Asn Leu Glu Ser Trp Leu Asn Tyr Leu Lys Lys Glu
210 215 220

Leu Pro Thr Val Val Phe Arg Ala Ser Thr Lys Pro Lys Asp Lys Gly
225 230 235 240

Lys Ile Thr Lys Arg Val Lys Ala Lys Lys Asn Ala Ala Pro Phe Arg
245 250 255

Ser Glu Val Cys Phe Gly Lys Glu Gly Leu Trp Lys Leu Leu Gly Gly
260 265 270

Phe Gln Glu Thr Cys Ser Lys Ala Ile Arg Val Gly Val Ile Gly Phe
275 280 285

Pro Asn Val Gly Lys Ser Ser Ile Ile Asn Ser Leu Lys Gln Glu Gln
290 295 300

1085

Met Cys Asn Val Gly Val Ser Met Gly Leu Thr Arg Ser Met Gln Val
305 310 315 320

Val Pro Leu Asp Lys Gln Ile Thr Ile Ile Asp Ser Pro Ser Phe Ile
325 330 335

Val Ser Pro Leu Asn Ser Ser Ser Ala Leu Ala Leu Arg Ser Pro Ala
340 345 350

Ser Ile Glu Val Val Lys Pro Met Glu Ala Ala Ser Ala Ile Leu Ser
355 360 365

Gln Ala Asp Ala Arg Gln Val Val Leu Lys Tyr Thr Val Pro Gly Tyr
370 375 380

Arg Asn Ser Leu Gly Ile Phe Tyr Xaa Ala Cys Ser Glu Lys Arg Tyr
385 390 395 400

Ala Pro Lys Arg Trp Xaa Pro Lys Cys
405

<210> 1090

<211> 161

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1090

Pro Lys Asn Trp Xaa Thr Ala Arg Ala Asp His His Ala Ser Met Asn
1 5 10 15

Trp Val Pro Cys Gly His Ser Tyr Phe Gly Ala Thr Leu Asn Ser Phe
20 25 30

Ile His Val Leu Met Tyr Ser Tyr Tyr Gly Leu Ser Ser Val Pro Ser
35 40 45

Met Arg Pro Tyr Leu Trp Trp Xaa Glu Val His His Ser Gly Ala Ala
50 55 60

1086

Ala Ser Val Cys Ala Asp Asn His Pro Asp Gln Leu Arg Gly His Leu
 65 70 75 80
 Ala Val His Ile Pro Ser Trp Leu Val Val Phe Pro Asp Trp Ile His
 85 90 95
 Asp Phe Pro Asp Cys Ser Leu His Lys Leu Leu His Ser Asp Leu Gln
 100 105 110
 Gln Glu Arg Gly Leu Pro Lys Glu Arg Pro Pro Glu Gly Pro Pro Glu
 115 120 125
 Trp Val His Gly Cys Cys Glu Trp Thr His Gln Gln Leu Phe Thr Pro
 130 135 140
 Gly Lys Gln Cys Glu Ala Lys Glu Ala Ala Glu Gly Leu Lys Ser Lys
 145 150 155 160
 Asn

<210> 1091
 <211> 118
 <212> PRT
 <213> Homo sapiens

<400> 1091
 Ser Lys Asn Ser Ala Arg Glu Glu Met Ala Ala Ser Ser Ser Ser Ser
 1 5 10 15
 Ser Ala Gly Gly Val Ser Gly Ser Ser Val Thr Gly Ser Gly Phe Ser
 20 25 30
 Val Ser Asp Leu Ala Pro Pro Arg Lys Ala Leu Phe Thr Tyr Pro Lys
 35 40 45
 Gly Ala Gly Glu Met Leu Glu Asp Gly Ser Glu Arg Phe Leu Cys Glu
 50 55 60
 Ser Val Phe Ser Tyr Gln Val Ala Ser Thr Leu Lys Gln Val Lys His
 65 70 75 80
 Asp Gln Gln Val Ala Arg Met Glu Lys Leu Ala Gly Leu Val Glu Glu
 85 90 95
 Leu Glu Ala Asp Glu Trp Arg Phe Lys Pro Ile Glu Gln Leu Leu Gly
 100 105 110

Phe Thr Pro Ser Ser Gly .

His Gly His Glu Leu Ser
195

1088

<210> 1093
<211> 36
<212> PRT
<213> Homo sapiens

<400> 1093
Pro Gly Trp Ser Arg Ser Pro Gly Trp Ser Arg Ser Pro Gly Trp Ser
1 5 10 15
Arg Ser Pro Asp Val Val Ile His Pro Pro Arg Pro Pro Lys Met Leu
20 25 30
Gly Leu Gln Val
35

<210> 1094
<211> 615
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (2)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (21)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (113)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (132)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (155)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (156)

1089

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (157)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1094

```

Tyr Xaa Gln Leu Val Leu Leu Gln Val Pro Val Arg Ile Pro Gly Ser
  1                      5                      10                      15

Thr His Ala Ser Xaa Asp Ala Trp Val Ala Arg Gln Leu Ala Lys Pro
      20                      25                      30

Asp Asn Thr Leu Phe Val Asn Arg Thr Leu Phe Asp Gln Val Leu Glu
      35                      40                      45

Phe Leu Cys Ser Pro Asp Asp Asp Ser Arg His Ser Glu Arg Gln Gln
      50                      55                      60

Val Leu Leu Glu Leu Leu Gln Ala Gly Gly Ile Val Gln Phe Glu Glu
      65                      70                      75                      80

Ser Arg Leu Ile Arg Met Ala Glu Lys Ala Glu Phe Tyr Gln Ile Cys
      85                      90                      95

Glu Phe Met Tyr Glu Arg Glu His Gln Tyr Asp Lys Ile Ile Asp Cys
      100                      105                      110

Xaa Leu Arg Asp Pro Leu Arg Glu Glu Glu Val Phe Asn Tyr Ile His
      115                      120                      125

Asn Ile Leu Xaa Ile Pro Gly His Ser Ala Glu Glu Lys Gln Ser Val
      130                      135                      140

Trp Gln Lys Ala Met Asp His Ile Glu Glu Xaa Xaa Xaa Leu Lys Pro
      145                      150                      155                      160

Cys Lys Ala Ala Glu Leu Val Ala Thr His Phe Ser Gly His Ile Glu
      165                      170                      175

Thr Val Ile Lys Lys Leu Gln Asn Gln Val Leu Leu Phe Lys Phe Leu
      180                      185                      190

Arg Ser Leu Leu Asp Pro Arg Glu Gly Ile His Val Asn Gln Glu Leu
      195                      200                      205

Leu Gln Ile Ser Pro Cys Ile Thr Glu Gln Phe Ile Glu Leu Leu Cys
      210                      215                      220

Gln Phe Asn Pro Thr Gln Val Ile Glu Thr Leu Gln Val Leu Glu Cys

```


1090

225	230	235	240
Tyr Arg Leu Glu Glu Thr Ile Gln Ile Thr Gln Lys Tyr Gln Leu His			
	245	250	255
Glu Val Thr Ala Tyr Leu Leu Glu Lys Lys Gly Asp Ile His Gly Ala			
	260	265	270
Phe Leu Ile Met Leu Glu Arg Leu Gln Ser Lys Leu Gln Glu Val Thr			
	275	280	285
His Gln Gly Glu Asn Thr Lys Glu Asp Pro Ser Leu Lys Asp Val Glu			
	290	295	300
Asp Thr Met Val Glu Thr Ile Ala Leu Cys Gln Arg Asn Ser His Asn			
	305	310	315
Leu Asn Gln Gln Gln Arg Glu Ala Leu Trp Phe Pro Leu Leu Glu Ala			
	325	330	335
Met Met Ala Pro Gln Lys Leu Ser Ser Ser Ala Ile Pro His Leu His			
	340	345	350
Ser Glu Ala Leu Lys Ser Leu Thr Met Gln Val Leu Asn Ser Met Ala			
	355	360	365
Ala Phe Ile Ala Leu Pro Ser Ile Leu Gln Arg Ile Leu Gln Asp Pro			
	370	375	380
Val Tyr Gly Lys Gly Lys Leu Gly Glu Ile Gln Gly Leu Ile Leu Gly			
	385	390	395
Met Leu Asp Thr Phe Asn Tyr Glu Gln Thr Leu Leu Glu Thr Thr Thr			
	405	410	415
Ser Leu Leu Asn Gln Asp Leu His Trp Ser Leu Cys Asn Leu Arg Ala			
	420	425	430
Ser Val Thr Arg Gly Leu Asn Pro Lys Gln Asp Tyr Cys Ser Ile Cys			
	435	440	445
Leu Gln Gln Tyr Lys Arg Arg Gln Glu Met Ala Asp Glu Ile Ile Val			
	450	455	460
Phe Ser Cys Gly His Leu Tyr His Ser Phe Cys Leu Gln Asn Lys Glu			
	465	470	475
Cys Thr Val Glu Phe Glu Gly Gln Thr Arg Trp Thr Cys Tyr Lys Cys			
	485	490	495
Ser Ser Ser Asn Lys Val Gly Lys Leu Ser Glu Asn Ser Ser Glu Ile			

1091

500	505	510
Lys Lys Gly Arg Ile Thr Pro Ser Gln Val Lys Met Ser Pro Ser Tyr		
515	520	525
His Gln Ser Lys Gly Asp Pro Thr Ala Lys Lys Gly Thr Ser Glu Pro		
530	535	540
Val Leu Asp Pro Gln Gln Ile Gln Ala Phe Asp Gln Leu Cys Arg Leu		
545	550	555
Tyr Arg Gly Ser Ser Arg Leu Ala Leu Leu Thr Glu Leu Ser Gln Asn		
565	570	575
Arg Ser Ser Glu Ser Tyr Arg Pro Phe Ser Gly Ser Gln Ser Ala Pro		
580	585	590
Ala Phe Asn Ser Ile Phe Gln Asn Glu Asn Phe Gln Leu Gln Leu Ile		
595	600	605
Pro Pro Pro Val Thr Glu Asp		
610	615	

<210> 1095

<211> 264

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1095

Trp Xaa Ser Thr Thr Ile Trp Lys Ala Gly Pro Pro Ala Gly Thr Gly
1 5 10 15

Pro Glu Phe Pro Gly Arg Pro Thr Arg Pro Xaa Thr Arg Gly Phe Trp
20 25 30

Phe Cys Ser Ser Val Trp Val Ser Ser Arg Leu Leu Lys Met Asn Arg
35 40 45

Leu Phe Gly Lys Ala Lys Pro Lys Ala Pro Pro Pro Ser Leu Thr Asp

1092

50 55 60
 Cys Ile Gly Thr Val Asp Ser Arg Ala Glu Ser Ile Asp Lys Lys Ile
 65 70 75 80
 Ser Arg Leu Asp Ala Glu Leu Val Lys Tyr Lys Asp Gln Ile Lys Lys
 85 90 95
 Met Arg Glu Gly Pro Ala Lys Asn Met Val Lys Gln Lys Ala Leu Arg
 100 105 110
 Val Leu Lys Gln Lys Arg Met Tyr Glu Gln Gln Arg Asp Asn Leu Ala
 115 120 125
 Gln Gln Ser Phe Asn Met Glu Gln Ala Asn Tyr Thr Ile Gln Ser Leu
 130 135 140
 Lys Asp Thr Lys Thr Thr Val Asp Ala Met Lys Leu Gly Val Lys Glu
 145 150 155 160
 Met Lys Lys Ala Tyr Lys Gln Val Lys Ile Asp Gln Ile Glu Asp Leu
 165 170 175
 Gln Asp Gln Leu Glu Asp Met Met Glu Asp Ala Asn Glu Ile Gln Glu
 180 185 190
 Ala Leu Ser Arg Ser Tyr Gly Thr Pro Glu Leu Asp Glu Asp Asp Leu
 195 200 205
 Glu Ala Glu Leu Asp Ala Leu Gly Asp Glu Leu Leu Ala Asp Glu Asp
 210 215 220
 Ser Ser Tyr Leu Asp Glu Ala Ala Ser Ala Pro Ala Ile Pro Glu Gly
 225 230 235 240
 Val Pro Thr Asp Thr Lys Asn Lys Asp Gly Val Leu Val Asp Glu Phe
 245 250 255
 Gly Leu Pro Gln Ile Pro Ala Ser
 260

<210> 1096

<211> 244

<212> PRT

<213> Homo sapiens

<400> 1096

Ser Cys Cys Phe Leu Lys Arg Leu Gln Ala Ser Phe Pro Arg Thr Ala
 1 5 10 15

1093

Val Ser Phe Glu Pro Leu Ala Gly Asp Met Pro Arg Gly Arg Lys Ser
 20 25 30
 Arg Arg Arg Arg Asn Ala Arg Ala Ala Glu Glu Asn Arg Asn Asn Arg
 35 40 45
 Lys Ile Gln Ala Ser Glu Ala Ser Glu Thr Pro Met Ala Ala Ser Val
 50 55 60
 Val Ala Ser Thr Pro Glu Asp Asp Leu Ser Gly Pro Glu Glu Asp Pro
 65 70 75 80
 Ser Thr Pro Glu Glu Ala Ser Thr Thr Pro Glu Glu Ala Ser Ser Thr
 85 90 95
 Ala Gln Ala Gln Lys Pro Ser Val Pro Arg Ser Asn Phe Gln Gly Thr
 100 105 110
 Lys Lys Ser Leu Leu Met Ser Ile Leu Ala Leu Ile Phe Ile Met Gly
 115 120 125
 Asn Ser Ala Lys Glu Ala Leu Val Trp Lys Val Leu Gly Lys Leu Gly
 130 135 140
 Met Gln Pro Gly Arg Gln His Ser Ile Phe Gly Asp Pro Lys Lys Ile
 145 150 155 160
 Val Thr Glu Glu Phe Val Arg Arg Gly Tyr Leu Ile Tyr Lys Pro Val
 165 170 175
 Pro Arg Ser Ser Pro Val Glu Tyr Glu Phe Phe Trp Gly Pro Arg Ala
 180 185 190
 His Val Glu Ser Ser Lys Leu Lys Val Met His Phe Val Ala Arg Val
 195 200 205
 Arg Asn Arg Cys Ser Lys Asp Trp Pro Cys Asn Tyr Asp Trp Asp Ser
 210 215 220
 Asp Asp Asp Ala Glu Val Glu Ala Ile Leu Asn Ser Gly Ala Arg Gly
 225 230 235 240
 Tyr Ser Ala Pro

<210> 1097

<211> 132

<212> PRT

1094

<213> Homo sapiens

<400> 1097

Ala Thr Met Val Arg Met Asn Val Leu Ala Asp Ala Leu Lys Ser Ile
1 5 10 15

Asn Asn Ala Glu Lys Arg Gly Lys Arg Gln Val Leu Ile Arg Pro Cys
20 25 30

Ser Lys Val Ile Val Arg Phe Leu Thr Val Met Met Lys His Gly Tyr
35 40 45

Ile Gly Glu Phe Glu Ile Ile Asp Asp His Arg Ala Gly Lys Ile Val
50 55 60

Val Asn Leu Thr Gly Arg Leu Asn Lys Cys Gly Val Ile Ser Pro Arg
65 70 75 80

Phe Asp Val Gln Leu Lys Asp Leu Glu Lys Trp Gln Asn Asn Leu Leu
85 90 95

Pro Ser Arg Gln Phe Gly Phe Ile Val Leu Thr Thr Ser Ala Gly Ile
100 105 110

Met Asp His Glu Glu Ala Arg Arg Lys His Thr Gly Gly Lys Ile Leu
115 120 125

Gly Phe Phe Phe
130

<210> 1098

<211> 371

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (186)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1098

Ala Arg His Thr Pro Ala Gln Arg His Asp His Pro Gln Glu Gly Asn
1 5 10 15

1095

Ile Pro Val Cys Val Gln Leu Ala Val Cys Ala Leu Pro Leu Pro Val
20 25 30

Val Pro Gly Pro Glu His Cys Gly Pro Gln Arg Xaa Leu Gln Pro Leu
35 40 45

Val Tyr Pro Leu Ala Gln Val Ile Ile Gly Cys Ile Lys Leu Ile Pro
50 55 60

Thr Ala Arg Phe Tyr Pro Leu Arg Met His Cys Ile Arg Ala Leu Thr
65 70 75 80

Leu Leu Ser Gly Ser Ser Gly Ala Phe Ile Pro Val Leu Pro Phe Ile
85 90 95

Leu Glu Met Phe Gln Gln Val Asp Phe Asn Arg Lys Pro Gly Arg Met
100 105 110

Ser Ser Lys Pro Ile Asn Phe Ser Val Ile Leu Lys Leu Ser Asn Val
115 120 125

Asn Leu Gln Glu Lys Ala Tyr Arg Asp Gly Leu Val Glu Gln Leu Tyr
130 135 140

Asp Leu Thr Leu Glu Tyr Leu His Ser Gln Ala His Cys Ile Gly Phe
145 150 155 160

Pro Glu Leu Val Leu Pro Val Val Leu Gln Leu Lys Ser Phe Leu Arg
165 170 175

Glu Cys Lys Val Ala Asn Tyr Cys Arg Xaa Val Gln Gln Leu Leu Gly
180 185 190

Lys Val Gln Glu Asn Ser Ala Tyr Ile Cys Ser Arg Arg Gln Arg Val
195 200 205

Ser Phe Gly Val Ser Glu Gln Gln Ala Val Glu Ala Trp Glu Lys Leu
210 215 220

Thr Arg Glu Glu Gly Thr Pro Leu Thr Leu Tyr Tyr Ser His Trp Arg
225 230 235 240

Lys Leu Arg Asp Arg Glu Ile Gln Leu Glu Ile Ser Gly Lys Glu Arg
245 250 255

Leu Glu Asp Leu Asn Phe Pro Glu Ile Lys Arg Arg Lys Met Ala Asp
260 265 270

Arg Lys Asp Glu Asp Arg Lys Gln Phe Lys Asp Leu Phe Asp Leu Asn
275 280 285

1096

Ser Ser Glu Glu Asp Asp Thr Glu Gly Phe Ser Glu Arg Gly Ile Leu
 290 295 300
 Arg Pro Leu Ser Thr Arg His Gly Val Glu Asp Asp Glu Glu Asp Glu
 305 310 315 320
 Glu Glu Gly Glu Glu Asp Ser Ser Asn Ser Glu Gly Glu Trp Ser Trp
 325 330 335
 Asp Gly Asp Pro Asp Ala Glu Ala Gly Leu Ala Pro Gly Glu Leu Gln
 340 345 350
 Gln Leu Ala Gln Gly Pro Glu Asp Glu Leu Glu Asp Leu Gln Leu Ser
 355 360 365
 Glu Asp Asp
 370

<210> 1099
 <211> 321
 <212> PRT
 <213> Homo sapiens

<400> 1099
 Glu Arg Thr Leu Gly Gln Pro Gly Phe Leu Gly Cys Pro Arg Gln Pro
 1 5 10 15
 His Thr Ala Met His Tyr Pro Thr Ala Leu Leu Phe Leu Ile Leu Ala
 20 25 30
 Asn Gly Ala Gln Ala Phe Arg Ile Cys Ala Phe Asn Ala Gln Arg Leu
 35 40 45
 Thr Leu Ala Lys Val Ala Arg Glu Gln Val Met Asp Thr Leu Val Arg
 50 55 60
 Ile Leu Ala Arg Cys Asp Ile Met Val Leu Gln Glu Val Val Asp Ser
 65 70 75 80
 Ser Gly Ser Ala Ile Pro Leu Leu Leu Arg Glu Leu Asn Arg Phe Asp
 85 90 95
 Gly Ser Gly Pro Tyr Ser Thr Leu Ser Ser Pro Gln Leu Gly Arg Ser
 100 105 110
 Thr Tyr Met Glu Thr Tyr Val Tyr Phe Tyr Arg Ser His Lys Thr Gln
 115 120 125
 Val Leu Ser Ser Tyr Val Tyr Asn Asp Glu Asp Asp Val Phe Ala Arg

1097

130	135	140
Glu Pro Phe Val Ala Gln Phe Ser Leu Pro Ser Asn Val Leu Pro Ser		
145	150	155 160
Leu Val Leu Val Pro Leu His Thr Thr Pro Lys Ala Val Glu Lys Glu		
	165	170 175
Leu Asn Ala Leu Tyr Asp Val Phe Leu Glu Val Ser Gln His Trp Gln		
	180	185 190
Ser Lys Asp Val Ile Leu Leu Gly Asp Phe Asn Ala Asp Cys Ala Ser		
	195	200 205
Leu Thr Lys Lys Arg Leu Asp Lys Leu Glu Leu Arg Thr Glu Pro Gly		
	210	215 220
Phe His Trp Val Ile Ala Asp Gly Glu Asp Thr Thr Val Arg Ala Ser		
	225	230 235 240
Thr His Cys Thr Tyr Asp Arg Val Val Leu His Gly Glu Arg Cys Arg		
	245	250 255
Ser Leu Leu His Thr Ala Ala Ala Phe Asp Phe Pro Thr Ser Phe Gln		
	260	265 270
Leu Thr Glu Glu Glu Ala Leu Asn Ile Ser Asp His Tyr Pro Val Glu		
	275	280 285
Val Glu Leu Lys Leu Ser Gln Ala His Ser Val Gln Pro Leu Ser Leu		
	290	295 300
Thr Val Leu Leu Leu Leu Ser Leu Leu Ser Pro Gln Leu Cys Pro Ala		
	305	310 315 320
Ala		

<210> 1100

<211> 60

<212> PRT

<213> Homo sapiens

<400> 1100

Leu Leu Leu Cys Val Phe Tyr Ile Ala Cys Phe Cys Lys Asn Met Leu
1 5 10 15

Gly Asp Glu Arg Leu Val Leu Glu Arg Lys Cys Ser Ser Val Gln Arg
20 25 30

Met Val Phe Cys Lys Arg Thr Ile Asn Arg Thr Phe
50 55 60

```
<210> 1101
<211> 254
<212> PRT
<213> Homo sapiens
```

```
<220>  
<221> SITE  
<222> (162)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (170)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<400> 1101
Phe Gly Thr Ser Tyr Ile Gly Gly Leu Leu Ser Ala Phe Tyr Leu Thr
   1                   5                  10                 15
```

Gly Glu Glu Val Phe Arg Ile Lys Ala Ile Arg Leu Gly Glu Lys Leu
20 25 30

Leu Pro Ala Phe Asn Thr Pro Thr Gly Ile Pro Lys Gly Val Val Ser
35 40 45

Phe Lys Ser Gly Asn Trp Gly Trp Ala Thr Ala Gly Ser Ser Ser Ile
50 55 60

Leu Ala Glu Phe Gly Ser Leu His Leu Glu Phe Leu His Leu Thr Glu
65 70 75 80

Leu Ser Gly Asn Gln Val Phe Ala Glu Lys Val Arg Asn Ile Arg Lys
85 90 95

Val Leu Arg Lys Ile Glu Lys Pro Phe Gly Leu Tyr Pro Asn Phe Leu
100 105 110

Ser Pro Val Ser Gly Asn Trp Val Gln His His Val Ser Val Gly Gly
115 120 125

Leu Gly Asp Ser Phe Tyr Glu Tyr Leu Ile Lys Ser Trp Leu Met Ser
130 135 140

1099

Gly Lys Thr Asp Met Glu Ala Lys Asn Met Tyr Tyr Glu Ala Leu Glu
145 150 155 160

Ala Xaa Arg Asp Leu Leu Ala Glu Cys Xaa Ser Arg Gly Ala Asp Leu
165 170 175

His Cys Arg Val Ala Arg Gly Asp Ser Gly Pro Gln Asp Gly Ala Pro
180 185 190

Gly Leu Phe Leu Arg Gly His Asp Arg Pro Trp Pro Glu Asp Ala Lys
195 200 205

Glu Glu Lys Arg Ala His Tyr Arg Glu Leu Ala Ala Gln Ile Thr Lys
210 215 220

Thr Cys His Glu Ser Tyr Ala Arg Ser Asp Thr Lys Leu Gly Pro Glu
225 230 235 240

Ala Ser Gly Leu Thr Pro Ala Glu Arg Pro Trp Pro Pro Ser
245 250

<210> 1102

<211> 233

<212> PRT

<213> Homo sapiens

<400> 1102

Gly Pro Gly Trp Tyr Pro Ala Pro Leu Arg Leu Phe His Ser Asp Pro
1 5 10 15

Trp Gly His Ala Gln Pro Gly Ala Lys Arg His Arg Ile Pro Glu Pro
20 25 30

Glu Ala Ala Val Leu Phe Arg Gln Met Ala Thr Ala Leu Ala His Cys
35 40 45

His Gln His Gly Leu Val Leu Arg Asp Leu Lys Leu Cys Arg Phe Val
50 55 60

Phe Ala Asp Arg Glu Arg Lys Lys Leu Val Leu Glu Asn Leu Glu Asp
65 70 75 80

Ser Cys Val Leu Thr Gly Pro Asp Asp Ser Leu Trp Asp Lys His Ala
85 90 95

Cys Pro Ala Tyr Val Gly Pro Glu Ile Leu Ser Ser Arg Ala Ser Tyr
100 105 110

1100

Ser Gly Lys Ala Ala Asp Val Trp Ser Leu Gly Val Ala Leu Phe Thr
 115 120 125
 Met Leu Ala Gly His Tyr Pro Phe Gln Asp Ser Glu Pro Val Leu Leu
 130 135 140
 Phe Gly Lys Ile Arg Arg Gly Ala Tyr Ala Leu Pro Ala Gly Leu Ser
 145 150 155 160
 Ala Pro Ala Arg Cys Leu Val Arg Cys Leu Leu Arg Arg Glu Pro Ala
 165 170 175
 Glu Arg Leu Thr Ala Thr Gly Ile Leu Leu His Pro Trp Leu Arg Gln
 180 185 190
 Asp Pro Met Pro Leu Ala Pro Thr Arg Ser His Leu Trp Glu Ala Ala
 195 200 205
 Gln Val Val Pro Asp Gly Leu Gly Leu Asp Glu Ala Arg Glu Glu Glu
 210 215 220
 Gly Asp Arg Glu Val Val Leu Tyr Gly
 225 230

<210> 1103

<211> 330

<212> PRT

<213> Homo sapiens

<400> 1103

Cys Gln Leu Arg Ser Ala Ala Gly Val Pro Ser Ser Val Ser Val Ser
 1 5 10 15
 Pro Arg Asp Pro Ile Ala Met Glu Leu Ser Asp Ala Asn Leu Gln Thr
 20 25 30
 Leu Thr Glu Tyr Leu Lys Lys Thr Leu Asp Pro Asp Pro Ala Ile Arg
 35 40 45
 Arg Pro Ala Glu Lys Phe Leu Glu Ser Val Glu Gly Asn Gln Asn Tyr
 50 55 60
 Pro Leu Leu Leu Leu Thr Leu Leu Glu Lys Ser Gln Asp Asn Val Ile
 65 70 75 80
 Lys Val Cys Ala Ser Val Thr Phe Lys Asn Tyr Ile Lys Arg Asn Trp
 85 90 95
 Arg Ile Val Glu Asp Glu Pro Asn Lys Ile Cys Glu Ala Asp Arg Val

1101

100	105	110
Ala Ile Lys Ala Asn Ile Val His Leu Met Leu Ser Ser Pro Glu Gln		
115	120	125
Ile Gln Lys Gln Leu Ser Asp Ala Ile Ser Ile Ile Gly Arg Glu Asp		
130	135	140
Phe Pro Gln Lys Trp Pro Asp Leu Leu Thr Glu Met Val Asn Arg Phe		
145	150	155
Gln Ser Gly Asp Phe His Val Ile Asn Gly Val Leu Arg Thr Ala His		
165	170	175
Ser Leu Phe Lys Arg Tyr Arg His Glu Phe Lys Ser Asn Glu Leu Trp		
180	185	190
Thr Glu Ile Lys Leu Val Leu Asp Ala Phe Ala Leu Pro Leu Thr Asn		
195	200	205
Leu Phe Lys Ala Thr Ile Glu Leu Cys Ser Thr His Ala Asn Asp Ala		
210	215	220
Ser Ala Leu Arg Ile Leu Phe Ser Ser Leu Ile Leu Ile Ser Lys Leu		
225	230	235
Phe Tyr Ser Leu Asn Phe Gln Asp Leu Pro Glu Phe Phe Glu Asp Asn		
245	250	255
Met Glu Thr Trp Met Asn Asn Phe His Thr Leu Leu Thr Leu Asp Asn		
260	265	270
Lys Leu Leu Gln Thr Asp Asp Glu Glu Glu Ala Gly Leu Leu Glu Leu		
275	280	285
Leu Lys Ser Gln Ile Cys Asp Asn Ala Ala Leu Tyr Ala Gln Lys Tyr		
290	295	300
Asp Glu Glu Phe Gln Arg Tyr Leu Pro Arg Phe Val Thr Ala Ile Trp		
305	310	315
Glu Phe Thr Ser Tyr Asn Gly Ser Arg Gly		
325	330	

<210> 1104

<211> 180

<212> PRT

<213> Homo sapiens

1102

<220>
 <221> SITE
 <222> (9)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (150)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (167)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (171)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (175)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (177)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (180)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1104
 Gly Thr Ser Pro Gly Arg Gly Gly Xaa Gly Val Gly Leu Arg Gly Leu
 1 5 10 15
 Ser Ser Leu Gln Ala Pro Gln Pro Ser Arg Val Pro Trp Pro Met Ala
 20 25 30
 Ala Tyr Ser Tyr Arg Pro Gly Pro Gly Ala Gly Pro Gly Pro Ala Ala
 35 40 45
 Gly Ala Ala Leu Pro Asp Gln Ser Phe Leu Trp Asn Val Phe Gln Arg
 50 55 60
 Val Asp Lys Asp Arg Ser Gly Val Ile Ser Asp Thr Glu Leu Gln Gln
 65 70 75 80

1103

Ala Leu Ser Asn Gly Thr Trp Thr Pro Phe Asn Pro Val Thr Val Arg
 85 90 95

Ser Ile Ile Ser Met Phe Asp Arg Glu Asn Lys Ala Gly Val Asn Phe
 100 105 110

Ser Glu Phe Thr Gly Val Trp Lys Tyr Ile Thr Asp Trp Gln Asn Val
 115 120 125

Phe Arg Thr Tyr Asp Arg Asp Asn Ser Gly Met Ile Asp Lys Asn Glu
 130 135 140

Leu Lys Gln Ala Leu Xaa Val Ser Ala Thr Gly Ser Leu Thr Ser Ser
 145 150 155 160

Thr Thr Ser Ser Phe Glu Xaa Leu Thr Gly Xaa Gly Arg Gly Xaa Ser
 165 170 175

Xaa Ser Thr Xaa
 180

<210> 1105

<211> 241

<212> PRT

<213> Homo sapiens

<400> 1105

Thr Thr Arg Phe Pro Ser Gly Gln Pro Leu Lys Pro Arg Pro Thr Leu
 1 5 10 15

Thr Ala Ala Gly Pro Arg Pro Gly Leu Leu Cys Phe Thr Ile Tyr Ile
 20 25 30

Met Asn Pro Ser Met Lys Gln Lys Gln Glu Glu Ile Lys Glu Asn Ile
 35 40 45

Lys Asn Ser Ser Val Pro Arg Arg Thr Leu Lys Met Ile Gln Pro Ser
 50 55 60

Ala Ser Gly Ser Leu Val Gly Arg Glu Asn Glu Leu Ser Ala Gly Leu
 65 70 75 80

Ser Lys Arg Lys His Arg Asn Asp His Leu Thr Ser Thr Thr Ser Ser
 85 90 95

Pro Gly Val Ile Val Pro Glu Ser Ser Glu Asn Lys Asn Leu Gly Gly
 100 105 110

Val Thr Gln Glu Ser Phe Asp Leu Met Ile Lys Glu Asn Pro Ser Ser

1104

115	120	125
Gln Tyr Trp Lys Glu Val Ala Glu Lys Arg Arg Lys Ala Leu Tyr Glu		
130	135	140
Ala Leu Lys Glu Asn Glu Lys Leu His Lys Glu Ile Glu Gln Lys Asp		
145	150	155
Asn Glu Ile Ala Arg Leu Lys Lys Glu Asn Lys Glu Leu Ala Glu Val		
165	170	175
Ala Glu His Val Gln Tyr Met Ala Glu Leu Ile Glu Arg Leu Asn Gly		
180	185	190
Glu Pro Leu Asp Asn Phe Glu Ser Leu Asp Asn Gln Glu Phe Asp Ser		
195	200	205
Glu Glu Glu Thr Val Glu Asp Ser Leu Val Glu Asp Ser Glu Ile Gly		
210	215	220
Thr Cys Ala Glu Gly Thr Val Ser Ser Ser Thr Asp Ala Lys Pro Cys		
225	230	235
Ile		

<210> 1106

<211> 88

<212> PRT

<213> Homo sapiens

<400> 1106

Phe His Thr Glu Phe Ile Thr Ile Trp Asp Val Arg Gln Cys Ser Asn
1 5 10 15
Lys His Cys Gln His Val Asn Phe Leu Lys Ser Val Gly His Ile Ala
20 25 30
Lys Asn Leu Leu Lys His Asn Cys Ile Phe Cys Phe Arg Ala Leu Leu
35 40 45
Met Phe Cys Arg Ser Asn Val Cys Ile Phe Leu Leu Asn Lys Leu Val
50 55 60
Leu Ile Leu Glu Leu Ser Asp Asp Phe Val Leu Glu Arg Thr Thr Gln
65 70 75 80
Arg Arg Gln Cys Lys Ser Lys Ser
85

1105

<210> 1107

<211> 124

<212> PRT

<213> Homo sapiens

<400> 1107

Leu Val Val Leu Lys Arg Arg Pro Glu Lys Ser Gln Gly His Glu His
1 5 10 15

Arg Ala Met Pro Phe Leu Asp Ile Gln Lys Arg Phe Gly Leu Asn Ile
20 25 30

Asp Arg Trp Leu Thr Ile Gln Ser Gly Glu Gln Pro Tyr Lys Met Ala
35 40 45

Gly Arg Cys His Ala Phe Glu Lys Glu Trp Ile Glu Cys Ala His Gly
50 55 60

Ile Gly Tyr Thr Arg Ala Glu Lys Glu Cys Lys Ile Glu Tyr Asp Asp
65 70 75 80

Phe Val Glu Cys Leu Leu Arg Gln Lys Thr Met Arg Arg Ala Gly Thr
85 90 95

Ile Arg Lys Gln Arg Asp Lys Leu Ile Lys Glu Gly Lys Tyr Thr Pro
100 105 110

Pro Pro His His Ile Gly Lys Gly Glu Pro Arg Pro
115 120

<210> 1108

<211> 299

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (186)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1108

1106

His Leu Leu Cys Cys Arg Ala Gln Arg Arg Pro Gln Thr Pro Pro Ala
 1 5 10 15
 Ala Arg Gly Leu Glu Pro Ala Gln Arg Cys Phe Glu Asp Ala Gly Xaa
 20 25 30
 Pro Pro Leu Leu Leu Ala Ala Val Leu Leu Gly Leu Val Leu Leu Val
 35 40 45
 Val Leu Leu Leu Leu Leu Arg His Trp Gly Trp Gly Leu Cys Leu Ile
 50 55 60
 Gly Trp Asn Glu Phe Ile Leu Gln Pro Ile His Asn Leu Leu Met Gly
 65 70 75 80
 Asp Thr Lys Glu Gln Arg Ile Leu Asn His Val Leu Gln His Ala Glu
 85 90 95
 Pro Gly Asn Ala Gln Ser Val Leu Glu Ala Ile Asp Thr Tyr Cys Glu
 100 105 110
 Gln Lys Glu Trp Ala Met Asn Val Gly Asp Lys Lys Gly Lys Ile Val
 115 120 125
 Asp Ala Val Ile Gln Glu His Gln Pro Ser Val Leu Leu Glu Leu Gly
 130 135 140
 Ala Tyr Cys Gly Tyr Ser Ala Val Arg Met Ala Arg Leu Leu Ser Pro
 145 150 155 160
 Gly Ala Arg Leu Ile Thr Ile Glu Ile Asn Pro Asp Cys Ala Ala Ile
 165 170 175
 Thr Gln Arg Met Val Asp Phe Ala Gly Xaa Lys Asp Lys Val Thr Leu
 180 185 190
 Val Val Gly Ala Ser Gln Asp Ile Ile Pro Gln Leu Lys Lys Lys Tyr
 195 200 205
 Asp Val Asp Thr Leu Asp Met Val Phe Leu Asp His Trp Lys Asp Arg
 210 215 220
 Tyr Leu Pro Asp Thr Leu Leu Leu Glu Glu Cys Gly Leu Leu Arg Lys
 225 230 235 240
 Gly Thr Val Leu Leu Ala Asp Asn Val Ile Cys Pro Gly Ala Pro Asp
 245 250 255
 Phe Leu Ala His Val Arg Gly Ser Ser Cys Phe Glu Cys Thr His Tyr
 260 265 270

1107

Gln Ser Phe Leu Glu Tyr Arg Glu Val Val Asp Gly Leu Glu Lys Ala
 275 280 285

Ile Tyr Lys Gly Pro Gly Ser Glu Ala Gly Pro
 290 295

<210> 1109

<211> 300

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1109

Trp Ile Pro Arg Ala Ala Gly Ile Arg His Glu Arg Leu Arg Asp Leu
 1 5 10 15

Leu Thr Arg Arg Leu Thr Gly Ser Asn Tyr Pro Gly Leu Ser Ile Ser
 20 25 30

Leu Arg Leu Thr Gly Ser Ser Ala Gln Glu Xaa Ala Ser Gly Val Ala
 35 40 45

Leu Gly Glu Ala Pro Asp His Ser Tyr Glu Ser Leu Arg Val Thr Ser
 50 55 60

Ala Gln Lys His Val Leu His Val Gln Leu Asn Arg Pro Asn Lys Arg
 65 70 75 80

Asn Ala Met Asn Lys Val Phe Trp Arg Glu Met Val Glu Cys Phe Asn
 85 90 95

Lys Ile Ser Arg Asp Ala Asp Cys Arg Ala Val Val Ile Ser Gly Ala
 100 105 110

Gly Lys Met Phe Thr Ala Gly Ile Asp Leu Met Asp Met Ala Ser Asp
 115 120 125

Ile Leu Gln Pro Lys Gly Asp Asp Val Ala Arg Ile Ser Trp Tyr Leu
 130 135 140

Arg Asp Ile Ile Thr Arg Tyr Gln Glu Thr Phe Asn Val Ile Glu Arg
 145 150 155 160

Cys Pro Lys Pro Val Ile Ala Ala Val His Gly Gly Cys Ile Gly Gly
 165 170 175

1108

Gly Val Asp Leu Val Thr Ala Cys Asp Ile Arg Tyr Cys Ala Gln Asp
 180 185 190
 Ala Phe Phe Gln Val Lys Glu Val Asp Val Gly Leu Ala Ala Asp Val
 195 200 205
 Gly Thr Leu Gln Arg Leu Pro Lys Val Ile Gly Asn Gln Ser Leu Val
 210 215 220
 Asn Glu Leu Ala Phe Thr Ala Arg Lys Met Met Ala Asp Glu Ala Leu
 225 230 235 240
 Gly Ser Gly Leu Val Ser Arg Val Phe Pro Asp Lys Glu Val Met Leu
 245 250 255
 Asp Ala Ala Leu Ala Leu Ala Ala Glu Ile Ser Ser Lys Ser Pro Val
 260 265 270
 Ala Cys Arg Ala Pro Arg Ser Thr Cys Cys Ile Pro Ala Thr Ile Arg
 275 280 285
 Trp Pro Arg Ala Ser Thr Thr Trp Arg Pro Gly Thr
 290 295 300

<210> 1110

<211> 230

<212> PRT

<213> Homo sapiens

<400> 1110

Arg Ser Cys Ala Leu Val Cys Lys His Trp Tyr Arg Cys Leu His Gly
 1 5 10 15
 Asp Glu Asn Ser Glu Val Trp Arg Ser Leu Cys Ala Arg Ser Leu Ala
 20 25 30
 Glu Glu Ala Leu Arg Thr Asp Ile Leu Cys Asn Leu Pro Ser Tyr Lys
 35 40 45
 Ala Lys Ile Arg Ala Phe Gln His Ala Phe Ser Thr Asn Asp Cys Ser
 50 55 60
 Arg Asn Val Tyr Ile Lys Lys Asn Gly Phe Thr Leu His Arg Asn Pro
 65 70 75 80
 Ile Ala Gln Ser Thr Asp Gly Ala Arg Thr Lys Ile Gly Phe Ser Glu
 85 90 95

1109

Gly Arg His Ala Trp Glu Val Trp Trp Glu Gly Pro Leu Gly Thr Val
 100 105 110
 Ala Val Ile Gly Ile Ala Thr Lys Arg Ala Pro Met Gln Cys Gln Gly
 115 120 125
 Tyr Val Ala Leu Leu Gly Ser Asp Asp Gln Ser Trp Gly Trp Asn Leu
 130 135 140
 Val Asp Asn Asn Leu Leu His Asn Gly Glu Val Asn Gly Ser Phe Pro
 145 150 155 160
 Gln Cys Asn Asn Ala Pro Lys Tyr Gln Ile Gly Glu Arg Ile Arg Val
 165 170 175
 Ile Leu Asp Met Glu Asp Lys Thr Leu Ala Phe Glu Arg Gly Tyr Glu
 180 185 190
 Phe Leu Gly Val Ala Phe Arg Gly Leu Pro Lys Val Cys Leu Tyr Pro
 195 200 205
 Ala Val Ser Ala Val Tyr Gly Asn Thr Glu Val Thr Leu Val Tyr Leu
 210 215 220
 Gly Lys Pro Leu Asp Gly
 225 230

<210> 1111

<211> 59

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1111

Pro Xaa Leu Thr Lys Gly Asn Lys Ser Trp Xaa Ser Thr Ala Val Xaa

1110

```

      1             5             10             15
Thr Ala Leu Glu Leu Val Asp Pro Pro Gly Cys Arg Asn Ser Ala Pro
      20             25             30
Gln Lys Asn Leu Lys Asn Thr Val Phe Cys Ile Asp Ile Cys Thr Val
      35             40             45
Cys Val Cys Val Cys Glu Ile Lys Ile Arg Phe
      50             55

```

<210> 1112

<211> 425

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (228)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1112

```

Cys Ile Xaa Gly Phe Tyr Phe Ala Val Leu Ala Pro Gln Glu Leu Leu
  1             5             10             15
Ile Tyr Glu Met Ala Glu Asn Gly Lys Asn Cys Asp Gln Arg Arg Val
      20             25             30
Ala Met Asn Lys Glu His His Asn Gly Asn Phe Thr Asp Pro Ser Ser
      35             40             45
Val Asn Glu Lys Lys Arg Arg Glu Arg Glu Glu Arg Gln Asn Ile Val
      50             55             60
Leu Trp Arg Gln Pro Leu Ile Thr Leu Gln Tyr Phe Ser Leu Glu Ile
      65             70             75             80
Leu Val Ile Leu Lys Glu Trp Xaa Ser Lys Leu Trp His Arg Gln Ser
      85             90             95

```

1111

Ile Val Val Ser Phe Leu Leu Leu Leu Ala Val Leu Ile Ala Thr Tyr
 100 105 110
 Tyr Val Glu Gly Val His Gln Gln Tyr Val Gln Arg Ile Glu Lys Gln
 115 120 125
 Phe Leu Leu Tyr Ala Tyr Trp Ile Gly Leu Gly Ile Leu Ser Ser Val
 130 135 140
 Gly Leu Gly Thr Gly Leu His Thr Phe Leu Leu Tyr Leu Gly Pro His
 145 150 155 160
 Ile Ala Ser Val Thr Leu Ala Ala Tyr Glu Cys Asn Ser Val Asn Phe
 165 170 175
 Pro Glu Pro Pro Tyr Pro Asp Gln Ile Ile Cys Pro Asp Glu Glu Gly
 180 185 190
 Thr Glu Gly Thr Ile Ser Leu Trp Ser Ile Ile Ser Lys Val Arg Ile
 195 200 205
 Glu Ala Cys Met Trp Gly Ile Gly Thr Ala Ile Gly Glu Leu Pro Pro
 210 215 220
 Tyr Phe Met Xaa Arg Ala Ala Arg Leu Ser Gly Ala Glu Pro Asp Asp
 225 230 235 240
 Glu Glu Tyr Gln Glu Phe Glu Glu Met Leu Glu His Ala Glu Ser Ala
 245 250 255
 Gln Asp Phe Ala Ser Arg Ala Lys Leu Ala Val Gln Lys Leu Val Gln
 260 265 270
 Lys Val Gly Phe Phe Gly Ile Leu Ala Cys Ala Ser Ile Pro Asn Pro
 275 280 285
 Leu Phe Asp Leu Ala Gly Ile Thr Cys Gly His Phe Leu Val Pro Phe
 290 295 300
 Trp Thr Phe Phe Gly Ala Thr Leu Ile Gly Lys Ala Ile Ile Lys Met
 305 310 315 320
 His Ile Gln Lys Ile Phe Val Ile Ile Thr Phe Ser Lys His Ile Val
 325 330 335
 Glu Gln Met Val Ala Phe Ile Gly Ala Val Pro Gly Ile Gly Pro Ser
 340 345 350
 Leu Gln Lys Pro Phe Gln Glu Tyr Leu Glu Ala Gln Arg Gln Lys Leu
 355 360 365

1112

His His Lys Ser Glu Met Gly Thr Pro Gln Gly Glu Asn Trp Leu Ser
 370 375 380

Trp Met Phe Glu Lys Leu Val Val Val Met Val Cys Tyr Phe Ile Leu
 385 390 395 400

Ser Ile Ile Asn Ser Met Ala Gln Ser Tyr Ala Lys Arg Ile Gln Gln
 405 410 415

Arg Leu Asn Ser Glu Glu Lys Thr Lys
 420 425

<210> 1113

<211> 254

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1113

Xaa Ile Glu Ile Asn Pro His Val Lys Gly Thr Lys Ala Gly Ala Pro
 1 5 10 15

Pro Arg Cys Gly Arg Ser Arg Thr Ser Gly Ser Pro Gly Leu Gln Glu
 20 25 30

Phe Gly Thr Ser Ser Ser Thr Pro Ala Arg Pro Ser Ser His His Ser
 35 40 45

Ala Cys Phe Leu Gly Pro Glu Ile Met Pro Leu Gly Leu Leu Trp Leu
 50 55 60

Gly Leu Ala Leu Leu Gly Ala Leu His Ala Gln Ala Gln Asp Ser Thr
 65 70 75 80

Ser Asp Leu Ile Pro Ala Pro Pro Leu Ser Lys Val Pro Leu Gln Gln
 85 90 95

Asn Phe Gln Asp Asn Gln Phe Gln Gly Lys Trp Tyr Val Val Gly Leu
 100 105 110

Ala Gly Asn Ala Ile Leu Arg Glu Asp Lys Asp Pro Gln Lys Met Tyr
 115 120 125

Ala Thr Ile Tyr Glu Leu Lys Glu Asp Lys Ser Tyr Asn Val Thr Ser

1113

130	135	140
Val Leu Phe Arg Lys Lys Lys Cys Asp Tyr Trp Ile Arg Thr Phe Val		
145	150	155 160
Pro Gly Cys Gln Pro Gly Glu Phe Thr Leu Gly Asn Ile Lys Ser Tyr		
	165	170 175
Pro Gly Leu Thr Ser Tyr Leu Val Arg Val Val Ser Thr Asn Tyr Asn		
	180	185 190
Gln His Ala Met Val Phe Phe Lys Lys Val Ser Gln Asn Arg Glu Tyr		
	195	200 205
Phe Lys Ile Thr Leu Tyr Gly Arg Thr Lys Glu Leu Thr Ser Glu Leu		
	210	215 220
Lys Glu Asn Phe Ile Arg Phe Ser Lys Ser Leu Gly Leu Pro Glu Asn		
	225	230 235 240
His Ile Val Phe Pro Val Pro Ile Asp Gln Cys Ile Asp Gly		
	245	250

<210> 1114

<211> 248

<212> PRT

<213> Homo sapiens

<400> 1114

Ala Ser Glu Glu Ala Asn Pro Ala Gly Ile Arg Ala Ile Arg Thr Ala		
1	5	10 15
Thr Met Thr Val Gly Lys Ser Ser Lys Met Leu Gln His Ile Asp Tyr		
	20	25 30
Arg Met Arg Cys Ile Leu Gln Asp Gly Arg Ile Phe Ile Gly Thr Phe		
	35	40 45
Lys Ala Phe Asp Lys His Met Asn Leu Ile Leu Cys Asp Cys Asp Glu		
	50	55 60
Phe Arg Lys Ile Lys Pro Lys Asn Ser Lys Gln Ala Glu Arg Glu Glu		
	65	70 75 80
Lys Arg Val Leu Gly Leu Val Leu Leu Arg Gly Glu Asn Leu Val Ser		
	85	90 95
Met Thr Val Glu Gly Pro Pro Pro Lys Asp Thr Gly Ile Ala Arg Val		
	100	105 110

1114

Pro Leu Ala Gly Ala Ala Gly Gly Pro Gly Ile Gly Arg Ala Ala Gly
 115 120 125
 Arg Gly Ile Pro Ala Gly Val Pro Met Pro Gln Ala Pro Ala Gly Leu
 130 135 140
 Ala Gly Pro Val Arg Gly Val Gly Gly Pro Ser Gln Gln Val Met Thr
 145 150 155 160
 Pro Gln Gly Arg Gly Thr Val Ala Ala Ala Ala Ala Ala Thr Ala
 165 170 175
 Ser Ile Ala Gly Ala Pro Thr Gln Tyr Pro Pro Gly Arg Gly Gly Pro
 180 185 190
 Pro Pro Pro Met Gly Arg Gly Ala Pro Pro Pro Gly Met Met Gly Pro
 195 200 205
 Pro Pro Gly Met Arg Pro Pro Met Gly Pro Pro Met Gly Ile Pro Pro
 210 215 220
 Gly Arg Gly Thr Pro Met Gly Met Pro Pro Pro Gly Met Arg Pro Pro
 225 230 235 240
 Pro Pro Gly Met Arg Gly Leu Leu
 245

<210> 1115

<211> 777

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1115

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1115

Leu Thr Lys Gly Xaa Lys Ser Trp Xaa Ser Thr Ala Val Xaa Thr Ala
 1 5 10 15

Leu Glu Leu Val Xaa Pro Pro Gly Cys Arg Asn Ser Ala Arg Ala Xaa
 20 25 30

Pro Pro Leu Gly Ser Ser Pro Leu Gly Arg Arg Phe Arg Val Leu Ser
 35 40 45

Ser Leu Arg Arg Ser Pro Met Phe Glu Glu Lys Ala Ser Ser Pro Ser
 50 55 60

Gly Lys Met Gly Gly Glu Glu Lys Pro Ile Gly Ala Gly Glu Glu Lys
 65 70 75 80

Gln Lys Glu Gly Gly Lys Lys Lys Asn Lys Glu Gly Ser Gly Asp Gly
 85 90 95

Gly Arg Ala Glu Leu Asn Pro Trp Pro Glu Tyr Ile Tyr Thr Arg Leu
 100 105 110

Glu Met Tyr Asn Ile Leu Lys Ala Glu His Asp Ser Ile Leu Ala Glu
 115 120 125

Lys Ala Glu Lys Asp Ser Lys Pro Ile Lys Val Thr Leu Pro Asp Gly
 130 135 140

Lys Gln Val Asp Ala Glu Ser Trp Lys Thr Thr Pro Tyr Gln Ile Ala
 145 150 155 160

Cys Gly Ile Ser Gln Gly Leu Ala Asp Asn Thr Val Ile Ala Lys Val
 165 170 175

Asn Asn Val Val Trp Asp Leu Asp Arg Pro Leu Glu Glu Asp Cys Thr
 180 185 190

Leu Glu Leu Leu Lys Phe Glu Asp Glu Glu Ala Gln Ala Val Tyr Trp
 195 200 205

His Ser Ser Ala His Ile Met Gly Glu Ala Met Glu Arg Val Tyr Gly
 210 215 220

1116

Gly	Cys	Leu	Cys	Tyr	Gly	Pro	Pro	Ile	Glu	Asn	Gly	Phe	Tyr	Tyr	Asp	225	230	235	240
Met	Tyr	Leu	Glu	Glu	Gly	Gly	Val	Ser	Ser	Asn	Asp	Phe	Ser	Ser	Leu	245	250	255	
Glu	Ala	Leu	Cys	Lys	Lys	Ile	Ile	Lys	Glu	Lys	Gln	Ala	Phe	Glu	Arg	260	265	270	
Leu	Glu	Val	Lys	Lys	Glu	Thr	Leu	Leu	Ala	Met	Phe	Lys	Tyr	Asn	Lys	275	280	285	
Phe	Lys	Cys	Arg	Ile	Leu	Asn	Glu	Lys	Val	Asn	Thr	Pro	Thr	Thr	Thr	290	295	300	
Val	Tyr	Arg	Cys	Gly	Pro	Leu	Ile	Asp	Leu	Cys	Arg	Gly	Pro	His	Val	305	310	315	320
Arg	His	Thr	Gly	Lys	Ile	Lys	Ala	Leu	Lys	Ile	His	Lys	Asn	Ser	Ser	325	330	335	
Thr	Tyr	Trp	Glu	Gly	Lys	Ala	Asp	Met	Glu	Thr	Leu	Gln	Arg	Ile	Tyr	340	345	350	
Gly	Ile	Ser	Phe	Pro	Asp	Pro	Lys	Met	Leu	Lys	Glu	Trp	Glu	Lys	Phe	355	360	365	
Gln	Glu	Glu	Ala	Lys	Asn	Arg	Asp	His	Arg	Lys	Ile	Gly	Arg	Asp	Gln	370	375	380	
Glu	Leu	Tyr	Phe	Phe	His	Glu	Leu	Ser	Pro	Gly	Ser	Cys	Phe	Phe	Leu	385	390	395	400
Pro	Lys	Gly	Ala	Tyr	Ile	Tyr	Asn	Ala	Leu	Ile	Glu	Phe	Ile	Arg	Ser	405	410	415	
Glu	Tyr	Arg	Lys	Arg	Gly	Phe	Gln	Glu	Val	Val	Thr	Pro	Asn	Ile	Phe	420	425	430	
Asn	Ser	Arg	Leu	Trp	Met	Thr	Ser	Gly	His	Trp	Gln	His	Tyr	Ser	Glu	435	440	445	
Asn	Met	Phe	Ser	Phe	Glu	Val	Glu	Lys	Glu	Leu	Phe	Ala	Leu	Lys	Pro	450	455	460	
Met	Asn	Cys	Pro	Gly	His	Cys	Leu	Met	Phe	Asp	His	Arg	Pro	Arg	Ser	465	470	475	480
Trp	Arg	Glu	Leu	Pro	Leu	Arg	Leu	Ala	Asp	Phe	Gly	Val	Leu	His	Arg	485	490	495	

1117

Asn Glu Leu Ser Gly Ala Leu Thr Gly Leu Thr Arg Val Arg Arg Phe
500 505 510

Gln Gln Asp Asp Ala His Ile Phe Cys Ala Met Glu Gln Ile Glu Asp
515 520 525

Glu Ile Lys Gly Cys Leu Asp Phe Leu Arg Thr Val Tyr Ser Val Phe
530 535 540

Gly Phe Ser Phe Lys Leu Asn Leu Ser Thr Arg Pro Glu Lys Phe Leu
545 550 555 560

Gly Asp Ile Glu Val Trp Asp Gln Ala Glu Lys Gln Leu Glu Asn Ser
565 570 575

Leu Asn Glu Phe Gly Glu Lys Trp Glu Leu Asn Ser Gly Asp Gly Ala
580 585 590

Phe Tyr Gly Pro Lys Ile Asp Ile Gln Ile Lys Asp Ala Ile Gly Arg
595 600 605

Tyr His Gln Cys Ala Thr Ile Gln Leu Asp Phe Gln Leu Pro Ile Arg
610 615 620

Phe Asn Leu Thr Tyr Val Ser His Asp Gly Asp Asp Lys Lys Arg Pro
625 630 635 640

Val Ile Val His Arg Ala Ile Leu Gly Ser Val Glu Arg Met Ile Ala
645 650 655

Ile Leu Thr Glu Asn Tyr Gly Gly Lys Trp Pro Phe Trp Leu Ser Pro
660 665 670

Arg Gln Val Met Val Val Pro Val Gly Pro Thr Cys Asp Glu Tyr Ala
675 680 685

Gln Lys Val Arg Gln Gln Phe His Asp Ala Lys Phe Met Ala Asp Ile
690 695 700

Asp Leu Asp Pro Gly Cys Thr Leu Asn Lys Lys Ile Arg Asn Ala Gln
705 710 715 720

Leu Ala Gln Tyr Asn Phe Ile Leu Val Val Gly Glu Lys Glu Lys Ile
725 730 735

Ser Gly Thr Val Asn Ile Arg Thr Arg Asp Asn Lys Val His Gly Glu
740 745 750

Arg Thr Ile Ser Glu Thr Ile Glu Arg Leu Gln Gln Leu Lys Glu Phe
755 760 765

1118

Arg Ser Lys Gln Ala Glu Glu Glu Phe
 770 775

<210> 1116

<211> 360

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1116

Thr Thr Ser Ala Xaa Arg Trp Asp Gly Thr Arg Gly Arg Thr Arg Gly
 1 5 10 15

Arg Thr Xaa Gly Phe Gly Asn Leu Ser Ile Thr Gln Xaa Trp Met Met
 20 25 30

Trp Ala Met Val Ser Xaa Met Glu Ile Asp Gln Pro Ala Gly Thr Gly
 35 40 45

Thr Leu Ser Arg Thr Asn Pro Pro Thr Gln Lys Pro Pro Ser Pro Pro
 50 55 60

Met Ser Gly Arg Gly Thr Leu Gly Arg Asn Thr Pro Tyr Lys Thr Leu
 65 70 75 80

Glu Pro Val Lys Pro Pro Thr Val Pro Asn Asp Tyr Met Thr Ser Pro
 85 90 95

Ala Arg Leu Gly Ser Gln His Ser Pro Gly Arg Thr Ala Ser Leu Asn

1119

100	105	110
Gln Arg Pro Arg Thr His Ser Gly Ser Ser Gly Gly Ser Gly Ser Arg 115 120 125		
Glu Asn Ser Gly Ser Ser Ser Ile Gly Ile Pro Ile Ala Val Pro Thr 130 135 140		
Pro Ser Pro Pro Thr Ile Gly Pro Ala Ala Pro Gly Ser Ala Pro Gly 145 150 155 160		
Ser Gln Tyr Gly Thr Met Thr Arg Gln Ile Ser Arg His Asn Ser Thr 165 170 175		
Thr Ser Ser Thr Ser Ser Gly Gly Tyr Arg Arg Thr Pro Ser Val Thr 180 185 190		
Ala Gln Phe Ser Ala Gln Pro His Val Asn Gly Gly Pro Leu Tyr Ser 195 200 205		
Gln Asn Ser Ile Ser Ile Ala Pro Pro Pro Pro Pro Met Pro Gln Leu 210 215 220		
Thr Pro Gln Ile Pro Leu Thr Gly Phe Val Ala Arg Val Gln Glu Asn 225 230 235 240		
Ile Ala Asp Ser Pro Thr Pro Pro Pro Pro Pro Pro Pro Asp Asp Ile 245 250 255		
Pro Met Phe Asp Asp Ser Pro Pro Pro Pro Pro Pro Pro Val Asp 260 265 270		
Tyr Glu Asp Glu Glu Ala Ala Val Val Gln Tyr Asn Asp Pro Tyr Ala 275 280 285		
Asp Gly Asp Pro Ala Trp Ala Pro Lys Asn Tyr Ile Glu Lys Val Val 290 295 300		
Ala Ile Tyr Asp Tyr Thr Lys Asp Lys Asp Asp Glu Leu Ser Phe Met 305 310 315 320		
Glu Gly Ala Ile Ile Tyr Val Ile Lys Lys Asn Asp Asp Gly Trp Tyr 325 330 335		
Glu Gly Val Cys Asn Arg Val Thr Gly Leu Phe Pro Gly Asn Tyr Val 340 345 350		
Glu Ser Ile Met His Tyr Thr Asp 355 360		

1120

<210> 1117
<211> 89
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (86)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1117
Pro Ala Arg Leu Gly Ile Thr Cys His Ser Pro Ala Ile Leu Ser Thr
1 5 10 15
Ala Leu Trp Gly Gly Ser Ser Pro Ile Pro Asp Ala Pro Thr Thr Gln
20 25 30
Trp Lys Val Thr Lys Pro Ala Pro Cys Pro Arg Pro Arg Arg Val Glu
35 40 45
Pro Val Cys Ser Gly Leu Gln Ala Gln Ile Leu His Cys Tyr Arg Asp
50 55 60
Arg Pro His Glu Val Leu Leu Cys Ser Asp Leu Val Lys Ala Tyr Gln
65 70 75 80
Arg Cys Val Ser Ala Xaa His Lys Gly
85

<210> 1118
<211> 347
<212> PRT
<213> Homo sapiens

<400> 1118
Arg Gly Val Val Asp Ser Glu Asp Leu Pro Leu Asn Ile Ser Arg Glu
1 5 10 15
Met Leu Gln Gln Ser Lys Ile Leu Lys Val Ile Arg Lys Asn Ile Val
20 25 30
Lys Lys Cys Leu Glu Leu Phe Ser Glu Leu Ala Glu Asp Lys Glu Asn
35 40 45
Tyr Lys Lys Phe Tyr Glu Ala Phe Ser Lys Asn Leu Lys Leu Gly Ile
50 55 60
His Glu Asp Ser Thr Asn Arg Arg Arg Leu Ser Glu Leu Leu Arg Tyr

1121

65	70	75	80
His Thr Ser Gln Ser Gly Asp Glu Met Thr Ser Leu Ser Glu Tyr Val			
85	90	95	
Ser Arg Met Lys Glu Thr Gln Lys Ser Ile Tyr Tyr Ile Thr Gly Glu			
100	105	110	
Ser Lys Glu Gln Val Ala Asn Ser Ala Phe Val Glu Arg Val Arg Lys			
115	120	125	
Arg Gly Phe Glu Val Val Tyr Met Thr Glu Pro Ile Asp Glu Tyr Cys			
130	135	140	
Val Gln Gln Leu Lys Glu Phe Asp Gly Lys Ser Leu Val Ser Val Thr			
145	150	155	160
Lys Glu Gly Leu Glu Leu Pro Glu Asp Glu Glu Glu Lys Lys Lys Met			
165	170	175	
Glu Glu Ser Lys Ala Lys Phe Glu Asn Leu Cys Lys Leu Met Lys Glu			
180	185	190	
Ile Leu Asp Lys Lys Val Glu Lys Val Thr Ile Ser Asn Arg Leu Val			
195	200	205	
Ser Ser Pro Cys Cys Ile Val Thr Ser Thr Tyr Gly Trp Thr Ala Asn			
210	215	220	
Met Glu Arg Ile Met Lys Ala Gln Ala Leu Arg Asp Asn Ser Thr Met			
225	230	235	240
Gly Tyr Met Met Ala Lys Lys His Leu Glu Ile Asn Pro Asp His Pro			
245	250	255	
Ile Val Glu Thr Leu Arg Gln Lys Ala Glu Ala Asp Lys Asn Asp Lys			
260	265	270	
Ala Val Lys Asp Leu Val Val Leu Leu Phe Glu Thr Ala Leu Leu Ser			
275	280	285	
Ser Gly Phe Ser Leu Glu Asp Pro Gln Thr His Ser Asn Arg Ile Tyr			
290	295	300	
Arg Met Ile Lys Leu Gly Leu Gly Ile Asp Glu Asp Glu Val Ala Ala			
305	310	315	320
Glu Glu Pro Asn Ala Ala Val Pro Asp Glu Ile Pro Pro Leu Glu Gly			
325	330	335	
Asp Glu Asp Ala Ser Arg Met Glu Glu Val Asp			

1122

340

345

<210> 1119

<211> 293

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (170)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1119

Pro Gly Ser Pro Asp Val Asn Arg Ala Val Val Arg Pro Pro Pro Pro
 1 5 10 15

Pro Pro Pro Pro Pro Pro Ala Pro Gln Pro Thr Met Ser Arg Arg Lys
 20 25 30

Gln Gly Lys Pro Gln His Leu Ser Lys Arg Glu Phe Ser Pro Glu Pro
 35 40 45

Leu Glu Ala Ile Leu Thr Asp Asp Glu Pro Asp His Gly Pro Leu Gly
 50 55 60

Ala Pro Glu Gly Asp His Asp Leu Leu Thr Cys Gly Gln Cys Gln Met
 65 70 75 80

Asn Phe Pro Leu Gly Asp Ile Leu Ile Phe Ile Glu His Lys Arg Lys
 85 90 95

Gln Cys Asn Gly Ser Leu Cys Leu Glu Lys Ala Val Asp Lys Pro Pro
 100 105 110

Ser Pro Ser Pro Ile Glu Met Lys Lys Ala Ser Asn Pro Val Glu Val
 115 120 125

Gly Ile Gln Val Thr Pro Glu Asp Asp Asp Cys Leu Ser Thr Ser Ser
 130 135 140

Arg Gly Ile Cys Pro Lys Gln Glu His Ile Ala Asp Lys Leu Leu His
 145 150 155 160

Trp Arg Gly Leu Ser Ser Pro Arg Ser Xaa Thr Trp Ser Ser Asn Pro
 165 170 175

His Ala Trp Asp Glu Cys Arg Ile Cys Pro Ala Gly Ile Cys Lys Asp
 180 185 190

1123

Glu Pro Ser Ser Tyr Thr Cys Thr Thr Cys Lys Gln Pro Phe Thr Ser
 195 200 205
 Ala Trp Phe Leu Leu Gln His Ala Gln Asn Thr His Gly Leu Arg Ile
 210 215 220
 Tyr Leu Glu Ser Glu His Gly Ser Pro Leu Thr Pro Arg Val Gly Ile
 225 230 235 240
 Pro Ser Gly Leu Gly Ala Glu Cys Pro Ser Gln Pro Pro Leu His Gly
 245 250 255
 Ile His Ile Ala Asp Asn Asn Pro Phe Asn Leu Leu Arg Ile Pro Gly
 260 265 270
 Ser Val Ser Arg Glu Ala Ser Gly Leu Gly Arg Arg Ala Leu Ser Thr
 275 280 285
 His Ser Pro Pro Val
 290

<210> 1120

<211> 190

<212> PRT

<213> Homo sapiens

<400> 1120

Ala Ala Ala Ala Ala Gly Asp Pro Gly Ala Met Gly Arg Ala Arg Asp
 1 5 10 15
 Ala Ile Leu Asp Ala Leu Glu Asn Leu Thr Ala Glu Glu Leu Lys Lys
 20 25 30
 Phe Lys Leu Lys Leu Leu Ser Val Pro Leu Arg Glu Gly Tyr Gly Arg
 35 40 45
 Ile Pro Arg Gly Ala Leu Leu Ser Met Asp Ala Leu Asp Leu Thr Asp
 50 55 60
 Lys Leu Val Ser Phe Tyr Leu Glu Thr Tyr Gly Ala Glu Leu Thr Ala
 65 70 75 80
 Asn Val Leu Arg Asp Met Gly Leu Gln Glu Met Ala Gly Gln Leu Gln
 85 90 95
 Ala Ala Thr His Gln Gly Ser Gly Ala Ala Pro Ala Gly Ile Gln Ala
 100 105 110
 Pro Pro Gln Ser Ala Ala Lys Pro Gly Leu His Phe Ile Asp Gln His

1124

115	120	125
Arg Ala Ala Leu Ile Ala Arg Val Thr Asn Val Glu Trp Leu Leu Asp		
130	135	140
Ala Leu Tyr Gly Lys Val Leu Thr Asp Glu Gln Tyr Gln Ala Val Arg		
145	150	155
Pro Ser Pro Pro Thr Gln Ala Arg Cys Gly Ser Ser Ser Val Ser His		
165	170	175
Gln Pro Gly Thr Gly Pro Ala Arg Thr Cys Ser Ser Arg Pro		
180	185	190

<210> 1121

<211> 217

<212> PRT

<213> Homo sapiens

<400> 1121

Gly Arg Lys Trp Phe Cys Pro Tyr Lys Thr Trp Arg Lys Ala Phe Leu		
1	5	10
Ser Pro Arg Lys Arg His Val Met Ser Gln Ser Cys Gly Ala Arg Ala		
20	25	30
Glu Val Gln Ala Thr Gly Ser Asp Gly Ala Pro Thr Lys Ala Leu Gly		
35	40	45
Leu Val Arg Val Ala Ala Val Ser Ser Asp Ser Cys Val Val Pro Met		
50	55	60
Val Glu Lys Lys Thr Ser Val Arg Ser Gln Asp Pro Gly Gln Arg Arg		
65	70	75
Val Leu Asp Arg Ala Ala Arg Gln Arg Arg Ile Asn Arg Gln Leu Glu		
85	90	95
Ala Leu Glu Asn Asp Asn Phe Gln Asp Asp Pro His Ala Gly Leu Pro		
100	105	110
Gln Leu Gly Lys Arg Leu Pro Gln Phe Asp Asp Asp Ala Asp Thr Gly		
115	120	125
Lys Lys Lys Lys Lys Thr Arg Gly Asp His Phe Lys Leu Arg Phe Arg		
130	135	140
Lys Asn Phe Gln Ala Leu Leu Glu Glu Gln Asn Leu Ser Val Ala Glu		
145	150	155
		160

1125

Gly Pro Asn Tyr Leu Thr Ala Cys Ala Gly Pro Pro Ser Arg Pro Gln
165 170 175
Arg Pro Phe Cys Ala Val Cys Gly Phe Pro Ser Pro Tyr Thr Cys Val
180 185 190
Ser Cys Gly Ala Arg Tyr Cys Thr Val Arg Cys Leu Gly Thr His Gln
195 200 205
Glu Thr Arg Cys Leu Lys Trp Thr Val
210 215

<210> 1122
<211> 112
<212> PRT
<213> Homo sapiens

<400> 1122
Gly Asn Cys Gln Lys Cys Ala Phe Gly Tyr Ser Gly Leu Asp Cys Lys
1 5 10 15
Asp Lys Phe Gln Leu Ile Leu Thr Ile Val Gly Thr Ile Ala Gly Ile
20 25 30
Val Ile Leu Ser Met Ile Ile Ala Leu Ile Val Thr Ala Arg Ser Asn
35 40 45
Asn Lys Thr Lys His Ile Glu Glu Asn Leu Ile Asp Glu Asp Phe
50 55 60
Gln Asn Leu Lys Leu Arg Ser Thr Gly Phe Thr Asn Leu Gly Ala Glu
65 70 75 80
Gly Ser Val Phe Pro Lys Val Arg Ile Thr Ala Ser Arg Asp Ser Gln
85 90 95
Met Gln Asn Pro Tyr Ser Ser His Ser Ser Met Pro Arg Pro Asp Tyr
100 105 110

<210> 1123
<211> 216
<212> PRT
<213> Homo sapiens

1126

<400> 1123

Gly Lys Leu Val Cys Gly Met Val Ser Tyr Leu Asn Asp Leu Pro Ser
 1 5 10 15

Gln Arg Ile Gln Pro Gln Gln Val Ala Val Trp Pro Thr Met Val Asp
 20 25 30

Ile Asn Ser Pro Glu Ser Leu Thr Glu Ala Tyr Lys Leu Arg Ala Ala
 35 40 45

Arg Leu Val Glu Ile Ala Ala Lys Asn Leu Gln Lys Glu Val Ile His
 50 55 60

Arg Lys Ser Lys Glu Val Ala Trp Asn Leu Thr Ser Val Asp Leu Val
 65 70 75 80

Arg Ala Ser Glu Ala His Cys His Tyr Val Val Val Lys Leu Phe Ser
 85 90 95

Glu Lys Leu Leu Lys Ile Gln Asp Lys Ala Ile Gln Ala Val Leu Arg
 100 105 110

Ser Leu Cys Leu Leu Tyr Ser Leu Tyr Gly Ile Ser Gln Asn Ala Gly
 115 120 125

Asp Phe Leu Gln Gly Ser Ile Met Thr Glu Pro Gln Ile Thr Gln Val
 130 135 140

Asn Gln Arg Val Lys Glu Leu Leu Thr Leu Ile Arg Ser Asp Ala Val
 145 150 155 160

Ala Leu Val Asp Ala Phe Asp Phe Gln Asp Val Thr Leu Gly Ser Val
 165 170 175

Leu Gly Arg Tyr Asp Gly Asn Val Tyr Glu Asn Leu Phe Glu Trp Ala
 180 185 190

Lys Asn Ser Pro Leu Asn Lys Ala Glu Val His Glu Ser Tyr Lys His
 195 200 205

Leu Lys Ser Leu Gln Ser Lys Leu
 210 215

<210> 1124

<211> 218

<212> PRT

<213> Homo sapiens

1127

<400> 1124

Pro Ser Pro Arg Pro Pro Asp Pro Glu Ser Ser Gln Leu Arg Pro Gly
 1 5 10 15
 Gly Asp Gly Ala Glu Leu Arg Val Leu Val Asp Met Asp Gly Val Leu
 20 25 30
 Ala Asp Phe Glu Ala Gly Leu Leu Arg Gly Phe Arg Arg Arg Phe Pro
 35 40 45
 Glu Glu Pro His Val Pro Leu Glu Gln Arg Arg Gly Phe Leu Ala Arg
 50 55 60
 Glu Gln Tyr Arg Ala Leu Arg Pro Asp Leu Ala Asp Lys Val Ala Ser
 65 70 75 80
 Val Tyr Glu Ala Pro Gly Phe Phe Leu Asp Leu Glu Pro Ile Pro Gly
 85 90 95
 Ala Leu Asp Ala Val Arg Glu Met Asn Asp Leu Pro Asp Thr Gln Val
 100 105 110
 Phe Ile Cys Thr Ser Pro Leu Leu Lys Tyr His His Cys Val Gly Glu
 115 120 125
 Lys Tyr Arg Trp Val Glu Gln His Leu Gly Pro Gln Phe Val Glu Arg
 130 135 140
 Ile Ile Leu Thr Arg Asp Lys Thr Val Val Leu Gly Asp Leu Leu Ile
 145 150 155 160
 Asp Asp Lys Asp Thr Val Arg Gly Gln Glu Glu Thr Pro Ser Trp Glu
 165 170 175
 His Ile Leu Phe Thr Cys Cys His Asn Arg His Leu Val Leu Pro Pro
 180 185 190
 Thr Arg Arg Arg Leu Leu Ser Trp Ser Asp Asn Trp Arg Glu Ile Leu
 195 200 205
 Asp Ser Lys Arg Gly Ala Ala Gln Arg Glu
 210 215

<210> 1125

<211> 87

<212> PRT

<213> Homo sapiens

<400> 1125

1128

Met Arg Arg Arg Val Phe Phe Leu His Arg Cys Ser Ile Leu Val Phe
 1 5 10 15

Leu Phe Pro Cys Lys Cys Asn Gln Met Pro Phe Tyr Met Trp Thr Tyr
 20 25 30

Leu Tyr Trp Pro Asn Ile Phe Phe Leu Leu Ser Leu Phe Phe Phe Pro
 35 40 45

Phe Phe Leu Leu Pro Leu Phe Leu Tyr Ser Phe Leu Phe Leu Phe Phe
 50 55 60

Phe Phe Phe Ser Phe Phe Phe Gly Ser Cys Cys Tyr Pro Arg His Phe
 65 70 75 80

Thr Ser Pro Ser Leu Lys Gly
 85

<210> 1126

<211> 174

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (173)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1126

Pro Pro Leu Gly Lys Lys Xaa Glu Leu His Arg Gly Gly Gly Arg Ser
 1 5 10 15

Arg Leu Glu Glu Phe Gln Met Arg Ala Arg Pro Arg Pro Arg Pro Leu
 20 25 30

Trp Ala Thr Val Leu Ala Leu Gly Ala Leu Ala Gly Val Gly Val Gly
 35 40 45

Gly Pro Asn Ile Cys Thr Thr Arg Gly Val Ser Ser Cys Gln Gln Cys
 50 55 60

Leu Ala Val Ser Pro Met Cys Ala Trp Cys Ser Asp Glu Ala Leu Pro
 65 70 75 80

1129

Leu Gly Ser Pro Arg Cys Asp Leu Lys Glu Asn Leu Leu Lys Asp Asn
 85 90 95
 Cys Ala Pro Glu Ser Ile Glu Phe Pro Val Ser Glu Ala Arg Val Leu
 100 105 110
 Glu Asp Arg Pro Leu Ser Asp Lys Gly Ser Gly Asp Ser Ser Gln Val
 115 120 125
 Thr Gln Val Ser Pro Gln Arg Ile Ala Leu Arg Leu Arg Pro Asp Asp
 130 135 140
 Ser Lys Asn Phe Ser Ile Gln Val Arg Gln Val Glu Asp Tyr Pro Val
 145 150 155 160
 Asp Ile Tyr Tyr Leu Met Asp Leu Ser Tyr Ser Met Xaa Gly
 165 170

<210> 1127

<211> 359

<212> PRT

<213> Homo sapiens

<400> 1127

Pro Gln Pro Phe Gln Gly Ser Gly Cys Val Ile Ala Ile Leu Gly Lys
 1 5 10 15
 Arg Cys Ser Arg Pro Trp Arg Thr Trp Arg Gly Arg Thr Pro Ser Thr
 20 25 30
 Arg His Ile Cys Ser Trp Cys Thr Met Val Ser Gly Thr Ser Ala Ala
 35 40 45
 Val Glu Glu Tyr Ser Cys Glu Phe Gly Ser Ala Lys Tyr Tyr Ala Leu
 50 55 60
 Cys Gly Phe Gly Gly Val Leu Ser Cys Gly Leu Thr His Thr Ala Val
 65 70 75 80
 Val Pro Leu Asp Leu Val Lys Cys Arg Met Gln Val Asp Pro Gln Lys
 85 90 95
 Tyr Lys Gly Ile Phe Asn Gly Phe Ser Val Thr Leu Lys Glu Asp Gly
 100 105 110
 Val Arg Gly Leu Ala Lys Gly Trp Ala Pro Thr Phe Leu Gly Tyr Ser
 115 120 125
 Met Gln Gly Leu Cys Lys Phe Gly Phe Tyr Glu Val Phe Lys Val Leu

1130

130	135	140
Tyr Ser Asn Met Leu Gly Glu Glu Asn Thr Tyr Leu Trp Arg Thr Ser		
145	150	155 160
Leu Tyr Leu Ala Ala Ser Ala Ser Ala Glu Phe Phe Ala Asp Ile Ala		
	165	170 175
Leu Ala Pro Met Glu Ala Ala Lys Val Arg Ile Gln Thr Gln Pro Gly		
	180	185 190
Tyr Ala Asn Thr Leu Arg Asp Ala Ala Pro Lys Met Tyr Lys Glu Glu		
	195	200 205
Gly Leu Lys Ala Phe Tyr Lys Gly Val Ala Pro Leu Trp Met Arg Gln		
	210	215 220
Ile Pro Tyr Thr Met Met Lys Phe Ala Cys Phe Glu Arg Thr Val Glu		
	225	230 235 240
Ala Leu Tyr Lys Phe Val Val Pro Lys Pro Arg Ser Glu Cys Ser Lys		
	245	250 255
Pro Glu Gln Leu Val Val Thr Phe Val Ala Gly Tyr Ile Ala Gly Val		
	260	265 270
Phe Cys Ala Ile Val Ser His Pro Ala Asp Ser Val Val Ser Val Leu		
	275	280 285
Asn Lys Glu Lys Gly Ser Ser Ala Ser Leu Val Leu Lys Arg Leu Gly		
	290	295 300
Phe Lys Gly Val Trp Lys Gly Leu Phe Ala Arg Ile Ile Met Ile Gly		
	305	310 315 320
Thr Leu Thr Ala Leu Gln Trp Phe Ile Tyr Asp Ser Val Lys Val Tyr		
	325	330 335
Phe Arg Leu Pro Arg Pro Pro Pro Pro Glu Met Pro Glu Ser Leu Lys		
	340	345 350
Lys Lys Leu Gly Leu Thr Gln		
	355	

<210> 1128

<211> 399

<212> PRT

<213> Homo sapiens

1131

<220>

<221> SITE

<222> (208)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (349)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1128

Leu Glu Pro Pro Ala Glu Pro Leu Gln Tyr Leu Ala Cys Tyr Arg Phe
 1 5 10 15

His Cys Ser His Gln Leu Gly Asp Asn Met Trp Phe Leu Thr Thr Leu
 20 25 30

Leu Leu Trp Val Pro Val Asp Gly Gln Val Asp Thr Thr Lys Ala Val
 35 40 45

Ile Thr Leu Gln Pro Pro Trp Val Ser Val Phe Gln Glu Glu Thr Val
 50 55 60

Thr Leu His Cys Glu Val Leu His Leu Pro Gly Ser Ser Ser Thr Gln
 65 70 75 80

Trp Phe Leu Asn Gly Thr Ala Thr Gln Thr Ser Thr Pro Ser Tyr Arg
 85 90 95

Ile Thr Ser Ala Ser Val Asn Asp Ser Gly Glu Tyr Arg Cys Gln Arg
 100 105 110

Gly Leu Ser Gly Arg Ser Asp Pro Ile Gln Leu Glu Ile His Arg Gly
 115 120 125

Trp Leu Leu Leu Gln Val Ser Ser Arg Val Phe Thr Glu Gly Glu Pro
 130 135 140

Leu Ala Leu Arg Cys His Ala Trp Lys Asp Lys Leu Val Tyr Asn Val
 145 150 155 160

Leu Tyr Tyr Arg Asn Gly Lys Ala Phe Lys Phe Phe His Trp Asn Ser
 165 170 175

Asn Leu Thr Ile Leu Lys Thr Asn Ile Ser His Asn Gly Thr Tyr His
 180 185 190

Cys Ser Gly Met Gly Lys His Arg Tyr Thr Ser Ala Gly Ile Ser Xaa
 195 200 205

Thr Val Lys Glu Leu Phe Pro Ala Pro Val Leu Asn Ala Ser Val Thr

1132

210	215	220
Ser Pro Leu Leu Glu Gly Asn Leu Val Thr Leu Ser Cys Glu Thr Lys		
225	230	235 240
Leu Leu Leu Gln Arg Pro Gly Leu Gln Leu Tyr Phe Ser Phe Tyr Met		
	245	250 255
Gly Ser Lys Thr Leu Arg Gly Arg Asn Thr Ser Ser Glu Tyr Gln Ile		
	260	265 270
Leu Thr Ala Arg Arg Glu Asp Ser Gly Leu Tyr Trp Cys Glu Ala Ala		
	275	280 285
Thr Glu Asp Gly Asn Val Leu Lys Arg Ser Pro Glu Leu Glu Leu Gln		
	290	295 300
Val Leu Gly Leu Gln Leu Pro Thr Pro Val Trp Phe His Val Leu Phe		
305	310	315 320
Tyr Leu Ala Val Gly Ile Met Phe Leu Val Asn Thr Val Leu Trp Val		
	325	330 335
Thr Ile Arg Lys Glu Leu Lys Arg Lys Lys Lys Trp Xaa Leu Glu Ile		
	340	345 350
Ser Leu Asp Ser Gly His Glu Lys Lys Val Ile Ser Ser Leu Gln Glu		
	355	360 365
Asp Arg His Leu Glu Glu Glu Leu Lys Cys Gln Glu Gln Lys Glu Glu		
	370	375 380
Gln Leu Gln Glu Gly Val His Arg Lys Glu Pro Gln Gly Ala Thr		
385	390	395

<210> 1129

<211> 147

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

1133

<400> 1129

Glu Ile Leu Phe Ile Phe Xaa Xaa Phe Phe Lys Gly Leu Ser Asn Ser
 1 5 10 15

Ala Ala Ala Met Ala Pro Val Lys Lys Leu Val Val Lys Gly Gly Lys
 20 25 30

Lys Lys Lys Gln Val Leu Lys Phe Thr Leu Asp Cys Thr His Pro Val
 35 40 45

Glu Asp Gly Ile Met Asp Ala Ala Asn Phe Glu Gln Phe Leu Gln Glu
 50 55 60

Arg Ile Lys Val Asn Gly Lys Ala Gly Asn Leu Gly Gly Gly Val Val
 65 70 75 80

Thr Ile Glu Arg Ser Lys Ser Lys Ile Thr Val Thr Ser Glu Val Pro
 85 90 95

Phe Ser Lys Arg Tyr Leu Lys Tyr Leu Thr Lys Lys Tyr Leu Lys Lys
 100 105 110

Asn Asn Leu Arg Asp Trp Leu Arg Val Val Ala Asn Ser Lys Glu Ser
 115 120 125

Tyr Glu Leu Arg Tyr Phe Gln Ile Asn Gln Asp Glu Glu Glu Glu
 130 135 140

Asp Glu Asp
 145

<210> 1130

<211> 91

<212> PRT

<213> Homo sapiens

<400> 1130

Asn Cys Ser Pro Ala Phe Tyr Gly Ser Ser Leu Pro Cys Pro Gln Thr
 1 5 10 15

Gln Gln Lys Arg Arg Gly Arg Ile Arg Gly Leu Ser Arg Pro Ala Pro
 20 25 30

Leu Pro Thr Cys His Thr Arg Cys Glu Phe Glu His Ser Pro Glu Met
 35 40 45

Glu Thr Ser His Pro Gln Leu Asn Asn Gly Pro Phe Met Pro Thr Leu
 50 55 60

1134

Pro Thr Arg Arg Gly Gln Arg Cys Thr Arg Arg Pro Ser Ser Ser Pro
 65 70 75 80

Ser Ser Ala Pro Ser His Tyr Ser Trp Phe Tyr
 85 90

<210> 1131

<211> 510

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (228)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (352)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1131

Thr Ser Glu Glu Ser Arg Pro Arg Leu Ser Gln Leu Ser Val Thr Asp
 1 5 10 15

Val Thr Thr Ser Ser Leu Arg Leu Asn Trp Glu Ala Pro Pro Gly Ala
 20 25 30

Phe Asp Ser Phe Leu Leu Arg Phe Gly Val Pro Ser Pro Ser Thr Leu
 35 40 45

Glu Pro His Pro Arg Pro Leu Leu Gln Arg Glu Leu Met Val Pro Gly
 50 55 60

Thr Arg His Ser Ala Val Leu Arg Asp Leu Arg Ser Gly Thr Leu Tyr
 65 70 75 80

Ser Leu Thr Leu Tyr Gly Leu Arg Gly Pro His Lys Ala Asp Ser Ile
 85 90 95

Gln Gly Thr Ala Arg Thr Leu Ser Pro Val Leu Glu Ser Pro Arg Asp
 100 105 110

Leu Gln Phe Ser Glu Ile Arg Glu Thr Ser Ala Lys Val Asn Trp Met
 115 120 125

Pro Pro Pro Ser Arg Ala Asp Ser Phe Lys Val Ser Tyr Gln Leu Ala
 130 135 140

1135

```

Asp Gly Gly Glu Pro Gln Ser Val Gln Val Asp Gly Gln Ala Arg Thr
145                      150                      155                      160

Gln Lys Leu Gln Gly Leu Ile Pro Gly Ala Arg Tyr Glu Val Thr Val
                      165                      170                      175

Val Ser Val Arg Gly Phe Glu Glu Ser Glu Pro Leu Thr Gly Phe Leu
                      180                      185                      190

Thr Thr Val Pro Asp Gly Pro Thr Gln Leu Arg Ala Leu Asn Leu Thr
                      195                      200                      205

Glu Gly Phe Ala Val Leu His Trp Lys Pro Pro Gln Asn Pro Val Asp
                      210                      215                      220

Thr Tyr Asp Xaa Gln Val Thr Ala Pro Gly Ala Pro Pro Leu Gln Ala
225                      230                      235                      240

Glu Thr Pro Gly Ser Ala Val Asp Tyr Pro Leu His Asp Leu Val Leu
                      245                      250                      255

His Thr Asn Tyr Thr Ala Thr Val Arg Gly Leu Arg Gly Pro Asn Leu
                      260                      265                      270

Thr Ser Pro Ala Ser Ile Thr Phe Thr Thr Gly Leu Glu Ala Pro Arg
                      275                      280                      285

Asp Leu Glu Ala Lys Glu Val Thr Pro Arg Thr Ala Leu Leu Thr Trp
                      290                      295                      300

Thr Glu Pro Pro Val Arg Pro Ala Gly Tyr Leu Leu Ser Phe His Thr
305                      310                      315                      320

Pro Gly Gly Gln Thr Gln Glu Ile Leu Leu Pro Gly Gly Ile Thr Ser
                      325                      330                      335

His Gln Leu Leu Gly Leu Phe Pro Ser Thr Ser Tyr Asn Ala Arg Xaa
                      340                      345                      350

Gln Ala Met Trp Gly Gln Ser Leu Leu Pro Pro Val Ser Thr Ser Phe
                      355                      360                      365

Thr Thr Gly Gly Leu Arg Ile Pro Phe Pro Arg Asp Cys Gly Glu Glu
                      370                      375                      380

Met Gln Asn Gly Ala Gly Ala Ser Arg Thr Ser Thr Ile Phe Leu Asn
385                      390                      395                      400

Gly Asn Arg Glu Arg Pro Leu Asn Val Phe Cys Asp Met Glu Thr Asp
                      405                      410                      415

```

1136

Gly Gly Gly Trp Leu Val Phe Gln Arg Arg Met Asp Gly Gln Thr Asp
420 425 430

Phe Trp Arg Asp Trp Glu Asp Tyr Ala His Gly Phe Gly Asn Ile Ser
435 440 445

Gly Glu Phe Trp Leu Gly Asn Glu Ala Leu His Ser Leu Thr Gln Ala
450 455 460

Gly Asp Tyr Ser Met Arg Val Asp Leu Arg Ala Gly Asp Glu Ala Val
465 470 475 480

Phe Ala Gln Tyr Asp Ser Phe His Val Asp Ser Ala Ala Glu Tyr Tyr
485 490 495

Arg Leu His Leu Glu Gly Tyr His Gly Thr Ala Gly Thr Pro
500 505 510

<210> 1132

<211> 430

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (182)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (216)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (408)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (410)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (414)

<223> Xaa equals any of the naturally occurring L-amino acids

1137

<220>

<221> SITE

<222> (420)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (428)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1132

Arg	Thr	Ala	Asp	Gln	Thr	Val	Thr	Ala	Ala	Leu	Thr	Lys	Arg	Ser	Trp
1				5						10				15	

Asn	Ser	Ser	Ser	Ser	Pro	Gln	Arg	Arg	Thr	Glu	Gln	Thr	Ala	Glu	Thr
				20				25					30		

Met	Glu	Ser	Pro	Ser	Ala	Pro	Pro	His	Arg	Trp	Cys	Ile	Pro	Trp	Gln
		35						40				45			

Arg	Leu	Leu	Leu	Thr	Ala	Ser	Leu	Leu	Thr	Phe	Trp	Asn	Pro	Pro	Thr
	50						55				60				

Thr	Ala	Lys	Leu	Thr	Ile	Glu	Ser	Thr	Pro	Phe	Asn	Val	Ala	Glu	Gly
65					70					75				80	

Lys	Glu	Val	Leu	Leu	Leu	Val	His	Asn	Leu	Pro	Gln	His	Leu	Phe	Gly
			85						90					95	

Tyr	Ser	Trp	Tyr	Lys	Gly	Glu	Arg	Val	Asp	Gly	Asn	Arg	Gln	Ile	Ile
		100						105					110		

Gly	Tyr	Val	Ile	Gly	Thr	Gln	Gln	Ala	Thr	Pro	Gly	Pro	Ala	Tyr	Ser
		115					120					125			

Gly	Arg	Glu	Ile	Ile	Tyr	Pro	Asn	Ala	Ser	Leu	Leu	Ile	Gln	Asn	Ile
	130						135				140				

Ile	Gln	Asn	Asp	Thr	Gly	Phe	Tyr	Thr	Leu	His	Val	Ile	Lys	Ser	Asp
145					150				155					160	

Leu	Val	Asn	Glu	Glu	Ala	Thr	Gly	Gln	Phe	Arg	Val	Tyr	Pro	Glu	Leu
			165					170						175	

Pro	Lys	Pro	Ser	Ile	Xaa	Ser	Asn	Asn	Ser	Lys	Pro	Val	Glu	Asp	Lys
			180					185						190	

Asp	Ala	Val	Ala	Phe	Thr	Cys	Glu	Pro	Glu	Thr	Gln	Asp	Ala	Thr	Tyr
		195					200					205			

Leu	Trp	Trp	Val	Asn	Asn	Gln	Xaa	Leu	Pro	Val	Ser	Pro	Arg	Leu	Gln
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1138

210	215	220
Leu Ser Asn Gly Asn Arg Thr Leu Thr Leu Phe Asn Val Thr Arg Asn 225	230	235 240
Asp Thr Ala Ser Tyr Lys Cys Glu Thr Gln Asn Pro Val Ser Ala Arg 245	250	255
Arg Ser Asp Ser Val Ile Leu Asn Val Leu Tyr Gly Pro Asp Ala Pro 260	265	270
Thr Ile Ser Pro Leu Asn Thr Ser Tyr Arg Ser Gly Glu Asn Leu Asn 275	280	285
Leu Ser Cys His Ala Ala Ser Asn Pro Pro Ala Gln Tyr Ser Trp Phe 290	295	300
Val Asn Gly Thr Phe Gln Gln Ser Thr Gln Glu Leu Phe Ile Pro Asn 305	310	315 320
Ile Thr Val Asn Asn Ser Gly Ser Tyr Thr Cys Gln Ala His Asn Ser 325	330	335
Asp Thr Gly Leu Asn Arg Thr Thr Val Thr Thr Ile Thr Val Tyr Ala 340	345	350
Glu Pro Pro Lys Pro Phe Ile Thr Ser Asn Asn Ser Asn Pro Val Glu 355	360	365
Asp Glu Asp Ala Val Ala Leu Thr Cys Glu Pro Glu Ile Gln Asn Thr 370	375	380
Thr Tyr Leu Trp Trp Val Asn Asn Gln Ser Leu Pro Val Ser Pro Arg 385	390	395 400
Leu His Leu Pro Met Thr Thr Xaa Pro Xaa Leu Tyr Ser Xaa Ala Gln 405	410	415
Gly Met Met Xaa Asp Pro Met Asn Val Glu Ser Xaa Thr Asn 420	425	430

<210> 1133

<211> 737

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

1139

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (140)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (186)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (194)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (308)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (534)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (535)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1133

Xaa	His	Ala	Ser	Ala	Ala	Xaa	Pro	Thr	Val	Thr	Ala	Ala	Leu	Thr	Arg
1				5					10					15	

Ala	Phe	Leu	Glu	Leu	Lys	Leu	Ser	Thr	Lys	Arg	Trp	Thr	Glu	Lys	Thr
		20							25					30	

Ala	Glu	Thr	Met	Gly	Pro	Pro	Ser	Ala	Pro	Pro	Cys	Arg	Leu	His	Val
		35						40				45			

Pro	Trp	Lys	Glu	Val	Leu	Leu	Thr	Ala	Ser	Leu	Leu	Thr	Phe	Trp	Asn
	50					55						60			

Pro	Pro	Thr	Thr	Ala	Lys	Leu	Thr	Ile	Glu	Ser	Thr	Pro	Phe	Asn	Val
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1140

65		70		75		80
Ala Glu Gly Lys Glu Val Leu Leu Leu Ala His Asn Leu Pro Gln Asn						
	85			90		95
Arg Ile Gly Tyr Ser Trp Tyr Lys Gly Glu Arg Val Asp Gly Asn Ser						
	100		105			110
Leu Ile Val Gly Tyr Val Ile Gly Thr Gln Gln Ala Thr Pro Gly Pro						
	115		120			125
Ala Tyr Ser Gly Arg Glu Thr Ile Tyr Pro Asn Xaa Ser Leu Leu Ile						
	130		135			140
Gln Asn Val Thr Gln Asn Asp Thr Gly Phe Tyr Thr Leu Gln Val Ile						
	145		150		155	160
Lys Ser Asp Leu Val Asn Glu Glu Ala Thr Gly Gln Phe His Val Tyr						
	165			170		175
Pro Glu Leu Pro Lys Pro Ser Ile Ser Xaa Asn Asn Ser Asn Pro Val						
	180			185		190
Glu Xaa Lys Asp Ala Val Ala Phe Thr Cys Glu Pro Glu Val Gln Asn						
	195		200			205
Thr Thr Tyr Leu Trp Trp Val Asn Gly Gln Ser Leu Pro Val Ser Pro						
	210		215			220
Arg Leu Gln Leu Ser Asn Gly Asn Met Thr Leu Thr Leu Leu Ser Val						
	225		230		235	240
Lys Arg Asn Asp Ala Gly Ser Tyr Glu Cys Glu Ile Gln Asn Pro Ala						
	245			250		255
Ser Ala Asn Arg Ser Asp Pro Val Thr Leu Asn Val Leu Tyr Gly Pro						
	260			265		270
Asp Gly Pro Thr Ile Ser Pro Ser Lys Ala Asn Tyr Arg Pro Gly Glu						
	275		280			285
Asn Leu Asn Leu Ser Cys His Ala Ala Ser Asn Pro Pro Ala Gln Tyr						
	290		295			300
Ser Trp Phe Xaa Asn Gly Thr Phe Gln Gln Ser Thr Gln Glu Leu Phe						
	305		310		315	320
Ile Pro Asn Ile Thr Val Asn Asn Ser Gly Ser Tyr Thr Cys Gln Ala						
	325			330		335
His Asn Ser Asp Thr Gly Leu Asn Arg Thr Thr Val Thr Thr Ile Thr						

1141

340	345	350
Val Tyr Ala Glu Pro Pro Lys Pro Phe Ile Thr Ser Asn Asn Ser Asn		
355	360	365
Pro Val Glu Asp Glu Asp Ala Val Ala Leu Thr Cys Glu Pro Glu Ile		
370	375	380
Gln Asn Thr Thr Tyr Leu Trp Trp Val Asn Asn Gln Ser Leu Pro Val		
385	390	395
Ser Pro Arg Leu Gln Leu Ser Asn Asp Asn Arg Thr Leu Thr Leu Leu		
405	410	415
Ser Val Thr Arg Asn Asp Val Gly Pro Tyr Glu Cys Gly Ile Gln Asn		
420	425	430
Glu Leu Ser Val Asp His Ser Asp Pro Val Ile Leu Asn Val Leu Tyr		
435	440	445
Gly Pro Asp Asp Pro Thr Ile Ser Pro Ser Tyr Thr Tyr Tyr Arg Pro		
450	455	460
Gly Val Asn Leu Ser Leu Ser Cys His Ala Ala Ser Asn Pro Pro Ala		
465	470	475
Gln Tyr Ser Trp Leu Ile Asp Gly Asn Ile Gln Gln His Thr Gln Glu		
485	490	495
Leu Phe Ile Ser Asn Ile Thr Glu Lys Asn Ser Gly Leu Tyr Thr Cys		
500	505	510
Gln Ala Asn Asn Ser Ala Ser Gly His Ser Arg Thr Thr Val Lys Thr		
515	520	525
Ile Thr Val Ser Ala Xaa Xaa Pro Lys Pro Ser Ile Ser Ser Asn Asn		
530	535	540
Ser Lys Pro Val Glu Asp Lys Asp Ala Val Ala Phe Thr Cys Glu Pro		
545	550	555
Glu Ala Gln Asn Thr Thr Tyr Leu Trp Trp Val Asn Gly Gln Ser Leu		
565	570	575
Pro Val Ser Pro Arg Leu Gln Leu Ser Asn Gly Asn Arg Thr Leu Thr		
580	585	590
Leu Phe Asn Val Thr Arg Asn Asp Ala Arg Ala Tyr Val Cys Gly Ile		
595	600	605
Gln Asn Ser Val Ser Ala Asn Arg Ser Asp Pro Val Thr Leu Asp Val		

1142

610	615	620
Leu Tyr Gly Pro Asp Thr Pro Ile Ile Ser Pro Pro Asp Ser Ser Tyr		
625	630	635 640
Leu Ser Gly Ala Asn Leu Asn Leu Ser Cys His Ser Ala Ser Asn Pro		
	645	650 655
Ser Pro Gln Tyr Ser Trp Arg Ile Asn Gly Ile Pro Gln Gln His Thr		
	660	665 670
Gln Val Leu Phe Ile Ala Lys Ile Thr Pro Asn Asn Asn Gly Thr Tyr		
	675	680 685
Ala Cys Phe Val Ser Asn Leu Ala Thr Gly Arg Asn Asn Ser Ile Val		
	690	695 700
Lys Ser Ile Thr Val Ser Ala Ser Gly Thr Ser Pro Gly Leu Ser Ala		
705	710	715 720
Gly Ala Thr Val Gly Ile Met Ile Gly Val Leu Val Gly Val Ala Leu		
	725	730 735

Ile

<210> 1134

<211> 71

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1134

Phe Gly Thr Xaa Arg Ser Val Val Leu Leu Leu Val Ala Val Arg Leu
1 5 10 15

His Thr Leu Leu Ser Cys Pro Leu Glu Gln Pro Ala Gly Thr Glu Trp
20 25 30

Ile Leu Glu Glu Gly Val Thr Thr Gly Pro Pro Arg Lys Pro Arg Ala
35 40 45

Asp Ile Tyr Asn Leu Arg Ser Pro Asp Glu Phe Ile Val Gly Gln Asn
50 55 60

1142

610	615	620
Leu Tyr Gly Pro Asp Thr Pro Ile Ile Ser Pro Pro Asp Ser Ser Tyr		
625	630	635 640
Leu Ser Gly Ala Asn Leu Asn Leu Ser Cys His Ser Ala Ser Asn Pro		
	645	650 655
Ser Pro Gln Tyr Ser Trp Arg Ile Asn Gly Ile Pro Gln Gln His Thr		
	660	665 670
Gln Val Leu Phe Ile Ala Lys Ile Thr Pro Asn Asn Asn Gly Thr Tyr		
	675	680 685
Ala Cys Phe Val Ser Asn Leu Ala Thr Gly Arg Asn Asn Ser Ile Val		
	690	695 700
Lys Ser Ile Thr Val Ser Ala Ser Gly Thr Ser Pro Gly Leu Ser Ala		
705	710	715 720
Gly Ala Thr Val Gly Ile Met Ile Gly Val Leu Val Gly Val Ala Leu		
	725	730 735
Ile		

<210> 1134

<211> 71

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1134

Phe Gly Thr Xaa Arg Ser Val Val Leu Leu Leu Val Ala Val Arg Leu
1 5 10 15

His Thr Leu Leu Ser Cys Pro Leu Glu Gln Pro Ala Gly Thr Glu Trp
20 25 30

Ile Leu Glu Glu Gly Val Thr Thr Gly Pro Pro Arg Lys Pro Arg Ala
35 40 45

Asp Ile Tyr Asn Leu Arg Ser Pro Asp Glu Phe Ile Val Gly Gln Asn
50 55 60

1143

Gln Ala Leu Ile Glu Pro Gly
65 70

<210> 1135
<211> 244
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (101)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1135
Gly Leu Arg Arg Leu Asp Ser Ala Ser Gly Thr Val Tyr Thr Ala Met
1 5 10 15

Asp Val Ala Thr Gly Gln Glu Val Ala Ile Lys Gln Met Asn Leu Gln
20 25 30

Gln Gln Pro Lys Lys Glu Leu Ile Ile Asn Glu Ile Leu Val Met Arg
35 40 45

Glu Asn Lys Asn Pro Asn Ile Val Asn Tyr Leu Asp Ser Tyr Leu Val
50 55 60

Gly Asp Glu Leu Trp Val Val Met Glu Tyr Leu Ala Gly Gly Ser Leu
65 70 75 80

Thr Asp Val Val Thr Glu Thr Cys Met Asp Glu Gly Gln Ile Ala Ala
85 90 95

Val Cys Arg Glu Xaa Leu Gln Ala Leu Glu Phe Leu His Ser Asn Gln
100 105 110

Ile Thr Pro Glu Gln Ser Lys Arg Ser Thr Met Val Gly Thr Pro Tyr
115 120 125

Trp Met Ala Pro Glu Val Val Thr Arg Lys Ala Tyr Gly Pro Lys Val
130 135 140

Asp Ile Trp Ser Leu Gly Ile Met Ala Ile Glu Met Ile Glu Gly Glu
145 150 155 160

Pro Pro Tyr Leu Asn Glu Asn Pro Leu Arg Ala Leu Tyr Leu Ile Ala
165 170 175

Thr Asn Gly Thr Pro Glu Leu Gln Asn Pro Glu Lys Leu Ser Ala Ile
180 185 190

1144

Phe Arg Asp Phe Leu Asn Arg Cys Leu Glu Met Asp Val Glu Lys Arg
 195 200 205

Gly Ser Ala Lys Glu Leu Leu Gln His Gln Phe Leu Lys Ile Ala Lys
 210 215 220

Pro Leu Ser Ser Leu Thr Pro Leu Ile Ala Ala Ala Lys Glu Ala Thr
 225 230 235 240

Lys Asn Asn His

<210> 1136

<211> 166

<212> PRT

<213> Homo sapiens

<400> 1136

Arg Ala Glu Phe Gly Thr Ser Pro Arg Ala Arg Arg His Glu Cys Cys
 1 5 10 15

Arg Phe Leu Asp Asp Asn Gln Ile Ile Thr Ser Ser Gly Asp Thr Thr
 20 25 30

Cys Ala Leu Trp Asp Ile Glu Thr Gly Gln Gln Thr Val Gly Phe Ala
 35 40 45

Gly His Ser Gly Asp Val Met Ser Leu Ser Leu Ala Pro Asp Gly Arg
 50 55 60

Thr Phe Val Ser Gly Ala Cys Asp Ala Ser Ile Lys Leu Trp Asp Val
 65 70 75 80

Arg Asp Ser Met Cys Arg Gln Thr Phe Ile Gly His Glu Ser Asp Ile
 85 90 95

Asn Ala Val Ala Phe Phe Pro Asn Gly Tyr Ala Phe Thr Thr Gly Ser
 100 105 110

Asp Asp Ala Thr Cys Arg Leu Phe Asp Leu Arg Ala Asp Gln Glu Leu
 115 120 125

Leu Met Tyr Ser His Asp Asn Ile Ile Cys Gly Ile Thr Ser Val Ala
 130 135 140

Phe Ser Arg Ser Asp Gly Cys Cys Ser Leu Ala Thr Thr Thr Ser Thr
 145 150 155 160

1145

Ala Thr Ser Gly Met Pro
165

<210> 1137
<211> 79
<212> PRT
<213> Homo sapiens

<400> 1137
Thr Asn Asn Lys Ser Leu Val Gln Leu Lys His Ile Ser Asn Asp Phe
1 5 10 15
Ser Lys Phe Lys Val Asp His Asp Arg Ile Ile Lys Asp Arg Lys Asp
20 25 30
Leu Ser Asn Leu Val Met Thr Ile Ile Ser Ile Phe Ala Glu Leu Lys
35 40 45
Ile Phe Asn Phe Ile Asn Met Leu Leu Gln Leu Pro Asp Leu Lys Lys
50 55 60
Lys Ser Phe Pro His Ser Gln Leu Lys Val Arg Thr Leu His Phe
65 70 75

<210> 1138
<211> 397
<212> PRT
<213> Homo sapiens

<400> 1138
Pro Thr Arg Pro Ser Ser Val Ser Arg Arg Asp Lys Ser Lys Gln Val
1 5 10 15
Trp Glu Ala Val Leu Leu Pro Leu Ser Leu Leu Ser Met Met Asp Leu
20 25 30
Arg Asn Thr Pro Ala Lys Ser Leu Asp Lys Phe Ile Glu Asp Tyr Leu
35 40 45
Leu Pro Asp Thr Cys Phe Arg Met Gln Ile Asn His Ala Ile Asp Ile
50 55 60
Ile Cys Gly Phe Leu Lys Glu Arg Cys Phe Arg Gly Ser Ser Tyr Pro
65 70 75 80
Val Cys Val Ser Lys Val Val Lys Gly Gly Ser Ser Gly Lys Gly Thr
85 90 95

1146

Thr Leu Arg Gly Arg Ser Asp Ala Asp Leu Val Val Phe Leu Ser Pro
100 105 110

Leu Thr Thr Phe Gln Asp Gln Leu Asn Arg Arg Gly Glu Phe Ile Gln
115 120 125

Glu Ile Arg Arg Gln Leu Glu Ala Cys Gln Arg Glu Arg Ala Phe Ser
130 135 140

Val Lys Phe Glu Val Gln Ala Pro Arg Trp Gly Asn Pro Arg Ala Leu
145 150 155 160

Ser Phe Val Leu Ser Ser Leu Gln Leu Gly Glu Gly Val Glu Phe Asp
165 170 175

Val Leu Pro Ala Phe Asp Ala Leu Asp Phe Ala Arg Thr Gly Gln Leu
180 185 190

Thr Gly Gly Tyr Lys Pro Asn Pro Gln Ile Tyr Val Lys Leu Ile Glu
195 200 205

Glu Cys Thr Asp Leu Gln Lys Glu Gly Glu Phe Ser Thr Cys Phe Thr
210 215 220

Glu Leu Gln Arg Asp Phe Leu Lys Gln Arg Pro Thr Lys Leu Lys Ser
225 230 235 240

Leu Ile Arg Leu Val Lys His Trp Tyr Gln Asn Cys Lys Lys Lys Leu
245 250 255

Gly Lys Leu Pro Pro Gln Tyr Ala Leu Glu Leu Leu Thr Val Tyr Ala
260 265 270

Trp Glu Arg Gly Ser Met Lys Thr His Phe Asn Thr Ala Gln Gly Phe
275 280 285

Arg Thr Val Leu Glu Leu Val Ile Asn Tyr Gln Gln Leu Cys Ile Tyr
290 295 300

Trp Thr Lys Tyr Tyr Asp Phe Lys Asn Pro Ile Ile Glu Lys Tyr Leu
305 310 315 320

Arg Arg Gln Leu Thr Lys Pro Arg Pro Val Ile Leu Asp Pro Ala Asp
325 330 335

Pro Thr Gly Asn Leu Gly Gly Gly Asp Pro Lys Gly Trp Arg Gln Leu
340 345 350

Ala Gln Glu Ala Glu Ala Trp Leu Asn Tyr Pro Cys Phe Lys Asn Trp
355 360 365

1147

Asp Gly Ser Pro Val Ser Ser Trp Ile Leu Leu Val Arg Pro Pro Ala
370 375 380

Ser Ser Leu Pro Phe Ile Pro Ala Pro Leu His Glu Ala
385 390 395

<210> 1139

<211> 180

<212> PRT

<213> Homo sapiens

<400> 1139

Phe Leu Leu Ser Asn Ala Arg Trp Ser Asn Arg Pro Asp Thr Ala Thr
1 5 10 15

Ala Leu Ala Gly Gly Ala Val Met Pro Glu Leu Ile Leu Ser Pro Ala
20 25 30

Thr Ala Pro His Pro Leu Lys Met Phe Ala Cys Ser Lys Phe Val Ser
35 40 45

Thr Pro Ser Leu Val Lys Ser Thr Ser Gln Leu Leu Ser Arg Pro Leu
50 55 60

Ser Ala Val Val Leu Lys Arg Pro Glu Ile Leu Thr Asp Glu Ser Leu
65 70 75 80

Ser Ser Leu Ala Val Ser Cys Pro Leu Thr Ser Leu Val Ser Ser Arg
85 90 95

Ser Phe Gln Thr Ser Ala Ile Ser Arg Asp Ile Asp Thr Ala Ala Lys
100 105 110

Phe Ile Gly Ala Gly Ala Ala Thr Val Gly Val Ala Gly Ser Gly Ala
115 120 125

Gly Ile Gly Thr Val Phe Gly Ser Leu Ile Ile Gly Tyr Ala Arg Asn
130 135 140

Pro Ser Leu Lys Gln Gln Leu Phe Ser Tyr Ala Ile Leu Gly Phe Ala
145 150 155 160

Leu Ser Glu Ala Met Gly Leu Phe Cys Leu Met Val Ala Phe Leu Ile
165 170 175

Leu Phe Ala Met
180

1148

<210> 1140

<211> 484

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1140

Trp	Leu	Leu	Arg	Ser	Pro	Gly	Lys	Leu	Thr	Ala	Arg	Glu	Arg	Ile	Ser
1				5					10					15	

Leu	Leu	Leu	Asp	Pro	Gly	Ser	Phe	Xaa	Glu	Ser	Asp	Met	Phe	Val	Glu
			20					25						30	

His	Arg	Cys	Ala	Asp	Phe	Gly	Met	Ala	Ala	Asp	Lys	Asn	Lys	Phe	Pro
		35					40						45		

Gly	Asp	Ser	Val	Val	Thr	Gly	Arg	Gly	Arg	Ile	Asn	Gly	Arg	Leu	Val
	50					55					60				

Tyr	Val	Phe	Ser	Gln	Asp	Phe	Thr	Val	Phe	Gly	Gly	Ser	Leu	Ser	Gly
	65					70				75					80

Ala	His	Ala	Gln	Lys	Ile	Cys	Lys	Ile	Met	Asp	Gln	Ala	Ile	Thr	Val
				85					90					95	

Gly	Ala	Pro	Val	Ile	Gly	Leu	Asn	Asp	Ser	Gly	Gly	Ala	Arg	Ile	Gln
			100					105						110	

Glu	Gly	Val	Glu	Ser	Leu	Ala	Gly	Tyr	Ala	Asp	Ile	Phe	Leu	Arg	Asn
		115					120						125		

Val	Thr	Ala	Ser	Gly	Val	Ile	Pro	Gln	Ile	Ser	Leu	Ile	Met	Gly	Pro
	130					135						140			

Cys	Ala	Gly	Gly	Ala	Val	Tyr	Ser	Pro	Ala	Leu	Thr	Asp	Phe	Thr	Phe
	145				150					155					160

Met	Val	Lys	Asp	Thr	Ser	Tyr	Leu	Phe	Ile	Thr	Gly	Pro	Asp	Val	Val
				165					170					175	

Lys	Ser	Val	Thr	Asn	Glu	Asp	Val	Thr	Gln	Glu	Glu	Leu	Gly	Gly	Ala
			180					185						190	

Lys	Thr	His	Thr	Thr	Met	Ser	Gly	Val	Ala	His	Arg	Ala	Phe	Glu	Asn
							200							205	

Asp Val Asp Ala Leu Cys Asn Leu Arg Asp Phe Phe Asn Tyr Leu Pro
 210 215 220
 Leu Ser Ser Gln Asp Pro Ala Pro Val Arg Glu Cys His Asp Pro Ser
 225 230 235 240
 Asp Arg Leu Val Pro Glu Leu Asp Thr Ile Val Pro Leu Glu Ser Thr
 245 250 255
 Lys Ala Tyr Asn Met Val Asp Ile Ile His Ser Val Val Asp Glu Arg
 260 265 270
 Glu Phe Phe Glu Ile Met Pro Asn Tyr Ala Lys Asn Ile Ile Val Gly
 275 280 285
 Phe Ala Arg Met Asn Gly Arg Thr Val Gly Ile Val Gly Asn Gln Pro
 290 295 300
 Lys Val Ala Ser Gly Cys Leu Asp Ile Asn Ser Ser Val Lys Gly Ala
 305 310 315 320
 Arg Phe Val Arg Phe Cys Asp Ala Phe Asn Ile Pro Leu Ile Thr Phe
 325 330 335
 Val Asp Val Pro Gly Phe Leu Pro Gly Thr Ala Gln Glu Tyr Gly Gly
 340 345 350
 Ile Ile Arg His Gly Ala Lys Leu Leu Tyr Ala Phe Ala Glu Ala Thr
 355 360 365
 Val Pro Lys Val Thr Val Ile Thr Arg Lys Ala Tyr Gly Gly Ala Tyr
 370 375 380
 Asp Val Met Ser Ser Lys His Leu Cys Gly Asp Thr Asn Tyr Ala Trp
 385 390 395 400
 Pro Thr Ala Glu Ile Ala Val Met Gly Ala Lys Gly Ala Val Glu Ile
 405 410 415
 Ile Phe Lys Gly His Glu Asn Val Glu Ala Ala Gln Ala Glu Tyr Ile
 420 425 430
 Glu Lys Phe Ala Asn Pro Phe Pro Ala Ala Val Arg Gly Phe Val Asp
 435 440 445
 Asp Ile Ile Gln Pro Ser Ser Thr Arg Ala Arg Ile Cys Cys Asp Leu
 450 455 460
 Asp Val Leu Ala Ser Lys Lys Val Gln Arg Pro Trp Arg Lys His Ala
 465 470 475 480

1150

Asn Ile Pro Leu

<210> 1141

<211> 59

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1141

Leu	Xaa	Glu	Leu	Glu	Arg	Tyr	Val	Thr	Ser	Cys	Leu	Arg	Lys	Lys	Arg
1				5					10					15	

Lys	Pro	Gln	Ala	Glu	Lys	Val	Asp	Val	Ile	Ala	Gly	Ser	Ser	Lys	Met
		20					25						30		

Lys	Gly	Phe	Ser	Ser	Ser	Glu	Ser	Glu	Ser	Ser	Ser	Glu	Ser	Ser	Ser
		35					40						45		

Ser	Asp	Ser	Glu	Xaa	Xaa	Glu	Thr	Gly	Pro	Ala
	50					55				

<210> 1142

<211> 199

<212> PRT

<213> Homo sapiens

<400> 1142

Ser	Gly	Tyr	Lys	Thr	Ile	Ser	Ala	Met	Gln	Thr	Ile	Lys	Cys	Val	Val
1				5					10				15		

Val	Gly	Asp	Gly	Ala	Val	Gly	Lys	Thr	Cys	Leu	Leu	Ile	Ser	Tyr	Thr
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1151

20	25	30
Thr Asn Lys Phe Pro Ser Glu Tyr Val Pro Thr Val Phe Asp Asn Tyr		
35	40	45
Ala Val Thr Val Met Ile Gly Gly Glu Pro Tyr Thr Leu Gly Leu Phe		
50	55	60
Asp Thr Ala Gly Gln Glu Asp Tyr Asp Arg Leu Arg Pro Leu Ser Tyr		
65	70	75
Pro Gln Thr Asp Val Phe Leu Val Cys Phe Ser Val Val Ser Pro Ser		
85	90	95
Ser Phe Glu Asn Val Lys Glu Lys Trp Val Pro Glu Ile Thr His His		
100	105	110
Cys Pro Lys Thr Pro Phe Leu Leu Val Gly Thr Gln Ile Asp Leu Arg		
115	120	125
Asp Asp Pro Ser Thr Ile Glu Lys Leu Ala Lys Asn Lys Gln Lys Pro		
130	135	140
Ile Thr Pro Glu Thr Ala Glu Lys Leu Ala Arg Asp Leu Lys Ala Val		
145	150	155
Lys Tyr Val Glu Cys Ser Ala Leu Thr Gln Lys Gly Leu Lys Asn Val		
165	170	175
Phe Asp Glu Ala Ile Leu Ala Ala Leu Glu Pro Pro Glu Pro Lys Lys		
180	185	190
Ser Arg Arg Cys Val Leu Leu		
195		

<210> 1143

<211> 171

<212> PRT

<213> Homo sapiens

<400> 1143

Gly Asp Leu Asp Cys Pro Asp Trp Val Leu Ala Glu Ile Ser Thr Leu
1 5 10 15
Ala Lys Met Tyr Glu Lys Ile Leu Lys Leu Thr Ala Asp Ala Lys Phe
20 25 30
Glu Ser Gly Asp Val Lys Ala Thr Val Ala Val Leu Ser Phe Ile Leu
35 40 45

1152

```
<400> 1144
Gln Trp Arg Gln Gly Val Gln Gly Arg Ser Ala Ser Gly Thr Ser Thr
      1             5              10             15
```


1153

Cys Arg Val Ala Arg Xaa Gly Gln Asp Trp Pro Ala Ala Ser Pro Gly
 20 25 30
 Val Asn Leu Arg Asn Xaa Phe Xaa Pro Pro Leu Leu Leu Ala Pro Val
 35 40 45
 Pro Thr Pro Val Ala Pro Ser Leu Gly Ser Pro Leu Leu Leu Ser His
 50 55 60
 Pro Glu Arg Gln Ser Gly Pro Val Thr Gly Gly Ala Gly Glu Gly His
 65 70 75 80
 Arg Cys Ala Ser Pro Gln Thr Val Cys Gln Val Ser Glu Leu Val Thr
 85 90 95
 Arg Pro Ala Ala Gln Pro Ser Ala Ala Ala Gln Pro Ala Ala Pro Ala
 100 105 110
 Gly Gly Arg Thr Pro Gly Arg Ala Gly Pro His Leu Pro Ile Tyr Lys
 115 120 125
 Ile Gly Gln Gly Asn Met Lys Ala Asp Leu Gln Ala Ala Ala Thr Ala
 130 135 140
 Lys Pro Gly Lys Ser Gln Gln
 145 150

<210> 1145

<211> 70

<212> PRT

<213> Homo sapiens

<400> 1145

Ala Asp Ile Ala Gly Val Leu Ala Ile Arg Pro Asp Glu Leu Arg Phe
 1 5 10 15
 Arg Tyr Ser Met Val Ala Tyr Trp Arg Gln Ala Gly Leu Ser Tyr Ile
 20 25 30
 Arg Tyr Ser Gln Ile Cys Ala Lys Ala Val Arg Asp Ala Leu Lys Thr
 35 40 45
 Glu Phe Lys Ala Asn Ala Glu Lys Thr Ser Gly Ser Asn Val Lys Ile
 50 55 60
 Val Lys Val Lys Lys Glu
 65 70

1154

<210> 1146
 <211> 166
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (56)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1146
 Leu His Ala Asn Gln Val Ile His Arg Asp Ile Lys Ser Asp Asn Val
 1 5 10 15
 Leu Leu Gly Met Glu Gly Ser Val Lys Leu Thr Asp Phe Gly Phe Cys
 20 25 30
 Ala Gln Ile Thr Pro Glu Gln Ser Lys Arg Ser Thr Met Val Gly Thr
 35 40 45
 Pro Tyr Trp Met Ala Pro Glu Xaa Val Thr Arg Lys Ala Tyr Gly Pro
 50 55 60
 Lys Val Asp Ile Trp Ser Leu Gly Ile Met Ala Ile Glu Met Val Glu
 65 70 75 80
 Gly Glu Pro Pro Tyr Leu Asn Glu Asn Pro Leu Arg Ala Leu Tyr Leu
 85 90 95
 Ile Ala Thr Asn Gly Thr Pro Glu Leu Gln Asn Pro Glu Lys Leu Ser
 100 105 110
 Pro Ile Phe Arg Asp Phe Leu Asn Arg Cys Leu Glu Met Asp Val Glu
 115 120 125
 Lys Arg Gly Ser Ala Lys Glu Leu Leu Gln His Pro Phe Leu Lys Leu
 130 135 140
 Ala Lys Pro Leu Ser Ser Leu Thr Pro Leu Ile Met Ala Ala Lys Glu
 145 150 155 160
 Ala Met Lys Ser Asn Arg
 165

<210> 1147
 <211> 420
 <212> PRT
 <213> Homo sapiens

1155

<220>

<221> SITE

<222> (203)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1147

Cys Pro Pro Phe Ser Val Arg Val Pro Pro Trp Ala Gly Leu Ala Leu
 1 5 10 15

Leu Pro Ser Pro Ser Leu Met Ala Leu Leu Arg Arg Pro Thr Val Ser
 20 25 30

Ser Asp Leu Glu Asn Ile Asp Thr Gly Val Asn Ser Lys Val Lys Ser
 35 40 45

His Val Thr Ile Arg Arg Thr Val Leu Glu Glu Ile Gly Asn Arg Val
 50 55 60

Thr Thr Arg Ala Ala Gln Val Ala Lys Lys Ala Gln Asn Thr Lys Val
 65 70 75 80

Pro Val Gln Pro Thr Lys Thr Thr Asn Val Asn Lys Gln Leu Lys Pro
 85 90 95

Thr Ala Ser Val Lys Pro Val Gln Met Glu Lys Leu Ala Pro Lys Gly
 100 105 110

Pro Ser Pro Thr Pro Glu Asp Val Ser Met Lys Glu Glu Asn Leu Cys
 115 120 125

Gln Ala Phe Ser Asp Ala Leu Leu Cys Lys Ile Glu Asp Ile Asp Asn
 130 135 140

Glu Asp Trp Glu Asn Pro Gln Leu Cys Ser Asp Tyr Val Lys Asp Ile
 145 150 155 160

Tyr Gln Tyr Leu Arg Gln Leu Glu Val Leu Gln Ser Ile Asn Pro His
 165 170 175

Phe Leu Asp Gly Arg Asp Ile Asn Gly Arg Met Arg Ala Ile Leu Val
 180 185 190

Asp Trp Leu Val Gln Val His Ser Lys Phe Xaa Leu Leu Gln Glu Thr
 195 200 205

Leu Tyr Met Cys Val Gly Ile Met Asp Arg Phe Leu Gln Val Gln Pro
 210 215 220

Val Ser Arg Lys Lys Leu Gln Leu Val Gly Ile Thr Ala Leu Leu Leu
 225 230 235 240

1156

Ala Ser Lys Tyr Glu Glu Met Phe Ser Pro Asn Ile Glu Asp Phe Val
245 250 255

Tyr Ile Thr Asp Asn Ala Tyr Thr Ser Ser Gln Ile Arg Glu Met Glu
260 265 270

Thr Leu Ile Leu Lys Glu Leu Lys Phe Glu Leu Gly Arg Pro Leu Pro
275 280 285

Leu His Phe Leu Arg Arg Ala Ser Lys Ala Gly Glu Val Asp Val Glu
290 295 300

Gln His Thr Leu Ala Lys Tyr Leu Met Glu Leu Thr Leu Ile Asp Tyr
305 310 315 320

Asp Met Val His Tyr His Pro Ser Lys Val Ala Ala Ala Ala Ser Cys
325 330 335

Leu Ser Gln Lys Val Leu Gly Gln Gly Lys Trp Asn Leu Lys Gln Gln
340 345 350

Tyr Tyr Thr Gly Tyr Thr Glu Asn Glu Val Leu Glu Val Met Gln His
355 360 365

Met Ala Lys Asn Val Val Lys Val Asn Glu Asn Leu Thr Lys Phe Ile
370 375 380

Ala Ile Lys Asn Lys Tyr Ala Ser Ser Lys Leu Leu Lys Ile Ser Met
385 390 395 400

Ile Pro Gln Leu Asn Ser Lys Ala Val Lys Asp Leu Ala Ser Pro Leu
405 410 415

Ile Gly Arg Ser
420

<210> 1148

<211> 249

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (244)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1148

Gln Ser Asn Ala Val Trp Leu Leu Gly His Leu His Leu Ser Thr Leu

1157

1	5	10	15
Ser Ser Ser Gln Ser Arg Ala Ser Val Pro Thr Asp Tyr Ser Tyr Leu	20	25	30
Pro Glu Ser Ser Phe Ile Gly Ala Ala Ile Gly Phe Phe Ile Thr Gly	35	40	45
Gly Lys Lys Gly Pro Glu Ser Val Pro Pro Ser Leu Leu Lys Val Val	50	55	60
Met Lys Pro Ile Ala Thr Val Gly Glu Ser Tyr Gln Tyr Pro Pro Val	65	70	75
Asn Trp Ala Ala Leu Leu Ser Pro Leu Met Arg Leu Asn Phe Gly Glu	85	90	95
Glu Ile Gln Gln Leu Cys Leu Glu Ile Met Val Thr Gln Ala Gln Ser	100	105	110
Ser Gln Asn Ala Ala Ala Leu Leu Gly Leu Trp Val Thr Pro Pro Leu	115	120	125
Ile His Ser Leu Ser Leu Asn Thr Lys Arg Tyr Leu Leu Ile Ser Ala	130	135	140
Pro Leu Trp Ile Lys His Ile Ser Asp Glu Gln Ile Leu Gly Phe Val	145	150	155
Glu Asn Leu Met Val Ala Val Phe Lys Ala Ala Ser Pro Leu Gly Ser	165	170	175
Pro Glu Leu Cys Pro Ser Ala Leu His Gly Leu Ser Gln Ala Met Lys	180	185	190
Leu Pro Ser Pro Ala His His Leu Trp Ser Leu Leu Ser Glu Ala Thr	195	200	205
Gly Lys Ile Phe Asp Leu Leu Pro Asn Lys Ile Arg Arg Lys Asp Leu	210	215	220
Glu Leu Tyr Ile Ser Ile Ala Lys Cys Leu Leu Glu Met Thr Asp Asp	225	230	235
Asp Ala Asn Xaa Asp Arg Pro Gly Tyr	245		

<210> 1149

<211> 239

1158

<212> PRT

<213> Homo sapiens

<400> 1149

Arg	Asp	Pro	Pro	Arg	Pro	Val	Gln	Ser	Gly	Leu	Gly	Ala	Ala	Gly	Thr
1				5					10					15	
Leu	Ser	Trp	Leu	Pro	Pro	Pro	Glu	Gln	Pro	Val	Leu	Val	Pro	Arg	Leu
			20					25					30		
Pro	Ala	Pro	Arg	Pro	Val	Met	Thr	Leu	Arg	Pro	Ser	Leu	Leu	Pro	Leu
			35				40					45			
His	Leu	Leu	Leu	Leu	Leu	Leu	Ser	Ala	Ala	Val	Cys	Arg	Ala	Glu	
	50					55				60					
Ala	Gly	Leu	Glu	Thr	Glu	Ser	Pro	Val	Arg	Thr	Leu	Gln	Val	Glu	Thr
65					70					75				80	
Leu	Val	Glu	Pro	Pro	Glu	Pro	Cys	Ala	Glu	Pro	Ala	Ala	Phe	Gly	Asp
					85				90					95	
Thr	Leu	His	Ile	His	Tyr	Thr	Gly	Ser	Leu	Val	Asp	Gly	Arg	Ile	Ile
			100					105					110		
Asp	Thr	Ser	Leu	Thr	Arg	Asp	Pro	Leu	Val	Ile	Glu	Leu	Gly	Gln	Lys
			115				120					125			
Gln	Val	Ile	Pro	Gly	Leu	Glu	Gln	Ser	Leu	Leu	Asp	Met	Cys	Val	Gly
	130					135					140				
Glu	Lys	Arg	Arg	Ala	Ile	Ile	Pro	Ser	His	Leu	Ala	Tyr	Gly	Lys	Arg
145					150					155				160	
Gly	Phe	Pro	Pro	Ser	Val	Pro	Ala	Asp	Ala	Val	Val	Gln	Tyr	Asp	Val
				165				170						175	
Glu	Leu	Ile	Ala	Leu	Ile	Arg	Ala	Asn	Tyr	Trp	Leu	Lys	Leu	Val	Lys
			180					185					190		
Gly	Ile	Leu	Pro	Leu	Val	Gly	Met	Ala	Met	Val	Pro	Ala	Leu	Leu	Gly
	195						200					205			
Leu	Ile	Gly	Tyr	His	Leu	Tyr	Arg	Lys	Ala	Asn	Arg	Pro	Lys	Val	Ser
	210						215				220				
Lys	Lys	Lys	Leu	Lys	Glu	Glu	Lys	Arg	Asn	Lys	Ser	Lys	Lys	Lys	
225					230					235					

1159

<210> 1150

<211> 394

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1150

Ala Glu Xaa Gly Lys Thr Glu Trp Leu Phe Gly Met Asp Glu Gly Arg
1 5 10 15

Lys Gln Leu Ala Ala Ser Ala Gly Phe Arg Arg Leu Ile Thr Val Ala
20 25 30

Leu His Arg Gly Gln Gln Tyr Glu Ser Met Asp His Ile Gln Ala Glu
35 40 45

Leu Ser Ala Arg Val Met Glu Leu Ala Pro Ala Gly Met Pro Thr Gln
50 55 60

Gln Gln Val Pro Phe Leu Ser Val Gly Gly Asp Ile Gly Val Arg Thr
65 70 75 80

Val Gln His Gln Asp Cys Ser Pro Leu Ser Gly Asp Tyr Val Ile Glu
85 90 95

Asp Val Gln Gly Asp Asp Lys Arg Tyr Phe Arg Arg Leu Ile Phe Leu
100 105 110

Ser Asn Arg Asn Val Val Gln Ser Glu Ala Arg Leu Leu Lys Asp Val
115 120 125

Ser His Lys Ala Gln Lys Lys Arg Lys Lys Asp Arg Lys Lys Gln Arg
130 135 140

Pro Ala Asp Ala Glu Asp Leu Pro Ala Ala Pro Gly Gln Ser Ile Asp
145 150 155 160

Lys Ser Tyr Leu Cys Cys Glu His His Lys Ala Met Ile Ala Gly Leu
165 170 175

Ala Leu Leu Arg Asn Pro Glu Leu Leu Leu Glu Ile Pro Leu Ala Leu
180 185 190

Leu Val Val Gly Leu Gly Gly Gly Ser Leu Pro Leu Phe Val His Asp
195 200 205

His Phe Pro Lys Ser Cys Ile Asp Ala Val Glu Ile Asp Pro Ser Met

1160

210	215	220
Leu Glu Val Ala Thr Gln Trp Phe Gly Phe Ser Gln Ser Asp Arg Met		
225	230	235 240
Lys Val His Ile Ala Asp Gly Leu Asp Tyr Ile Ala Ser Leu Ala Gly		
	245	250 255
Gly Gly Glu Ala Arg Pro Cys Tyr Asp Val Ile Met Phe Asp Val Asp		
	260	265 270
Ser Lys Asp Pro Thr Leu Gly Met Ser Cys Pro Pro Pro Ala Phe Val		
	275	280 285
Glu Gln Ser Phe Leu Gln Lys Val Lys Ser Ile Leu Thr Pro Glu Gly		
	290	295 300
Val Phe Ile Leu Asn Leu Val Cys Arg Asp Leu Gly Leu Lys Asp Ser		
305	310	315 320
Val Leu Ala Gly Leu Lys Ala Val Phe Pro Leu Leu Tyr Val Arg Arg		
	325	330 335
Ile Glu Gly Glu Val Asn Glu Ile Leu Phe Cys Gln Leu His Pro Glu		
	340	345 350
Gln Lys Leu Ala Thr Pro Glu Leu Leu Glu Thr Ala Gln Ala Leu Glu		
	355	360 365
Arg Thr Leu Arg Lys Pro Gly Arg Gly Trp Asp Asp Thr Tyr Val Leu		
	370	375 380
Ser Asp Met Leu Lys Thr Val Lys Ile Val		
385	390	

<210> 1151

<211> 111

<212> PRT

<213> Homo sapiens

<400> 1151

Val Asn Val Asn Asn Pro Ser Leu Cys His Ser Ser His Leu Val Asp		
1	5	10 15
Leu Gly Ser Gly Ser Val Glu Phe Cys Ala Trp Glu Trp Ser Trp Arg		
	20	25 30
Glu Trp Gly Leu Cys Thr Ala Ala Thr Ser Pro Arg Ser Ser His Leu		
	35	40 45

1161

Pro Ala Pro Arg Pro Gly Cys Met Ala Ala Pro Val Cys Val Gln Arg
 50 55 60
 Ser Val Ser His Pro Leu His Leu Leu Ser Gly Gly Leu Gly Ser Pro
 65 70 75 80
 Thr Cys Cys Gln Asp Leu Gly Ala Ile Lys Tyr Ser Gly Phe Val Lys
 85 90 95
 Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
 100 105 110

<210> 1152

<211> 172

<212> PRT

<213> Homo sapiens

<400> 1152

Leu Gly Asp Thr Ile Glu Gly Arg Leu Gln Val Pro Val Arg Asn Ser
 1 5 10 15
 Arg Val Asp Pro Arg Val Arg Ala Arg Gly Ala Asp Arg Met Gly Lys
 20 25 30
 Cys Arg Gly Leu Arg Thr Ala Arg Lys Leu Arg Ser His Arg Arg Asp
 35 40 45
 Gln Lys Trp His Asp Lys Gln Tyr Lys Lys Ala His Leu Gly Thr Ala
 50 55 60
 Leu Lys Ala Asn Pro Phe Gly Gly Ala Ser His Ala Lys Gly Ile Val
 65 70 75 80
 Leu Glu Lys Val Gly Val Glu Ala Lys Gln Pro Asn Ser Ala Ile Arg
 85 90 95
 Lys Cys Val Arg Val Gln Leu Ile Lys Asn Gly Lys Lys Ile Thr Ala
 100 105 110
 Phe Val Pro Asn Asp Gly Cys Leu Asn Phe Ile Glu Glu Asn Asp Glu
 115 120 125
 Val Leu Val Ala Gly Phe Gly Arg Lys Gly His Ala Val Gly Asp Ile
 130 135 140
 Pro Gly Val Arg Phe Lys Val Val Lys Val Ala Asn Val Ser Leu Leu
 145 150 155 160

1162

Ala Leu Tyr Lys Gly Lys Lys Glu Arg Pro Arg Ser
 165 170

<210> 1153

<211> 197

<212> PRT

<213> Homo sapiens

<400> 1153

Tyr Trp Cys Glu Gln Cys Asp Val Gln Phe Ser Ser Ser Ser Glu Leu
 1 5 10 15

Tyr Leu His Phe Gln Glu His Ser Cys Asp Glu Gln Tyr Leu Cys Gln
 20 25 30

Phe Cys Glu His Glu Thr Asn Asp Pro Glu Asp Leu His Ser His Val
 35 40 45

Val Asn Glu His Ala Cys Lys Leu Ile Glu Leu Ser Asp Lys Tyr Asn
 50 55 60

Asn Gly Glu His Gly Gln Tyr Ser Leu Leu Ser Lys Ile Thr Phe Asp
 65 70 75 80

Lys Cys Lys Asn Phe Phe Val Cys Gln Val Cys Gly Phe Arg Ser Arg
 85 90 95

Leu His Thr Asn Val Asn Arg His Val Ala Ile Glu His Thr Lys Ile
 100 105 110

Phe Pro His Val Cys Asp Asp Cys Gly Lys Gly Phe Ser Ser Met Leu
 115 120 125

Glu Tyr Cys Lys His Leu Asn Ser His Leu Ser Glu Gly Ile Tyr Leu
 130 135 140

Cys Gln Tyr Cys Glu Tyr Ser Thr Gly Gln Ile Glu Asp Leu Lys Ile
 145 150 155 160

His Leu Asp Phe Lys His Ser Ala Asp Leu Pro His Lys Cys Ser Asp
 165 170 175

Cys Leu Met Arg Phe Gly Asn Glu Arg Glu Leu Ile Ser His Leu Pro
 180 185 190

Val His Glu Thr Thr
 195

1163

<210> 1154

<211> 156

<212> PRT

<213> Homo sapiens

<400> 1154

Pro Ala Lys Glu Arg Arg Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser
1 5 10 15

Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Gly
20 25 30

Ser Ser Ser Ser Asp Ser Glu Gly Ser Ser Leu Pro Val Gln Pro Glu
35 40 45

Val Ala Leu Lys Arg Val Pro Ser Pro Thr Pro Ala Pro Lys Glu Ala
50 55 60

Val Arg Glu Gly Arg Pro Pro Glu Pro Thr Pro Ala Lys Arg Lys Arg
65 70 75 80

Arg Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser
85 90 95

Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser
100 105 110

Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Pro Ser Pro Ala Lys
115 120 125

Pro Gly Pro Gln Ala Cys Pro Asn Leu Gln Ala Pro Arg Ser His Pro
130 135 140

Leu Ala Ser Gly Gly Pro Ala Ala Pro Gly Ser Gln
145 150 155

<210> 1155

<211> 125

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1164

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1155

Pro Glu Ala Pro Arg Gly Val Val Thr Cys Leu Arg Ala Leu Leu Ser
 1 5 10 15

His Gln His Gln Thr Arg Pro His Arg Val Pro Gly Thr Met Phe Gly
 20 25 30

Lys Arg Lys Lys Arg Val Glu Ile Ser Ala Pro Ser Asn Phe Glu His
 35 40 45

Arg Val His Thr Gly Phe Asp Gln His Glu Gln Lys Phe Thr Gly Leu
 50 55 60

Pro Arg Gln Trp Gln Ser Leu Ile Xaa Glu Ser Ala Arg Arg Pro Lys
 65 70 75 80

Pro Leu Val Asp Pro Ala Cys Ile Thr Ser Ile Gln Pro Gly Ala Pro
 85 90 95

Lys Thr Ile Val Arg Gly Ser Lys Xaa Ala Lys Asp Gly Ala Leu Thr
 100 105 110

Leu Leu Leu Asp Glu Phe Glu Asn Met Xaa Val Thr Arg
 115 120 125

<210> 1156

<211> 202

<212> PRT

<213> Homo sapiens

<400> 1156

Arg Pro Thr Arg Pro Gln Pro Ser Pro Asp Glu Ala Arg Pro Leu Gln
 1 5 10 15

Ala Leu Leu Asp Gly Arg Gly Leu Cys Val Asn Ala Ser Ala Val Ser
 20 25 30

Arg Leu Arg Ala Tyr Leu Leu Pro Ala Pro Pro Ala Pro Gly Asn Ala
 35 40 45

Ser Glu Ser Glu Glu Asp Arg Ser Ala Gly Ser Val Glu Ser Pro Ser

1165

50		55		60
Val Ser Ser Thr His Arg Val Ser Asp Pro Lys Phe His Pro Leu His				
65		70		80
Ser Lys Ile Ile Ile Ile Lys Lys Gly His Ala Lys Asp Ser Gln Arg				
	85		90	95
Tyr Lys Val Asp Tyr Glu Ser Gln Ser Thr Asp Thr Gln Asn Phe Ser				
	100		105	110
Ser Glu Ser Lys Arg Glu Thr Glu Tyr Gly Pro Cys Arg Arg Glu Met				
	115		120	125
Glu Asp Thr Leu Asn His Leu Lys Phe Leu Asn Val Leu Ser Pro Arg				
	130		135	140
Gly Val His Ile Pro Asn Cys Asp Lys Lys Gly Phe Tyr Lys Lys Lys				
145		150		160
Gln Cys Arg Pro Ser Lys Gly Arg Lys Arg Gly Phe Cys Trp Cys Val				
	165		170	175
Asp Lys Tyr Gly Gln Pro Leu Pro Gly Tyr Thr Thr Lys Gly Lys Glu				
	180		185	190
Asp Val His Cys Tyr Ser Met Gln Ser Lys				
	195		200	

<210> 1157

<211> 269

<212> PRT

<213> Homo sapiens

<400> 1157

Arg Arg Cys Cys His Ser Ala Thr Met Phe Glu Ala Arg Leu Val Gln				
1		5		10
Gly Ser Ile Leu Lys Lys Val Leu Glu Ala Leu Lys Asp Leu Ile Asn				
	20		25	30
Glu Ala Cys Trp Asp Ile Ser Ser Ser Gly Val Asn Leu Gln Ser Met				
	35		40	45
Asp Ser Ser His Val Ser Leu Val Gln Leu Thr Leu Arg Ser Glu Gly				
	50		55	60
Phe Asp Thr Tyr Arg Cys Asp Arg Asn Leu Ala Met Gly Val Asn Leu				
65		70		80

1166

```

Thr Ser Met Ser Lys Ile Leu Lys Cys Ala Gly Asn Glu Asp Ile Ile
      85                      90                      95

Thr Leu Arg Ala Glu Asp Asn Ala Asp Thr Leu Ala Leu Val Phe Glu
      100                      105                      110

Ala Pro Asn Gln Glu Lys_Val Ser Asp Tyr Glu Met Lys Leu Met Asp
      115                      120                      125

Leu Asp Val Glu Gln Leu Gly Ile Pro Glu Gln Glu Tyr Ser Cys Val
      130                      135                      140

Val Lys Met Pro Ser Gly Glu Phe Ala Arg Ile Cys Arg Asp Leu Ser
      145                      150                      155                      160

His Ile Gly Asp Ala Val Val Ile Ser Cys Ala Lys Asp Gly Val Lys
      165                      170                      175

Phe Ser Ala Ser Gly Glu Leu Gly Asn Gly Asn Ile Lys Leu Ser Gln
      180                      185                      190

Thr Ser Asn Val Asp Lys Glu Glu Glu Ala Val Thr Ile Glu Met Asn
      195                      200                      205

Glu Pro Val Gln Leu Thr Phe Ala Leu Arg Tyr Leu Asn Phe Phe Thr
      210                      215                      220

Lys Ala Thr Pro Leu Ser Ser Thr Val Thr Leu Ser Met Ser Ala Asp
      225                      230                      235                      240

Val Pro Leu Val Val Glu Tyr Lys Ile Ala Asp Met Gly His Leu Lys
      245                      250                      255

Tyr Tyr Leu Ala Pro Lys Ile Glu Asp Glu Glu Gly Ser
      260                      265

```

<210> 1158

<211> 639

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (129)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1167

<222> (150)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1158

Met Asp Glu Met Ala Thr Thr Gln Ile Ser Lys Asp Glu Leu Asp Glu
 1 5 10 15

Leu Lys Glu Ala Phe Ala Lys Val Asp Leu Asn Ser Asn Gly Phe Ile
 20 25 30

Cys Asp Tyr Glu Leu His Glu Leu Phe Lys Glu Ala Asn Met Pro Leu
 35 40 45

Pro Gly Tyr Lys Val Arg Glu Ile Ile Gln Lys Leu Met Leu Asp Gly
 50 55 60

Asp Arg Asn Lys Asp Gly Lys Ile Ser Phe Asp Glu Phe Val Tyr Ile
 65 70 75 80

Phe Gln Glu Val Lys Ser Ser Asp Ile Ala Lys Thr Phe Arg Lys Ala
 85 90 95

Ile Asn Arg Lys Glu Gly Ile Cys Ala Leu Gly Gly Thr Ser Glu Leu
 100 105 110

Ser Ser Glu Gly Thr Gln His Ser Tyr Ser Glu Glu Glu Lys Tyr Ala
 115 120 125

Xaa Val Asn Trp Ile Asn Lys Ala Leu Glu Asn Asp Pro Asp Cys Arg
 130 135 140

His Val Ile Pro Met Xaa Pro Asn Thr Asp Asp Leu Phe Lys Ala Val
 145 150 155 160

Gly Asp Gly Ile Val Leu Cys Lys Met Ile Asn Leu Ser Val Pro Asp
 165 170 175

Thr Ile Asp Glu Arg Ala Ile Asn Lys Lys Lys Leu Thr Pro Phe Ile
 180 185 190

Ile Gln Glu Asn Leu Asn Leu Ala Leu Asn Ser Ala Ser Ala Ile Gly
 195 200 205

Cys His Val Val Asn Ile Gly Ala Glu Asp Leu Arg Ala Gly Lys Pro
 210 215 220

His Leu Val Leu Gly Leu Leu Trp Gln Ile Ile Lys Ile Gly Leu Phe
 225 230 235 240

Ala Asp Ile Glu Leu Ser Arg Asn Glu Ala Leu Ala Ala Leu Leu Arg
 245 250 255

1168

Asp Gly Glu Thr Leu Glu Glu Leu Met Lys Leu Ser Pro Glu Glu Leu
 260 265 270

Leu Leu Arg Trp Ala Asn Phe His Leu Glu Asn Ser Gly Trp Gln Lys
 275 280 285

Ile Asn Asn Phe Ser Ala Asp Ile Lys Leu Ile Asp Phe Ser Asn Ser
 290 295 300

Val Lys Asp Ser Lys Ala Tyr Phe His Leu Leu Asn Gln Ile Ala Pro
 305 310 315 320

Lys Gly Gln Lys Glu Gly Glu Pro Arg Ile Asp Ile Asn Met Ser Gly
 325 330 335

Phe Asn Glu Thr Asp Asp Leu Lys Arg Ala Glu Ser Met Leu Gln Gln
 340 345 350

Ala Asp Lys Leu Gly Cys Arg Gln Phe Val Thr Pro Ala Asp Val Val
 355 360 365

Ser Gly Asn Pro Lys Leu Asn Leu Ala Phe Val Ala Asn Leu Phe Asn
 370 375 380

Lys Tyr Pro Ala Leu Thr Lys Pro Glu Asn Gln Asp Ile Asp Trp Thr
 385 390 395 400

Leu Leu Glu Gly Glu Thr Arg Glu Glu Arg Thr Phe Arg Asn Trp Met
 405 410 415

Asn Ser Leu Gly Val Asn Pro His Val Asn His Leu Tyr Ala Asp Leu
 420 425 430

Gln Asp Ala Leu Val Ile Leu Gln Leu Tyr Glu Arg Ile Lys Val Pro
 435 440 445

Val Asp Trp Ser Lys Val Asn Lys Pro Pro Tyr Pro Lys Leu Gly Ala
 450 455 460

Asn Met Lys Lys Leu Glu Asn Cys Asn Tyr Ala Val Glu Leu Gly Lys
 465 470 475 480

His Pro Ala Lys Phe Ser Leu Val Gly Ile Gly Gly Gln Asp Leu Asn
 485 490 495

Asp Gly Asn Gln Thr Leu Thr Leu Ala Leu Val Trp Gln Leu Met Arg
 500 505 510

Arg Tyr Thr Leu Asn Val Leu Glu Asp Leu Gly Asp Gly Gln Lys Ala
 515 520 525

1169

Asn Asp Asp Ile Ile Val Asn Trp Val Asn Arg Thr Leu Ser Glu Ala
530 535 540

Gly Lys Ser Thr Ser Ile Gln Ser Phe Lys Asp Lys Thr Ile Ser Ser
545 550 555 560

Ser Leu Ala Val Val Asp Leu Ile Asp Ala Ile Gln Pro Gly Cys Ile
565 570 575

Asn Tyr Asp Leu Val Lys Ser Gly Asn Leu Thr Glu Asp Asp Lys His
580 585 590

Asn Asn Ala Lys Tyr Ala Val Ser Met Ala Arg Arg Ile Gly Ala Arg
595 600 605

Val Tyr Ala Leu Pro Glu Asp Leu Val Glu Val Lys Pro Lys Met Val
610 615 620

Met Thr Val Phe Ala Cys Leu Met Gly Arg Gly Met Lys Arg Val
625 630 635

<210> 1159

<211> 63

<212> PRT

<213> Homo sapiens

<400> 1159

Thr Ile Trp Pro Leu Asn Phe His Arg Lys Asn Asp Pro Thr Phe Leu
1 5 10 15

Ser Met Ser Tyr Leu Ile Ser Arg Ser Trp Asp Gly Leu Thr Ile Leu
20 25 30

Val Tyr Ile Leu Asp Thr Glu Arg Cys Tyr Ala Ser Val Ile Ile Pro
35 40 45

Arg Leu Glu Ile Gly Arg Ala Lys Lys Val Leu Leu Phe Phe Leu
50 55 60

<210> 1160

<211> 207

<212> PRT

<213> Homo sapiens

<400> 1160

Glu Val Tyr Gly Gly Ser Leu Asp Lys Glu Phe Asp Glu Ser Ser Pro

1170

1	5	10	15
Lys Gln Pro Thr Asn Pro Tyr Ala Ser Ser Lys Ala Ala Ala Glu Cys	20	25	30
Phe Val Gln Ser Tyr Trp Glu Gln Tyr Lys Phe Pro Val Val Ile Thr	35	40	45
Arg Ser Ser Asn Val Tyr Gly Pro His Gln Tyr Pro Glu Lys Val Ile	50	55	60
Pro Lys Phe Ile Ser Leu Leu Gln His Asn Arg Lys Cys Cys Ile His	65	70	75
Gly Ser Gly Leu Gln Thr Arg Asn Phe Leu Tyr Ala Thr Asp Val Val	85	90	95
Glu Ala Phe Leu Thr Val Leu Lys Lys Gly Lys Pro Gly Glu Ile Tyr	100	105	110
Asn Ile Gly Thr Asn Phe Glu Met Ser Val Val Gln Leu Ala Lys Glu	115	120	125
Leu Ile Gln Leu Ile Lys Glu Thr Asn Ser Glu Ser Glu Met Glu Asn	130	135	140
Trp Val Asp Tyr Val Asn Asp Arg Pro Thr Asn Asp Met Arg Tyr Pro	145	150	155
Met Lys Ser Glu Lys Ile His Gly Leu Gly Trp Arg Pro Lys Val Pro	165	170	175
Trp Lys Glu Gly Ile Lys Lys Thr Ile Glu Trp Tyr Arg Glu Asn Phe	180	185	190
His Asn Trp Lys Asn Val Glu Lys Ala Leu Glu Pro Phe Pro Val	195	200	205

<210> 1161

<211> 848

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (815)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1171

<221> SITE

<222> (844)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1161

Ala Leu Gly Leu Gly Val Thr Met Ala Thr Glu Glu Phe Ile Ile Arg
 1 5 10 15

Ile Pro Pro Tyr His Tyr Ile His Val Leu Asp Gln Asn Ser Asn Val
 20 25 30

Ser Arg Val Glu Val Gly Pro Lys Thr Tyr Ile Arg Gln Asp Asn Glu
 35 40 45

Arg Val Leu Phe Ala Pro Met Arg Met Val Thr Val Pro Pro Arg His
 50 55 60

Tyr Cys Thr Val Ala Asn Pro Val Ser Arg Asp Ala Gln Gly Leu Val
 65 70 75 80

Leu Phe Asp Val Thr Gly Gln Val Arg Leu Arg His Ala Asp Leu Glu
 85 90 95

Ile Arg Leu Ala Gln Asp Pro Phe Pro Leu Tyr Pro Gly Glu Val Leu
 100 105 110

Glu Lys Asp Ile Thr Pro Leu Gln Val Val Leu Pro Asn Thr Ala Leu
 115 120 125

His Leu Lys Ala Leu Leu Asp Phe Glu Asp Lys Asp Gly Asp Lys Val
 130 135 140

Val Ala Gly Asp Glu Trp Leu Phe Glu Gly Pro Gly Thr Tyr Ile Pro
 145 150 155 160

Arg Lys Glu Val Glu Val Val Glu Ile Ile Gln Ala Thr Ile Ile Arg
 165 170 175

Gln Asn Gln Ala Leu Arg Leu Arg Ala Arg Lys Glu Cys Trp Asp Arg
 180 185 190

Asp Gly Lys Glu Arg Val Thr Gly Glu Glu Trp Leu Val Thr Thr Val
 195 200 205

Gly Ala Tyr Leu Pro Ala Val Phe Glu Glu Val Leu Asp Leu Val Asp
 210 215 220

Ala Val Ile Leu Thr Glu Lys Thr Ala Leu His Leu Arg Ala Arg Arg
 225 230 235 240

Asn Phe Arg Asp Phe Arg Gly Val Ser Arg Arg Thr Gly Glu Glu Trp

1172

245	250	255
Leu Val Thr Val Gln Asp Thr Glu Ala His Val Pro Asp Val His Glu		
260	265	270
Glu Val Leu Gly Val Val Pro Ile Thr Thr Leu Gly Pro His Asn Tyr		
275	280	285
Cys Val Ile Leu Asp Pro Val Gly Pro Asp Gly Lys Asn Gln Leu Gly		
290	295	300
Gln Lys Arg Val Val Lys Gly Glu Lys Ser Phe Phe Leu Gln Pro Gly		
305	310	315
Glu Gln Leu Glu Gln Gly Ile Gln Asp Val Tyr Val Leu Ser Glu Gln		
325	330	335
Gln Gly Leu Leu Leu Arg Ala Leu Gln Pro Leu Glu Glu Gly Glu Asp		
340	345	350
Glu Glu Lys Val Ser His Gln Ala Gly Asp His Trp Leu Ile Arg Gly		
355	360	365
Pro Leu Glu Tyr Val Pro Ser Ala Lys Val Glu Val Val Glu Glu Arg		
370	375	380
Gln Ala Ile Pro Leu Asp Glu Asn Glu Gly Ile Tyr Val Gln Asp Val		
385	390	395
Lys Thr Gly Lys Val Arg Ala Val Ile Gly Ser Thr Tyr Met Leu Thr		
405	410	415
Gln Asp Glu Val Leu Trp Glu Lys Glu Leu Pro Pro Gly Val Glu Glu		
420	425	430
Leu Leu Asn Lys Gly Gln Asp Pro Leu Ala Asp Arg Gly Glu Lys Asp		
435	440	445
Thr Ala Lys Ser Leu Gln Pro Leu Ala Pro Arg Asn Lys Thr Arg Val		
450	455	460
Val Ser Tyr Arg Val Pro His Asn Ala Ala Val Gln Val Tyr Asp Tyr		
465	470	475
Arg Glu Lys Arg Ala Arg Val Val Phe Gly Pro Glu Leu Val Ser Leu		
485	490	495
Gly Pro Glu Glu Gln Phe Thr Val Leu Ser Leu Ser Ala Gly Arg Pro		
500	505	510
Lys Arg Pro His Ala Arg Arg Ala Leu Cys Leu Leu Gly Pro Asp		

1173

515	520	525
Phe Phe Thr Asp Val Ile Thr	Ile Glu Thr Ala Asp His Ala Arg Leu	
530	535	540
Gln Leu Gln Leu Ala Tyr Asn Trp His Phe Glu Val Asn Asp Arg Lys		
545	550	555 560
Asp Pro Gln Glu Thr Ala Lys Leu Phe Ser Val Pro Asp Phe Val Gly		
565	570	575
Asp Ala Cys Lys Ala Ile Ala Ser Arg Val Arg Gly Ala Val Ala Ser		
580	585	590
Val Thr Phe Asp Asp Phe His Lys Asn Ser Ala Arg Ile Ile Arg Thr		
595	600	605
Ala Val Phe Gly Phe Glu Thr Ser Glu Ala Lys Gly Pro Asp Gly Met		
610	615	620
Ala Leu Pro Arg Pro Arg Asp Gln Ala Val Phe Pro Gln Asn Gly Leu		
625	630	635 640
Val Val Ser Ser Val Asp Val Gln Ser Val Glu Pro Val Asp Gln Arg		
645	650	655
Thr Arg Asp Ala Leu Gln Arg Ser Val Gln Leu Ala Ile Glu Ile Thr		
660	665	670
Thr Asn Ser Gln Glu Ala Ala Ala Lys His Glu Ala Gln Arg Leu Glu		
675	680	685
Gln Glu Ala Arg Gly Arg Leu Glu Arg Gln Lys Ile Leu Asp Gln Ser		
690	695	700
Glu Ala Glu Lys Ala Arg Lys Glu Leu Leu Glu Leu Glu Ala Leu Ser		
705	710	715 720
Met Ala Val Glu Ser Thr Gly Thr Ala Lys Ala Glu Ala Glu Ser Arg		
725	730	735
Ala Glu Ala Ala Arg Ile Glu Gly Glu Gly Ser Val Leu Gln Ala Lys		
740	745	750
Leu Lys Ala Gln Ala Leu Ala Ile Glu Thr Glu Ala Glu Leu Gln Arg		
755	760	765
Val Gln Lys Val Arg Glu Leu Glu Leu Val Tyr Ala Arg Ala Gln Leu		
770	775	780
Glu Leu Glu Val Ser Lys Ala Gln Gln Leu Ala Glu Val Glu Val Lys		

1174

785		790		795		800
Lys Phe Lys Gln Met Thr Glu Ala Ile Gly Pro Ser Thr Ile Xaa Asp						
		805		810		815
Leu Ala Val Ala Gly Pro Glu Met Gln Val Lys Leu Leu Gln Ser Leu						
		820		825		830
Gly Leu Lys Ser Thr Leu Ile Thr Asp Gly Phe Xaa Ser Ile Asn Phe						
		835		840		845

<210> 1162

<211> 58

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1162

Phe Xaa Val Gly Ile Val Asn Phe Ser Gln Pro Pro His Ala Ala Gly
1 5 10 15

Glu Cys Gly Cys Ser Ser Ser Glu Met Leu Thr Xaa Lys Arg Glu Val
20 25 30

Lys Gln Ser Arg Tyr Val Gln Pro Cys Leu Gln Asn Pro Ser Leu Ser
35 40 45

Ser Leu Ile Arg Ser Phe Leu Val Phe Tyr
50 55

<210> 1163

<211> 565

<212> PRT

<213> Homo sapiens

1175

<400> 1163

Ile Pro Gly Ser Thr His Ala Ser Ala Gly Asn Leu Asp Ser Pro Glu
 1 5 10 15

Gly Gly Phe Asp Ala Ile Met Gln Val Ala Val Cys Gly Ser Leu Ile
 20 25 30

Gly Trp Arg Asn Val Thr Arg Leu Leu Val Phe Ser Thr Asp Ala Gly
 35 40 45

Phe His Phe Ala Gly Asp Gly Lys Leu Gly Gly Ile Val Leu Pro Asn
 50 55 60

Asp Gly Gln Cys His Leu Glu Asn Asn Met Tyr Thr Met Ser His Tyr
 65 70 75 80

Tyr Asp Tyr Pro Ser Ile Ala His Leu Val Gln Lys Leu Ser Glu Asn
 85 90 95

Asn Ile Gln Thr Ile Phe Ala Val Thr Glu Glu Phe Gln Pro Val Tyr
 100 105 110

Lys Glu Leu Lys Asn Leu Ile Pro Lys Ser Ala Val Gly Thr Leu Ser
 115 120 125

Ala Asn Ser Ser Asn Val Ile Gln Leu Ile Ile Asp Ala Tyr Asn Ser
 130 135 140

Leu Ser Ser Glu Val Ile Leu Glu Asn Gly Lys Leu Ser Glu Gly Val
 145 150 155 160

Thr Ile Ser Tyr Lys Ser Tyr Cys Lys Asn Gly Val Asn Gly Thr Gly
 165 170 175

Glu Asn Gly Arg Lys Cys Ser Asn Ile Ser Ile Gly Asp Glu Val Gln
 180 185 190

Phe Glu Ile Ser Ile Thr Ser Asn Lys Cys Pro Lys Lys Asp Ser Asp
 195 200 205

Ser Phe Lys Ile Arg Pro Leu Gly Phe Thr Glu Glu Val Glu Val Ile
 210 215 220

Leu Gln Tyr Ile Cys Glu Cys Glu Cys Gln Ser Glu Gly Ile Pro Glu
 225 230 235 240

Ser Pro Lys Cys His Glu Gly Asn Gly Thr Phe Glu Cys Gly Ala Cys
 245 250 255

Arg Cys Asn Glu Gly Arg Val Gly Arg His Cys Glu Cys Ser Thr Asp
 260 265 270

1176

Glu Val Asn Ser Glu Asp Met Asp Ala Tyr Cys Arg Lys Glu Asn Ser
 275 280 285
 Ser Glu Ile Cys Ser Asn Asn Gly Glu Cys Val Cys Gly Gln Cys Val
 290 295 300
 Cys Arg Lys Arg Asp Asn Thr Asn Glu Ile Tyr Ser Gly Lys Phe Cys
 305 310 315 320
 Glu Cys Asp Asn Phe Asn Cys Asp Arg Ser Asn Gly Leu Ile Cys Gly
 325 330 335
 Gly Asn Gly Val Cys Lys Cys Arg Val Cys Glu Cys Asn Pro Asn Tyr
 340 345 350
 Thr Gly Ser Ala Cys Asp Cys Ser Leu Asp Thr Ser Thr Cys Glu Ala
 355 360 365
 Ser Asn Gly Gln Ile Cys Asn Gly Arg Gly Ile Cys Glu Cys Gly Val
 370 375 380
 Cys Lys Cys Thr Asp Pro Lys Phe Gln Gly Gln Thr Cys Glu Met Cys
 385 390 395 400
 Gln Thr Cys Leu Gly Val Cys Ala Glu His Lys Glu Cys Val Gln Cys
 405 410 415
 Arg Ala Phe Asn Lys Gly Glu Lys Lys Asp Thr Cys Thr Gln Glu Cys
 420 425 430
 Ser Tyr Phe Asn Ile Thr Lys Val Glu Ser Arg Asp Lys Leu Pro Gln
 435 440 445
 Pro Val Gln Pro Asp Pro Val Ser His Cys Lys Glu Lys Asp Val Asp
 450 455 460
 Asp Cys Trp Phe Tyr Phe Thr Tyr Ser Val Asn Gly Asn Asn Glu Val
 465 470 475 480
 Met Val His Val Val Glu Asn Pro Glu Cys Pro Thr Gly Pro Asp Ile
 485 490 495
 Ile Pro Ile Val Ala Gly Val Val Ala Gly Ile Val Leu Ile Gly Leu
 500 505 510
 Ala Leu Leu Leu Ile Trp Lys Leu Leu Met Ile Ile His Asp Arg Arg
 515 520 525
 Glu Phe Ala Lys Phe Glu Lys Glu Lys Met Asn Ala Lys Trp Asp Thr
 530 535 540

1177

Gly Glu Asn Pro Ile Tyr Lys Ser Ala Val Thr Thr Val Val Asn Pro
 545 550 555 560

Lys Tyr Glu Gly Lys
 565

<210> 1164

<211> 138

<212> PRT

<213> Homo sapiens

<400> 1164

Gly Thr Ala Gly Gly Ala Gly Gly Gln Arg Glu Val Arg Gly Cys Ser
 1 5 10 15

Ala Gln Glu Thr Met Ser Gly Gly Ser Ser Cys Ser Gln Thr Pro Ser
 20 25 30

Arg Ala Ile Pro Ala Thr Arg Arg Val Val Leu Gly Asp Gly Val Gln
 35 40 45

Leu Pro Pro Gly Asp Tyr Ser Thr Thr Pro Gly Gly Thr Leu Phe Ser
 50 55 60

Thr Thr Pro Gly Gly Thr Arg Ile Ile Tyr Asp Arg Lys Phe Leu Met
 65 70 75 80

Glu Cys Arg Asn Ser Pro Val Thr Lys Thr Pro Pro Arg Asp Leu Pro
 85 90 95

Thr Ile Pro Gly Val Thr Ser Pro Ser Ser Asp Glu Pro Pro Met Glu
 100 105 110

Ala Ser Gln Ser His Leu Arg Asn Ser Pro Glu Asp Lys Arg Ala Gly
 115 120 125

Gly Glu Glu Ser Gln Phe Glu Met Asp Ile
 130 135

<210> 1165

<211> 407

<212> PRT

<213> Homo sapiens

<400> 1165

Ala Ala Cys Gln Pro Arg Cys Cys Cys Ser Ser Cys Cys Gly Thr Ala

1178

1	5	10	15
Asp Arg Ala Ala Ala Pro Leu Ser Pro Leu Gln Ala Pro Ile Trp Ala	20	25	30
Pro Ala Thr Ser Met Asp Ala Arg Arg Val Pro Gln Lys Asp Leu Arg	35	40	45
Val Lys Lys Asn Leu Lys Lys Phe Arg Tyr Val Lys Leu Ile Ser Met	50	55	60
Glu Thr Ser Ser Ser Ser Asp Asp Ser Cys Asp Ser Phe Ala Ser Asp	65	70	75
Asn Phe Ala Asn Thr Arg Leu Gln Ser Val Arg Glu Gly Cys Arg Thr	85	90	95
Arg Ser Gln Cys Arg His Ser Gly Pro Leu Arg Val Ala Met Lys Phe	100	105	110
Pro Ala Arg Ser Thr Arg Gly Ala Thr Asn Lys Lys Ala Glu Ser Arg	115	120	125
Gln Pro Ser Glu Asn Ser Val Thr Asp Ser Asn Ser Asp Ser Glu Asp	130	135	140
Glu Ser Gly Met Asn Phe Leu Glu Lys Arg Ala Leu Asn Ile Lys Gln	145	150	155
Asn Lys Ala Met Leu Ala Lys Leu Met Ser Glu Leu Glu Ser Phe Pro	165	170	175
Gly Ser Phe Arg Gly Arg His Pro Leu Pro Gly Ser Asp Ser Gln Ser	180	185	190
Arg Arg Pro Arg Arg Arg Thr Phe Pro Gly Val Ala Ser Arg Arg Asn	195	200	205
Pro Glu Arg Arg Ala Arg Pro Leu Thr Arg Ser Arg Ser Arg Ile Leu	210	215	220
Gly Ser Leu Asp Ala Leu Pro Met Glu Glu Glu Glu Glu Glu Asp Lys	225	230	235
Tyr Met Leu Val Arg Lys Arg Lys Thr Val Asp Gly Tyr Met Asn Glu	245	250	255
Asp Asp Leu Pro Arg Ser Arg Arg Ser Arg Ser Ser Val Thr Leu Pro	260	265	270
His Ile Ile Arg Pro Val Glu Glu Ile Thr Glu Glu Glu Leu Glu Asn			

1179

275	280	285
Val Cys Ser Asn Ser Arg Glu Lys Ile Tyr Asn Arg Ser Leu Gly Ser		
290	295	300
Thr Cys His Gln Cys Arg Gln Lys Thr Ile Asp Thr Lys Thr Asn Cys		
305	310	315
Arg Asn Pro Asp Cys Trp Gly Val Arg Gly Gln Phe Cys Gly Pro Cys		
325	330	335
Leu Arg Asn Arg Tyr Gly Glu Glu Val Arg Asp Ala Leu Leu Asp Pro		
340	345	350
Asn Trp His Cys Pro Pro Cys Arg Gly Ile Cys Asn Cys Ser Phe Cys		
355	360	365
Arg Gln Arg Asp Gly Arg Cys Ala Thr Gly Val Leu Val Tyr Leu Ala		
370	375	380
Lys Tyr His Gly Phe Gly Asn Val His Ala Tyr Leu Lys Ser Leu Lys		
385	390	395
Gln Glu Phe Glu Met Gln Ala		
405		

<210> 1166

<211> 240

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (197)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (201)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (202)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (219)

1180

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1166

Pro Asp Gly Arg Pro Thr Gly Asp Ala Phe Val Leu Phe Ala Cys Glu
 1 5 10 15

Glu Tyr Ala Gln Asn Ala Leu Arg Lys His Lys Asp Leu Leu Gly Lys
 20 25 30

Arg Tyr Ile Glu Leu Phe Arg Ser Thr Ala Ala Glu Val Gln Gln Val
 35 40 45

Leu Asn Arg Phe Ser Ser Ala Pro Leu Ile Pro Leu Pro Thr Pro Pro
 50 55 60

Ile Ile Pro Val Leu Pro Gln Gln Phe Val Pro Pro Thr Asn Val Arg
 65 70 75 80

Asp Cys Ile Arg Leu Arg Gly Leu Pro Tyr Ala Ala Thr Ile Glu Asp
 85 90 95

Ile Leu Asp Phe Leu Gly Glu Phe Ala Thr Asp Ile Arg Thr His Gly
 100 105 110

Val His Met Val Leu Asn His Gln Gly Arg Pro Ser Gly Asp Ala Phe
 115 120 125

Ile Gln Met Lys Ser Ala Asp Arg Ala Phe Met Ala Ala Gln Lys Cys
 130 135 140

His Lys Lys Asn Met Lys Asp Arg Tyr Val Glu Val Phe Gln Cys Ser
 145 150 155 160

Ala Glu Glu Met Asn Phe Val Leu Met Gly Gly Thr Leu Asn Arg Asn
 165 170 175

Gly Leu Ser Pro Pro Pro Cys Leu Ser Pro Pro Ser Tyr Thr Phe Pro
 180 185 190

Ala Pro Ala Ala Xaa Ile Pro Thr Xaa Xaa Ala Ile Tyr Gln Pro Ser
 195 200 205

Val Ile Leu Asn Pro Arg Ala Leu Gln Pro Xaa Thr Ala Tyr Tyr Pro
 210 215 220

Ala Gly Thr Gln Leu Phe Met Asn Tyr Thr Ala Tyr Tyr Pro Ser Val
 225 230 235 240

1181

<210> 1167

<211> 106

<212> PRT

<213> Homo sapiens

<400> 1167

Gly Gly Tyr Ser Val Asp Ser Pro Thr Leu Thr Arg Phe Phe Thr Phe
1 5 10 15

His Phe Ile Leu Pro Phe Ile Ile Ala Ala Leu Ala Ala Leu His Leu
20 25 30

Leu Phe Leu His Glu Thr Gly Ser Asn Asn Pro Leu Gly Ile Thr Ser
35 40 45

His Ser Asp Lys Ile Thr Phe His Pro Tyr Tyr Thr Ile Lys Asp Ala
50 55 60

Leu Gly Leu Leu Leu Phe Leu Leu Ser Leu Met Thr Leu Thr Leu Phe
65 70 75 80

Ser Pro Asp Leu Leu Gly Asp Pro Asp Asn Tyr Thr Leu Ala Asn Pro
85 90 95

Leu Asn Thr Pro Pro His Ile Lys Pro Glu
100 105

<210> 1168

<211> 210

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1168

Gln His Val Gln Arg Glu Trp Ser Gly His Gly Glu Asp Arg Gly Asp
1 5 10 15

Gly Glu Asp Ala Glu Arg Gly Ser Cys Arg Glu Glu Pro Ala His Gly
20 25 30

Val Glu Gly Ala Gly Asp Gly Ala Ala Ala Ala Gly Pro Gly Gly Gly
35 40 45

1182

Ala Ala Glu Ala Xaa Gln Val Glu Arg Arg Leu Gln Ser Glu Ser Ala
 50 55 60
 Arg Arg Gln Gln Leu Val Glu Lys Glu Val Lys Met Arg Glu Lys Gln
 65 70 75 80
 Phe Ser Gln Ala Arg Pro Leu Thr Arg Tyr Leu Pro Ile Arg Lys Glu
 85 90 95
 Asp Phe Asp Leu Lys Thr His Ile Glu Ser Ser Gly His Gly Val Asp
 100 105 110
 Thr Cys Leu His Val Val Leu Ser Ser Lys Val Cys Arg Gly Tyr Leu
 115 120 125
 Val Lys Met Gly Gly Lys Ile Lys Ser Trp Lys Lys Arg Trp Phe Val
 130 135 140
 Phe Asp Arg Leu Lys Arg Thr Leu Ser Tyr Tyr Val Asp Lys His Glu
 145 150 155 160
 Thr Lys Leu Lys Gly Val Ile Tyr Phe Gln Ala Ile Glu Gly Ser Val
 165 170 175
 Leu Arg Pro Pro Ala Pro Val Gln Pro Arg Arg Gly Phe Ser Ala Ser
 180 185 190
 Thr Met Val Thr Glu Lys Pro Glu Pro Ser Pro His Leu Leu Arg Lys
 195 200 205
 Asp Pro
 210

<210> 1169

<211> 181

<212> PRT

<213> Homo sapiens

<400> 1169

Thr Ser Lys Met Arg Ser Leu Glu Thr Leu Gly Arg Pro Lys Pro Glu
 1 5 10 15
 Cys Glu Gly Tyr Asp Pro Asn Ala Leu Tyr Cys Ile Cys Arg Gln Pro
 20 25 30
 His Asn Asn Arg Phe Met Ile Cys Cys Asp Arg Cys Glu Glu Trp Phe
 35 40 45
 His Gly Asp Cys Val Gly Ile Ser Glu Ala Arg Gly Arg Leu Leu Glu

1183

50	55	60
Arg Asn Gly Glu Asp Tyr Ile Cys Pro Asn Cys Thr Ile Leu Gln Val		
65	70	75 80
Gln Asp Glu Thr His Ser Glu Thr Ala Asp Gln Gln Glu Ala Lys Trp		
	85	90 95
Arg Pro Gly Asp Ala Asp Gly Thr Asp Cys Thr Ser Ile Gly Thr Ile		
	100	105 110
Glu Gln Lys Ser Ser Glu Asp Gln Gly Ile Lys Gly Arg Ile Glu Lys		
	115	120 125
Ala Ala Asn Pro Ser Gly Lys Lys Lys Leu Lys Ile Phe Gln Pro Val		
	130	135 140
Ile Glu Ala Pro Gly Ala Ser Lys Cys Ile Gly Pro Gly Cys Cys His		
145	150	155 160
Val Ala His Pro Thr Arg Cys Thr Ala Val Met Thr Val Ser Ser Asn		
	165	170 175
Thr Pro Gln Arg Gln		
	180	

<210> 1170

<211> 166

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1170

Ala Gln Xaa Leu Ser Ser Pro Val Arg Gly Ile Ser Gly Glu Gln Ser
1 5 10 15

1184

Thr Xaa Gly Ser Phe Pro Leu Arg Tyr Val Gln Asp Gln Val Ala Ala
 20 25 30
 Pro Phe Gln Leu Ser Asn His Thr Gly Arg Ile Lys Val Val Phe Thr
 35 40 45
 Pro Ser Ile Cys Lys Val Thr Cys Thr Lys Gly Ser Cys Gln Asn Ser
 50 55 60
 Cys Glu Lys Gly Asn Thr Thr Leu Ile Ser Glu Asn Gly His Ala
 65 70 75 80
 Ala Asp Thr Leu Thr Ala Thr Asn Phe Arg Val Val Ile Cys His Leu
 85 90 95
 Pro Cys Met Asn Gly Gly Gln Cys Ser Ser Arg Asp Lys Cys Gln Cys
 100 105 110
 Pro Pro Asn Phe Thr Gly Lys Leu Cys Gln Ile Pro Val His Gly Ala
 115 120 125
 Ser Val Xaa Lys Leu Tyr Gln His Ser Gln Gln Pro Gly Lys Ala Leu
 130 135 140
 Gly Thr His Val Ile His Ser Thr His Thr Leu Pro Leu Thr Val Thr
 145 150 155 160
 Ser Gln Gln Glu Ser Lys
 165

<210> 1171

<211> 37

<212> PRT

<213> Homo sapiens

<400> 1171

Asp Leu Ser Val Asn Phe Trp Glu Pro Asn Gly Phe Gly His Asp Phe
 1 5 10 15

Pro Ala His Tyr Ile Leu Thr Gln Asn Phe Phe Arg Met Ala Phe Thr
 20 25 30

Ser Thr Pro Glu Ile
 35

<210> 1172

1185

<211> 169
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (22)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (70)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (115)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (116)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (163)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (167)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1172
 Arg Gly Ala Met Val Ser Cys Arg Pro Gly Cys Cys Cys Pro Trp Thr
 1 5 10 15
 Pro Ala Val Leu Arg Xaa Ser Val Arg Gly Thr Phe Tyr Ser Pro Pro
 20 25 30
 Glu Ser Phe Ala Gly Ser Asp Asn Glu Ser Asp Glu Glu Val Ala Gly
 35 40 45
 Lys Lys Ser Phe Ser Ala Gln Glu Arg Glu Tyr Ile Arg Gln Gly Lys
 50 55 60
 Glu Ala Thr Ala Val Xaa Asp Gln Ile Leu Ala Gln Glu Glu Asn Trp
 65 70 75 80
 Lys Phe Glu Lys Asn Asn Glu Tyr Gly Asp Thr Val Tyr Thr Ile Glu

85

95

Arg Arg Xaa Leu Pro Gln Xaa Thr Ser
165

<213> Homo sapiens

<223> Xaa equals any of the naturally occurring L-amino acids

Ser Ser Gly Ile Ala Thr Ser His Ser Ala Lys Pro Pro Thr His Lys
100 105 110

[illegible]

```
<210> 1174
<211> 436
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> SITE
<222> (14)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (426)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```

<400> 1174
Arg His Gln Arg Arg Arg Ser Val Trp Arg Ser Arg Gly Xaa Cys Cys
 1                      5                      10                      15

Arg Cys Cys Cys Thr Asn Arg Arg Ser Pro Gln Pro Cys Ala Ser Ser
 20                      25                      30

Leu Pro Pro Arg Thr Gly Glu Lys Gln Pro Arg Asn Phe Met Asn Lys
 35                      40                      45

His Gln Lys Pro Val Leu Thr Gly Gln Arg Phe Lys Thr Arg Lys Arg
 50                      55                      60

Asp Glu Lys Glu Lys Phe Glu Pro Thr Val Phe Arg Asp Thr Leu Val
 65                      70                      75                      80

Gln Gly Leu Asn Glu Ala Gly Asp Asp Leu Glu Ala Val Ala Lys Phe
 85                      90                      95

```

1188

Leu Asp Ser Thr Gly Ser Arg Leu Asp Tyr Arg Arg Tyr Ala Asp Thr
100 105 110

Leu Phe Asp Ile Leu Val Ala Gly Ser Met Leu Ala Pro Gly Gly Thr
115 120 125

Arg Ile Asp Asp Gly Asp Lys Thr Lys Met Thr Asn His Cys Val Phe
130 135 140

Ser Ala Asn Glu Asp His Glu Thr Ile Arg Asn Tyr Ala Gln Val Phe
145 150 155 160

Asn Lys Leu Ile Arg Arg Tyr Lys Tyr Leu Glu Lys Ala Phe Glu Asp
165 170 175

Glu Met Lys Lys Leu Leu Leu Phe Leu Lys Ala Phe Ser Glu Thr Glu
180 185 190

Gln Thr Lys Leu Ala Met Leu Ser Gly Ile Leu Leu Gly Asn Gly Thr
195 200 205

Leu Pro Ala Thr Ile Leu Thr Ser Leu Phe Thr Asp Ser Leu Val Lys
210 215 220

Glu Gly Ile Ala Ala Ser Phe Ala Val Lys Leu Phe Lys Ala Trp Met
225 230 235 240

Ala Glu Lys Asp Ala Asn Ser Val Thr Ser Ser Leu Arg Lys Ala Asn
245 250 255

Leu Asp Lys Arg Leu Leu Glu Leu Phe Pro Val Asn Arg Gln Ser Val
260 265 270

Asp His Phe Ala Lys Tyr Phe Thr Asp Ala Gly Leu Lys Glu Leu Ser
275 280 285

Asp Phe Leu Arg Val Gln Gln Ser Leu Gly Thr Arg Lys Glu Leu Gln
290 295 300

Lys Glu Leu Gln Glu Arg Leu Ser Gln Glu Cys Pro Ile Lys Glu Val
305 310 315 320

Val Leu Tyr Val Lys Glu Glu Met Lys Arg Asn Asp Leu Pro Glu Thr
325 330 335

Ala Val Ile Gly Leu Leu Trp Thr Cys Ile Met Asn Ala Val Glu Trp
340 345 350

Asn Lys Lys Glu Glu Leu Val Ala Glu Gln Ala Leu Lys His Leu Lys
355 360 365

1189

Gln Tyr Ala Pro Leu Leu Ala Val Phe Ser Ser Gln Gly Gln Ser Glu
 370 375 380
 Leu Ile Leu Leu Gln Lys Val Gln Glu Tyr Cys Tyr Asp Asn Ile His
 385 390 395 400
 Phe Met Lys Ala Phe Gln Lys Ile Val Leu Pro Tyr Thr Ile Ser Val
 405 410 415
 Leu Leu Leu Arg Ser Glu His Gln Leu Xaa Ser Cys Arg Phe Gly Thr
 420 425 430
 Ser Gly Thr Ser
 435

<210> 1175

<211> 366

<212> PRT

<213> Homo sapiens

<400> 1175

Thr Glu Pro Val Gly Tyr Thr Lys Ala Glu Glu Pro Ile Ala Met Arg
 1 5 10 15
 Ser Leu Gly Ala Leu Leu Leu Leu Ser Ala Cys Leu Ala Val Ser
 20 25 30
 Ala Gly Pro Val Pro Thr Pro Pro Asp Asn Ile Gln Val Gln Glu Asn
 35 40 45
 Phe Asn Ile Ser Arg Ile Tyr Gly Lys Trp Tyr Asn Leu Ala Ile Gly
 50 55 60
 Ser Thr Cys Pro Trp Leu Lys Lys Ile Met Asp Arg Met Thr Val Ser
 65 70 75 80
 Thr Leu Val Leu Gly Glu Gly Ala Thr Glu Ala Glu Ile Ser Met Thr
 85 90 95
 Ser Thr Arg Trp Arg Lys Gly Val Cys Glu Glu Thr Ser Gly Ala Tyr
 100 105 110
 Glu Lys Thr Asp Thr Asp Gly Lys Phe Leu Tyr His Lys Ser Lys Trp
 115 120 125
 Asn Ile Thr Met Glu Ser Tyr Val Val His Thr Asn Tyr Asp Glu Tyr
 130 135 140
 Ala Ile Phe Leu Thr Lys Lys Phe Ser Arg His His Gly Pro Thr Ile

1190

```

145              150              155              160
Thr Ala Lys Leu Tyr Gly Arg Ala Pro Gln Leu Arg Glu Thr Leu Leu
              165              170              175
Gln Asp Phe Arg Val Val Ala Gln Gly Val Gly Ile Pro Glu Asp Ser
              180              185              190
Ile Phe Thr Met Ala Asp Arg Gly Glu Cys Val Pro Gly Glu Gln Glu
              195              200              205
Pro Glu Pro Ile Leu Ile Pro Arg Val Arg Arg Ala Val Leu Pro Gln
              210              215              220
Glu Glu Glu Gly Ser Gly Gly Gly Gln Leu Val Thr Glu Val Thr Lys
225              230              235              240
Lys Glu Asp Ser Cys Gln Leu Gly Tyr Ser Ala Gly Pro Cys Met Gly
              245              250              255
Met Thr Ser Arg Tyr Phe Tyr Asn Gly Thr Ser Met Ala Cys Glu Thr
              260              265              270
Phe Gln Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Val Thr Glu
              275              280              285
Lys Glu Cys Leu Gln Thr Cys Arg Thr Val Ala Ala Cys Asn Leu Pro
              290              295              300
Ile Val Arg Gly Pro Cys Arg Ala Phe Ile Gln Leu Trp Ala Phe Asp
305              310              315              320
Ala Val Lys Gly Lys Cys Val Leu Phe Pro Tyr Gly Gly Cys Gln Gly
              325              330              335
Asn Gly Asn Lys Phe Tyr Ser Glu Lys Glu Cys Arg Glu Tyr Cys Gly
              340              345              350
Val Pro Gly Asp Gly Asp Glu Glu Leu Leu Arg Phe Ser Asn
              355              360              365

```

<210> 1176

<211> 133

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (105)

1191

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (120)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (126)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1176

Met	Pro	Arg	Ser	Ser	His	His	Pro	Pro	Arg	Arg	His	Tyr	His	His	His
1				5					10					15	

His	Tyr	His	Gln	Pro	Pro	Pro	Ser	Pro	Cys	Pro	Ser	Pro	Pro	Leu	Thr
			20					25						30	

Ser	Pro	Ser	Pro	Leu	Ser	Trp	Ile	Leu	Trp	Thr	Cys	Trp	Pro	Ser	Thr
		35					40					45			

Ala	Ala	Thr	Arg	Pro	Gly	Arg	Arg	Lys	Trp	Gly	Cys	Arg	Leu	Cys	Pro
	50					55					60				

Arg	His	Ser	Ser	Pro	Leu	Leu	Leu	Leu	His	Leu	Asn	Leu	Leu	Ala	Trp
65					70					75					80

Ala	Pro	Tyr	Pro	His	Pro	Ala	Thr	Thr	Arg	Gly	Asp	Arg	Lys	Gln	Lys
				85					90					95	

Lys	Arg	Asp	Gln	Asn	Lys	Ser	Ala	Xaa	Leu	Arg	Tyr	Arg	Gln	Arg	Lys
			100					105					110		

Gly	Ala	Gly	Gly	Val	Glu	Gly	Xaa	Gly	Lys	Gly	Lys	Leu	Xaa	Gly	Gly
		115					120					125			

Trp	Glu	Gly	Lys	Gly
	130			

<210> 1177

<211> 583

<212> PRT

<213> Homo sapiens

<400> 1177

Thr	Ala	Gln	Arg	Pro	Arg	Ser	Pro	Glu	Asn	Cys	Arg	Pro	Ser	Thr	Met
1					5					10				15	

1192

Trp Leu Arg Ala Phe Ile Leu Ala Thr Leu Ser Ala Ser Ala Ala Trp
 20 25 30
 Ala Gly His Pro Ser Ser Pro Pro Val Val Asp Thr Val His Gly Lys
 35 40 45
 Val Leu Gly Lys Phe Val Ser Leu Glu Gly Phe Ala Gln Pro Val Ala
 50 55 60
 Ile Phe Leu Gly Ile Pro Phe Ala Lys Pro Pro Leu Gly Pro Leu Arg
 65 70 75 80
 Phe Thr Pro Pro Gln Pro Ala Glu Pro Trp Ser Phe Val Lys Asn Ala
 85 90 95
 Thr Ser Tyr Pro Pro Met Cys Thr Gln Asp Pro Lys Ala Gly Gln Leu
 100 105 110
 Leu Ser Glu Leu Phe Thr Asn Arg Lys Glu Asn Ile Pro Leu Lys Leu
 115 120 125
 Ser Glu Asp Cys Leu Tyr Leu Asn Ile Tyr Thr Pro Ala Asp Leu Thr
 130 135 140
 Lys Lys Asn Arg Leu Pro Val Met Val Trp Ile His Gly Gly Gly Leu
 145 150 155 160
 Met Val Gly Ala Ala Ser Thr Tyr Asp Gly Leu Ala Leu Ala Ala His
 165 170 175
 Glu Asn Val Val Val Val Thr Ile Gln Tyr Arg Leu Gly Ile Trp Gly
 180 185 190
 Phe Phe Ser Thr Gly Asp Glu His Ser Arg Gly Asn Trp Gly His Leu
 195 200 205
 Asp Gln Val Ala Ala Leu Arg Trp Val Gln Asp Asn Ile Ala Ser Phe
 210 215 220
 Gly Gly Asn Pro Gly Ser Val Thr Ile Phe Gly Glu Ser Ala Gly Gly
 225 230 235 240
 Glu Ser Val Ser Val Leu Val Leu Ser Pro Leu Ala Lys Asn Leu Phe
 245 250 255
 His Arg Ala Ile Ser Glu Ser Gly Val Ala Leu Thr Ser Val Leu Val
 260 265 270
 Lys Lys Gly Asp Val Lys Pro Leu Ala Glu Gln Ile Ala Ile Thr Ala
 275 280 285

1193

Gly Cys Lys Thr Thr Thr Ser Ala Val Met Val His Cys Leu Arg Gln
 290 295 300

Lys Thr Glu Glu Glu Leu Leu Glu Thr Thr Leu Lys Met Lys Phe Leu
 305 310 315 320

Ser Leu Asp Leu Gln Gly Asp Pro Arg Glu Ser Gln Pro Leu Leu Gly
 325 330 335

Thr Val Ile Asp Gly Met Leu Leu Leu Lys Thr Pro Glu Glu Leu Gln
 340 345 350

Ala Glu Arg Asn Phe His Thr Val Pro Tyr Met Val Gly Ile Asn Lys
 355 360 365

Gln Glu Phe Gly Trp Leu Ile Pro Met Gln Leu Met Ser Tyr Pro Leu
 370 375 380

Ser Glu Gly Gln Leu Asp Gln Lys Thr Ala Met Ser Leu Leu Trp Lys
 385 390 395 400

Ser Tyr Pro Leu Val Cys Ile Ala Lys Glu Leu Ile Pro Glu Ala Thr
 405 410 415

Glu Lys Tyr Leu Gly Gly Thr Asp Asp Thr Val Lys Lys Lys Asp Leu
 420 425 430

Phe Leu Asp Leu Ile Ala Asp Val Met Phe Gly Val Pro Ser Val Ile
 435 440 445

Val Ala Arg Asn His Arg Asp Ala Gly Ala Pro Thr Tyr Met Tyr Glu
 450 455 460

Phe Gln Tyr Arg Pro Ser Phe Ser Ser Asp Met Lys Pro Lys Thr Val
 465 470 475 480

Ile Gly Asp His Gly Asp Glu Leu Phe Ser Val Phe Gly Ala Pro Phe
 485 490 495

Leu Lys Glu Gly Ala Ser Glu Glu Glu Ile Arg Leu Ser Lys Met Val
 500 505 510

Met Lys Phe Trp Ala Asn Phe Ala Arg Asn Gly Asn Pro Asn Gly Glu
 515 520 525

Gly Leu Pro His Trp Pro Glu Tyr Asn Gln Lys Glu Gly Tyr Leu Gln
 530 535 540

Ile Gly Ala Asn Thr Gln Ala Ala Gln Lys Leu Lys Asp Lys Glu Val
 545 550 555 560

1194

Ala Phe Trp Thr Asn Leu Phe Ala Lys Lys Ala Val Glu Lys Pro Pro
565 570 575

Gln Thr Glu His Ile Glu Leu
580

<210> 1178

<211> 98

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1178

Pro Gly Arg Xaa Gln Leu Arg Ala Lys Phe Ser Cys Pro Pro Ala Asp
1 5 10 15

Arg Val Asn Val Thr Val Arg Pro Gly Leu Ala Met Ala Leu Ser Gly
20 25 30

Ser Thr Glu Pro Cys Ala Gln Leu Ser Ile Ser Ser Ile Gly Val Val
35 40 45

Gly Thr Ala Glu Asp Asn Arg Ser His Ser Ala His Phe Phe Glu Phe
50 55 60

Leu Thr Lys Glu Leu Ala Leu Gly Gln Asp Arg Ile Leu Ile Arg Phe
65 70 75 80

Phe Pro Leu Glu Ser Trp Gln Ile Gly Lys Ile Gly Thr Val Met Thr
85 90 95

Phe Leu

<210> 1179

<211> 127

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

1195

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1179

Phe Arg Pro Ala Val Ser Xaa Gly Ser Leu Cys Leu Pro Ala Arg Thr
 1 5 10 15

Ala His Ser Pro Ala Ser Ser Ala Ala Cys Arg Thr Met Ala Gln Gly
 20 25 30

Gln Arg Lys Phe Gln Ala His Lys Pro Ala Lys Ser Lys Thr Ala Ala
 35 40 45

Ala Xaa Ser Glu Lys Asn Arg Gly Pro Arg Lys Gly Gly Arg Val Ile
 50 55 60

Ala Pro Xaa Lys Ala Arg Val Val Gln Gln Gln Lys Leu Lys Lys Asn
 65 70 75 80

Leu Glu Val Gly Ile Arg Lys Lys Ile Glu His Asp Val Val Met Lys
 85 90 95

Ala Ser Ser Ser Leu Pro Lys Lys Leu Ala Leu Leu Lys Ala Pro Ala
 100 105 110

Lys Lys Lys Gly Ala Ala Ala Ala Thr Ser Ser Lys Thr Pro Ser
 115 120 125

<210> 1180

<211> 94

<212> PRT

<213> Homo sapiens

<400> 1180

Ser Ser Tyr Arg Ser Lys Ala Tyr Thr His Thr Lys Ile Thr Val Pro
 1 5 10 15

Arg Glu Arg Val Cys Val Ser Val Arg Val Ser Val Cys Ala Arg Ala
 20 25 30

Arg Ser Trp Pro Asn Val Arg Thr Leu His Lys Gly Gly Arg Ser Ser

1196

35 40 45
 Tyr Arg Leu Phe Asn Val Arg Glu Thr Ile Phe Leu Leu Phe Gln Leu
 50 55 60
 Tyr Gln Ile Leu Val Pro Gln His Arg Asn Asp Ser Glu Ser Gln Thr
 65 70 75 80
 Lys Cys Ile Ile Cys Ser Ile Leu Ile Leu Leu Leu His Ser
 85 90

<210> 1181

<211> 353

<212> PRT

<213> Homo sapiens

<400> 1181

Gly Ser Leu Asp Leu Trp Arg Gly Ala Glu Leu Ser Pro Gly His Ser
 1 5 10 15
 Thr Leu Phe Thr Leu Cys Ala Cys Ala Lys Gly Ala Met Ala Ala Ser
 20 25 30
 Cys Val Leu Leu His Thr Gly Gln Lys Met Pro Leu Ile Gly Leu Gly
 35 40 45
 Thr Trp Lys Ser Glu Pro Gly Gln Val Lys Ala Ala Val Lys Tyr Ala
 50 55 60
 Leu Ser Val Gly Tyr Arg His Ile Asp Cys Ala Ala Ile Tyr Gly Asn
 65 70 75 80
 Glu Pro Glu Ile Gly Glu Ala Leu Lys Glu Asp Val Gly Pro Gly Lys
 85 90 95
 Ala Val Pro Arg Glu Glu Leu Phe Val Thr Ser Lys Leu Trp Asn Thr
 100 105 110
 Lys His His Pro Glu Asp Val Glu Pro Ala Leu Arg Lys Thr Leu Ala
 115 120 125
 Asp Leu Gln Leu Glu Tyr Leu Asp Leu Tyr Leu Met His Trp Pro Tyr
 130 135 140
 Ala Phe Glu Arg Gly Asp Asn Pro Phe Pro Lys Asn Ala Asp Gly Thr
 145 150 155 160
 Ile Cys Tyr Asp Ser Thr His Tyr Lys Glu Thr Trp Lys Ala Leu Glu
 165 170 175

1197

Ala Leu Val Ala Lys Gly Leu Val Gln Ala Leu Gly Leu Ser Asn Phe
 180 185 190
 Asn Ser Arg Gln Ile Asp Asp Ile Leu Ser Val Ala Ser Val Arg Pro
 195 200 205
 Ala Val Leu Gln Val Glu Cys His Pro Tyr Leu Ala Gln Asn Glu Leu
 210 215 220
 Ile Ala His Cys Gln Ala Arg Gly Leu Glu Val Thr Ala Tyr Ser Pro
 225 230 235 240
 Leu Gly Ser Ser Asp Arg Ala Trp Arg Asp Pro Asp Glu Pro Val Leu
 245 250 255
 Leu Glu Glu Pro Val Val Leu Ala Leu Ala Glu Lys Tyr Gly Arg Ser
 260 265 270
 Pro Ala Gln Ile Leu Leu Arg Trp Gln Val Gln Arg Lys Val Ile Cys
 275 280 285
 Ile Pro Lys Ser Ile Thr Pro Ser Arg Ile Leu Gln Asn Ile Lys Val
 290 295 300
 Phe Asp Phe Thr Phe Ser Pro Glu Glu Met Lys Gln Leu Asn Ala Leu
 305 310 315 320
 Asn Lys Asn Trp Arg Tyr Ile Val Pro Met Leu Thr Val Asp Gly Lys
 325 330 335
 Arg Val Pro Arg Asp Ala Gly His Pro Leu Tyr Pro Phe Asn Asp Pro
 340 345 350
 Tyr

<210> 1182

<211> 174

<212> PRT

<213> Homo sapiens

<400> 1182

Ala Arg Asp Ser Leu Gln Leu Ser Met Ala Gln Thr Ser Ser Tyr Phe
 1 5 10 15

Met Leu Ile Ser Cys Leu Met Phe Leu Ser Gln Ser Gln Gly Gln Glu
 20 25 30

1198

Ala Gln Thr Glu Leu Pro Gln Ala Arg Ile Ser Cys Pro Glu Gly Thr
35 40 45

Asn Ala Tyr Arg Ser Tyr Cys Tyr Tyr Phe Asn Glu Asp Arg Glu Thr
50 55 60

Trp Val Asp Ala Asp Leu Tyr Cys Gln Asn Met Asn Ser Gly Asn Leu
65 70 75 80

Val Ser Val Leu Thr Gln Ala Glu Gly Ala Phe Val Ala Ser Leu Ile
85 90 95

Lys Glu Ser Gly Thr Asp Asp Phe Asn Val Trp Ile Gly Leu His Asp
100 105 110

Pro Lys Lys Asn Arg Arg Trp His Trp Ser Ser Gly Ser Leu Val Ser
115 120 125

Tyr Lys Ser Trp Gly Ile Gly Ala Pro Ser Ser Val Asn Pro Gly Tyr
130 135 140

Cys Val Ser Leu Thr Ser Ser Thr Gly Phe Gln Lys Trp Lys Asp Val
145 150 155 160

Pro Cys Glu Asp Lys Phe Ser Phe Val Cys Lys Phe Lys Asn
165 170

<210> 1183

<211> 342

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (169)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (171)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (187)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1199

<222> (302)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (308)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1183

Ser Ile Phe Ser Tyr Ile Arg Leu Glu Leu Pro Ser Met Trp Leu Leu
 1 5 10 15

Val Ser Val Ile Leu Ile Ser Arg Ile Ser Ser Val Gly Gly Glu Ala
 20 25 30

Thr Phe Cys Asp Phe Pro Lys Ile Asn His Gly Ile Leu Tyr Asp Glu
 35 40 45

Glu Lys Tyr Lys Pro Phe Ser Gln Val Pro Thr Gly Glu Val Phe Tyr
 50 55 60

Tyr Ser Cys Glu Tyr Asn Phe Val Ser Pro Ser Lys Ser Phe Trp Thr
 65 70 75 80

Arg Ile Thr Cys Thr Glu Glu Gly Trp Ser Pro Thr Pro Lys Cys Leu
 85 90 95

Arg Leu Cys Phe Phe Pro Phe Val Glu Asn Gly His Ser Glu Ser Ser
 100 105 110

Gly Gln Thr His Leu Glu Gly Asp Thr Val Gln Ile Ile Cys Asn Thr
 115 120 125

Gly Tyr Arg Leu Gln Asn Asn Glu Asn Asn Ile Ser Cys Val Glu Arg
 130 135 140

Gly Trp Ser Thr Pro Pro Lys Cys Arg Ser Thr Asp Thr Ser Cys Val
 145 150 155 160

Asn Pro Pro Thr Val Gln Asn Ala Xaa Ile Xaa Ser Arg Gln Met Ser
 165 170 175

Lys Tyr Pro Ser Gly Glu Arg Val Arg Tyr Xaa Cys Arg Ser Pro Tyr
 180 185 190

Glu Met Phe Gly Asp Glu Glu Val Met Cys Leu Asn Gly Asn Trp Thr
 195 200 205

Glu Pro Pro Gln Cys Lys Asp Ser Thr Gly Lys Cys Gly Pro Pro Pro
 210 215 220

1200

Pro Ile Asp Asn Gly Asp Ile Thr Ser Phe Pro Leu Ser Val Tyr Ala
 225 230 235 240
 Pro Ala Ser Ser Val Glu Tyr Gln Cys Gln Asn Leu Tyr Gln Leu Glu
 245 250 255
 Gly Asn Lys Arg Ile Thr Cys Arg Asn Gly Gln Trp Ser Glu Pro Pro
 260 265 270
 Lys Cys Leu His Pro Cys Val Ile Ser Arg Glu Ile Met Glu Asn Tyr
 275 280 285
 Asn Ile Ala Leu Arg Trp Thr Ala Lys Gln Lys Leu Tyr Xaa Arg Thr
 290 295 300
 Gly Glu Ser Xaa Glu Phe Val Cys Lys Arg Gly Tyr Arg Leu Ser Ser
 305 310 315 320
 Arg Ser His Thr Leu Arg Thr Thr Cys Trp Asp Gly Lys Leu Glu Tyr
 325 330 335
 Pro Thr Cys Ala Lys Arg
 340

<210> 1184
 <211> 198
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (2)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (161)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1184
 Pro Xaa Arg Pro Arg Gly Ala Ala Ala Ala Ala Ala Ala Gly Ala
 1 5 10 15
 Ala Met Pro Lys Gly Gly Arg Lys Gly Gly His Lys Gly Arg Ala Arg
 20 25 30
 Gln Tyr Thr Ser Pro Glu Glu Ile Asp Ala Gln Leu Gln Ala Glu Lys
 35 40 45

1201

Gln Lys Ala Arg Glu Glu Glu Glu Gln Lys Glu Gly Gly Asp Gly Ala
 50 55 60
 Ala Gly Asp Pro Lys Lys Glu Lys Lys Ser Leu Asp Ser Asp Glu Ser
 65 70 75 80
 Glu Asp Glu Glu Asp Asp Tyr Gln Gln Lys Arg Lys Gly Val Glu Gly
 85 90 95
 Leu Ile Asp Ile Glu Asn Pro Asn Arg Val Ala Gln Thr Thr Lys Lys
 100 105 110
 Val Thr Gln Leu Asp Leu Asp Gly Pro Lys Glu Leu Ser Arg Arg Glu
 115 120 125
 Arg Glu Glu Ile Glu Lys Gln Lys Ala Lys Glu Arg Tyr Met Lys Met
 130 135 140
 His Leu Ala Gly Lys Thr Glu Gln Ala Lys Ala Asp Leu Ala Arg Leu
 145 150 155 160
 Xaa Ile Ile Arg Lys Gln Arg Glu Glu Ala Ala Arg Lys Lys Glu Glu
 165 170 175
 Glu Arg Lys Ala Lys Asp Asp Ala Thr Leu Ser Gly Lys Arg Met Gln
 180 185 190
 Ser Leu Ser Leu Asn Lys
 195

<210> 1185

<211> 210

<212> PRT

<213> Homo sapiens

<400> 1185

Ala His Ala Ser Ala His Ala Ser Gly Met Asp Leu Ser Leu Leu Trp
 1 5 10 15
 Val Leu Leu Pro Leu Val Thr Met Ala Trp Gly Gln Tyr Gly Asp Tyr
 20 25 30
 Gly Tyr Pro Tyr Gln Gln Tyr His Asp Tyr Ser Asp Asp Gly Trp Val
 35 40 45
 Asn Leu Asn Arg Gln Gly Phe Ser Tyr Gln Cys Pro Gln Gly Gln Val
 50 55 60
 Ile Val Ala Val Arg Ser Ile Phe Ser Lys Lys Glu Gly Ser Asp Arg

1202

65 70 75 80
 Gln Trp Asn Tyr Ala Cys Met Pro Thr Pro Gln Ser Leu Gly Glu Pro
 85 90 95
 Thr Glu Cys Trp Trp Glu Glu Ile Asn Arg Ala Gly Met Glu Trp Tyr
 100 105 110
 Gln Thr Cys Ser Asn Asn Gly Leu Val Ala Gly Phe Gln Ser Arg Tyr
 115 120 125
 Phe Glu Ser Val Leu Asp Arg Glu Trp Gln Phe Tyr Cys Cys Arg Tyr
 130 135 140
 Ser Lys Arg Cys Pro Tyr Ser Cys Trp Leu Thr Thr Glu Tyr Pro Gly
 145 150 155 160
 His Tyr Gly Glu Glu Met Asp Met Ile Ser Tyr Asn Tyr Asp Tyr Tyr
 165 170 175
 Ile Arg Gly Ala Thr Thr Thr Phe Ser Ala Val Glu Arg Asp Arg Gln
 180 185 190
 Trp Lys Phe Ile Met Cys Arg Met Thr Glu Tyr Asp Cys Glu Phe Ala
 195 200 205
 Asn Val
 210

<210> 1186

<211> 141

<212> PRT

<213> Homo sapiens

<400> 1186

Arg Ala Ile Tyr Phe Leu Arg Val His Arg Leu Trp Ser Ser Ile Ser
 1 5 10 15
 Leu Leu Phe Phe Pro Ser Ala Lys Met Ala Leu Glu Thr Val Pro Lys
 20 25 30
 Asp Leu Arg His Leu Arg Ala Cys Leu Leu Cys Ser Leu Val Lys Thr
 35 40 45
 Ile Asp Gln Phe Glu Tyr Asp Gly Cys Asp Asn Cys Asp Ala Tyr Leu
 50 55 60
 Gln Met Lys Gly Asn Arg Glu Met Val Tyr Asp Cys Thr Ser Ser Ser
 65 70 75 80

1203

Phe Asp Gly Ile Ile Ala Met Met Ser Pro Glu Asp Ser Trp Val Ser
 85 90 95

Lys Trp Gln Arg Val Ser Asn Phe Lys Pro Gly Val Tyr Ala Val Ser
 100 105 110

Val Thr Gly Arg Leu Pro Gln Gly Ile Val Arg Glu Leu Lys Ser Arg
 115 120 125

Gly Val Ala Tyr Lys Ser Arg Asp Thr Ala Ile Lys Thr
 130 135 140

<210> 1187

<211> 76

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1187

Leu Leu Gly Ser Cys Leu Gln Glu Ala Met Thr Leu Asn Ser Glu Pro
 1 5 10 15

Tyr Ser Val Leu Thr Ser Gly Ser His Val Phe Leu Cys Gln Val Ile
 20 25 30

Lys Tyr Leu Val Leu Val Phe Cys Leu Xaa Pro Lys Leu Pro Leu Trp
 35 40 45

Val His Arg Arg Leu Gly Ser Ile Val Arg Met Ala Ile Arg Glu Tyr
 50 55 60

Lys Xaa Gly Phe Ser Lys Gly Leu Gly Xaa Asp Ser
 65 70 75

1204

<210> 1188

<211> 516

<212> PRT

<213> Homo sapiens

<400> 1188

Ile Arg Ile Ala Ala Leu Asp Asp Phe Arg Thr Ser Leu Thr Met Ser
1 5 10 15

Ser Thr Arg Ser Gln Asn Pro His Gly Leu Lys Gln Ile Gly Leu Asp
20 25 30

Gln Ile Trp Asp Asp Leu Arg Ala Gly Ile Gln Gln Val Tyr Thr Arg
35 40 45

Gln Ser Met Ala Lys Ser Arg Tyr Met Glu Leu Tyr Thr His Val Tyr
50 55 60

Asn Tyr Cys Thr Ser Val His Gln Ser Asn Gln Ala Arg Gly Ala Gly
65 70 75 80

Val Pro Pro Ser Lys Ser Lys Lys Gly Gln Thr Pro Gly Gly Ala Gln
85 90 95

Phe Val Gly Leu Glu Leu Tyr Lys Arg Leu Lys Glu Phe Leu Lys Asn
100 105 110

Tyr Leu Thr Asn Leu Leu Lys Asp Gly Glu Asp Leu Met Asp Glu Ser
115 120 125

Val Leu Lys Phe Tyr Thr Gln Gln Trp Glu Asp Tyr Arg Phe Ser Ser
130 135 140

Lys Val Leu Asn Gly Ile Cys Ala Tyr Leu Asn Arg His Trp Val Arg
145 150 155 160

Arg Glu Cys Asp Glu Gly Arg Lys Gly Ile Tyr Glu Ile Tyr Ser Leu
165 170 175

Ala Leu Val Thr Trp Arg Asp Cys Leu Phe Arg Pro Leu Asn Lys Gln
180 185 190

Val Thr Asn Ala Val Leu Lys Leu Ile Glu Lys Glu Arg Asn Gly Glu
195 200 205

Thr Ile Asn Thr Arg Leu Ile Ser Gly Val Val Gln Ser Tyr Val Glu
210 215 220

Leu Gly Leu Asn Glu Asp Asp Ala Phe Ala Lys Gly Pro Thr Leu Thr

1205

225	230	235	240
Val Tyr Lys Glu Ser Phe Glu Ser Gln Phe Leu Ala Asp Thr Glu Arg	245	250	255
Phe Tyr Thr Arg Glu Ser Thr Glu Phe Leu Gln Gln Asn Pro Val Thr	260	265	270
Glu Tyr Met Lys Lys Ala Glu Ala Arg Leu Leu Glu Glu Gln Arg Arg	275	280	285
Val Gln Val Tyr Leu His Glu Ser Thr Gln Asp Glu Leu Ala Arg Lys	290	295	300
Cys Glu Gln Val Leu Ile Glu Lys His Leu Glu Ile Phe His Thr Glu	305	310	315
Phe Gln Asn Leu Leu Asp Ala Asp Lys Asn Glu Asp Leu Gly Arg Met	325	330	335
Tyr Asn Leu Val Ser Arg Ile Gln Asp Gly Leu Gly Glu Leu Lys Lys	340	345	350
Leu Leu Glu Thr His Ile His Asn Gln Gly Leu Ala Ala Ile Glu Lys	355	360	365
Cys Gly Glu Ala Ala Leu Asn Asp Pro Lys Met Tyr Val Gln Thr Val	370	375	380
Leu Asp Val His Lys Lys Tyr Asn Ala Leu Val Met Ser Ala Phe Asn	385	390	395
Asn Asp Ala Gly Phe Val Ala Ala Leu Asp Lys Ala Cys Gly Arg Phe	405	410	415
Ile Asn Asn Asn Ala Val Thr Lys Met Ala Gln Ser Ser Ser Lys Ser	420	425	430
Pro Glu Leu Leu Ala Arg Tyr Cys Asp Ser Leu Leu Lys Lys Ser Ser	435	440	445
Lys Asn Pro Glu Glu Ala Glu Leu Glu Asp Thr Leu Asn Gln Val Met	450	455	460
Val Val Phe Lys Tyr Ile Glu Asp Lys Asp Val Phe Gln Lys Phe Tyr	465	470	475
Ala Lys Met Leu Ala Lys Arg Leu Val His Gln Asn Ser Ala Ser Asp	485	490	495
Asp Ala Glu Ala Ser Met Ile Ser Lys Leu Lys Gln Ala Cys Gly Phe			

1206

500

505

510

Glu Tyr Thr Ser
515

<210> 1189

<211> 287

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (172)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (254)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (271)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (274)

<223> Xaa equals any of the naturally occurring L-amino acids

1207

<220>

<221> SITE

<222> (275)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (280)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1189

Met	Ser	Tyr	Cys	Asp	Glu	Ser	Arg	Leu	Ser	Asn	Leu	Leu	Arg	Arg	Ile
1				5				10					15		
Thr	Arg	Glu	Xaa	Asp	Arg	Asp	Xaa	Arg	Leu	Xaa	Thr	Val	Lys	Gln	Leu
		20					25					30			
Lys	Glu	Phe	Ile	Gln	Gln	Pro	Glu	Asn	Lys	Leu	Val	Leu	Val	Lys	Gln
	35					40					45				
Leu	Asp	Ile	Leu	Ala	Ala	Xaa	His	Asp	Val	Leu	Asn	Glu	Ser	Ser	Lys
	50					55					60				
Leu	Leu	Gln	Glu	Leu	Arg	Gln	Glu	Gly	Ala	Cys	Cys	Leu	Gly	Leu	Leu
65				70				75						80	
Cys	Ala	Ser	Leu	Ser	Tyr	Glu	Ala	Glu	Lys	Ile	Phe	Lys	Trp	Ile	Phe
			85					90						95	
Ser	Lys	Phe	Ser	Ser	Ser	Ala	Lys	Asp	Glu	Val	Lys	Leu	Leu	Tyr	Leu
	100						105					110			
Cys	Ala	Thr	Tyr	Lys	Ala	Leu	Glu	Thr	Val	Gly	Glu	Lys	Lys	Ala	Phe
	115					120					125				
Ser	Ser	Val	Met	Gln	Leu	Val	Met	Thr	Ser	Leu	Gln	Ser	Ile	Leu	Glu
	130				135					140					
Asn	Val	Asp	Thr	Pro	Glu	Leu	Leu	Cys	Lys	Cys	Val	Lys	Cys	Ile	Leu
145				150				155						160	
Leu	Val	Ala	Arg	Cys	Tyr	Pro	His	Ile	Phe	Ser	Xaa	Asn	Phe	Arg	Asp
			165					170					175		
Thr	Val	Asp	Ile	Leu	Val	Gly	Trp	His	Arg	Asp	His	Thr	Gln	Lys	Pro
	180						185						190		
Ser	Leu	Thr	Gln	Gln	Val	Ser	Gly	Trp	Leu	Gln	Ser	Leu	Glu	Pro	Phe
	195					200						205			

1208

Trp Val Ala Asp Leu Ala Phe Pro Thr Thr Leu Leu Gly Gln Phe Leu
 210 215 220

Glu Asp Met Glu Ala Tyr Ala Glu Asp Leu Ser His Val Ala Ser Gly
 225 230 235 240

Glu Ser Val Asp Glu Asp Val Pro Pro Pro Ser Val Ser Xaa Pro Lys
 245 250 255

Leu Ala Ala Leu Leu Arg Val Phe Ser Thr Val Val Arg Ser Xaa Gly
 260 265 270

Glu Xaa Xaa Ser Pro Ile Arg Xaa Leu Gln Leu Leu Arg His Thr
 275 280 285

<210> 1190

<211> 100

<212> PRT

<213> Homo sapiens

<400> 1190

Arg Pro Pro Ser Arg Trp Ser Trp Trp Gln Gly Lys Pro Thr Gly Gly
 1 5 10 15

Val Cys Val Ala Ala Ala Arg Ser Ser Pro Ser Val Thr Ala Pro Thr
 20 25 30

Ser Ser Asn Ala Leu Ala Tyr Leu His Ser Ser Ser Arg Pro Lys Arg
 35 40 45

Pro Ala Trp Trp His Ser Val Pro Ala Arg Pro Leu Arg Gly Pro Arg
 50 55 60

Thr Ala Met Ala Pro Thr Gly Val Ser Ala Cys Arg Arg Gln Lys Trp
 65 70 75 80

Ala Pro His Ser Glu Gly Ala Ala Ala Val Gln Pro Gln Val Ala Leu
 85 90 95

Ala Pro Gly Leu
 100

<210> 1191

<211> 115

<212> PRT

<213> Homo sapiens

1209

<400> 1191

Asn Asp Val Ile His Gln Tyr Val Tyr Met Tyr Phe Tyr Ile Asp Leu
1 5 10 15

Glu Asn Thr Ala Lys Thr Phe Met Thr Ser Cys Ile Thr Ala Phe Val
20 25 30

Tyr Ile Phe Leu Thr Val Ile Ile Pro Thr Gly Thr Leu Thr Val Ala
35 40 45

Leu Leu Asn Val Gln Asn Leu Tyr Phe Arg Asn Asn Lys Lys Lys Asp
50 55 60

Thr Tyr Met Phe Pro Lys Gln Trp Cys Gly Glu Cys Val Arg Lys Thr
65 70 75 80

Asn Leu Ile Gly Ser Thr Asn Thr Lys Cys Ile Thr Asn Ala Pro Val
85 90 95

His Val Phe Val Leu Lys Arg Val Asn Glu Asp Leu Tyr Ile Ser Ile
100 105 110

Asn Asp Ile
115

<210> 1192

<211> 415

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1192

Arg Ile Pro Pro Glu Ser Leu Ala Arg Glu Xaa Arg Xaa Thr Lys Ser
1 5 10 15

Phe Ser Asn Pro Arg Arg Pro Asp Arg Gly Thr Trp Ser Leu Ser Glu
20 25 30

Lys Phe Asn Leu Arg Asp Lys Met Gln Trp Thr Ser Leu Leu Leu Leu
35 40 45

1210

Ala Gly Leu Phe Ser Leu Ser Gln Ala Gln Tyr Glu Asp Asp Pro His
 50 55 60

Trp Trp Phe His Tyr Leu Arg Ser Gln Gln Ser Thr Tyr Tyr Asp Pro
 65 70 75 80

Tyr Asp Pro Tyr Pro Tyr Glu Thr Tyr Glu Pro Tyr Pro Tyr Gly Val
 85 90 95

Asp Glu Gly Pro Ala Tyr Thr Tyr Gly Ser Pro Ser Pro Pro Asp Pro
 100 105 110

Arg Asp Cys Pro Gln Glu Cys Asp Cys Pro Pro Asn Phe Pro Thr Ala
 115 120 125

Met Tyr Cys Asp Asn Arg Asn Leu Lys Tyr Leu Pro Phe Val Pro Ser
 130 135 140

Arg Met Lys Tyr Val Tyr Phe Gln Asn Asn Gln Ile Thr Ser Ile Gln
 145 150 155 160

Glu Gly Val Phe Asp Asn Ala Thr Gly Leu Leu Trp Ile Ala Leu His
 165 170 175

Gly Asn Gln Ile Thr Ser Asp Lys Val Gly Arg Lys Val Phe Ser Lys
 180 185 190

Leu Arg His Leu Glu Arg Leu Tyr Leu Asp His Asn Asn Leu Thr Arg
 195 200 205

Met Pro Gly Pro Leu Pro Arg Ser Leu Arg Glu Leu His Leu Asp His
 210 215 220

Asn Gln Ile Ser Arg Val Pro Asn Asn Ala Leu Glu Gly Leu Glu Asn
 225 230 235 240

Leu Thr Ala Leu Tyr Leu Gln His Asn Glu Ile Gln Glu Val Gly Ser
 245 250 255

Ser Met Arg Gly Leu Arg Ser Leu Ile Leu Leu Asp Leu Ser Tyr Asn
 260 265 270

His Leu Arg Lys Val Pro Asp Gly Leu Pro Ser Ala Leu Glu Gln Leu
 275 280 285

Tyr Met Glu His Asn Asn Val Tyr Thr Val Pro Asp Ser Tyr Phe Arg
 290 295 300

Gly Ala Pro Lys Leu Leu Tyr Val Arg Leu Ser His Asn Ser Leu Thr
 305 310 315 320

1211

Asn Asn Gly Leu Ala Ser Asn Thr Phe Asn Ser Ser Ser Leu Leu Glu
 325 330 335

Leu Asp Leu Ser Tyr Asn Gln Leu Gln Lys Ile Pro Pro Val Asn Thr
 340 345 350

Asn Leu Glu Asn Leu Tyr Leu Gln Gly Asn Arg Ile Asn Glu Phe Ser
 355 360 365

Ile Ser Ser Phe Cys Thr Val Val Asp Val Val Asn Phe Ser Lys Leu
 370 375 380

Gln Val Leu Arg Leu Asp Gly Asn Glu Ile Lys Arg Ser Ala Met Pro
 385 390 395 400

Ala Asp Ala Pro Leu Cys Leu Arg Leu Ala Ser Leu Ile Glu Ile
 405 410 415

<210> 1193

<211> 620

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (375)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (501)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (532)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (546)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1193

Ser Ala Val Thr Ala Phe Ser Glu Gly Ser Val Ile Ala Tyr Tyr Trp
 1 5 10 15

Ser Glu Phe Ser Ile Pro Gln His Leu Val Glu Glu Ala Glu Arg Val

20							25					30				
Met	Ala	Glu	Glu	Arg	Val	Val	Met	Leu	Pro	Pro	Arg	Ala	Arg	Ser	Leu	
35							40					45				
Lys	Ser	Phe	Val	Val	Thr	Ser	Val	Val	Ala	Phe	Pro	Thr	Asp	Ser	Lys	
50			55					60								
Thr	Val	Gln	Arg	Thr	Gln	Asp	Asn	Ser	Cys	Ser	Phe	Gly	Leu	His	Ala	
65		70					75					80				
Arg	Gly	Val	Glu	Leu	Met	Arg	Phe	Thr	Thr	Pro	Gly	Phe	Pro	Asp	Ser	
85				90					95							
Pro	Tyr	Pro	Ala	His	Ala	Arg	Cys	Gln	Trp	Ala	Leu	Arg	Gly	Asp	Ala	
100			105					110								
Asp	Ser	Val	Leu	Ser	Leu	Thr	Phe	Arg	Ser	Phe	Asp	Leu	Ala	Ser	Cys	
115		120					125									
Asp	Glu	Arg	Gly	Ser	Asp	Leu	Val	Thr	Val	Tyr	Asn	Thr	Leu	Ser	Pro	
130		135					140									
Met	Glu	Pro	His	Ala	Leu	Val	Gln	Leu	Cys	Gly	Thr	Tyr	Pro	Pro	Ser	
145		150					155					160				
Tyr	Asn	Leu	Thr	Phe	His	Ser	Ser	Gln	Asn	Val	Leu	Leu	Ile	Thr	Leu	
165				170					175							
Ile	Thr	Asn	Thr	Glu	Arg	Arg	His	Pro	Gly	Phe	Glu	Ala	Thr	Phe	Phe	
180			185					190								
Gln	Leu	Pro	Arg	Met	Ser	Ser	Cys	Gly	Gly	Arg	Leu	Arg	Lys	Ala	Gln	
195		200					205									
Gly	Thr	Phe	Asn	Ser	Pro	Tyr	Tyr	Pro	Gly	His	Tyr	Pro	Pro	Asn	Ile	
210		215					220									
Asp	Cys	Thr	Trp	Asn	Ile	Glu	Val	Pro	Asn	Asn	Gln	His	Val	Lys	Val	
225		230					235					240				
Arg	Phe	Lys	Phe	Phe	Tyr	Leu	Leu	Glu	Pro	Gly	Val	Pro	Ala	Gly	Thr	
245				250					255							
Cys	Pro	Lys	Asp	Tyr	Val	Glu	Ile	Asn	Gly	Glu	Lys	Tyr	Cys	Gly	Glu	
260			265					270								
Arg	Ser	Gln	Phe	Val	Val	Thr	Ser	Asn	Ser	Asn	Lys	Ile	Thr	Val	Arg	
275		280					285									
Phe	His	Ser	Asp	Gln	Ser	Tyr	Thr	Asp	Thr	Gly	Phe	Leu	Ala	Glu	Tyr	

1213

290	295	300
Leu Ser Tyr Asp Ser Ser Asp Pro Cys Pro Gly Gln Phe Thr Cys Arg		
305	310	315 320
Thr Gly Arg Cys Ile Arg Lys Glu Leu Arg Cys Asp Gly Trp Ala Asp		
	325	330 335
Cys Thr Asp His Ser Asp Glu Leu Asn Cys Ser Cys Asp Ala Gly His		
	340	345 350
Gln Phe Thr Cys Lys Asn Lys Phe Cys Lys Pro Leu Phe Trp Val Cys		
	355	360 365
Asp Ser Val Asn Asp Cys Xaa Asp Asn Ser Asp Glu Gln Gly Cys Ser		
	370	375 380
Cys Pro Ala Gln Thr Phe Arg Cys Ser Asn Gly Lys Cys Leu Ser Lys		
385	390	395 400
Ser Gln Gln Cys Asn Gly Lys Asp Asp Cys Gly Asp Gly Ser Asp Glu		
	405	410 415
Ala Ser Cys Pro Lys Val Asn Val Val Thr Cys Thr Lys His Thr Tyr		
	420	425 430
Arg Cys Leu Asn Gly Leu Cys Leu Ser Lys Gly Asn Pro Glu Cys Asp		
	435	440 445
Gly Lys Glu Asp Cys Ser Asp Gly Ser Asp Glu Lys Asp Cys Asp Cys		
	450	455 460
Gly Leu Arg Ser Phe Thr Arg Gln Ala Arg Val Val Gly Gly Thr Asp		
465	470	475 480
Ala Asp Glu Gly Glu Trp Pro Trp Gln Val Ser Leu His Ala Leu Gly		
	485	490 495
Gln Gly Thr Ser Xaa Gly Ala Ser Leu Ile Ser Pro Asn Trp Leu Val		
	500	505 510
Ser Ala Ala His Cys Tyr Ile Asp Asp Arg Gly Phe Arg Tyr Ser Asp		
	515	520 525
Pro Thr Gln Xaa Thr Ala Phe Leu Gly Leu His Asp Gln Ser Gln Arg		
	530	535 540
Ser Xaa Leu Gly Cys Arg Ser Ala Gly Ser Ser Ala Ser Ser Pro Thr		
545	550	555 560
Pro Ser Ser Met Thr Ser Pro Ser Thr Met Thr Ser Arg Cys Trp Ser		

1214

565 570 575

Trp Arg Asn Arg Gln Ser Thr Ala Pro Trp Cys Gly Pro Ser Ala Cys
580 585 590

Arg Thr Pro Pro Met Ser Ser Leu Pro Ala Arg Pro Ser Gly Ser Arg
595 600 605

Ala Gly Asp Thr Pro Ser Met Glu Ala Leu Ala Arg
610 615 620

<210> 1194

<211> 51

<212> PRT

<213> Homo sapiens

<400> 1194

Arg Thr Leu Cys His Leu Thr Thr Leu Asp Glu Leu Ser Cys Gln Arg
1 5 10 15

Glu Asn Leu Met Phe Lys Glu His Phe Pro Leu Ala Asp Val Thr Ala
20 25 30

Gly Phe Val Phe His Met Cys Phe Ser Tyr Thr His Leu Asn Ala Phe
35 40 45

Lys His Leu
50

<210> 1195

<211> 269

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (245)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (246)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (257)

1215

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (266)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1195

Pro Ala Glu Asp Ala Ala Ser Leu Thr Trp Gly Val Ala Ile Arg Ala
 1 5 10 15

Gly Arg Ser Trp Phe Ser Gly Pro Ala Ala Pro Ala Ala Met Ser
 20 25 30

Phe Phe Pro Glu Leu Tyr Phe Asn Val Asp Asn Gly Tyr Leu Glu Gly
 35 40 45

Leu Val Arg Gly Leu Lys Ala Gly Val Leu Ser Gln Ala Asp Tyr Leu
 50 55 60

Asn Leu Val Gln Cys Glu Thr Leu Glu Asp Leu Lys Leu His Leu Gln
 65 70 75 80

Ser Thr Asp Tyr Gly Asn Phe Leu Ala Asn Glu Ala Ser Pro Leu Thr
 85 90 95

Val Ser Val Ile Asp Asp Arg Leu Lys Glu Lys Met Val Val Glu Phe
 100 105 110

Arg His Met Arg Asn His Ala Tyr Glu Pro Leu Ala Ser Phe Leu Asp
 115 120 125

Phe Ile Thr Tyr Ser Tyr Met Ile Asp Asn Val Ile Leu Leu Ile Thr
 130 135 140

Gly Thr Leu His Gln Arg Ser Ile Ala Glu Leu Val Pro Lys Cys His
 145 150 155 160

Pro Leu Gly Ser Phe Glu Gln Met Glu Ala Val Asn Ile Ala Gln Thr
 165 170 175

Pro Ala Glu Leu Tyr Asn Ala Ile Leu Val Asp Thr Pro Leu Ala Ala
 180 185 190

Phe Phe Gln Asp Cys Ile Ser Glu Gln Asp Leu Asp Glu Met Asn Ile
 195 200 205

Glu Ile Ile Arg Asn Thr Leu Tyr Lys Ala Tyr Leu Glu Ser Phe Tyr
 210 215 220

Lys Phe Cys Thr Leu Leu Gly Gly Thr Thr Ala Asp Ala Met Cys Pro

1216

225 230 235 240
 Ile Leu Glu Phe Xaa Xaa Gln Thr Val Pro Ser Ser Phe His Thr Val
 245 250 255
 Xaa Gly Ser Thr Leu Arg Ala Trp Arg Xaa Gly Ser Gly
 260 265

<210> 1196
 <211> 301
 <212> PRT
 <213> Homo sapiens

<400> 1196
 Arg His Glu Pro Ala Pro Arg Glu Ala Pro Gly Ser Arg Ala Ser Ala
 1 5 10 15
 Phe Leu Leu Pro Ser Phe Leu Pro Gly Pro Arg Leu Val Pro Ala Gly
 20 25 30
 His Pro Thr Ala Thr Met Phe Val Pro Cys Gly Glu Ser Ala Pro Asp
 35 40 45
 Leu Ala Gly Phe Thr Leu Leu Met Pro Ala Val Ser Val Gly Asn Val
 50 55 60
 Gly Gln Leu Ala Met Asp Leu Ile Ile Ser Thr Leu Asn Met Ser Lys
 65 70 75 80
 Ile Gly Tyr Phe Tyr Thr Asp Cys Leu Val Pro Met Val Gly Asn Asn
 85 90 95
 Pro Tyr Ala Thr Thr Glu Gly Asn Ser Thr Glu Leu Ser Ile Asn Ala
 100 105 110
 Glu Val Tyr Ser Leu Pro Ser Arg Lys Leu Val Ala Leu Gln Leu Arg
 115 120 125
 Ser Ile Phe Ile Lys Tyr Lys Ser Lys Pro Phe Cys Glu Lys Leu Leu
 130 135 140
 Ser Trp Val Lys Ser Ser Gly Cys Ala Arg Val Ile Val Leu Ser Ser
 145 150 155 160
 Ser His Ser Tyr Gln Arg Asn Asp Leu Gln Leu Arg Ser Thr Pro Phe
 165 170 175
 Arg Tyr Leu Leu Thr Pro Ser Met Gln Lys Ser Val Gln Asn Lys Ile
 180 185 190

1217

Lys Ser Leu Asn Trp Glu Glu Met Glu Lys Ser Arg Cys Ile Pro Glu
 195 200 205

Ile Asp Asp Ser Glu Phe Cys Ile Arg Ile Pro Gly Gly Gly Ile Thr
 210 215 220

Lys Thr Leu Tyr Asp Glu Ser Cys Ser Lys Glu Ile Gln Met Ala Val
 225 230 235 240

Leu Leu Lys Phe Val Ser Glu Gly Asp Asn Ile Pro Asp Ala Leu Gly
 245 250 255

Leu Val Glu Tyr Leu Asn Glu Trp Leu Gln Ile Leu Lys Pro Leu Ser
 260 265 270

Asp Asp Pro Thr Val Ser Ala Ser Arg Trp Lys Ile Pro Ser Ser Trp
 275 280 285

Arg Leu Leu Phe Gly Ser Gly Leu Pro Pro Ala Leu Phe
 290 295 300

<210> 1197

<211> 246

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (230)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1197

Gly Thr Arg Asp Leu Leu Leu Ala Ala Ala Ala Thr Gly Lys Leu
 1 5 10 15

Lys Ser Phe Ala Arg Lys Phe Ile Asn Leu Asn Glu Phe Thr Thr Tyr
 20 25 30

1218

Gly Ser Glu Glu Ser Thr Lys Pro Ala Ser Val Arg Ala Leu Leu Phe
 35 40 45
 Xaa Ile Ser Phe Leu Met Leu Cys His Val Ala Gln Thr Tyr Gly Ser
 50 55 60
 Xaa Val Ile Leu Ser Glu Ser Arg Thr Gly Ala Glu Val Pro Phe Phe
 65 70 75 80
 Glu Thr Trp Met Gln Thr Cys Met Pro Glu Glu Gly Lys Ile Leu Asn
 85 90 95
 Pro Asp His Pro Cys Phe Arg Pro Asp Ser Thr Lys Val Glu Ser Leu
 100 105 110
 Val Ala Leu Leu Asn Asn Ser Ser Glu Met Lys Leu Val Gln Met Lys
 115 120 125
 Trp His Glu Ala Cys Leu Ser Ile Ser Ala Ala Ile Leu Glu Ile Leu
 130 135 140
 Asn Ala Trp Glu Asn Gly Val Leu Ala Phe Glu Ser Ile Gln Lys Ile
 145 150 155 160
 Thr Asp Asn Ile Lys Gly Lys Val Cys Ser Leu Ala Val Cys Ala Val
 165 170 175
 Ala Trp Leu Val Ala His Val Arg Met Leu Gly Leu Asp Glu Arg Glu
 180 185 190
 Lys Ser Leu Gln Met Ile Arg Gln Leu Ala Gly Pro Leu Phe Ser Glu
 195 200 205
 Asn Thr Leu Gln Phe Tyr Asn Glu Arg Val Val Ile Met Asn Ser Ile
 210 215 220
 Leu Gly Ala His Val Xaa Arg Arg Ala Ala Ala Asp Ser His Ala Gly
 225 230 235 240
 Phe Lys Phe Pro Ser Asn
 245

<210> 1198

<211> 465

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1219

<222> (203)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (460)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (461)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1198

Lys	Asn	Met	Glu	Thr	Glu	Gln	Pro	Glu	Glu	Thr	Phe	Pro	Asn	Thr	Glu
1				5				10						15	

Thr	Asn	Gly	Glu	Phe	Gly	Lys	Arg	Pro	Ala	Glu	Asp	Met	Glu	Glu	Glu
			20					25					30		

Gln	Ala	Phe	Lys	Arg	Ser	Arg	Asn	Thr	Asp	Glu	Met	Val	Glu	Leu	Arg
		35					40					45			

Ile	Leu	Leu	Gln	Ser	Lys	Asn	Ala	Gly	Ala	Val	Ile	Gly	Lys	Gly	Gly
	50					55					60				

Lys	Asn	Ile	Lys	Ala	Leu	Arg	Thr	Asp	Tyr	Asn	Ala	Ser	Val	Ser	Val
65					70					75				80	

Pro	Asp	Ser	Ser	Gly	Pro	Glu	Arg	Ile	Leu	Ser	Ile	Ser	Ala	Asp	Ile
				85					90					95	

Glu	Thr	Ile	Gly	Glu	Ile	Leu	Lys	Lys	Ile	Ile	Pro	Thr	Leu	Glu	Glu
			100					105					110		

Gly	Leu	Gln	Leu	Pro	Ser	Pro	Thr	Ala	Thr	Ser	Gln	Leu	Pro	Leu	Glu
		115					120					125			

Ser	Asp	Ala	Val	Glu	Cys	Leu	Asn	Tyr	Gln	His	Tyr	Lys	Gly	Ser	Asp
	130						135					140			

Phe	Asp	Cys	Glu	Leu	Arg	Leu	Leu	Ile	His	Gln	Ser	Leu	Ala	Gly	Gly
145					150					155				160	

Ile	Ile	Gly	Val	Lys	Gly	Ala	Lys	Ile	Lys	Glu	Leu	Arg	Glu	Asn	Thr
			165					170						175	

Gln	Thr	Thr	Ile	Lys	Leu	Phe	Gln	Glu	Cys	Cys	Pro	His	Ser	Thr	Asp
			180					185					190		

Arg	Val	Val	Leu	Ile	Gly	Gly	Lys	Pro	Asp	Xaa	Val	Val	Glu	Cys	Ile
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1220

195	200	205
Lys Ile Ile Leu Asp Leu Ile Ser Glu Ser Pro Ile Lys Gly Arg Ala 210 215 220		
Gln Pro Tyr Asp Pro Asn Phe Tyr Asp Glu Thr Tyr Asp Tyr Gly Gly 225 230 235 240		
Phe Thr Met Met Phe Asp Asp Arg Arg Gly Arg Pro Val Gly Phe Pro 245 250 255		
Met Arg Gly Arg Gly Gly Phe Asp Arg Met Pro Pro Gly Arg Gly Gly 260 265 270		
Arg Pro Met Pro Pro Ser Arg Arg Asp Tyr Asp Asp Met Ser Pro Arg 275 280 285		
Arg Gly Pro Pro Pro Pro Pro Pro Gly Arg Gly Gly Arg Gly Gly Ser 290 295 300		
Arg Ala Arg Asn Leu Pro Leu Pro Pro Pro Pro Pro Arg Gly Gly 305 310 315 320		
Asp Leu Met Ala Tyr Asp Arg Arg Gly Arg Pro Gly Asp Arg Tyr Asp 325 330 335		
Gly Met Val Gly Phe Ser Ala Asp Glu Thr Trp Asp Ser Ala Ile Asp 340 345 350		
Thr Trp Ser Pro Ser Glu Trp Gln Met Ala Tyr Glu Pro Gln Gly Gly 355 360 365		
Ser Gly Tyr Asp Tyr Ser Tyr Ala Gly Gly Arg Gly Ser Tyr Gly Asp 370 375 380		
Leu Gly Gly Pro Ile Ile Thr Thr Gln Val Thr Ile Pro Lys Asp Leu 385 390 395 400		
Ala Gly Ser Ile Ile Gly Lys Gly Gly Gln Arg Ile Lys Gln Ile Arg 405 410 415		
His Glu Ser Gly Ala Ser Ile Lys Ile Asp Glu Pro Leu Glu Gly Ser 420 425 430		
Glu Asp Arg Ile Ile Thr Ile Thr Gly Thr Gln Asp Gln Ile Gln Asn 435 440 445		
Ala Gln Tyr Leu Leu Gln Asn Ser Val Ser Ser Xaa Xaa Leu Ala Leu 450 455 460		

Cys

1221

465

<210> 1199

<211> 446

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (87)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1199

Tyr	Pro	Ala	Ala	Cys	Xaa	Thr	Gly	Pro	Glu	Phe	Pro	Gly	Arg	Pro	Thr
1				5					10					15	

Arg	Pro	His	Glu	Met	Asp	Gln	Tyr	Trp	Gly	Ile	Gly	Ser	Leu	Ala	Ser
			20					25					30		

Gly	Ile	Asn	Leu	Phe	Thr	Asn	Ser	Phe	Glu	Gly	Pro	Val	Leu	Asp	His
		35					40					45			

Arg	Tyr	Tyr	Ala	Gly	Gly	Cys	Ser	Pro	His	Tyr	Ile	Leu	Asn	Thr	Arg
	50					55					60				

Phe	Arg	Lys	Pro	Tyr	Asn	Val	Glu	Ser	Tyr	Thr	Pro	Gln	Thr	Gln	Gly
65					70					75					80

Lys	Tyr	Glu	Phe	Ile	Leu	Xaa	Xaa	Tyr	Glu	Ser	Tyr	Ser	Asp	Phe	Glu
			85						90					95	

Arg	Asn	Val	Thr	Glu	Lys	Met	Ala	Ser	Lys	Ser	Gly	Phe	Ser	Phe	Gly
		100						105					110		

Phe	Lys	Ile	Pro	Gly	Ile	Phe	Glu	Leu	Gly	Ile	Ser	Ser	Gln	Ser	Asp
		115					120					125			

Arg	Gly	Lys	His	Tyr	Ile	Arg	Arg	Thr	Lys	Arg	Phe	Ser	His	Thr	Lys
	130						135					140			

1213

290	295	300
Leu Ser Tyr Asp Ser Ser Asp Pro Cys Pro Gly Gln Phe Thr Cys Arg		
305	310	315 320
Thr Gly Arg Cys Ile Arg Lys Glu Leu Arg Cys Asp Gly Trp Ala Asp		
	325	330 335
Cys Thr Asp His Ser Asp Glu Leu Asn Cys Ser Cys Asp Ala Gly His		
	340	345 350
Gln Phe Thr Cys Lys Asn Lys Phe Cys Lys Pro Leu Phe Trp Val Cys		
	355	360 365
Asp Ser Val Asn Asp Cys Xaa Asp Asn Ser Asp Glu Gln Gly Cys Ser		
	370	375 380
Cys Pro Ala Gln Thr Phe Arg Cys Ser Asn Gly Lys Cys Leu Ser Lys		
385	390	395 400
Ser Gln Gln Cys Asn Gly Lys Asp Asp Cys Gly Asp Gly Ser Asp Glu		
	405	410 415
Ala Ser Cys Pro Lys Val Asn Val Val Thr Cys Thr Lys His Thr Tyr		
	420	425 430
Arg Cys Leu Asn Gly Leu Cys Leu Ser Lys Gly Asn Pro Glu Cys Asp		
	435	440 445
Gly Lys Glu Asp Cys Ser Asp Gly Ser Asp Glu Lys Asp Cys Asp Cys		
	450	455 460
Gly Leu Arg Ser Phe Thr Arg Gln Ala Arg Val Val Gly Gly Thr Asp		
465	470	475 480
Ala Asp Glu Gly Glu Trp Pro Trp Gln Val Ser Leu His Ala Leu Gly		
	485	490 495
Gln Gly Thr Ser Xaa Gly Ala Ser Leu Ile Ser Pro Asn Trp Leu Val		
	500	505 510
Ser Ala Ala His Cys Tyr Ile Asp Asp Arg Gly Phe Arg Tyr Ser Asp		
	515	520 525
Pro Thr Gln Xaa Thr Ala Phe Leu Gly Leu His Asp Gln Ser Gln Arg		
	530	535 540
Ser Xaa Leu Gly Cys Arg Ser Ala Gly Ser Ser Ala Ser Ser Pro Thr		
545	550	555 560
Pro Ser Ser Met Thr Ser Pro Ser Thr Met Thr Ser Arg Cys Trp Ser		

1222

Ser Val Phe Leu His Ala Arg Ser Asp Leu Glu Val Ala His Tyr Lys
 145 150 155 160

Leu Lys Pro Arg Ser Leu Met Leu His Tyr Glu Phe Leu Gln Arg Val
 165 170 175

Lys Arg Leu Pro Leu Glu Tyr Ser Tyr Gly Glu Tyr Arg Asp Leu Phe
 180 185 190

Arg Asp Phe Gly Thr His Tyr Ile Thr Glu Ala Val Leu Gly Gly Ile
 195 200 205

Tyr Glu Tyr Thr Leu Val Met Asn Lys Glu Ala Met Glu Arg Gly Asp
 210 215 220

Tyr Thr Leu Asn Asn Val His Ala Cys Ala Lys Asn Asp Phe Lys Ile
 225 230 235 240

Gly Gly Ala Ile Glu Glu Val Tyr Val Ser Leu Gly Val Ser Val Gly
 245 250 255

Lys Cys Arg Gly Ile Leu Asn Glu Ile Lys Asp Arg Asn Lys Arg Asp
 260 265 270

Thr Met Val Glu Asp Leu Val Val Leu Val Arg Gly Gly Ala Ser Glu
 275 280 285

His Ile Thr Thr Leu Ala Tyr Gln Glu Leu Pro Thr Ala Asp Leu Met
 290 295 300

Gln Glu Trp Gly Asp Ala Val Gln Tyr Asn Pro Ala Ile Ile Lys Val
 305 310 315 320

Lys Val Glu Pro Leu Tyr Glu Leu Val Thr Ala Thr Asp Phe Ala Tyr
 325 330 335

Ser Ser Thr Val Arg Gln Asn Met Lys Gln Ala Leu Glu Glu Phe Gln
 340 345 350

Lys Glu Val Ser Ser Cys His Cys Ala Pro Cys Gln Gly Asn Gly Val
 355 360 365

Pro Val Leu Lys Gly Ser Arg Cys Asp Cys Ile Cys Pro Val Gly Ser
 370 375 380

Gln Gly Leu Ala Cys Glu Val Ser Tyr Arg Lys Asn Thr Pro Ile Asp
 385 390 395 400

Gly Lys Trp Asn Cys Trp Ser Asn Trp Ser Ser Cys Ser Gly Arg Arg
 405 410 415

1223

Lys Thr Arg Gln Arg Gln Cys Asn Asn Pro Pro Pro Gln Asn Gly Gly
 420 425 430

Ser Pro Cys Ser Gly Pro Ala Ser Glu Thr Leu Asp Cys Ser
 435 440 445

<210> 1200

<211> 437

<212> PRT

<213> Homo sapiens

<400> 1200

Leu Gly Ser Ser Asp Ser Tyr Ala Ser Pro Gly Arg Ala Ala Ala Pro
 1 5 10 15

Pro Ala Ala Ala Gly Pro Gly Asp Thr Ser Ala Cys Tyr Lys Ser Ser
 20 25 30

Gly Pro Arg Cys Leu Leu Pro Asp Leu Ala Pro Ser Ser Glu Pro Gly
 35 40 45

Ala Cys Leu Gly Gly Leu Ser Val Phe Thr Met Glu Gln Leu Ser Ser
 50 55 60

Ala Asn Thr Arg Phe Ala Leu Asp Leu Phe Leu Ala Leu Ser Glu Asn
 65 70 75 80

Asn Pro Ala Gly Asn Ile Phe Ile Ser Pro Phe Ser Ile Ser Ser Ala
 85 90 95

Met Ala Met Val Phe Leu Gly Thr Arg Gly Asn Thr Ala Ala Gln Leu
 100 105 110

Ser Lys Thr Phe His Phe Asn Thr Val Glu Glu Val His Ser Arg Phe
 115 120 125

Gln Ser Leu Asn Ala Asp Ile Asn Lys Arg Gly Ala Ser Tyr Ile Leu
 130 135 140

Lys Leu Ala Asn Arg Leu Tyr Gly Glu Lys Thr Tyr Asn Phe Leu Pro
 145 150 155 160

Glu Phe Leu Val Ser Thr Gln Lys Thr Tyr Gly Ala Asp Leu Ala Ser
 165 170 175

Val Asp Phe Gln His Ala Ser Glu Asp Ala Arg Lys Thr Ile Asn Gln
 180 185 190

1224

Trp Val Lys Gly Gln Thr Glu Gly Lys Ile Pro Glu Leu Leu Ala Ser
 195 200 205
 Gly Met Val Asp Asn Met Thr Lys Leu Val Leu Val Asn Ala Ile Tyr
 210 215 220
 Phe Lys Gly Asn Trp Lys Asp Lys Phe Met Lys Glu Ala Thr Thr Asn
 225 230 235 240
 Ala Pro Phe Arg Leu Asn Lys Lys Asp Arg Lys Thr Val Lys Met Met
 245 250 255
 Tyr Gln Lys Lys Lys Phe Ala Tyr Gly Tyr Ile Glu Asp Leu Lys Cys
 260 265 270
 Arg Val Leu Glu Leu Pro Tyr Gln Gly Glu Glu Leu Ser Met Val Ile
 275 280 285
 Leu Leu Pro Asp Asp Ile Glu Asp Glu Ser Thr Gly Leu Lys Lys Ile
 290 295 300
 Glu Glu Gln Leu Thr Leu Glu Lys Leu His Glu Trp Thr Lys Pro Glu
 305 310 315 320
 Asn Leu Asp Phe Ile Glu Val Asn Val Ser Leu Pro Arg Phe Lys Leu
 325 330 335
 Glu Glu Ser Tyr Thr Leu Asn Ser Asp Leu Ala Arg Leu Gly Val Gln
 340 345 350
 Asp Leu Phe Asn Ser Ser Lys Ala Asp Leu Ser Gly Met Ser Gly Ala
 355 360 365
 Arg Asp Ile Phe Ile Ser Lys Ile Val His Lys Ser Phe Val Glu Val
 370 375 380
 Asn Glu Glu Gly Thr Glu Ala Ala Ala Ala Thr Ala Gly Ile Ala Thr
 385 390 395 400
 Phe Cys Met Leu Met Pro Glu Glu Asn Phe Thr Ala Asp His Pro Phe
 405 410 415
 Leu Phe Phe Ile Arg His Asn Ser Ser Gly Ser Ile Leu Phe Leu Gly
 420 425 430
 Arg Phe Ser Ser Pro
 435

<210> 1201

1225

<211> 82
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (82)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1201

Gln Leu Gly Pro Val Val Gly Gly Trp Tyr Lys Val Leu Asp Arg Phe
 1 5 10 15

Ile Pro Gly Thr Thr Lys Val Asp Ala Leu Lys Lys Met Leu Leu Asp
 20 25 30

Gln Gly Gly Phe Ala Pro Cys Phe Leu Gly Cys Phe Leu Pro Leu Val
 35 40 45

Gly Ala Leu Asn Gly Leu Ser Ala Gln Asp Asn Trp Pro Asn Tyr Ser
 50 55 60

Gly Ile Ile Leu Met Pro Leu Ser Pro Thr Thr Ile Tyr Gly Leu Leu
 65 70 75 80

Cys Xaa

<210> 1202
 <211> 126
 <212> PRT
 <213> Homo sapiens

<400> 1202

Ile Ser Arg Ser Ser Ala Arg Arg Gln Pro Phe Arg His Gly Arg Leu
 1 5 10 15

Trp Arg Ala Ala Ala Met Ala Leu Arg Tyr Pro Met Ala Val Gly Leu
 20 25 30

Asn Lys Gly His Lys Val Thr Lys Asn Val Ser Lys Pro Arg His Ser
 35 40 45

Arg Arg Arg Gly Arg Leu Thr Lys His Thr Lys Phe Val Arg Asp Met
 50 55 60

Ile Arg Glu Val Cys Gly Phe Ala Pro Tyr Glu Arg Arg Ala Met Glu
 65 70 75 80

1226

Leu Leu Lys Val Ser Lys Asp Lys Arg Ala Leu Lys Phe Ile Lys Lys
 85 90 95

Arg Val Gly Thr His Ile Arg Ala Lys Arg Lys Arg Glu Glu Leu Ser
 100 105 110

Asn Val Leu Ala Ala Met Arg Lys Ala Ala Ala Lys Lys Asp
 115 120 125

<210> 1203

<211> 130

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1203

Asp Trp Asn Pro Asp Leu Gln Ala Ser Ala Val Cys Ile Lys Arg Val
 1 5 10 15

Gly Glu Ser Gly Pro Leu Ala Gln Glu Pro Xaa Leu Leu Lys Glu Gly
 20 25 30

Phe Lys Ala Lys Trp Val Cys Gln Arg Cys Cys Leu Pro Phe Leu Glu
 35 40 45

Met Leu Ile Ser Leu Ser Lys Thr Glu Lys Ser Arg Cys Tyr Arg Asn
 50 55 60

Asn Leu Val Cys Cys Ile Asn Cys Ser Trp Ala Trp Ser Ser Ile Pro
 65 70 75 80

Thr Leu Arg Phe Pro Ala Ser Leu Cys Cys Pro Gly Ser His Ser Cys
 85 90 95

Arg Arg Pro Asn Pro Leu Ala Val Phe Cys Leu Lys Ile Trp Gly Ala
 100 105 110

Pro Ser Leu Ser Ser Pro Gly Asn Ser Leu Ala Glu Gly Gly Asp Pro
 115 120 125

Pro Gln
 130

1227

<210> 1204
 <211> 228
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (189)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (196)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (199)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (225)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (228)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1204
 Trp Ala Ala Phe Glu Pro Ala Thr Leu Ala Trp Lys Phe Pro Phe Gln
 1 5 10 15
 Ser Gly Phe Cys Leu Leu Leu Pro Ser Pro Ser Pro Arg Tyr Leu Phe
 20 25 30
 Thr Ser His Leu Ile Ser Leu Cys Ser Ser Val Ser Pro Thr His Ile
 35 40 45
 Ile Gly Asp Ser Gly Gly Ser Leu Thr Ser Leu Leu Ser Asn Ala Arg
 50 55 60
 Pro Ser Gly Leu Ala Ser Val Ala Ser His Ile Asp Val Thr Leu Glu
 65 70 75 80
 Leu Leu Pro Gln Arg Gly Arg Arg Asp Arg Leu Ser Pro His Leu Pro
 85 90 95
 Pro Tyr Ser Pro Leu Tyr Ser Arg Phe Asp His Leu Ser Pro Ser Ala
 100 105 110

1228

Ala Pro Ser His Phe Gly Gln Ser Gln Ala Pro Ile Arg Leu Pro Pro
 115 120 125

Pro Pro Gly Ala Pro Ser Ile Ser Leu Ser Pro Leu Pro Gln Asn Leu
 130 135 140

Cys Lys Gly Tyr Glu Arg Asp Pro Leu Pro Ser Arg Pro Pro Leu Arg
 145 150 155 160

Ala Val Arg Ser Lys Lys Gln Lys Leu Val Gly Gly Trp Leu Gly Leu
 165 170 175

Cys Pro Val Pro Arg Trp Asp Lys Leu Ala Phe Ser Xaa Ile Pro Ser
 180 185 190

Trp Val Pro Xaa Ser Phe Xaa Ala Pro Gly Ala Arg Thr His Cys Ala
 195 200 205

Val Phe Leu Phe Ser Phe Val Gly Lys Gly Thr Lys Val Phe Ala Lys
 210 215 220

Xaa Pro Val Xaa
 225

<210> 1205

<211> 270

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (128)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1205

Leu Pro Gly Ala Val Ala Ala Ser Ser Gly Ser Pro Pro Gly Ser Ala
 1 5 10 15

Leu Ala Ala Val Ala Ser Gly Gly Asp Leu Phe Pro Gly Gln Pro Val
 20 25 30

Ser Glu Leu Ile Ala Gln Leu Leu Arg Ala Glu Pro Tyr Pro Ala Ala
 35 40 45

Ala Gly Arg Phe Gly Ala Gly Gly Gly Ala Ala Gly Ala Val Leu Gly
 50 55 60

Ile Asp Asn Val Cys Glu Leu Ala Ala Arg Leu Leu Phe Ser Thr Val

1229

```

65              70              75              80
Glu Trp Ala Arg His Ala Pro Phe Phe Pro Glu Leu Pro Val Ala Asp
              85              90              95
Gln Val Ala Leu Leu Arg Leu Ser Trp Ser Glu Leu Phe Val Leu Asn
              100             105             110
Ala Ala Gln Ala Ala Leu Pro Leu His Thr Ala Pro Leu Leu Ala Xaa
              115             120             125
Ala Gly Leu His Ala Ala Pro Met Ala Ala Glu Arg Ala Val Ala Phe
              130             135             140
Met Asp Gln Val Arg Ala Phe Gln Glu Gln Val Asp Lys Leu Gly Arg
              145             150             155             160
Leu Gln Val Asp Ser Ala Glu Tyr Gly Cys Leu Lys Ala Ile Ala Leu
              165             170             175
Phe Thr Pro Asp Ala Cys Gly Leu Ser Asp Pro Ala His Val Glu Ser
              180             185             190
Leu Gln Glu Lys Ala Gln Val Ala Leu Thr Glu Tyr Val Arg Ala Gln
              195             200             205
Tyr Pro Ser Gln Pro Gln Arg Phe Gly Arg Leu Leu Leu Arg Leu Pro
              210             215             220
Ala Leu Arg Ala Val Pro Ala Ser Leu Ile Ser Gln Leu Phe Phe Met
              225             230             235             240
Arg Leu Val Gly Lys Thr Pro Ile Glu Thr Leu Ile Arg Asp Met Leu
              245             250             255
Leu Ser Gly Ser Thr Phe Asn Trp Pro Tyr Gly Ser Gly Gln
              260             265             270

```

<210> 1206

<211> 89

<212> PRT

<213> Homo sapiens

<400> 1206

```

Met Phe His Cys Ser Asp Lys Tyr Phe Thr Phe Phe Ser Val His Gln
  1              5              10             15

```

```

Arg Glu Arg Asp Pro Pro Thr Ala Val Thr Ser Lys Cys Ser Cys Ser
  20              25             30

```

1230

Ile Asn Gly Val Thr Asp Thr Glu Val His Ser Trp Phe Leu Ser Arg
 35 40 45

Val Val Ile Leu Val Ser Trp Ser Leu Gly His Trp Gly Cys Thr Leu
 50 55 60

Lys Ser Pro Asn Arg Leu Ala Ile Lys Ile Asn Lys Ala Ala Ala Pro
 65 70 75 80

Phe Gln Phe Thr Phe His Leu Thr Gln
 85

<210> 1207

<211> 145

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (137)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1207

Cys Val Gly Lys Ala Gly Val Glu Leu Gly Cys Ser Gly Glu Gly Val
 1 5 10 15

Val Lys Lys Ala Ser Ser Arg Gly His Lys Ala Arg Phe Pro Leu Arg
 20 25 30

Ser His Lys Val Leu Ser Pro Ala Pro Gly Ala Gly Gly Val His Gly
 35 40 45

Pro Gly Phe Thr Ser Thr His Pro Ala His Pro Arg Gly Glu Gly Pro
 50 55 60

Arg Ala Pro Gly Pro Ala Ala Asp Arg Ile Leu Cys Lys Leu Cys Ser
 65 70 75 80

Val His Cys Lys Thr Pro Ala Gln Leu Ala Gly His Met Gln Thr His
 85 90 95

Leu Gly Gly Ala Ala Pro Leu Ser Arg Glu Thr Pro Pro Ser His Ser
 100 105 110

Pro Pro Ala Glu Gly Asp Pro Arg Thr His Gln Val Leu Val Arg Phe
 115 120 125

Val Gln Trp Arg Arg Gln Arg Gln Xaa Arg Gln Arg Gln Gln Arg Gln

1231

130 135 140
 Gln
 145

 <210> 1208
 <211> 378
 <212> PRT
 <213> Homo sapiens

 <400> 1208
 Ser Ala Ser Arg Ala Thr Ala Met Ser Ser Arg Gly Gly Lys Lys Lys
 1 5 10 15

 Ser Thr Lys Thr Ser Arg Ser Ala Lys Ala Gly Val Ile Phe Pro Val
 20 25 30

 Gly Arg Met Leu Arg Tyr Ile Lys Lys Gly His Pro Lys Tyr Arg Ile
 35 40 45

 Gly Val Gly Ala Pro Val Tyr Met Ala Ala Val Leu Glu Tyr Leu Thr
 50 55 60

 Ala Glu Ile Leu Glu Leu Ala Gly Asn Ala Ala Arg Asp Asn Lys Lys
 65 70 75 80

 Gly Arg Val Thr Pro Arg His Ile Leu Leu Ala Val Ala Asn Asp Glu
 85 90 95

 Glu Leu Asn Gln Leu Leu Lys Gly Val Thr Ile Ala Ser Gly Gly Val
 100 105 110

 Leu Pro Asn Ile His Pro Glu Leu Leu Ala Lys Lys Arg Gly Ser Lys
 115 120 125

 Gly Lys Leu Glu Ala Ile Ile Thr Pro Pro Pro Ala Lys Lys Ala Lys
 130 135 140

 Ser Pro Ser Gln Lys Lys Pro Val Ser Lys Lys Ala Gly Gly Lys Lys
 145 150 155 160

 Gly Ala Arg Lys Ser Lys Lys Gln Gly Glu Val Ser Lys Ala Ala Ser
 165 170 175

 Ala Asp Ser Thr Thr Glu Gly Thr Pro Ala Asp Gly Phe Thr Val Leu
 180 185 190

 Ser Thr Lys Ser Leu Phe Leu Gly Gln Lys Leu Asn Leu Ile His Ser
 195 200 205

1232

Glu Ile Ser Asn Leu Ala Gly Phe Glu Val Glu Ala Ile Ile Asn Pro
 210 215 220
 Thr Asn Ala Asp Ile Asp Leu Lys Asp Asp Leu Gly Asn Thr Leu Glu
 225 230 235 240
 Lys Lys Gly Gly Lys Glu Phe Val Glu Ala Val Leu Glu Leu Arg Lys
 245 250 255
 Lys Asn Gly Pro Leu Glu Val Ala Gly Ala Ala Val Ser Ala Gly His
 260 265 270
 Gly Leu Pro Ala Lys Phe Val Ile His Cys Asn Ser Pro Val Trp Gly
 275 280 285
 Ala Asp Lys Cys Glu Glu Leu Leu Glu Lys Thr Val Lys Asn Cys Leu
 290 295 300
 Ala Leu Ala Asp Asp Lys Lys Leu Lys Ser Ile Ala Phe Pro Ser Ile
 305 310 315 320
 Gly Ser Gly Arg Asn Gly Phe Pro Lys Gln Thr Ala Ala Gln Leu Ile
 325 330 335
 Leu Lys Ala Ile Ser Ser Tyr Phe Val Ser Thr Met Ser Ser Ser Ile
 340 345 350
 Lys Thr Val Tyr Phe Val Leu Phe Asp Ser Glu Ser Ile Gly Ile Tyr
 355 360 365
 Val Gln Glu Met Ala Lys Leu Asp Ala Asn
 370 375

<210> 1209

<211> 220

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

1233

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1209

Arg	Gly	Gly	Lys	Ile	Xaa	Asp	Thr	Phe	Xaa	Arg	Tyr	Ala	Arg	Arg	Tyr
1				5					10					15	

Arg	Ser	Gly	Ile	Pro	Gly	Ser	Thr	His	Ala	Xaa	Ala	Pro	Gly	Ala	Met
			20					25					30		

Arg	Leu	Ser	Leu	Pro	Leu	Leu	Leu	Leu	Leu	Gly	Ala	Trp	Ala	Ile	
	35					40					45				

Pro	Gly	Gly	Leu	Gly	Asp	Arg	Ala	Pro	Leu	Thr	Ala	Thr	Ala	Pro	Gln
	50					55					60				

Leu	Asp	Asp	Glu	Glu	Met	Tyr	Ser	Ala	His	Met	Pro	Ala	His	Leu	Arg
65					70					75					80

Cys	Asp	Ala	Cys	Arg	Ala	Val	Ala	Tyr	Gln	Met	Trp	Gln	Asn	Leu	Ala
			85							90				95	

Lys	Ala	Glu	Thr	Lys	Leu	His	Thr	Ser	Asn	Ser	Gly	Gly	Arg	Arg	Glu
			100						105					110	

Leu	Ser	Glu	Leu	Val	Tyr	Thr	Asp	Val	Leu	Asp	Arg	Ser	Cys	Ser	Arg
		115					120					125			

Asn	Trp	Gln	Asp	Tyr	Gly	Val	Arg	Glu	Val	Asp	Gln	Val	Lys	Arg	Leu
	130					135					140				

Thr	Gly	Pro	Gly	Leu	Ser	Glu	Gly	Pro	Glu	Pro	Ser	Ile	Ser	Val	Met
145					150					155					160

Val	Thr	Gly	Gly	Pro	Trp	Pro	Thr	Arg	Leu	Ser	Arg	Thr	Cys	Leu	His
			165						170					175	

Tyr	Leu	Gly	Glu	Phe	Gly	Glu	Asp	Gln	Ile	Tyr	Glu	Ala	His	Gln	Gln
		180						185					190		

Gly	Arg	Gly	Ala	Leu	Glu	Ala	Leu	Leu	Cys	Gly	Gly	Pro	Gln	Gly	Ala
		195					200					205			

Cys	Ser	Glu	Lys	Val	Ser	Ala	Thr	Arg	Glu	Glu	Leu				
	210					215					220				

<210> 1210

1234

<211> 231

<212> PRT

<213> Homo sapiens

<400> 1210

Ala Leu Ser Pro Ala Met Val Val Pro Glu Asp Gln Leu Thr Arg Trp
 1 5 10 15
 His Pro Arg Phe Asn Val Asp Glu Val Pro Asp Ile Glu Pro Ala Ala
 20 25 30
 Leu Pro Gln Pro Pro Ala Thr Glu Lys Leu Thr Thr Ala Gln Glu Val
 35 40 45
 Leu Ala Arg Ala Arg Asn Leu Ile Ser Pro Arg Met Glu Lys Ala Leu
 50 55 60
 Ser Gln Leu Ala Leu Arg Ser Ala Ala Pro Ser Ser Pro Gly Ser Pro
 65 70 75 80
 Arg Pro Ala Leu Pro Ala Thr Pro Pro Ala Thr Pro Pro Ala Ala Ser
 85 90 95
 Pro Ser Ala Leu Lys Gly Val Ser Gln Asp Leu Leu Glu Arg Ile Arg
 100 105 110
 Ala Lys Glu Ala Gln Lys Gln Leu Ala Gln Met Thr Arg Cys Pro Glu
 115 120 125
 Gln Glu Gln Arg Leu Gln Arg Leu Glu Arg Leu Pro Glu Leu Ala Arg
 130 135 140
 Val Leu Arg Ser Val Phe Val Ser Glu Arg Lys Pro Ala Leu Ser Met
 145 150 155 160
 Glu Val Ala Cys Ala Arg Met Val Gly Ser Cys Cys Thr Ile Met Ser
 165 170 175
 Pro Gly Glu Met Glu Lys His Leu Leu Leu Leu Ser Glu Leu Leu Pro
 180 185 190
 Asp Trp Leu Ser Leu His Arg Ile Arg Thr Asp Thr Tyr Val Lys Leu
 195 200 205
 Asp Lys Ala Ala Asp Leu Ala His Ile Thr Ala Arg Leu Ala His Gln
 210 215 220
 Thr Arg Ala Glu Glu Gly Leu
 225 230

1235

<210> 1211

<211> 346

<212> PRT

<213> Homo sapiens

<400> 1211

Asn Cys Thr Thr Ile Ser Leu Val Tyr Leu His Phe Val Phe Tyr Asn
 1 5 10 15

Ser Tyr Ser Leu Phe Pro Ser Lys Glu Asn Cys Val Tyr Glu Thr Val
 20 25 30

Val Leu Pro Leu Asp Glu Arg Ala Phe Glu Lys Thr Leu Thr Pro Ile
 35 40 45

Ile Gln Glu Tyr Phe Glu His Gly Asp Thr Asn Glu Val Ala Glu Met
 50 55 60

Leu Arg Asp Leu Asn Leu Gly Glu Met Lys Ser Gly Val Pro Val Leu
 65 70 75 80

Ala Val Ser Leu Ala Leu Glu Gly Lys Ala Ser His Arg Glu Met Thr
 85 90 95

Ser Lys Leu Leu Ser Asp Leu Cys Gly Thr Val Met Ser Thr Thr Asp
 100 105 110

Val Glu Lys Ser Phe Asp Lys Leu Leu Lys Asp Leu Pro Glu Leu Ala
 115 120 125

Leu Asp Thr Pro Arg Ala Pro Gln Leu Val Gly Gln Phe Ile Ala Arg
 130 135 140

Ala Val Gly Asp Gly Ile Leu Cys Asn Thr Tyr Ile Asp Ser Tyr Lys
 145 150 155 160

Gly Thr Val Asp Cys Val Gln Ala Arg Ala Ala Leu Asp Lys Ala Thr
 165 170 175

Val Leu Leu Ser Met Ser Lys Gly Gly Lys Arg Lys Asp Ser Val Trp
 180 185 190

Gly Ser Gly Gly Gly Gln Gln Ser Val Asn His Leu Val Lys Glu Ile
 195 200 205

Asp Met Leu Leu Lys Glu Tyr Leu Leu Ser Gly Asp Ile Ser Glu Ala
 210 215 220

Glu His Cys Leu Lys Glu Leu Glu Val Pro His Phe His His Glu Leu
 225 230 235 240

Val	Tyr	Glu	Ala	Ile	Ile	Met	Val	Leu	Glu	Ser	Thr	Gly	Glu	Ser	Thr
				245					250					255	
Phe	Lys	Met	Ile	Leu	Asp	Leu	Leu	Lys	Ser	Leu	Trp	Lys	Ser	Ser	Thr
			260					265					270		
Ile	Thr	Val	Asp	Gln	Met	Lys	Arg	Gly	Tyr	Glu	Arg	Ile	Tyr	Asn	Glu
		275					280					285			
Ile	Pro	Asp	Ile	Asn	Leu	Asp	Val	Pro	His	Ser	Tyr	Ser	Val	Leu	Glu
	290					295					300				
Arg	Phe	Val	Glu	Glu	Cys	Phe	Gln	Ala	Gly	Ile	Ile	Ser	Lys	Gln	Leu
305					310					315					320
Arg	Asp	Leu	Cys	Pro	Ser	Arg	Gly	Arg	Lys	Arg	Phe	Val	Ser	Glu	Gly
				325					330					335	
Asp	Gly	Gly	Arg	Leu	Lys	Pro	Glu	Ser	Tyr						
			340					345							

```
<210> 1212
<211> 175
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> SITE
<222> (3)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (63)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<400> 1212
Pro Arg Xaa Ile Val Ser Ala Ala Cys Gly Arg Asn His Thr Leu Ala
  1             5             10             15
```

Leu Thr Glu Thr Gly Ser Val Phe Ala Phe Gly Glu Asn Lys Met Gly
20 25 30

Gln Leu Gly Leu Gly Asn Gln Thr Asp Ala Val Pro Ser Pro Ala Gln
35 40 45

Ile Met Tyr Asn Gly Gln Pro Ile Thr Lys Met Ala Cys Gly Xaa Glu
50 55 60

1237

Phe Ser Met Ile Met Asp Cys Lys Gly Asn Leu Tyr Ser Phe Gly Cys
 65 70 75 80
 Pro Glu Tyr Gly Gln Leu Gly His Asn Ser Asp Gly Lys Phe Ile Ala
 85 90 95
 Arg Ala Gln Arg Ile Glu Tyr Asp Cys Glu Leu Val Pro Arg Arg Val
 100 105 110
 Ala Ile Phe Ile Glu Lys Thr Lys Asp Gly Gln Ile Leu Pro Val Pro
 115 120 125
 Asn Val Val Val Arg Asp Val Ala Cys Gly Ala Asn His Thr Leu Val
 130 135 140
 Leu Asp Ser Gln Lys Arg Val Phe Ser Trp Gly Phe Gly Gly Tyr Gly
 145 150 155 160
 Arg Leu Gly Thr Gln Ser Arg Arg Met Arg Trp Ser Pro Ala Trp
 165 170 175

<210> 1213

<211> 127

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1213

Cys Phe Ile Cys Val Trp Cys Lys Arg Lys Leu Asp Gln Ile Asn Leu
 1 5 10 15
 Gln Leu Met Ser Pro Asn Ala Asn Thr Gly Thr His Met His Thr Pro
 20 25 30
 Ile Asn Thr His Thr Val His Leu Xaa Lys Gly Gln Val Ile Ser His
 35 40 45
 Pro Asn Phe Thr Ser Thr Asp Pro Leu Ala Pro Thr Pro Ala Ser Thr
 50 55 60
 Val Thr Ser Lys Ala Arg Ala Thr Cys Ala His Gln Thr Cys Ile Lys
 65 70 75 80
 Gln Leu Ala Gly Asp Gly Cys Gly Ala Gly Gly Leu Ser Asp Gly Ser

1238

	85		90		95
Leu Leu Leu Pro Leu Leu Arg Val Lys Leu Leu Ser Phe Leu Arg Val					
100		105		110	
Tyr Leu Cys Gln Val Cys Ala Phe Asn Cys Phe Tyr Phe Val Phe					
115		120		125	

<210> 1214
 <211> 146
 <212> PRT
 <213> Homo sapiens

<400> 1214
 Cys Thr Trp Asn Arg Cys Ser Ala Ser Pro Ala Gly Trp Gln Asn Ser
 1 5 10 15

Phe Leu Gly His Leu Asn Pro Ser Ser Leu Leu Gln Asn Pro Pro Ala
 20 25 30

Asn Arg Ile Gly Met Gly Ala Thr Leu Asp Ile Gln Arg Gln Gln Arg
 35 40 45

Met Glu Leu Leu Asp Arg Gln Leu Met Phe Ser Gln Phe Ala Gln Gly
 50 55 60

Arg Arg Gln Arg Gln Gln Gly Gly Met Ile Asn Trp Asn Arg Leu
 65 70 75 80

Phe Pro Pro Leu Arg Gln Arg Gln Asn Val Asn Tyr Gln Gly Gly Arg
 85 90 95

Gln Ser Glu Pro Ala Ala Pro Pro Leu Glu Val Ser Glu Glu Gln Val
 100 105 110

Ala Arg Leu Met Glu Met Gly Phe Ser Arg Gly Asp Ala Leu Glu Ala
 115 120 125

Leu Arg Ala Ser Asn Asn Asp Leu Asn Val Ala Thr Asn Phe Leu Leu
 130 135 140

Gln His
 145

<210> 1215
 <211> 116
 <212> PRT

1239

<213> Homo sapiens

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1215

Leu	Lys	Asn	His	Gln	Lys	Thr	His	Thr	Ser	Glu	Lys	Ser	Tyr	Lys	Cys
1				5					10					15	

Asn	Glu	Cys	Arg	Lys	Ala	Phe	Ser	Tyr	Cys	Ser	Gly	Leu	Ile	Gln	Cys
			20					25					30		

Gln	Val	Ile	His	Thr	Ile	Glu	Lys	Pro	Tyr	Glu	Tyr	Gly	Lys	Cys	Gly
		35					40					45			

Lys	Ala	Phe	Arg	Gln	Arg	Thr	Asp	Leu	Lys	Lys	His	Gln	Lys	Met	His
	50					55					60				

Thr	Glu	Glu	Lys	Pro	Tyr	Glu	Cys	Asn	Glu	Cys	Gly	Lys	Ala	Phe	Ser
65					70					75					80

Gln	Ser	Thr	Tyr	Leu	Thr	Lys	His	Gln	Lys	Ile	His	Ser	Glu	Glu	Lys
				85					90					95	

Ser	Asn	Ile	His	Thr	Glu	Cys	Gly	Glu	Thr	Xaa	Xaa	Gln	Asn	Ser	Ser
			100					105					110		

Phe	Leu	Gln	Gln
			115

<210> 1216

<211> 201

<212> PRT

<213> Homo sapiens

<400> 1216

Ala	Ala	Gly	Gly	Glu	Gly	Phe	Gly	Ser	Leu	His	Ala	Ser	Leu	Val	Gly
1						5				10				15	

Phe	Arg	Gly	Val	Val	Ala	Gly	Cys	Ala	Arg	His	Phe	Arg	Ala	Ser	Arg
			20					25					30		

1240

Asn Gly Val Ala Asn Gly Leu Gln Ser Asn Met Pro Lys Phe Tyr Cys
 35 40 45
 Asp Tyr Cys Asp Thr Tyr Leu Thr His Asp Ser Pro Ser Val Arg Lys
 50 55 60
 Thr His Cys Ser Gly Arg Lys His Lys Glu Asn Val Lys Asp Tyr Tyr
 65 70 75 80
 Gln Lys Trp Met Glu Glu Gln Ala Gln Ser Leu Ile Asp Lys Thr Thr
 85 90 95
 Ala Ala Phe Gln Gln Gly Lys Ile Pro Pro Thr Pro Phe Ser Ala Pro
 100 105 110
 Pro Pro Ala Gly Ala Met Ile Pro Pro Pro Pro Ser Leu Pro Gly Pro
 115 120 125
 Pro Arg Pro Gly Met Met Pro Ala Pro His Met Gly Gly Pro Pro Met
 130 135 140
 Met Pro Met Met Gly Pro Pro Pro Pro Gly Met Met Pro Val Gly Pro
 145 150 155 160
 Ala Pro Gly Met Arg Pro Pro Met Gly Gly His Met Pro Met Met Pro
 165 170 175
 Gly Pro Pro Met Met Arg Pro Pro Ala Arg Pro Met Met Val Pro Thr
 180 185 190
 Arg Pro Gly Met Thr Arg Pro Asp Arg
 195 200

<210> 1217

<211> 473

<212> PRT

<213> Homo sapiens

<400> 1217

Lys Phe Thr Met Lys Phe Leu Leu Ile Leu Leu Leu Gln Ala Thr Ala
 1 5 10 15
 Ser Gly Ala Leu Pro Leu Asn Ser Ser Thr Ser Leu Glu Lys Asn Asn
 20 25 30
 Val Leu Phe Gly Glu Arg Tyr Leu Glu Lys Phe Tyr Gly Leu Glu Ile
 35 40 45
 Asn Lys Leu Pro Val Thr Lys Met Lys Tyr Ser Gly Asn Leu Met Lys

1241

50	55	60
Glu Lys Ile Gln Glu Met Gln His Phe Leu Gly Leu Lys Val Thr Gly		
65	70	75 80
Gln Leu Asp Thr Ser Thr Leu Glu Met Met His Ala Pro Arg Cys Gly		
	85	90 95
Val Pro Asp Val His His Phe Arg Glu Met Pro Gly Gly Pro Val Trp		
	100	105 110
Arg Lys His Tyr Ile Thr Tyr Arg Ile Asn Asn Tyr Thr Pro Asp Met		
	115	120 125
Asn Arg Glu Asp Val Asp Tyr Ala Ile Arg Lys Ala Phe Gln Val Trp		
	130	135 140
Ser Asn Val Thr Pro Leu Lys Phe Ser Lys Ile Asn Thr Gly Met Ala		
	145	150 155 160
Asp Ile Leu Val Val Phe Ala Arg Gly Ala His Gly Asp Phe His Ala		
	165	170 175
Phe Asp Gly Lys Gly Gly Ile Leu Ala His Ala Phe Gly Pro Gly Ser		
	180	185 190
Gly Ile Gly Gly Asp Ala His Phe Asp Glu Asp Glu Phe Trp Thr Thr		
	195	200 205
His Ser Gly Gly Thr Asn Leu Phe Leu Thr Ala Val His Glu Ile Gly		
	210	215 220
His Ser Leu Gly Leu Gly His Ser Ser Asp Pro Lys Ala Val Met Phe		
	225	230 235 240
Pro Thr Tyr Lys Tyr Val Asp Ile Asn Thr Phe Arg Leu Ser Ala Asp		
	245	250 255
Asp Ile Arg Gly Ile Gln Ser Leu Tyr Gly Asp Pro Lys Glu Asn Gln		
	260	265 270
Arg Leu Pro Asn Pro Asp Asn Ser Glu Pro Ala Leu Cys Asp Pro Asn		
	275	280 285
Leu Ser Phe Asp Ala Val Thr Thr Val Gly Asn Lys Ile Phe Phe Phe		
	290	295 300
Lys Asp Arg Phe Phe Trp Leu Lys Val Ser Glu Arg Pro Lys Thr Ser		
	305	310 315 320
Val Asn Leu Ile Ser Ser Leu Trp Pro Thr Leu Pro Ser Gly Ile Glu		

1242

```

                325                330                335
Ala Ala Tyr Glu Ile Glu Ala Arg Asn Gln Val Phe Leu Phe Lys Asp
      340                345                350
Asp Lys Tyr Trp Leu Ile Ser Asn Leu Arg Pro Glu Pro Asn Tyr Pro
      355                360                365
Lys Ser Ile His Ser Phe Gly Phe Pro Asn Phe Val Lys Lys Ile Asp
      370                375                380
Ala Ala Val Phe Asn Pro Arg Phe Tyr Arg Thr Tyr Phe Phe Val Asp
      385                390                395                400
Asn Gln Tyr Trp Arg Tyr Asp Glu Arg Arg Gln Met Met Asp Pro Gly
      405                410                415
Tyr Pro Lys Leu Ile Thr Lys Asn Phe Gln Gly Ile Gly Pro Lys Ile
      420                425                430
Asp Ala Val Phe Tyr Ser Lys Asn Lys Tyr Tyr Tyr Phe Phe Gln Gly
      435                440                445
Ser Asn Gln Phe Glu Tyr Asp Phe Leu Leu Gln Arg Ile Thr Lys Thr
      450                455                460
Leu Lys Ser Asn Ser Trp Phe Gly Cys
      465                470

```

<210> 1218

<211> 598

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (144)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1218

```

Ala Thr Ser Arg Gln Pro Ser Tyr Xaa Arg Thr Trp Cys Arg Arg Cys
  1           5           10           15

```

Cys Leu Pro Leu Ala Leu Asn Pro Val Pro Ala Ala Met Ala Pro Gly

1243

20	25	30
Gln Leu Ala Leu Phe Ser Val Ser Asp Lys Thr Gly Leu Val Glu Phe		
35	40	45
Ala Arg Asn Leu Thr Ala Leu Gly Leu Asn Leu Val Ala Ser Gly Gly		
50	55	60
Thr Ala Lys Ala Leu Arg Asp Ala Gly Leu Ala Val Arg Asp Val Ser		
65	70	75
Glu Leu Thr Gly Phe Pro Glu Met Leu Gly Gly Arg Val Lys Thr Leu		
85	90	95
His Pro Ala Val His Ala Gly Ile Leu Ala Arg Asn Ile Pro Glu Asp		
100	105	110
Asn Ala Asp Met Ala Arg Leu Asp Phe Asn Leu Ile Arg Val Val Ala		
115	120	125
Cys Asn Leu Tyr Pro Phe Val Lys Thr Val Ala Ser Pro Gly Val Xaa		
130	135	140
Val Glu Glu Ala Val Glu Gln Ile Asp Ile Gly Gly Val Thr Leu Leu		
145	150	155
Arg Ala Ala Ala Lys Asn His Ala Arg Val Thr Val Val Cys Glu Pro		
165	170	175
Glu Asp Tyr Val Val Val Ser Thr Glu Met Gln Ser Ser Glu Ser Lys		
180	185	190
Asp Thr Ser Leu Glu Thr Arg Arg Gln Leu Ala Leu Lys Ala Phe Thr		
195	200	205
His Thr Ala Gln Tyr Asp Glu Ala Ile Ser Asp Tyr Phe Arg Lys Gln		
210	215	220
Tyr Ser Lys Gly Val Ser Gln Met Pro Leu Arg Tyr Gly Met Asn Pro		
225	230	235
His Gln Thr Pro Ala Gln Leu Tyr Thr Leu Gln Pro Lys Leu Pro Ile		
245	250	255
Thr Val Leu Asn Gly Ala Pro Gly Phe Ile Asn Leu Cys Asp Ala Leu		
260	265	270
Asn Ala Trp Gln Leu Val Lys Glu Leu Lys Glu Ala Leu Gly Ile Pro		
275	280	285
Ala Ala Ala Ser Phe Lys His Val Ser Pro Ala Gly Ala Ala Val Gly		

1244

290	295	300
Ile Pro Leu Ser Glu Asp Glu Ala Lys Val Cys Met Val Tyr Asp Leu 305 310 315 320		
Tyr Lys Thr Leu Thr Pro Ile Ser Ala Ala Tyr Ala Arg Ala Arg Gly 325 330 335		
Ala Asp Arg Met Ser Ser Phe Gly Asp Phe Val Ala Leu Ser Asp Val 340 345 350		
Cys Asp Val Pro Thr Ala Lys Ile Ile Ser Arg Glu Val Ser Asp Gly 355 360 365		
Ile Ile Ala Pro Gly Tyr Glu Glu Glu Ala Leu Thr Ile Leu Ser Lys 370 375 380		
Lys Lys Asn Gly Asn Tyr Cys Val Leu Gln Met Asp Gln Ser Tyr Lys 385 390 395 400		
Pro Asp Glu Asn Glu Val Arg Thr Leu Phe Gly Leu His Leu Ser Gln 405 410 415		
Lys Arg Asn Asn Gly Val Val Asp Lys Ser Leu Phe Ser Asn Val Val 420 425 430		
Thr Lys Asn Lys Asp Leu Pro Glu Ser Ala Leu Arg Asp Leu Ile Val 435 440 445		
Ala Thr Ile Ala Val Lys Tyr Thr Gln Ser Asn Ser Val Cys Tyr Ala 450 455 460		
Lys Asn Gly Gln Val Ile Gly Ile Gly Ala Gly Gln Gln Ser Arg Ile 465 470 475 480		
His Cys Thr Arg Leu Ala Gly Asp Lys Ala Asn Tyr Trp Trp Leu Arg 485 490 495		
His His Pro Gln Val Leu Ser Met Lys Phe Lys Thr Gly Val Lys Arg 500 505 510		
Ala Glu Ile Ser Asn Ala Ile Asp Gln Tyr Val Thr Gly Thr Ile Gly 515 520 525		
Glu Asp Glu Asp Leu Ile Lys Trp Lys Ala Leu Phe Glu Glu Val Pro 530 535 540		
Glu Leu Leu Thr Glu Ala Glu Lys Lys Glu Trp Val Glu Lys Leu Thr 545 550 555 560		
Glu Val Ser Ile Ser Ser Asp Ala Phe Phe Pro Phe Arg Asp Asn Val		

1245

565 570 575
 Asp Arg Ala Lys Arg Ser Gly Val Ala Tyr Ile Ala Ala Pro Pro Val
 580 585 590

Leu Leu Leu Thr Lys Leu
 595

<210> 1219
 <211> 209
 <212> PRT
 <213> Homo sapiens

<400> 1219
 Tyr Thr Ala Ile Met Ser Ile Met Ser Tyr Asn Gly Gly Ala Val Met
 1 5 10 15

Ala Met Lys Gly Lys Asn Cys Val Ala Ile Ala Ala Asp Arg Arg Phe
 20 25 30

Gly Ile Gln Ala Gln Met Val Thr Thr Asp Phe Gln Lys Ile Phe Pro
 35 40 45

Met Gly Asp Arg Leu Tyr Ile Gly Leu Ala Gly Leu Ala Thr Asp Val
 50 55 60

Gln Thr Val Ala Gln Arg Leu Lys Phe Arg Leu Asn Leu Tyr Glu Leu
 65 70 75 80

Lys Glu Gly Arg Gln Ile Lys Pro Tyr Thr Leu Met Ser Met Val Ala
 85 90 95

Asn Leu Leu Tyr Glu Lys Arg Phe Gly Pro Tyr Tyr Thr Glu Pro Val
 100 105 110

Ile Ala Gly Leu Asp Pro Lys Thr Phe Lys Pro Phe Ile Cys Ser Leu
 115 120 125

Asp Leu Ile Gly Cys Pro Met Val Thr Asp Asp Phe Val Val Ser Gly
 130 135 140

Thr Cys Ala Glu Gln Met Tyr Gly Met Cys Glu Ser Leu Trp Glu Pro
 145 150 155 160

Asn Met Asp Pro Asp His Leu Phe Glu Thr Ile Ser Gln Ala Met Leu
 165 170 175

Asn Ala Val Asp Arg Asp Ala Val Ser Gly Met Gly Val Ile Val His
 180 185 190

1246

Ile Ile Glu Lys Asp Lys Ile Thr Thr Arg Thr Leu Lys Ala Arg Met
 195 200 205

Asp

<210> 1220

<211> 140

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (77)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1220

Ile Ile Ser Ile Ile Ser Thr Ser Asn Lys Ile Lys Met Ser Glu Ala
 1 5 10 15

Pro Arg Phe Phe Val Gly Pro Glu Asp Thr Glu Ile Asn Pro Gly Asn
 20 25 30

Tyr Arg His Phe Phe His His Ala Asp Glu Asp Asp Glu Glu Glu Asp
 35 40 45

Asp Ser Xaa Pro Glu Arg Gln Ile Val Val Gly Ile Cys Ser Met Xaa
 50 55 60

Lys Lys Ser Lys Ser Lys Pro Met Lys Glu Ile Leu Xaa Arg Ile Ser
 65 70 75 80

Leu Phe Lys Tyr Ile Thr Val Val Val Phe Glu Glu Glu Val Ile Leu
 85 90 95

Asn Glu Pro Val Glu Asn Trp Pro Leu Cys Asp Cys Leu Ile Ser Phe
 100 105 110

1247

His Ser Lys Gly Phe Pro Leu Asp Lys Ala Val Ala Tyr Ala Lys Leu
115 120 125

Arg Asn Pro Phe Val Ile Asn Asp Leu Asn Met Gln
130 135 140

<210> 1221
<211> 45
<212> PRT
<213> Homo sapiens

<400> 1221
Gly Leu Met Glu Ile Glu Ile Thr Cys Lys Asp Ile Thr Val Phe Met
1 5 10 15

Ser Tyr Ile Leu Val Leu Glu Ile Val Glu Cys Met Ile Asp Asn Ile
20 25 30

Phe Leu Ile Phe Ile Phe Ser Ser Asn Thr Ser Thr Val
35 40 45

<210> 1222
<211> 70
<212> PRT
<213> Homo sapiens

<400> 1222
Val Ala Tyr Ile Cys Tyr Ser Lys Phe Cys Lys Tyr Ala Asn Gln Leu
1 5 10 15

Tyr Arg Phe Ile Thr Ser Phe Leu Gly Phe Phe Trp Gly Arg Val Ile
20 25 30

Ile Leu Leu Lys Ile Thr Met Asn Thr Leu Thr Val Arg Ile Cys Gly
35 40 45

Lys Val Pro Leu Asn Ile Thr Lys Ile Ile Ser Leu Glu Gly Arg Asn
50 55 60

Asn His Ser Asn Glu Leu
65 70

<210> 1223
<211> 88
<212> PRT

1248

<213> Homo sapiens

<400> 1223

```

Phe Tyr Pro Ser Thr Tyr Leu Lys Ala Pro Ser Ser Leu Val Cys Gly
 1             5             10             15

Val Leu Glu Pro Val Ser Ser Phe Trp Arg Phe Lys Leu Asn Ser Asn
      20             25             30

Asn Tyr Val Thr Gln Ser Met Trp Arg Lys Ser Glu Thr Ser His Gly
      35             40             45

Asp Ala Gly Pro Arg Ala Arg Pro Ala Val Trp Pro Ala Leu Leu Thr
      50             55             60

Ser Val Ser Arg Ser Phe Pro Ser His Glu Val Pro Ser Gly His Gly
      65             70             75             80

Asp Glu Gly Arg Glu Gly Thr Gly
      85

```

<210> 1224

<211> 298

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (279)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1224

```

Ala Thr Arg Arg Arg Ala Ala Glu Ala Gly Met Ala Ala Val Leu Gln
 1             5             10             15

Arg Val Glu Arg Leu Ser Asn Arg Val Val Arg Val Leu Gly Cys Asn
      20             25             30

Pro Gly Pro Met Thr Leu Gln Gly Thr Asn Thr Tyr Leu Val Gly Thr
      35             40             45

Gly Pro Arg Arg Ile Leu Ile Asp Thr Gly Glu Pro Ala Ile Pro Glu
      50             55             60

Tyr Ile Ser Cys Leu Lys Gln Ala Leu Thr Glu Phe Asn Thr Ala Ile
      65             70             75             80

Gln Glu Ile Val Val Thr His Trp His Arg Asp His Ser Gly Gly Ile
      85             90             95

```

1249

Gly Asp Ile Cys Lys Ser Ile Asn Asn Asp Thr Thr Tyr Cys Ile Lys
 100 105 110
 Lys Leu Pro Arg Asn Pro Gln Arg Glu Glu Ile Ile Gly Asn Gly Glu
 115 120 125
 Gln Gln Tyr Val Tyr Leu Lys Asp Gly Asp Val Ile Lys Thr Glu Gly
 130 135 140
 Ala Thr Leu Arg Val Leu Tyr Thr Pro Gly His Thr Asp Asp His Met
 145 150 155 160
 Ala Leu Leu Leu Glu Glu Asn Ala Ile Phe Ser Gly Asp Cys Ile
 165 170 175
 Leu Gly Glu Gly Thr Thr Val Phe Glu Asp Leu Tyr Asp Tyr Met Asn
 180 185 190
 Ser Leu Lys Glu Leu Leu Lys Ile Lys Ala Asp Ile Ile Tyr Pro Gly
 195 200 205
 His Gly Pro Val Ile His Asn Ala Glu Ala Lys Ile Gln Gln Tyr Ile
 210 215 220
 Ser His Arg Asn Ile Arg Glu Gln Gln Ile Leu Thr Leu Phe Arg Glu
 225 230 235 240
 Asn Phe Glu Lys Ser Phe Thr Val Met Glu Leu Val Lys Ile Ile Tyr
 245 250 255
 Lys Asn Thr Pro Glu Asn Leu His Glu Met Ala Lys His Asn Leu Leu
 260 265 270
 Leu His Leu Lys Lys Leu Xaa Lys Glu Gly Lys Ile Phe Ser Asn Thr
 275 280 285
 Asp Pro Asp Lys Lys Trp Lys Ala His Leu
 290 295

<210> 1225

<211> 27

<212> PRT

<213> Homo sapiens

<400> 1225

Val Ser Gly Asp Tyr Gly His Pro Val Tyr Ile Val Gln Asp Gly Pro
 1 5 10 15

1250

Pro Gln Ser Pro Pro Asn Ile Tyr Tyr Lys Val
 20 25

<210> 1226

<211> 380

<212> PRT

<213> Homo sapiens

<400> 1226

Glu Gln Glu Leu Asp Thr Leu Lys Arg Lys Ser Pro Ser Asp Leu Trp
 1 5 10 15

Lys Glu Asp Leu Ala Thr Phe Ile Glu Glu Leu Glu Ala Val Glu Ala
 20 25 30

Lys Glu Lys Gln Asp Glu Gln Val Gly Leu Pro Gly Lys Val Gly Lys
 35 40 45

Ala Lys Gly Lys Lys Thr Gln Met Ala Glu Val Leu Pro Ser Pro Arg
 50 55 60

Gly Gln Arg Val Ile Pro Arg Ile Thr Ile Glu Met Lys Ala Glu Ala
 65 70 75 80

Glu Lys Lys Asn Lys Lys Lys Ile Lys Asn Glu Asn Thr Glu Gly Ser
 85 90 95

Pro Gln Glu Asp Gly Val Glu Leu Glu Gly Leu Lys Gln Arg Leu Glu
 100 105 110

Lys Lys Gln Lys Arg Glu Pro Gly Thr Lys Thr Lys Lys Gln Thr Thr
 115 120 125

Leu Ala Phe Lys Pro Ile Lys Lys Gly Lys Lys Arg Asn Pro Trp Ser
 130 135 140

Asp Ser Glu Ser Asp Arg Ser Ser Asp Glu Ser Asn Phe Asp Val Pro
 145 150 155 160

Pro Arg Glu Thr Glu Pro Arg Arg Ala Ala Thr Lys Thr Lys Phe Thr
 165 170 175

Met Asp Leu Asp Ser Asp Glu Asp Phe Ser Asp Phe Asp Glu Lys Thr
 180 185 190

Asp Asp Glu Asp Phe Val Pro Ser Asp Ala Ser Pro Pro Lys Thr Lys
 195 200 205

Thr Ser Pro Lys Leu Ser Asn Lys Glu Leu Lys Pro Gln Lys Ser Val

1251

210	215	220
Val Ser Asp Leu Glu Ala Asp Asp Val Lys Gly Ser Val Pro Leu Ser		
225	230	235 240
Ser Ser Pro Pro Ala Thr His Phe Pro Asp Glu Thr Glu Ile Thr Asn		
	245	250 255
Pro Val Pro Lys Lys Asn Val Thr Val Lys Lys Thr Ala Ala Lys Ser		
	260	265 270
Gln Ser Ser Thr Ser Thr Thr Gly Ala Lys Lys Arg Ala Ala Pro Lys		
	275	280 285
Gly Thr Lys Arg Asp Pro Ala Leu Asn Ser Gly Val Ser Gln Lys Pro		
	290	295 300
Asp Pro Ala Lys Thr Lys Asn Arg Arg Lys Arg Lys Pro Ser Thr Ser		
	305	310 315 320
Asp Asp Ser Asp Ser Asn Phe Glu Lys Ile Val Ser Lys Ala Val Thr		
	325	330 335
Ser Lys Lys Ser Lys Gly Glu Ser Asp Asp Phe His Met Asp Phe Asp		
	340	345 350
Ser Ala Val Ala Pro Arg Ala Lys Ser Val Arg Ala Lys Lys Pro Ile		
	355	360 365
Lys Tyr Leu Glu Glu Ser Asp Glu Asp Asp Leu Phe		
	370	375 380

<210> 1227

<211> 78

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1227

Phe Asn Ser Leu Lys Cys Leu Phe Gly Ile Met Ile Gly Asn Leu Asp
1 5 10 15

Glu Phe Arg Gly Lys Lys Leu Ser Ala Xaa Met Leu Arg Ala His Leu
20 25 30

1252

Ser Pro His Thr Pro Thr Glu Leu Thr Gly Leu Gln Cys Phe Ile Arg
 35 40 45

Lys Phe Pro Ile Pro Leu Ser Cys Val Phe Met Leu Lys Ile Leu Leu
 50 55 60

His Phe Ser Phe Glu Cys Gln Phe Leu Thr Ser Thr Ile Ser
 65 70 75

<210> 1228

<211> 222

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (142)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1228

Ala Asn Glu Lys Val Ala Leu Gln Lys Ala Leu Leu Tyr Tyr Glu Ser
 1 5 10 15

Ile His Gly Arg Pro Val Thr Lys Asn Glu Arg Gln Val Met Lys Pro
 20 25 30

Leu Tyr Asp Arg Tyr Arg Leu Val Lys Gln Ile Leu Ser Arg Ala Asn
 35 40 45

Thr Ile Pro Ile Ile Gly Ser Pro Ser Ser Lys Arg Arg Ser Pro Leu
 50 55 60

Leu Gln Pro Ile Ile Glu Gly Glu Thr Ala Ser Phe Phe Lys Glu Ile
 65 70 75 80

Lys Glu Glu Glu Glu Gly Ser Glu Asp Asp Ser Asn Val Lys Pro Asp
 85 90 95

Phe Met Val Thr Leu Lys Thr Asp Phe Ser Ala Arg Cys Phe Leu Asp
 100 105 110

Gln Phe Glu Asp Asp Ala Asp Gly Phe Ile Ser Pro Met Asp Asp Lys
 115 120 125

Ile Pro Ser Lys Cys Ser Gln Asp Thr Gly Leu Ser Asn Xaa His Ala
 130 135 140

Ala Ser Ile Pro Glu Leu Leu Glu His Leu Gln Glu Met Arg Glu Glu
 145 150 155 160

1253

Lys	Lys	Arg	Ile	Arg	Lys	Lys	Leu	Arg	Asp	Phe	Glu	Asp	Asn	Phe	Phe
			165						170					175	
Arg	Gln	Asn	Gly	Arg	Asn	Val	Gln	Lys	Glu	Asp	Arg	Thr	Pro	Met	Ala
			180					185					190		
Glu	Glu	Tyr	Ser	Glu	Tyr	Lys	His	Ile	Lys	Ala	Lys	Leu	Arg	Leu	Leu
		195					200					205			
Glu	Val	Leu	Ile	Ser	Lys	Arg	Asp	Thr	Asp	Ser	Lys	Ser	Met		
	210					215					220				

```
<210> 1229
<211> 220
<212> PRT
<213> Homo sapiens
```

```

<400> 1229
Lys Gly Ser Thr Leu Gly His Leu Cys Thr Ala Met Ala Gly Met Met
  1                5                10                15

Lys Gly Ile Arg Trp Ser Cys Pro Ala Ile Ala Ser Ile Ser Gln Thr
                20                25                30

Arg Ser Ser Gln Glu Lys Asp Ser Ser Ser Pro Pro Trp Asp Leu Arg
        35                40                45

Arg Ala Ala Thr Glu Gly Glu Ala Pro Asp Ala Leu Cys Gln Ser Gln
        50                55                60

Val Arg Gly Gln Ser Ser Pro Cys His Pro Trp Cys Arg Pro Ala Pro
  65                70                75                80

Ser Ser Phe Met Pro Gly Pro Ala Gly Thr Pro Ala Thr Thr Glu Ser
                85                90                95

Thr Arg Ser Ala Leu Cys Ser Trp Arg Arg His Ser Arg Val Glu Ser
                100                105                110

Cys Pro Ser Leu Ser Leu Gly His Leu Gly Gly Glu Ser Gly Leu Arg
        115                120                125

Ser Glu Leu Asp Pro Gly Asp Leu Gly Ser Phe Phe Leu Ala His Gln
        130                135                140

Pro Cys Arg Pro His Leu Ser Gln Asn Pro Leu Cys Leu Gly Gly Ser
  145                150                155                160

```

1254

Gly Ser Ala Leu Leu Cys Ser Arg Arg Leu Gly Ser Gly Gln His Gln
 165 170 175
 Val Gly Lys Trp Ser Pro Pro Ser Cys Phe Cys Arg Ile Leu Thr Val
 180 185 190
 Gly Leu Glu Glu Lys Ser Ile Asp Leu Ile Ser Pro Thr Thr His Pro
 195 200 205
 Ser Phe Ser Phe Phe His His Ser Pro Pro Gln Leu
 210 215 220

<210> 1230

<211> 183

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1230

Glu Leu Lys Arg Leu Thr Ile Gly Lys Asn Xaa Xaa Arg Leu Thr Gly
 1 5 10 15

Asn Arg Xaa Gly Ile Pro Gly Ser Thr His Ala Ser Glu Xaa Glu Val
 20 25 30

Glu Glu Glu Gly Asp Val Asp Ser Asp Glu Glu Glu Glu Asp Glu
 35 40 45

Glu Ser Ser Ser Glu Gly Leu Glu Ala Glu Asp Trp Ala Gln Gly Val
 50 55 60

1255

Val Glu Ala Gly Gly Ser Phe Gly Ala Tyr Gly Ala Gln Glu Glu Ala
 65 70 75 80
 Gln Cys Pro Thr Leu His Phe Leu Glu Gly Gly Glu Asp Ser Asp Ser
 85 90 95
 Asp Ser Glu Glu Glu Asp Asp Glu Glu Glu Asp Asp Glu Asp Glu Asp
 100 105 110
 Asp Asp Asp Asp Glu Glu Asp Gly Asp Glu Val Pro Val Pro Ser Phe
 115 120 125
 Gly Glu Ala Met Ala Tyr Phe Ala Met Val Lys Arg Tyr Leu Thr Ser
 130 135 140
 Phe Pro Ile Asp Asp Arg Val Gln Ser His Ile Leu His Leu Glu His
 145 150 155 160
 Asp Leu Val His Val Thr Arg Lys Asn His Ala Arg Gln Ala Gly Val
 165 170 175
 Arg Gly Leu Gly His Gln Ser
 180

<210> 1231
 <211> 59
 <212> PRT
 <213> Homo sapiens

<400> 1231
 Asn Leu Tyr Lys Leu Lys Leu Asn His Glu Leu Gln Lys Lys Ser Ile
 1 5 10 15
 Leu Pro Lys Leu Asp Val Thr Thr Leu Thr Ser Leu Lys Tyr Glu Val
 20 25 30
 Asp Cys Leu Lys Asp Ser Ala Tyr Ile Leu Val Cys Thr Phe Arg Asn
 35 40 45
 Ile Phe Leu Gly Lys Ser Thr Gln His Phe Leu
 50 55

<210> 1232
 <211> 135
 <212> PRT
 <213> Homo sapiens

1256

<400> 1232

Gly Ser Thr His Ala Ser Gly Pro Pro Gln Ala Pro Gln Leu Ile Tyr
 1 5 10 15
 Gln Glu Tyr Val Asn Gln Pro Asp Val Arg Pro Gln Pro Pro Ser Pro
 20 25 30
 Arg Glu Gly Pro Leu Pro Ala Ala Arg Pro Ala Gly Ala Thr Leu Glu
 35 40 45
 Arg Ala Lys Thr Leu Ser Pro Gly Lys Asn Gly Val Val Lys Asp Val
 50 55 60
 Phe Ala Phe Gly Gly Ala Val Glu Asn Pro Glu Tyr Leu Thr Pro Gln
 65 70 75 80
 Gly Gly Ala Ala Pro Gln Pro His Pro Pro Pro Ala Phe Ser Pro Ala
 85 90 95
 Phe Asp Asn Leu Tyr Tyr Trp Asp Gln Asp Pro Pro Glu Arg Gly Ala
 100 105 110
 Pro Pro Ser Thr Phe Lys Gly Thr Pro Thr Ala Glu Asn Pro Glu Tyr
 115 120 125
 Leu Gly Leu Asp Val Pro Val
 130 135

<210> 1233

<211> 134

<212> PRT

<213> Homo sapiens

<400> 1233

Arg Gly Glu Thr Arg Glu Met Ala Gly Asn Leu Leu Ser Gly Ala Gly
 1 5 10 15
 Arg Arg Leu Trp Asp Trp Val Pro Leu Ala Cys Arg Ser Phe Ser Leu
 20 25 30
 Gly Val Pro Arg Leu Ile Gly Ile Arg Leu Thr Leu Pro Pro Lys
 35 40 45
 Val Val Asp Arg Trp Asn Glu Lys Arg Ala Met Phe Gly Val Tyr Asp
 50 55 60
 Asn Ile Gly Ile Leu Gly Asn Phe Glu Lys His Pro Lys Glu Leu Ile
 65 70 75 80

1257

Arg Gly Pro Ile Trp Leu Arg Gly Trp Lys Gly Asn Glu Leu Gln Arg
 85 90 95

Cys Ile Arg Lys Arg Lys Met Val Gly Ser Arg Met Phe Ala Asp Asp
 100 105 110

Leu His Asn Leu Asn Lys Arg Ile Arg Tyr Leu Tyr Lys His Phe Asn
 115 120 125

Arg His Gly Lys Phe Arg
 130

<210> 1234

<211> 282

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1234

Thr Gly Pro Glu Phe Pro Gly Xaa Pro Thr Arg Pro Arg Thr Ala Ala
 1 5 10 15

Ala Xaa Ser Ala Arg Thr Arg Thr Arg Gly Ser Pro Arg Met Gly Glu
 20 25 30

Phe Asn Glu Lys Lys Thr Thr Cys Gly Thr Val Cys Leu Lys Tyr Leu
 35 40 45

Leu Phe Thr Tyr Asn Cys Cys Phe Trp Leu Ala Gly Leu Ala Val Met
 50 55 60

Ala Val Gly Ile Trp Thr Leu Ala Leu Lys Ser Asp Tyr Ile Ser Leu
 65 70 75 80

Leu Ala Ser Gly Thr Tyr Leu Ala Thr Ala Tyr Ile Leu Val Val Ala
 85 90 95

Gly Thr Val Val Met Val Thr Gly Val Leu Gly Cys Cys Ala Thr Phe
 100 105 110

1258

Lys Glu Arg Arg Asn Leu Leu Arg Leu Tyr Phe Ile Leu Leu Leu Ile
 115 120 125

Ile Phe Leu Leu Glu Ile Ile Ala Gly Ile Leu Ala Tyr Ala Tyr Tyr
 130 135 140

Gln Gln Leu Asn Thr Glu Leu Lys Glu Asn Leu Lys Asp Thr Met Thr
 145 150 155 160

Lys Arg Tyr His Gln Pro Gly His Glu Ala Val Thr Ser Ala Val Asp
 165 170 175

Gln Leu Gln Gln Glu Phe His Cys Cys Gly Ser Asn Asn Ser Gln Asp
 180 185 190

Trp Arg Asp Ser Glu Trp Ile Arg Ser Gln Glu Ala Gly Gly Arg Val
 195 200 205

Val Pro Asp Ser Cys Cys Lys Thr Val Val Ala Leu Cys Gly Gln Arg
 210 215 220

Asp His Ala Ser Asn Ile Tyr Lys Val Glu Gly Gly Cys Ile Thr Lys
 225 230 235 240

Leu Glu Thr Phe Ile Gln Glu His Leu Arg Val Ile Gly Ala Val Gly
 245 250 255

Ile Gly Ile Ala Cys Val Gln Val Phe Gly Met Ile Phe Thr Cys Cys
 260 265 270

Leu Tyr Arg Ser Leu Lys Leu Glu His Tyr
 275 280

<210> 1235

<211> 66

<212> PRT

<213> Homo sapiens

<400> 1235

Ala Glu Ile Gln Val Phe Gln Val Gly Leu Val Ser Trp Gly Leu Tyr
 1 5 10 15

Asn Pro Cys Leu Gly Ser Ala Asp Lys Asn Ser Arg Lys Arg Ala Pro
 20 25 30

Arg Ser Lys Val Pro Pro Pro Arg Asp Phe His Ile Asn Leu Phe Arg
 35 40 45

1259

Met Gln Pro Trp Leu Arg Gln His Leu Gly Asp Val Leu Asn Phe Leu
 50 55 60

Pro Leu
 65

<210> 1236
 <211> 108
 <212> PRT
 <213> Homo sapiens

<400> 1236
 Ala Arg Arg Arg Arg Gly Gly Trp Ala Gly Gly Gly Gly Gly Thr Arg
 1 5 10 15

Arg Ala Leu Gly Val Pro Val Ala Arg Arg Arg Arg Met Trp Arg Ala
 20 25 30

Glu Gly Lys Trp Leu Pro Lys Thr Ser Arg Lys Ser Val Ser Gln Ser
 35 40 45

Val Phe Cys Gly Thr Ser Thr Tyr Cys Val Leu Asn Thr Val Pro Pro
 50 55 60

Ile Glu Asp Asp His Gly Asn Ser Asn Ser Ser His Val Lys Ile Phe
 65 70 75 80

Leu Pro Lys Lys Leu Leu Glu Cys Leu Pro Lys Cys Ser Ser Leu Pro
 85 90 95

Lys Glu Arg His Arg Trp Asn Thr Asn Glu Arg Ser
 100 105

<210> 1237
 <211> 116
 <212> PRT
 <213> Homo sapiens

<400> 1237
 Arg Gly Gly Gly Ser Lys Gly Asn Glu Val Arg Pro Val Ala Gly Ser
 1 5 10 15

Ala Glu Ser Ala Ala Leu Arg Leu Arg Ala Pro Leu Gln Gln Val Gln
 20 25 30

Ala Gln Leu Ser Pro Leu Gln Asn Ile Ser Pro Trp Ile Leu Ala Val
 35 40 45

1260

Leu Thr Leu Gln Ile Gln Ser Leu Ile Ser Cys Trp Ala Phe Trp Thr
 50 55 60
 Thr Trp Thr Gln Ser Cys Ser Ser Asn Ala Leu Pro Gln Ser Leu Pro
 65 70 75 80
 Ala Trp Arg Ser Ser Gln Arg Ser Thr Gln Lys Asp Pro Val Pro Tyr
 85 90 95
 Gln Pro Pro Phe Leu Cys Gln Trp Gly Arg His Gln Pro Ser Trp Lys
 100 105 110
 Pro Leu Met Asn
 115

<210> 1238

<211> 311

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1238

Val Thr Ser Glu Gly Val Arg Val Arg Ser Ser Arg Gly Arg Ala Xaa
 1 5 10 15
 Gly Val Trp Arg Phe Glu Arg Asp Glu Asp Gly Thr Gly Ala Gly Cys
 20 25 30
 Gly Gln Trp Thr Arg Phe Cys Arg Glu Pro Lys Met Ala Val Asn Val
 35 40 45
 Tyr Ser Thr Ser Val Thr Ser Asp Asn Leu Ser Arg His Asp Met Leu
 50 55 60
 Ala Trp Ile Asn Glu Ser Leu Gln Leu Asn Leu Thr Lys Ile Glu Gln
 65 70 75 80
 Leu Cys Ser Gly Ala Ala Tyr Cys Gln Phe Met Asp Met Leu Phe Pro
 85 90 95
 Gly Ser Ile Ala Leu Lys Lys Val Lys Phe Gln Ala Lys Leu Glu His
 100 105 110
 Glu Tyr Ile Gln Asn Phe Lys Ile Leu Gln Ala Gly Phe Lys Arg Met

1261

115	120	125
Gly Val Asp Lys Ile Ile Pro Val Asp Lys Leu Val Lys Gly Lys Phe		
130	135	140
Gln Asp Asn Phe Glu Phe Val Gln Trp Phe Lys Lys Phe Phe Asp Ala		
145	150	155
Asn Tyr Asp Gly Lys Asp Tyr Asp Pro Val Ala Ala Arg Gln Gly Gln		
165	170	175
Glu Thr Ala Val Ala Pro Ser Leu Val Ala Pro Ala Leu Asn Lys Pro		
180	185	190
Lys Lys Pro Leu Thr Ser Ser Ser Ala Ala Pro Gln Arg Pro Ile Ser		
195	200	205
Thr Gln Arg Thr Ala Ala Ala Pro Lys Ala Gly Pro Gly Val Val Arg		
210	215	220
Lys Asn Pro Gly Val Gly Asn Gly Asp Asp Glu Ala Ala Glu Leu Met		
225	230	235
Gln Gln Val Asn Val Leu Lys Leu Thr Val Glu Asp Leu Glu Lys Glu		
245	250	255
Arg Asp Phe Tyr Phe Gly Lys Leu Arg Asn Ile Glu Leu Ile Cys Gln		
260	265	270
Glu Asn Glu Gly Glu Asn Asp Pro Val Leu Gln Arg Ile Val Asp Ile		
275	280	285
Leu Tyr Ala Thr Asp Glu Gly Phe Val Ile Pro Asp Glu Gly Gly Pro		
290	295	300
Gln Glu Glu Gln Glu Glu Tyr		
305	310	

<210> 1239

<211> 345

<212> PRT

<213> Homo sapiens

<400> 1239

Ala Ala Arg Leu Ala Val Glu Met Lys Thr Asp Leu Leu Ile Val Leu
1 5 10 15

Ser Asp Val Glu Gly Leu Phe Asp Ser Pro Pro Gly Ser Asp Asp Ala
20 25 30

1262

Lys Leu Ile Asp Ile Phe Tyr Pro Gly Asp Gln Gln Ser Val Thr Phe
35 40 45

Gly Thr Lys Ser Arg Val Gly Met Gly Gly Met Glu Ala Lys Val Lys
50 55 60

Ala Ala Leu Trp Ala Leu Gln Gly Gly Thr Ser Val Val Ile Ala Asn
65 70 75 80

Gly Thr His Pro Lys Val Ser Gly His Val Ile Thr Asp Ile Val Glu
85 90 95

Gly Lys Lys Val Gly Thr Phe Phe Ser Glu Val Lys Pro Ala Gly Pro
100 105 110

Thr Val Glu Gln Gln Gly Glu Met Ala Arg Ser Gly Gly Arg Met Leu
115 120 125

Ala Thr Leu Glu Pro Glu Gln Arg Ala Glu Ile Ile His His Leu Ala
130 135 140

Asp Leu Leu Thr Asp Gln Arg Asp Glu Ile Leu Leu Ala Asn Lys Lys
145 150 155 160

Asp Leu Glu Glu Ala Glu Gly Arg Leu Ala Ala Pro Leu Leu Lys Arg
165 170 175

Leu Ser Leu Ser Thr Ser Lys Leu Asn Ser Leu Ala Ile Gly Leu Arg
180 185 190

Gln Ile Ala Ala Ser Ser Gln Asp Ser Val Gly Arg Val Leu Arg Arg
195 200 205

Thr Arg Ile Ala Lys Asn Leu Glu Leu Glu Gln Val Thr Val Pro Ile
210 215 220

Gly Val Leu Leu Val Ile Phe Glu Ser Arg Pro Asp Cys Leu Pro Gln
225 230 235 240

Val Ala Ala Leu Ala Ile Ala Ser Gly Asn Gly Leu Leu Leu Lys Gly
245 250 255

Gly Lys Glu Ala Ala His Ser Asn Arg Ile Leu His Leu Leu Thr Gln
260 265 270

Glu Ala Leu Ser Ile His Gly Val Lys Glu Ala Val Gln Leu Val Asn
275 280 285

Thr Arg Glu Glu Val Glu Asp Leu Cys Arg Leu Asp Lys Met Ile Asp
290 295 300

1263

Leu Ile Ile Pro Arg Gly Ser Ser Gln Leu Val Arg Asp Ile Gln Lys
 305 310 315 320

Ala Ala Lys Gly Ile Pro Val Met Gly His Ser Glu Gly Ile Cys Ala
 325 330 335

His Val Cys Gly Phe Arg Gly Gln Cys
 340 345

<210> 1240

<211> 87

<212> PRT

<213> Homo sapiens

<400> 1240

Gly Tyr Cys Phe Ile Ser Thr Ser Arg Thr Pro Lys Glu Thr Ile Trp
 1 5 10 15

Val Lys Ala Thr Ser Thr Ala Leu Ala Leu His Arg Phe Leu Glu Phe
 20 25 30

Leu Ser Phe Thr Phe Ser Leu Thr Gln His Cys Leu Leu Phe Val Phe
 35 40 45

Val Ala Trp Phe Val Phe Phe Leu Pro Cys Ser Pro Asn Leu Cys Pro
 50 55 60

Asn Ser Phe Gly Leu Met Gln Lys Tyr Leu Cys Gly Arg Glu Glu Leu
 65 70 75 80

Phe Ser Trp Arg Ala Phe Arg
 85

<210> 1241

<211> 196

<212> PRT

<213> Homo sapiens

<400> 1241

Arg Ala Gly Ser Pro Ala Ser Pro Ala His Val Ala Trp Pro Pro Ala
 1 5 10 15

Pro Thr Trp Ser Arg Ala Leu Pro Arg Val Ala Pro Arg Ser Ser Ser
 20 25 30

Arg Arg Gly Arg Arg Tyr Pro Glu Arg Ser Gln Arg Arg Arg Glu Val

1264

35	40	45
Ala Ala Thr Ala Met Pro Lys Asn Lys Gly Lys Gly Gly Lys Asn Arg		
50	55	60
Arg Arg Gly Lys Asn Glu Asn Glu Ser Glu Lys Arg Glu Leu Val Phe		
65	70	75
Lys Glu Asp Gly Gln Glu Tyr Ala Gln Val Ile Lys Met Leu Gly Asn		
85	90	95
Gly Arg Leu Glu Ala Met Cys Phe Asp Gly Val Lys Arg Leu Cys His		
100	105	110
Ile Arg Gly Lys Leu Arg Lys Lys Val Trp Ile Asn Thr Ser Asp Ile		
115	120	125
Ile Leu Val Gly Leu Arg Asp Tyr Gln Asp Asn Lys Ala Asp Val Ile		
130	135	140
Leu Lys Tyr Asn Ala Asp Glu Ala Arg Ser Leu Lys Ala Tyr Gly Glu		
145	150	155
Leu Pro Glu His Ala Lys Ile Asn Glu Thr Asp Thr Phe Gly Pro Gly		
165	170	175
Asp Asp Asp Glu Ile Gln Phe Asp Asp Ile Gly Asp Asp Asp Glu Asp		
180	185	190
Ile Asp Asp Ile		
195		

<210> 1242

<211> 218

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1242

Ala Val Xaa Phe Lys Asp Xaa Ile Tyr Glu Ile Phe Gln Lys Leu Asn

1265

1	5	10	15
Thr Ser Ile Gln Val Val Leu Leu Ser Ala Thr Met Pro Thr Asp Val	20	25	30
Leu Glu Val Thr Lys Lys Phe Met Arg Asp Pro Ile Arg Ile Leu Val	35	40	45
Lys Lys Glu Glu Leu Thr Leu Glu Gly Ile Lys Gln Phe Tyr Ile Asn	50	55	60
Val Glu Arg Glu Glu Trp Lys Leu Asp Thr Leu Cys Asp Leu Tyr Glu	65	70	75
Thr Leu Thr Ile Thr Gln Ala Val Ile Phe Leu Asn Thr Arg Arg Lys	85	90	95
Val Asp Trp Leu Thr Glu Lys Met His Ala Arg Asp Phe Thr Val Ser	100	105	110
Ala Leu His Gly Asp Met Asp Gln Lys Glu Arg Asp Val Ile Met Arg	115	120	125
Glu Phe Arg Ser Gly Ser Ser Arg Val Leu Ile Thr Thr Asp Leu Leu	130	135	140
Ala Arg Gly Ile Asp Val Gln Gln Val Ser Leu Val Ile Asn Tyr Asp	145	150	155
Leu Pro Thr Asn Arg Glu Asn Tyr Ile His Arg Ile Gly Arg Gly Gly	165	170	175
Arg Phe Gly Arg Lys Gly Val Ala Ile Asn Phe Val Thr Glu Glu Asp	180	185	190
Lys Arg Ile Leu Arg Asp Ile Glu Thr Phe Tyr Asn Thr Thr Val Glu	195	200	205
Glu Met Pro Met Asn Val Ala Asp Leu Ile	210	215	

<210> 1243

<211> 173

<212> PRT

<213> Homo sapiens

<400> 1243

Leu Asp Gly Ser Ala Arg Ala Glu Leu Ala Leu Ser Val Ala Val Asn	1	5	10	15
---	---	---	----	----

1266

Val Ala Pro Gly Arg Leu Cys Ala Gly Arg Tyr Ser Ser Asp Val Gln
 20 25 30
 Glu Met Ile Leu Ser Ser Ala Thr Ala Asp Arg Ile Pro Ile Ala Val
 35 40 45
 Ser Gly Val Arg Gly Met Gly Phe Leu Met Arg His His Ile Glu Thr
 50 55 60
 Gly Gly Gly Gln Leu Pro Ala Lys Leu Ser Ser Leu Phe Val Lys Cys
 65 70 75 80
 Leu Gln Asn Pro Ser Ser Asp Ile Arg Leu Val Ala Glu Lys Met Ile
 85 90 95
 Trp Trp Ala Asn Lys Asp Pro Leu Pro Pro Leu Asp Pro Gln Ala Ile
 100 105 110
 Lys Pro Ile Leu Lys Ala Leu Leu Asp Asn Thr Lys Asp Lys Asn Thr
 115 120 125
 Val Val Arg Ala Tyr Ser Asp Gln Ala Ile Val Asn Leu Leu Lys Met
 130 135 140
 Arg Gln Gly Glu Glu Val Phe Gln Ser Leu Ser Lys Ile Leu Asp Val
 145 150 155 160
 Ala Ser Leu Glu Val Leu Asn Glu Val Asn Arg Ser Pro
 165 170

<210> 1244

<211> 222

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1244

Tyr Ile Lys Ile Tyr Gln Gly Glu Glu Leu Pro His Pro Lys Ser Met
 1 5 10 15

1267

Xaa Gln Ala Thr Ala Glu Ala Asn Asn Leu Ala Ala Val Ala Thr Ala
 20 25 30
 Lys Asp Thr Tyr Asn Lys Lys Met Glu Glu Ile Cys Gly Gly Asp Lys
 35 40 45
 Pro Phe Leu Ala Pro Asn Asp Leu Gln Thr Lys His Leu Gln Leu Lys
 50 55 60
 Glu Glu Ser Val Lys Leu Phe Xaa Gly Val Lys Lys Met Gly Gly Glu
 65 70 75 80
 Glu Phe Ser Arg Arg Tyr Leu Gln Gln Leu Glu Ser Glu Ile Asp Glu
 85 90 95
 Leu Tyr Ile Gln Tyr Ile Lys His Asn Asp Ser Lys Asn Ile Phe His
 100 105 110
 Ala Ala Arg Thr Pro Ala Thr Leu Phe Val Val Ile Phe Ile Thr Tyr
 115 120 125
 Val Ile Ala Gly Val Thr Gly Phe Ile Gly Leu Asp Ile Ile Ala Ser
 130 135 140
 Leu Cys Asn Met Ile Met Gly Leu Thr Leu Ile Thr Leu Cys Thr Trp
 145 150 155 160
 Ala Tyr Ile Arg Tyr Ser Gly Glu Tyr Arg Glu Leu Gly Ala Val Ile
 165 170 175
 Asp Gln Val Ala Ala Ala Leu Trp Asp Gln Ala Leu Tyr Lys Leu Tyr
 180 185 190
 Ser Ala Ala Ala Thr His Arg His Leu Tyr His Gln Ala Phe Pro Thr
 195 200 205
 Pro Lys Ser Glu Ser Thr Glu Gln Ser Glu Lys Lys Lys Met
 210 215 220

<210> 1245

<211> 278

<212> PRT

<213> Homo sapiens

<400> 1245

Ser Ala Glu Asp Val Glu Phe Gln Lys Glu Val Ala Gln Val Arg Lys
 1 5 10 15

1268

Arg Ile Thr Gln Arg Lys Lys Gln Glu Gln Leu Thr Pro Gly Val Val
 20 25 30

Tyr Val Arg His Leu Pro Asn Leu Leu Asp Glu Thr Gln Ile Phe Ser
 35 40 45

Tyr Phe Ser Gln Phe Gly Thr Val Thr Arg Phe Arg Leu Ser Arg Ser
 50 55 60

Lys Arg Thr Gly Asn Ser Lys Gly Tyr Ala Phe Val Glu Phe Glu Ser
 65 70 75 80

Glu Asp Val Ala Lys Ile Val Ala Glu Thr Met Asn Asn Tyr Leu Phe
 85 90 95

Gly Glu Arg Leu Leu Glu Cys His Phe Met Pro Pro Glu Lys Val His
 100 105 110

Lys Glu Leu Phe Lys Asp Trp Asn Ile Pro Phe Lys Gln Pro Ser Tyr
 115 120 125

Pro Ser Val Lys Arg Tyr Asn Arg Asn Arg Thr Leu Thr Gln Lys Leu
 130 135 140

Arg Met Glu Glu Arg Phe Lys Lys Lys Glu Arg Leu Leu Arg Lys Lys
 145 150 155 160

Leu Ala Lys Lys Gly Ile Asp Tyr Asp Phe Pro Ser Leu Ile Leu Gln
 165 170 175

Lys Thr Glu Ser Ile Ser Lys Thr Asn Arg Gln Thr Ser Thr Lys Gly
 180 185 190

Gln Val Leu Arg Lys Lys Lys Lys Lys Val Ser Gly Thr Leu Asp Thr
 195 200 205

Pro Glu Lys Thr Val Asp Ser Gln Gly Pro Thr Pro Val Cys Thr Pro
 210 215 220

Thr Phe Leu Glu Arg Arg Lys Ser Gln Val Ala Glu Leu Asn Asp Asp
 225 230 235 240

Asp Lys Asp Asp Glu Ile Val Phe Lys Gln Pro Ile Ser Cys Val Lys
 245 250 255

Glu Glu Ile Gln Glu Thr Gln Thr Pro Thr His Ser Arg Lys Lys Arg
 260 265 270

Arg Arg Ser Ser Asn Gln
 275

1269

<210> 1246

<211> 121

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (100)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1246

Ser	Pro	Pro	Pro	Leu	Ser	Leu	Ile	Leu	Leu	Ser	Pro	Ile	Lys	Ala	Lys
1				5				10					15		

Tyr	Gly	Leu	Thr	Thr	Ser	Pro	Lys	Ser	Val	Leu	Arg	Pro	Ser	Leu	Cys
			20					25					30		

Leu	Cys	Ala	Leu	Leu	Gly	Val	Ser	Gln	Arg	Ser	Gly	Gln	Asp	Cys	Ala
		35						40					45		

Gly	Pro	Ala	Ser	Pro	Cys	Ala	Ser	Gln	Glu	His	Arg	Gln	Gly	Val	Leu
	50					55					60				

Val	Ala	Val	Ala	Gly	His	Leu	Ser	Pro	Ser	Ser	Leu	Leu	Asn	Val	Leu
65					70					75					80

Thr	Ala	Arg	Gly	Asn	Gly	Val	Ser	Phe	Pro	Thr	Lys	Lys	Pro	Leu	Leu
				85					90					95	

Tyr	Ile	Phe	Xaa	Leu	Gln	Ser	His	Arg	Leu	Gln	Thr	Thr	Leu	Leu	Phe
			100					105					110		

Phe	Met	Asp	Phe	Ser	Ala	His	Phe	Arg
	115							120

<210> 1247

<211> 36

<212> PRT

<213> Homo sapiens

<400> 1247

Ile	Phe	His	Arg	Val	Leu	Leu	Cys	Asp	Leu	Asn	Phe	Ser	Leu	Gly	Pro
1					5				10				15		

Ala	Ser	Asp	Ile	Val	Gly	Gly	Leu	Ser	Trp	Phe	Gln	Glu	Ile	Arg	Leu
			20					25					30		

1270

Ala Phe Ser Ser

35

<210> 1248

<211> 184

<212> PRT

<213> Homo sapiens

<400> 1248

Trp Ile Pro Arg Ala Cys Arg Glu Phe Gly Thr Arg Phe Gly Gly Val
 1 5 10 15

Thr Arg Gly Phe Asn Met Arg Ile Glu Lys Cys Tyr Phe Cys Ser Gly
 20 25 30

Pro Ile Tyr Pro Gly His Gly Met Met Phe Val Arg Asn Asp Cys Lys
 35 40 45

Val Phe Arg Phe Cys Lys Ser Lys Cys His Lys Asn Phe Lys Lys Lys
 50 55 60

Arg Asn Pro Arg Lys Val Arg Trp Thr Lys Ala Phe Arg Lys Ala Ala
 65 70 75 80

Gly Lys Glu Leu Thr Val Asp Asn Ser Phe Glu Phe Glu Lys Arg Arg
 85 90 95

Asn Glu Pro Ile Lys Tyr Gln Arg Glu Leu Trp Asn Lys Thr Ile Asp
 100 105 110

Ala Met Lys Arg Val Glu Glu Ile Lys Gln Lys Arg Gln Ala Lys Phe
 115 120 125

Ile Met Asn Arg Leu Lys Lys Asn Lys Glu Leu Gln Lys Val Gln Asp
 130 135 140

Ile Lys Glu Val Lys Gln Asn Ile His Leu Ile Arg Ala Pro Leu Ala
 145 150 155 160

Gly Lys Gly Lys Gln Leu Glu Glu Lys Met Val Gln Gln Leu Gln Glu
 165 170 175

Asp Val Asp Met Glu Asp Ala Pro
 180

<210> 1249

<211> 188

1271

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (104)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1249

Gly Cys Pro Ala His Ser Pro Gly Ser Ala Lys Arg Trp Thr Gln Ala
 1 5 10 15

Ala Met Ser Arg Pro Arg Met Arg Leu Val Val Thr Ala Asp Asp Phe
 20 25 30

Gly Tyr Cys Pro Arg Arg Asp Glu Gly Ile Val Glu Ala Phe Leu Ala
 35 40 45

Gly Ala Val Thr Ser Val Ser Leu Leu Val Asn Gly Ala Ala Thr Glu
 50 55 60

Ser Ala Ala Glu Leu Ala Arg Arg His Ser Ile Pro Thr Gly Leu His
 65 70 75 80

Ala Asn Leu Ser Glu Gly Arg Pro Val Gly Pro Ala Arg Arg Gly Ala
 85 90 95

Ser Ser Leu Leu Gly Pro Glu Xaa Phe Phe Leu Gly Lys Met Gly Phe
 100 105 110

Arg Glu Ala Val Ala Ala Gly Asp Val Asp Leu Pro Gln Val Arg Ser
 115 120 125

Arg Ser Tyr Arg Arg Met Leu Ala Arg Thr Pro Arg Ala Pro Pro Gly
 130 135 140

Gly Thr Val Arg Pro Leu Glu Leu Ala Val Asp Asp Phe Arg Ile Gln
 145 150 155 160

Thr Leu Glu Pro Ser His Gly Ser Thr Arg Arg Val Ser Ser Ala Ala
 165 170 175

Thr Pro Gly Arg Ser Arg Cys Leu Ser Leu Ala Leu
 180 185

<210> 1250

<211> 201

<212> PRT

<213> Homo sapiens

1272

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (96)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (97)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (101)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1250

Arg	Lys	Asn	Leu	Glu	Ile	Tyr	Glu	Ala	Val	Thr	Ser	Pro	Gln	Gly	Pro
1				5					10					15	

Ala	Met	Thr	Trp	Ser	Met	Phe	Ala	Val	Gly	Trp	Met	Glu	Leu	Lys	Asp
			20						25					30	

Ala	Cys	Gly	Xaa	Arg	Gly	Leu	Leu	Asp	Arg	Ser	Phe	Ala	Asn	Met	Ala
		35					40						45		

Glu	Pro	Phe	Lys	Val	Trp	Thr	Glu	Asn	Ala	Asp	Gly	Ser	Gly	Ala	Val
	50						55				60				

Asn	Phe	Leu	Thr	Gly	Met	Gly	Gly	Phe	Leu	Gln	Ala	Val	Val	Phe	Gly
65					70					75					80

Cys	Thr	Gly	Phe	Arg	Val	Ser	Val	Ser	Gly	Ile	Phe	Tyr	Gln	Gly	Xaa
				85					90					95	

Xaa	Leu	Asn	Phe	Xaa	Phe	Ser	Glu	Asp	Ser	Val	Thr	Val	Glu	Val	Thr
		100						105					110		

Ala	Arg	Ala	Gly	Pro	Trp	Ala	Pro	His	Leu	Glu	Ala	Glu	Leu	Trp	Pro
		115					120					125			

Ser	Gln	Ser	Arg	Leu	Ser	Leu	Leu	Pro	Gly	His	Lys	Val	Ser	Phe	Pro
	130					135					140				

Arg	Ser	Ala	Gly	Arg	Ile	Gln	Met	Ser	Pro	Pro	Lys	Leu	Pro	Gly	Ser
145					150					155				160	

1273

Ser Ser Ser Glu Phe Pro Gly Arg Thr Phe Ser Asp Val Arg Asp Pro
 165 170 175

Leu Gln Ser Pro Leu Trp Val Thr Leu Gly Ser Ser Ser Pro Thr Glu
 180 185 190

Ser Leu Thr Val Asp Pro Ala Ser Glu
 195 200

<210> 1251

<211> 266

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1251

Ser Val Gly Ser Val Ala Ala Ala Thr Arg Thr Gly Pro Val Ser Xaa
 1 5 10 15

Lys Lys Phe Arg Glu Ala Ser Trp Arg Phe Thr Phe Tyr Leu Ile Ala
 20 25 30

Phe Ile Ala Gly Met Ala Val Ile Val Asp Lys Pro Trp Phe Tyr Asp
 35 40 45

Met Lys Lys Val Trp Glu Gly Tyr Pro Ile Gln Ser Thr Ile Pro Ser
 50 55 60

Gln Tyr Trp Tyr Tyr Met Ile Glu Leu Ser Phe Tyr Trp Ser Leu Leu
 65 70 75 80

Phe Ser Ile Ala Ser Asp Val Lys Arg Lys Asp Phe Lys Glu Gln Ile
 85 90 95

Ile His His Val Ala Thr Ile Ile Leu Ile Ser Phe Ser Trp Phe Ala
 100 105 110

Asn Tyr Ile Arg Ala Gly Thr Leu Ile Met Ala Leu His Asp Ser Ser
 115 120 125

Asp Tyr Leu Leu Glu Ser Ala Lys Met Phe Asn Tyr Ala Gly Trp Lys
 130 135 140

Asn Thr Cys Asn Asn Ile Phe Ile Val Phe Ala Ile Val Phe Ile Ile

1274

145 150 155 160
 Thr Arg Leu Val Ile Leu Pro Phe Trp Ile Leu His Cys Thr Leu Val
 165 170 175
 Tyr Pro Leu Glu Leu Tyr Pro Ala Phe Phe Gly Tyr Tyr Phe Phe Asn
 180 185 190
 Ser Met Met Gly Val Leu Gln Leu Leu His Ile Phe Trp Ala Tyr Leu
 195 200 205
 Ile Leu Arg Met Ala His Lys Phe Ile Thr Gly Lys Leu Val Glu Asp
 210 215 220
 Glu Arg Ser Asp Arg Glu Glu Thr Glu Ser Ser Glu Gly Glu Glu Ala
 225 230 235 240
 Ala Ala Gly Gly Gly Ala Lys Ser Arg Pro Leu Ala Asn Gly His Pro
 245 250 255
 Ile Leu Asn Asn Asn His Arg Lys Asn Asp
 260 265

<210> 1252

<211> 163

<212> PRT

<213> Homo sapiens

<400> 1252

Lys Met Gly Thr Asn Lys Cys Ala Ser Gln Ala Gly Met Thr Ala Tyr
 1 5 10 15
 Gly Thr Arg Arg His Leu Tyr Asp Pro Lys Met Gln Thr Asp Lys Pro
 20 25 30
 Phe Asp Gln Thr Thr Ile Ser Leu Gln Met Gly Thr Asn Lys Gly Ala
 35 40 45
 Ser Gln Ala Gly Met Leu Ala Pro Gly Thr Arg Arg Asp Ile Tyr Asp
 50 55 60
 Gln Lys Leu Thr Leu Gln Pro Val Asp Asn Ser Thr Ile Ser Leu Gln
 65 70 75 80
 Met Gly Thr Asn Lys Val Ala Ser Gln Lys Gly Met Ser Val Tyr Gly
 85 90 95
 Leu Gly Arg Gln Val Tyr Asp Pro Lys Tyr Cys Ala Ala Pro Thr Glu
 100 105 110

1275

Pro Val Ile His Asn Gly Ser Gln Gly Thr Gly Thr Asn Gly Ser Glu
 115 120 125

Ile Ser Asp Ser Asp Tyr Gln Ala Glu Tyr Pro Asp Glu Tyr His Gly
 130 135 140

Glu Tyr Gln Asp Asp Tyr Pro Arg Asp Tyr Gln Tyr Ser Asp Gln Gly
 145 150 155 160

Ile Asp Tyr

<210> 1253

<211> 298

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (109)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1253

Leu Glu Glu Thr Pro Cys Leu Arg Thr Ala Val Ala Cys Glu Gln Arg
 1 5 10 15

Asp Pro Gly Thr Glu Ser Gln Pro Arg Arg Cys Cys Arg Arg Arg Arg
 20 25 30

Pro Glu Thr Ala Glu Pro Val Arg Pro Pro Pro Pro Pro Thr Pro Asp
 35 40 45

Thr Glu His Pro Val Met Asp Lys Asn Glu Leu Val Gln Lys Ala Lys
 50 55 60

Leu Ala Glu Gln Ala Glu Arg Tyr Asp Asp Met Ala Ala Cys Met Lys
 65 70 75 80

Ser Val Thr Glu Gln Gly Ala Glu Leu Ser Asn Glu Glu Arg Asn Leu
 85 90 95

Leu Ser Val Ala Tyr Lys Asn Val Val Gly Ala Arg Xaa Ser Ser Trp
 100 105 110

Arg Val Val Ser Ser Ile Glu Gln Lys Thr Glu Gly Ala Glu Lys Lys
 115 120 125

Gln Gln Met Ala Arg Glu Tyr Arg Glu Lys Ile Glu Thr Glu Leu Arg

1276

130 135 140
 Asp Ile Cys Asn Asp Val Leu Ser Leu Leu Glu Lys Phe Leu Ile Pro
 145 150 155 160
 Asn Ala Ser Gln Ala Glu Ser Lys Val Phe Tyr Leu Lys Met Lys Gly
 165 170 175
 Asp Tyr Tyr Arg Tyr Leu Ala Glu Val Ala Ala Gly Asp Asp Lys Lys
 180 185 190
 Gly Ile Val Asp Gln Ser Gln Gln Ala Tyr Gln Glu Ala Phe Glu Ile
 195 200 205
 Ser Lys Lys Glu Met Gln Pro Thr His Pro Ile Arg Leu Gly Leu Ala
 210 215 220
 Leu Asn Phe Ser Val Phe Tyr Tyr Glu Ile Leu Asn Ser Pro Glu Lys
 225 230 235 240
 Ala Cys Ser Leu Ala Lys Thr Ala Phe Asp Glu Ala Ile Ala Glu Leu
 245 250 255
 Asp Thr Leu Ser Glu Glu Ser Tyr Lys Asp Ser Thr Leu Ile Met Gln
 260 265 270
 Leu Leu Arg Asp Asn Leu Thr Leu Trp Thr Ser Asp Thr Gln Gly Asp
 275 280 285
 Glu Ala Glu Ala Gly Glu Gly Gly Glu Asn
 290 295

<210> 1254

<211> 173

<212> PRT

<213> Homo sapiens

<400> 1254

Ser Pro Ala Arg Pro Leu Ile Arg Ser Asp Lys Met Lys Glu Thr Ile
 1 5 10 15
 Met Asn Gln Glu Lys Leu Ala Lys Leu Gln Ala Gln Val Arg Ile Gly
 20 25 30
 Gly Lys Gly Thr Ala Arg Arg Lys Lys Lys Val Val His Arg Thr Ala
 35 40 45
 Thr Ala Asp Asp Lys Lys Leu Gln Phe Ser Leu Lys Lys Leu Gly Val
 50 55 60

1277

Asn Asn Ile Ser Gly Ile Glu Glu Val Asn Met Phe Thr Asn Gln Gly
65 70 75 80

Thr Val Ile His Phe Asn Asn Pro Lys Val Gln Ala Ser Leu Ala Ala
85 90 95

Asn Thr Phe Thr Ile Thr Gly His Ala Glu Thr Lys Gln Leu Thr Glu
100 105 110

Met Leu Pro Ser Ile Leu Asn Gln Leu Gly Ala Asp Ser Leu Thr Ser
115 120 125

Leu Arg Arg Leu Ala Glu Ala Leu Pro Lys Gln Ser Val Asp Gly Lys
130 135 140

Ala Pro Leu Ala Thr Gly Glu Asp Asp Asp Asp Glu Val Pro Asp Leu
145 150 155 160

Val Glu Asn Phe Asp Glu Ala Ser Lys Asn Glu Ala Asn
165 170

<210> 1255

<211> 66

<212> PRT

<213> Homo sapiens

<400> 1255

Leu Cys Cys Pro Phe His Ile Lys Glu Leu Leu Thr Thr Lys Ala Ala
1 5 10 15

Pro Ala Phe Pro Ile Cys Leu Ser Ile Trp Leu Ala Gly Lys Glu Arg
20 25 30

Thr Cys Met Leu Val Lys Glu Glu Val Gly Trp Lys Lys Trp Gly Gly
35 40 45

Thr Thr Val Lys Ser Arg Val Lys Pro Ser Trp Pro Lys Val Ser Cys
50 55 60

Arg Leu
65

<210> 1256

<211> 389

<212> PRT

<213> Homo sapiens

1278

<400> 1256

Ala Glu Ala Gly Pro Gly Ala Arg Ala Ala Ala Met Ala Ile Lys
 1 5 10 15
 Phe Leu Glu Val Ile Lys Pro Phe Cys Val Ile Leu Pro Glu Ile Gln
 20 25 30
 Lys Pro Glu Arg Lys Ile Gln Phe Lys Glu Lys Val Leu Trp Thr Ala
 35 40 45
 Ile Thr Leu Phe Ile Phe Leu Val Cys Cys Gln Ile Pro Leu Phe Gly
 50 55 60
 Ile Met Ser Ser Asp Ser Ala Asp Pro Phe Tyr Trp Met Arg Val Ile
 65 70 75 80
 Leu Ala Ser Asn Arg Gly Thr Leu Met Glu Leu Gly Ile Ser Pro Ile
 85 90 95
 Val Thr Ser Gly Leu Ile Met Gln Leu Leu Ala Gly Ala Lys Ile Ile
 100 105 110
 Glu Val Gly Asp Thr Pro Lys Asp Arg Ala Leu Phe Asn Gly Ala Gln
 115 120 125
 Lys Leu Phe Gly Met Ile Ile Thr Ile Gly Gln Ser Ile Val Tyr Val
 130 135 140
 Met Thr Gly Met Tyr Gly Asp Pro Ser Glu Met Gly Ala Gly Ile Cys
 145 150 155 160
 Leu Leu Ile Thr Ile Gln Leu Phe Val Ala Gly Leu Ile Val Leu Leu
 165 170 175
 Leu Asp Glu Leu Leu Gln Lys Gly Tyr Gly Leu Gly Ser Gly Ile Ser
 180 185 190
 Leu Phe Ile Ala Thr Asn Ile Cys Glu Thr Ile Val Trp Lys Ala Phe
 195 200 205
 Ser Pro Thr Thr Val Asn Thr Gly Arg Gly Met Glu Phe Glu Gly Ala
 210 215 220
 Ile Ile Ala Leu Phe His Leu Leu Ala Thr Arg Thr Asp Lys Val Arg
 225 230 235 240
 Ala Leu Arg Glu Ala Phe Tyr Arg Gln Asn Leu Pro Asn Leu Met Asn
 245 250 255
 Leu Ile Ala Thr Ile Phe Val Phe Ala Val Val Ile Tyr Phe Gln Gly

260						265						270					
Phe	Arg	Val	Asp	Leu	Pro	Ile	Lys	Ser	Ala	Arg	Tyr	Arg	Gly	Gln	Tyr		
275						280						285					
Asn	Thr	Tyr	Pro	Ile	Lys	Leu	Phe	Tyr	Thr	Ser	Asn	Ile	Pro	Ile	Ile		
290						295						300					
Leu	Gln	Ser	Ala	Leu	Val	Ser	Asn	Leu	Tyr	Val	Ile	Ser	Gln	Met	Leu		
305				310						315				320			
Ser	Ala	Arg	Phe	Ser	Gly	Asn	Leu	Leu	Val	Ser	Leu	Leu	Gly	Thr	Trp		
			325						330						335		
Ser	Asp	Thr	Ser	Ser	Gly	Gly	Pro	Ala	Arg	Ala	Tyr	Pro	Val	Gly	Gly		
			340						345						350		
Leu	Cys	Tyr	Tyr	Leu	Ser	Pro	Pro	Trp	Ser	Met	Asn	Ser	Thr	Gly	Thr		
355						360						365					
Ser	Pro	Gln	Pro	Arg	Pro	Leu	Val	Gly	Cys	Ala	Ser	Gly	Pro	Ser	Arg		
370						375						380					
Ser	Trp	Leu	Thr	Ser													
385																	

<211> 191

<212> PRT

<213> Hom

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1257

Gly Xaa Pro Ser Ser Ser Arg Ala His Ser Pro Met Ile Ala Val Gly
1 5 10 15

Ser Asp Asp Ser Ser Pro Asn Ala Met Ala Lys Val Gln Ile Phe Glu
20 25 30

Tyr Asn Glu Asn Thr Arg Lys Tyr Ala Lys Ala Glu Thr Leu Met Thr
35 40 45

Val Thr Asp Pro Val His Asp Ile Ala Phe Ala Pro Asn Leu Gly Arg
50 55 60

1280

Ser Phe His Ile Leu Ala Ile Ala Thr Lys Asp Val Arg Ile Phe Thr
 65 70 75 80
 Leu Lys Pro Val Arg Lys Glu Leu Thr Ser Ser Gly Gly Pro Thr Lys
 85 90 95
 Phe Glu Ile His Ile Val Ala Gln Phe Asp Asn His Asn Ser Gln Val
 100 105 110
 Trp Arg Val Ser Trp Asn Ile Thr Gly Thr Val Leu Ala Ser Ser Gly
 115 120 125
 Asp Asp Gly Cys Val Arg Leu Trp Lys Ala Asn Tyr Met Asp Asn Trp
 130 135 140
 Lys Cys Thr Gly Ile Leu Lys Gly Asn Gly Ser Pro Val Asn Gly Ser
 145 150 155 160
 Ser Gln Gln Gly Thr Ser Asn Pro Ser Leu Gly Ser Asn Ile Pro Ser
 165 170 175
 Leu Gln Asn Ser Leu Asn Gly Ser Ser Ala Gly Arg Lys His Ser
 180 185 190

<210> 1258

<211> 458

<212> PRT

<213> Homo sapiens

<400> 1258

Pro Gly Ala Arg His Gly Ser Ala Ser Ala Pro Thr Leu Phe Pro Leu
 1 5 10 15
 Val Ser Cys Glu Asn Ser Pro Ser Asp Thr Ser Ser Val Ala Val Gly
 20 25 30
 Cys Leu Ala Gln Asp Phe Leu Pro Asp Ser Ile Thr Phe Ser Trp Lys
 35 40 45
 Tyr Lys Asn Asn Ser Asp Ile Ser Ser Thr Arg Gly Phe Pro Ser Val
 50 55 60
 Leu Arg Gly Gly Lys Tyr Ala Ala Thr Ser Gln Val Leu Leu Pro Ser
 65 70 75 80
 Lys Asp Val Met Gln Gly Thr Asp Glu His Val Val Cys Lys Val Gln
 85 90 95
 His Pro Asn Gly Asn Lys Glu Lys Asn Val Pro Leu Pro Val Ile Ala

1281

100	105	110
Glu Leu Pro Pro Lys Val Ser	Val Phe Val Pro Pro Arg Asp Gly Phe	
115	120	125
Phe Gly Asn Pro Arg Lys Ser	Lys Leu Ile Cys Gln Ala Thr Gly Phe	
130	135	140
Ser Pro Arg Gln Ile Gln Val Ser	Trp Leu Arg Glu Gly Lys Gln Val	
145	150	155
Gly Ser Gly Val Thr Thr Asp Gln Val	Gln Ala Glu Ala Lys Glu Ser	
165	170	175
Gly Pro Thr Thr Tyr Lys Val Thr	Ser Thr Leu Thr Ile Lys Glu Ser	
180	185	190
Asp Trp Leu Ser Gln Ser Met Phe	Thr Cys Arg Val Asp His Arg Gly	
195	200	205
Leu Thr Phe Gln Gln Asn Ala Ser	Ser Met Cys Val Pro Asp Gln Asp	
210	215	220
Thr Ala Ile Arg Val Phe Ala Ile	Pro Pro Ser Phe Ala Ser Ile Phe	
225	230	235
Leu Thr Lys Ser Thr Lys Leu Thr	Cys Leu Val Thr Asp Leu Thr Thr	
245	250	255
Tyr Asp Ser Val Thr Ile Ser Trp	Thr Arg Gln Asn Gly Glu Ala Val	
260	265	270
Lys Thr His Thr Asn Ile Ser Glu	Ser His Pro Asn Ala Thr Phe Ser	
275	280	285
Ala Val Gly Glu Ala Ser Ile Cys	Glu Asp Asp Trp Asn Ser Gly Glu	
290	295	300
Arg Phe Thr Cys Thr Val Thr His	Thr Asp Leu Pro Ser Pro Leu Lys	
305	310	315
Gln Thr Ile Ser Arg Pro Lys Gly	Val Ala Leu His Arg Pro Asp Val	
325	330	335
Tyr Leu Leu Pro Pro Ala Arg Glu	Gln Leu Asn Leu Arg Glu Ser Ala	
340	345	350
Thr Ile Thr Cys Leu Val Thr Gly	Phe Ser Pro Ala Asp Val Phe Val	
355	360	365
Gln Trp Met Gln Arg Gly Gln Pro	Leu Ser Pro Glu Lys Tyr Val Thr	

1282

370 375 380
 Ser Ala Pro Met Pro Glu Pro Gln Ala Pro Gly Arg Tyr Phe Ala His
 385 390 395 400
 Ser Ile Leu Thr Val Ser Glu Glu Glu Trp Asn Thr Gly Glu Thr Tyr
 405 410 415
 Thr Cys Val Val Ala His Glu Ala Leu Pro Asn Arg Val Thr Glu Arg
 420 425 430
 Thr Val Asp Lys Ser Thr Gly Lys Pro Thr Leu Tyr Asn Val Ser Leu
 435 440 445
 Val Met Ser Asp Thr Ala Gly Thr Cys Tyr
 450 455

<210> 1259

<211> 247

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1259

Ala Gly Pro Ala Pro Glu Glu Pro Arg Gly Gly Ala Ala Ala Arg Trp
 1 5 10 15
 Asp Cys Gln Pro Cys Gln Ala Ala Xaa Val Val Glu Asn Ser Ala Gln
 20 25 30
 Arg Val Ile His Leu Ala Gly Gln Trp Glu Lys His Arg Val Pro Leu
 35 40 45
 Leu Ala Glu Tyr Arg His Leu Arg Lys Leu Gln Asp Cys Arg Glu Leu
 50 55 60
 Glu Ser Ser Arg Arg Leu Ala Glu Ile Gln Glu Leu His Gln Ser Val
 65 70 75 80
 Arg Ala Ala Ala Glu Glu Ala Arg Arg Lys Glu Glu Val Tyr Lys Gln
 85 90 95
 Leu Met Ser Glu Leu Glu Thr Leu Pro Arg Asp Val Ser Arg Leu Ala
 100 105 110

1283

Tyr Thr Gln Arg Ile Leu Glu Ile Val Gly Asn Ile Arg Lys Gln Lys
 115 120 125
 Glu Glu Ile Thr Lys Ile Leu Ser Asp Thr Lys Glu Leu Gln Lys Glu
 130 135 140
 Ile Asn Ser Leu Ser Gly Lys Leu Asp Arg Thr Phe Ala Val Thr Asp
 145 150 155 160
 Glu Leu Val Phe Lys Asp Ala Lys Lys Asp Asp Ala Val Arg Lys Ala
 165 170 175
 Tyr Lys Tyr Leu Ala Ala Leu His Glu Asn Cys Ser Gln Leu Ile Gln
 180 185 190
 Thr Ile Glu Asp Thr Gly Thr Ile Met Arg Glu Val Arg Asp Leu Glu
 195 200 205
 Glu Gln Ile Glu Thr Glu Leu Gly Lys Lys Thr Leu Ser Asn Leu Glu
 210 215 220
 Lys Ile Arg Glu Asp Tyr Arg Ala Leu Arg Gln Glu Asn Ala Gly Leu
 225 230 235 240
 Leu Gly Arg Val Arg Glu Ala
 245

<210> 1260
 <211> 62
 <212> PRT
 <213> Homo sapiens

<400> 1260
 Val Gly Ile Lys Trp Ile Glu Glu Ala Val Leu Cys Ala Asn Val Ser
 1 5 10 15
 Phe Ala Ser Asp Arg Tyr Leu Phe Val Ile Arg Arg Val Ala Ser Phe
 20 25 30
 His Leu Gly Ala Glu Asn Ser Arg Gln Leu Leu Thr Asp Lys Phe Asn
 35 40 45
 Leu His Leu Gln Tyr Cys Met Leu Gly Ile Ser Ala Tyr Phe
 50 55 60

<210> 1261
 <211> 243

1284

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (210)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (226)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1261

Gln	Glu	Arg	Pro	Gly	Asn	Phe	Tyr	Val	Ser	Ser	Glu	Ser	Ile	Arg	Lys
1				5					10					15	

Gly	Pro	Pro	Val	Arg	Pro	Trp	Arg	Asp	Arg	Pro	Gln	Ser	Ser	Ile	Tyr
			20				25						30		

Asp	Pro	Phe	Ala	Gly	Met	Lys	Thr	Pro	Gly	Gln	Arg	Gln	Leu	Ile	Thr
		35					40					45			

Leu	Gln	Glu	Gln	Val	Lys	Leu	Gly	Ile	Val	Asn	Val	Asp	Glu	Ala	Val
	50					55					60				

Leu	His	Phe	Lys	Glu	Trp	Gln	Leu	Asn	Gln	Lys	Xaa	Arg	Ser	Glu	Ser
65					70					75					80

Phe	Arg	Phe	Gln	Gln	Glu	Asn	Leu	Lys	Arg	Leu	Arg	Asp	Ser	Ile	Thr
			85						90					95	

Arg	Arg	Gln	Arg	Glu	Lys	Gln	Lys	Ser	Gly	Lys	Gln	Thr	Asp	Leu	Glu
		100							105					110	

Ile	Thr	Val	Pro	Ile	Arg	His	Ser	Gln	His	Leu	Pro	Ala	Lys	Val	Glu
		115					120					125			

Phe	Gly	Val	Tyr	Glu	Ser	Gly	Pro	Arg	Lys	Ser	Val	Ile	Pro	Pro	Arg
	130						135				140				

Thr	Glu	Leu	Arg	Arg	Gly	Asp	Trp	Lys	Thr	Asp	Ser	Thr	Ser	Ser	Thr
145					150					155					160

Ala	Ser	Ser	Thr	Ser	Asn	Arg	Ser	Ser	Thr	Arg	Ser	Leu	Leu	Ser	Val
				165					170					175	

1285

Ser Ser Gly Met Glu Gly Asp Asn Glu Asp Asn Glu Val Pro Glu Val
 180 185 190
 Thr Arg Ser Arg Ser Pro Gly Pro Pro Gln Val Asp Gly Thr Pro Thr
 195 200 205
 Met Xaa Leu Glu Arg Pro Pro Arg Val Pro Pro Arg Ala Ala Ser Gln
 210 215 220
 Arg Xaa Pro Thr Arg Glu Thr Phe His Pro Pro Pro Pro Val Pro Pro
 225 230 235 240
 Arg Gly Arg

<210> 1262
 <211> 75
 <212> PRT
 <213> Homo sapiens

<400> 1262
 Lys Tyr Val Arg Asn Asp Gln Asn Lys Arg Lys Phe Leu Phe Ser Cys
 1 5 10 15
 Lys Tyr Phe Ser Ser Val Ile Thr Leu Lys Tyr Lys Leu Lys Tyr Asn
 20 25 30
 Thr Pro Glu Cys Leu Arg His Asp Leu Asp Phe Lys Cys Val Val Phe
 35 40 45
 Ile Glu Lys Lys Leu Ser Thr His Leu Val Phe Gln Glu Asn Leu Lys
 50 55 60
 Arg Ser Gln Gly Lys Met Ile Cys Met Leu Lys
 65 70 75

<210> 1263
 <211> 475
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (249)
 <223> Xaa equals any of the naturally occurring L-amino acids

1286

<400> 1263

Arg Thr Gly Leu Gly Arg Asp Val Gly Ala Gly Ala Arg Arg Ala Ala
1 5 10 15

Arg Cys Arg Ala Glu Ala Ala Ala Ala Val Gly Thr Ala Arg Ser Pro
20 25 30

Ala Leu Gly Met Ala Leu Leu Val Leu Gly Leu Val Ser Cys Thr Phe
35 40 45

Phe Leu Ala Val Asn Gly Leu Tyr Ser Ser Ser Asp Asp Val Ile Glu
50 55 60

Leu Thr Pro Ser Asn Phe Asn Arg Glu Val Ile Gln Ser Asp Ser Leu
65 70 75 80

Trp Leu Val Glu Phe Tyr Ala Pro Trp Cys Gly His Cys Gln Arg Leu
85 90 95

Thr Pro Glu Trp Lys Lys Ala Ala Thr Ala Leu Lys Asp Val Val Lys
100 105 110

Val Gly Ala Val Asp Ala Asp Lys His His Ser Leu Gly Gly Gln Tyr
115 120 125

Gly Val Gln Gly Phe Pro Thr Ile Lys Ile Phe Gly Ser Asn Lys Asn
130 135 140

Arg Pro Glu Asp Tyr Gln Gly Gly Arg Thr Gly Glu Ala Ile Val Asp
145 150 155 160

Ala Ala Leu Ser Ala Leu Arg Gln Leu Val Lys Asp Arg Leu Gly Gly
165 170 175

Arg Ser Gly Gly Tyr Ser Ser Gly Lys Gln Gly Arg Ser Asp Ser Ser
180 185 190

Ser Lys Lys Asp Val Ile Glu Leu Thr Asp Asp Ser Phe Asp Lys Asn
195 200 205

Val Leu Asp Ser Glu Asp Val Trp Met Val Glu Phe Tyr Ala Pro Trp
210 215 220

Cys Gly His Cys Lys Asn Leu Glu Pro Glu Trp Ala Ala Ala Ala Ser
225 230 235 240

Glu Val Lys Glu Gln Thr Lys Gly Xaa Val Lys Leu Ala Ala Val Asp
245 250 255

Ala Thr Val Asn Gln Val Leu Ala Ser Arg Tyr Gly Ile Arg Gly Phe
260 265 270

1287

Pro Thr Ile Lys Ile Phe Gln Lys Gly Glu Ser Pro Val Asp Tyr Asp
275 280 285

Gly Gly Arg Thr Arg Ser Asp Ile Val Ser Arg Ala Leu Asp Leu Phe
290 295 300

Ser Asp Asn Ala Pro Pro Pro Glu Leu Leu Glu Ile Ile Asn Glu Asp
305 310 315 320

Ile Ala Lys Arg Thr Cys Glu Glu His Gln Leu Cys Val Val Ala Val
325 330 335

Leu Pro His Ile Leu Asp Thr Gly Ala Ala Gly Arg Asn Ser Tyr Leu
340 345 350

Glu Val Leu Leu Lys Leu Ala Asp Lys Tyr Lys Lys Lys Met Trp Gly
355 360 365

Trp Leu Trp Thr Glu Ala Gly Ala Gln Ser Glu Leu Glu Thr Ala Leu
370 375 380

Gly Ile Gly Gly Phe Gly Tyr Pro Ala Met Ala Ala Ile Asn Ala Arg
385 390 395 400

Lys Met Lys Phe Ala Leu Leu Lys Gly Ser Phe Ser Glu Gln Gly Ile
405 410 415

Asn Glu Phe Leu Arg Glu Leu Ser Phe Gly Arg Gly Ser Thr Ala Pro
420 425 430

Val Gly Gly Gly Ala Phe Pro Thr Ile Val Glu Arg Glu Pro Trp Asp
435 440 445

Gly Arg Asp Gly Glu Leu Pro Val Glu Asp Asp Ile Asp Leu Ser Asp
450 455 460

Val Glu Leu Asp Asp Leu Gly Lys Asp Glu Leu
465 470 475

<210> 1264

<211> 398

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

1288

<400> 1264

His Phe Glu Arg Thr Ser Ser Lys Arg Val Ser Arg Ser Leu Asp Gly
 1 5 10 15

Ala Pro Ile Gly Val Met Asp Gln Ser Leu Met Xaa Asp Phe Pro Gly
 20 25 30

Ala Ala Gly Glu Ile Ser Ala Tyr Gly Pro Gly Leu Val Ser Ile Ala
 35 40 45

Val Val Gln Asp Gly Asp Gly Arg Arg Glu Val Arg Ser Pro Thr Lys
 50 55 60

Ala Pro His Leu Gln Leu Ile Glu Gly Lys Ser Ser His Glu Thr Leu
 65 70 75 80

Asn Ile Val Glu Glu Lys Lys Arg Ala Glu Val Gly Lys Asp Glu Arg
 85 90 95

Val Ile Thr Glu Glu Met Asn Gly Lys Glu Ile Ser Pro Gly Ser Gly
 100 105 110

Pro Gly Glu Ile Arg Lys Val Glu Pro Val Thr Gln Lys Asp Ser Thr
 115 120 125

Ser Leu Ser Ser Glu Ser Ser Ser Ser Ser Ser Glu Ser Glu Glu Glu
 130 135 140

Asp Val Gly Glu Tyr Arg Pro His His Arg Val Thr Glu Gly Thr Ile
 145 150 155 160

Arg Glu Glu Gln Glu Tyr Glu Glu Glu Val Glu Glu Glu Pro Arg Pro
 165 170 175

Ala Ala Lys Val Val Glu Arg Glu Glu Ala Val Pro Glu Ala Ser Pro
 180 185 190

Val Thr Gln Ala Gly Ala Ser Val Ile Thr Val Glu Thr Val Ile Gln
 195 200 205

Glu Asn Val Gly Ala Gln Lys Ile Pro Gly Glu Lys Ser Val His Glu
 210 215 220

Gly Ala Leu Lys Gln Asp Met Gly Glu Glu Ala Glu Glu Glu Pro Gln
 225 230 235 240

Lys Val Asn Gly Glu Val Ser His Val Asp Ile Asp Val Leu Pro Gln
 245 250 255

Ile Ile Cys Cys Ser Glu Pro Pro Val Val Lys Thr Glu Met Val Thr

1289

260	265	270
Ile Ser Asp Ala Ser Gln Arg Thr Glu Ile Ser Thr Lys Glu Val Pro		
275	280	285
Ile Val Gln Thr Glu Thr Lys Thr Ile Thr Tyr Glu Ser Pro Gln Ile		
290	295	300
Asp Gly Gly Ala Gly Gly Asp Ser Gly Thr Leu Leu Thr Ala Gln Thr		
305	310	315
Ile Thr Ser Glu Ser Val Ser Thr Thr Thr Thr His Ile Thr Lys		
325	330	335
Thr Val Lys Gly Gly Ile Ser Glu Thr Arg Ile Glu Lys Arg Ile Val		
340	345	350
Ile Thr Gly Asp Gly Asp Ile Asp His Asp Gln Ala Leu Ala Gln Ala		
355	360	365
Ile Arg Glu Ala Arg Glu Gln His Pro Asp Met Ser Val Thr Arg Val		
370	375	380
Val Val His Lys Glu Thr Glu Leu Ala Glu Glu Gly Glu Asp		
385	390	395

<210> 1265

<211> 207

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1265

Trp Thr Gly Thr Gly Arg Gly Ala Val Ala Ile Met Ala Asp Pro Asp		
1	5	10
Pro Arg Tyr Pro Arg Ser Ser Ile Glu Asp Asp Phe Asn Tyr Gly Ser		
20	25	30
Ser Val Ala Ser Ala Thr Val His Ile Arg Met Ala Phe Leu Arg Lys		
35	40	45
Val Tyr Ser Ile Leu Ser Leu Gln Val Leu Leu Thr Thr Val Thr Ser		
50	55	60

1290

Thr Val Phe Leu Tyr Phe Glu Ser Val Arg Thr Phe Val His Glu Ser
 65 70 75 80
 Pro Ala Leu Ile Leu Leu Phe Ala Leu Gly Ser Leu Gly Leu Ile Phe
 85 90 95
 Ala Leu Xaa Leu Asn Arg His Lys Tyr Pro Leu Asn Leu Tyr Leu Leu
 100 105 110
 Phe Gly Phe Thr Leu Leu Glu Ala Leu Thr Val Ala Val Val Val Thr
 115 120 125
 Phe Tyr Asp Val Tyr Ile Ile Leu Gln Ala Phe Ile Leu Thr Thr Thr
 130 135 140
 Val Phe Phe Gly Leu Thr Val Tyr Thr Leu Gln Ser Lys Lys Asp Phe
 145 150 155 160
 Ser Lys Phe Gly Ala Gly Leu Phe Ala Leu Leu Trp Ile Leu Cys Leu
 165 170 175
 Ser Gly Phe Leu Lys Phe Phe Phe Tyr Ser Glu Ile Met Glu Leu Val
 180 185 190
 Leu Ala Ala Ala Gly Ala Leu Leu Phe Trp Gly Ile His His Leu
 195 200 205

<210> 1266

<211> 289

<212> PRT

<213> Homo sapiens

<400> 1266

Ser Arg Asp Pro Asn Gly Trp Trp Arg Arg Leu Arg Val Ser Ala Glu
 1 5 10 15
 Leu Ala Met Ala Gln Leu Cys Gly Leu Arg Arg Ser Arg Ala Phe Leu
 20 25 30
 Ala Leu Leu Gly Ser Leu Leu Leu Ser Gly Val Leu Ala Ala Asp Arg
 35 40 45
 Glu Arg Ser Ile His Asp Phe Cys Leu Val Ser Lys Val Val Gly Arg
 50 55 60
 Cys Arg Ala Ser Met Pro Arg Trp Trp Tyr Asn Val Thr Asp Gly Ser
 65 70 75 80
 Cys Gln Leu Phe Val Tyr Gly Gly Cys Asp Gly Asn Ser Asn Asn Tyr

1291

85										90					95				
Leu	Thr	Lys	Glu	Glu	Cys	Leu	Lys	Lys	Cys	Ala	Thr	Val	Thr	Glu	Asn				
			100					105					110						
Ala	Thr	Gly	Asp	Leu	Ala	Thr	Ser	Arg	Asn	Ala	Ala	Asp	Ser	Ser	Val				
		115					120					125							
Pro	Ser	Ala	Pro	Arg	Arg	Gln	Asp	Ser	Glu	Asp	His	Ser	Ser	Asp	Met				
		130				135					140								
Phe	Asn	Tyr	Glu	Glu	Tyr	Cys	Thr	Ala	Asn	Ala	Val	Thr	Gly	Pro	Cys				
145					150					155					160				
Arg	Ala	Ser	Phe	Pro	Arg	Trp	Tyr	Phe	Asp	Val	Glu	Arg	Asn	Ser	Cys				
				165					170					175					
Asn	Asn	Phe	Ile	Tyr	Gly	Gly	Cys	Arg	Gly	Asn	Lys	Asn	Ser	Tyr	Arg				
			180					185					190						
Ser	Glu	Glu	Ala	Cys	Met	Leu	Arg	Cys	Phe	Arg	Gln	Gln	Glu	Asn	Pro				
		195					200					205							
Pro	Leu	Pro	Leu	Gly	Ser	Lys	Val	Val	Val	Leu	Ala	Gly	Leu	Phe	Val				
		210				215						220							
Met	Val	Leu	Ile	Leu	Phe	Leu	Gly	Ala	Ser	Met	Val	Tyr	Leu	Ile	Arg				
225					230					235					240				
Val	Ala	Arg	Arg	Asn	Gln	Glu	Arg	Ala	Leu	Arg	Thr	Val	Trp	Ser	Ser				
				245					250					255					
Gly	Asp	Asp	Lys	Glu	Gln	Leu	Val	Lys	Asn	Thr	Tyr	Val	Leu	Cys	Arg				
			260					265					270						
Pro	Val	Ala	Lys	Arg	Thr	Gly	Glu	Gly	Arg	Gly	Asp	Met	Cys	Asp	Phe				
		275					280					285							

Phe

<210> 1267

<211> 284

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

1292

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1267

Arg Gly Arg Arg Xaa Xaa Ala Ser Leu Arg Gly Trp Pro Val Arg Arg
 1 5 10 15

Gly Met Gly Arg Val Gln Leu Phe Glu Ile Ser Leu Ser His Gly Arg
 20 25 30

Val Val Tyr Ser Pro Gly Glu Pro Leu Ala Gly Thr Val Arg Val Arg
 35 40 45

Leu Gly Ala Pro Leu Pro Phe Arg Ala Ile Arg Val Thr Cys Ile Gly
 50 55 60

Ser Cys Gly Val Ser Asn Lys Ala Asn Asp Thr Ala Trp Val Val Glu
 65 70 75 80

Glu Gly Tyr Phe Asn Ser Ser Leu Ser Leu Ala Asp Lys Gly Ser Leu
 85 90 95

Pro Ala Gly Glu His Ser Phe Pro Phe Gln Phe Leu Leu Pro Ala Thr
 100 105 110

Ala Pro Thr Ser Phe Glu Gly Pro Phe Gly Lys Ile Val His Gln Val
 115 120 125

Arg Ala Ala Ile His Thr Pro Arg Phe Ser Lys Asp His Lys Cys Ser
 130 135 140

Leu Val Phe Tyr Ile Leu Ser Pro Leu Asn Leu Asn Ser Ile Pro Asp
 145 150 155 160

Ile Glu Gln Pro Asn Val Ala Ser Ala Thr Lys Lys Phe Ser Tyr Lys
 165 170 175

Leu Val Lys Thr Gly Ser Val Val Leu Thr Ala Ser Thr Asp Leu Arg
 180 185 190

Gly Tyr Val Val Gly Gln Ala Leu Gln Leu His Ala Asp Val Glu Asn
 195 200 205

Gln Ser Gly Lys Asp Thr Ser Pro Val Val Ala Ser Leu Leu Gln Lys
 210 215 220

Val Ser Tyr Lys Ala Lys Arg Trp Ile His Asp Val Arg Thr Ile Ala

1293

225 230 235 240
 Glu Val Glu Gly Ala Gly Val Lys Ala Trp Arg Arg Ala Gln Trp His
 245 250 255
 Glu Gln Ile Leu Val Pro Ala Leu Pro Gln Ser Ala Leu Pro Ala Ala
 260 265 270
 Ala Ser Ser Thr Ser Thr Thr Thr Tyr Arg Ser Leu
 275 280

<210> 1268

<211> 254

<212> PRT

<213> Homo sapiens

<400> 1268

Val Trp Leu Arg Val Glu Asn Val Cys Gln Gly Pro Gly Gln Glu Gly
 1 5 10 15
 Gly Pro Pro Val Thr Met Val Ser Met Ser Phe Lys Arg Asn Arg Ser
 20 25 30
 Asp Arg Phe Tyr Ser Thr Arg Cys Cys Gly Cys Cys His Val Arg Thr
 35 40 45
 Gly Thr Ile Ile Leu Gly Thr Trp Tyr Met Val Val Asn Leu Leu Met
 50 55 60
 Ala Ile Leu Leu Thr Val Glu Val Thr His Pro Asn Ser Met Pro Ala
 65 70 75 80
 Val Asn Ile Gln Tyr Glu Val Ile Gly Asn Tyr Tyr Ser Ser Glu Arg
 85 90 95
 Met Ala Asp Asn Ala Cys Val Leu Phe Ala Val Ser Val Leu Met Phe
 100 105 110
 Ile Ile Ser Ser Met Leu Val Tyr Gly Ala Ile Ser Tyr Gln Val Gly
 115 120 125
 Trp Leu Ile Pro Phe Phe Cys Tyr Arg Leu Phe Asp Phe Val Leu Ser
 130 135 140
 Cys Leu Val Ala Ile Ser Ser Leu Thr Tyr Leu Pro Arg Ile Lys Glu
 145 150 155 160
 Tyr Leu Asp Gln Leu Pro Asp Phe Pro Tyr Lys Asp Asp Leu Leu Ala
 165 170 175

1294

Leu Asp Ser Ser Cys Leu Leu Phe Ile Val Leu Val Phe Phe Ala Leu
 180 185 190

Phe Ile Ile Phe Lys Ala Tyr Leu Ile Asn Cys Val Trp Asn Cys Tyr
 195 200 205

Lys Tyr Ile Asn Asn Arg Asn Val Pro Glu Ile Ala Val Tyr Pro Ala
 210 215 220

Phe Glu Ala Pro Pro Gln Tyr Val Leu Pro Thr Tyr Glu Met Ala Val
 225 230 235 240

Lys Met Pro Glu Lys Glu Pro Pro Pro Pro Tyr Leu Pro Ala
 245 250

<210> 1269

<211> 67

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1269

Lys Ser Ile Leu Val Ile Arg Val Tyr Phe Phe Tyr Arg Thr Arg Trp
 1 5 10 15

Xaa Gly Gly Glu Pro Phe Thr Leu Leu Val Lys Leu Asn His Arg Lys
 20 25 30

Phe Thr Ile Cys Leu Ser Gln Thr Leu Ala Val Arg Gly Met Val Ala

1295

35	40	45
Xaa Ala Cys Xaa Xaa Pro Ala Cys Trp Gly Gly Pro Ser Trp Gly Gly		
50	55	60

Leu Pro Glu
65

<210> 1270

<211> 164

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (138)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (152)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (164)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1270

1296

Gly Ser Pro Gly Thr Xaa Arg Ile Pro Xaa Thr Arg Xaa Glu Thr Cys
 1 5 10 15
 Phe Asp Lys Tyr Thr Gly Asn Thr Tyr Arg Val Gly Asp Thr Tyr Glu
 20 25 30
 Arg Pro Lys Asp Ser Met Ile Trp Asp Cys Thr Cys Ile Gly Ala Gly
 35 40 45
 Arg Gly Arg Ile Ser Cys Thr Ile Ala Asn Arg Cys His Glu Gly Gly
 50 55 60
 Gln Ser Tyr Lys Ile Gly Asp Thr Trp Arg Arg Pro His Glu Thr Gly
 65 70 75 80
 Gly Tyr Met Leu Glu Cys Val Cys Leu Gly Asn Gly Lys Gly Glu Trp
 85 90 95
 Thr Cys Lys Pro Ile Ala Glu Lys Cys Phe Asp His Ala Ala Gly Thr
 100 105 110
 Ser Tyr Val Val Gly Glu Thr Trp Glu Lys Pro Tyr Gln Gly Trp Met
 115 120 125
 Met Val Asp Cys Thr Cys Leu Gly Glu Xaa Ser Gly Arg Ile Thr Cys
 130 135 140
 Thr Ser Arg Asn Arg Cys Asn Xaa Gln Asp Thr Arg Thr Ser Ile Glu
 145 150 155 160
 Xaa Glu Thr Xaa

<210> 1271

<211> 363

<212> PRT

<213> Homo sapiens

<400> 1271

Ala Arg Gly Ser Glu Cys Gly Gln Arg Ala Glu Ala Val Ser His Arg
 1 5 10 15
 Arg Arg Arg Arg Ala Gln Ala Ser Ser Phe Gly Trp Gly Ala Ala Glu
 20 25 30
 Leu Thr Ser Asp Ile Ser Ala Pro Phe Thr Arg Arg Asn Pro Gly Ala
 35 40 45
 Gly Ala Arg Ser Ala Gly Val Thr Met Thr Lys Ala Gly Ser Lys Gly

1297

50	55	60
Gly Asn Leu Arg Asp Lys Leu Asp Gly Asn Glu Leu Asp Leu Ser Leu		
65	70	75 80
Ser Asp Leu Asn Glu Val Pro Val Lys Glu Leu Ala Ala Leu Pro Lys		
	85	90 95
Ala Thr Ile Leu Asp Leu Ser Cys Asn Lys Leu Thr Thr Leu Pro Ser		
	100	105 110
Asp Phe Cys Gly Leu Thr His Leu Val Lys Leu Asp Leu Ser Lys Asn		
	115	120 125
Lys Leu Gln Gln Leu Pro Ala Asp Phe Gly Arg Leu Val Asn Leu Gln		
	130	135 140
His Leu Asp Leu Leu Asn Asn Lys Leu Val Thr Leu Pro Val Ser Phe		
	145	150 155 160
Ala Gln Leu Lys Asn Leu Lys Trp Leu Asp Leu Lys Asp Asn Pro Leu		
	165	170 175
Asp Pro Val Leu Ala Lys Val Ala Gly Asp Cys Leu Asp Glu Lys Gln		
	180	185 190
Cys Lys Gln Cys Ala Asn Lys Val Leu Gln His Met Lys Ala Val Gln		
	195	200 205
Ala Asp Gln Glu Arg Glu Arg Gln Arg Arg Leu Glu Val Glu Arg Glu		
	210	215 220
Ala Glu Lys Lys Arg Glu Ala Lys Gln Arg Ala Lys Glu Ala Gln Glu		
	225	230 235 240
Arg Glu Leu Arg Lys Arg Glu Lys Ala Glu Glu Lys Glu Arg Arg Arg		
	245	250 255
Lys Glu Tyr Asp Ala Leu Lys Ala Ala Lys Arg Glu Gln Glu Lys Lys		
	260	265 270
Pro Lys Lys Glu Ala Asn Gln Ala Pro Lys Ser Lys Ser Gly Ser Arg		
	275	280 285
Pro Arg Lys Pro Pro Pro Arg Lys His Thr Arg Ser Trp Ala Val Leu		
	290	295 300
Lys Leu Leu Leu Leu Leu Leu Phe Gly Val Ala Gly Gly Leu Val		
	305	310 315 320
Ala Cys Arg Val Thr Glu Leu Gln Gln Gln Pro Leu Cys Thr Ser Val		

1298

	325		330		335
Asn Thr Ile Tyr Asp Asn Ala Val Gln Gly Leu Arg Arg His Glu Ile					
	340		345		350
Leu Gln Trp Val Leu Gln Thr Asp Ser Gln Gln					
	355		360		

<210> 1272

<211> 144

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (116)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (124)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1272

Gly Leu Val Met Ala Pro Ile Ala Cys Leu Leu Pro Ala Phe Ser Ser
1 5 10 15

Ala Pro Glu Ala Met His Pro Trp Glu Leu Phe Val Lys Tyr Tyr His
20 25 30

Ala Lys Asn Gly Arg Ala Tyr Val Glu Ser Pro Ala Arg Lys Leu Ser
35 40 45

Gln Ser Phe Ala Leu Pro Val Thr Gly Gly Thr Val Val Thr Pro Lys
50 55 60

Gln Ser Leu Leu Thr Ala Ile His Met Val Leu Thr Glu His Asp Pro
65 70 75 80

Phe Lys Arg Ser Ala Asp Ser Glu Leu Lys Ala Leu Val Cys Met Ala
85 90 95

Leu Asn Glu Pro Ala Ser Gly Val Leu Gly Glu Pro His Leu Gln Xaa
100 105 110

1299

Arg Val Thr Xaa Arg Ala Ser Leu Pro Ala Leu Xaa Leu His Gly Thr
 115 120 125

His Arg Leu Leu Lys Ile Ala Ser Thr Cys Ser Val Ala Ser Thr Thr
 130 135 140

<210> 1273

<211> 252

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1273

Ala Arg Ala Pro Pro Arg Pro Arg Arg Ala Gly Arg Cys Gln Leu Pro
 1 5 10 15

Gln Arg Pro Ala Glu Ala Arg Cys Met Leu Ser Arg Cys Arg Ser Xaa
 20 25 30

Leu Leu His Val Leu Gly Leu Ser Phe Leu Leu Gln Thr Arg Arg Pro
 35 40 45

Ile Leu Leu Cys Ser Pro Arg Leu Met Lys Pro Leu Val Val Phe Val
 50 55 60

Leu Gly Gly Pro Gly Ala Gly Lys Gly Thr Gln Cys Ala Arg Ile Val
 65 70 75 80

Glu Lys Tyr Gly Tyr Thr His Leu Ser Ala Gly Glu Leu Leu Arg Asp
 85 90 95

Glu Arg Lys Asn Pro Asp Ser Gln Tyr Gly Glu Leu Ile Glu Lys Tyr
 100 105 110

Ile Lys Glu Gly Lys Ile Val Pro Val Glu Ile Thr Ile Ser Leu Leu
 115 120 125

Lys Arg Glu Met Asp Gln Thr Met Ala Ala Asn Ala Gln Lys Asn Lys
 130 135 140

Phe Leu Ile Asp Gly Phe Pro Arg Asn Gln Asp Asn Leu Gln Gly Trp

1300

```

145              150              155              160
Asn Lys Thr Met Asp Gly Lys Ala Asp Val Ser Phe Val Leu Phe Phe
              165              170              175
Asp Cys Asn Asn Glu Ile Cys Ile Glu Arg Cys Leu Glu Arg Gly Lys
              180              185              190
Ser Ser Gly Arg Ser Asp Asp Asn Arg Glu Ser Leu Glu Lys Arg Ile
              195              200              205
Gln Thr Tyr Leu Gln Ser Thr Lys Pro Ile Ile Asp Leu Tyr Glu Glu
              210              215              220
Met Gly Lys Val Lys Lys Ile Asp Ala Ser Lys Ser Val Asp Glu Val
225              230              235              240
Phe Asp Glu Val Val Gln Ile Phe Asp Lys Glu Gly
              245              250

```

<210> 1274

<211> 425

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1274

```

Ala Ser Glu Arg Ser Glu Ala Arg Arg Lys Leu Arg Glu Cys Asp Gly
  1              5              10              15
Leu Val Asp Ala Leu Ile Phe Ile Val Gln Ala Glu Ile Gly Gln Lys
              20              25              30
Asp Ser Xaa Ser Lys Leu Val Glu Asn Cys Val Cys Leu Leu Arg Asn
              35              40              45
Leu Ser Tyr Gln Val His Arg Glu Ile Pro Gln Ala Glu Arg Tyr Gln
              50              55              60
Glu Ala Ala Pro Asn Val Ala Asn Asn Thr Gly Pro His Ala Ala Ser
              65              70              75              80
Cys Phe Gly Ala Lys Lys Gly Lys Gly Lys Lys Pro Ile Glu Asp Pro
              85              90              95

```

1301

Ala Asn Asp Thr Val Asp Phe Pro Lys Arg Thr Ser Pro Ala Arg Gly
 100 105 110

Tyr Glu Leu Leu Phe Gln Pro Glu Val Val Arg Ile Tyr Ile Ser Leu
 115 120 125

Leu Lys Glu Ser Lys Thr Pro Ala Ile Leu Glu Ala Ser Ala Gly Ala
 130 135 140

Ile Gln Asn Leu Cys Ala Gly Arg Trp Thr Tyr Gly Arg Tyr Ile Arg
 145 150 155 160

Ser Ala Leu Arg Gln Glu Lys Ala Leu Ser Ala Ile Ala Asp Leu Leu
 165 170 175

Thr Asn Glu His Glu Arg Val Val Lys Ala Ala Ser Gly Ala Leu Arg
 180 185 190

Asn Leu Ala Val Asp Ala Arg Asn Lys Glu Leu Ile Gly Lys His Ala
 195 200 205

Ile Pro Asn Leu Val Lys Asn Leu Pro Gly Gly Gln Gln Asn Ser Ser
 210 215 220

Trp Asn Phe Ser Glu Asp Thr Val Ile Ser Ile Leu Asn Thr Ile Asn
 225 230 235 240

Glu Val Ile Ala Glu Asn Leu Glu Ala Ala Lys Lys Leu Arg Glu Thr
 245 250 255

Gln Gly Ile Glu Lys Leu Val Leu Ile Asn Lys Ser Gly Asn Arg Ser
 260 265 270

Glu Lys Glu Val Arg Ala Ala Ala Leu Val Leu Gln Thr Ile Trp Gly
 275 280 285

Tyr Lys Glu Leu Arg Lys Pro Leu Glu Lys Glu Gly Trp Lys Lys Ser
 290 295 300

Asp Phe Gln Val Asn Leu Asn Asn Ala Ser Arg Ser Gln Ser Ser His
 305 310 315 320

Ser Tyr Asp Asp Ser Thr Leu Pro Leu Ile Asp Arg Asn Gln Lys Ser
 325 330 335

Asp Lys Lys Pro Asp Arg Glu Glu Ile Gln Met Ser Asn Met Gly Ser
 340 345 350

Asn Thr Lys Ser Leu Asp Asn Asn Tyr Ser Thr Pro Asn Glu Arg Gly
 355 360 365

1302

Asp His Asn Arg Thr Leu Asp Arg Ser Gly Asp Leu Gly Asp Met Glu
 370 375 380

Pro Leu Lys Gly Thr Thr Pro Leu Met Gln Asp Glu Gly Gln Glu Ser
 385 390 395 400

Leu Glu Glu Glu Leu Asp Val Leu Val Leu Asp Asp Glu Gly Gly Gln
 405 410 415

Val Ser Tyr Pro Ser Met Gln Lys Ile
 420 425

<210> 1275

<211> 111

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1275

Phe Phe Phe Ser Ser Leu Phe Ser Leu Xaa Phe Leu Lys Lys Gly Lys
 1 5 10 15

Lys Cys Ile Arg Thr Pro Lys Ile Ser Lys Pro Ile Lys Phe Glu Leu
 20 25 30

Ser Gly Cys Thr Ser Met Lys Thr Tyr Arg Ala Lys Phe Cys Gly Val
 35 40 45

Cys Thr Asp Gly Arg Cys Cys Thr Pro His Arg Thr Thr Thr Leu Pro
 50 55 60

Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met Lys Lys Asn Met Met
 65 70 75 80

Phe Ile Lys Thr Cys Ala Cys His Tyr Asn Cys Pro Gly Asp Asn Asp
 85 90 95

Ile Phe Glu Ser Leu Tyr Tyr Arg Lys Met Tyr Gly Asp Met Ala
 100 105 110

<210> 1276

<211> 766

<212> PRT

1303

<213> Homo sapiens

<400> 1276

Gly Asp Phe Ile Met Leu Arg Ala Gly Arg Arg Ala Pro Leu Pro Ser
 1 5 10 15
 Pro Pro Ser Leu Asp Ser Pro Gly Pro Gln Leu Met Pro Ser Pro Arg
 20 25 30
 Pro Val Leu Leu Arg Gly Ala Arg Ala Ala Leu Leu Leu Leu Pro
 35 40 45
 Pro Arg Leu Leu Ala Arg Pro Ser Leu Leu Leu Arg Arg Ser Leu Ser
 50 55 60
 Ala Ala Ser Cys Ala Pro Ile Ser Leu Pro Ala Ala Ala Ser Arg Ser
 65 70 75 80
 Ser Met Asp Gly Ala Gly Ala Glu Glu Val Leu Ala Pro Leu Arg Leu
 85 90 95
 Ala Val Arg Gln Gln Gly Asp Leu Val Arg Lys Leu Lys Glu Asp Lys
 100 105 110
 Ala Pro Gln Val Asp Val Asp Lys Ala Val Ala Glu Leu Lys Ala Arg
 115 120 125
 Lys Arg Val Leu Glu Ala Lys Glu Leu Ala Leu Gln Pro Lys Asp Asp
 130 135 140
 Ile Val Asp Arg Ala Lys Met Glu Asp Thr Leu Lys Arg Arg Phe Phe
 145 150 155 160
 Tyr Asp Gln Ala Phe Ala Ile Tyr Gly Gly Val Ser Gly Leu Tyr Asp
 165 170 175
 Phe Gly Pro Val Gly Cys Ala Leu Lys Asn Asn Ile Ile Gln Thr Trp
 180 185 190
 Arg Gln His Phe Ile Gln Glu Glu Gln Ile Leu Glu Ile Asp Cys Thr
 195 200 205
 Met Leu Thr Pro Glu Pro Val Leu Lys Thr Ser Gly His Val Asp Lys
 210 215 220
 Phe Ala Asp Phe Met Val Lys Asp Val Lys Asn Gly Glu Cys Phe Arg
 225 230 235 240
 Ala Asp His Leu Leu Lys Ala His Leu Gln Lys Leu Met Ser Asp Lys
 245 250 255

1304

Lys Cys Ser Val Glu Lys Lys Ser Glu Met Glu Ser Val Leu Ala Gln
 260 265 270

Leu Asp Asn Tyr Gly Gln Gln Glu Leu Ala Asp Leu Phe Val Asn Tyr
 275 280 285

Asn Val Lys Ser Pro Ile Thr Gly Asn Asp Leu Ser Pro Pro Val Ser
 290 295 300

Phe Asn Leu Met Phe Lys Thr Phe Ile Gly Pro Gly Gly Asn Met Pro
 305 310 315 320

Gly Tyr Leu Arg Pro Glu Thr Ala Gln Gly Ile Phe Leu Asn Phe Lys
 325 330 335

Arg Leu Leu Glu Phe Asn Gln Gly Lys Leu Pro Phe Ala Ala Ala Gln
 340 345 350

Ile Gly Asn Ser Phe Arg Asn Glu Ile Ser Pro Arg Ser Gly Leu Ile
 355 360 365

Arg Val Arg Glu Phe Thr Met Ala Glu Ile Glu His Phe Val Asp Pro
 370 375 380

Ser Glu Lys Asp His Pro Lys Phe Gln Asn Val Ala Asp Leu His Leu
 385 390 395 400

Tyr Leu Tyr Ser Ala Lys Ala Gln Val Ser Gly Gln Ser Ala Arg Lys
 405 410 415

Met Arg Leu Gly Asp Ala Val Glu Gln Gly Val Ile Asn Asn Thr Val
 420 425 430

Leu Gly Tyr Phe Ile Gly Arg Ile Tyr Leu Tyr Leu Thr Lys Val Gly
 435 440 445

Ile Ser Pro Asp Lys Leu Arg Phe Arg Gln His Met Glu Asn Glu Met
 450 455 460

Ala His Tyr Ala Cys Asp Cys Trp Asp Ala Glu Ser Lys Thr Ser Tyr
 465 470 475 480

Gly Trp Ile Glu Ile Val Gly Cys Ala Asp Arg Ser Cys Tyr Asp Leu
 485 490 495

Ser Cys His Ala Arg Ala Thr Lys Val Pro Leu Val Ala Glu Lys Pro
 500 505 510

Leu Lys Glu Pro Lys Thr Val Asn Val Val Gln Phe Glu Pro Ser Lys
 515 520 525

1305

Gly Ala Ile Gly Lys Ala Tyr Lys Lys Asp Ala Lys Leu Val Met Glu
 530 535 540
 Tyr Leu Ala Ile Cys Asp Glu Cys Tyr Ile Thr Glu Met Glu Met Leu
 545 550 555 560
 Leu Asn Glu Lys Gly Glu Phe Thr Ile Glu Thr Glu Gly Lys Thr Phe
 565 570 575
 Gln Leu Thr Lys Asp Met Ile Asn Val Lys Arg Phe Gln Lys Thr Leu
 580 585 590
 Tyr Val Glu Glu Val Val Pro Asn Val Ile Glu Pro Ser Phe Gly Leu
 595 600 605
 Gly Arg Ile Met Tyr Thr Val Phe Glu His Thr Phe His Val Arg Glu
 610 615 620
 Gly Asp Glu Gln Arg Thr Phe Phe Ser Phe Pro Ala Val Val Ala Pro
 625 630 635 640
 Phe Lys Cys Ser Val Leu Pro Leu Ser Gln Asn Gln Glu Phe Met Pro
 645 650 655
 Phe Val Lys Glu Leu Ser Glu Ala Leu Thr Arg His Gly Val Ser His
 660 665 670
 Lys Val Asp Asp Ser Ser Gly Ser Ile Gly Arg Arg Tyr Ala Arg Thr
 675 680 685
 Asp Glu Ile Gly Val Ala Phe Gly Val Thr Ile Asp Phe Asp Thr Val
 690 695 700
 Asn Lys Thr Pro His Thr Ala Thr Leu Arg Asp Arg Asp Ser Met Arg
 705 710 715 720
 Gln Ile Arg Ala Glu Ile Ser Glu Leu Pro Ser Ile Val Gln Asp Leu
 725 730 735
 Ala Asn Gly Asn Ile Thr Trp Ala Asp Val Glu Ala Arg Tyr Pro Leu
 740 745 750
 Phe Glu Gly Gln Glu Thr Gly Lys Lys Glu Thr Ile Glu Glu
 755 760 765

<210> 1277

<211> 386

<212> PRT

<213> Homo sapiens

1306

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1277

Leu Gly Ser Arg Gln Ala Ala Gly Thr Met Arg Gly Gln Arg Ser Leu
 1 5 10 15

Leu Leu Gly Pro Ala Arg Leu Cys Leu Arg Leu Leu Leu Leu Gly
 20 25 30

Tyr Arg Arg Arg Cys Pro Pro Leu Leu Arg Gly Leu Val Gln Arg Trp
 35 40 45

Arg Tyr Gly Lys Val Cys Leu Arg Ser Leu Leu Tyr Asn Ser Phe Gly
 50 55 60

Gly Ser Asp Thr Ala Val Asp Ala Ala Phe Xaa Pro Val Tyr Trp Leu
 65 70 75 80

Val Asp Asn Val Ile Arg Trp Phe Gly Val Val Phe Val Val Leu Val
 85 90 95

Ile Val Leu Thr Gly Ser Ile Val Ala Ile Ala Tyr Leu Cys Val Leu
 100 105 110

Pro Leu Ile Leu Arg Thr Tyr Ser Val Pro Arg Leu Cys Trp His Phe
 115 120 125

Phe Tyr Ser His Trp Asn Leu Ile Leu Ile Val Phe His Tyr Tyr Gln
 130 135 140

Ala Ile Thr Thr Pro Pro Gly Tyr Pro Pro Gln Gly Arg Asn Asp Ile
 145 150 155 160

Ala Thr Val Ser Ile Cys Lys Lys Cys Ile Tyr Pro Lys Pro Ala Arg
 165 170 175

Thr His His Cys Ser Ile Cys Asn Arg Cys Val Leu Lys Met Asp His
 180 185 190

His Cys Pro Trp Leu Asn Asn Cys Val Gly His Tyr Asn His Arg Tyr
 195 200 205

Phe Phe Ser Phe Cys Phe Phe Met Thr Leu Gly Cys Val Tyr Cys Ser
 210 215 220

Tyr Gly Ser Trp Asp Leu Phe Arg Glu Ala Tyr Ala Ala Ile Glu Lys
 225 230 235 240

1307

Met Lys Gln Leu Asp Lys Asn Lys Leu Gln Ala Val Ala Asn Gln Thr
 245 250 255

Tyr His Gln Thr Pro Pro Pro Thr Phe Ser Phe Arg Glu Arg Met Thr
 260 265 270

His Lys Ser Leu Val Tyr Leu Trp Phe Leu Cys Ser Ser Val Ala Leu
 275 280 285

Ala Leu Gly Ala Leu Thr Val Trp His Ala Val Leu Ile Ser Arg Gly
 290 295 300

Glu Thr Ser Ile Glu Arg His Ile Asn Lys Lys Glu Arg Arg Arg Leu
 305 310 315 320

Gln Ala Lys Gly Arg Val Phe Arg Asn Pro Tyr Asn Tyr Gly Cys Leu
 325 330 335

Asp Asn Trp Lys Val Phe Leu Gly Val Asp Thr Gly Arg His Trp Leu
 340 345 350

Thr Arg Val Leu Leu Pro Ser Ser His Leu Pro His Gly Asn Gly Met
 355 360 365

Ser Trp Glu Pro Pro Pro Trp Val Thr Ala His Ser Ala Ser Val Met
 370 375 380

Ala Val
 385

<210> 1278

<211> 164

<212> PRT

<213> Homo sapiens

<400> 1278

Val Lys Ala Ser Ala Glu Thr Pro Arg Pro Gln Pro Val Asp Lys Leu
 1 5 10 15

Glu Lys Ile Leu Glu Lys Leu Leu Thr Arg Phe Pro Gln Cys Asn Lys
 20 25 30

Ala Gln Met Thr Asn Ile Leu Gln Gln Ile Lys Thr Ala Arg Thr Thr
 35 40 45

Met Ala Gly Leu Thr Met Glu Glu Leu Ile Gln Leu Val Ala Ala Arg
 50 55 60

1308

Leu Ala Glu His Glu Arg Val Ala Ala Ser Thr Gln Pro Leu Gly Arg
 65 70 75 80
 Ile Arg Ala Leu Phe Pro Ala Pro Leu Ala Gln Ile Ser Thr Pro Met
 85 90 95
 Phe Leu Pro Ser Ala Gln Val Ser Tyr Pro Gly Arg Ser Ser His Ala
 100 105 110
 Pro Ala Thr Cys Lys Leu Cys Leu Met Cys Gln Lys Leu Val Gln Pro
 115 120 125
 Ser Glu Leu His Pro Met Ala Cys Thr His Val Leu His Lys Glu Cys
 130 135 140
 Ile Lys Phe Trp Ala Gln Thr Asn Thr Asn Asp Thr Cys Pro Phe Cys
 145 150 155 160
 Pro Thr Leu Lys

<210> 1279

<211> 469

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1279

Pro Val Ala Val Gly Arg Val Arg Val Thr Ala Glu Gly Arg Xaa Met
 1 5 10 15
 Val Leu Gln Thr Thr Lys Gly Leu Arg Leu Leu Phe Asp Gly Asp Ala
 20 25 30
 His Leu Leu Met Ser Ile Pro Ser Pro Phe Arg Gly Arg Leu Cys Gly
 35 40 45
 Leu Cys Gly Asn Phe Asn Gly Asn Trp Ser Asp Asp Phe Val Leu Pro
 50 55 60

1309

Asn Gly Ser Ala Ala Ser Ser Val Glu Thr Phe Gly Ala Ala Trp Arg
 65 70 75 80

Xaa Pro Gly Ser Ser Lys Gly Cys Gly Glu Gly Cys Gly Pro Gln Gly
 85 90 95

Cys Pro Val Cys Leu Ala Glu Glu Thr Ala Pro Tyr Glu Ser Asn Glu
 100 105 110

Ala Cys Gly Gln Leu Arg Asn Pro Gln Gly Pro Phe Ala Thr Cys Gln
 115 120 125

Ala Val Leu Ser Pro Ser Glu Tyr Phe Arg Gln Cys Val Tyr Asp Leu
 130 135 140

Cys Ala Gln Lys Gly Asp Lys Ala Phe Leu Cys Arg Ser Leu Ala Ala
 145 150 155 160

Tyr Thr Ala Ala Cys Gln Ala Ala Gly Val Ala Val Lys Pro Trp Arg
 165 170 175

Thr Asp Ser Phe Cys Pro Leu His Cys Pro Ala His Ser His Tyr Ser
 180 185 190

Ile Cys Thr Arg Thr Cys Gln Gly Ser Cys Ala Ala Leu Ser Gly Leu
 195 200 205

Thr Gly Cys Thr Thr Arg Cys Phe Glu Gly Cys Glu Cys Asp Asp Arg
 210 215 220

Phe Leu Leu Ser Gln Gly Val Cys Ile Pro Val Gln Asp Cys Gly Cys
 225 230 235 240

Thr His Asn Gly Arg Tyr Leu Pro Val Asn Ser Ser Leu Leu Thr Ser
 245 250 255

Asp Cys Ser Glu Arg Cys Ser Cys Ser Ser Ser Ser Gly Leu Thr Cys
 260 265 270

Gln Ala Ala Gly Cys Pro Pro Gly Arg Val Cys Glu Val Lys Ala Glu
 275 280 285

Ala Arg Asn Cys Trp Ala Thr Arg Gly Leu Cys Val Leu Ser Val Gly
 290 295 300

Ala Asn Leu Thr Thr Phe Asp Gly Ala Arg Gly Ala Thr Thr Ser Pro
 305 310 315 320

Gly Val Tyr Glu Leu Ser Ser Arg Cys Pro Gly Leu Gln Asn Thr Ile
 325 330 335

1310

Pro Trp Tyr Arg Val Val Ala Glu Val Gln Ile Cys His Gly Lys Thr
 340 345 350
 Glu Ala Val Gly Gln Val His Ile Phe Phe Gln Asp Gly Met Val Thr
 355 360 365
 Leu Thr Pro Asn Lys Gly Val Trp Val Asn Gly Leu Arg Val Asp Leu
 370 375 380
 Pro Ala Glu Lys Leu Ala Ser Val Ser Val Ser Arg Thr Pro Asp Gly
 385 390 395 400
 Ser Leu Leu Val Arg Gln Lys Ala Gly Val Gln Val Trp Leu Gly Ala
 405 410 415
 Asn Gly Lys Val Ala Val Ile Val Ser Asn Asp His Ala Gly Lys Leu
 420 425 430
 Cys Gly Ala Cys Gly Asn Phe Asp Gly Asp Gln Thr Asn Asp Trp His
 435 440 445
 Asp Ser Gln Glu Lys Pro Ala Met Glu Lys Trp Arg Ala Gln Asp Phe
 450 455 460
 Ser Pro Cys Tyr Gly
 465

<210> 1280

<211> 223

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (216)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (217)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1280

Gly Pro Arg Ala Leu Trp Pro Pro Pro Glu Val Gly Trp Gly Cys Ser
 1 5 10 15

Pro Asn Pro Thr Leu Leu Pro Pro Leu Ser His Phe Pro Leu Leu Arg
 20 25 30

1311

Trp Gly Thr Asn Asn Lys Glu Leu Thr Leu Pro Ala Pro Asn Pro Pro
 35 40 45
 Pro Ala Pro Pro Cys Pro Pro Arg Phe Trp Phe His Phe Ser Ser Val
 50 55 60
 His Lys Leu Pro Leu Asp Ser Cys Val Val Phe Cys Ser Met Phe His
 65 70 75 80
 Ser Ser Thr Ser Val Ile Ala Ala Ala Thr Ser Ala Lys Cys Ser Ser
 85 90 95
 Ser Leu Pro Pro Val Leu Pro Thr Ile Pro Ser Pro Lys Ile Leu Phe
 100 105 110
 Val Gly Lys Arg Gly Trp Gly Met Ala Gly Trp Val Thr Asp Tyr Pro
 115 120 125
 Ser Pro Arg Glu Gly Gly Ala Leu Pro Leu Gly Cys Cys Ser Arg Val
 130 135 140
 Ser Lys Gly Ala Arg Ile Asp His Lys Gly Cys Arg Gly His Leu Leu
 145 150 155 160
 Pro Leu Phe Cys Trp Gly Gly Val Ala Met Ile Cys Pro Ser Leu Gly
 165 170 175
 Leu Pro Leu Trp Phe Pro Ile Cys Ser Tyr Leu Asn Lys Lys Asn Ile
 180 185 190
 Leu Phe Trp Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
 195 200 205
 Lys Lys Lys Lys Lys Lys Lys Xaa Xaa Gly Gly Ala Pro Pro Pro
 210 215 220

<210> 1281

<211> 37

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1281

Thr Gln Ser Lys Trp Arg Leu Glu Val Gln Cys Gly Lys Glu Lys Gln
 1 5 10 15

1312

Val Phe Ile Glu Ser Thr Asn Ser Thr Pro Phe Lys Asn Phe Xaa Gly
 20 25 30

Thr Gln Pro Lys Gly
 35

<210> 1282

<211> 458

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (249)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1282

Gly Pro Gln Arg Leu Ser Pro Gly Ala Met Leu Pro Ala Ala Thr Ala
 1 5 10 15

Ser Leu Leu Gly Pro Leu Leu Thr Ala Cys Ala Leu Leu Pro Phe Ala
 20 25 30

Gln Gly Gln Thr Pro Asn Tyr Thr Arg Pro Val Phe Leu Cys Gly Gly
 35 40 45

Asp Val Lys Gly Glu Ser Gly Tyr Val Ala Ser Glu Gly Phe Pro Asn
 50 55 60

Leu Tyr Pro Pro Asn Lys Glu Cys Ile Trp Thr Ile Thr Val Pro Glu
 65 70 75 80

Gly Gln Thr Val Ser Leu Ser Phe Arg Val Phe Asp Leu Glu Leu His
 85 90 95

Pro Ala Cys Arg Tyr Asp Ala Leu Glu Val Phe Ala Gly Ser Gly Thr
 100 105 110

Ser Gly Gln Arg Leu Gly Arg Phe Cys Gly Thr Phe Arg Pro Ala Pro
 115 120 125

Leu Val Ala Pro Gly Asn Gln Val Thr Leu Arg Met Thr Thr Asp Glu
 130 135 140

Gly Thr Gly Gly Arg Gly Phe Leu Leu Trp Tyr Ser Gly Arg Ala Thr
 145 150 155 160

Ser Gly Thr Glu His Gln Phe Cys Gly Gly Arg Leu Glu Lys Ala Gln

1313

165	170	175
Gly Thr Leu Thr Thr Pro Asn Trp	Pro Glu Ser Asp Tyr Pro Pro Gly	
180	185	190
Ile Ser Cys Ser Trp His Ile Ile Ala Pro Pro Asp Gln Val Ile Ala		
195	200	205
Leu Thr Phe Glu Lys Phe Asp Leu Glu Pro Asp Thr Tyr Cys Arg Tyr		
210	215	220
Asp Ser Val Ser Val Phe Asn Gly Ala Val Ser Asp Asp Ser Arg Arg		
225	230	235
Leu Gly Lys Phe Cys Gly Asp Ala Xaa Pro Gly Ser Ile Ser Ser Glu		
245	250	255
Gly Asn Glu Leu Leu Val Gln Phe Val Ser Asp Leu Ser Val Thr Ala		
260	265	270
Asp Gly Phe Ser Ala Ser Tyr Lys Thr Leu Pro Arg Gly Thr Ala Lys		
275	280	285
Glu Gly Gln Gly Pro Gly Pro Lys Arg Gly Thr Glu Pro Lys Val Lys		
290	295	300
Leu Pro Pro Lys Ser Gln Pro Pro Glu Lys Thr Glu Glu Ser Pro Ser		
305	310	315
Ala Pro Asp Ala Pro Thr Cys Pro Lys Gln Cys Arg Arg Thr Gly Thr		
325	330	335
Leu Gln Ser Asn Phe Cys Ala Ser Ser Leu Val Val Thr Ala Thr Val		
340	345	350
Lys Ser Met Val Arg Glu Pro Gly Glu Gly Leu Ala Val Thr Val Ser		
355	360	365
Leu Ile Gly Ala Tyr Lys Thr Gly Gly Leu Asp Leu Pro Ser Pro Pro		
370	375	380
Thr Gly Ala Ser Leu Lys Phe Tyr Val Pro Cys Lys Gln Cys Pro Pro		
385	390	395
Met Lys Lys Gly Val Ser Tyr Leu Leu Met Gly Gln Val Glu Glu Asn		
405	410	415
Arg Gly Pro Val Leu Pro Pro Glu Ser Phe Val Val Leu His Arg Pro		
420	425	430
Asn Gln Asp Gln Ile Leu Thr Asn Leu Ser Lys Arg Lys Cys Pro Ser		

1314

435

440

445

Gln Pro Val Arg Ala Ala Ala Ser Gln Asp
 450 455

<210> 1283

<211> 229

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (154)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (155)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1283

Cys Arg Ala Pro Leu Gly Ala Gly Leu Ser Pro Ala Val Arg Arg Gln
 1 5 10 15

Glu Pro Pro Phe Pro Leu Gly Val Thr Arg Gly Trp Gly Arg Trp Pro
 20 25 30

Ile Gln Lys Arg Arg Glu Gly Ala Arg Pro Val Pro Xaa Ser Glu Arg
 35 40 45

Ser Gln Glu Asp Gly Arg Gly Pro Ala Ala Arg Ser Ser Gly Thr Leu
 50 55 60

Trp Arg Ile Arg Thr Arg Leu Ser Leu Cys Arg Asp Pro Glu Pro Pro
 65 70 75 80

Pro Pro Leu Cys Leu Leu Arg Val Ser Leu Leu Cys Ala Leu Arg Ala
 85 90 95

Gly Gly Arg Gly Ser Arg Trp Gly Glu Asp Gly Ala Arg Leu Leu Leu
 100 105 110

Leu Pro Pro Ala Arg Ala Ala Gly Asn Gly Glu Ala Glu Pro Ser Gly
 115 120 125

1315

Gly Pro Ser Tyr Ala Gly Arg Met Leu Glu Ser Ser Gly Cys Lys Ala
 130 135 140
 Leu Lys Glu Gly Val Leu Glu Lys Arg Xaa Xaa Gly Cys Cys Ser Ser
 145 150 155 160
 Gly Arg Lys Ser Val Ala Ser Ser Pro Arg Lys Gly Cys Cys Leu Ser
 165 170 175
 Arg Pro Ser Ser Cys Asn Thr Ser Ser Ser Ser Asn Ser Ser Ser
 180 185 190
 Ser Ser Asn Asn Ser Pro Gly Arg Gly Arg Pro Ser Arg Pro Asn Pro
 195 200 205
 Val Ala Pro Leu Ser Pro Ala Ser Ser Arg Arg Ser Ser Ser Arg Asn
 210 215 220
 Cys Thr Ser Pro Thr
 225

<210> 1284

<211> 390

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1284

Thr Ser Val Ala Ala Ala Ala Arg Gly Arg Ala Gly Cys Pro Leu
 1 5 10 15
 Thr Ala Ala Ser Ala Ala Arg Phe Lys Met Ala Ala Cys Ser His Ser
 20 25 30
 Phe Ser Ala Glu Arg Leu Leu Thr Phe Ile Val Phe Ser Ala Arg Phe
 35 40 45
 Asp Arg Leu Xaa Pro Ala Ala Leu Ser Gly Ile Phe Tyr Gln Ala Glu
 50 55 60
 Met His Arg Thr Thr Arg Ile Lys Ile Thr Glu Leu Asn Pro His Leu
 65 70 75 80
 Met Cys Val Leu Cys Gly Gly Tyr Phe Ile Asp Ala Thr Thr Ile Ile

				85						90								95
Glu	Cys	Leu	His	Ser	Phe	Cys	Lys	Thr	Cys	Ile	Val	Arg	Tyr	Leu	Glu			
			100					105					110					
Thr	Ser	Lys	Tyr	Cys	Pro	Ile	Cys	Asp	Val	Gln	Val	His	Lys	Thr	Arg			
		115					120					125						
Pro	Leu	Leu	Asn	Ile	Arg	Ser	Asp	Lys	Thr	Leu	Gln	Asp	Ile	Val	Tyr			
	130					135					140							
Lys	Leu	Val	Pro	Gly	Leu	Phe	Lys	Asn	Glu	Met	Lys	Arg	Arg	Arg	Asp			
145					150					155								160
Phe	Tyr	Ala	Ala	His	Pro	Ser	Ala	Asp	Ala	Ala	Asn	Gly	Ser	Asn	Glu			
				165				170							175			
Asp	Arg	Gly	Glu	Val	Ala	Asp	Glu	Asp	Lys	Arg	Ile	Ile	Thr	Asp	Asp			
			180					185					190					
Glu	Ile	Ile	Ser	Leu	Ser	Ile	Glu	Phe	Phe	Asp	Gln	Asn	Arg	Leu	Asp			
	195						200					205						
Arg	Lys	Val	Asn	Lys	Asp	Lys	Glu	Lys	Ser	Lys	Glu	Glu	Val	Asn	Asp			
	210					215					220							
Lys	Arg	Tyr	Leu	Arg	Cys	Pro	Ala	Ala	Met	Thr	Val	Met	His	Leu	Arg			
225					230				235						240			
Lys	Phe	Leu	Arg	Ser	Lys	Met	Asp	Ile	Pro	Asn	Thr	Phe	Gln	Ile	Asp			
				245					250					255				
Val	Met	Tyr	Glu	Glu	Glu	Pro	Leu	Lys	Asp	Tyr	Tyr	Thr	Leu	Met	Asp			
			260					265					270					
Ile	Ala	Tyr	Ile	Tyr	Thr	Trp	Arg	Arg	Asn	Gly	Pro	Leu	Pro	Leu	Lys			
	275						280					285						
Tyr	Arg	Val	Arg	Pro	Thr	Cys	Lys	Arg	Met	Lys	Ile	Ser	His	Gln	Arg			
	290					295					300							
Asp	Gly	Leu	Thr	Asn	Ala	Gly	Glu	Leu	Glu	Ser	Asp	Ser	Gly	Ser	Asp			
305					310					315					320			
Lys	Ala	Asn	Ser	Pro	Ala	Gly	Gly	Ile	Pro	Ser	Thr	Ser	Ser	Cys	Leu			
				325					330					335				
Pro	Ser	Pro	Ser	Thr	Pro	Val	Gln	Ser	Pro	His	Pro	Gln	Phe	Pro	His			
			340					345					350					
Ile	Ser	Ser	Thr	Met	Asn	Gly	Thr	Ser	Asn	Ser	Pro	Ser	Gly	Asn	His			

1317

355 360 365
Gln Ser Ser Phe Ala Asn Arg Pro Arg Lys Ser Ser Val Asn Gly Ser
370 375 380
Ser Ala Thr Ser Ser Gly
385 390

<210> 1285
<211> 39
<212> PRT
<213> Homo sapiens

<400> 1285
His Ala Ser Ala Gly Ser Gln Leu Phe Glu Met His Glu Lys Leu Ser
1 5 10 15

Cys Met Ala Asn Ser Val Ile Lys Asn Leu Gln Ser Arg Trp Arg Ser
20 25 30

Pro Ser His Glu Asn Ser Ile
35

<210> 1286
<211> 453
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (38)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (101)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (110)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (286)
<223> Xaa equals any of the naturally occurring L-amino acids

1318

<400> 1286

Arg Arg Ser Val Ile Cys Asp Ser Asn Ala Thr Ala Leu Glu Leu Pro
 1 5 10 15

Gly Leu Pro Leu Ser Leu Pro Gln Pro Ser Ile Pro Ala Ala Val Pro
 20 25 30

Gln Ser Ala Pro Pro Xaa Pro His Arg Glu Glu Thr Val Thr Ala Thr
 35 40 45

Ala Thr Ser Gln Val Ala Gln Gln Pro Pro Ala Ala Ala Pro Gly
 50 55 60

Glu Gln Ala Val Ala Gly Pro Ala Pro Arg Leu Ser Pro Ala Val Pro
 65 70 75 80

Ala Lys Thr Ala Gln Cys Pro Ser Leu Ala Leu Trp Gly Ala Lys Arg
 85 90 95

Ser Arg Arg Arg Xaa Lys Val Ala Ala Ala Ala Gln Ala Xaa Lys Glu
 100 105 110

Pro Gln Glu Glu Arg Ser Gln Gln Gln Asp Asp Ile Glu Glu Leu Glu
 115 120 125

Thr Lys Ala Val Gly Met Ser Asn Asp Gly Arg Phe Leu Lys Phe Asp
 130 135 140

Ile Glu Ile Gly Arg Gly Ser Phe Lys Thr Val Tyr Lys Gly Leu Asp
 145 150 155 160

Thr Glu Thr Thr Val Glu Val Ala Trp Cys Glu Leu Gln Asp Arg Lys
 165 170 175

Leu Thr Lys Ser Glu Arg Gln Arg Phe Lys Glu Glu Ala Glu Met Leu
 180 185 190

Lys Gly Leu Gln His Pro Asn Ile Val Arg Phe Tyr Asp Ser Trp Glu
 195 200 205

Ser Thr Val Lys Gly Lys Lys Cys Ile Val Leu Val Thr Glu Leu Met
 210 215 220

Thr Ser Gly Thr Leu Lys Thr Tyr Leu Lys Arg Phe Lys Val Met Lys
 225 230 235 240

Ile Lys Val Leu Arg Ser Trp Cys Arg Gln Ile Leu Lys Gly Leu Gln
 245 250 255

Phe Leu His Thr Arg Thr Pro Pro Ile Ile His Arg Asp Leu Lys Cys

1319

260	265	270
Asp Asn Ile Phe Ile Thr Gly Pro Thr Gly Ser Val Lys Xaa Gly Asp 275	280	285
Leu Gly Leu Ala Thr Leu Lys Arg Ala Ser Phe Ala Lys Ser Val Ile 290	295	300
Gly Thr Pro Glu Phe Met Ala Pro Glu Met Tyr Glu Glu Lys Tyr Asp 305	310	315
Glu Ser Val Asp Val Tyr Ala Phe Gly Met Cys Met Leu Glu Met Ala 325	330	335
Thr Ser Glu Tyr Pro Tyr Ser Glu Cys Gln Asn Ala Ala Gln Ile Tyr 340	345	350
Arg Arg Val Thr Ser Gly Val Lys Pro Ala Ser Phe Asp Lys Val Ala 355	360	365
Ile Pro Glu Val Lys Glu Ile Ile Glu Gly Cys Ile Arg Gln Asn Lys 370	375	380
Asp Glu Arg Tyr Ser Ile Lys Asp Leu Leu Asn His Ala Phe Phe Gln 385	390	395
Glu Glu Thr Gly Val Arg Val Glu Leu Ala Glu Glu Asp Asp Gly Glu 405	410	415
Lys Ile Ala Ile Lys Leu Trp Leu Arg Ile Glu Asp Ile Lys Lys Leu 420	425	430
Lys Gly Lys Tyr Lys Asp Lys Lys Lys Lys Lys Lys Lys Lys Lys 435	440	445
Asn Thr His Arg Ala 450		

<210> 1287

<211> 450

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (33)

<223> xaa equals any of the naturally occurring L-amino acids

<220>

1320

<221> SITE
 <222> (41)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (43)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (116)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (193)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (314)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (326)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (344)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <400> 1287
 Ala Ala Glu Val Leu Cys Pro Ser Cys Phe Pro Ile Ser Pro Ala Pro
 1 5 10 15
 Trp Met Thr Val Gly Pro Ala Ser Ala Leu Phe Pro Cys Gln Thr Pro
 20 25 30
 Xaa Phe Pro Trp Thr Glu Trp Asn Xaa Trp Xaa Phe Thr Ala His Val
 35 40 45
 Leu Ser Gln Lys Phe Glu Lys Glu Leu Ser Lys Val Arg Glu Tyr Val
 50 55 60
 Gln Leu Ile Ser Val Tyr Glu Lys Lys Leu Leu Asn Leu Thr Val Arg
 65 70 75 80
 Ile Asp Ile Met Glu Lys Asp Thr Ile Ser Tyr Thr Glu Leu Asp Phe

1321

85					90					95					
Glu	Leu	Ile	Lys	Val	Glu	Val	Lys	Glu	Met	Glu	Lys	Leu	Val	Ile	Gln
			100					105					110		
Leu	Lys	Glu	Xaa	Phe	Gly	Gly	Ser	Ser	Glu	Ile	Val	Asp	Gln	Leu	Glu
			115				120					125			
Val	Glu	Ile	Arg	Asn	Met	Thr	Leu	Leu	Val	Glu	Lys	Leu	Glu	Thr	Leu
			130				135					140			
Asp	Lys	Asn	Asn	Val	Leu	Ala	Ile	Arg	Arg	Glu	Ile	Val	Ala	Leu	Lys
			145				150					155			160
Thr	Lys	Leu	Lys	Glu	Cys	Glu	Ala	Ser	Lys	Asp	Gln	Asn	Thr	Pro	Val
			165					170					175		
Val	His	Pro	Pro	Pro	Thr	Pro	Gly	Ser	Cys	Gly	His	Gly	Gly	Val	Val
			180					185					190		
Xaa	Ile	Ser	Lys	Pro	Ser	Val	Val	Gln	Leu	Asn	Trp	Arg	Gly	Phe	Ser
			195				200					205			
Tyr	Leu	Tyr	Gly	Ala	Trp	Gly	Arg	Asp	Tyr	Ser	Pro	Gln	His	Pro	Asn
			210				215					220			
Lys	Gly	Leu	Tyr	Trp	Val	Ala	Pro	Leu	Asn	Thr	Asp	Gly	Arg	Leu	Leu
			225				230					235			240
Glu	Tyr	Tyr	Arg	Leu	Tyr	Asn	Thr	Leu	Asp	Asp	Leu	Leu	Leu	Tyr	Ile
			245					250					255		
Asn	Ala	Arg	Glu	Leu	Arg	Ile	Thr	Tyr	Gly	Gln	Gly	Ser	Gly	Thr	Ala
			260					265					270		
Val	Tyr	Asn	Asn	Asn	Met	Tyr	Val	Asn	Met	Tyr	Asn	Thr	Gly	Asn	Ile
			275				280					285			
Ala	Arg	Val	Asn	Leu	Thr	Thr	Asn	Thr	Ile	Ala	Val	Thr	Gln	Thr	Leu
			290				295					300			
Pro	Asn	Ala	Ala	Tyr	Asn	Asn	Arg	Phe	Xaa	Tyr	Ala	Asn	Val	Ala	Trp
			305				310					315			320
Gln	Asp	Ile	Asp	Phe	Xaa	Val	Asp	Glu	Asn	Gly	Leu	Trp	Val	Ile	Tyr
			325					330					335		
Ser	Thr	Glu	Ala	Ser	Thr	Gly	Xaa	Met	Val	Ile	Ser	Lys	Leu	Asn	Asp
			340				345						350		
Thr	Thr	Leu	Gln	Val	Leu	Asn	Thr	Trp	Tyr	Thr	Lys	Gln	Tyr	Lys	Pro

1322

355	360	365
Ser Ala Ser Asn Ala Phe Met Val Cys Gly Val Leu Tyr Ala Thr Arg		
370	375	380
Thr Met Asn Thr Arg Thr Glu Glu Ile Phe Tyr Tyr Tyr Asp Thr Asn		
385	390	400
Thr Gly Lys Glu Gly Lys Leu Asp Ile Val Met His Lys Met Gln Glu		
	405	410
		415
Lys Val Gln Ser Ile Asn Tyr Asn Pro Phe Asp Gln Lys Leu Tyr Val		
	420	425
		430
Tyr Asn Asp Gly Tyr Leu Leu Asn Tyr Asp Leu Ser Val Leu Gln Lys		
	435	440
		445
Pro Gln		
450		

<210> 1288
 <211> 164
 <212> PRT
 <213> Homo sapiens

<400> 1288

Leu Gln Gln Ala Leu Pro Asn Asn Gly Leu Leu Phe Thr Trp Thr Leu		
1	5	10
		15
Ser Lys Glu Gly Gly Arg Glu Gly Gln Ser Gly Val Ser Phe Gln His		
	20	25
		30
Ser Ser Gln Lys Gly Glu Arg Phe Ser Gly Trp Cys His Ala Ile Gly		
	35	40
		45
Ile Lys Gln Glu Ala His Gly Trp Leu Leu Asn Glu Glu Gln Asn Leu		
	50	55
		60
Gly Ala Leu Trp Leu Thr Thr Ala Ile Cys Gly Ala Gly Thr His Thr		
	65	70
		75
		80
Ser Arg Gln Leu Gln Phe Cys Thr Phe Ser Leu Leu Asp Ser Lys Ser		
	85	90
		95
Arg Cys Cys Leu Ala Ala Leu Arg Gly His Ser Leu Leu Arg Arg Ala		
	100	105
		110
Leu Gln Ser Pro Ala Pro Gly Leu Gly Glu Trp Met Arg Leu Leu Pro		
	115	120
		125

1323

Tyr Asp Thr Cys Gln Asp Ala Leu Pro Pro Pro Leu Lys Val Gly Pro
 130 135 140

Gly Gln His Cys Ser Leu Leu Ser Ala Phe Ser Gly Leu Arg Ser Gln
 145 150 155 160

Tyr Glu Leu Pro

<210> 1289

<211> 40

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1289

Trp Met Ser Glu Tyr Xaa Gln Trp Val Phe Leu Ile Ser Leu Arg Ile
 1 5 10 15

Cys Leu Arg Val His Tyr Gln Gly Ile Ser Gly Thr Arg Xaa His Ser
 20 25 30

Leu His Gln Phe Leu Arg Val Leu
 35 40

<210> 1290

<211> 266

<212> PRT

<213> Homo sapiens

<400> 1290

Asp Ile Met Glu Ser Gly Phe Thr Ser Lys Asp Thr Tyr Leu Ser His
 1 5 10 15

Phe Asn Pro Arg Asp Tyr Leu Glu Lys Tyr Tyr Lys Phe Gly Ser Arg
 20 25 30

1324

His Ser Ala Glu Ser Gln Ile Leu Lys His Leu Leu Lys Asn Leu Phe
 35 40 45
 Lys Ile Phe Cys Leu Asp Gly Val Lys Gly Asp Leu Leu Ile Asp Ile
 50 55 60
 Gly Ser Gly Pro Thr Ile Tyr Gln Leu Leu Ser Ala Cys Glu Ser Phe
 65 70 75 80
 Lys Glu Ile Val Val Thr Asp Tyr Ser Asp Gln Asn Leu Gln Glu Leu
 85 90 95
 Glu Lys Trp Leu Lys Lys Glu Pro Glu Ala Phe Asp Trp Ser Pro Val
 100 105 110
 Val Thr Tyr Val Cys Asp Leu Glu Gly Asn Arg Val Lys Gly Pro Glu
 115 120 125
 Lys Glu Glu Lys Leu Arg Gln Ala Val Lys Gln Val Leu Lys Cys Asp
 130 135 140
 Val Thr Gln Ser Gln Pro Leu Gly Ala Val Pro Leu Pro Pro Ala Asp
 145 150 155 160
 Cys Val Leu Ser Thr Leu Cys Leu Asp Ala Ala Cys Pro Asp Leu Pro
 165 170 175
 Thr Tyr Cys Arg Ala Leu Arg Asn Leu Gly Ser Leu Leu Lys Pro Gly
 180 185 190
 Gly Phe Leu Val Ile Met Asp Ala Leu Lys Ser Ser Tyr Tyr Met Ile
 195 200 205
 Gly Glu Gln Lys Phe Ser Ser Leu Pro Leu Gly Arg Glu Ala Val Glu
 210 215 220
 Ala Ala Val Lys Glu Ala Gly Tyr Thr Ile Glu Trp Phe Glu Val Ile
 225 230 235 240
 Ser Gln Ser Tyr Ser Ser Thr Met Ala Asn Asn Glu Gly Leu Phe Ser
 245 250 255
 Leu Val Ala Arg Lys Leu Ser Arg Pro Leu
 260 265

<210> 1291

<211> 112

<212> PRT

<213> Homo sapiens

1325

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1291

Cys Gly Ser Thr Ile Leu Gln Gly Pro Gln Lys Ala Leu Arg Arg Gly
 1 5 10 15

Leu Gly Glu Val Gly Asp Gln Gly Lys Ser Arg Gln Arg Ala Ser Lys
 20 25 30

Arg Leu Phe Ala Ser Lys Ala Leu Arg Gly His Leu Arg Pro Val Arg
 35 40 45

Gly Gln Gln Pro Gly Arg Xaa Gly Ser Asp Glu Asn Glu Glu Ser Ser
 50 55 60

Val Val Asp Tyr Val Glu Val Thr Val Gly Glu Glu Asp Ala Ile Ser
 65 70 75 80

Asp Arg Ser Asp Ser Trp Ser Gln Ala Ala Ala Glu Gly Val Ser Glu
 85 90 95

Leu Ala Glu Ser Asp Ser Asp Cys Val Pro Ala Glu Ala Gly Gln Ala
 100 105 110

<210> 1292

<211> 217

<212> PRT

<213> Homo sapiens

<400> 1292

Gly Ser Thr His Ala Ser Gly Thr Met Arg Ala Ala Ala Ile Ser Thr
 1 5 10 15

Pro Lys Leu Asp Lys Met Pro Gly Met Phe Phe Ser Ala Asn Pro Lys
 20 25 30

Glu Leu Lys Gly Thr Thr His Ser Leu Leu Asp Asp Lys Met Gln Lys
 35 40 45

Arg Arg Pro Lys Thr Phe Gly Met Asp Met Lys Ala Tyr Leu Arg Ser
 50 55 60

1326

Met Ile Pro His Leu Glu Ser Gly Met Lys Ser Ser Lys Ser Lys Asp
 65 70 75 80
 Val Leu Ser Ala Ala Glu Val Met Gln Trp Ser Gln Ser Leu Glu Lys
 85 90 95
 Leu Leu Ala Asn Gln Thr Gly Gln Asn Val Phe Gly Ser Phe Leu Lys
 100 105 110
 Ser Glu Phe Ser Glu Glu Asn Ile Glu Phe Trp Leu Ala Cys Glu Asp
 115 120 125
 Tyr Lys Lys Thr Glu Ser Asp Leu Leu Pro Cys Lys Ala Glu Glu Ile
 130 135 140
 Tyr Lys Ala Phe Val His Ser Asp Ala Ala Lys Gln Ile Asn Ile Asp
 145 150 155 160
 Phe Arg Thr Arg Glu Ser Thr Ala Lys Lys Ile Lys Ala Pro Thr Pro
 165 170 175
 Thr Cys Phe Asp Glu Ala Gln Lys Val Ile Tyr Thr Leu Met Glu Lys
 180 185 190
 Asp Ser Tyr Pro Arg Phe Leu Lys Ser Asp Ile Tyr Leu Asn Leu Leu
 195 200 205
 Asn Asp Leu Gln Ala Asn Ser Leu Lys
 210 215

<210> 1293

<211> 235

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (229)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1293

Leu His Leu Leu Ala Val Leu Glu Lys Met Ile Ser Gln Gly Asn Asn
 1 5 10 15
 Asn Lys Asn Gly Lys Asn Glu Thr Gly Asn Asn Asn Asn Lys Asp Gly
 20 25 30
 Ser Asn His Lys Ala Glu Ser Gly Ala Leu Ile Glu Ala Ala Lys Ser
 35 40 45

1327

Lys Ile His Gln Tyr Lys Val Arg Ala Tyr Ile Gln Met Lys Ser Leu
 50 55 60
 Lys Ala Cys Lys Arg Glu Ile Lys Ser Val Met Asn Thr Ala Gly Asn
 65 70 75 80
 Ser Ala Pro Ser Leu Phe Leu Lys Ser Asn Phe Glu Tyr Leu Arg Gly
 85 90 95
 Asn Tyr Arg Lys Ala Val Lys Leu Leu Asn Ser Ser Asn Ile Ala Glu
 100 105 110
 His Pro Gly Phe Met Lys Thr Gly Glu Cys Leu Arg Cys Met Phe Trp
 115 120 125
 Asn Asn Leu Gly Cys Ile His Phe Ala Met Ser Lys His Asn Leu Gly
 130 135 140
 Ile Phe Tyr Phe Lys Lys Ala Leu Gln Glu Asn Asp Asn Val Cys Ala
 145 150 155 160
 Gln Leu Ser Ala Gly Ser Thr Asp Pro Gly Lys Lys Phe Ser Gly Arg
 165 170 175
 Pro Met Cys Thr Leu Leu Thr Asn Lys Arg Tyr Glu Leu Leu Tyr Asn
 180 185 190
 Cys Gly Ile Gln Leu Leu His Ile Gly Arg Pro Leu Ala Ala Phe Glu
 195 200 205
 Cys Leu Ile Glu Ala Val Gln Val Tyr His Ala Asn Pro Arg Leu Trp
 210 215 220
 Leu Arg Leu Ala Xaa Met Leu His Cys Cys Gln
 225 230 235

<210> 1294

<211> 275

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1328

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1294

Ala	Arg	Gly	Ala	Arg	Gly	Arg	Ala	Leu	Pro	Ala	Ser	Gly	Lys	Ala	Gly
1				5					10					15	

Arg	Ala	Arg	Gly	Ser	Ala	Xaa	Gly	Ser	Ala	Ala	Arg	Gly	His	Trp	Ser
		20						25					30		

Leu	Ala	Arg	Phe	Pro	Ala	Pro	Arg	Gly	Ser	His	Leu	Pro	Ala	Arg	Arg
		35					40					45			

Xaa	Xaa	Gly	Arg	Val	Ser	Thr	Pro	Ile	Leu	Arg	Pro	Val	Ser	Ser	Ile
	50					55					60				

Pro	Leu	Ala	Leu	Ser	Arg	Glu	Ser	Arg	Thr	Ala	Glu	Glu	Ser	Ser	Leu
65					70					75					80

Thr	Pro	Gln	Pro	Gln	Val	Gly	Leu	Val	His	Ile	Met	Thr	Ser	Phe	Glu
				85					90					95	

Asp	Ala	Asp	Thr	Glu	Glu	Thr	Val	Thr	Cys	Leu	Gln	Met	Thr	Val	Tyr
			100						105				110		

His	Pro	Gly	Gln	Leu	Gln	Cys	Gly	Ile	Phe	Gln	Ser	Ile	Ser	Phe	Asn
		115					120					125			

Arg	Glu	Lys	Leu	Pro	Ser	Ser	Glu	Val	Val	Lys	Phe	Gly	Arg	Asn	Ser
	130					135						140			

Asn	Ile	Cys	His	Tyr	Thr	Phe	Gln	Asp	Lys	Gln	Val	Ser	Arg	Val	Gln
145					150					155					160

Phe	Ser	Leu	Gln	Leu	Phe	Lys	Lys	Phe	Asn	Ser	Ser	Val	Leu	Ser	Phe
			165						170					175	

Glu	Ile	Lys	Asn	Met	Ser	Lys	Lys	Thr	Asn	Leu	Ile	Val	Asp	Ser	Arg
			180					185					190		

Glu	Leu	Gly	Tyr	Leu	Asn	Lys	Met	Asp	Leu	Pro	Tyr	Arg	Cys	Met	Val
	195						200					205			

Arg	Phe	Gly	Glu	Tyr	Gln	Phe	Leu	Met	Glu	Lys	Glu	Asp	Gly	Glu	Ser
	210					215						220			

1329

Leu Glu Phe Phe Glu Thr Gln Phe Ile Leu Ser Pro Arg Ser Leu Leu
 225 230 235 240

Gln Glu Asn Asn Trp Pro Pro His Arg Pro Ile Pro Glu Tyr Gly Thr
 245 250 255

Tyr Ser Leu Cys Ser Ser Gln Ser Ser Ser Pro Thr Glu Met Asp Glu
 260 265 270

Asn Glu Ser
 275

<210> 1295

<211> 677

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (144)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1295

Met Thr Arg Leu Pro Lys Leu Trp Ala Arg Pro Ala Gly Lys Ala Leu
 1 5 10 15

Val Ser Pro Val Val Gln Asn Ile Thr Ser Pro Asp Glu Asp Gly Ile
 20 25 30

Ser Pro Leu Gly Trp Leu Leu Asp Gln Tyr Leu Glu Cys Gln Glu Ala
 35 40 45

Val Phe Asn Pro Gln Ser Arg Gly Pro Ala Phe Phe Ser Arg Val Arg
 50 55 60

Arg Leu Thr His Leu Leu Val His Val Glu Pro Cys Glu Ala Pro Pro
 65 70 75 80

Pro Val Val Ala Thr Pro Arg Pro Lys Gly Arg Asn Arg Ser His Asp
 85 90 95

Trp Ser Ser Leu Ala Thr Arg Gly Leu Pro Ser Ser Ile Met Arg Asn
 100 105 110

1330

Leu Thr Arg Cys Trp Arg Ala Val Val Glu Lys Gln Val Asn Asn Phe
 115 120 125

Leu Thr Ser Ser Trp Arg Asp Asp Asp Phe Val Pro Arg Tyr Cys Xaa
 130 135 140

His Phe Asn Ile Leu Gln Asn Ser Ser Ser Glu Leu Phe Gly Pro Arg
 145 150 155 160

Xaa Ala Phe Leu Leu Ala Leu Gln Asn Gly Cys Ala Gly Ala Leu Leu
 165 170 175

Lys Leu Pro Phe Leu Lys Ala Ala His Val Ser Glu Gln Phe Ala Arg
 180 185 190

His Ile Asp Gln Gln Ile Gln Gly Ser Arg Ile Gly Gly Ala Gln Glu
 195 200 205

Met Glu Arg Leu Ala Gln Leu Gln Gln Cys Leu Gln Ala Val Leu Ile
 210 215 220

Phe Ser Gly Leu Glu Ile Ala Thr Thr Phe Glu His Tyr Tyr Gln His
 225 230 235 240

Tyr Met Ala Asp Arg Leu Leu Gly Val Val Ser Ser Trp Leu Glu Gly
 245 250 255

Ala Val Leu Glu Gln Ile Gly Pro Cys Phe Pro Asn Arg Leu Pro Gln
 260 265 270

Gln Met Leu Gln Ser Leu Ser Thr Ser Lys Glu Leu Gln Arg Gln Phe
 275 280 285

His Val Tyr Gln Leu Gln Gln Leu Asp Gln Glu Leu Leu Lys Leu Glu
 290 295 300

Asp Thr Glu Lys Lys Ile Gln Val Gly Leu Gly Ala Ser Gly Lys Glu
 305 310 315 320

His Lys Ser Glu Lys Glu Glu Glu Ala Gly Ala Ala Ala Val Val Asp
 325 330 335

Val Ala Glu Gly Glu Glu Glu Glu Glu Asn Glu Asp Leu Tyr Tyr
 340 345 350

Glu Gly Ala Met Pro Glu Val Ser Val Leu Val Leu Ser Arg His Ser
 355 360 365

Trp Pro Val Ala Ser Ile Cys His Thr Leu Asn Pro Arg Thr Cys Leu
 370 375 380

1331

Pro Ser Tyr Leu Arg Gly Thr Leu Asn Arg Tyr Ser Asn Phe Tyr Asn
 385 390 395 400
 Lys Ser Gln Ser His Pro Ala Leu Glu Arg Gly Ser Gln Arg Arg Leu
 405 410 415
 Gln Trp Thr Trp Leu Gly Trp Ala Glu Leu Gln Phe Gly Asn Gln Thr
 420 425 430
 Leu His Val Ser Thr Val Gln Met Trp Leu Leu Leu Tyr Leu Asn Asp
 435 440 445
 Leu Lys Ala Val Ser Val Glu Ser Leu Leu Ala Phe Ser Gly Leu Ser
 450 455 460
 Ala Asp Met Leu Asn Gln Ala Ile Gly Pro Leu Thr Ser Ser Arg Gly
 465 470 475 480
 Pro Leu Asp Leu His Glu Gln Lys Asp Ile Pro Gly Gly Val Leu Lys
 485 490 495
 Ile Arg Asp Gly Ser Lys Glu Pro Arg Ser Arg Trp Asp Ile Val Arg
 500 505 510
 Leu Ile Pro Pro Gln Thr Tyr Leu Gln Ala Glu Gly Glu Asp Gly Gln
 515 520 525
 Asn Leu Glu Lys Arg Arg Asn Leu Leu Asn Cys Leu Ile Val Arg Ile
 530 535 540
 Leu Lys Ala His Gly Asp Glu Gly Leu His Ile Asp Gln Leu Val Cys
 545 550 555 560
 Leu Val Leu Glu Ala Trp Gln Lys Gly Pro Cys Pro Pro Arg Gly Leu
 565 570 575
 Val Ser Ser Leu Gly Lys Gly Ser Ala Cys Ser Ser Thr Asp Val Leu
 580 585 590
 Ser Cys Ile Leu His Leu Leu Gly Lys Gly Thr Leu Arg Arg His Asp
 595 600 605
 Asp Arg Pro Gln Val Leu Ser Tyr Ala Val Pro Val Thr Val Met Glu
 610 615 620
 Pro His Thr Glu Ser Leu Asn Pro Gly Ser Ser Gly Pro Asn Pro Pro
 625 630 635 640
 Leu Thr Phe His Thr Leu Gln Ile Arg Ser Arg Gly Val Pro Tyr Ala
 645 650 655

1332

Ser Cys Thr Ala Thr Gln Ser Phe Ser Thr Ser Gly Ser Pro Arg Leu
 660 665 670

Gly Val Arg Gly Arg
 675

<210> 1296

<211> 578

<212> PRT

<213> Homo sapiens

<400> 1296

Gly Thr Arg Glu Gly Ala Arg Val Gly Gly Ala Arg Gly Gly Arg Asp
 1 5 10 15

Gly Arg Lys Met Ala Thr Ala Thr Ile Ala Leu Gln Val Asn Gly Gln
 20 25 30

Gln Gly Gly Gly Ser Glu Pro Ala Ala Ala Ala Val Val Ala Ala
 35 40 45

Gly Asp Lys Trp Lys Pro Pro Gln Gly Thr Asp Ser Ile Lys Met Glu
 50 55 60

Asn Gly Gln Ser Thr Ala Ala Lys Leu Gly Leu Pro Pro Leu Thr Pro
 65 70 75 80

Glu Gln Gln Glu Ala Leu Gln Lys Ala Lys Lys Tyr Ala Met Glu Gln
 85 90 95

Ser Ile Lys Ser Val Leu Val Lys Gln Thr Ile Ala His Gln Gln Gln
 100 105 110

Gln Leu Thr Asn Leu Gln Met Ala Ala Val Thr Met Gly Phe Gly Asp
 115 120 125

Pro Leu Ser Pro Leu Gln Ser Met Ala Ala Gln Arg Gln Arg Ala Leu
 130 135 140

Ala Ile Met Cys Arg Val Tyr Val Gly Ser Ile Tyr Tyr Glu Leu Gly
 145 150 155 160

Glu Asp Thr Ile Arg Gln Ala Phe Ala Pro Phe Gly Pro Ile Lys Ser
 165 170 175

Ile Asp Met Ser Trp Asp Ser Val Thr Met Lys His Lys Gly Phe Ala
 180 185 190

Phe Val Glu Tyr Glu Val Pro Glu Ala Ala Gln Leu Ala Leu Glu Gln

1333

195	200	205
Met Asn Ser Val Met Leu Gly Gly Arg Asn Ile Lys Val Gly Arg Pro 210 215 220		
Ser Asn Ile Gly Gln Ala Gln Pro Ile Ile Asp Gln Leu Ala Glu Glu 225 230 235 240		
Ala Arg Ala Phe Asn Arg Ile Tyr Val Ala Ser Val His Gln Asp Leu 245 250 255		
Ser Asp Asp Asp Ile Lys Ser Val Phe Glu Ala Phe Gly Lys Ile Lys 260 265 270		
Ser Cys Thr Leu Ala Arg Asp Pro Thr Thr Gly Lys His Lys Gly Tyr 275 280 285		
Gly Phe Ile Glu Tyr Glu Lys Ala Gln Ser Ser Gln Asp Ala Val Ser 290 295 300		
Ser Met Asn Leu Phe Asp Leu Gly Gly Gln Tyr Leu Arg Val Gly Lys 305 310 315 320		
Ala Val Thr Pro Pro Met Pro Leu Leu Thr Pro Ala Thr Pro Gly Gly 325 330 335		
Leu Pro Pro Ala Ala Ala Val Ala Ala Ala Ala Thr Ala Lys Ile 340 345 350		
Thr Ala Gln Glu Ala Val Ala Gly Ala Ala Val Leu Gly Thr Leu Gly 355 360 365		
Thr Pro Gly Leu Val Ser Pro Ala Leu Thr Leu Ala Gln Pro Leu Gly 370 375 380		
Thr Leu Pro Gln Ala Val Met Ala Ala Gln Ala Pro Gly Val Ile Thr 385 390 395 400		
Gly Val Thr Pro Ala Arg Pro Pro Ile Pro Val Thr Ile Pro Ser Val 405 410 415		
Gly Val Val Asn Pro Ile Leu Ala Ser Pro Pro Thr Leu Gly Leu Leu 420 425 430		
Glu Pro Lys Lys Glu Lys Glu Glu Glu Leu Phe Pro Glu Ser Glu 435 440 445		
Arg Pro Glu Met Leu Ser Glu Gln Glu His Met Ser Ile Ser Gly Ser 450 455 460		
Ser Ala Arg His Met Val Met Gln Lys Leu Leu Arg Lys Gln Glu Ser		

[illegible]

```
<210> 1297
<211> 179
<212> PRT
<213> Homo sapiens
```

```

<400> 1297
Pro Arg Gly Thr Ser Arg Arg Ser Ala Trp Pro Lys Met Ala Ala Ser
  1              5              10              15

Val Cys Ser Gly Leu Leu Gly Pro Arg Val Leu Ser Trp Ser Arg Glu
      20              25              30

Leu Pro Cys Ala Trp Arg Ala Leu His Thr Ser Pro Val Cys Ala Lys
      35              40              45

Asn Arg Ala Ala Arg Val Arg Val Ser Lys Gly Asp Lys Pro Val Thr
      50              55              60

Tyr Glu Glu Ala His Ala Pro His Tyr Ile Ala His Arg Lys Gly Trp
  65              70              75              80

Leu Ser Leu His Thr Gly Asn Leu Asp Gly Glu Asp His Ala Ala Glu
      85              90              95

Arg Thr Val Glu Asp Val Phe Leu Arg Lys Phe Met Trp Gly Thr Phe
      100              105              110

```

1335

Pro Gly Cys Leu Ala Asp Gln Leu Val Leu Lys Arg Arg Gly Asn Gln
 115 120 125

Leu Glu Ile Cys Ala Val Val Leu Arg Gln Leu Ser Pro His Lys Tyr
 130 135 140

Tyr Phe Leu Val Gly Tyr Ser Glu Thr Leu Leu Ser Tyr Phe Tyr Lys
 145 150 155 160

Cys Pro Val Arg Leu His Leu Gln Thr Val Pro Ser Lys Val Val Tyr
 165 170 175

Lys Tyr Leu

<210> 1298

<211> 155

<212> PRT

<213> Homo sapiens

<400> 1298

Gly Leu Val Thr Ile Phe Gly Cys Pro Ser Arg Glu Lys Gly Arg Met
 1 5 10 15

Pro Leu Glu Ser Ser Ser Met Pro Leu Ser Phe Pro Ser Leu Leu
 20 25 30

Pro Ser Val Pro His Asn Thr Asn Pro Ser Pro Pro Leu Met Ser Tyr
 35 40 45

Ile Thr Ser Gln Glu Met Lys Cys Ile Leu His Trp Phe Ala Asn Trp
 50 55 60

Ser Gly Pro Gln Arg Glu Arg Phe Leu Glu Asp Leu Val Ala Lys Ala
 65 70 75 80

Val Pro Glu Lys Leu Gln Pro Leu Leu Asp Ser Leu Glu Gln Leu Ser
 85 90 95

Val Ser Gly Ala Asp Arg Pro Pro Ser Ile Phe Glu Cys Gln Leu His
 100 105 110

Leu Trp Asp Gln Trp Phe Arg Gly Trp Ala Glu Gln Glu Arg Asn Glu
 115 120 125

Phe Val Arg Gln Leu Glu Phe Ser Glu Pro Asp Phe Val Ala Lys Phe
 130 135 140

1336

Tyr Gln Ala Val Ala Ala Thr Ala Gly Lys Asp
 145 150 155

<210> 1299

<211> 449

<212> PRT

<213> Homo sapiens

<400> 1299

Ser Asn Arg Lys Phe Ile Pro His Gln Leu Leu Val Ala Ile Asp Leu
 1 5 10 15

Leu Ala Arg Gln Ala Val Arg Tyr Ile Asn Glu Asn Leu Ile Val Asn
 20 25 30

Thr Asp Glu Leu Gly Arg Asp Cys Leu Ile Asn Ala Ala Lys Thr Ser
 35 40 45

Met Ser Ser Lys Ile Ile Gly Ile Asn Gly Asp Phe Phe Ala Asn Met
 50 55 60

Val Val Asp Ala Val Leu Ala Ile Lys Tyr Thr Asp Ile Arg Gly Gln
 65 70 75 80

Pro Arg Tyr Pro Val Asn Ser Val Asn Ile Leu Lys Ala His Gly Arg
 85 90 95

Ser Gln Met Glu Ser Met Leu Ile Ser Gly Tyr Ala Leu Asn Cys Val
 100 105 110

Val Gly Ser Gln Gly Met Pro Lys Arg Ile Val Asn Ala Lys Ile Ala
 115 120 125

Cys Leu Asp Phe Ser Leu Gln Lys Thr Lys Met Lys Leu Gly Val Gln
 130 135 140

Val Val Ile Thr Asp Pro Glu Lys Leu Asp Gln Ile Arg Gln Arg Glu
 145 150 155 160

Ser Asp Ile Thr Lys Glu Arg Ile Gln Lys Ile Leu Ala Thr Gly Ala
 165 170 175

Asn Val Ile Leu Thr Thr Gly Gly Ile Asp Asp Met Cys Leu Lys Tyr
 180 185 190

Phe Val Glu Ala Gly Ala Met Ala Val Arg Arg Val Leu Lys Arg Asp
 195 200 205

Leu Lys Arg Ile Ala Lys Ala Ser Gly Ala Thr Ile Leu Ser Thr Leu

1337

210	215	220
Ala Asn Leu Glu Gly	Glu Glu Thr Phe Glu	Ala Ala Met Leu Gly Gln
225	230	235 240
Ala Glu Glu Val Val	Gln Glu Arg Ile Cys Asp	Asp Glu Leu Ile Leu
245	250	255
Ile Lys Asn Thr Lys	Ala Arg Thr Ser Ala Ser	Ile Ile Leu Arg Gly
260	265	270
Ala Asn Asp Phe Met	Cys Asp Glu Met Glu Arg	Ser Leu His Asp Ala
275	280	285
Leu Cys Val Val Lys	Arg Val Leu Glu Ser Lys	Ser Val Val Pro Gly
290	295	300
Gly Gly Ala Val Glu	Ala Ala Leu Ser Ile Tyr	Leu Glu Asn Tyr Ala
305	310	315 320
Thr Ser Met Gly Ser	Arg Glu Gln Leu Ala Ile	Ala Glu Phe Ala Arg
325	330	335
Ser Leu Leu Val Ile	Pro Asn Thr Leu Ala Val	Asn Ala Ala Gln Asp
340	345	350
Ser Thr Asp Leu Val	Ala Lys Leu Arg Ala Phe	His Asn Glu Ala Gln
355	360	365
Val Asn Pro Glu Arg	Lys Asn Leu Lys Trp Ile	Gly Leu Asp Leu Ser
370	375	380
Asn Gly Lys Pro Arg	Asp Asn Lys Gln Ala Gly	Val Phe Glu Pro Thr
385	390	395 400
Ile Val Lys Val Lys	Ser Leu Lys Phe Ala Thr	Glu Ala Ala Ile Thr
405	410	415
Ile Leu Arg Ile Asp	Asp Leu Ile Lys Leu His	Pro Glu Ser Lys Asp
420	425	430
Asp Lys His Gly Ser	Tyr Glu Asp Ala Val His	Ser Gly Ala Leu Asn
435	440	445

Asp

<210> 1300

<211> 96

1338

<212> PRT

<213> Homo sapiens

<400> 1300

Leu Met Phe Tyr Val Leu Phe Trp Thr Leu Ser Ser Cys Lys Asn Phe
 1 5 10 15

Tyr Lys Asn Cys Phe Leu His Pro Cys Gly Ala Tyr Ser Ser Glu Pro
 20 25 30

Ser Pro Gln Ser Gln Cys Leu Cys Phe Leu Phe Tyr Phe Cys Ser Ile
 35 40 45

Arg Phe Leu Leu Leu Leu Cys Leu Lys Ser Ser Leu Gly Ser Tyr Gln
 50 55 60

Gly Phe Ser Phe Cys Val Ala Phe Ala Ala Trp Ile Lys His Trp Leu
 65 70 75 80

Thr Val Leu Met Cys Glu Glu Lys Lys Phe Ser Lys Ala Gly Glu Leu
 85 90 95

<210> 1301

<211> 332

<212> PRT

<213> Homo sapiens

<400> 1301

Gly Glu Pro Lys Met Thr Gly Ser Asn Glu Phe Lys Leu Asn Gln Pro
 1 5 10 15

Pro Glu Asp Gly Ile Ser Ser Val Lys Phe Ser Pro Asn Thr Ser Gln
 20 25 30

Phe Leu Leu Val Ser Ser Trp Asp Thr Ser Val Arg Leu Tyr Asp Val
 35 40 45

Pro Ala Asn Ser Met Arg Leu Lys Tyr Gln His Thr Gly Ala Val Leu
 50 55 60

Asp Cys Ala Phe Tyr Asp Pro Thr His Ala Trp Ser Gly Gly Leu Asp
 65 70 75 80

His Gln Leu Lys Met His Asp Leu Asn Thr Asp Gln Glu Asn Leu Val
 85 90 95

1339

Gly Thr His Asp Ala Pro Ile Arg Cys Val Glu Tyr Cys Pro Glu Val
 100 105 110
 Asn Val Met Val Thr Gly Ser Trp Asp Gln Thr Val Lys Leu Trp Asp
 115 120 125
 Pro Arg Thr Pro Cys Asn Ala Gly Thr Phe Ser Gln Pro Glu Lys Val
 130 135 140
 Tyr Thr Leu Ser Val Ser Gly Asp Arg Leu Ile Val Gly Thr Ala Gly
 145 150 155 160
 Arg Arg Val Leu Val Trp Asp Leu Arg Asn Met Gly Tyr Val Gln Gln
 165 170 175
 Arg Arg Glu Ser Ser Leu Lys Tyr Gln Thr Arg Cys Ile Arg Ala Phe
 180 185 190
 Pro Asn Lys Gln Gly Tyr Val Leu Ser Ser Ile Glu Gly Arg Val Ala
 195 200 205
 Val Glu Tyr Leu Asp Pro Ser Pro Glu Val Gln Lys Lys Lys Tyr Ala
 210 215 220
 Phe Lys Cys His Arg Leu Lys Glu Asn Asn Ile Glu Gln Ile Tyr Pro
 225 230 235 240
 Val Asn Ala Ile Ser Phe His Asn Ile His Asn Thr Phe Ala Thr Gly
 245 250 255
 Gly Ser Asp Gly Phe Val Asn Ile Trp Asp Pro Phe Asn Lys Lys Arg
 260 265 270
 Leu Cys Gln Phe His Arg Tyr Pro Thr Ser Ile Ala Ser Leu Ala Phe
 275 280 285
 Ser Asn Asp Gly Thr Thr Leu Ala Ile Ala Ser Ser Tyr Met Tyr Glu
 290 295 300
 Met Asp Asp Thr Glu His Pro Glu Asp Gly Ile Phe Ile Arg Gln Val
 305 310 315 320
 Thr Asp Ala Glu Thr Lys Pro Lys Ser Pro Cys Thr
 325 330

<210> 1302

<211> 565

<212> PRT

<213> Homo sapiens

1340

<400> 1302

Leu His Cys Thr Met Cys Gly Ile Trp Ala Leu Phe Gly Ser Asp Asp
 1 5 10 15

Cys Leu Ser Val Gln Cys Leu Ser Ala Met Lys Ile Ala His Arg Gly
 20 25 30

Pro Asp Ala Phe Arg Phe Glu Asn Val Asn Gly Tyr Thr Asn Cys Cys
 35 40 45

Phe Gly Phe His Arg Leu Ala Val Val Asp Pro Leu Phe Gly Met Gln
 50 55 60

Pro Ile Arg Val Lys Lys Tyr Pro Tyr Leu Trp Leu Cys Tyr Asn Gly
 65 70 75 80

Glu Ile Tyr Asn His Lys Lys Met Gln Gln His Phe Glu Phe Glu Tyr
 85 90 95

Gln Thr Lys Val Asp Gly Glu Ile Ile Leu His Leu Tyr Asp Lys Gly
 100 105 110

Gly Ile Glu Gln Thr Ile Cys Met Leu Asp Gly Val Phe Ala Phe Val
 115 120 125

Leu Leu Asp Thr Ala Asn Lys Lys Val Phe Leu Gly Arg Asp Thr Tyr
 130 135 140

Gly Val Arg Pro Leu Phe Lys Ala Met Thr Glu Asp Gly Phe Leu Ala
 145 150 155 160

Val Cys Ser Glu Ala Lys Gly Leu Val Thr Leu Lys His Ser Ala Thr
 165 170 175

Pro Phe Leu Lys Val Glu Pro Phe Leu Pro Gly His Tyr Glu Val Leu
 180 185 190

Asp Leu Lys Pro Asn Gly Lys Val Ala Ser Val Glu Met Val Lys Tyr
 195 200 205

His His Cys Arg Asp Glu Pro Leu His Ala Leu Tyr Asp Asn Val Glu
 210 215 220

Lys Leu Phe Pro Gly Phe Glu Ile Glu Thr Val Lys Asn Asn Leu Arg
 225 230 235 240

Ile Leu Phe Asn Asn Ala Val Lys Lys Arg Leu Met Thr Asp Arg Arg
 245 250 255

Ile Gly Cys Leu Leu Ser Gly Gly Leu Asp Ser Ser Leu Val Ala Ala

1341

260	265	270
Thr Leu Leu Lys Gln Leu Lys Glu Ala Gln Val Gln Tyr Pro Leu Gln		
275	280	285
Thr Phe Ala Ile Gly Met Glu Asp Ser Pro Asp Leu Leu Ala Ala Arg		
290	295	300
Lys Val Ala Asp His Ile Gly Ser Glu His Tyr Glu Val Leu Phe Asn		
305	310	315
Ser Glu Glu Gly Ile Gln Ala Leu Asp Glu Val Ile Phe Ser Leu Glu		
325	330	335
Thr Tyr Asp Ile Thr Thr Val Arg Ala Ser Val Gly Met Tyr Leu Ile		
340	345	350
Ser Lys Tyr Ile Arg Lys Asn Thr Asp Ser Val Val Ile Phe Ser Gly		
355	360	365
Glu Gly Ser Asp Glu Leu Thr Gln Gly Tyr Ile Tyr Phe His Lys Ala		
370	375	380
Pro Ser Pro Glu Lys Ala Glu Glu Glu Ser Glu Arg Leu Leu Arg Glu		
385	390	395
Leu Tyr Leu Phe Asp Val Leu Arg Ala Asp Arg Thr Thr Ala Ala His		
405	410	415
Gly Leu Glu Leu Arg Val Pro Phe Leu Asp His Arg Phe Ser Ser Tyr		
420	425	430
Tyr Leu Ser Leu Pro Pro Glu Met Arg Ile Pro Lys Asn Gly Ile Glu		
435	440	445
Lys His Leu Leu Arg Glu Thr Phe Glu Asp Ser Asn Leu Ile Pro Lys		
450	455	460
Glu Ile Leu Trp Arg Pro Lys Glu Ala Phe Ser Asp Gly Ile Thr Ser		
465	470	475
Val Lys Asn Ser Trp Phe Lys Ile Leu Gln Glu Tyr Val Glu His Gln		
485	490	495
Val Asp Asp Ala Met Met Ala Asn Ala Ala Gln Lys Phe Pro Phe Asn		
500	505	510
Thr Pro Lys Thr Lys Glu Gly Tyr Tyr Tyr Arg Gln Val Phe Glu Arg		
515	520	525
His Tyr Pro Gly Arg Ala Asp Trp Leu Ser His Tyr Trp Met Pro Lys		

1342

530 535 540

Trp Ile Asn Ala Thr Asp Pro Ser Ala Arg Thr Leu Thr His Tyr Lys
 545 550 555 560

Ser Ala Val Lys Ala
 565

<210> 1303

<211> 441

<212> PRT

<213> Homo sapiens

<400> 1303

Arg Arg Arg Arg Ala Cys Arg Ser Ala Glu Gly Thr Gly Leu Arg Ser
 1 5 10 15

Leu Leu Leu Pro Pro Arg Leu Gln Leu Pro Ala Gly Pro Phe Ser Arg
 20 25 30

Cys Arg Trp Asp Pro Val Ser Ser Pro Arg Pro Ser Thr Met Pro Pro
 35 40 45

Lys Lys Gly Gly Asp Gly Ile Lys Pro Pro Pro Ile Ile Gly Arg Phe
 50 55 60

Gly Thr Ser Leu Lys Ile Gly Ile Val Gly Leu Pro Asn Val Gly Lys
 65 70 75 80

Ser Thr Phe Phe Asn Val Leu Thr Asn Ser Gln Ala Ser Ala Glu Asn
 85 90 95

Phe Pro Phe Cys Thr Ile Asp Pro Asn Glu Ser Arg Val Pro Val Pro
 100 105 110

Asp Glu Arg Phe Asp Phe Leu Cys Gln Tyr His Lys Pro Ala Ser Lys
 115 120 125

Ile Pro Ala Phe Leu Asn Val Val Asp Ile Ala Gly Leu Val Lys Gly
 130 135 140

Ala His Asn Gly Gln Gly Leu Gly Asn Ala Phe Leu Ser His Ile Ser
 145 150 155 160

Ala Cys Asp Gly Ile Phe His Leu Thr Arg Ala Phe Glu Asp Asp Asp
 165 170 175

Ile Thr His Val Glu Gly Ser Val Asp Pro Ile Arg Asp Ile Glu Ile
 180 185 190

1343

Ile His Glu Glu Leu Gln Leu Lys Asp Glu Glu Met Ile Gly Pro Ile
195 200 205

Ile Asp Lys Leu Glu Lys Val Ala Val Arg Gly Gly Asp Lys Lys Leu
210 215 220

Lys Pro Glu Tyr Asp Ile Met Cys Lys Val Lys Ser Trp Val Ile Asp
225 230 235 240

Gln Lys Lys Pro Val Arg Phe Tyr His Asp Trp Asn Asp Lys Glu Ile
245 250 255

Glu Val Leu Asn Lys His Leu Phe Leu Thr Ser Lys Pro Met Val Tyr
260 265 270

Leu Val Asn Leu Ser Glu Lys Asp Tyr Ile Arg Lys Lys Asn Lys Trp
275 280 285

Leu Ile Lys Ile Lys Glu Trp Val Asp Lys Tyr Asp Pro Gly Ala Leu
290 295 300

Val Ile Pro Phe Ser Gly Ala Leu Glu Leu Lys Leu Gln Glu Leu Ser
305 310 315 320

Ala Glu Glu Arg Gln Lys Tyr Leu Glu Ala Asn Met Thr Gln Ser Ala
325 330 335

Leu Pro Lys Ile Ile Lys Ala Gly Phe Ala Ala Leu Gln Leu Glu Tyr
340 345 350

Phe Phe Thr Ala Gly Pro Asp Glu Val Arg Ala Trp Thr Ile Arg Lys
355 360 365

Gly Thr Lys Ala Pro Gln Ala Ala Gly Lys Ile His Thr Asp Phe Glu
370 375 380

Lys Gly Phe Ile Met Ala Glu Val Met Lys Tyr Glu Asp Phe Lys Glu
385 390 395 400

Glu Gly Ser Glu Asn Ala Val Lys Ala Ala Gly Lys Tyr Arg Gln Gln
405 410 415

Gly Arg Asn Tyr Ile Val Glu Asp Gly Asp Ile Ile Phe Phe Lys Phe
420 425 430

Asn Thr Pro Gln Gln Pro Lys Lys Lys
435 440

1344

<210> 1304

<211> 94

<212> PRT

<213> Homo sapiens

<400> 1304

Glu Lys Lys Arg Gly Arg Glu Asp Lys Pro Gly Thr Met Ala Thr Phe
1 5 10 15

Pro Pro Ala Thr Ser Ala Pro Gln Gln Pro Pro Gly Pro Glu Asp Glu
20 25 30

Asp Ser Ser Leu Asp Glu Ser Asp Leu Tyr Ser Leu Ala His Ser Tyr
35 40 45

Leu Gly Gly Gly Gly Arg Lys Gly Arg Thr Lys Arg Glu Ala Ala Ala
50 55 60

Asn Thr Asn Arg Pro Ser Pro Gly Gly His Glu Arg Lys Leu Val Thr
65 70 75 80

Lys Leu Gln Asn Ser Glu Arg Lys Lys Arg Gly Ala Arg Arg
85 90

<210> 1305

<211> 82

<212> PRT

<213> Homo sapiens

<400> 1305

Val Ile Leu Glu Met Val Ile Val Phe Cys Leu Val Thr Phe Ala Thr
1 5 10 15

Val Pro Phe Lys Thr Met Trp Lys Pro Gln Val Cys Gly Gln His Arg
20 25 30

Trp Asn Asp Ile Leu Cys Phe Leu Arg Leu Pro Ser Thr Arg His Ile
35 40 45

Ser Leu Val Leu Gln Met Ser Ala Gln Val Leu Val Thr Ser Phe Ser
50 55 60

Cys Cys Pro Gly Lys Ser Val Cys Ala Gly Ala Gly Ala Leu Ala Leu
65 70 75 80

Phe Arg

1345

<210> 1306

<211> 231

<212> PRT

<213> Homo sapiens

<400> 1306

Ala Arg Glu Met Ala Ala Gln Gln Arg Asp Cys Gly Gly Ala Ala Gln
1 5 10 15

Leu Ala Gly Pro Ala Ala Glu Ala Asp Pro Leu Gly Arg Phe Thr Cys
20 25 30

Pro Val Cys Leu Glu Val Tyr Glu Lys Pro Val Gln Val Pro Cys Gly
35 40 45

His Val Phe Cys Ser Ala Cys Leu Gln Glu Cys Leu Lys Pro Lys Lys
50 55 60

Pro Val Cys Gly Val Cys Arg Ser Ala Leu Ala Pro Gly Val Arg Ala
65 70 75 80

Val Glu Leu Glu Arg Gln Ile Glu Ser Thr Glu Thr Ser Cys His Gly
85 90 95

Cys Arg Lys Asn Phe Phe Leu Ser Lys Ile Arg Ser His Val Ala Thr
100 105 110

Cys Ser Lys Tyr Gln Asn Tyr Ile Met Glu Gly Val Lys Ala Thr Ile
115 120 125

Lys Asp Ala Ser Leu Gln Pro Arg Asn Val Pro Asn Arg Tyr Thr Phe
130 135 140

Pro Cys Pro Tyr Cys Pro Glu Lys Asn Phe Asp Gln Glu Gly Leu Val
145 150 155 160

Glu His Cys Lys Leu Phe His Ser Thr Asp Thr Lys Ser Val Val Cys
165 170 175

Pro Ile Cys Ala Ser Met Pro Trp Gly Asp Pro Asn Tyr Arg Ser Ala
180 185 190

Asn Phe Arg Glu His Ile Gln Arg Arg His Arg Phe Ser Tyr Asp Thr
195 200 205

Phe Val Asp Tyr Asp Val Asp Glu Glu Asp Met Met Asn Gln Val Leu
210 215 220

Gln Arg Ser Ile Ile Asp Gln
225 230

1346

<210> 1307

<211> 170

<212> PRT

<213> Homo sapiens

<400> 1307

Gln Lys Gln Arg Thr Phe Trp Lys Tyr Tyr Tyr Asp Gly Lys Asp Tyr
1 5 10 15

Ile Glu Phe Asn Lys Glu Ile Pro Ala Trp Val Pro Phe Asp Pro Ala
20 25 30

Ala Gln Ile Thr Lys Gln Lys Trp Glu Ala Glu Pro Val Tyr Val Gln
35 40 45

Arg Ala Lys Ala Tyr Leu Glu Glu Glu Cys Pro Ala Thr Leu Arg Lys
50 55 60

Tyr Leu Lys Tyr Ser Lys Asn Ile Leu Asp Arg Gln Asp Pro Pro Ser
65 70 75 80

Val Val Val Thr Ser His Gln Ala Pro Gly Glu Lys Lys Lys Leu Lys
85 90 95

Cys Leu Ala Tyr Asp Phe Tyr Pro Gly Lys Ile Asp Val His Trp Thr
100 105 110

Arg Ala Gly Glu Val Gln Glu Pro Glu Leu Arg Gly Asp Val Leu His
115 120 125

Asn Gly Asn Gly Thr Tyr Gln Ser Trp Val Val Val Ala Val Pro Pro
130 135 140

Gln Asp Thr Ala Pro Tyr Ser Cys His Val Gln His Ser Ser Leu Ala
145 150 155 160

Gln Pro Leu Val Val Pro Trp Glu Ala Ser
165 170

<210> 1308

<211> 111

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1347

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (104)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1308

Cys Ser Cys Thr Val Arg Ala Arg Arg Arg Leu Asn Arg Gly Leu Arg
 1 5 10 15

Arg Lys Gln His Ser Leu Leu Lys Arg Leu Arg Lys Ala Lys Lys Glu
 20 25 30

Ala Pro Pro Met Glu Lys Pro Glu Val Val Lys Thr His Leu Arg Asp
 35 40 45

Met Ile Ile Leu Pro Glu Met Val Gly Ser Met Val Gly Val Tyr Asn
 50 55 60

Gly Lys Thr Phe Asn Gln Val Glu Ile Lys Pro Glu Met Ile Gly His
 65 70 75 80

Tyr Leu Gly Glu Phe Ser Ile Thr Tyr Lys Pro Val Lys His Xaa Arg
 85 90 95

Pro Gly Ile Gly Ala Thr His Xaa Ser Arg Phe Ile Pro Leu Lys
 100 105 110

<210> 1309

<211> 121

<212> PRT

<213> Homo sapiens

<400> 1309

Pro Val Ser Pro Gln Glu Arg Pro Pro Pro Tyr Leu Ala Val Pro Gly
 1 5 10 15

His Gly Glu Glu Tyr Pro Val Ala Gly Ala His Ser Ser Pro Pro Lys
 20 25 30

Ala Arg Phe Leu Arg Val Pro Ser Glu His Pro Tyr Leu Thr Pro Ser
 35 40 45

Pro Glu Ser Pro Glu His Trp Ala Ser Pro Ser Pro Pro Ser Leu Ser
 50 55 60

Asp Trp Ser Glu Ser Thr Pro Ser Pro Ala Thr Ala Thr Gly Ala Met

1349

Thr Ile Pro Thr Asp Asp Asn Val Cys Ala Ser Pro Gly Met Ser Pro
180 185 190

Leu Val Ser Val Gly Pro Ser Leu His Gly Thr Ser Pro Cys
195 200 205

<210> 1311

<211> 142

<212> PRT

<213> Homo sapiens

<400> 1311

Ser Trp Glu Thr Glu Lys Met Gln Thr Ala Gly Ala Leu Phe Ile Ser
1 5 10 15

Pro Ala Leu Ile Arg Cys Cys Thr Arg Gly Leu Ile Arg Pro Val Ser
20 25 30

Ala Ser Phe Leu Asn Ser Pro Val Asn Ser Ser Lys Gln Pro Ser Tyr
35 40 45

Ser Asn Phe Pro Leu Gln Val Ala Arg Arg Glu Phe Gln Thr Ser Val
50 55 60

Val Ser Arg Asp Ile Asp Thr Ala Ala Lys Phe Ile Gly Ala Gly Ala
65 70 75 80

Ala Thr Val Gly Val Ala Gly Ser Gly Ala Gly Ile Gly Thr Val Phe
85 90 95

Gly Ser Leu Ile Ile Gly Tyr Ala Arg Asn Pro Ser Leu Lys Gln Gln
100 105 110

Leu Phe Ser Tyr Ala Ile Leu Gly Phe Ala Leu Ser Glu Ala Met Gly
115 120 125

Leu Phe Cys Leu Met Val Ala Phe Leu Ile Leu Phe Ala Met
130 135 140

<210> 1312

<211> 495

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1350

<222> (121)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (392)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (460)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1312

Arg	Arg	Met	Glu	Gly	Gln	Asp	Glu	Val	Ser	Ala	Arg	Glu	Gln	His	Phe
1				5					10					15	

His	Ser	Gln	Val	Arg	Glu	Ser	Thr	Ile	Cys	Phe	Leu	Leu	Phe	Ala	Ile
		20						25					30		

Leu	Tyr	Val	Val	Ser	Tyr	Phe	Ile	Ile	Thr	Arg	Tyr	Lys	Arg	Lys	Ser
	35						40					45			

Asp	Glu	Gln	Glu	Asp	Glu	Asp	Ala	Ile	Val	Asn	Arg	Ile	Ser	Leu	Phe
	50					55					60				

Leu	Ser	Thr	Phe	Thr	Leu	Ala	Val	Ser	Ala	Gly	Ala	Val	Leu	Leu	Leu
65					70					75					80

Pro	Phe	Ser	Ile	Ile	Ser	Asn	Glu	Ile	Leu	Leu	Ser	Phe	Pro	Gln	Asn
			85						90					95	

Tyr	Tyr	Ile	Gln	Trp	Leu	Asn	Gly	Ser	Leu	Ile	His	Gly	Leu	Trp	Asn
		100					105						110		

Leu	Ala	Ser	Leu	Phe	Ser	Asn	Leu	Xaa	Leu	Phe	Val	Leu	Met	Pro	Phe
	115						120					125			

Ala	Phe	Phe	Phe	Leu	Glu	Ser	Glu	Gly	Phe	Ala	Gly	Leu	Lys	Lys	Gly
	130					135					140				

Ile	Arg	Ala	Arg	Ile	Leu	Glu	Thr	Leu	Val	Met	Leu	Leu	Leu	Leu	Ala
145					150					155					160

Leu	Leu	Ile	Leu	Gly	Ile	Val	Trp	Val	Ala	Ser	Ala	Leu	Ile	Asp	Asn
			165						170					175	

Asp	Ala	Ala	Ser	Met	Glu	Ser	Leu	Tyr	Asp	Leu	Trp	Glu	Phe	Tyr	Leu
			180					185					190		

Pro	Tyr	Leu	Tyr	Ser	Cys	Ile	Ser	Leu	Met	Gly	Cys	Leu	Leu	Leu	Leu
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1351

195	200	205
Leu Cys Thr Pro Val Gly	Leu Ser Arg Met Phe Thr	Val Met Gly Gln
210	215	220
Leu Leu Val Lys Pro Thr	Ile Leu Glu Asp Leu Asp	Glu Gln Ile Tyr
225	230	235 240
Ile Ile Thr Leu Glu Glu	Ala Leu Gln Arg Arg	Leu Asn Gly Leu
245	250	255
Ser Ser Ser Val Glu Tyr	Asn Ile Met Glu Leu Glu	Gln Glu Leu Glu
260	265	270
Asn Val Lys Thr Leu Lys	Thr Lys Leu Asp Pro Trp	Ser Ser Phe Ser
275	280	285
Val Leu Gln Ser Pro Val	Trp His Phe Ala Ala	Gln Thr Pro Ala Asp
290	295	300
Ile Val Ser Pro Asp Ser	His Phe Met Leu Ser	Thr Gln Gly Met Ser
305	310	315 320
Trp Ala Gln Leu Val Phe	Leu Leu Pro Ala Ser	Arg Pro Gly Asn Ser
325	330	335
Gln Asp Lys Arg Arg Lys	Lys Ala Ser Ala Trp	Glu Arg Asn Leu Val
340	345	350
Tyr Pro Ala Val Met Val	Leu Leu Leu Ile Glu	Thr Ser Ile Ser Val
355	360	365
Leu Leu Val Ala Cys Asn	Ile Leu Cys Leu Leu	Val Asp Glu Thr Ala
370	375	380
Met Pro Lys Gly Thr Arg	Gly Xaa Gly Ile Gly	Asn Ala Ser Leu Ser
385	390	395 400
Thr Phe Gly Phe Val Gly	Ala Ala Leu Glu Ile	Ile Leu Ile Phe Tyr
405	410	415
Leu Met Val Ser Ser Val	Val Gly Phe Tyr Ser	Leu Arg Phe Phe Gly
420	425	430
Asn Phe Thr Pro Lys Lys	Asp Asp Thr Thr Met	Thr Lys Ile Ile Gly
435	440	445
Asn Cys Val Ser Ile Leu	Val Leu Ser Ser Ala	Xaa Pro Val Met Ser
450	455	460
Arg Thr Leu Gly Leu His	Lys Leu His Leu Pro	Asn Thr Ser Arg Asp

1352

465 470 475 480

Ser Glu Thr Ala Lys Pro Ser Val Asn Gly His Gln Lys Ala Leu
 485 490 495

<210> 1313

<211> 790

<212> PRT

<213> Homo sapiens

<400> 1313

Gly Thr Arg Gly Thr Ala Thr Glu Arg Leu Lys Met Ile Pro Phe Leu
 1 5 10 15

Pro Met Phe Ser Leu Leu Leu Leu Leu Ile Val Asn Pro Ile Asn Ala
 20 25 30

Asn Asn His Tyr Asp Lys Ile Leu Ala His Ser Arg Ile Arg Gly Arg
 35 40 45

Asp Gln Gly Pro Asn Val Cys Ala Leu Gln Gln Ile Leu Gly Thr Lys
 50 55 60

Lys Lys Tyr Phe Ser Thr Cys Lys Asn Trp Tyr Lys Lys Ser Ile Cys
 65 70 75 80

Gly Gln Lys Thr Thr Val Leu Tyr Glu Cys Cys Pro Gly Tyr Met Arg
 85 90 95

Met Glu Gly Met Lys Gly Cys Pro Ala Val Leu Pro Ile Asp His Val
 100 105 110

Tyr Gly Thr Leu Gly Ile Val Gly Ala Thr Thr Thr Gln Arg Tyr Ser
 115 120 125

Asp Ala Ser Lys Leu Arg Glu Ile Glu Gly Lys Gly Ser Phe Thr
 130 135 140

Tyr Phe Ala Pro Ser Asn Glu Ala Trp Asp Asn Leu Asp Ser Asp Ile
 145 150 155 160

Arg Arg Gly Leu Glu Ser Asn Val Asn Val Glu Leu Leu Asn Ala Leu
 165 170 175

His Ser His Met Ile Asn Lys Arg Met Leu Thr Lys Asp Leu Lys Asn
 180 185 190

Gly Met Ile Ile Pro Ser Met Tyr Asn Asn Leu Gly Leu Phe Ile Asn
 195 200 205

1353

His Tyr Pro Asn Gly Val Val Thr Val Asn Cys Ala Arg Ile Ile His
 210 215 220

Gly Asn Gln Ile Ala Thr Asn Gly Val Val His Val Ile Asp Arg Val
 225 230 235 240

Leu Thr Gln Ile Gly Thr Ser Ile Gln Asp Phe Ile Glu Ala Glu Asp
 245 250 255

Asp Leu Ser Ser Phe Arg Ala Ala Ala Ile Thr Ser Asp Ile Leu Glu
 260 265 270

Ala Leu Gly Arg Asp Gly His Phe Thr Leu Phe Ala Pro Thr Asn Glu
 275 280 285

Ala Phe Glu Lys Leu Pro Arg Gly Val Leu Glu Arg Ile Met Gly Asp
 290 295 300

Lys Val Ala Ser Glu Ala Leu Met Lys Tyr His Ile Leu Asn Thr Leu
 305 310 315 320

Gln Cys Ser Glu Ser Ile Met Gly Gly Ala Val Phe Glu Thr Leu Glu
 325 330 335

Gly Asn Thr Ile Glu Ile Gly Cys Asp Gly Asp Ser Ile Thr Val Asn
 340 345 350

Gly Ile Lys Met Val Asn Lys Lys Asp Ile Val Thr Asn Asn Gly Val
 355 360 365

Ile His Leu Ile Asp Gln Val Leu Ile Pro Asp Ser Ala Lys Gln Val
 370 375 380

Ile Glu Leu Ala Gly Lys Gln Gln Thr Thr Phe Thr Asp Leu Val Ala
 385 390 395 400

Gln Leu Gly Leu Ala Ser Ala Leu Arg Pro Asp Gly Glu Tyr Thr Leu
 405 410 415

Leu Ala Pro Val Asn Asn Ala Phe Ser Asp Asp Thr Leu Ser Met Asp
 420 425 430

Gln Arg Leu Leu Lys Leu Ile Leu Gln Asn His Ile Leu Lys Val Lys
 435 440 445

Val Gly Leu Asn Glu Leu Tyr Asn Gly Gln Ile Leu Glu Thr Ile Gly
 450 455 460

Gly Lys Gln Leu Arg Val Phe Val Tyr Arg Thr Ala Val Cys Ile Glu
 465 470 475 480

1354

Asn Ser Cys Met	Glu Lys Gly Ser Lys Gln Gly Arg Asn Gly Ala Ile	
	485	490 495
His Ile Phe Arg Glu Ile Ile Lys Pro Ala Glu Lys Ser Leu His Glu		
	500	505 510
Lys Leu Lys Gln Asp Lys Arg Phe Ser Thr Phe Leu Ser Leu Leu Glu		
	515	520 525
Ala Ala Asp Leu Lys Glu Leu Leu Thr Gln Pro Gly Asp Trp Thr Leu		
	530	535 540
Phe Val Pro Thr Asn Asp Ala Phe Lys Gly Met Thr Ser Glu Glu Lys		
	545	550 555 560
Glu Ile Leu Ile Arg Asp Lys Asn Ala Leu Gln Asn Ile Ile Leu Tyr		
	565	570 575
His Leu Thr Pro Gly Val Phe Ile Gly Lys Gly Phe Glu Pro Gly Val		
	580	585 590
Thr Asn Ile Leu Lys Thr Thr Gln Gly Ser Lys Ile Phe Leu Lys Glu		
	595	600 605
Val Asn Asp Thr Leu Leu Val Asn Glu Leu Lys Ser Lys Glu Ser Asp		
	610	615 620
Ile Met Thr Thr Asn Gly Val Ile His Val Val Asp Lys Leu Leu Tyr		
	625	630 635 640
Pro Ala Asp Thr Pro Val Gly Asn Asp Gln Leu Leu Glu Ile Leu Asn		
	645	650 655
Lys Leu Ile Lys Tyr Ile Gln Ile Lys Phe Val Arg Gly Ser Thr Phe		
	660	665 670
Lys Glu Ile Pro Val Thr Val Tyr Lys Pro Ile Ile Lys Lys Tyr Thr		
	675	680 685
Lys Ile Ile Asp Gly Val Pro Val Glu Ile Thr Glu Lys Glu Thr Arg		
	690	695 700
Glu Glu Arg Ile Ile Thr Gly Pro Glu Ile Lys Tyr Thr Arg Ile Ser		
	705	710 715 720
Thr Gly Gly Gly Glu Thr Glu Glu Thr Leu Lys Lys Leu Leu Gln Glu		
	725	730 735
Glu Val Thr Lys Val Thr Lys Phe Ile Glu Gly Gly Asp Gly His Leu		
	740	745 750

1355

Phe Glu Asp Glu Glu Ile Lys Arg Leu Leu Gln Gly Asp Thr Pro Val
755 760 765

Arg Lys Leu Gln Ala Asn Lys Lys Val Gln Gly Ser Arg Arg Arg Leu
770 775 780

Arg Glu Gly Arg Ser Gln
785 790

<210> 1314

<211> 73

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1314

Thr Ser Trp Ala Phe Asp Glu Thr Gly Xaa Asn Thr Ala Val Phe Leu
1 5 10 15

Leu Glu Ile Xaa Trp Gly Ile Phe Phe Glu Leu Met Gly Thr Ile Arg
20 25 30

His Asn Cys Leu His Lys Leu Gly Ile Xaa Asp Phe Gly Ile Thr Ile
35 40 45

Tyr Gln Asn Gly Asp Ile Ser Pro Leu Val Leu Arg Cys Lys Pro Lys
50 55 60

Asn Ile Met Thr Ser Phe Gln Ala Ser
65 70

<210> 1315

1356

<211> 268

<212> PRT

<213> Homo sapiens

<400> 1315

Pro Gly Arg Pro Thr Arg Pro Arg Thr Arg Gly Ile Asn Lys Leu Ile
 1 5 10 15

Arg Ile Gly Arg Asn Glu Cys Val Val Val Ile Arg Val Asp Lys Glu
 20 25 30

Lys Gly Tyr Ile Asp Leu Ser Lys Arg Arg Val Ser Pro Glu Glu Ala
 35 40 45

Ile Lys Cys Glu Asp Lys Phe Thr Lys Ser Lys Thr Val Tyr Ser Ile
 50 55 60

Leu Arg His Val Ala Glu Val Leu Glu Tyr Thr Lys Asp Glu Gln Leu
 65 70 75 80

Glu Ser Leu Phe Gln Arg Thr Ala Trp Val Phe Asp Asp Lys Tyr Lys
 85 90 95

Arg Pro Gly Tyr Gly Ala Tyr Asp Ala Phe Lys His Ala Val Ser Asp
 100 105 110

Pro Ser Ile Leu Asp Ser Leu Asp Leu Asn Glu Asp Glu Arg Glu Val
 115 120 125

Leu Ile Asn Asn Ile Asn Arg Arg Leu Thr Pro Gln Ala Val Lys Ile
 130 135 140

Arg Ala Asp Ile Glu Val Ala Cys Tyr Gly Tyr Glu Gly Ile Asp Ala
 145 150 155 160

Val Lys Glu Ala Leu Arg Ala Gly Leu Asn Cys Ser Thr Glu Asn Met
 165 170 175

Pro Ile Lys Ile Asn Leu Ile Ala Pro Pro Arg Tyr Val Met Thr Thr
 180 185 190

Thr Thr Leu Glu Arg Thr Glu Gly Leu Ser Val Leu Ser Gln Ala Met
 195 200 205

Ala Val Ile Lys Glu Lys Ile Glu Glu Lys Arg Gly Val Phe Asn Val
 210 215 220

Gln Met Glu Pro Lys Val Val Thr Asp Thr Asp Glu Thr Glu Leu Ala
 225 230 235 240

Arg Gln Met Glu Arg Leu Glu Arg Glu Asn Ala Glu Val Asp Gly Asp

1357

245	250	255
Asp Asp Ala Glu Glu Met Glu Ala Lys Ala Glu Asp		
260	265	
<210> 1316		
<211> 315		
<212> PRT		
<213> Homo sapiens		
<400> 1316		
Gly Gln Arg Ala Gly Met Pro His Ala Gln Gly Gly Trp Ser Gly Pro		
1	5	10 15
Ala Ala Asp Ser Ala Glu Pro Ala Leu Pro Ala Gly Glu Pro Gly Gly		
20	25	30
Pro Thr Leu Met Arg Leu Asn Ser Val Gln Ser Ser Glu Arg Pro Leu		
35	40	45
Phe Leu Val His Pro Ile Glu Gly Ser Thr Thr Val Phe His Ser Leu		
50	55	60
Ala Ser Arg Leu Ser Ile Pro Thr Tyr Gly Leu Gln Cys Thr Arg Ala		
65	70	75 80
Ala Pro Leu Asp Ser Ile His Ser Leu Ala Ala Tyr Tyr Ile Asp Cys		
85	90	95
Ile Arg Gln Val Gln Pro Glu Gly Pro Tyr Arg Val Ala Gly Tyr Ser		
100	105	110
Tyr Gly Ala Cys Val Ala Phe Glu Met Cys Ser Gln Leu Gln Ala Gln		
115	120	125
Gln Ser Pro Ala Pro Thr His Asn Ser Leu Phe Leu Phe Asp Gly Ser		
130	135	140
Pro Thr Tyr Val Leu Ala Tyr Thr Gln Ser Tyr Arg Ala Lys Leu Thr		
145	150	155 160
Pro Gly Cys Glu Ala Glu Ala Glu Thr Glu Ala Ile Cys Phe Phe Val		
165	170	175
Gln Gln Phe Thr Asp Met Glu His Asn Arg Val Leu Glu Ala Leu Leu		
180	185	190
Pro Leu Lys Gly Leu Glu Glu Arg Val Ala Ala Ala Val Asp Leu Ile		
195	200	205

1358

Ile Lys Ser His Gln Gly Leu Asp Arg Gln Glu Leu Ser Phe Ala Ala
210 215 220

Arg Ser Phe Tyr Tyr Lys Leu Arg Ala Ala Glu Gln Tyr Thr Pro Lys
225 230 235 240

Ala Lys Tyr His Gly Asn Val Met Leu Leu Arg Ala Lys Thr Gly Gly
245 250 255

Ala Tyr Gly Glu Asp Leu Gly Ala Asp Tyr Asn Leu Ser Gln Val Cys
260 265 270

Asp Gly Lys Val Ser Val His Val Ile Glu Gly Asp His Arg Thr Leu
275 280 285

Leu Glu Gly Ser Gly Leu Glu Ser Ile Ile Ser Ile Ile His Ser Ser
290 295 300

Leu Ala Glu Pro Arg Val Ser Val Arg Glu Gly
305 310 315

<210> 1317

<211> 191

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1359

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (186)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1317

Thr	Thr	Xaa	Val	Xaa	Asp	Arg	Leu	Leu	Xaa	Thr	Ser	Gly	Ser	Pro	Gly
1				5					10					15	

Thr	Asp	Arg	Xaa	Phe	Gly	His	Glu	Xaa	Glu	Met	Ala	Pro	Asn	Ala	Ser
			20					25					30		

Cys	Leu	Cys	Val	His	Val	Arg	Ser	Glu	Glu	Trp	Asp	Leu	Met	Thr	Phe
		35					40					45			

Asp	Ala	Asn	Pro	Tyr	Asp	Ser	Val	Lys	Lys	Ile	Lys	Glu	His	Val	Arg
	50					55					60				

Ser	Lys	Thr	Lys	Val	Pro	Val	Gln	Asp	Gln	Val	Leu	Leu	Leu	Gly	Ser
65				70					75					80	

Lys	Ile	Leu	Lys	Pro	Arg	Arg	Ser	Leu	Ser	Ser	Tyr	Gly	Ile	Asp	Lys
			85					90					95		

Glu	Lys	Thr	Ile	His	Leu	Thr	Leu	Lys	Val	Val	Lys	Pro	Ser	Asp	Glu
		100					105					110			

Glu	Leu	Pro	Leu	Phe	Leu	Val	Glu	Ser	Gly	Asp	Glu	Ala	Lys	Arg	His
	115						120					125			

Leu	Leu	Gln	Val	Arg	Arg	Ser	Ser	Ser	Val	Ala	Gln	Val	Lys	Ala	Met
	130					135					140				

Ile	Glu	Thr	Lys	Thr	Gly	Ile	Ile	Pro	Glu	Thr	Gln	Ile	Val	Thr	Cys
145				150					155					160	

Asn	Gly	Lys	Arg	Leu	Glu	Asp	Gly	Lys	Met	Met	Ala	Asp	Tyr	Gly	Ile
			165					170					175		

Arg	Lys	Gly	Asn	Leu	Leu	Phe	Leu	Ala	Xaa	Tyr	Cys	Ile	Gly	Gly	
			180				185						190		

<210> 1318

<211> 230

<212> PRT

<213> Homo sapiens

1360

<400> 1318

Arg Asn Leu Gln Glu Thr Ala Ile Met Ala Glu Lys Pro Lys Leu His
1 5 10 15

Tyr Phe Asn Ala Arg Gly Arg Met Glu Ser Thr Arg Trp Leu Leu Ala
20 25 30

Ala Ala Gly Val Glu Phe Glu Glu Lys Phe Ile Lys Ser Ala Glu Asp
35 40 45

Leu Asp Lys Leu Arg Asn Asp Gly Tyr Leu Met Phe Gln Gln Val Pro
50 55 60

Met Val Glu Ile Asp Gly Met Lys Leu Val Gln Thr Arg Ala Ile Leu
65 70 75 80

Asn Tyr Ile Ala Ser Lys Tyr Asn Leu Tyr Gly Lys Asp Ile Lys Glu
85 90 95

Arg Ala Leu Ile Asp Met Tyr Ile Glu Gly Ile Ala Asp Leu Gly Glu
100 105 110

Met Ile Leu Leu Leu Pro Val Cys Pro Pro Glu Glu Lys Asp Ala Lys
115 120 125

Leu Ala Leu Ile Lys Glu Lys Ile Lys Asn Arg Tyr Phe Pro Ala Phe
130 135 140

Glu Lys Val Leu Lys Ser His Gly Gln Asp Tyr Leu Val Gly Asn Lys
145 150 155 160

Leu Ser Arg Ala Asp Ile His Leu Val Glu Leu Leu Tyr Tyr Val Glu
165 170 175

Glu Leu Asp Ser Ser Leu Ile Ser Ser Phe Pro Leu Leu Lys Ala Leu
180 185 190

Lys Thr Arg Ile Ser Asn Leu Pro Thr Val Lys Lys Phe Leu Gln Pro
195 200 205

Gly Ser Pro Arg Lys Pro Pro Met Asp Glu Lys Ser Leu Glu Glu Ala
210 215 220

Arg Lys Ile Phe Arg Phe
225 230

<210> 1319

<211> 279

1361

<212> PRT

<213> Homo sapiens

<400> 1319

Glu Gly Pro Ala Glu Gly Asn Met Ala Ala Lys Val Phe Glu Ser Ile
 1 5 10 15
 Gly Lys Phe Gly Leu Ala Leu Ala Val Ala Gly Gly Val Val Asn Ser
 20 25 30
 Ala Leu Tyr Asn Val Asp Ala Gly His Arg Ala Val Ile Phe Asp Arg
 35 40 45
 Phe Arg Gly Val Gln Asp Ile Val Val Gly Glu Gly Thr His Phe Leu
 50 55 60
 Ile Pro Trp Val Gln Lys Pro Ile Ile Phe Asp Cys Arg Ser Arg Pro
 65 70 75 80
 Arg Asn Val Pro Val Ile Thr Gly Ser Lys Asp Leu Gln Asn Val Asn
 85 90 95
 Ile Thr Leu Arg Ile Leu Phe Arg Pro Val Ala Ser Gln Leu Pro Arg
 100 105 110
 Ile Phe Thr Ser Ile Gly Glu Asp Tyr Asp Glu Arg Val Leu Pro Ser
 115 120 125
 Ile Thr Thr Glu Ile Leu Lys Ser Val Val Ala Arg Phe Asp Ala Gly
 130 135 140
 Glu Leu Ile Thr Gln Arg Glu Leu Val Ser Arg Gln Val Ser Asp Asp
 145 150 155 160
 Leu Thr Glu Arg Ala Ala Thr Phe Gly Leu Ile Leu Asp Asp Val Ser
 165 170 175
 Leu Thr His Leu Thr Phe Gly Lys Glu Phe Thr Glu Ala Val Glu Ala
 180 185 190
 Lys Gln Val Ala Gln Gln Glu Ala Glu Arg Ala Arg Phe Val Val Glu
 195 200 205
 Lys Ala Glu Gln Gln Lys Lys Ala Ala Ile Ile Ser Ala Glu Gly Asp
 210 215 220
 Ser Lys Ala Ala Glu Leu Ile Ala Asn Ser Leu Ala Thr Ala Gly Asp
 225 230 235 240
 Gly Leu Ile Glu Leu Arg Lys Leu Glu Ala Ala Glu Asp Ile Ala Tyr
 245 250 255

1362

Gln Leu Ser Arg Ser Arg Asn Ile Thr Tyr Leu Pro Ala Gly Gln Ser
 260 265 270

Val Leu Leu Gln Leu Pro Gln
 275

<210> 1320

<211> 406

<212> PRT

<213> Homo sapiens

<400> 1320

Val Thr Ala Cys Ala Ala Pro Ala Ala Trp Leu Pro Ile Leu Val Ala
 1 5 10 15

Asp Ile Trp Ser Ser Tyr Asn Met Ala Asp Ile Asp Asn Lys Glu Gln
 20 25 30

Ser Glu Leu Asp Gln Asp Leu Asp Asp Val Glu Glu Val Glu Glu Glu
 35 40 45

Glu Thr Gly Glu Glu Thr Lys Leu Lys Ala Arg Gln Leu Thr Val Gln
 50 55 60

Met Met Gln Asn Pro Gln Ile Leu Ala Ala Leu Gln Glu Arg Leu Asp
 65 70 75 80

Gly Leu Val Glu Thr Pro Thr Gly Tyr Ile Glu Ser Leu Pro Arg Val
 85 90 95

Val Lys Arg Arg Val Asn Ala Leu Lys Asn Leu Gln Val Lys Cys Ala
 100 105 110

Gln Ile Glu Ala Lys Phe Tyr Glu Glu Val His Asp Leu Glu Arg Lys
 115 120 125

Tyr Ala Val Leu Tyr Gln Pro Leu Phe Asp Lys Arg Phe Glu Ile Ile
 130 135 140

Asn Ala Ile Tyr Glu Pro Thr Glu Glu Glu Cys Glu Trp Lys Pro Asp
 145 150 155 160

Glu Glu Asp Glu Ile Ser Glu Glu Leu Lys Glu Lys Ala Lys Ile Glu
 165 170 175

Asp Glu Lys Lys Asp Glu Glu Lys Glu Asp Pro Lys Gly Ile Pro Glu
 180 185 190

1363

Phe Trp Leu Thr Val Phe Lys Asn Val Asp Leu Leu Ser Asp Met Val
 195 200 205
 Gln Glu His Asp Glu Pro Ile Leu Lys His Leu Lys Asp Ile Lys Val
 210 215 220
 Lys Phe Ser Asp Ala Gly Gln Pro Met Ser Phe Val Leu Glu Phe His
 225 230 235 240
 Phe Glu Pro Asn Glu Tyr Phe Thr Asn Glu Val Leu Thr Lys Thr Tyr
 245 250 255
 Arg Met Arg Ser Glu Pro Asp Asp Ser Asp Pro Phe Ser Phe Asp Gly
 260 265 270
 Pro Glu Ile Met Gly Cys Thr Gly Cys Gln Ile Asp Trp Lys Lys Gly
 275 280 285
 Lys Asn Val Thr Leu Lys Thr Ile Lys Lys Lys Gln Lys His Lys Gly
 290 295 300
 Arg Gly Thr Val Arg Thr Val Thr Lys Thr Val Ser Asn Asp Ser Phe
 305 310 315 320
 Phe Asn Phe Phe Ala Pro Pro Glu Val Pro Glu Ser Gly Asp Leu Asp
 325 330 335
 Asp Asp Ala Glu Ala Ile Leu Ala Ala Asp Phe Glu Ile Gly His Phe
 340 345 350
 Leu Arg Glu Arg Ile Ile Pro Arg Ser Val Leu Tyr Phe Thr Gly Glu
 355 360 365
 Ala Ile Glu Asp Asp Asp Asp Asp Tyr Asp Glu Glu Gly Glu Glu Ala
 370 375 380
 Asp Glu Gly Tyr Gln Leu Phe Glu Glu Val Lys Ser Cys Ser Lys Leu
 385 390 395 400
 Phe Gln Arg Trp Leu Gln
 405

<210> 1321

<211> 173

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1364

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1321

Gln Ser Ala Cys Ser Leu Leu Pro Glu Met Pro Arg Ile Leu Thr Arg
 1 5 10 15

Thr Pro Ser Ser Arg Met Ile Val Leu Arg Leu Met Pro Val Gly Gly
 20 25 30

Arg Arg Pro Ile Val Thr Ser Phe Gly Gly Cys Ser Thr Ala Pro Arg
 35 40 45

Ala Asn Phe Pro Leu Pro Xaa Pro Ala Leu Arg Gln Ser Arg Ser Lys
 50 55 60

Met Ala Val Val Gly Val Ser Ser Val Ser Arg Leu Leu Gly Arg Ser
 65 70 75 80

Arg Pro Gln Leu Gly Arg Pro Met Ser Ser Gly Ala His Gly Glu Glu
 85 90 95

Gly Ser Ala Arg Met Trp Lys Thr Leu Thr Phe Phe Val Ala Leu Pro
 100 105 110

Gly Val Ala Val Ser Met Leu Asn Val Tyr Leu Lys Ser His His Gly
 115 120 125

Glu His Glu Arg Pro Glu Phe Ile Ala Tyr Pro His Leu Arg Ile Arg
 130 135 140

Thr Lys Pro Phe Pro Trp Gly Asp Gly Asn His Thr Leu Phe His Asn
 145 150 155 160

Pro His Val Asn Pro Leu Pro Thr Gly Tyr Glu Asp Glu
 165 170

<210> 1322

<211> 209

<212> PRT

<213> Homo sapiens

<400> 1322

Lys Thr Gln Ala Ala Ser Val Glu Ala Val Lys Met Leu Asp Glu Ile
 1 5 10 15

Leu Leu Gln Leu Ser Ala Ser Val Pro Val Asp Val Met Pro Gly Glu
 20 25 30

1365

Phe Asp Pro Thr Asn Tyr Thr Leu Pro Gln Gln Pro Leu His Pro Cys
 35 40 45
 Met Phe Pro Leu Ala Thr Ala Tyr Ser Thr Leu Gln Leu Val Thr Asn
 50 55 60
 Pro Tyr Gln Ala Thr Ile Asp Gly Val Arg Phe Leu Gly Thr Ser Gly
 65 70 75 80
 Gln Asn Val Ser Asp Ile Phe Arg Tyr Ser Ser Met Glu Asp His Leu
 85 90 95
 Glu Ile Leu Glu Trp Thr Leu Arg Val Arg His Ile Ser Pro Thr Ala
 100 105 110
 Pro Asp Thr Leu Gly Cys Tyr Pro Phe Tyr Lys Thr Asp Pro Phe Ile
 115 120 125
 Phe Pro Glu Cys Pro His Val Tyr Phe Cys Gly Asn Thr Pro Ser Phe
 130 135 140
 Gly Ser Lys Ile Ile Arg Gly Pro Glu Asp Gln Thr Val Leu Leu Val
 145 150 155 160
 Thr Val Pro Asp Phe Ser Ala Thr Gln Thr Ala Cys Leu Val Asn Leu
 165 170 175
 Arg Ser Leu Ala Cys Gln Pro Ile Ser Phe Ser Gly Phe Gly Ala Glu
 180 185 190
 Asp Asp Asp Leu Gly Gly Leu Gly Trp Ala Pro Asp Ser Lys Lys Trp
 195 200 205

Phe

<210> 1323

<211> 291

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

1366

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1323

Asn Asn Val Ala Thr Thr His Glu Pro Ala Ser Val Pro Ala Pro Gln
 1 5 10 15

Gly Asp Leu Leu Ser Gly Ala Glu Pro Glu Gly Gly Asn Xaa Ala Arg
 20 25 30

Arg Pro Pro Gly Ala Arg Glu Gln Pro Gln Ser Pro Pro Pro Ala Arg
 35 40 45

Gly Gly Ala Gly Ser Leu Ala Thr Xaa Ala Pro Pro Ser Ser Gly Leu
 50 55 60

Ser Cys Pro Gly Cys Phe Arg Leu Arg Leu Trp Met Leu Arg Leu Ser
 65 70 75 80

Glu Arg Asn Met Lys Val Leu Leu Ala Ala Ala Leu Ile Ala Gly Ser
 85 90 95

Val Phe Phe Leu Leu Leu Pro Gly Pro Ser Ala Ala Asp Glu Lys Lys
 100 105 110

Lys Gly Pro Lys Val Thr Val Lys Val Tyr Phe Asp Leu Arg Ile Gly
 115 120 125

Asp Glu Asp Val Gly Arg Val Ile Phe Gly Leu Phe Gly Lys Thr Val
 130 135 140

Pro Lys Thr Val Asp Asn Phe Val Ala Leu Ala Thr Gly Glu Lys Gly
 145 150 155 160

Phe Gly Tyr Lys Asn Ser Lys Phe His Arg Val Ile Lys Asp Phe Met
 165 170 175

Ile Gln Gly Gly Asp Phe Thr Arg Gly Asp Gly Thr Gly Gly Lys Ser
 180 185 190

Ile Tyr Gly Glu Arg Phe Pro Asp Glu Asn Phe Lys Leu Lys His Tyr
 195 200 205

Gly Pro Gly Trp Val Ser Met Ala Asn Ala Gly Lys Asp Thr Asn Gly
 210 215 220

Ser Gln Phe Phe Ile Thr Thr Val Lys Thr Ala Trp Leu Asp Gly Lys
 225 230 235 240

His Val Val Phe Gly Lys Val Leu Glu Gly Met Glu Val Val Arg Lys
 245 250 255

1367

Val Glu Ser Thr Lys Thr Asp Ser Arg Asp Lys Pro Leu Lys Asp Val
 260 265 270

Ile Ile Ala Asp Cys Gly Lys Ile Glu Val Glu Lys Pro Phe Ala Ile
 275 280 285

Ala Lys Glu
 290

<210> 1324

<211> 150

<212> PRT

<213> Homo sapiens

<400> 1324

Glu Cys Leu Val Arg Ser Lys Asn Ile Thr Gln Ile Val Gly His Ser
 1 5 10 15

Gly Cys Glu Ala Lys Ser Ile Gln Asn Arg Ala Cys Leu Gly Gln Cys
 20 25 30

Phe Ser Tyr Ser Val Pro Asn Thr Phe Pro Gln Ser Thr Glu Ser Leu
 35 40 45

Val His Cys Asp Ser Cys Met Pro Ala Gln Ser Met Trp Glu Ile Val
 50 55 60

Thr Leu Glu Cys Pro Gly His Glu Glu Val Pro Arg Val Asp Lys Leu
 65 70 75 80

Val Glu Lys Ile Leu His Cys Ser Cys Gln Ala Cys Gly Lys Glu Pro
 85 90 95

Ser His Glu Gly Leu Ser Val Tyr Val Gln Gly Glu Asp Gly Pro Gly
 100 105 110

Ser Gln Pro Gly Thr His Pro His Pro His Pro His Pro His Pro Gly
 115 120 125

Gly Gln Thr Pro Glu Pro Glu Asp Pro Pro Gly Ala Pro His Thr Glu
 130 135 140

Glu Glu Gly Ala Glu Asp
 145 150

<210> 1325

<211> 56

1368

<212> PRT

<213> Homo sapiens

<400> 1325

Glu Ile Asn Ile Ser Arg Lys Gly Glu Ser Arg Phe Tyr Lys Met Ser
 1 5 10 15

Gln Leu Ser Asn Ile Trp Gly Ser Asp Ser Phe Phe Val Arg Thr Phe
 20 25 30

Glu Thr Ser Lys Gln Pro Leu Phe Leu Lys Asn Ser Gly Phe Thr Leu
 35 40 45

Thr His Val Ser Phe Thr Pro Phe
 50 55

<210> 1326

<211> 486

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (438)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (447)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1326

Arg Leu Pro Leu Gly Ser Arg Ser Pro Ser Glu Ala Ala Gly Ala Glu
 1 5 10 15

Thr Ala Pro Ser Ser Leu Ser Ala Ala Met Thr Pro Leu Val Ser Arg
 20 25 30

Leu Xaa Arg Leu Trp Ala Ile Met Arg Lys Pro Arg Ala Ala Val Gly
 35 40 45

Ser Gly His Arg Lys Gln Ala Ala Ser Gln Glu Gly Arg Gln Lys His
 50 55 60

1369

Ala Lys Asn Asn Ser Gln Ala Lys Pro Ser Ala Cys Asp Gly Leu Ala
 65 70 75 80

Arg Gln Pro Glu Glu Val Val Leu Gln Ala Ser Val Ser Ser Tyr His
 85 90 95

Leu Phe Arg Asp Val Ala Glu Val Thr Ala Phe Arg Gly Ser Leu Leu
 100 105 110

Ser Trp Tyr Asp Gln Glu Lys Arg Asp Leu Pro Trp Arg Arg Arg Ala
 115 120 125

Glu Asp Glu Met Asp Leu Asp Arg Arg Ala Tyr Ala Val Trp Val Ser
 130 135 140

Glu Val Met Leu Gln Gln Thr Gln Val Ala Thr Val Ile Asn Tyr Tyr
 145 150 155 160

Thr Gly Trp Met Gln Lys Trp Pro Thr Leu Gln Asp Leu Ala Ser Ala
 165 170 175

Ser Leu Glu Glu Val Asn Gln Leu Trp Ala Gly Leu Gly Tyr Tyr Ser
 180 185 190

Arg Gly Arg Arg Leu Gln Glu Gly Ala Arg Lys Val Val Glu Glu Leu
 195 200 205

Gly Gly His Met Pro Arg Thr Ala Glu Thr Leu Gln Gln Leu Leu Pro
 210 215 220

Gly Val Gly Arg Tyr Thr Ala Gly Ala Ile Ala Ser Ile Ala Phe Gly
 225 230 235 240

Gln Ala Thr Gly Val Val Asp Gly Asn Val Ala Arg Val Leu Cys Arg
 245 250 255

Val Arg Ala Ile Gly Ala Asp Pro Ser Ser Thr Leu Val Ser Gln Gln
 260 265 270

Leu Trp Gly Leu Ala Gln Gln Leu Val Asp Pro Ala Arg Pro Gly Asp
 275 280 285

Phe Asn Gln Ala Ala Met Glu Leu Gly Ala Thr Val Cys Thr Pro Gln
 290 295 300

Arg Pro Leu Cys Ser Gln Cys Pro Val Glu Ser Leu Cys Arg Ala Arg
 305 310 315 320

Gln Arg Val Glu Gln Glu Gln Leu Leu Ala Ser Gly Ser Leu Ser Gly
 325 330 335

1370

Ser Pro Asp Val Glu Glu Cys Ala Pro Asn Thr Gly Gln Cys His Leu
 340 345 350
 Cys Leu Pro Pro Ser Glu Pro Trp Asp Gln Thr Leu Gly Val Val Asn
 355 360 365
 Phe Pro Arg Lys Ala Ser Arg Lys Pro Pro Arg Glu Glu Ser Ser Ala
 370 375 380
 Thr Cys Val Leu Glu Gln Pro Gly Ala Leu Gly Ala Gln Ile Leu Leu
 385 390 395 400
 Val Gln Arg Pro Asn Ser Gly Leu Leu Ala Gly Leu Trp Glu Phe Pro
 405 410 415
 Ser Val Thr Trp Glu Pro Ser Glu Gln Leu Gln Arg Lys Ala Leu Leu
 420 425 430
 Gln Glu Leu Gln Arg Xaa Ala Gly Pro Leu Pro Ala Thr His Xaa Arg
 435 440 445
 His Leu Gly Glu Val Val His Thr Phe Ser His Ile Lys Leu Thr Tyr
 450 455 460
 Gln Val Tyr Gly Leu Ala Leu Glu Gly Gln Thr Pro Val Thr Thr Val
 465 470 475 480
 Pro Pro Gly Ala Arg Cys
 485

<210> 1327

<211> 88

<212> PRT

<213> Homo sapiens

<400> 1327

Lys Thr Leu Phe Thr Tyr Ser Phe His Gly Tyr Asn Thr Leu Ala Asp
 1 5 10 15
 Phe Leu Leu Ala Leu Gly Ala Met Ile Leu Ile Thr Phe Cys Lys Val
 20 25 30
 Thr Asn Val Ile His Ser Thr Leu Cys Gly Ser His Leu Phe Arg Leu
 35 40 45
 Met Cys Phe Gly Glu Arg Lys Lys Phe Leu Ala Glu Tyr Tyr Phe Glu
 50 55 60
 Leu Ser Arg Thr Leu Ser His Gln Arg Gln Phe Phe Ser Val Gln Phe

65 70 75 80

Pro Ile Pro Asp Asn Leu Leu Lys
85

<210> 1328
<211> 424
<212> PRT
<213> Homo sapiens

<400> 1328
Ile Arg Val Ser Phe Met Asn Asn Gln Lys Gln Gln Lys Pro Thr Leu
1 5 10 15
Ser Gly Gln Arg Phe Lys Thr Arg Lys Arg Asp Glu Lys Glu Arg Phe
20 25 30
Asp Pro Thr Gln Phe Gln Asp Cys Ile Ile Gln Gly Leu Thr Glu Thr
35 40 45
Gly Thr Asp Leu Glu Ala Val Ala Lys Phe Leu Asp Ala Ser Gly Ala
50 55 60
Lys Leu Asp Tyr Arg Arg Tyr Ala Glu Thr Leu Phe Asp Ile Leu Val
65 70 75 80
Ala Gly Gly Met Leu Ala Pro Gly Gly Thr Leu Ala Asp Asp Met Met
85 90 95
Arg Thr Asp Val Cys Val Phe Ala Ala Gln Glu Asp Leu Glu Thr Met
100 105 110
Gln Ala Phe Ala Gln Val Phe Asn Lys Leu Ile Arg Arg Tyr Lys Tyr
115 120 125
Leu Glu Lys Gly Phe Glu Asp Glu Val Lys Lys Leu Leu Leu Phe Leu
130 135 140
Lys Gly Phe Ser Glu Ser Glu Arg Asn Lys Leu Ala Met Leu Thr Gly
145 150 155 160
Val Leu Leu Ala Asn Gly Thr Leu Asn Ala Ser Ile Leu Asn Ser Leu
165 170 175
Tyr Asn Glu Asn Leu Val Lys Glu Gly Val Ser Ala Ala Phe Ala Val
180 185 190
Lys Leu Phe Lys Ser Trp Ile Asn Glu Lys Asp Ile Asn Ala Val Ala
195 200 205

1372

Ala Ser Leu Arg Lys Val Ser Met Asp Asn Arg Leu Met Glu Leu Phe
 210 215 220
 Pro Ala Asn Lys Gln Ser Val Glu His Phe Thr Lys Tyr Phe Thr Glu
 225 230 235 240
 Ala Gly Leu Lys Glu Leu Ser Glu Tyr Val Arg Asn Gln Gln Thr Ile
 245 250 255
 Gly Ala Arg Lys Glu Leu Gln Lys Glu Leu Gln Glu Gln Met Ser Arg
 260 265 270
 Gly Asp Pro Phe Lys Asp Ile Ile Leu Tyr Val Lys Glu Glu Met Lys
 275 280 285
 Lys Asn Asn Ile Pro Glu Pro Val Val Ile Gly Ile Val Trp Ser Ser
 290 295 300
 Val Met Ser Thr Val Glu Trp Asn Lys Lys Glu Glu Leu Val Ala Glu
 305 310 315 320
 Gln Ala Ile Lys His Leu Lys Gln Tyr Ser Pro Leu Leu Ala Ala Phe
 325 330 335
 Thr Thr Gln Gly Gln Ser Glu Leu Thr Leu Leu Leu Lys Ile Gln Glu
 340 345 350
 Tyr Cys Tyr Asp Asn Ile His Phe Met Lys Ala Phe Gln Lys Ile Val
 355 360 365
 Val Leu Phe Tyr Lys Ala Glu Val Leu Ser Glu Glu Pro Ile Leu Lys
 370 375 380
 Trp Tyr Lys Asp Ala His Val Ala Lys Gly Lys Ser Val Phe Leu Glu
 385 390 395 400
 Gln Met Lys Lys Phe Val Glu Trp Leu Lys Asn Ala Glu Glu Glu Ser
 405 410 415
 Glu Ser Glu Ala Glu Glu Gly Asp
 420

<210> 1329

<211> 558

<212> PRT

<213> Homo sapiens

<400> 1329

1373

Trp Tyr Cys Ser Val Gly Leu Ala Ser Thr Ala Gly Glu Gln Ala Ala
 1 5 10 15
 Ala Val Ala Ala Ala Phe Ser Leu His Pro Asp Tyr Ala Met Leu Gly
 20 25 30
 Phe Val Gly Arg Val Ala Ala Ala Pro Ala Ser Gly Ala Leu Arg Arg
 35 40 45
 Leu Thr Pro Ser Ala Ser Leu Pro Pro Ala Gln Leu Leu Arg Ala
 50 55 60
 Ala Pro Thr Ala Val His Pro Val Arg Asp Tyr Ala Ala Gln Thr Ser
 65 70 75 80
 Pro Ser Pro Lys Ala Gly Ala Ala Thr Gly Arg Ile Val Ala Val Ile
 85 90 95
 Gly Ala Val Val Asp Val Gln Phe Asp Glu Gly Leu Pro Pro Ile Leu
 100 105 110
 Asn Ala Leu Glu Val Gln Gly Arg Glu Thr Arg Leu Val Leu Glu Val
 115 120 125
 Ala Gln His Leu Gly Glu Ser Thr Val Arg Thr Ile Ala Met Asp Gly
 130 135 140
 Thr Glu Gly Leu Val Arg Gly Gln Lys Val Leu Asp Ser Gly Ala Pro
 145 150 155 160
 Ile Lys Ile Pro Val Gly Pro Glu Thr Leu Gly Arg Ile Met Asn Val
 165 170 175
 Ile Gly Glu Pro Ile Asp Glu Arg Gly Pro Ile Lys Thr Lys Gln Phe
 180 185 190
 Ala Pro Ile His Ala Glu Ala Pro Glu Phe Met Glu Met Ser Val Glu
 195 200 205
 Gln Glu Ile Leu Val Thr Gly Ile Lys Val Val Asp Leu Leu Ala Pro
 210 215 220
 Tyr Ala Lys Gly Gly Lys Ile Gly Leu Phe Gly Gly Ala Gly Val Gly
 225 230 235 240
 Lys Thr Val Leu Ile Met Glu Leu Ile Asn Asn Val Ala Lys Ala His
 245 250 255
 Gly Gly Tyr Ser Val Phe Ala Gly Val Gly Glu Arg Thr Arg Glu Gly
 260 265 270

1374

Asn Asp Leu Tyr His Glu Met Ile Glu Ser Gly Val Ile Asn Leu Lys
 275 280 285

Asp Ala Thr Ser Lys Val Ala Leu Val Tyr Gly Gln Met Asn Glu Pro
 290 295 300

Pro Gly Ala Arg Ala Arg Val Ala Leu Thr Gly Leu Thr Val Ala Glu
 305 310 315 320

Tyr Phe Arg Asp Gln Glu Gly Gln Asp Val Leu Leu Phe Ile Asp Asn
 325 330 335

Ile Phe Arg Phe Thr Gln Ala Gly Ser Glu Val Ser Ala Leu Leu Gly
 340 345 350

Arg Ile Pro Ser Ala Val Gly Tyr Gln Pro Thr Leu Ala Thr Asp Met
 355 360 365

Gly Thr Met Gln Glu Arg Ile Thr Thr Thr Lys Lys Gly Ser Ile Thr
 370 375 380

Ser Val Gln Ala Ile Tyr Val Pro Ala Asp Asp Leu Thr Asp Pro Ala
 385 390 395 400

Pro Ala Thr Thr Phe Ala His Leu Asp Ala Thr Thr Val Leu Ser Arg
 405 410 415

Ala Ile Ala Glu Leu Gly Ile Tyr Pro Ala Val Asp Pro Leu Asp Ser
 420 425 430

Thr Ser Arg Ile Met Asp Pro Asn Ile Val Gly Ser Glu His Tyr Asp
 435 440 445

Val Ala Arg Gly Val Gln Lys Ile Leu Gln Asp Tyr Lys Ser Leu Gln
 450 455 460

Asp Ile Ile Ala Ile Leu Gly Met Asp Glu Leu Ser Glu Glu Asp Lys
 465 470 475 480

Leu Thr Val Ser Arg Ala Arg Lys Ile Gln Arg Phe Leu Ser Gln Pro
 485 490 495

Phe Gln Val Ala Glu Val Phe Thr Gly His Met Gly Lys Leu Val Pro
 500 505 510

Leu Lys Glu Thr Ile Lys Gly Phe Gln Gln Ile Leu Ala Gly Glu Tyr
 515 520 525

Asp His Leu Pro Glu Gln Ala Phe Tyr Met Val Gly Pro Ile Glu Glu
 530 535 540

1375

Ala Val Ala Lys Ala Asp Lys Leu Ala Glu Glu His Ser Ser
545 550 555

<210> 1330
<211> 134
<212> PRT
<213> Homo sapiens

<400> 1330
Thr Thr Pro Leu Ser Gln Ile Val Ala Arg Gly Leu Ile Ala Arg Gly
1 5 10 15
Val Pro Gly Ala Ile Val Asn Val Ser Ser Gln Cys Ser Gln Arg Ala
20 25 30
Val Thr Asn His Ser Val Tyr Cys Ser Thr Lys Gly Ala Leu Asp Met
35 40 45
Leu Thr Lys Val Met Ala Leu Glu Leu Gly Pro His Lys Ile Arg Val
50 55 60
Asn Ala Val Asn Pro Thr Val Val Met Thr Ser Met Gly Gln Ala Thr
65 70 75 80
Trp Ser Asp Pro His Lys Ala Lys Thr Met Leu Asn Arg Ile Pro Leu
85 90 95
Gly Lys Phe Ala Glu Val Glu His Val Val Asn Ala Ile Leu Phe Leu
100 105 110
Leu Ser Asp Arg Ser Gly Met Thr Thr Gly Ser Thr Leu Pro Val Glu
115 120 125
Gly Gly Phe Trp Ala Cys
130

<210> 1331
<211> 188
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (135)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1376

<221> SITE

<222> (137)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1331

Ile Arg His Glu Pro Ser Arg Cys Arg Ser Arg Thr Ala Ala Val Cys
 1 5 10 15

Ser Pro Pro Pro Cys Pro Pro Trp Arg Arg Pro Arg Gly Pro Trp Thr
 20 25 30

Ala Lys Ser Pro Pro Trp Pro Pro Ala Arg Pro Arg Trp Gln Trp Thr
 35 40 45

Arg Ala Leu Asn Ser Thr Ala Ala Pro Pro Arg Ser Pro Pro Ala Pro
 50 55 60

Cys Pro Cys Arg Pro Asn Ser Ala Arg Arg Lys Arg Arg Pro Pro Ala
 65 70 75 80

Asn Cys Arg Ala Ser Ser Gly Trp Leu Ala Ala Trp Lys Pro Ser Arg
 85 90 95

Thr Gly Pro Ala Ala Arg Pro Arg Arg Pro Val Pro Asp Thr Ser Phe
 100 105 110

His Ser Ser Pro Val Gln Ala Ala Val His Phe Val Gly Tyr Lys Ile
 115 120 125

Asn His Gly Pro Ala Met Xaa Leu Xaa Phe Leu Leu Gln Leu Arg Leu
 130 135 140

Gly Arg Gly Pro Gly Leu Pro Arg Glu Asn Val Leu Glu Thr Ala Pro
 145 150 155 160

Val Phe Leu Ala Trp Phe Ile Cys Pro Gly Ser Gly Ser Asp Ser Gly
 165 170 175

Gly Ser Glu Thr Ser Val Ala Leu Ser Tyr Trp Gly
 180 185

<210> 1332

<211> 237

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

1377

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1332

Asp Asp Arg Arg Xaa Asp Ala Glu Ala Asp Lys Met Ala Ala Ala Ala
 1 5 10 15

Val Gln Gly Gly Arg Ser Gly Gly Ser Gly Gly Cys Ser Gly Ala Gly
 20 25 30

Gly Ala Ser Asn Cys Gly Thr Gly Ser Gly Arg Ser Gly Leu Leu Asp
 35 40 45

Lys Trp Lys Ile Asp Asp Lys Pro Val Lys Ile Asp Lys Trp Asp Gly
 50 55 60

Ser Ala Val Lys Asn Ser Leu Asp Asp Ser Ala Lys Lys Val Leu Leu
 65 70 75 80

Glu Lys Tyr Lys Tyr Val Glu Asn Phe Gly Leu Ile Asp Gly Arg Leu
 85 90 95

Thr Ile Cys Thr Ile Ser Cys Phe Phe Ala Ile Val Ala Leu Ile Trp
 100 105 110

Asp Tyr Met His Pro Phe Pro Glu Ser Lys Pro Val Leu Ala Leu Cys
 115 120 125

Val Ile Ser Tyr Phe Val Met Met Gly Ile Leu Thr Ile Tyr Thr Ser
 130 135 140

Tyr Lys Glu Lys Ser Ile Phe Leu Val Ala His Arg Lys Asp Pro Thr
 145 150 155 160

Gly Met Asp Pro Asp Asp Ile Trp Gln Leu Ser Ser Ser Leu Lys Arg
 165 170 175

Phe Asp Asp Lys Tyr Thr Leu Lys Leu Thr Phe Ile Ser Gly Arg Thr
 180 185 190

Lys Gln Gln Arg Glu Ala Glu Phe Thr Lys Ser Ile Ala Lys Phe Phe
 195 200 205

Asp His Ser Gly Thr Leu Val Met Asp Ala Tyr Glu Pro Glu Ile Ser
 210 215 220

Arg Leu His Asp Ser Leu Ala Ile Glu Arg Lys Ile Lys
 225 230 235

<210> 1333

1378

<211> 56

<212> PRT

<213> Homo sapiens

<400> 1333

Thr Thr Ala Asn Pro Leu Lys Thr Arg Gly Leu Ala Leu Val Ala Gln
 1 5 10 15

Pro Lys Val Ala Leu Gln Ile Phe Glu Arg Ala Thr Ala Thr Phe Leu
 20 25 30

Pro Ser Gln Leu Ser Leu Asp Phe Ser Glu Ser Gly Tyr Cys Tyr Pro
 35 40 45

Asn Val Cys Leu Tyr Glu Cys Ile
 50 55

<210> 1334

<211> 207

<212> PRT

<213> Homo sapiens

<400> 1334

Ser His Pro Ala Cys Ala Lys Val Glu Tyr Ala Tyr Ser Asp Asn Ser
 1 5 10 15

Leu Asp Pro Asp Asp Glu Asp Ser Asp Tyr His Gln Glu Ala Tyr Lys
 20 25 30

Glu Ser Tyr Lys Asp Arg Arg Arg Arg Ala His Thr Gln Ala Glu Gln
 35 40 45

Lys Arg Arg Asp Ala Ile Lys Arg Gly Tyr Asp Asp Leu Gln Thr Ile
 50 55 60

Val Pro Thr Cys Gln Gln Gln Asp Phe Ser Ile Gly Ser Gln Lys Leu
 65 70 75 80

Ser Lys Ala Ile Val Leu Gln Lys Thr Ile Asp Tyr Ile Gln Phe Leu
 85 90 95

His Lys Glu Lys Lys Lys Gln Glu Glu Glu Val Ser Thr Leu Arg Lys
 100 105 110

Asp Val Thr Ala Leu Lys Ile Met Lys Val Asn Tyr Glu Gln Ile Val
 115 120 125

Lys Ala His Gln Asp Asn Pro His Glu Gly Glu Asp Gln Val Ser Asp
 130 135 140

1379

Gln Val Lys Phe Asn Val Phe Gln Gly Ile Met Asp Ser Leu Phe Gln
 145 150 155 160

Ser Phe Asn Ala Ser Ile Ser Val Ala Ser Phe Gln Glu Leu Ser Ala
 165 170 175

Cys Val Phe Ser Trp Ile Glu Glu His Cys Lys Pro Gln Thr Leu Arg
 180 185 190

Glu Ile Val Ile Gly Val Leu His Gln Leu Lys Asn Gln Leu Tyr
 195 200 205

<210> 1335

<211> 1005

<212> PRT

<213> Homo sapiens

<400> 1335

Arg Val Leu Gln Tyr Val Val Pro Glu Val Lys Asp Leu Tyr Asn Trp
 1 5 10 15

Leu Glu Val Glu Phe Asn Pro Leu Lys Leu Cys Glu Arg Val Thr Lys
 20 25 30

Val Leu Asn Trp Val Arg Glu Gln Pro Glu Lys Glu Pro Glu Leu Gln
 35 40 45

Gln Tyr Val Pro Gln Leu Gln Asn Asn Thr Ile Leu Arg Leu Leu Gln
 50 55 60

Gln Val Ser Gln Ile Tyr Gln Ser Ile Glu Phe Ser Arg Leu Thr Ser
 65 70 75 80

Leu Val Pro Phe Val Asp Ala Phe Gln Leu Glu Arg Ala Ile Val Asp
 85 90 95

Ala Ala Arg His Cys Asp Leu Gln Val Arg Ile Asp His Thr Ser Arg
 100 105 110

Thr Leu Ser Phe Gly Ser Asp Leu Asn Tyr Ala Thr Arg Glu Asp Ala
 115 120 125

Pro Ile Gly Pro His Leu Gln Ser Met Pro Ser Glu Gln Ile Arg Asn
 130 135 140

Gln Leu Thr Ala Met Ser Ser Val Leu Ala Lys Ala Leu Glu Val Ile
 145 150 155 160

1380

Lys Pro Ala His Ile Leu Gln Glu Lys Glu Glu Gln His Gln Leu Ala
165 170 175

Val Thr Ala Tyr Leu Lys Asn Ser Arg Lys Glu His Gln Arg Ile Leu
180 185 190

Ala Arg Arg Gln Thr Ile Glu Glu Arg Lys Glu Arg Leu Glu Ser Leu
195 200 205

Asn Ile Gln Arg Glu Lys Glu Glu Leu Glu Gln Arg Glu Ala Glu Leu
210 215 220

Gln Lys Val Arg Lys Ala Glu Glu Glu Arg Leu Arg Gln Glu Ala Lys
225 230 235 240

Glu Arg Glu Lys Glu Arg Ile Leu Gln Glu His Glu Gln Ile Lys Lys
245 250 255

Lys Thr Val Arg Glu Arg Leu Glu Gln Ile Lys Lys Thr Glu Leu Gly
260 265 270

Ala Lys Ala Phe Lys Asp Ile Asp Ile Glu Asp Leu Glu Glu Leu Asp
275 280 285

Pro Asp Phe Ile Met Ala Lys Gln Val Glu Gln Leu Glu Lys Glu Lys
290 295 300

Lys Glu Leu Gln Glu Arg Leu Lys Asn Gln Glu Lys Lys Ile Asp Tyr
305 310 315 320

Phe Glu Arg Ala Lys Arg Leu Glu Glu Ile Pro Leu Ile Lys Ser Ala
325 330 335

Tyr Glu Glu Gln Arg Ile Lys Asp Met Asp Leu Trp Glu Gln Gln Glu
340 345 350

Glu Glu Arg Ile Thr Thr Met Gln Leu Glu Arg Glu Lys Ala Leu Glu
355 360 365

His Lys Asn Arg Met Ser Arg Met Leu Glu Asp Arg Asp Leu Phe Val
370 375 380

Met Arg Leu Lys Ala Ala Arg Gln Ser Val Tyr Glu Glu Lys Leu Lys
385 390 395 400

Gln Phe Glu Glu Arg Leu Ala Glu Glu Arg His Asn Arg Leu Glu Glu
405 410 415

Arg Lys Arg Gln Arg Lys Glu Glu Arg Arg Ile Thr Tyr Tyr Arg Glu
420 425 430

1381

Lys Glu Glu Glu Glu Gln Arg Arg Ala Glu Glu Gln Met Leu Lys Glu
435 440 445

Arg Glu Glu Arg Glu Arg Ala Glu Arg Ala Lys Arg Glu Glu Glu Leu
450 455 460

Arg Glu Tyr Gln Glu Arg Val Lys Lys Leu Glu Glu Val Glu Arg Lys
465 470 475 480

Lys Arg Gln Arg Glu Leu Glu Ile Glu Glu Arg Glu Arg Arg Arg Glu
485 490 495

Glu Glu Arg Arg Leu Gly Asp Ser Ser Leu Ser Arg Lys Asp Ser Arg
500 505 510

Trp Gly Asp Arg Asp Ser Glu Gly Thr Trp Arg Lys Gly Pro Glu Ala
515 520 525

Asp Ser Glu Trp Arg Arg Gly Pro Pro Glu Lys Glu Trp Arg Arg Gly
530 535 540

Glu Gly Arg Asp Glu Asp Arg Ser His Arg Arg Asp Glu Glu Arg Pro
545 550 555 560

Arg Arg Leu Gly Asp Asp Glu Asp Arg Glu Pro Ser Leu Arg Pro Asp
565 570 575

Asp Asp Arg Val Pro Arg Arg Gly Met Asp Asp Asp Arg Gly Pro Arg
580 585 590

Arg Gly Pro Glu Glu Asp Arg Phe Ser Arg Arg Gly Ala Asp Asp Asp
595 600 605

Arg Pro Ser Trp Arg Asn Thr Asp Asp Asp Arg Pro Pro Arg Arg Ile
610 615 620

Ala Asp Glu Asp Arg Gly Asn Trp Arg His Ala Asp Asp Asp Arg Pro
625 630 635 640

Pro Arg Arg Gly Leu Asp Glu Asp Arg Gly Ser Trp Arg Thr Ala Asp
645 650 655

Glu Asp Arg Gly Pro Arg Arg Gly Met Asp Asp Asp Arg Gly Pro Arg
660 665 670

Arg Gly Gly Ala Asp Asp Glu Arg Ser Ser Trp Arg Asn Ala Asp Asp
675 680 685

Asp Arg Gly Pro Arg Arg Gly Leu Asp Asp Asp Arg Gly Pro Arg Arg
690 695 700

1382

Gly Met Asp Asp Asp Arg Gly Pro Arg Arg Gly Met Asp Asp Asp Arg
 705 710 715 720
 Gly Pro Arg Arg Gly Met Asp Asp Asp Arg Gly Pro Arg Arg Gly Leu
 725 730 735
 Asp Asp Asp Arg Gly Pro Trp Arg Asn Ala Asp Asp Asp Arg Ile Pro
 740 745 750
 Arg Arg Gly Ala Glu Asp Asp Arg Gly Pro Trp Arg Asn Met Asp Asp
 755 760 765
 Asp Arg Leu Ser Arg Arg Ala Asp Asp Asp Arg Phe Pro Arg Arg Gly
 770 775 780
 Asp Asp Ser Arg Pro Gly Pro Trp Arg Pro Leu Val Lys Pro Gly Gly
 785 790 795 800
 Trp Arg Glu Lys Glu Lys Ala Arg Glu Glu Ser Trp Gly Pro Pro Arg
 805 810 815
 Glu Ser Arg Pro Ser Glu Glu Arg Glu Trp Asp Arg Glu Lys Glu Arg
 820 825 830
 Asp Arg Asp Asn Gln Asp Arg Glu Glu Asn Asp Lys Asp Pro Glu Arg
 835 840 845
 Glu Arg Asp Arg Glu Arg Asp Val Asp Arg Glu Asp Arg Phe Arg Arg
 850 855 860
 Pro Arg Asp Glu Gly Gly Trp Arg Arg Gly Pro Ala Glu Glu Ser Ser
 865 870 875 880
 Ser Trp Arg Asp Ser Ser Arg Arg Asp Asp Arg Asp Arg Asp Arg
 885 890 895
 Arg Arg Glu Arg Asp Asp Arg Arg Asp Leu Arg Glu Arg Arg Asp Leu
 900 905 910
 Arg Asp Asp Arg Asp Arg Arg Gly Pro Pro Leu Arg Ser Glu Arg Glu
 915 920 925
 Glu Val Ser Ser Trp Arg Arg Ala Asp Asp Arg Lys Asp Asp Arg Val
 930 935 940
 Glu Glu Arg Asp Pro Pro Arg Arg Val Pro Pro Pro Ala Leu Ser Arg
 945 950 955 960
 Asp Arg Glu Arg Asp Arg Asp Arg Glu Arg Glu Gly Glu Lys Glu Lys
 965 970 975

1383

Ala Ser Trp Arg Ala Glu Lys Asp Arg Glu Ser Leu Arg Arg Thr Lys
980 985 990

Asn Glu Thr Asp Glu Asp Gly Trp Thr Thr Val Arg Arg
995 1000 1005

<210> 1336

<211> 231

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (82)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (83)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1336

Ala Gly Ile His Pro Met Asn Ser Ile Ser Ser Leu Asp Arg Thr Arg
1 5 10 15

1384

Met Met Thr Pro Phe Met Gly Ile Ser Pro Leu Pro Gly Gly Glu Arg
20 25 30

Phe Pro Tyr Pro Ser Phe His Trp Asp Pro Ile Arg Asp Pro Leu Arg
35 40 45

Asp Pro Tyr Xaa Glu Leu Asp Ile His Arg Arg Asp Pro Leu Gly Xaa
50 55 60

Asp Phe Leu Leu Arg Asn Asp Pro Xaa His Arg Leu Ser Thr Xaa Arg
65 70 75 80

Leu Xaa Xaa Ala Asp Arg Ser Phe Arg Asp Arg Glu Pro His Asp Tyr
85 90 95

Ser His His His His His His His His Pro Leu Ser Val Asp Pro Arg
100 105 110

Arg Glu His Glu Arg Xaa Gly His Leu Asp Glu Arg Glu Arg Leu His
115 120 125

Met Leu Arg Glu Asp Tyr Glu His Thr Arg Leu His Ser Val His Pro
130 135 140

Ala Ser Leu Asp Gly His Leu Pro His Pro Ser Leu Ile Thr Pro Gly
145 150 155 160

Leu Pro Ser Met His Tyr Pro Arg Ile Ser Pro Thr Ala Gly Asn Gln
165 170 175

Asn Gly Leu Leu Asn Lys Thr Pro Pro Thr Ala Ala Leu Ser Ala Pro
180 185 190

Pro Pro Leu Ile Ser Thr Leu Gly Gly Arg Pro Val Ser Pro Arg Arg
195 200 205

Thr Thr Pro Leu Ser Ala Glu Ile Arg Glu Arg Pro Pro Ser His Thr
210 215 220

Leu Lys Asp Ile Glu Ala Arg
225 230

<210> 1337

<211> 155

<212> PRT

<213> Homo sapiens

<400> 1337

1385

Gly Val Glu Gly Leu Lys Asp Ala Gln Met Arg Asp Leu Leu Ser Pro
 1 5 10 15
 Pro Thr Asp Asn Arg Pro Gly Gln Met Asp Asn Arg Ser Lys Leu Arg
 20 25 30
 Asn Ile Val Glu Leu Arg Leu Ala Gly Leu Asp Ile Thr Asp Ala Ser
 35 40 45
 Leu Arg Leu Ile Ile Arg His Met Pro Leu Leu Ser Lys Leu His Leu
 50 55 60
 Ser Tyr Cys Asn His Val Thr Asp Gln Ser Ile Asn Leu Leu Thr Ala
 65 70 75 80
 Val Gly Thr Thr Thr Arg Asp Ser Leu Thr Glu Ile Asn Leu Ser Asp
 85 90 95
 Cys Asn Lys Val Thr Asp Gln Cys Leu Ser Phe Phe Lys Arg Cys Gly
 100 105 110
 Asn Ile Cys His Ile Asp Leu Arg Tyr Cys Lys Gln Val Thr Lys Glu
 115 120 125
 Gly Cys Glu Gln Phe Ile Ala Glu Met Ser Val Ser Val Gln Phe Gly
 130 135 140
 Gln Val Glu Glu Lys Leu Leu Gln Lys Leu Ser
 145 150 155

<210> 1338

<211> 328

<212> PRT

<213> Homo sapiens

<400> 1338

Asn Asn Ser Gly Val Met Pro Glu Met Pro Glu Asp Met Glu Gln Glu
 1 5 10 15
 Glu Val Asn Ile Pro Asn Arg Arg Val Leu Val Thr Gly Ala Thr Gly
 20 25 30
 Leu Leu Gly Arg Ala Val His Lys Glu Phe Gln Gln Asn Asn Trp His
 35 40 45
 Ala Val Gly Cys Gly Phe Arg Arg Ala Arg Pro Lys Phe Glu Gln Val
 50 55 60
 Asn Leu Leu Asp Ser Asn Ala Val His His Ile Ile His Asp Phe Gln

1386

65		70		75		80
Pro His Val Ile Val His Cys Ala Ala Glu Arg Arg Pro Asp Val Val						
	85		90		95	
Glu Asn Gln Pro Asp Ala Ala Ser Gln Leu Asn Val Asp Ala Ser Gly						
	100		105		110	
Asn Leu Ala Lys Glu Ala Ala Ala Val Gly Ala Phe Leu Ile Tyr Ile						
	115		120		125	
Ser Ser Asp Tyr Val Phe Asp Gly Thr Asn Pro Pro Tyr Arg Glu Glu						
	130		135		140	
Asp Ile Pro Ala Pro Leu Asn Leu Tyr Gly Lys Thr Lys Leu Asp Gly						
	145		150		155	160
Glu Lys Ala Val Leu Glu Asn Asn Leu Gly Ala Ala Val Leu Arg Ile						
	165		170		175	
Pro Ile Leu Tyr Gly Glu Val Glu Lys Leu Glu Glu Ser Ala Val Thr						
	180		185		190	
Val Met Phe Asp Lys Val Gln Phe Ser Asn Lys Ser Ala Asn Met Asp						
	195		200		205	
His Trp Gln Gln Arg Phe Pro Thr His Val Lys Asp Val Ala Thr Val						
	210		215		220	
Cys Arg Gln Leu Ala Glu Lys Arg Met Leu Asp Pro Ser Ile Lys Gly						
	225		230		235	240
Thr Phe His Trp Ser Gly Asn Glu Gln Met Thr Lys Tyr Glu Met Ala						
	245		250		255	
Cys Ala Ile Ala Asp Ala Phe Asn Leu Pro Ser Ser His Leu Arg Pro						
	260		265		270	
Ile Thr Asp Ser Pro Val Leu Gly Ala Gln Arg Pro Arg Asn Ala Gln						
	275		280		285	
Leu Asp Cys Ser Lys Leu Glu Thr Leu Gly Ile Gly Gln Arg Thr Pro						
	290		295		300	
Phe Arg Ile Gly Ile Lys Glu Ser Leu Trp Pro Phe Leu Ile Asp Lys						
	305		310		315	320
Arg Trp Arg Gln Thr Val Phe His						
	325					

1387

<210> 1339
 <211> 64
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (2)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1339
 Leu Xaa His Pro Phe Ala Val Thr Ser Tyr Gly Lys Asn Leu Tyr Phe
 1 5 10 15
 Thr Asp Trp Lys Met Asn Ser Val Val Ala Leu Asp Leu Ala Ile Ser
 20 25 30
 Lys Glu Thr Asp Ala Phe Gln Pro His Lys Gln Thr Arg Leu Tyr Gly
 35 40 45
 Ile Thr Thr Ala Leu Ser Gln Cys Pro Gln Ala Ile Thr Thr Ala Gln
 50 55 60

<210> 1340
 <211> 155
 <212> PRT
 <213> Homo sapiens

<400> 1340
 Arg Lys Met Ala Val Glu Ser Arg Val Thr Gln Glu Glu Ile Lys Lys
 1 5 10 15
 Glu Pro Glu Lys Pro Ile Asp Arg Glu Lys Thr Cys Pro Leu Leu Leu
 20 25 30
 Arg Val Phe Thr Thr Asn Asn Gly Arg His His Arg Met Asp Glu Phe
 35 40 45
 Ser Arg Gly Asn Val Pro Ser Ser Glu Leu Gln Ile Tyr Thr Trp Met
 50 55 60
 Asp Ala Thr Leu Lys Glu Leu Thr Ser Leu Val Lys Glu Val Tyr Pro
 65 70 75 80
 Glu Ala Arg Lys Lys Gly Thr His Phe Asn Phe Ala Ile Val Phe Thr

1388

	85		90		95
Asp Val Lys Arg Pro Gly Tyr Arg Val Lys Glu Ile Gly Ser Thr Met					
	100		105		110
Ser Gly Arg Lys Gly Thr Asp Asp Ser Met Thr Leu Gln Ser Gln Lys					
	115		120		125
Phe Gln Ile Gly Asp Tyr Leu Asp Ile Ala Ile Thr Pro Pro Asn Arg					
	130		135		140
Ala Pro Pro Pro Ser Gly Arg Met Arg Pro Tyr					
	145		150		155

<210> 1341

<211> 72

<212> PRT

<213> Homo sapiens

<400> 1341

Ala Gln Leu Pro Ser Ser Ser Phe Leu Arg His Arg Gly Val Phe Leu					
1		5		10	15
Thr Pro Leu Leu Ala Met Ser Ser His Lys Thr Phe Arg Ile Lys Arg					
	20		25		30
Phe Leu Ala Lys Lys Gln Lys Gln Asn Arg Pro Ile Pro Gln Trp Ile					
	35		40		45
Arg Met Lys Thr Gly Asn Lys Ile Arg Tyr Asn Ser Lys Arg Arg His					
	50		55		60
Trp Arg Arg Thr Lys Leu Gly Leu					
	65		70		

<210> 1342

<211> 270

<212> PRT

<213> Homo sapiens

<400> 1342

Leu Lys Val Ala Gln Thr Asp Gly Val Asn Val Asp Met His Leu Lys					
1		5		10	15
Gln Ile Glu Ile Lys Lys Phe Lys Tyr Gly Ile Glu Glu His Gly Lys					
	20		25		30

1389

Val Lys Met Arg Gly Gly Leu Leu Arg Thr Tyr Ile Ile Ser Ile Leu
 35 40 45
 Phe Lys Ser Ile Phe Glu Val Ala Phe Leu Leu Ile Gln Trp Tyr Ile
 50 55 60
 Tyr Gly Phe Ser Leu Ser Ala Val Tyr Thr Cys Lys Arg Asp Pro Cys
 65 70 75 80
 Pro His Gln Val Asp Cys Phe Leu Ser Arg Pro Thr Glu Lys Thr Ile
 85 90 95
 Phe Ile Ile Phe Met Leu Val Val Ser Leu Val Ser Leu Ala Leu Asn
 100 105 110
 Ile Ile Glu Leu Phe Tyr Val Phe Phe Lys Gly Val Lys Asp Arg Val
 115 120 125
 Lys Gly Lys Ser Asp Pro Tyr His Ala Thr Ser Gly Ala Leu Ser Pro
 130 135 140
 Ala Lys Asp Cys Gly Ser Gln Lys Tyr Ala Tyr Phe Asn Gly Cys Ser
 145 150 155 160
 Ser Pro Thr Ala Pro Leu Ser Pro Met Ser Pro Pro Gly Tyr Lys Leu
 165 170 175
 Val Thr Gly Asp Arg Asn Asn Ser Ser Cys Arg Asn Tyr Asn Lys Gln
 180 185 190
 Ala Ser Glu Gln Asn Trp Ala Asn Tyr Ser Ala Glu Gln Asn Arg Met
 195 200 205
 Gly Gln Ala Gly Ser Thr Ile Ser Asn Ser His Ala Gln Pro Phe Asp
 210 215 220
 Phe Pro Asp Asp Asn Gln Asn Ser Lys Lys Leu Ala Ala Gly His Glu
 225 230 235 240
 Leu Gln Pro Leu Ala Ile Val Asp Gln Arg Pro Ser Ser Arg Ala Ser
 245 250 255
 Ser Arg Ala Ser Ser Arg Pro Arg Pro Asp Asp Leu Glu Ile
 260 265 270

<210> 1343

<211> 94

<212> PRT

<213> Homo sapiens

1390

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1343

Gln	Glu	Leu	Arg	Ser	Pro	Ser	Arg	Ser	Pro	Ser	Pro	Pro	Pro	Lys	Ser
1				5					10					15	

Pro	Pro	Trp	Thr	Thr	Gly	Gly	Ser	Leu	Cys	Glu	Gln	Leu	Ala	Phe	Arg
			20				25						30		

Lys	Pro	Leu	Ser	Val	Phe	Lys	Gln	Lys	Val	Glu	Gly	Ala	Thr	Lys	Gln
		35				40						45			

Ala	Ala	Val	Arg	Ala	Ser	Xaa	Cys	Arg	Pro	Leu	Pro	Cys	Ser	Ser	Ser
		50				55					60				

Ser	Phe	Ala	Ser	Ala	Ser	Ser	Val	Met	Phe	Cys	Leu	Glu	Phe	Tyr	Leu
65					70					75					80

Asp	Phe	Phe	Ser	Gly	Tyr	Phe	Ser	Val	Phe	Gln	Pro	Leu	Leu
				85						90			

<210> 1344

<211> 125

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1344

Tyr	Ser	Thr	Arg	Ala	Leu	Trp	Lys	Pro	Asn	His	Val	His	Val	Cys	Val
1				5				10						15	

1391

Cys Val Cys Ala Ser Phe Glu Pro Pro Ser Thr Ala Ala Ser Ser His
 20 25 30
 Asp Thr Lys Leu Leu Ile Ser Thr Phe Leu Trp Val Ala Gln Gly Leu
 35 40 45
 Ile Ala Ser His Ser Ile Thr Arg Ile Glu Ala Arg His Gly Gly Ala
 50 55 60
 Cys Leu Val Val Pro Ala Lys Leu Gly Arg Leu Glu Gly Arg Glu Gly
 65 70 75 80
 Ser Leu Trp Ser Pro Gly Arg Leu Glu Gly Trp Gln Trp Ser His Gly
 85 90 95
 Ser Gly Gly His Trp His Phe Gln Pro Gly Gly Gly Arg Val Glu Thr
 100 105 110
 Phe Val Leu Gln Lys Xaa Lys Lys Lys Xaa Xaa Gly Gly
 115 120 125

<210> 1345

<211> 131

<212> PRT

<213> Homo sapiens

<400> 1345

Pro Arg Val Arg Arg Leu Arg Glu Asp Asp Arg Arg Gly Phe Leu Ser
 1 5 10 15
 Phe Arg Ala Asp Ser Ala His Ala Ser Met Val Asn Val Pro Lys Thr
 20 25 30
 Arg Arg Thr Phe Cys Lys Lys Cys Gly Lys His Gln Pro His Lys Val
 35 40 45
 Thr Gln Tyr Lys Lys Gly Lys Asp Ser Leu Tyr Ala Gln Gly Lys Arg
 50 55 60
 Arg Tyr Asp Arg Lys Gln Ser Gly Tyr Gly Gly Gln Thr Lys Pro Ile
 65 70 75 80
 Phe Arg Lys Lys Ala Lys Thr Thr Lys Lys Ile Val Leu Arg Leu Glu
 85 90 95
 Cys Val Glu Pro Asn Cys Arg Ser Lys Arg Met Leu Ala Ile Lys Arg
 100 105 110
 Cys Lys His Phe Glu Leu Gly Gly Asp Lys Lys Arg Lys Gly Gln Val

1392

115

120

125

Ile Gln Phe
130

<210> 1346

<211> 75

<212> PRT

<213> Homo sapiens

<400> 1346

Asn Lys Arg Asn Cys Lys Phe Pro Leu Leu Lys Ile Thr Lys Ile Thr
1 5 10 15

Glu Thr Lys Glu Glu Ile Arg Ile Trp Gly Ile Val Leu Asn Asn Leu
20 25 30

Val Val Lys Lys Asn Asn Cys Ala Cys Leu Asp Leu Asn Lys Pro Pro
35 40 45

Ser Lys Cys Glu Gly Ser Ser Asn Phe Ser Lys His Met Lys Val Leu
50 55 60

Ile His Phe Asp Lys Gly Pro Leu Lys Lys Ser
65 70 75

<210> 1347

<211> 413

<212> PRT

<213> Homo sapiens

<400> 1347

Gly Val Ala Arg Ala Gln Pro Val Pro Ala Val Leu Ser Trp Leu Leu
1 5 10 15

Ala Leu Leu Arg Cys Ala Ala Thr Met Leu Ser Leu Arg Val Pro Leu
20 25 30

Ala Pro Ile Thr Asp Pro Gln Gln Leu Gln Leu Ser Pro Leu Lys Gly
35 40 45

Leu Ser Leu Val Asp Lys Glu Asn Thr Pro Pro Ala Leu Ser Gly Thr
50 55 60

Arg Val Leu Ala Ser Lys Thr Ala Arg Arg Ile Phe Gln Glu Pro Thr
65 70 75 80

1392

115

120

125

Ile Gln Phe

130

<210> 1346

<211> 75

<212> PRT

<213> Homo sapiens

<400> 1346

Asn Lys Arg Asn Cys Lys Phe Pro Leu Leu Lys Ile Thr Lys Ile Thr
1 5 10 15

Glu Thr Lys Glu Glu Ile Arg Ile Trp Gly Ile Val Leu Asn Asn Leu
20 25 30

Val Val Lys Lys Asn Asn Cys Ala Cys Leu Asp Leu Asn Lys Pro Pro
35 40 45

Ser Lys Cys Glu Gly Ser Ser Asn Phe Ser Lys His Met Lys Val Leu
50 55 60

Ile His Phe Asp Lys Gly Pro Leu Lys Lys Ser
65 70 75

<210> 1347

<211> 413

<212> PRT

<213> Homo sapiens

<400> 1347

Gly Val Ala Arg Ala Gln Pro Val Pro Ala Val Leu Ser Trp Leu Leu
1 5 10 15

Ala Leu Leu Arg Cys Ala Ala Thr Met Leu Ser Leu Arg Val Pro Leu
20 25 30

Ala Pro Ile Thr Asp Pro Gln Gln Leu Gln Leu Ser Pro Leu Lys Gly
35 40 45

Leu Ser Leu Val Asp Lys Glu Asn Thr Pro Pro Ala Leu Ser Gly Thr
50 55 60

Arg Val Leu Ala Ser Lys Thr Ala Arg Arg Ile Phe Gln Glu Pro Thr
65 70 75 80

Glu	Pro	Lys	Thr	Lys	Ala	Ala	Ala	Pro	Gly	Val	Glu	Asp	Glu	Pro	Leu
				85				90				95			
Leu	Arg	Glu	Asn	Pro	Arg	Arg	Phe	Val	Ile	Phe	Pro	Ile	Glu	Tyr	His
				100				105				110			
Asp	Ile	Trp	Gln	Met	Tyr	Lys	Lys	Ala	Glu	Ala	Ser	Phe	Trp	Thr	Ala
				115				120				125			
Glu	Glu	Val	Asp	Leu	Ser	Lys	Asp	Ile	Gln	His	Trp	Glu	Ser	Leu	Lys
				130				135				140			
Pro	Glu	Glu	Arg	Tyr	Phe	Ile	Ser	His	Val	Leu	Ala	Phe	Phe	Ala	Ala
145				150				155				160			
Ser	Asp	Gly	Ile	Val	Asn	Glu	Asn	Leu	Val	Glu	Arg	Phe	Ser	Gln	Glu
				165				170				175			
Val	Gln	Ile	Thr	Glu	Ala	Arg	Cys	Phe	Tyr	Gly	Phe	Gln	Ile	Ala	Met
				180				185				190			
Glu	Asn	Ile	His	Ser	Glu	Met	Tyr	Ser	Leu	Leu	Ile	Asp	Thr	Tyr	Ile
				195				200				205			
Lys	Asp	Pro	Lys	Glu	Arg	Glu	Phe	Leu	Phe	Asn	Ala	Ile	Glu	Thr	Met
210				215				220							
Pro	Cys	Val	Lys	Lys	Lys	Ala	Asp	Trp	Ala	Leu	Arg	Trp	Ile	Gly	Asp
225				230				235				240			
Lys	Glu	Ala	Thr	Tyr	Gly	Glu	Arg	Val	Val	Ala	Phe	Ala	Ala	Val	Glu
				245				250				255			
Gly	Ile	Phe	Phe	Ser	Gly	Ser	Phe	Ala	Ser	Ile	Phe	Trp	Leu	Lys	Lys
				260				265				270			
Arg	Gly	Leu	Met	Pro	Gly	Leu	Thr	Phe	Ser	Asn	Glu	Leu	Ile	Ser	Arg
275				280				285							
Asp	Glu	Gly	Leu	His	Cys	Asp	Phe	Ala	Cys	Leu	Met	Phe	Lys	His	Leu
290				295				300							
Val	His	Lys	Pro	Ser	Glu	Glu	Arg	Val	Arg	Glu	Ile	Ile	Ile	Asn	Ala
305				310				315				320			
Val	Arg	Ile	Glu	Gln	Glu	Phe	Leu	Thr	Glu	Ala	Leu	Pro	Val	Lys	Leu
				325				330				335			
Ile	Gly	Met	Asn	Cys	Thr	Leu	Met	Lys	Gln	Tyr	Ile	Glu	Phe	Val	Ala
340				345				350							

1394

Asp Arg Leu Met Leu Glu Leu Gly Phe Ser Lys Val Phe Arg Val Glu
 355 360 365

Asn Pro Phe Asp Phe Met Glu Asn Ile Ser Leu Glu Gly Lys Thr Asn
 370 375 380

Phe Phe Glu Lys Arg Val Gly Glu Tyr Gln Arg Met Gly Val Met Ser
 385 390 395 400

Ser Pro Thr Glu Asn Ser Phe Thr Leu Asp Ala Asp Phe
 405 410

<210> 1348

<211> 243

<212> PRT

<213> Homo sapiens

<400> 1348

Thr Gly Asn Lys Met Gln Asp Pro Asn Ala Asp Thr Glu Trp Asn Asp
 1 5 10 15

Ile Leu Arg Lys Lys Gly Ile Leu Pro Pro Lys Glu Ser Leu Lys Glu
 20 25 30

Leu Glu Glu Glu Ala Glu Glu Glu Gln Arg Ile Leu Gln Gln Ser Val
 35 40 45

Val Lys Thr Tyr Glu Asp Met Thr Leu Glu Glu Leu Glu Asp His Glu
 50 55 60

Asp Glu Phe Asn Glu Glu Asp Glu Arg Ala Ile Glu Met Tyr Arg Arg
 65 70 75 80

Arg Arg Leu Ala Glu Trp Lys Ala Thr Lys Leu Lys Asn Lys Phe Gly
 85 90 95

Glu Val Leu Glu Ile Ser Gly Lys Asp Tyr Val Gln Glu Val Thr Lys
 100 105 110

Ala Gly Glu Gly Leu Trp Val Ile Leu His Leu Tyr Lys Gln Gly Ile
 115 120 125

Pro Leu Cys Ala Leu Ile Asn Gln His Leu Ser Gly Leu Ala Arg Lys
 130 135 140

Phe Pro Asp Val Lys Phe Ile Lys Ala Ile Ser Thr Thr Cys Ile Pro
 145 150 155 160

Asn Tyr Pro Asp Arg Asn Leu Pro Thr Ile Phe Val Tyr Leu Glu Gly

1395

	165		170		175
Asp Ile Lys Ala Gln Phe Ile Gly Pro Leu Val Phe Gly Gly Met Asn					
	180		185		190
Leu Thr Arg Asp Glu Leu Glu Trp Lys Leu Ser Glu Ser Gly Ala Ile					
	195		200		205
Met Thr Asp Leu Glu Glu Asn Pro Lys Lys Pro Ile Glu Asp Val Leu					
	210		215		220
Leu Ser Ser Val Arg Arg Ser Val Leu Met Lys Arg Asp Ser Asp Ser					
	225		230		240
Glu Gly Asp					

<210> 1349

<211> 326

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (137)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (142)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1349

Arg Met Ala Thr Pro Leu Pro Pro Pro Ser Pro Arg His Leu Arg Leu
1 5 10 15

Leu Arg Leu Leu Leu Ser Gly Leu Val Leu Gly Ala Ala Leu Arg Gly
20 25 30

Ala Ala Ala Gly His Pro Asp Val Ala Ala Cys Pro Gly Ser Leu Asp
35 40 45

Cys Ala Leu Lys Arg Arg Ala Arg Cys Pro Pro Gly Ala His Ala Cys
50 55 60

Gly Pro Cys Leu Gln Pro Phe Gln Glu Asp Gln Gln Gly Leu Cys Val
65 70 75 80

Pro Arg Met Arg Arg Pro Pro Gly Gly Gly Arg Pro Gln Pro Arg Leu

1396

85										90										95																																			
Glu	Asp	Glu	Ile	Asp	Phe	Leu	Ala	Gln	Glu	Leu	Ala	Arg	Lys	Glu	Ser																																								
			100						105					110																																									
Gly	His	Ser	Thr	Pro	Pro	Leu	Pro	Lys	Asp	Arg	Gln	Arg	Leu	Pro	Glu																																								
		115					120					125																																											
Pro	Ala	Thr	Leu	Gly	Phe	Ser	Ala	Xaa	Gly	Gln	Gly	Leu	Xaa	Leu	Gly																																								
		130				135					140																																												
Leu	Pro	Ser	Thr	Pro	Gly	Thr	Pro	Thr	Pro	Thr	Pro	His	Thr	Ser	Leu																																								
145					150				155					160																																									
Gly	Ser	Pro	Val	Ser	Ser	Asp	Pro	Val	His	Met	Ser	Pro	Leu	Glu	Pro																																								
				165				170					175																																										
Arg	Gly	Gly	Gln	Gly	Asp	Gly	Leu	Ala	Leu	Val	Leu	Ile	Leu	Ala	Phe																																								
			180				185					190																																											
Cys	Val	Ala	Gly	Ala	Ala	Ala	Leu	Ser	Val	Ala	Ser	Leu	Cys	Trp	Cys																																								
		195					200					205																																											
Arg	Leu	Gln	Arg	Glu	Ile	Arg	Leu	Thr	Gln	Lys	Ala	Asp	Tyr	Ala	Thr																																								
		210				215					220																																												
Ala	Lys	Ala	Pro	Gly	Ser	Pro	Ala	Ala	Pro	Arg	Ile	Ser	Pro	Gly	Asp																																								
225					230				235				240																																										
Gln	Arg	Leu	Ala	Gln	Ser	Ala	Glu	Met	Tyr	His	Tyr	Gln	His	Gln	Arg																																								
				245				250				255																																											
Gln	Gln	Met	Leu	Cys	Leu	Glu	Arg	His	Lys	Glu	Pro	Pro	Lys	Glu	Leu																																								
			260				265					270																																											
Asp	Thr	Ala	Ser	Ser	Asp	Glu	Glu	Asn	Glu	Asp	Gly	Asp	Phe	Thr	Val																																								
		275				280					285																																												
Tyr	Glu	Cys	Pro	Gly	Leu	Ala	Pro	Thr	Gly	Glu	Met	Glu	Val	Arg	Asn																																								
		290				295					300																																												
Pro	Leu	Phe	Asp	His	Ala	Ala	Leu	Ser	Ala	Pro	Leu	Pro	Ala	Pro	Ser																																								
305					310				315				320																																										
Ser	Pro	Pro	Ala	Leu	Pro																																																		
				325																																																			

<210> 1350

<211> 62

1397

<212> PRT

<213> Homo sapiens

<400> 1350

Val Lys Ser Asp Thr Pro Pro Cys Val Ser Lys Asn Leu Val Pro Pro
1 5 10 15

Leu His Thr Ser Leu Thr Leu Asn Ile Phe His Trp Ile Leu Asp Arg
20 25 30

Ala Lys Gly Arg Thr Gly Ala Ser Gly Gly Pro Trp Leu Phe Lys Ser
35 40 45

Trp Ile Ile Cys Asp Ser Asn His Lys Phe Leu Ala Asn Phe
50 55 60

<210> 1351

<211> 312

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (299)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1351

Glu Pro Arg Pro Gly Cys Gly Asn Lys Met Ala Gly Lys Lys Asn Val
1 5 10 15

Leu Ser Ser Leu Ala Val Tyr Ala Glu Asp Ser Glu Pro Glu Ser Asp
20 25 30

Gly Glu Ala Gly Ile Glu Ala Val Gly Ser Ala Ala Glu Glu Lys Gly
35 40 45

Gly Leu Val Ser Asp Ala Tyr Gly Glu Asp Asp Phe Ser Arg Leu Gly
50 55 60

Gly Asp Glu Asp Gly Tyr Glu Glu Glu Glu Asp Glu Asn Ser Arg Gln
65 70 75 80

Ser Glu Asp Asp Asp Ser Glu Thr Glu Lys Pro Glu Ala Asp Asp Pro
85 90 95

Lys Asp Asn Thr Glu Ala Glu Lys Arg Asp Pro Gln Glu Leu Val Ala
100 105 110

Ser Phe Ser Glu Arg Val Arg Asn Met Ser Pro Asp Glu Ile Lys Ile

1398

115	120	125
Pro Pro Glu Pro Pro Gly Arg Cys Ser Asn His Leu Gln Asp Lys Ile		
130	135	140
Gln Lys Leu Tyr Glu Arg Lys Ile Lys Glu Gly Met Asp Met Asn Tyr		
145	150	155
Ile Ile Gln Arg Lys Lys Glu Phe Arg Asn Pro Ser Ile Tyr Glu Lys		
	165	170
Leu Ile Gln Phe Cys Ala Ile Asp Glu Leu Gly Thr Asn Tyr Pro Lys		
	180	185
Asp Met Phe Asp Pro His Gly Trp Ser Glu Asp Ser Tyr Tyr Glu Ala		
	195	200
Leu Ala Lys Ala Gln Lys Ile Glu Met Asp Lys Leu Glu Lys Ala Lys		
	210	215
Lys Glu Arg Thr Lys Ile Glu Phe Val Thr Gly Thr Lys Lys Gly Thr		
225	230	235
Thr Thr Asn Ala Thr Ser Thr Thr Thr Thr Thr Ala Ser Thr Ala Val		
	245	250
Ala Asp Ala Gln Lys Arg Lys Ser Lys Trp Asp Ser Ala Ile Pro Val		
	260	265
Thr Thr Ile Ser Pro Ala His His Pro His His His Ser His Pro Ala		
	275	280
Ser Cys Cys His Gly His His Gln Arg Gln Xaa Ser Lys Asp His Arg		
	290	295
His Leu Cys Cys Gly Ala Pro Leu		
305	310	

<210> 1352

<211> 259

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1352

1399

Leu Leu Asp Ser Leu Lys Xaa Asp Tyr Ala Gly Lys Pro Gln Pro Pro
 1 5 10 15
 Ile Lys Ser Glu Arg Arg Asn Pro Pro Ser Tyr Ala Met Ala Gly Lys
 20 25 30
 Lys Val Leu Ile Val Tyr Ala His Gln Glu Pro Lys Ser Phe Asn Gly
 35 40 45
 Ser Leu Lys Asn Val Ala Val Asp Glu Leu Ser Arg Gln Gly Cys Thr
 50 55 60
 Val Thr Val Ser Asp Leu Tyr Ala Met Asn Phe Glu Pro Arg Ala Thr
 65 70 75 80
 Asp Lys Asp Ile Thr Gly Thr Leu Ser Asn Pro Glu Val Phe Asn Tyr
 85 90 95
 Gly Val Glu Thr His Glu Ala Tyr Lys Gln Arg Ser Leu Ala Ser Asp
 100 105 110
 Ile Thr Asp Glu Gln Lys Lys Val Arg Glu Ala Asp Leu Val Ile Phe
 115 120 125
 Gln Phe Pro Leu Tyr Trp Phe Ser Val Pro Ala Ile Leu Lys Gly Trp
 130 135 140
 Met Asp Arg Val Leu Cys Gln Gly Phe Ala Phe Asp Ile Pro Gly Phe
 145 150 155 160
 Tyr Asp Ser Gly Leu Leu Gln Gly Lys Leu Ala Leu Leu Ser Val Thr
 165 170 175
 Thr Gly Gly Thr Ala Glu Met Tyr Thr Lys Thr Gly Val Asn Gly Asp
 180 185 190
 Ser Arg Tyr Phe Leu Trp Pro Leu Gln His Gly Thr Leu His Phe Cys
 195 200 205
 Gly Phe Lys Val Leu Ala Pro Gln Ile Ser Phe Ala Pro Glu Ile Ala
 210 215 220
 Ser Glu Glu Glu Arg Lys Gly Met Val Ala Ala Trp Ser Gln Arg Leu
 225 230 235 240
 Gln Thr Ile Trp Lys Glu Glu Pro Ile Pro Cys Thr Ala His Trp His
 245 250 255
 Phe Gly Gln

1400

<210> 1353

<211> 72

<212> PRT

<213> Homo sapiens

<400> 1353

Asp Leu Ala Ser Glu Glu His Phe Phe Ser Val Lys Phe Leu Tyr Leu
1 5 10 15

Lys Ile Gln Lys Tyr Phe Arg Ile Leu Leu Ile Leu Ser Pro Val Phe
20 25 30

Thr Ser Phe Trp Lys Thr Cys Ile Thr Met Ser Leu Glu Lys Gly Gln
35 40 45

Arg Lys Ala Phe His Val Lys Ile Arg Ser Leu Ala Ile Ser Asn Pro
50 55 60

Val Leu Phe Ser Leu His Phe Phe
65 70

<210> 1354

<211> 301

<212> PRT

<213> Homo sapiens

<400> 1354

Lys Arg Arg Arg Arg Leu Glu Gln Arg Gln Gln Pro Asp Glu Gln Arg
1 5 10 15

Arg Arg Ser Gly Ala Met Val Lys Met Ala Ala Ala Gly Gly Gly Gly
20 25 30

Gly Gly Gly Arg Tyr Tyr Gly Gly Gly Ser Glu Gly Gly Arg Ala Pro
35 40 45

Lys Arg Leu Lys Thr Asp Asn Ala Gly Asp Gln His Gly Gly Gly Gly
50 55 60

Gly Gly Gly Gly Gly Ala Gly Ala Ala Gly Gly Gly Gly Gly Glu
65 70 75 80

Asn Tyr Asp Asp Pro His Lys Thr Pro Ala Ser Pro Val Val His Ile
85 90 95

Arg Gly Leu Ile Asp Gly Val Val Glu Ala Asp Leu Val Glu Ala Leu
100 105 110

1401

Gln Glu Phe Gly Pro Ile Ser Tyr Val Val Val Met Pro Lys Lys Arg
 115 120 125
 Gln Ala Leu Val Glu Phe Glu Asp Val Leu Gly Ala Cys Asn Ala Val
 130 135 140
 Asn Tyr Ala Ala Asp Asn Gln Ile Tyr Ile Ala Gly His Pro Ala Phe
 145 150 155 160
 Val Asn Tyr Ser Thr Ser Gln Lys Ile Ser Arg Pro Gly Asp Ser Asp
 165 170 175
 Asp Ser Arg Ser Val Asn Ser Val Leu Leu Phe Thr Ile Leu Asn Pro
 180 185 190
 Ile Tyr Ser Ile Thr Thr Asp Val Leu Tyr Thr Ile Cys Asn Pro Cys
 195 200 205
 Gly Pro Val Gln Arg Ile Val Ile Phe Arg Lys Asn Gly Val Gln Ala
 210 215 220
 Met Val Glu Phe Asp Ser Val Gln Ser Ala Gln Arg Ala Lys Ala Ser
 225 230 235 240
 Leu Asn Gly Ala Asp Ile Tyr Ser Gly Cys Cys Thr Leu Lys Ile Glu
 245 250 255
 Tyr Ala Lys Pro Thr Arg Leu Asn Val Phe Lys Asn Asp Gln Asp Thr
 260 265 270
 Trp Asp Tyr Thr Asn Pro Asn Leu Ser Gly Gln Gly Asn Leu Asp Asp
 275 280 285
 His Phe Val Leu Asn Ile Pro Ala Leu Leu Ser Leu Asp
 290 295 300

<210> 1355

<211> 466

<212> PRT

<213> Homo sapiens

<400> 1355

Asn Thr Val Met Gly Arg Lys Lys Lys Lys Gln Leu Lys Pro Trp Cys
 1 5 10 15

Trp Tyr Cys Asn Arg Asp Phe Asp Asp Glu Lys Ile Leu Ile Gln His
 20 25 30

1402

Gln Lys Ala Lys His Phe Lys Cys His Ile Cys His Lys Lys Leu Tyr
 35 40 45
 Thr Gly Pro Gly Leu Ala Ile His Cys Met Gln Val His Lys Glu Thr
 50 55 60
 Ile Asp Ala Val Pro Asn Ala Ile Pro Gly Arg Thr Asp Ile Glu Leu
 65 70 75 80
 Glu Ile Tyr Gly Met Glu Gly Ile Pro Glu Lys Asp Met Asp Glu Arg
 85 90 95
 Arg Arg Leu Leu Glu Gln Lys Thr Gln Glu Ser Gln Lys Lys Lys Gln
 100 105 110
 Gln Asp Asp Ser Asp Glu Tyr Asp Asp Asp Asp Ser Ala Ala Ser Thr
 115 120 125
 Ser Phe Gln Pro Gln Pro Val Gln Pro Gln Gln Gly Tyr Ile Pro Pro
 130 135 140
 Met Ala Gln Pro Gly Leu Pro Pro Val Pro Gly Ala Pro Gly Met Pro
 145 150 155 160
 Pro Gly Ile Pro Pro Leu Met Pro Gly Val Pro Pro Leu Met Pro Gly
 165 170 175
 Met Pro Pro Val Met Pro Gly Met Pro Pro Gly Leu His His Gln Arg
 180 185 190
 Lys Tyr Thr Gln Ser Phe Cys Gly Glu Asn Ile Met Met Pro Met Gly
 195 200 205
 Gly Met Met Pro Pro Gly Pro Gly Ile Pro Pro Leu Met Pro Gly Met
 210 215 220
 Pro Pro Gly Met Pro Pro Pro Val Pro Arg Pro Gly Ile Pro Pro Met
 225 230 235 240
 Thr Gln Ala Gln Ala Val Ser Ala Pro Gly Ile Leu Asn Arg Pro Pro
 245 250 255
 Ala Pro Thr Ala Thr Val Pro Ala Pro Gln Pro Pro Val Thr Lys Pro
 260 265 270
 Leu Phe Pro Ser Ala Gly Gln Ala Gln Ala Ala Val Gln Gly Pro Val
 275 280 285
 Gly Thr Asp Phe Lys Pro Leu Asn Ser Thr Pro Ala Thr Thr Thr Glu
 290 295 300

1403

Pro Pro Lys Pro Thr Phe Pro Ala Tyr Thr Gln Ser Thr Ala Ser Thr
 305 310 315 320
 Thr Ser Thr Thr Asn Ser Thr Ala Ala Lys Pro Ala Ala Ser Ile Thr
 325 330 335
 Ser Lys Pro Ala Thr Leu Thr Thr Thr Ser Ala Thr Ser Lys Leu Ile
 340 345 350
 His Pro Asp Glu Asp Ile Ser Leu Glu Glu Arg Arg Ala Gln Leu Pro
 355 360 365
 Lys Tyr Gln Arg Asn Leu Pro Arg Pro Gly Gln Ala Pro Ile Gly Asn
 370 375 380
 Pro Pro Val Gly Pro Ile Gly Gly Met Met Pro Pro Gln Pro Gly Ile
 385 390 395 400
 Pro Gln Gln Gln Gly Met Arg Pro Pro Met Pro Pro His Gly Gln Tyr
 405 410 415
 Gly Gly His His Gln Gly Met Pro Gly Tyr Leu Pro Gly Ala Met Pro
 420 425 430
 Pro Tyr Gly Gln Gly Pro Pro Met Val Pro Pro Tyr Gln Gly Gly Pro
 435 440 445
 Pro Arg Pro Pro Met Gly Met Arg Pro Pro Val Met Ser Gln Gly Gly
 450 455 460
 Arg Tyr
 465

<210> 1356

<211> 85

<212> PRT

<213> Homo sapiens

<400> 1356

Leu Ser Asp Asp Gln Ser Leu Leu Ile Ile Leu Leu Leu Lys Gly Leu
 1 5 10 15
 Leu Thr Asn Leu Ser Phe Thr Pro Cys Gly Pro Cys Tyr Trp Tyr Thr
 20 25 30
 Gln Tyr Val Leu Thr Glu Asp Met Asp Phe Ile Cys Ser Ser Ala Gly
 35 40 45
 Ile Gly Lys Leu Asp Leu Phe Ser Met Ile Gln Asn Ser Pro Ile Arg

1404

50 55 60
 Arg Leu Glu Lys Glu Glu Leu Tyr Ser Ser Leu Cys Tyr Phe Leu Leu
 65 70 75 80
 Pro Phe Leu Phe Leu
 85

<210> 1357
 <211> 580
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (3)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (526)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1357
 Asp Ser Xaa Thr Phe Asp Asp Leu Ala Val Asp Phe Thr Pro Glu Glu
 1 5 10 15

Trp Thr Leu Leu Asp Pro Thr Gln Arg Asn Leu Tyr Arg Asp Val Met
 20 25 30

Leu Glu Asn Tyr Lys Asn Leu Ala Thr Val Gly Tyr Gln Leu Phe Lys
 35 40 45

Pro Ser Leu Ile Ser Trp Leu Glu Gln Glu Glu Ser Arg Thr Val Gln
 50 55 60

Arg Gly Asp Phe Gln Ala Ser Glu Trp Lys Val Gln Leu Lys Thr Lys
 65 70 75 80

Glu Leu Ala Leu Gln Gln Asp Val Leu Gly Glu Pro Thr Ser Ser Gly
 85 90 95

Ile Gln Met Ile Gly Ser His Asn Gly Gly Glu Val Ser Asp Val Lys
 100 105 110

Gln Cys Gly Asp Val Ser Ser Glu His Ser Cys Leu Lys Thr His Val
 115 120 125

Arg Thr Gln Asn Ser Glu Asn Thr Phe Glu Cys Tyr Leu Tyr Gly Val

1405

130	135	140
Asp Phe Leu Thr Leu His Lys Lys Thr Ser Thr Gly Glu Gln Arg Ser		
145	150	155 160
Val Phe Ser Gln Cys Gly Lys Ala Phe Ser Leu Asn Pro Asp Val Val		
	165	170 175
Cys Gln Arg Thr Cys Thr Gly Glu Lys Ala Phe Asp Cys Ser Asp Ser		
	180	185 190
Gly Lys Ser Phe Ile Asn His Ser His Leu Gln Gly His Leu Arg Thr		
	195	200 205
His Asn Gly Glu Ser Leu His Glu Trp Lys Glu Cys Gly Arg Gly Phe		
	210	215 220
Ile His Ser Thr Asp Leu Ala Val Arg Ile Gln Thr His Arg Ser Glu		
	225	230 235 240
Lys Pro Tyr Lys Cys Lys Glu Cys Gly Lys Gly Phe Arg Tyr Ser Ala		
	245	250 255
Tyr Leu Asn Ile His Met Gly Thr His Thr Gly Asp Asn Pro Tyr Glu		
	260	265 270
Cys Lys Glu Cys Gly Lys Ala Phe Thr Arg Ser Cys Gln Leu Thr Gln		
	275	280 285
His Arg Lys Thr His Thr Gly Glu Lys Pro Tyr Lys Cys Lys Asp Cys		
	290	295 300
Gly Arg Ala Phe Thr Val Ser Ser Cys Leu Ser Gln His Met Lys Ile		
	305	310 315 320
His Val Gly Glu Lys Pro Tyr Glu Cys Lys Glu Cys Gly Ile Ala Phe		
	325	330 335
Thr Arg Ser Ser Gln Leu Thr Glu His Leu Lys Thr His Thr Ala Lys		
	340	345 350
Asp Pro Phe Glu Cys Lys Ile Cys Gly Lys Ser Phe Arg Asn Ser Ser		
	355	360 365
Cys Leu Ser Asp His Phe Arg Ile His Thr Gly Ile Lys Pro Tyr Lys		
	370	375 380
Cys Lys Asp Cys Gly Lys Ala Phe Thr Gln Asn Ser Asp Leu Thr Lys		
	385	390 395 400
His Ala Arg Thr His Ser Gly Glu Arg Pro Tyr Glu Cys Lys Glu Cys		

1406

405	410	415
Gly Lys Ala Phe Ala Arg Ser Ser Arg Leu Ser Glu His Thr Arg Thr		
420	425	430
His Thr Gly Glu Lys Pro Phe Glu Cys Val Lys Cys Gly Lys Ala Phe		
435	440	445
Ala Ile Ser Ser Asn Leu Ser Gly His Leu Arg Ile His Thr Gly Glu		
450	455	460
Lys Pro Phe Glu Cys Leu Glu Cys Gly Lys Ala Phe Thr His Ser Ser		
465	470	475
Ser Leu Asn Asn His Met Arg Thr His Ser Ala Lys Lys Pro Phe Thr		
485	490	495
Cys Met Glu Cys Gly Lys Ala Phe Lys Phe Pro Thr Cys Val Asn Leu		
500	505	510
His Met Arg Ile His Thr Gly Glu Lys Pro Tyr Lys Cys Xaa Gln Cys		
515	520	525
Gly Lys Ser Phe Ser Tyr Ser Asn Ser Phe Gln Leu His Glu Arg Thr		
530	535	540
His Thr Gly Glu Lys Pro Tyr Glu Cys Lys Glu Cys Gly Lys Ala Phe		
545	550	555
Ser Ser Ser Ser Ser Phe Arg Asn His Glu Arg Arg His Ala Asp Glu		
565	570	575
Arg Leu Ser Ala		
580		

<210> 1358

<211> 612

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (134)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (445)

<223> Xaa equals any of the naturally occurring L-amino acids

1407

<400> 1358

Glu Val Pro Glu Ala His Arg Ala Ser Pro Arg Glu Gly Thr Ser Gly
 1 5 10 15
 Gly Glu Arg Leu Gln Asp Leu Val Lys Ser Lys Met Ser Glu Thr Ser
 20 25 30
 Arg Thr Ala Phe Gly Gly Arg Arg Ala Val Pro Pro Asn Asn Ser Asn
 35 40 45
 Ala Ala Glu Asp Asp Leu Pro Thr Val Glu Leu Gln Gly Val Val Pro
 50 55 60
 Arg Gly Val Asn Leu Gln Asp Asp Ala Val Tyr Leu Asp Asn Glu Lys
 65 70 75 80
 Glu Arg Glu Glu Tyr Val Leu Asn Asp Ile Gly Val Ile Phe Tyr Gly
 85 90 95
 Glu Val Asn Asp Ile Lys Thr Arg Ser Trp Ser Tyr Gly Gln Phe Glu
 100 105 110
 Asp Gly Ile Leu Asp Thr Cys Leu Tyr Val Met Asp Arg Ala Gln Met
 115 120 125
 Asp Leu Ser Gly Arg Xaa Asn Pro Ile Lys Val Ser Arg Val Gly Ser
 130 135 140
 Ala Met Val Asn Ala Lys Asp Asp Glu Gly Val Leu Val Gly Ser Trp
 145 150 155 160
 Asp Asn Ile Tyr Ala Tyr Gly Val Pro Pro Ser Ala Trp Thr Gly Ser
 165 170 175
 Val Asp Ile Leu Leu Glu Tyr Arg Ser Ser Glu Asn Pro Val Arg Tyr
 180 185 190
 Gly Gln Cys Trp Val Phe Ala Gly Val Phe Asn Thr Phe Leu Arg Cys
 195 200 205
 Leu Gly Ile Pro Ala Arg Ile Val Thr Asn Tyr Phe Ser Ala His Asp
 210 215 220
 Asn Asp Ala Asn Leu Gln Met Asp Ile Phe Leu Glu Glu Asp Gly Asn
 225 230 235 240
 Val Asn Ser Lys Leu Thr Lys Asp Ser Val Trp Asn Tyr His Cys Trp
 245 250 255
 Asn Glu Ala Trp Met Thr Arg Pro Asp Leu Pro Val Gly Phe Gly Gly

1408

260	265	270
Trp Gln Ala Val Asp Ser Thr Pro Gln Glu Asn Ser Asp Gly Met Tyr		
275	280	285
Arg Cys Gly Pro Ala Ser Val Gln Ala Ile Lys His Gly His Val Cys		
290	295	300
Phe Gln Phe Asp Ala Pro Phe Val Phe Ala Glu Val Asn Ser Asp Leu		
305	310	315
Ile Tyr Ile Thr Ala Lys Lys Asp Gly Thr His Val Val Glu Asn Val		
325	330	335
Asp Ala Thr His Ile Gly Lys Leu Ile Val Thr Lys Gln Ile Gly Gly		
340	345	350
Asp Gly Met Met Asp Ile Thr Asp Thr Tyr Lys Phe Gln Glu Gly Gln		
355	360	365
Glu Glu Glu Arg Leu Ala Leu Glu Thr Ala Leu Met Tyr Gly Ala Lys		
370	375	380
Lys Pro Leu Asn Thr Glu Gly Val Met Lys Ser Arg Ser Asn Val Asp		
385	390	395
Met Asp Phe Glu Val Glu Asn Ala Val Leu Gly Lys Asp Phe Lys Leu		
405	410	415
Ser Ile Thr Phe Arg Asn Asn Ser His Asn Arg Tyr Thr Ile Thr Ala		
420	425	430
Tyr Leu Ser Ala Asn Ile Thr Phe Tyr Thr Gly Val Xaa Lys Ala Glu		
435	440	445
Phe Lys Lys Glu Thr Phe Asp Val Thr Leu Glu Pro Leu Ser Phe Lys		
450	455	460
Lys Glu Ala Val Leu Ile Gln Ala Gly Glu Tyr Met Gly Gln Leu Leu		
465	470	475
Glu Gln Ala Ser Leu His Phe Phe Val Thr Ala Arg Ile Asn Glu Thr		
485	490	495
Arg Asp Val Leu Ala Lys Gln Lys Ser Thr Val Leu Thr Ile Pro Glu		
500	505	510
Ile Ile Ile Lys Val Arg Gly Thr Gln Val Val Gly Ser Asp Met Thr		
515	520	525
Val Thr Val Glu Phe Thr Asn Pro Leu Lys Glu Thr Leu Arg Asn Val		

1409

530	535	540
Trp Val His Leu Asp Gly Pro Gly Val Thr Arg Pro Met Lys Lys Met		
545	550	555 560
Phe Arg Glu Ile Arg Pro Asn Ser Thr Val Gln Trp Glu Glu Val Cys		
	565	570 575
Arg Pro Trp Val Ser Gly His Arg Lys Leu Ile Ala Ser Met Ser Ser		
	580	585 590
Asp Ser Leu Arg His Val Tyr Gly Glu Leu Asp Val Gln Ile Gln Arg		
	595	600 605
Arg Pro Ser Met		
610		

<210> 1359
 <211> 56
 <212> PRT
 <213> Homo sapiens

<400> 1359
Leu Ser Cys Ile Val Leu Leu Arg Gln Ser Ser Val Lys Leu Tyr Gln
1 5 10 15
Leu Arg Leu Val Ser Ser Asp Phe His Trp Gly Ile Arg Val Leu Ala
20 25 30
Gly Leu Asn Leu Leu Leu Val Gly Ser Val Phe Leu Met Asn Lys Ser
35 40 45
His Ser Thr Glu Leu Gln Val Ile
50 55

<210> 1360
 <211> 415
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (368)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE

<222> (374)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (379)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (381)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (384)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (385)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (386)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (389)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (397)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (404)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (405)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (409)

1411

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1360

Gly	Gly	Gly	Gly	Glu	Lys	Met	Ala	Asp	Asp	Pro	Ser	Ala	Ala	Asp	Arg
1				5				10						15	

Asn	Val	Glu	Ile	Trp	Lys	Ile	Lys	Lys	Leu	Ile	Lys	Ser	Leu	Glu	Ala
		20					25						30		

Ala	Arg	Gly	Asn	Gly	Thr	Ser	Met	Ile	Ser	Leu	Ile	Ile	Pro	Pro	Lys
		35					40					45			

Asp	Gln	Ile	Ser	Arg	Val	Ala	Lys	Met	Leu	Ala	Asp	Glu	Phe	Gly	Thr
	50						55				60				

Ala	Ser	Asn	Ile	Lys	Ser	Arg	Val	Asn	Arg	Leu	Ser	Val	Leu	Gly	Ala
65					70					75					80

Ile	Thr	Ser	Val	Gln	Gln	Arg	Leu	Lys	Leu	Tyr	Asn	Lys	Val	Pro	Pro
			85						90					95	

Asn	Gly	Leu	Val	Val	Tyr	Cys	Gly	Thr	Ile	Val	Thr	Glu	Glu	Gly	Lys
		100						105						110	

Glu	Lys	Lys	Val	Asn	Ile	Asp	Phe	Glu	Pro	Phe	Lys	Pro	Ile	Asn	Thr
		115					120					125			

Ser	Leu	Tyr	Leu	Cys	Asp	Asn	Lys	Phe	His	Thr	Glu	Ala	Leu	Thr	Ala
	130					135					140				

Leu	Leu	Ser	Asp	Asp	Ser	Lys	Phe	Gly	Phe	Ile	Val	Ile	Asp	Gly	Ser
145					150				155					160	

Gly	Ala	Leu	Phe	Gly	Thr	Leu	Gln	Gly	Asn	Thr	Arg	Glu	Val	Leu	His
			165					170						175	

Lys	Phe	Thr	Val	Asp	Leu	Pro	Lys	Lys	His	Gly	Arg	Gly	Gly	Gln	Ser
		180					185						190		

Ala	Leu	Arg	Phe	Ala	Arg	Leu	Arg	Met	Glu	Lys	Arg	His	Asn	Tyr	Val
	195					200						205			

Arg	Lys	Val	Ala	Glu	Thr	Ala	Val	Gln	Leu	Phe	Ile	Ser	Gly	Asp	Lys
	210					215					220				

Val	Asn	Val	Ala	Gly	Leu	Val	Leu	Ala	Gly	Ser	Ala	Asp	Phe	Lys	Thr
225				230					235					240	

Glu	Leu	Ser	Gln	Ser	Asp	Met	Phe	Asp	Gln	Arg	Leu	Gln	Ser	Lys	Val
			245						250					255	

1412

Leu Lys Leu Val Asp Ile Ser Tyr Gly Gly Glu Asn Gly Phe Asn Gln
 260 265 270
 Ala Ile Glu Leu Ser Thr Glu Val Leu Ser Asn Val Lys Phe Ile Gln
 275 280 285
 Glu Lys Lys Leu Ile Gly Arg Tyr Phe Asp Glu Ile Ser Gln Asp Thr
 290 295 300
 Gly Lys Tyr Cys Phe Gly Val Glu Asp Thr Leu Lys Ala Leu Glu Met
 305 310 315 320
 Gly Ala Val Glu Ile Leu Ile Val Tyr Glu Asn Leu Asp Ile Met Arg
 325 330 335
 Tyr Val Leu His Cys Gln Gly Thr Glu Glu Glu Lys Ile Leu Tyr Leu
 340 345 350
 Thr Pro Glu Gln Glu Lys Asp Lys Ser His Phe Thr Asp Lys Glu Xaa
 355 360 365
 Arg Thr Gly Thr Met Xaa Leu Ser Arg Ala Xaa Pro Xaa Leu Glu Xaa
 370 375 380
 Xaa Xaa Asn Asn Xaa Lys Lys Leu Gly Leu Pro Trp Xaa Ile Gly Pro
 385 390 395 400
 Ile Asn Ser Xaa Xaa Arg Gly Gln Xaa Trp Lys Arg Ile Gly Gly
 405 410 415

<210> 1361

<211> 119

<212> PRT

<213> Homo sapiens

<400> 1361

His Ala Ser Ala Asp Ala Trp Ala Asp Ala Trp Val Ala Gly Ser Asp
 1 5 10 15
 Phe Ile Lys Thr Ser Thr Gly Lys Glu Thr Val Asn Ala Thr Phe Pro
 20 25 30
 Val Ala Ile Val Met Leu Arg Ala Ile Arg Asp Phe Phe Trp Lys Thr
 35 40 45
 Gly Asn Lys Ile Gly Phe Lys Pro Ala Gly Gly Ile Arg Ser Ala Lys
 50 55 60
 Asp Ser Leu Ala Trp Leu Ser Leu Val Lys Glu Glu Leu Gly Asp Glu

1413

65 70 75 80
 Trp Leu Lys Pro Glu Leu Phe Arg Ile Gly Ala Ser Thr Leu Leu Ser
 85 90 95
 Asp Ile Glu Arg Gln Ile Tyr His His Val Thr Gly Arg Tyr Ala Ala
 100 105 110
 Tyr His Asp Leu Pro Met Ser
 115

<210> 1362

<211> 282

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1362

Gly Arg Val Gly Gly Arg Val Gly Gly Arg Val Gly Phe Thr Ala Lys
 1 5 10 15

Val Trp Asp Ala Val Ser Gly Asp Glu Leu Met Thr Leu Ala His Lys
 20 25 30

His Xaa Xaa Lys Thr Val Asp Phe Thr Gln Asp Ser Asn Tyr Leu Leu
 35 40 45

Thr Gly Gly Gln Asp Lys Leu Leu Arg Ile Tyr Asp Leu Asn Lys Pro
 50 55 60

Glu Ala Glu Pro Lys Glu Ile Ser Gly His Thr Ser Gly Ile Lys Lys
 65 70 75 80

Ala Leu Trp Cys Ser Glu Asp Lys Gln Ile Leu Ser Ala Asp Asp Lys
 85 90 95

Thr Val Arg Leu Trp Asp His Ala Thr Met Thr Glu Val Lys Ser Leu
 100 105 110

Asn Phe Asn Met Ser Val Ser Ser Met Glu Tyr Ile Pro Glu Gly Glu

1414

115	120	125
Ile Leu Val Ile Thr Tyr Gly Arg Ser Ile Ala Phe His Ser Ala Val		
130	135	140
Ser Leu Asp Pro Ile Lys Ser Phe Glu Ala Pro Ala Thr Ile Asn Ser		
145	150	155 160
Ala Ser Leu His Pro Glu Lys Glu Phe Leu Val Ala Gly Gly Glu Asp		
	165	170 175
Phe Lys Leu Tyr Lys Tyr Asp Tyr Asn Ser Gly Glu Glu Leu Glu Ser		
	180	185 190
Tyr Lys Gly His Phe Gly Pro Ile His Cys Val Arg Phe Ser Pro Asp		
	195	200 205
Gly Glu Leu Tyr Ala Ser Gly Ser Glu Asp Gly Thr Leu Arg Leu Trp		
	210	215 220
Gln Thr Val Val Gly Lys Thr Tyr Gly Leu Trp Lys Cys Val Leu Pro		
	225	230 235 240
Glu Glu Asp Ser Gly Glu Leu Ala Lys Pro Lys Ile Gly Phe Pro Glu		
	245	250 255
Thr Thr Glu Glu Glu Leu Glu Glu Ile Ala Ser Glu Asn Ser Asp Cys		
	260	265 270
Ile Phe Pro Ser Ala Pro Asp Val Lys Ala		
	275	280

<210> 1363

<211> 334

<212> PRT

<213> Homo sapiens

<400> 1363

Thr Pro Arg Thr Pro Glu Pro His Lys Pro Gly Leu Ala Met Lys Pro
1 5 10 15
Gly Phe Ser Pro Arg Gly Gly Gly Phe Gly Gly Arg Gly Gly Phe Gly
20 25 30
Asp Arg Gly Gly Arg Gly Gly Arg Gly Gly Phe Gly Gly Gly Arg Gly
35 40 45
Arg Gly Gly Gly Phe Arg Gly Arg Gly Arg Gly Gly Gly Gly Gly
50 55 60

1415

Gly Gly Gly Gly Gly Gly Gly Gly Arg Gly Gly Gly Gly Phe His Ser Gly
 65 70 75 80
 Gly Asn Arg Gly Arg Gly Arg Gly Gly Lys Arg Gly Asn Gln Ser Gly
 85 90 95
 Lys Asn Val Met Val Glu Pro His Arg His Glu Gly Val Phe Ile Cys
 100 105 110
 Arg Gly Lys Glu Asp Ala Leu Val Thr Lys Asn Leu Val Pro Gly Glu
 115 120 125
 Ser Val Tyr Gly Glu Lys Arg Val Ser Ile Ser Glu Gly Asp Asp Lys
 130 135 140
 Ile Glu Tyr Arg Ala Trp Asn Pro Phe Arg Ser Lys Leu Ala Ala Ala
 145 150 155 160
 Ile Leu Gly Gly Val Asp Gln Ile His Ile Lys Pro Gly Ala Lys Val
 165 170 175
 Leu Tyr Leu Gly Ala Ala Ser Gly Thr Thr Val Ser His Val Ser Asp
 180 185 190
 Ile Val Gly Pro Asp Gly Leu Val Tyr Ala Val Glu Phe Ser His Arg
 195 200 205
 Ser Gly Arg Asp Leu Ile Asn Leu Ala Lys Lys Arg Thr Asn Ile Ile
 210 215 220
 Pro Val Ile Glu Asp Ala Arg His Pro His Lys Tyr Arg Met Leu Ile
 225 230 235 240
 Ala Met Val Asp Val Ile Phe Ala Asp Val Ala Gln Pro Asp Gln Thr
 245 250 255
 Arg Ile Val Ala Leu Asn Ala His Thr Phe Leu Arg Asn Gly Gly His
 260 265 270
 Phe Val Ile Ser Ile Lys Ala Asn Cys Ile Asp Ser Thr Ala Ser Ala
 275 280 285
 Glu Ala Val Phe Ala Ser Glu Val Lys Lys Met Gln Gln Glu Asn Met
 290 295 300
 Lys Pro Gln Glu Gln Leu Thr Leu Glu Pro Tyr Glu Arg Asp His Ala
 305 310 315 320
 Val Val Val Gly Val Tyr Arg Pro Pro Pro Lys Val Lys Asn
 325 330

1416

<210> 1364

<211> 602

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (356)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1364

Pro Gly Ala Glu Lys Ser Gly Arg Ala Ala Glu Arg Pro Gly Arg Gly
 1 5 10 15

Pro Gly Arg Gly Ala His Ser Arg Pro Thr Ala Pro Arg Glu Arg Ala
 20 25 30

Pro Arg Ser Pro Ala Pro Ser Pro Pro Gly Met Gly Arg Ala Ala Ala
 35 40 45

Ala Glu Ala Pro Ala Trp Pro Gly Arg Thr Arg Pro Glu Ala Glu Gly
 50 55 60

Arg Ala Arg Ala Gln Leu Pro Gly His Gln Ile Gly Ala Arg Arg Ala
 65 70 75 80

Gly Gly Pro Arg Ala Gly Leu Glu Met Ser Trp Pro Arg Arg Leu Leu
 85 90 95

Leu Arg Tyr Leu Phe Pro Ala Leu Leu Leu His Gly Leu Gly Glu Gly
 100 105 110

Ser Ala Leu Leu His Pro Asp Ser Arg Ser His Pro Arg Ser Leu Glu
 115 120 125

Lys Ser Ala Trp Arg Ala Phe Lys Glu Ser Gln Cys His His Met Leu
 130 135 140

Lys His Leu His Asn Gly Ala Arg Ile Thr Val Gln Met Pro Pro Thr
 145 150 155 160

Ile Glu Gly His Trp Val Ser Thr Gly Cys Glu Val Arg Ser Gly Pro
 165 170 175

Glu Phe Ile Thr Arg Ser Tyr Arg Phe Tyr His Asn Asn Thr Phe Lys
 180 185 190

Ala Tyr Gln Phe Tyr Tyr Gly Ser Asn Arg Cys Thr Asn Pro Thr Tyr

1417

195	200	205
Thr Leu Ile Ile Arg Gly Lys Ile Arg Leu Arg Gln Ala Ser Trp Ile		
210	215	220
Ile Arg Gly Gly Thr Glu Ala Asp Tyr Gln Leu His Asn Val Gln Val		
225	230	235 240
Ile Cys His Thr Glu Ala Val Ala Glu Lys Leu Gly Gln Gln Val Asn		
245	250	255
Arg Thr Cys Pro Gly Phe Leu Ala Asp Gly Gly Pro Trp Val Gln Asp		
260	265	270
Val Ala Tyr Asp Leu Trp Arg Glu Glu Asn Gly Cys Glu Cys Thr Lys		
275	280	285
Ala Val Asn Phe Ala Met His Glu Leu Gln Leu Ile Arg Val Glu Lys		
290	295	300
Gln Tyr Leu His His Asn Leu Asp His Leu Val Glu Glu Leu Phe Leu		
305	310	315 320
Gly Asp Ile His Thr Asp Ala Thr Gln Arg Met Phe Tyr Arg Pro Ser		
325	330	335
Ser Tyr Gln Pro Pro Leu Gln Asn Ala Lys Asn His Asp His Ala Cys		
340	345	350
Ile Ala Cys Xaa Ile Ile Tyr Arg Ser Asp Glu His His Pro Pro Ile		
355	360	365
Leu Pro Pro Lys Ala Asp Leu Thr Ile Gly Leu His Gly Glu Trp Val		
370	375	380
Ser Gln Arg Cys Glu Val Arg Pro Glu Val Leu Phe Leu Thr Arg His		
385	390	395 400
Phe Ile Phe His Asp Asn Asn Asn Thr Trp Glu Gly His Tyr Tyr His		
405	410	415
Tyr Ser Asp Pro Val Cys Lys His Pro Thr Phe Ser Ile Tyr Ala Arg		
420	425	430
Gly Arg Tyr Ser Arg Gly Val Leu Ser Ser Arg Val Met Gly Gly Thr		
435	440	445
Glu Phe Val Phe Lys Val Asn His Met Lys Val Thr Pro Met Asp Ala		
450	455	460
Ala Thr Ala Ser Leu Leu Asn Val Phe Asn Gly Asn Glu Cys Gly Ala		

1418

465 470 475 480
Glu Gly Ser Trp Gln Val Gly Ile Gln Gln Asp Val Thr His Thr Asn
 485 490 495
Gly Cys Val Ala Leu Gly Ile Lys Leu Pro His Thr Glu Tyr Glu Ile
 500 505 510
Phe Lys Met Glu Gln Asp Ala Arg Gly Arg Tyr Leu Leu Phe Asn Gly
 515 520 525
Gln Arg Pro Ser Asp Gly Ser Ser Pro Asp Arg Pro Glu Lys Arg Ala
 530 535 540
Thr Ser Tyr Gln Met Pro Leu Val Gln Cys Ala Ser Ser Ser Pro Arg
545 550 555 560
Ala Glu Asp Leu Ala Glu Asp Ser Gly Ser Ser Leu Tyr Gly Arg Ala
 565 570 575
Pro Gly Arg His Thr Trp Ser Leu Leu Leu Ala Ala Leu Ala Cys Leu
 580 585 590
Val Pro Leu Leu His Trp Asn Ile Arg Arg
 595 600

<210> 1365

<211> 158

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (78)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (98)

1419

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (136)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (141)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (142)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1365

Ser	Asn	Ser	Gly	Tyr	Pro	Phe	Trp	Thr	Pro	Ser	Met	Leu	Trp	Lys	Leu
1				5					10					15	

Cys	Thr	Phe	Thr	Leu	Leu	Asn	Lys	Ala	Xaa	Ser	Phe	Phe	Ser	Leu	Ser
			20					25					30		

Val	His	Val	Ser	Phe	Thr	His	Xaa	Gly	Gln	Leu	Pro	His	His	Phe	Phe
		35					40					45			

Gly	Val	Ala	Trp	Gln	Glu	Pro	Gln	Val	Leu	His	Leu	Gly	Glu	Pro	Asp
	50					55					60				

Arg	Arg	Leu	Gln	Lys	Arg	Ile	Lys	Ala	Ile	Lys	Leu	Gln	Xaa	Ile	Leu
65				70						75				80	

Gln	Met	Glu	Pro	Gln	Met	Ser	Ser	Ala	His	Gly	Phe	Tyr	Arg	Gly	Pro
				85					90					95	

Leu	Xaa	Gln	Pro	Ala	Gly	Pro	Ser	Ile	Thr	Leu	Glu	Asn	Ser	Pro	Leu
			100					105					110		

Glu	Asp	Thr	Lys	Leu	Gln	Gly	Pro	Phe	Phe	Thr	Pro	Asn	Gln	Gln	Glu
		115					120					125			

Val	Ala	Arg	Thr	Asp	Cys	His	Xaa	Val	Pro	Asn	Ser	Xaa	Xaa	Gly	Cys
	130					135					140				

Pro	Val	Leu	Glu	Ala	Gly	Phe	Arg	Gly	Gly	Ala	Gln	Leu	Gly
145					150					155			

<210> 1366

1420

<211> 466
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (4)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (12)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (205)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (220)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (347)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1366

Ser	Thr	Arg	Xaa	Arg	Glu	Gly	Asn	Ser	His	Ser	Xaa	Gly	His	Lys	Thr
1				5					10					15	
Ile	Gln	Gly	Ser	Leu	Gly	Arg	Leu	Ser	Ser	Ala	Val	Pro	Gly	Ser	Gly
			20					25					30		
Ala	Glu	Leu	Ser	Pro	Val	Pro	Asn	Thr	Asp	Gly	Thr	Met	Asn	Ser	Gly
		35					40					45			
His	Ser	Phe	Ser	Gln	Thr	Pro	Ser	Ala	Ser	Phe	His	Gly	Ala	Gly	Gly
	50						55				60				
Gly	Trp	Gly	Arg	Pro	Arg	Ser	Phe	Pro	Arg	Ala	Pro	Thr	Val	His	Gly
65					70					75				80	
Gly	Ala	Gly	Gly	Ala	Arg	Ile	Ser	Leu	Ser	Phe	Thr	Thr	Arg	Ser	Cys
				85					90					95	
Pro	Pro	Pro	Gly	Gly	Ser	Trp	Gly	Ser	Gly	Arg	Ser	Ser	Pro	Leu	Leu
			100					105						110	

1421

Gly Gly Asn Gly Lys Ala Thr Met Gln Asn Leu Asn Asp Arg Leu Ala
 115 120 125
 Ser Tyr Leu Glu Lys Val Arg Ala Leu Glu Glu Ala Asn Met Lys Leu
 130 135 140
 Glu Ser Arg Ile Leu Lys Trp His Gln Gln Arg Asp Pro Gly Ser Lys
 145 150 155 160
 Lys Asp Tyr Ser Gln Tyr Glu Glu Asn Ile Thr His Leu Gln Glu Gln
 165 170 175
 Ile Val Asp Gly Lys Met Thr Asn Ala Gln Ile Ile Leu Leu Ile Asp
 180 185 190
 Asn Ala Arg Met Ala Val Asp Asp Phe Asn Leu Lys Xaa Glu Asn Glu
 195 200 205
 His Ser Phe Lys Lys Asp Leu Glu Ile Glu Val Xaa Gly Leu Arg Arg
 210 215 220
 Thr Leu Asp Asn Leu Thr Ile Val Thr Thr Asp Leu Glu Gln Glu Val
 225 230 235 240
 Glu Gly Met Arg Lys Glu Leu Ile Leu Met Lys Lys His His Glu Gln
 245 250 255
 Glu Met Glu Lys His His Val Pro Ser Asp Phe Asn Val Asn Val Lys
 260 265 270
 Val Asp Thr Gly Pro Arg Glu Asp Leu Ile Lys Val Leu Glu Asp Met
 275 280 285
 Arg Gln Glu Tyr Glu Leu Ile Ile Lys Lys Lys His Arg Asp Leu Asp
 290 295 300
 Thr Trp Tyr Lys Glu Gln Ser Ala Ala Met Ser Gln Glu Ala Ala Ser
 305 310 315 320
 Pro Ala Thr Val Gln Ser Arg Gln Gly Asp Ile His Glu Leu Lys Arg
 325 330 335
 Thr Phe Gln Ala Leu Glu Ile Asp Leu Gln Xaa Gln Tyr Ser Thr Lys
 340 345 350
 Ser Ala Leu Glu Asn Met Leu Ser Glu Thr Gln Ser Arg Tyr Ser Cys
 355 360 365
 Lys Leu Gln Asp Met Gln Glu Ile Ile Ser His Tyr Glu Glu Glu Leu
 370 375 380

1422

Thr Gln Leu Arg His Glu Leu Glu Arg Gln Asn Asn Glu Tyr Gln Val
385 390 395 400

Leu Leu Gly Ile Lys Thr His Leu Glu Lys Glu Ile Thr Thr Tyr Arg
405 410 415

Arg Leu Leu Glu Gly Glu Ser Glu Gly Thr Arg Glu Glu Ser Lys Ser
420 425 430

Ser Met Lys Val Ser Ala Thr Pro Lys Ile Lys Ala Ile Thr Gln Glu
435 440 445

Thr Ile Asn Gly Arg Leu Val Leu Cys Gln Val Asn Glu Ile Gln Lys
450 455 460

His Ala
465

<210> 1367

<211> 153

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (136)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (138)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (141)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (142)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (143)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1423

<221> SITE

<222> (152)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1367

Leu Arg Phe Ala Ser Pro Gly Pro Gly Ala Gly Arg Ala Arg Asp Ser
 1 5 10 15

Gln Arg Lys Trp Arg Arg Leu Arg Ala Arg Pro Leu Leu Gly Pro Gly
 20 25 30

Gln Gly Trp Ser Trp Ala Gly Ile Pro Ser Ser Ala Ala Ala Gln Arg
 35 40 45

Ala Gly Pro Pro Ala Gly Ala Leu Glu Ala Leu Ser Pro Gly Gly Ala
 50 55 60

Arg Ala His Ala Glu Arg Arg Gly Glu Met Arg Ala Thr Pro Leu Ala
 65 70 75 80

Ala Pro Ala Gly Ser Leu Ser Arg Lys Lys Arg Leu Glu Leu Asp Asp
 85 90 95

Asn Leu Asp Thr Glu Arg Pro Val Gln Lys Arg Ala Arg Ser Gly Pro
 100 105 110

Gln Pro Arg Leu Pro Pro Cys Leu Leu Pro Leu Ser Pro Pro Thr Ala
 115 120 125

Pro Asp Arg Ala Thr Ala Val Xaa Thr Xaa Ser Arg Xaa Xaa Xaa Tyr
 130 135 140

Val Leu Leu Glu Ala Arg Arg Xaa Ala
 145 150

<210> 1368

<211> 399

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

1424

<400> 1368

```

Ser Asp Asn Xaa Thr Asn Gly Cys Gly Leu Glu Ser Xaa Gly Asn Thr
  1           5           10           15

Val Thr Pro Val Asn Val Asn Glu Val Lys Pro Ile Asn Lys Gly Glu
      20           25           30

Glu Gln Ile Gly Phe Glu Leu Val Glu Lys Leu Phe Gln Gly Gln Leu
      35           40           45

Val Leu Arg Thr Arg Cys Leu Glu Cys Glu Ser Leu Thr Glu Arg Arg
      50           55           60

Glu Asp Phe Gln Asp Ile Ser Val Pro Val Gln Glu Asp Glu Leu Ser
      65           70           75           80

Lys Val Glu Glu Ser Ser Glu Ile Ser Pro Glu Pro Lys Thr Glu Met
      85           90           95

Lys Thr Leu Arg Trp Ala Ile Ser Gln Phe Ala Ser Val Glu Arg Ile
      100          105          110

Val Gly Glu Asp Lys Tyr Phe Cys Glu Asn Cys His His Tyr Thr Glu
      115          120          125

Ala Glu Arg Ser Leu Leu Phe Asp Lys Met Pro Glu Val Ile Thr Ile
      130          135          140

His Leu Lys Cys Phe Ala Ala Ser Gly Leu Glu Phe Asp Cys Tyr Gly
      145          150          155          160

Gly Gly Leu Ser Lys Ile Asn Thr Pro Leu Leu Thr Pro Leu Lys Leu
      165          170          175

Ser Leu Glu Glu Trp Ser Thr Lys Pro Thr Asn Asp Ser Tyr Gly Leu
      180          185          190

Phe Ala Val Val Met His Ser Gly Ile Thr Ile Ser Ser Gly His Tyr
      195          200          205

Thr Ala Ser Val Lys Val Thr Asp Leu Asn Ser Leu Glu Leu Asp Lys
      210          215          220

Gly Asn Phe Val Val Asp Gln Met Cys Glu Ile Gly Lys Pro Glu Pro
      225          230          235          240

Leu Asn Glu Glu Glu Ala Arg Gly Val Val Glu Asn Tyr Asn Asp Glu
      245          250          255

Glu Val Ser Ile Arg Val Gly Gly Asn Thr Gln Pro Ser Lys Val Leu

```

1425

260	265	270
Asn Lys Lys Asn Val Glu Ala Ile Gly Leu Leu Gly Gly Gln Lys Ser		
275	280	285
Lys Ala Asp Tyr Glu Leu Tyr Asn Lys Ala Ser Asn Pro Asp Lys Val		
290	295	300
Ala Ser Thr Ala Phe Ala Glu Asn Arg Asn Ser Glu Thr Ser Asp Thr		
305	310	315
Thr Gly Thr His Glu Ser Asp Arg Asn Lys Glu Ser Ser Asp Gln Thr		
325	330	335
Gly Ile Asn Ile Ser Gly Phe Glu Asn Lys Ile Ser Tyr Val Val Gln		
340	345	350
Ser Leu Lys Glu Tyr Glu Gly Lys Trp Leu Leu Phe Asp Asp Ser Glu		
355	360	365
Val Lys Val Thr Glu Glu Lys Asp Phe Leu Asn Ser Leu Ser Pro Ser		
370	375	380
Thr Ser Pro Thr Ser Thr Pro Tyr Leu Leu Phe Tyr Lys Lys Leu		
385	390	395

<210> 1369

<211> 260

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1369

Val Phe Xaa Ser Phe Phe Ala Glu Lys Glu Gln Gln Glu Ala Ile Glu		
1	5	10
His Ile Asp Glu Val Gln Asn Glu Ile Asp Arg Leu Asn Glu Gln Ala		
20	25	30
Ser Glu Glu Ile Leu Lys Val Glu Gln Lys Tyr Asn Lys Leu Arg Gln		
35	40	45
Pro Phe Phe Gln Lys Arg Ser Glu Leu Ile Ala Lys Ile Pro Asn Phe		
50	55	60

1426

Trp Val Thr Thr Phe Val Asn His Pro Gln Val Ser Ala Leu Leu Gly
 65 70 75 80
 Glu Glu Asp Glu Glu Ala Leu His Tyr Leu Thr Arg Val Glu Val Thr
 85 90 95
 Glu Phe Glu Asp Ile Lys Ser Gly Tyr Arg Ile Asp Phe Tyr Phe Asp
 100 105 110
 Glu Asn Pro Tyr Phe Glu Asn Lys Val Leu Ser Lys Glu Phe His Leu
 115 120 125
 Asn Glu Ser Gly Asp Pro Ser Ser Lys Ser Thr Glu Ile Lys Trp Lys
 130 135 140
 Ser Gly Lys Asp Leu Thr Lys Arg Ser Ser Gln Thr Gln Asn Lys Ala
 145 150 155 160
 Ser Arg Lys Arg Gln His Glu Glu Pro Glu Ser Phe Phe Thr Trp Phe
 165 170 175
 Thr Asp His Ser Asp Ala Gly Ala Asp Glu Leu Gly Glu Val Ile Lys
 180 185 190
 Asp Asp Ile Trp Pro Asn Pro Leu Gln Tyr Tyr Leu Val Pro Asp Met
 195 200 205
 Asp Asp Glu Glu Gly Glu Gly Glu Glu Asp Asp Asp Asp Asp Glu Glu
 210 215 220
 Glu Glu Gly Leu Glu Asp Ile Asp Glu Glu Gly Asp Glu Asp Glu Gly
 225 230 235 240
 Glu Glu Asp Glu Asp Asp Asp Glu Gly Glu Glu Gly Glu Glu Asp Glu
 245 250 255
 Gly Glu Asp Asp
 260

<210> 1370

<211> 155

<212> PRT

<213> Homo sapiens

<400> 1370

Lys Gly Glu Ala Ala Ala Phe Ser Ala Thr Phe Pro Ile Ala Arg Gln
 1 5 10 15

Glu Phe Leu Ser Val Thr Thr Ile Ala Val Met Ser Gly Arg Gly Lys

1427

	20		25		30
Gln Gly Gly Lys Ala Arg Ala Lys Ala Lys Ser Arg Ser Ser Arg Ala	35	40	45		
Gly Leu Gln Phe Pro Val Gly Glu Cys Ile Ala Leu Arg Lys Gly Asn	50	55	60		
Tyr Ala Glu Arg Val Gly Ala Gly Ala Pro Val Tyr Met Ala Ala Val	65	70	75	80	
Leu Glu Tyr Leu Thr Ala Glu Ile Leu Glu Leu Ala Gly Asn Ala Ala	85	90	95		
Arg Asp Asn Lys Lys Thr Arg Ile Ile Pro Arg His Leu Gln Leu Ala	100	105	110		
Ile Arg Asn Asp Glu Glu Leu Asn Lys Leu Leu Gly Lys Val Thr Ile	115	120	125		
Ala Gln Gly Gly Val Leu Pro Asn Ile Gln Ala Val Leu Leu Pro Lys	130	135	140		
Lys Thr Glu Ser His His Lys Ala Lys Gly Lys	145	150	155		

<210> 1371

<211> 140

<212> PRT

<213> Homo sapiens

<400> 1371

Phe Pro Gly Arg Thr His Ala Leu Cys Arg Gly Ala Ala Ser Arg Gly	1	5	10	15
Leu Leu Cys Lys Trp Ala Pro Trp Pro Ser Ala Pro Val Pro Ala Thr	20	25	30	
Arg Asp Arg Ala Pro Arg Pro Ala Arg Gly Arg Arg Pro Asp Pro Thr	35	40	45	
Ser Gln Gln Ala Lys Ala Trp Arg Pro Ser Pro Pro Ala Ala Arg Ser	50	55	60	
Trp Pro Pro Thr Thr Thr Thr Gly Ala Ala Trp Val Pro Leu Pro Ala	65	70	75	80
Thr Ala Pro Ala Ala Val Pro Ser Ala Pro Gly Lys Pro Phe Pro Thr	85	90	95	

1428

Pro Gln Val Ser Pro Arg Leu Thr Arg Val Ile Gly Gly Pro Ala Ser
 100 105 110

Phe Ser Gly Ser Pro Pro Ser Arg Ser Trp Pro Arg Cys Trp Ser Pro
 115 120 125

Gln Ser Thr Arg Asn Leu Pro Arg Pro Pro Ala Ala
 130 135 140

<210> 1372

<211> 150

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (126)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (127)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (128)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (142)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (147)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1372

Pro Trp Thr Leu Gly Gly Pro Glu Leu Asp Ala Met Gly Gly Cys Ala
 1 5 10 15

1429

Gly Ser Arg Arg Arg Phe Ser Asp Ser Glu Gly Glu Glu Thr Val Pro
 20 25 30
 Glu Pro Arg Leu Pro Leu Leu Asp His Gln Gly Ala His Trp Lys Asn
 35 40 45
 Ala Val Gly Phe Trp Leu Leu Gly Leu Cys Asn Asn Phe Ser Tyr Val
 50 55 60
 Val Met Leu Ser Ala Ala His Asp Ile Leu Ser His Lys Arg Thr Ser
 65 70 75 80
 Gly Asn Gln Ser His Val Asp Pro Gly Pro Thr Pro Ile Pro His Asn
 85 90 95
 Ser Ser Ser Arg Phe Asp Cys Asn Ser Val Ser Thr Ala Ala Val Leu
 100 105 110
 Leu Ala Asp Ile Leu Pro Thr Leu Val Ile Lys Leu Leu Xaa Xaa Xaa
 115 120 125
 Gly Leu His Leu Leu Pro Xaa Thr Val Glu Asp Ala Val Xaa Leu Cys
 130 135 140
 Ala Leu Xaa Gly Thr Ala
 145 150

<210> 1373

<211> 128

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (121)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1373

Arg His Ser Arg Val Asp Pro Arg Val Arg Ala Arg Phe Arg Arg Arg
 1 5 10 15

Arg Ala Phe Ala Xaa Leu Gly Trp Ser Ser Gly Arg Val Ser Arg Pro
 20 25 30

1430

Glu His Val Asp Ala His Pro Pro Leu Ser Leu Met Glu Val Val Thr
 35 40 45
 Phe Gly Asp Val Ala Val His Phe Ser Arg Glu Glu Trp Gln Cys Leu
 50 55 60
 Asp Pro Gly Gln Arg Ala Leu Tyr Arg Glu Val Met Leu Glu Asn His
 65 70 75 80
 Ser Ser Val Ala Gly Leu Ala Gly Phe Leu Val Phe Lys Pro Glu Leu
 85 90 95
 Ile Ser Arg Leu Glu Gln Gly Glu Glu Pro Trp Val Leu Asp Leu Gln
 100 105 110
 Gly Ala Glu Gly Thr Glu Ala Pro Xaa Thr Ser Lys Thr Gly Glu Ala
 115 120 125

<210> 1374

<211> 398

<212> PRT

<213> Homo sapiens

<400> 1374

Ser Ser Trp Leu Arg Ser Arg Ser Gly Met Gln Thr Asp Leu Gln Asn
 1 5 10 15
 Leu Gly Asn Asp Ser Gly Asp His Ser Asp His Met His Tyr Tyr Gln
 20 25 30
 Gly Lys Lys Tyr Phe Arg Asp Arg Arg Gly Gly Gly Arg Asn Ser Asp
 35 40 45
 Trp Ser Ser Asp Thr Asn Arg Gln Gly Gln Gln Ser Ser Ser Asp Cys
 50 55 60
 Tyr Ile Tyr Asp Ser Ala Thr Gly Tyr Tyr Tyr Asp Pro Leu Ala Gly
 65 70 75 80
 Thr Tyr Tyr Asp Pro Asn Thr Gln Gln Glu Val Tyr Val Pro Gln Asp
 85 90 95
 Pro Gly Leu Pro Glu Glu Glu Glu Ile Lys Glu Lys Lys Pro Thr Ser
 100 105 110
 Gln Gly Lys Ser Ser Ser Lys Lys Glu Met Ser Lys Arg Asp Gly Lys

1431

115	120	125
Glu Lys Lys Asp Arg Gly Val Thr Arg Phe Gln Glu Asn Ala Ser Glu		
130	135	140
Gly Lys Ala Pro Ala Glu Asp Val Phe Lys Lys Pro Leu Pro Pro Thr		
145	150	155
Val Lys Lys Glu Glu Ser Pro Pro Pro Pro Lys Val Val Asn Pro Leu		
165	170	175
Ile Gly Leu Leu Gly Glu Tyr Gly Gly Asp Ser Asp Tyr Glu Glu Glu		
180	185	190
Glu Glu Glu Glu Gln Thr Pro Pro Pro Gln Pro Arg Thr Ala Gln Pro		
195	200	205
Gln Lys Arg Glu Glu Gln Thr Lys Lys Glu Asn Glu Glu Asp Lys Leu		
210	215	220
Thr Asp Trp Asn Lys Leu Ala Cys Leu Leu Cys Arg Arg Gln Phe Pro		
225	230	235
Asn Lys Glu Val Leu Ile Lys His Gln Gln Leu Ser Asp Leu His Lys		
245	250	255
Gln Asn Leu Glu Ile His Arg Lys Ile Lys Gln Ser Glu Gln Glu Leu		
260	265	270
Ala Tyr Leu Glu Arg Arg Glu Arg Glu Gly Lys Phe Lys Gly Arg Gly		
275	280	285
Asn Asp Arg Arg Glu Lys Leu Gln Ser Phe Asp Ser Pro Glu Arg Lys		
290	295	300
Arg Ile Lys Tyr Ser Arg Glu Thr Asp Ser Asp Arg Lys Leu Val Asp		
305	310	315
Lys Glu Asp Ile Asp Thr Ser Ser Lys Gly Gly Cys Val Gln Gln Ala		
325	330	335
Thr Gly Trp Arg Lys Gly Thr Gly Leu Gly Tyr Gly His Pro Gly Leu		
340	345	350
Ala Ser Ser Glu Glu Ala Glu Gly Arg Met Arg Gly Pro Ser Val Gly		
355	360	365
Ala Ser Gly Arg Thr Ser Lys Arg Gln Ser Asn Glu Thr Tyr Arg Asp		
370	375	380
Ala Val Arg Arg Val Met Phe Ala Arg Tyr Lys Glu Leu Asp		

1432

385

390

395

<210> 1375

<211> 167

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (157)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (163)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1375

His	Arg	Gly	Lys	Arg	Tyr	Thr	Asp	Ser	Thr	Val	Arg	Asn	Ser	Arg	Val
1				5						10				15	

Asp	Pro	Arg	Val	Arg	Ser	Ala	Lys	Pro	Glu	Ser	Cys	Pro	Phe	Ser	Leu
			20					25					30		

Pro	Gly	Gln	His	Glu	Leu	His	His	Ser	Leu	His	Leu	Leu	His	Gln	Leu
		35					40					45			

Pro	Val	Pro	Gly	Leu	Cys	Pro	Gly	Ala	Gln	Leu	Arg	Arg	Pro	Ala	Gly
		50				55					60				

Gln	Gln	Arg	Gly	Gln	Arg	Leu	Cys	Arg	Arg	Trp	Gly	Leu	Trp	Phe	Pro
65					70					75					80

Asp	Leu	Arg	Val	Pro	Leu	His	Gln	Leu	Gln	Gly	Arg	His	Gly	Val	Arg
			85						90					95	

Gly	Pro	Gly	His	Arg	Asp	Ser	Arg	Gly	Ser	Gly	Arg	Asn	Gly	Ser	Ile
			100					105					110		

Gln	Asn	Glu	Lys	Glu	Thr	Met	Gln	Lys	Leu	Asn	Asp	Arg	Leu	Ala	Ser
			115				120					125			

Tyr	Leu	Asp	Lys	Met	Lys	Glu	Pro	Gly	Asp	Arg	Glu	Thr	Gly	Gly	Trp
			130				135					140			

1433

Lys Ala Lys Thr Arg Glu His Phe Gly Glu Glu Gly Xaa Gln Val Arg
 145 150 155 160

Xaa Trp Xaa Pro Leu Ile Gln
 165

<210> 1376

<211> 448

<212> PRT

<213> Homo sapiens

<400> 1376

Leu Pro Asp Val Glu Lys Leu Gly Arg Arg Arg Gly Arg Lys Met Asp
 1 5 10 15

Ser Val Glu Lys Gly Ala Ala Thr Ser Val Ser Asn Pro Arg Gly Arg
 20 25 30

Pro Ser Arg Gly Arg Pro Pro Lys Leu Gln Arg Asn Ser Arg Gly Gly
 35 40 45

Gln Gly Arg Gly Val Glu Lys Pro Pro His Leu Ala Ala Leu Ile Leu
 50 55 60

Ala Arg Gly Gly Ser Lys Gly Ile Pro Leu Lys Asn Ile Lys His Leu
 65 70 75 80

Ala Gly Val Pro Leu Ile Gly Trp Val Leu Arg Ala Ala Leu Asp Ser
 85 90 95

Gly Ala Phe Gln Ser Val Trp Val Ser Thr Asp His Asp Glu Ile Glu
 100 105 110

Asn Val Ala Lys Gln Phe Gly Ala Gln Val His Arg Arg Ser Ser Glu
 115 120 125

Val Ser Lys Asp Ser Ser Thr Ser Leu Asp Ala Ile Ile Glu Phe Leu
 130 135 140

Asn Tyr His Asn Glu Val Asp Ile Val Gly Asn Ile Gln Ala Thr Ser
 145 150 155 160

Pro Cys Leu His Pro Thr Asp Leu Gln Lys Val Ala Glu Met Ile Arg
 165 170 175

Glu Glu Gly Tyr Asp Ser Val Phe Ser Val Val Arg Arg His Gln Phe
 180 185 190

1434

Arg Trp Ser Glu Ile Gln Lys Gly Val Arg Glu Val Thr Glu Pro Leu		
195	200	205
Asn Leu Asn Pro Ala Lys Arg Pro Arg Arg Gln Asp Trp Asp Gly Glu		
210	215	220
Leu Tyr Glu Asn Gly Ser Phe Tyr Phe Ala Lys Arg His Leu Ile Glu		
225	230	235 240
Met Gly Tyr Leu Gln Gly Gly Lys Met Ala Tyr Tyr Glu Met Arg Ala		
	245	250 255
Glu His Ser Val Asp Ile Asp Val Asp Ile Asp Trp Pro Ile Ala Glu		
	260	265 270
Gln Arg Val Leu Arg Tyr Gly Tyr Phe Gly Lys Glu Lys Leu Lys Glu		
	275	280 285
Ile Lys Leu Leu Val Cys Asn Ile Asp Gly Cys Leu Thr Asn Gly His		
	290	295 300
Ile Tyr Val Ser Gly Asp Gln Lys Glu Ile Ile Ser Tyr Asp Val Lys		
305	310	315 320
Asp Ala Ile Gly Ile Ser Leu Leu Lys Lys Ser Gly Ile Glu Val Arg		
	325	330 335
Leu Ile Ser Glu Arg Ala Cys Ser Lys Gln Thr Leu Ser Ser Leu Lys		
	340	345 350
Leu Asp Cys Lys Met Glu Val Ser Val Ser Asp Lys Leu Ala Val Val		
	355	360 365
Asp Glu Trp Arg Lys Glu Met Gly Leu Cys Trp Lys Glu Val Ala Tyr		
	370	375 380
Leu Gly Asn Glu Val Ser Asp Glu Glu Cys Leu Lys Arg Val Gly Leu		
385	390	395 400
Ser Gly Ala Pro Ala Asp Ala Cys Ser Thr Ala Gln Lys Ala Val Gly		
	405	410 415
Tyr Ile Cys Lys Cys Asn Gly Gly Arg Gly Ala Ile Arg Glu Phe Ala		
	420	425 430
Glu His Ile Cys Leu Leu Met Glu Lys Val Asn Asn Ser Cys Gln Lys		
	435	440 445

1435

<210> 1377

<211> 469

<212> PRT

<213> Homo sapiens

<400> 1377

Gly Gly Pro Ala Lys Met Ala Ala Ser Cys Leu Val Leu Leu Ala Leu
 1 5 10 15

Cys Leu Leu Leu Pro Leu Leu Leu Leu Gly Gly Trp Lys Arg Trp Arg
 20 25 30

Arg Gly Arg Ala Ala Arg His Val Val Ala Val Val Leu Gly Asp Val
 35 40 45

Gly Arg Ser Pro Arg Met Gln Tyr His Ala Leu Ser Leu Ala Met His
 50 55 60

Gly Phe Ser Val Thr Leu Leu Gly Phe Cys Asn Ser Lys Pro His Asp
 65 70 75 80

Glu Leu Leu Gln Asn Asn Arg Ile Gln Ile Val Gly Leu Thr Glu Leu
 85 90 95

Gln Ser Leu Ala Val Gly Pro Arg Val Phe Gln Tyr Gly Val Lys Val
 100 105 110

Val Leu Gln Ala Met Tyr Leu Leu Trp Lys Leu Met Trp Arg Glu Pro
 115 120 125

Gly Ala Tyr Ile Phe Leu Gln Asn Pro Pro Gly Leu Pro Ser Ile Ala
 130 135 140

Val Cys Trp Phe Val Gly Cys Leu Cys Gly Ser Lys Leu Val Ile Asp
 145 150 155 160

Trp His Asn Tyr Gly Tyr Ser Ile Met Gly Leu Val His Gly Pro Asn
 165 170 175

His Pro Leu Val Leu Leu Ala Lys Trp Tyr Glu Lys Phe Phe Gly Arg
 180 185 190

Leu Ser His Leu Asn Leu Cys Val Thr Asn Ala Met Arg Glu Asp Leu
 195 200 205

Ala Asp Asn Trp His Ile Arg Ala Val Thr Val Tyr Asp Lys Pro Ala
 210 215 220

Ser Phe Phe Lys Glu Thr Pro Leu Asp Leu Gln His Arg Leu Phe Met

1436

225 230 235 240
Lys Leu Gly Ser Met His Ser Pro Phe Arg Ala Arg Ser Glu Pro Glu
 245 250 255
Asp Pro Val Thr Glu Arg Ser Ala Phe Thr Glu Arg Asp Ala Gly Ser
 260 265 270
Gly Leu Val Thr Arg Leu Arg Glu Arg Pro Ala Leu Leu Val Ser Ser
 275 280 285
Thr Ser Trp Thr Glu Asp Glu Asp Phe Ser Ile Leu Leu Ala Ala Leu
 290 295 300
Glu Lys Phe Glu Gln Leu Thr Leu Asp Gly His Asn Leu Pro Ser Leu
305 310 315 320
Val Cys Val Ile Thr Gly Lys Gly Pro Leu Arg Glu Tyr Tyr Ser Arg
 325 330 335
Leu Ile His Gln Lys His Phe Gln His Ile Gln Val Cys Thr Pro Trp
 340 345 350
Leu Glu Ala Glu Asp Tyr Pro Leu Leu Leu Gly Ser Ala Asp Leu Gly
 355 360 365
Val Cys Leu His Thr Ser Ser Ser Gly Leu Asp Leu Pro Met Lys Val
 370 375 380
Val Asp Met Phe Gly Cys Cys Leu Pro Val Cys Ala Val Asn Phe Lys
385 390 395 400
Cys Leu His Glu Leu Val Lys His Glu Glu Asn Gly Leu Val Phe Glu
 405 410 415
Asp Ser Glu Glu Leu Ala Ala Gln Leu Gln Met Leu Phe Ser Asn Phe
 420 425 430
Pro Asp Pro Ala Gly Lys Leu Asn Gln Phe Arg Lys Asn Leu Arg Glu
 435 440 445
Ser Gln Gln Leu Arg Trp Asp Glu Ser Trp Val Gln Thr Val Leu Pro
 450 455 460
Leu Val Met Asp Thr
465

<210> 1378

<211> 314

1437

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (93)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1378

Glu Lys Ala Ala Gly Ala Gly Lys Ser His Leu Ala Ile Val Gln Lys
 1 5 10 15

Val Asn Asn Glu Gly Glu Gly Asp Pro Phe Tyr Glu Val Leu Gly Leu
 20 25 30

Val Thr Leu Glu Asp Val Ile Glu Glu Ile Ile Lys Ser Glu Ile Leu
 35 40 45

Asp Glu Ser Asp Met Tyr Thr Asp Asn Arg Ser Arg Lys Arg Val Ser
 50 55 60

Glu Lys Asn Lys Arg Asp Phe Ser Ala Phe Lys Asp Ala Asp Asn Glu
 65 70 75 80

Leu Lys Val Lys Ile Ser Pro Gln Leu Leu Leu Ala Xaa His Arg Phe
 85 90 95

Leu Ala Thr Glu Val Ser Gln Phe Ser Pro Ser Leu Ile Ser Glu Lys
 100 105 110

Ile Leu Leu Arg Leu Leu Lys Tyr Pro Asp Val Ile Gln Glu Leu Lys
 115 120 125

Phe Asp Glu His Asn Lys Tyr Tyr Ala Arg His Tyr Leu Tyr Thr Arg
 130 135 140

Asn Lys Pro Ala Asp Tyr Phe Ile Leu Ile Leu Gln Gly Lys Val Glu
 145 150 155 160

Val Glu Ala Gly Lys Glu Asn Met Lys Phe Glu Thr Gly Ala Phe Ser
 165 170 175

Tyr Tyr Gly Thr Met Ala Leu Thr Ser Val Pro Ser Asp Arg Ser Pro
 180 185 190

Ala His Pro Thr Pro Leu Ser Arg Ser Ala Ser Leu Ser Tyr Pro Asp
 195 200 205

Arg Thr Asp Val Ser Thr Ala Ala Thr Leu Ala Gly Ser Ser Asn Gln
 210 215 220

1438

Phe Gly Ser Ser Val Leu Gly Gln Tyr Ile Ser Asp Phe Ser Val Arg
225 230 235 240

Ala Leu Val Asp Leu Gln Tyr Ile Lys Ile Thr Arg Gln Gln Tyr Gln
245 250 255

Asn Gly Leu Leu Ala Ser Arg Met Glu Asn Ser Pro Gln Phe Pro Ile
260 265 270

Asp Gly Cys Thr Thr His Met Glu Asn Leu Ala Glu Lys Ser Glu Leu
275 280 285

Pro Val Val Asp Glu Thr Thr Thr Leu Leu Asn Glu Arg Asn Ser Leu
290 295 300

Leu His Lys Ala Ser His Glu Asn Ala Ile
305 310

<210> 1379

<211> 131

<212> PRT

<213> Homo sapiens

<400> 1379

Ser Cys Pro Val Leu Lys Met Phe Pro Glu Gln Gln Lys Glu Glu Phe
1 5 10 15

Val Ser Val Trp Val Arg Asp Pro Arg Ile Gln Lys Glu Asp Phe Trp
20 25 30

His Ser Tyr Ile Asp Tyr Glu Ile Cys Ile His Thr Asn Ser Met Cys
35 40 45

Phe Thr Met Lys Thr Ser Cys Val Arg Arg Arg Tyr Arg Glu Phe Val
50 55 60

Trp Leu Arg Gln Arg Leu Gln Ser Asn Ala Leu Leu Val Gln Leu Pro
65 70 75 80

Glu Leu Pro Ser Lys Asn Leu Phe Phe Asn Met Asn Asn Arg Gln His
85 90 95

Val Asp Gln Arg Arg Gln Gly Leu Gly Asn Phe Leu Arg Lys Val Leu
100 105 110

Gln Met His Phe Cys Phe Gln Ile Ala Ala Phe Thr Ser Ser Leu Gln
115 120 125

Ser His Leu

1439

130

<210> 1380

<211> 219

<212> PRT

<213> Homo sapiens

<400> 1380

Pro Gly Ala Ala Trp Ser Arg Pro Asp Leu Arg Gly Cys Cys Thr Gly
 1 5 10 15

Pro Gln Pro Ala Leu Arg Met Leu Val Leu Pro Ser Pro Cys Pro Gln
 20 25 30

Pro Leu Ala Phe Ser Ser Val Glu Thr Met Glu Gly Pro Pro Arg Arg
 35 40 45

Thr Cys Arg Ser Pro Glu Pro Gly Pro Ser Ser Ser Ile Gly Ser Pro
 50 55 60

Gln Ala Ser Ser Pro Pro Arg Pro Asn His Tyr Leu Leu Ile Asp Thr
 65 70 75 80

Gln Gly Val Pro Tyr Thr Val Leu Val Asp Glu Glu Ser Gln Arg Glu
 85 90 95

Pro Gly Ala Ser Gly Ala Pro Gly Gln Lys Lys Cys Tyr Ser Cys Pro
 100 105 110

Val Cys Ser Arg Val Phe Glu Tyr Met Ser Tyr Leu Gln Arg His Ser
 115 120 125

Ile Thr His Ser Glu Val Lys Pro Phe Glu Cys Asp Ile Cys Gly Lys
 130 135 140

Ala Phe Lys Arg Ala Ser His Leu Ala Arg His His Ser Ile His Leu
 145 150 155 160

Ala Gly Gly Gly Arg Pro His Gly Cys Pro Leu Cys Pro Arg Arg Phe
 165 170 175

Arg Asp Ala Gly Glu Leu Ala Gln His Ser Arg Val His Ser Gly Glu
 180 185 190

Arg Pro Phe Gln Cys Pro His Cys Pro Arg Arg Phe Met Glu Gln Asn
 195 200 205

Thr Leu Gln Lys His Thr Arg Trp Lys His Pro
 210 215

1440

<210> 1381

<211> 275

<212> PRT

<213> Homo sapiens

<400> 1381

Gly Val Ala Leu Phe Lys Ser Ala Ala Gly Asp Gln Pro Thr Ala Ala
 1 5 10 15

Cys Ile Cys Ile Gln Arg Gln Val Pro Pro Val Pro Ala Ala Arg Ala
 20 25 30

Pro Gln Ser Arg Thr Arg Ser Ala Gln Ala Lys Leu Ala Leu Thr Met
 35 40 45

Pro Val Lys Gly Gly Thr Lys Cys Ile Lys Tyr Leu Leu Phe Gly Phe
 50 55 60

Asn Phe Ile Phe Trp Leu Ala Gly Ile Ala Val Leu Ala Ile Gly Leu
 65 70 75 80

Trp Leu Arg Phe Asp Ser Gln Thr Lys Ser Ile Phe Glu Gln Glu Thr
 85 90 95

Asn Asn Asn Asn Ser Ser Phe Tyr Thr Gly Val Tyr Ile Leu Ile Gly
 100 105 110

Ala Gly Ala Leu Met Met Leu Val Gly Phe Leu Gly Cys Cys Gly Ala
 115 120 125

Val Gln Glu Ser Gln Cys Met Leu Gly Leu Phe Phe Gly Phe Leu Leu
 130 135 140

Val Ile Phe Ala Ile Glu Ile Ala Ala Ala Ile Trp Gly Tyr Ser His
 145 150 155 160

Lys Asp Glu Val Ile Lys Glu Val Gln Glu Phe Tyr Lys Asp Thr Tyr
 165 170 175

Asn Lys Leu Lys Thr Lys Asp Glu Pro Gln Arg Glu Thr Leu Lys Ala
 180 185 190

Ile His Tyr Ala Leu Asn Cys Cys Gly Leu Ala Gly Gly Val Glu Gln
 195 200 205

Phe Ile Ser Asp Ile Cys Pro Lys Lys Asp Val Leu Glu Thr Phe Thr
 210 215 220

[44]

Val Lys Ser Cys Pro Asp Ala Ile Lys Glu Val Phe Asp Asn Lys Phe
 225 230 235 240

His Ile Ile Gly Ala Val Gly Ile Gly Ile Ala Val Val Met Ile Phe
 245 250 255

Gly Met Ile Phe Ser Met Ile Leu Cys Cys Ala Ile Arg Arg Asn Arg
 260 265 270

Glu Met Val
 275

<210> 1382

<211> 766

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1382

Pro Cys Trp Glu Leu Val Gly Pro Pro Gly Trp Gln Xaa Ile Arg Ala
 1 5 10 15

Xaa Pro Ala Thr Val His Arg Ala Glu Ile Leu Ser Phe Pro Arg Ser
 20 25 30

Lys Thr Ser Glu Pro Ala Lys Arg Gly Arg Thr Ala Ser Ala Ala Met
 35 40 45

Ala Leu Lys Asp Tyr Ala Leu Glu Lys Glu Lys Val Lys Lys Phe Leu
 50 55 60

Gln Glu Phe Tyr Gln Asp Asp Glu Leu Gly Lys Lys Gln Phe Lys Tyr
 65 70 75 80

Gly Asn Gln Leu Val Arg Leu Ala His Arg Glu Gln Val Ala Leu Tyr

1442

85										90					95				
Val	Asp	Leu	Asp	Asp	Val	Ala	Glu	Asp	Asp	Pro	Glu	Leu	Val	Asp	Ser				
			100						105					110					
Ile	Cys	Glu	Asn	Ala	Arg	Arg	Tyr	Ala	Lys	Xaa	Phe	Ala	Asp	Ala	Val				
		115					120						125						
Gln	Glu	Leu	Leu	Pro	Gln	Tyr	Lys	Glu	Arg	Glu	Val	Val	Asn	Lys	Asp				
		130				135					140								
Val	Leu	Asp	Val	Tyr	Ile	Glu	His	Arg	Leu	Met	Met	Glu	Gln	Arg	Ser				
145					150					155					160				
Arg	Asp	Pro	Gly	Met	Val	Arg	Ser	Pro	Gln	Asn	Gln	Tyr	Pro	Ala	Glu				
				165					170						175				
Leu	Met	Arg	Arg	Phe	Glu	Leu	Tyr	Phe	Gln	Gly	Pro	Ser	Ser	Asn	Lys				
			180					185						190					
Pro	Arg	Val	Ile	Arg	Glu	Val	Arg	Ala	Asp	Ser	Val	Gly	Lys	Leu	Val				
		195					200						205						
Thr	Val	Arg	Gly	Ile	Val	Thr	Arg	Val	Ser	Glu	Val	Lys	Pro	Lys	Met				
		210				215						220							
Val	Val	Ala	Thr	Tyr	Thr	Cys	Asp	Gln	Cys	Gly	Ala	Glu	Thr	Tyr	Gln				
225					230					235					240				
Pro	Ile	Gln	Ser	Pro	Thr	Phe	Met	Pro	Leu	Ile	Met	Cys	Pro	Ser	Gln				
			245						250					255					
Glu	Cys	Gln	Thr	Asn	Arg	Ser	Gly	Gly	Arg	Leu	Tyr	Leu	Gln	Thr	Arg				
			260					265					270						
Gly	Ser	Arg	Phe	Ile	Lys	Phe	Gln	Glu	Met	Lys	Met	Gln	Glu	His	Ser				
		275				280						285							
Asp	Gln	Val	Pro	Val	Gly	Asn	Ile	Pro	Arg	Ser	Ile	Thr	Val	Leu	Val				
		290				295					300								
Glu	Gly	Glu	Asn	Thr	Arg	Ile	Ala	Gln	Pro	Gly	Asp	His	Val	Ser	Val				
305				310						315				320					
Thr	Gly	Ile	Phe	Leu	Pro	Ile	Leu	Arg	Thr	Gly	Phe	Arg	Gln	Val	Val				
			325					330					335						
Gln	Gly	Leu	Leu	Ser	Glu	Thr	Tyr	Leu	Glu	Ala	His	Arg	Ile	Val	Lys				
		340					345						350						
Met	Asn	Lys	Ser	Glu	Asp	Asp	Glu	Ser	Gly	Ala	Gly	Glu	Leu	Thr	Arg				

1443

355	360	365
Glu Glu Leu Arg Gln Ile Ala	Glu Glu Asp Phe Tyr Glu Lys Leu Ala	
370	375	380
Ala Ser Ile Ala Pro Glu Ile Tyr Gly His Glu Asp Val Lys Lys Ala		
385	390	395 400
Leu Leu Leu Leu Leu Val Gly Gly Val Asp Gln Ser Pro Arg Gly Met		
405	410	415
Lys Ile Arg Gly Asn Ile Asn Ile Cys Leu Met Gly Asp Pro Gly Val		
420	425	430
Ala Lys Ser Gln Leu Leu Ser Tyr Ile Asp Arg Leu Ala Pro Arg Ser		
435	440	445
Gln Tyr Thr Thr Gly Arg Gly Ser Ser Gly Val Gly Leu Thr Ala Ala		
450	455	460
Val Leu Arg Asp Ser Val Ser Gly Glu Leu Thr Leu Glu Gly Gly Ala		
465	470	475 480
Leu Val Leu Ala Asp Gln Gly Val Cys Cys Ile Asp Glu Phe Asp Lys		
485	490	495
Met Ala Glu Ala Asp Arg Thr Ala Ile His Glu Val Met Glu Gln Gln		
500	505	510
Thr Ile Ser Ile Ala Lys Ala Gly Ile Leu Thr Thr Leu Asn Ala Arg		
515	520	525
Cys Ser Ile Leu Ala Ala Ala Asn Pro Ala Tyr Gly Arg Tyr Asn Pro		
530	535	540
Arg Arg Ser Leu Glu Gln Asn Ile Gln Leu Pro Ala Ala Leu Leu Ser		
545	550	555 560
Arg Phe Asp Leu Leu Trp Leu Ile Gln Asp Arg Pro Asp Arg Asp Asn		
565	570	575
Asp Leu Arg Leu Ala Gln His Ile Thr Tyr Val His Gln His Ser Arg		
580	585	590
Gln Pro Pro Ser Gln Phe Glu Pro Leu Asp Met Lys Leu Met Arg Arg		
595	600	605
Tyr Ile Ala Met Cys Arg Glu Lys Gln Pro Met Val Pro Glu Ser Leu		
610	615	620
Ala Asp Tyr Ile Thr Ala Ala Tyr Val Glu Met Arg Arg Glu Ala Trp		

1444

```

625          630          635          640
Ala Ser Lys Asp Ala Thr Tyr Thr Ser Ala Arg Thr Leu Leu Ala Ile
          645          650          655
Leu Arg Leu Ser Thr Ala Leu Ala Arg Leu Arg Met Val Asp Val Val
          660          665          670
Glu Lys Glu Asp Val Asn Glu Ala Ile Arg Leu Met Glu Met Ser Lys
          675          680          685
Asp Ser Leu Leu Gly Asp Lys Gly Gln Thr Ala Arg Thr Gln Arg Pro
          690          695          700
Ala Asp Val Ile Phe Ala Thr Val Arg Glu Leu Val Ser Gly Gly Arg
705          710          715          720
Ser Val Arg Phe Ser Glu Ala Glu Gln Arg Cys Val Ser Arg Gly Phe
          725          730          735
Thr Pro Ala Gln Phe Gln Ala Ala Leu Asp Glu Tyr Glu Glu Leu Asn
          740          745          750
Val Trp Gln Val Asn Ala Ser Arg Thr Arg Ile Thr Phe Val
          755          760          765

```

<210> 1383

<211> 296

<212> PRT

<213> Homo sapiens

<400> 1383

```

Phe Arg Pro Gly Ser Pro Arg Gln Pro Arg Ala Gln Pro Ile Ser Ala
  1              5              10              15
Pro Asp Cys Thr Arg Ala Met Val Gly Arg Arg Ala Leu Ile Val Leu
          20              25              30
Ala His Ser Glu Arg Thr Ser Phe Asn Tyr Ala Met Lys Glu Ala Ala
          35              40              45
Ala Ala Ala Leu Lys Lys Lys Gly Trp Glu Val Val Glu Ser Asp Leu
          50              55              60
Tyr Ala Met Asn Phe Asn Pro Ile Ile Ser Arg Lys Asp Ile Thr Gly
          65              70              75              80
Lys Leu Lys Asp Pro Ala Asn Phe Gln Tyr Pro Ala Glu Ser Val Leu
          85              90              95

```

1445

Ala Tyr Lys Glu Gly His Leu Ser Pro Asp Ile Val Ala Glu Gln Lys
 100 105 110
 Lys Leu Glu Ala Ala Asp Leu Val Ile Phe Gln Phe Pro Leu Gln Trp
 115 120 125
 Phe Gly Val Pro Ala Ile Leu Lys Gly Trp Phe Glu Arg Val Phe Ile
 130 135 140
 Gly Glu Phe Ala Tyr Thr Tyr Ala Ala Met Tyr Asp Lys Gly Pro Phe
 145 150 155 160
 Arg Ser Lys Lys Ala Val Leu Ser Ile Thr Thr Gly Gly Ser Gly Ser
 165 170 175
 Met Tyr Ser Leu Gln Gly Ile His Gly Asp Met Asn Val Ile Leu Trp
 180 185 190
 Pro Ile Gln Ser Gly Ile Leu His Phe Cys Gly Phe Gln Val Leu Glu
 195 200 205
 Pro Gln Leu Thr Tyr Ser Ile Gly His Thr Pro Ala Asp Ala Arg Ile
 210 215 220
 Gln Ile Leu Glu Gly Trp Lys Lys Arg Leu Glu Asn Ile Trp Asp Glu
 225 230 235 240
 Thr Pro Leu Tyr Phe Ala Pro Ser Ser Leu Phe Asp Leu Asn Phe Gln
 245 250 255
 Ala Gly Phe Leu Met Lys Lys Glu Val Gln Asp Glu Glu Lys Asn Lys
 260 265 270
 Lys Phe Gly Leu Ser Val Gly His His Leu Gly Lys Ser Ile Pro Thr
 275 280 285
 Asp Asn Gln Ile Lys Ala Arg Lys
 290 295

<210> 1384

<211> 165

<212> PRT

<213> Homo sapiens

<400> 1384

Asp Pro Arg Thr Met Asn Leu Ala Ile Ser Ile Ala Leu Leu Leu Thr
 1 5 10 15

1446

Val Leu Gln Val Ser Arg Gly Gln Lys Val Thr Ser Leu Thr Ala Cys
 20 25 30
 Leu Val Asp Gln Ser Leu Arg Leu Asp Cys Arg His Glu Asn Thr Ser
 35 40 45
 Ser Ser Pro Ile Gln Tyr Glu Phe Ser Leu Thr Arg Glu Thr Lys Lys
 50 55 60
 His Val Leu Phe Gly Thr Val Gly Val Pro Glu His Thr Tyr Arg Ser
 65 70 75 80
 Arg Thr Asn Phe Thr Ser Lys Tyr Asn Met Lys Val Leu Tyr Leu Ser
 85 90 95
 Ala Phe Thr Ser Lys Asp Glu Gly Thr Tyr Thr Cys Ala Leu His His
 100 105 110
 Ser Gly His Ser Pro Pro Ile Ser Ser Gln Asn Val Thr Val Leu Arg
 115 120 125
 Asp Lys Leu Val Lys Cys Glu Gly Ile Ser Leu Leu Ala Gln Asn Thr
 130 135 140
 Ser Trp Leu Leu Leu Leu Leu Leu Ser Leu Ser Leu Leu Gln Ala Thr
 145 150 155 160
 Asp Phe Met Ser Leu
 165

<210> 1385

<211> 399

<212> PRT

<213> Homo sapiens

<400> 1385

His Glu Arg Thr Pro Ser Arg Pro Gln Pro Asp Thr Pro Arg Gly Pro
 1 5 10 15
 Pro Val Ser Arg Gly Cys Ser Pro Arg His Gly Thr Gly Pro Arg Leu
 20 25 30
 Thr Met Ala Ala Ala Arg His Ser Thr Leu Asp Phe Met Leu Gly Ala
 35 40 45
 Lys Ala Asp Gly Glu Thr Ile Leu Lys Gly Leu Gln Ser Ile Phe Gln
 50 55 60
 Glu Gln Gly Met Ala Glu Ser Val His Thr Trp Gln Asp His Gly Tyr

1447

65		70		75		80
Leu Ala Thr Tyr Thr Asn Lys Asn Gly Ser Phe Ala Asn Leu Arg Ile						
	85			90		95
Tyr Pro His Gly Leu Val Leu Leu Asp Leu Gln Ser Tyr Asp Gly Asp						
	100		105		110	
Ala Gln Gly Lys Glu Glu Ile Asp Ser Ile Leu Asn Lys Val Glu Glu						
	115		120		125	
Arg Met Lys Glu Leu Ser Gln Asp Ser Thr Gly Arg Val Lys Arg Leu						
	130		135		140	
Pro Pro Ile Val Arg Gly Gly Ala Ile Asp Arg Tyr Trp Pro Thr Ala						
145		150		155		160
Asp Gly Arg Leu Val Glu Tyr Asp Ile Asp Glu Val Val Tyr Asp Glu						
	165		170		175	
Asp Ser Pro Tyr Gln Asn Ile Lys Ile Leu His Ser Lys Gln Phe Gly						
	180		185		190	
Asn Ile Leu Ile Leu Ser Gly Asp Val Asn Leu Ala Glu Ser Asp Leu						
	195		200		205	
Ala Tyr Thr Arg Ala Ile Met Gly Ser Gly Lys Glu Asp Tyr Thr Gly						
	210		215		220	
Lys Asp Val Leu Ile Leu Gly Gly Gly Asp Gly Gly Ile Leu Cys Glu						
225		230		235		240
Ile Val Lys Leu Lys Pro Lys Met Val Thr Met Val Glu Ile Asp Gln						
	245		250		255	
Met Val Ile Asp Gly Cys Lys Lys Tyr Met Arg Lys Thr Cys Gly Asp						
	260		265		270	
Val Leu Asp Asn Leu Lys Gly Asp Cys Tyr Gln Val Leu Ile Glu Asp						
	275		280		285	
Cys Ile Pro Val Leu Lys Arg Tyr Ala Lys Glu Gly Arg Glu Phe Asp						
	290		295		300	
Tyr Val Ile Asn Asp Leu Thr Ala Val Pro Ile Ser Thr Ser Pro Glu						
305		310		315		320
Glu Asp Ser Thr Trp Glu Phe Leu Arg Leu Ile Leu Asp Leu Ser Met						
	325		330		335	
Lys Val Leu Lys Gln Asp Gly Lys Tyr Phe Thr Gln Gly Asn Cys Val						

1448

340 345 350
 Asn Leu Thr Glu Ala Leu Ser Leu Tyr Glu Glu Gln Leu Gly Arg Leu
 355 360 365
 Tyr Cys Pro Val Glu Phe Ser Lys Glu Ile Val Cys Val Pro Ser Tyr
 370 375 380
 Leu Glu Leu Trp Val Phe Tyr Thr Val Trp Lys Lys Ala Lys Pro
 385 390 395

<210> 1386

<211> 287

<212> PRT

<213> Homo sapiens

<400> 1386

Phe Asp Cys Arg Asp Val Ala Phe Thr Val Gly Glu Gly Glu Asp His
 1 5 10 15
 Asp Ile Pro Ile Gly Ile Asp Lys Ala Leu Glu Lys Met Gln Arg Glu
 20 25 30
 Glu Gln Cys Ile Leu Tyr Leu Gly Pro Arg Tyr Gly Phe Gly Glu Ala
 35 40 45
 Gly Lys Pro Lys Phe Gly Ile Glu Pro Asn Ala Glu Leu Ile Tyr Glu
 50 55 60
 Val Thr Leu Lys Ser Phe Glu Lys Ala Lys Glu Ser Trp Glu Met Asp
 65 70 75 80
 Thr Lys Glu Lys Leu Glu Gln Ala Ala Ile Val Lys Glu Lys Gly Thr
 85 90 95
 Val Tyr Phe Lys Gly Gly Lys Tyr Met Gln Ala Val Ile Gln Tyr Gly
 100 105 110
 Lys Ile Val Ser Trp Leu Glu Met Glu Tyr Gly Leu Ser Glu Lys Glu
 115 120 125
 Ser Lys Ala Ser Glu Ser Phe Leu Leu Ala Ala Phe Leu Asn Leu Ala
 130 135 140
 Met Cys Tyr Leu Lys Leu Arg Glu Tyr Thr Lys Ala Val Glu Cys Cys
 145 150 155 160
 Asp Lys Ala Leu Gly Leu Asp Ser Ala Asn Glu Lys Gly Leu Tyr Arg
 165 170 175

1449

Arg Gly Glu Ala Gln Leu Leu Met Asn Glu Phe Glu Ser Ala Lys Gly
180 185 190

Asp Phe Glu Lys Val Leu Glu Val Asn Pro Gln Asn Lys Ala Ala Arg
195 200 205

Leu Gln Ile Ser Met Cys Gln Lys Lys Ala Lys Glu His Asn Glu Arg
210 215 220

Asp Arg Arg Tyr Thr Pro Thr Cys Ser Arg Ser Leu Gln Ser Arg Met
225 230 235 240

Pro Arg Lys Arg Pro Ile Lys Gln Trp Ala Arg Arg Leu Gln Lys Gly
245 250 255

Ser Leu Met Lys Lys Glu Gln Thr Val Lys Gln Trp Lys Lys Arg Asn
260 265 270

Leu Arg Ala Thr Tyr Asp Ala Thr Pro Arg Arg Glu Glu Ser Gln
275 280 285

<210> 1387

<211> 206

<212> PRT

<213> Homo sapiens

<400> 1387

Arg Leu Pro Ile Arg Gln Ser Ala Ala Asp Gly Leu Arg Ala Arg Pro
1 5 10 15

Leu Gly Ser Asn Thr Ala Pro Ala Leu Arg Val Met Val Gln Ala Trp
20 25 30

Tyr Met Asp Asp Ala Pro Gly Asp Pro Arg Gln Pro His Arg Pro Asp
35 40 45

Pro Gly Arg Pro Val Gly Leu Glu Gln Leu Arg Arg Leu Gly Val Leu
50 55 60

Tyr Trp Lys Leu Asp Ala Asp Lys Tyr Glu Asn Asp Pro Glu Leu Glu
65 70 75 80

Lys Ile Arg Arg Glu Arg Asn Tyr Ser Trp Met Asp Ile Ile Thr Ile
85 90 95

Cys Lys Asp Lys Leu Pro Asn Tyr Glu Glu Lys Ile Lys Met Phe Tyr
100 105 110

1450

Glu Glu His Leu His Leu Asp Asp Glu Ile Arg Tyr Ile Leu Asp Gly
 115 120 125

Ser Gly Tyr Phe Asp Val Arg Asp Lys Glu Asp Gln Trp Ile Arg Ile
 130 135 140

Phe Met Glu Lys Gly Asp Met Val Thr Leu Pro Ala Gly Ile Tyr His
 145 150 155 160

Arg Phe Thr Val Asp Glu Lys Asn Tyr Thr Lys Ala Met Arg Leu Phe
 165 170 175

Val Gly Glu Pro Val Trp Thr Ala Tyr Asn Arg Pro Ala Asp His Phe
 180 185 190

Glu Ala Arg Gly Gln Tyr Val Lys Phe Leu Ala Gln Thr Ala
 195 200 205

<210> 1388

<211> 394

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1388

Phe His Xaa Ala Ala His Tyr Ser Leu Pro Asp Gly Arg His Gly Arg
 1 5 10 15

Leu Asp Ser Pro Thr Phe His Leu Thr Leu His Tyr Pro Thr Glu His
 20 25 30

Val Gln Phe Trp Val Gly Ser Pro Ser Thr Pro Ala Gly Trp Val Arg
 35 40 45

Glu Gly Asp Thr Val Gln Leu Leu Cys Arg Gly Asp Gly Ser Pro Ser
 50 55 60

Pro Glu Tyr Thr Leu Phe Arg Leu Gln Asp Glu Gln Glu Glu Val Leu
 65 70 75 80

Asn Val Asn Leu Glu Gly Asn Leu Thr Leu Glu Gly Val Thr Arg Gly
 85 90 95

Gln Ser Gly Thr Tyr Gly Cys Arg Val Glu Asp Tyr Asp Ala Ala Asp
 100 105 110

1451

Asp Val Gln Leu Ser Lys Thr Leu Glu Leu Arg Val Ala Tyr Leu Asp
 115 120 125

Pro Leu Glu Leu Ser Glu Gly Lys Val Leu Ser Leu Pro Leu Asn Ser
 130 135 140

Ser Ala Val Val Asn Cys Ser Val His Gly Leu Pro Thr Pro Ala Leu
 145 150 155 160

Arg Trp Thr Lys Asp Ser Thr Pro Leu Gly Asp Gly Pro Met Leu Ser
 165 170 175

Leu Ser Ser Ile Thr Phe Asp Ser Asn Gly Thr Tyr Val Cys Glu Ala
 180 185 190

Ser Leu Pro Thr Val Pro Val Leu Ser Arg Thr Gln Asn Phe Thr Leu
 195 200 205

Leu Val Gln Gly Ser Pro Glu Leu Lys Thr Ala Glu Ile Glu Pro Lys
 210 215 220

Ala Asp Gly Ser Trp Arg Glu Gly Asp Glu Val Thr Leu Ile Cys Ser
 225 230 235 240

Ala Arg Gly His Pro Asp Pro Lys Leu Ser Trp Ser Gln Leu Gly Gly
 245 250 255

Ser Pro Ala Glu Pro Ile Pro Gly Arg Gln Gly Trp Val Ser Ser Ser
 260 265 270

Leu Thr Leu Lys Val Thr Ser Ala Leu Ser Arg Asp Gly Ile Ser Cys
 275 280 285

Glu Ala Ser Asn Pro His Gly Asn Lys Arg His Val Phe His Phe Gly
 290 295 300

Thr Val Ser Pro Gln Thr Ser Gln Ala Gly Val Ala Val Met Ala Val
 305 310 315 320

Ala Val Ser Val Gly Leu Leu Leu Leu Val Val Ala Val Phe Tyr Cys
 325 330 335

Val Arg Arg Lys Gly Gly Pro Cys Cys Arg Gln Arg Arg Glu Lys Gly
 340 345 350

Ala Pro Pro Pro Gly Glu Pro Gly Leu Ser His Ser Gly Ser Glu Gln
 355 360 365

Pro Glu Gln Thr Gly Leu Leu Met Gly Gly Ala Ser Gly Gly Ala Arg
 370 375 380

1452

Gly Gly Ser Gly Gly Phe Gly Asp Glu Cys
 385 390

<210> 1389

<211> 264

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1389

Val Gly Cys Arg Trp Ser Arg Val Gly Pro Gln Asn Pro Arg Val Xaa
 1 5 10 15

Leu Pro Pro Pro Thr Leu Ala Met Phe Leu Thr Arg Ser Glu Tyr Asp
 20 25 30

Arg Gly Val Asn Thr Phe Ser Pro Glu Gly Arg Leu Phe Gln Val Glu
 35 40 45

Tyr Ala Ile Glu Ala Ile Lys Leu Gly Ser Thr Ala Ile Gly Ile Gln
 50 55 60

Thr Ser Glu Gly Val Cys Leu Ala Val Glu Lys Arg Ile Thr Ser Pro
 65 70 75 80

Leu Met Glu Pro Ser Ser Ile Glu Lys Ile Val Glu Ile Asp Ala His
 85 90 95

Ile Gly Cys Ala Met Ser Gly Leu Ile Ala Asp Ala Lys Thr Leu Ile
 100 105 110

Asp Lys Ala Arg Val Glu Thr Gln Asn His Trp Phe Thr Tyr Asn Glu
 115 120 125

Thr Met Thr Val Glu Ser Val Thr Gln Ala Val Ser Asn Leu Ala Leu
 130 135 140

Gln Phe Gly Glu Glu Asp Ala Asp Pro Gly Ala Met Ser Arg Pro Phe
 145 150 155 160

Gly Val Ala Leu Leu Phe Gly Gly Val Asp Glu Lys Gly Pro Gln Leu
 165 170 175

Phe His Met Asp Pro Ser Gly Thr Phe Val Gln Cys Asp Ala Arg Ala

1453

180	185	190
Ile Gly Ser Ala Ser Glu Gly Ala Gln Ser Ser Leu Gln Glu Val Tyr		
195	200	205
His Lys Ser Met Thr Leu Lys Glu Ala Ile Lys Ser Ser Leu Ile Ile		
210	215	220
Leu Lys Gln Val Met Glu Glu Lys Leu Asn Ala Thr Asn Ile Glu Leu		
225	230	235
Ala Thr Val Gln Pro Gly Gln Asn Phe His Met Phe Thr Lys Glu Glu		
245	250	255
Leu Glu Glu Val Ile Lys Asp Ile		
260		

<210> 1390

<211> 178

<212> PRT

<213> Homo sapiens

<400> 1390

Gln Lys Leu Glu Leu His Arg Gly Gly Gly Arg Ser Arg Thr Ser Gly			
1	5	10	15
Ser Pro Gly Leu Phe Gly Leu Ser Ala Arg Arg Leu Leu Ala Ala Ala			
20	25	30	
Ala Thr Arg Gly Leu Pro Ala Ala Arg Val Arg Trp Glu Ser Ser Phe			
35	40	45	
Ser Arg Thr Val Val Ala Pro Ser Ala Val Ala Gly Lys Arg Pro Pro			
50	55	60	
Glu Pro Thr Thr Pro Trp Gln Glu Asp Pro Glu Pro Glu Asp Glu Asn			
65	70	75	80
Leu Tyr Glu Lys Asn Pro Asp Ser His Gly Tyr Asp Lys Asp Pro Val			
85	90	95	
Leu Asp Val Trp Asn Met Arg Leu Val Phe Phe Phe Gly Val Ser Ile			
100	105	110	
Ile Leu Val Leu Gly Ser Thr Phe Val Ala Tyr Leu Pro Asp Tyr Arg			
115	120	125	
Cys Thr Gly Cys Pro Arg Ala Trp Asp Gly Met Lys Glu Trp Ser Arg			
130	135	140	

1454

Arg Glu Ala Glu Arg Leu Val Lys Tyr Arg Glu Ala Asn Gly Leu Pro
145 150 155 160

Ile Met Glu Ser Asn Cys Phe Asp Pro Ser Lys Ile Gln Leu Pro Glu
165 170 175

Asp Glu

<210> 1391

<211> 133

<212> PRT

<213> Homo sapiens

<400> 1391

Val Ile Ile Thr Ser Ile Asn Gln Lys Ile Phe His Pro Leu Arg Ala
1 5 10 15

Leu Lys Leu Ser Thr Ser Ala Thr Phe Leu Ile Leu Val Leu Gly Gly
20 25 30

His Val Tyr Gly Leu Phe Asn Phe His Val Pro Tyr Cys Pro Leu Pro
35 40 45

Ala Val Ala Lys Ala Ser Cys Phe Ser Pro Thr Glu Glu Thr Val Leu
50 55 60

Cys His Asp Asp Arg Ala Leu Leu Gly Leu Val Phe Leu Val Phe Pro
65 70 75 80

Phe Trp Gln Cys Gly Leu Gln Glu Leu Asp Val Tyr Ala Gln Gly Ile
85 90 95

Glu Phe Thr Leu Lys Leu Gly Asn Gly Val Phe Asn Leu Cys Ser Cys
100 105 110

Leu Phe Ile Leu Leu Phe Ile Phe Cys His Pro Ala Leu Tyr Trp Ala
115 120 125

Asn Asn Glu Ile Lys
130

<210> 1392

<211> 401

<212> PRT

<213> Homo sapiens

1455

<400> 1392

Asn Thr Val Leu Lys Lys Met Asp Glu Glu Pro Glu Arg Thr Lys Arg
 1 5 10 15

Trp Glu Gly Gly Tyr Glu Arg Thr Trp Glu Ile Leu Lys Glu Asp Glu
 20 25 30

Ser Gly Ser Leu Lys Ala Thr Ile Glu Asp Ile Leu Phe Lys Ala Lys
 35 40 45

Arg Lys Arg Val Phe Glu His His Gly Gln Val Arg Leu Gly Met Met
 50 55 60

Arg His Leu Tyr Val Val Val Asp Gly Ser Arg Thr Met Glu Asp Gln
 65 70 75 80

Asp Leu Lys Pro Asn Arg Leu Thr Cys Thr Leu Lys Leu Leu Glu Tyr
 85 90 95

Phe Val Glu Glu Tyr Phe Asp Gln Asn Pro Ile Ser Gln Ile Gly Ile
 100 105 110

Ile Val Thr Lys Ser Lys Arg Ala Glu Lys Leu Thr Glu Leu Ser Gly
 115 120 125

Asn Pro Arg Lys His Ile Thr Ser Leu Lys Lys Ala Val Asp Met Thr
 130 135 140

Cys His Gly Glu Pro Ser Leu Tyr Asn Ser Leu Ser Ile Ala Met Gln
 145 150 155 160

Thr Leu Lys His Met Pro Gly His Thr Ser Arg Glu Val Leu Ile Ile
 165 170 175

Phe Ser Ser Leu Thr Thr Cys Asp Pro Ser Asn Ile Tyr Asp Leu Ile
 180 185 190

Lys Thr Leu Lys Ala Ala Lys Ile Arg Val Ser Val Ile Gly Leu Ser
 195 200 205

Ala Glu Val Arg Val Cys Thr Val Leu Ala Arg Glu Thr Gly Gly Thr
 210 215 220

Tyr His Val Ile Leu Asp Glu Ser His Tyr Lys Glu Leu Leu Thr His
 225 230 235 240

His Val Ser Pro Pro Pro Ala Ser Ser Ser Ser Glu Cys Ser Leu Ile
 245 250 255

Arg Met Gly Phe Pro Gln His Thr Ile Ala Ser Leu Ser Asp Gln Asp

260										265					270						
Ala	Lys	Pro	Ser	Phe	Ser	Met	Ala	His	Leu	Asp	Gly	Asn	Thr	Glu	Pro						
		275						280					285								
Gly	Leu	Thr	Leu	Gly	Gly	Tyr	Phe	Cys	Pro	Gln	Cys	Arg	Ala	Lys	Tyr						
	290					295						300									
Cys	Glu	Leu	Pro	Val	Glu	Cys	Lys	Ile	Cys	Gly	Leu	Thr	Leu	Val	Ser						
305					310						315				320						
Ala	Pro	His	Leu	Ala	Arg	Ser	Tyr	His	His	Leu	Phe	Pro	Leu	Asp	Ala						
				325					330						335						
Phe	Gln	Glu	Ile	Pro	Leu	Glu	Glu	Tyr	Asn	Gly	Glu	Arg	Phe	Cys	Tyr						
			340					345						350							
Gly	Cys	Gln	Gly	Glu	Leu	Lys	Asp	Gln	His	Val	Tyr	Val	Cys	Ala	Val						
		355					360						365								
Cys	Gln	Asn	Val	Phe	Cys	Val	Asp	Cys	Asp	Val	Phe	Val	His	Asp	Ser						
	370					375					380										
Leu	His	Cys	Cys	Pro	Gly	Cys	Ile	His	Lys	Ile	Pro	Ala	Pro	Ser	Gly						
385					390					395					400						
Val																					

```
<210> 1393
<211> 318
<212> PRT
<213> Homo sapiens
```

```

<400> 1393
Pro Glu Gly Leu Pro Arg Phe Asn Asn Asn Phe Met Ala Pro Gly Ser
  1                      5                      10                      15

Ala Ser Ser Pro Ser Pro Ser Phe Pro Ala Ser Arg Pro Trp Ala Ala
      20                      25                      30

Val Gly Thr Met Ala Ala Ala Ala Ala Ala Gly Pro Ser Pro Gly Ser
      35                      40                      45

Gly Pro Gly Asp Ser Pro Glu Gly Pro Glu Gly Glu Ala Pro Glu Arg
      50                      55                      60

Arg Arg Lys Ala His Gly Met Leu Lys Leu Tyr Tyr Gly Leu Ser Glu
      65                      70                      75                      80

```

1457

Gly Glu Ala Ala Gly Arg Pro Ala Gly Pro Asp Pro Leu Asp Pro Thr
85 90 95

Asp Leu Asn Gly Ala His Phe Asp Pro Glu Val Tyr Leu Asp Lys Leu
100 105 110

Arg Arg Glu Cys Pro Leu Ala Gln Leu Met Asp Ser Glu Thr Asp Met
115 120 125

Val Arg Gln Ile Arg Ala Leu Asp Ser Asp Met Gln Thr Leu Val Tyr
130 135 140

Glu Asn Tyr Asn Lys Phe Ile Ser Ala Thr Asp Thr Ile Arg Lys Met
145 150 155 160

Lys Asn Asp Phe Arg Lys Met Glu Asp Glu Met Asp Arg Leu Ala Thr
165 170 175

Asn Met Ala Val Ile Thr Asp Phe Ser Ala Arg Ile Ser Ala Thr Leu
180 185 190

Gln Asp Arg His Glu Arg Ile Thr Lys Leu Ala Gly Val His Ala Leu
195 200 205

Leu Arg Lys Leu Gln Phe Leu Phe Glu Leu Pro Ser Arg Leu Thr Lys
210 215 220

Cys Val Glu Leu Gly Ala Tyr Gly Gln Ala Val Arg Tyr Gln Gly Arg
225 230 235 240

Ala Gln Ala Val Leu Gln Gln Tyr Gln His Leu Pro Ser Phe Arg Ala
245 250 255

Ile Gln Asp Asp Cys Gln Val Ile Thr Ala Arg Leu Ala Gln Gln Leu
260 265 270

Arg Gln Arg Phe Arg Glu Gly Gly Ser Gly Ala Pro Glu Gln Ala Glu
275 280 285

Cys Val Glu Leu Leu Leu Ala Leu Gly Glu Pro Ala Glu Glu Leu Cys
290 295 300

Glu Glu Phe Trp Arg Thr Pro Ala Ala Gly Trp Arg Arg Ser
305 310 315

<210> 1394

<211> 1285

<212> PRT

1458

<213> Homo sapiens

<400> 1394

```

Phe Ser Phe Pro Leu Ser Ser Glu Pro Phe Gln Gly Ser Tyr Lys Val
  1              5              10              15

Val Val Gln Lys Lys Ser Gly Gly Arg Thr Glu His Pro Phe Thr Val
              20              25              30

Glu Glu Phe Val Leu Pro Lys Phe Glu Val Gln Val Thr Val Pro Lys
  35              40              45

Ile Ile Thr Ile Leu Glu Glu Glu Met Asn Val Ser Val Cys Gly Leu
  50              55              60

Tyr Thr Tyr Gly Lys Pro Val Pro Gly His Val Thr Val Ser Ile Cys
  65              70              75              80

Arg Lys Tyr Ser Asp Ala Ser Asp Cys His Gly Glu Asp Ser Gln Ala
              85              90              95

Phe Cys Glu Lys Phe Ser Gly Gln Leu Asn Ser His Gly Cys Phe Tyr
              100              105              110

Gln Gln Val Lys Thr Lys Val Phe Gln Leu Lys Arg Lys Glu Tyr Glu
              115              120              125

Met Lys Leu His Thr Glu Ala Gln Ile Gln Glu Glu Gly Thr Val Val
              130              135              140

Glu Leu Thr Gly Arg Gln Ser Ser Glu Ile Thr Arg Thr Ile Thr Lys
              145              150              155              160

Leu Ser Phe Val Lys Val Asp Ser His Phe Arg Gln Gly Ile Pro Phe
              165              170              175

Phe Gly Gln Val Arg Leu Val Asp Gly Lys Gly Val Pro Ile Pro Asn
              180              185              190

Lys Val Ile Phe Ile Arg Gly Asn Glu Ala Asn Tyr Tyr Ser Asn Ala
              195              200              205

Thr Thr Asp Glu His Gly Leu Val Gln Phe Ser Ile Asn Thr Thr Asn
              210              215              220

Val Met Gly Thr Ser Leu Thr Val Arg Val Asn Tyr Lys Asp Arg Ser
              225              230              235              240

Pro Cys Tyr Gly Tyr Gln Trp Val Ser Glu Glu His Glu Glu Ala His
              245              250              255

```

1459

His Thr Ala Tyr Leu Val Phe Ser Pro Ser Lys Ser Phe Val His Leu
 260 265 270

Glu Pro Met Ser His Glu Leu Pro Cys Gly His Thr Gln Thr Val Gln
 275 280 285

Ala His Tyr Ile Leu Asn Gly Gly Thr Leu Leu Gly Leu Lys Lys Leu
 290 295 300

Ser Phe Tyr Tyr Leu Ile Met Ala Lys Gly Gly Ile Val Arg Thr Gly
 305 310 315 320

Thr His Gly Leu Leu Val Lys Gln Glu Asp Met Lys Gly His Phe Ser
 325 330 335

Ile Ser Ile Pro Val Lys Ser Asp Ile Ala Pro Val Ala Arg Leu Leu
 340 345 350

Ile Tyr Ala Val Leu Pro Thr Gly Asp Val Ile Gly Asp Ser Ala Lys
 355 360 365

Tyr Asp Val Glu Asn Cys Leu Ala Asn Lys Val Asp Leu Ser Phe Ser
 370 375 380

Pro Ser Gln Ser Leu Pro Ala Ser His Ala His Leu Arg Val Thr Ala
 385 390 395 400

Ala Pro Gln Ser Val Cys Ala Leu Arg Ala Val Asp Gln Ser Val Leu
 405 410 415

Leu Met Lys Pro Asp Ala Glu Leu Ser Ala Ser Ser Val Tyr Asn Leu
 420 425 430

Leu Pro Glu Lys Asp Leu Thr Gly Phe Pro Gly Pro Leu Asn Asp Gln
 435 440 445

Asp Asp Glu Asp Cys Ile Asn Arg His Asn Val Tyr Ile Asn Gly Ile
 450 455 460

Thr Tyr Thr Pro Val Ser Ser Thr Asn Glu Lys Asp Met Tyr Ser Phe
 465 470 475 480

Leu Glu Asp Met Gly Leu Lys Ala Phe Thr Asn Ser Lys Ile Arg Lys
 485 490 495

Pro Lys Met Cys Pro Gln Leu Gln Gln Tyr Glu Met His Gly Pro Glu
 500 505 510

Gly Leu Arg Val Gly Phe Tyr Glu Ser Asp Val Met Gly Arg Gly His
 515 520 525

1460

Ala Arg Leu Val His Val Glu Glu Pro His Thr Glu Thr Val Arg Lys		
530	535	540
Tyr Phe Pro Glu Thr Trp Ile Trp Asp Leu Val Val Val Asn Ser Ala		
545	550	555 560
Gly Val Ala Glu Val Gly Val Thr Val Pro Asp Thr Ile Thr Glu Trp		
	565	570 575
Lys Ala Gly Ala Phe Cys Leu Ser Glu Asp Ala Gly Leu Gly Ile Ser		
	580	585 590
Ser Thr Ala Ser Leu Arg Ala Phe Gln Pro Phe Phe Val Glu Leu Thr		
	595	600 605
Met Pro Tyr Ser Val Ile Arg Gly Glu Ala Phe Thr Leu Lys Ala Thr		
	610	615 620
Val Leu Asn Tyr Leu Pro Lys Cys Ile Arg Val Ser Val Gln Leu Glu		
	625	630 635 640
Ala Ser Pro Ala Phe Leu Ala Val Pro Val Glu Lys Glu Gln Ala Pro		
	645	650 655
His Cys Ile Cys Ala Asn Gly Arg Gln Thr Val Ser Trp Ala Val Thr		
	660	665 670
Pro Lys Ser Leu Gly Asn Val Asn Phe Thr Val Ser Ala Glu Ala Leu		
	675	680 685
Glu Ser Gln Glu Leu Cys Gly Thr Glu Val Pro Ser Val Pro Glu His		
	690	695 700
Gly Arg Lys Asp Thr Val Ile Lys Pro Leu Leu Val Glu Pro Glu Gly		
	705	710 715 720
Leu Glu Lys Glu Thr Thr Phe Asn Ser Leu Leu Cys Pro Ser Gly Gly		
	725	730 735
Glu Val Ser Glu Glu Leu Ser Leu Lys Leu Pro Pro Asn Val Val Glu		
	740	745 750
Glu Ser Ala Arg Ala Ser Val Ser Val Leu Gly Asp Ile Leu Gly Ser		
	755	760 765
Ala Met Gln Asn Thr Gln Asn Leu Leu Gln Met Pro Tyr Gly Cys Gly		
	770	775 780
Glu Gln Asn Met Val Leu Phe Ala Pro Asn Ile Tyr Val Leu Asp Tyr		
	785	790 795 800

1461

Leu Asn Glu Thr Gln Gln Leu Thr Pro Glu Ile Lys Ser Lys Ala Ile
 805 810 815

Gly Tyr Leu Asn Thr Gly Tyr Gln Arg Gln Leu Asn Tyr Lys His Tyr
 820 825 830

Asp Gly Ser Tyr Ser Thr Phe Gly Glu Arg Tyr Gly Arg Asn Gln Gly
 835 840 845

Asn Thr Trp Leu Thr Ala Phe Val Leu Lys Thr Phe Ala Gln Ala Arg
 850 855 860

Ala Tyr Ile Phe Ile Asp Glu Ala His Ile Thr Gln Ala Leu Ile Trp
 865 870 875 880

Leu Ser Gln Arg Gln Lys Asp Asn Gly Cys Phe Arg Ser Ser Gly Ser
 885 890 895

Leu Leu Asn Asn Ala Ile Lys Gly Gly Val Glu Asp Glu Val Thr Leu
 900 905 910

Ser Ala Tyr Ile Thr Ile Ala Leu Leu Glu Ile Pro Leu Thr Val Thr
 915 920 925

His Pro Val Val Arg Asn Ala Leu Phe Cys Leu Glu Ser Ala Trp Lys
 930 935 940

Thr Ala Gln Glu Gly Asp His Gly Ser His Val Tyr Thr Lys Ala Leu
 945 950 955 960

Leu Ala Tyr Ala Phe Ala Leu Ala Gly Asn Gln Asp Lys Arg Lys Glu
 965 970 975

Val Leu Lys Ser Leu Asn Glu Glu Ala Val Lys Lys Asp Asn Ser Val
 980 985 990

His Trp Glu Arg Pro Gln Lys Pro Lys Ala Pro Val Gly His Phe Tyr
 995 1000 1005

Glu Pro Gln Ala Pro Ser Ala Glu Val Glu Met Thr Ser Tyr Val Leu
 1010 1015 1020

Leu Ala Tyr Leu Thr Ala Gln Pro Ala Pro Thr Ser Glu Asp Leu Thr
 1025 1030 1035 1040

Ser Ala Thr Asn Ile Val Lys Trp Ile Thr Lys Gln Gln Asn Ala Gln
 1045 1050 1055

Gly Gly Phe Ser Ser Thr Gln Asp Thr Val Val Ala Leu His Ala Leu
 1060 1065 1070

1462

Ser Lys Tyr Gly Ala Ala Thr Phe Thr Arg Thr Gly Lys Ala Ala Gln
 1075 1080 1085

Val Thr Ile Gln Ser Ser Gly Thr Phe Ser Ser Lys Phe Gln Val Asp
 1090 1095 1100

Asn Asn Asn Arg Leu Leu Leu Gln Gln Val Ser Leu Pro Glu Leu Pro
 105 1110 1115 1120

Gly Glu Tyr Ser Met Lys Val Thr Gly Glu Gly Cys Val Tyr Leu Gln
 1125 1130 1135

Thr Ser Leu Lys Tyr Asn Ile Leu Pro Glu Lys Glu Glu Phe Pro Phe
 1140 1145 1150

Ala Leu Gly Val Gln Thr Leu Pro Gln Thr Cys Asp Glu Pro Lys Ala
 1155 1160 1165

His Thr Ser Phe Gln Ile Ser Leu Ser Val Ser Tyr Thr Gly Ser Arg
 1170 1175 1180

Ser Ala Ser Asn Met Ala Ile Val Asp Val Lys Met Val Ser Gly Phe
 1185 1190 1195 1200

Ile Pro Leu Lys Pro Thr Val Lys Met Leu Glu Arg Ser Asn His Val
 1205 1210 1215

Ser Arg Thr Glu Val Ser Ser Asn His Val Leu Ile Tyr Leu Asp Lys
 1220 1225 1230

Val Ser Asn Gln Thr Leu Ser Leu Phe Phe Thr Val Leu Gln Asp Val
 1235 1240 1245

Pro Val Arg Asp Leu Lys Pro Ala Ile Val Lys Val Tyr Asp Tyr Tyr
 1250 1255 1260

Glu Thr Asp Glu Phe Ala Ile Ala Glu Tyr Asn Ala Pro Cys Ser Lys
 1265 1270 1275 1280

Asp Leu Gly Asn Ala
 1285

<210> 1395

<211> 75

<212> PRT

<213> Homo sapiens

<400> 1395

Ile Thr Lys Asn Ile Tyr Ser Asp Leu Lys Asp Leu Ser Ala Lys Asn

1463

```

      1             5             10             15
Gln Ser Ile Ser Cys Pro Ser Ile Ile Val His Ala Cys Leu Leu Leu
      20             25             30
Phe Thr Cys Ser Ser Ala Gln Thr Val Ser Asn Leu Gly Thr Pro Phe
      35             40             45
Gly Ala Asp Lys Tyr Ser Ser Ala Phe Ser Pro Gln Ile Tyr Asn Asp
      50             55             60
Phe Asn Ile Pro Lys Asn Ile Gly Ile Ser Glu
      65             70             75

```

<210> 1396

<211> 920

<212> PRT

<213> Homo sapiens

<400> 1396

```

Arg Thr Arg Gly Ile His Gly Glu Met Arg Leu Phe Val Ser Asp Gly
  1             5             10             15
Val Pro Gly Cys Leu Pro Val Leu Ala Ala Ala Gly Arg Ala Arg Gly
      20             25             30
Arg Ala Glu Val Leu Ile Ser Thr Val Gly Pro Glu Asp Cys Val Val
      35             40             45
Pro Phe Leu Thr Arg Pro Lys Val Pro Val Leu Gln Leu Asp Ser Gly
      50             55             60
Asn Tyr Leu Phe Ser Thr Ser Ala Ile Cys Arg Tyr Phe Phe Leu Leu
      65             70             75             80
Ser Gly Trp Glu Gln Asp Asp Leu Thr Asn Gln Trp Leu Glu Trp Glu
      85             90             95
Ala Thr Glu Leu Gln Pro Ala Leu Ser Ala Ala Leu Tyr Tyr Leu Val
      100             105             110
Val Gln Gly Lys Lys Gly Glu Asp Val Leu Gly Ser Val Arg Arg Ala
      115             120             125
Leu Thr His Ile Asp His Ser Leu Ser Arg Gln Asn Cys Pro Phe Leu
      130             135             140
Ala Gly Glu Thr Glu Ser Leu Ala Asp Ile Val Leu Trp Gly Ala Leu
      145             150             155             160

```

1464

Tyr Pro Leu Leu Gln Asp Pro Ala Tyr Leu Pro Glu Glu Leu Ser Ala
 165 170 175
 Leu His Ser Trp Phe Gln Thr Leu Ser Thr Gln Glu Pro Cys Gln Arg
 180 185 190
 Ala Ala Glu Thr Val Leu Lys Gln Gln Gly Val Leu Ala Leu Arg Pro
 195 200 205
 Tyr Leu Gln Lys Gln Pro Gln Pro Ser Pro Ala Glu Gly Arg Ala Val
 210 215 220
 Thr Asn Glu Pro Glu Glu Glu Glu Leu Ala Thr Leu Ser Glu Glu Glu
 225 230 235 240
 Ile Ala Met Ala Val Thr Ala Trp Glu Lys Gly Leu Glu Ser Leu Pro
 245 250 255
 Pro Leu Arg Pro Gln Gln Asn Pro Val Leu Pro Val Ala Gly Glu Arg
 260 265 270
 Asn Val Leu Ile Thr Ser Ala Leu Pro Tyr Val Asn Asn Val Pro His
 275 280 285
 Leu Gly Asn Ile Ile Gly Cys Val Leu Ser Ala Asp Val Phe Ala Arg
 290 295 300
 Tyr Ser Arg Leu Arg Gln Trp Asn Thr Leu Tyr Leu Cys Gly Thr Asp
 305 310 315 320
 Glu Tyr Gly Thr Ala Thr Glu Thr Lys Ala Leu Glu Glu Gly Leu Thr
 325 330 335
 Pro Gln Glu Ile Cys Asp Lys Tyr His Ile Ile His Ala Asp Ile Tyr
 340 345 350
 Arg Trp Phe Asn Ile Ser Phe Asp Ile Phe Gly Arg Thr Thr Thr Pro
 355 360 365
 Gln Gln Thr Lys Ile Thr Gln Asp Ile Phe Gln Gln Leu Leu Lys Arg
 370 375 380
 Gly Phe Val Leu Gln Asp Thr Val Glu Gln Leu Arg Cys Glu His Cys
 385 390 395 400
 Ala Arg Phe Leu Ala Asp Arg Phe Val Glu Gly Val Cys Pro Phe Cys
 405 410 415
 Gly Tyr Glu Glu Ala Arg Gly Asp Gln Cys Asp Lys Cys Gly Lys Leu
 420 425 430

1465

```

Ile Asn Ala Val Glu Leu Lys Lys Pro Gln Cys Lys Val Cys Arg Ser
    435                      440                      445

Cys Pro Val Val Gln Ser Ser Gln His Leu Phe Leu Asp Leu Pro Lys
    450                      455                      460

Leu Glu Lys Arg Leu Glu Glu Trp Leu Gly Arg Thr Leu Pro Gly Ser
    465                      470                      475                      480

Asp Trp Thr Pro Asn Ala Gln Phe Ile Thr Arg Ser Trp Leu Arg Asp
                      485                      490                      495

Gly Leu Lys Pro Arg Cys Ile Thr Arg Asp Leu Lys Trp Gly Thr Pro
                      500                      505                      510

Val Pro Leu Glu Gly Phe Glu Asp Lys Val Phe Tyr Val Trp Phe Asp
    515                      520                      525

Ala Thr Ile Gly Tyr Leu Ser Ile Thr Ala Asn Tyr Thr Asp Gln Trp
    530                      535                      540

Glu Arg Trp Trp Lys Asn Pro Glu Gln Val Asp Leu Tyr Gln Phe Met
    545                      550                      555                      560

Ala Lys Asp Asn Val Pro Phe His Ser Leu Val Phe Pro Cys Ser Ala
                      565                      570                      575

Leu Gly Ala Glu Asp Asn Tyr Thr Leu Val Ser His Leu Ile Ala Thr
    580                      585                      590

Glu Tyr Leu Asn Tyr Glu Asp Gly Lys Phe Ser Lys Ser Arg Gly Val
    595                      600                      605

Gly Val Phe Gly Asp Met Ala Gln Asp Thr Gly Ile Pro Ala Asp Ile
    610                      615                      620

Trp Arg Phe Tyr Leu Leu Tyr Ile Arg Pro Glu Gly Gln Asp Ser Ala
    625                      630                      635                      640

Phe Ser Trp Thr Asp Leu Leu Leu Lys Asn Asn Ser Glu Leu Leu Asn
                      645                      650                      655

Asn Leu Gly Asn Phe Ile Asn Arg Ala Gly Met Phe Val Ser Lys Phe
                      660                      665                      670

Phe Gly Gly Tyr Val Pro Glu Met Val Leu Thr Pro Asp Asp Gln Arg
    675                      680                      685

Leu Leu Ala His Val Thr Leu Glu Leu Gln His Tyr His Gln Leu Leu
    690                      695                      700

```

1466

Glu Lys Val Arg Ile Arg Asp Ala Leu Arg Ser Ile Leu Thr Ile Ser
705 710 715 720

Arg His Gly Asn Gln Tyr Ile Gln Val Asn Glu Pro Trp Lys Arg Ile
725 730 735

Lys Gly Ser Glu Ala Asp Arg Gln Arg Ala Gly Thr Val Thr Gly Leu
740 745 750

Ala Val Asn Ile Ala Ala Leu Leu Ser Val Met Leu Gln Pro Tyr Met
755 760 765

Pro Thr Val Ser Ala Thr Ile Gln Ala Gln Leu Gln Leu Pro Pro Pro
770 775 780

Ala Cys Ser Ile Leu Leu Thr Asn Phe Leu Cys Thr Leu Pro Ala Gly
785 790 795 800

His Gln Ile Gly Thr Val Ser Pro Leu Phe Gln Lys Leu Glu Asn Asp
805 810 815

Gln Ile Glu Ser Leu Arg Gln Arg Phe Gly Gly Gly Gln Ala Lys Thr
820 825 830

Ser Pro Lys Pro Ala Val Val Glu Thr Val Thr Thr Ala Lys Pro Gln
835 840 845

Gln Ile Gln Ala Leu Met Asp Glu Val Thr Lys Gln Gly Asn Ile Val
850 855 860

Arg Glu Leu Lys Ala Gln Lys Ala Asp Lys Asn Glu Val Ala Ala Glu
865 870 875 880

Val Ala Lys Leu Leu Asp Leu Lys Lys Gln Leu Ala Val Ala Glu Gly
885 890 895

Asn Pro Leu Lys Pro Leu Lys Ala Arg Arg Lys Ser Lys Arg Pro Trp
900 905 910

Leu Ile Glu Ser His Phe Asn Arg
915 920

<210> 1397

<211> 476

<212> PRT

<213> Homo sapiens

<220>

1467

<221> SITE

<222> (127)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1397

Lys Met Ala Ala Leu Thr Thr Leu Phe Lys Tyr Ile Asp Glu Asn Gln
 1 5 10 15

Asp Arg Tyr Ile Lys Lys Leu Ala Lys Trp Val Ala Ile Gln Ser Val
 20 25 30

Ser Ala Trp Pro Glu Lys Arg Gly Glu Ile Arg Arg Met Met Glu Val
 35 40 45

Ala Ala Ala Asp Val Lys Gln Leu Gly Gly Ser Val Glu Leu Val Asp
 50 55 60

Ile Gly Lys Gln Lys Leu Pro Asp Gly Ser Glu Ile Pro Leu Pro Pro
 65 70 75 80

Ile Leu Leu Gly Arg Leu Gly Ser Asp Pro Gln Lys Lys Thr Val Cys
 85 90 95

Ile Tyr Gly His Leu Asp Val Gln Pro Ala Ala Leu Glu Asp Gly Trp
 100 105 110

Asp Ser Glu Pro Phe Thr Leu Val Glu Arg Asp Gly Lys Leu Xaa Gly
 115 120 125

Arg Gly Ser Thr Asp Asp Lys Gly Pro Val Ala Gly Trp Ile Asn Ala
 130 135 140

Leu Glu Ala Tyr Gln Lys Thr Gly Gln Glu Ile Pro Val Asn Val Arg
 145 150 155 160

Phe Cys Leu Glu Gly Met Glu Glu Ser Gly Ser Glu Gly Leu Asp Glu
 165 170 175

Leu Ile Phe Ala Arg Lys Asp Thr Phe Phe Lys Asp Val Asp Tyr Val
 180 185 190

Cys Ile Ser Asp Asn Tyr Trp Leu Gly Lys Lys Lys Pro Cys Ile Thr
 195 200 205

Tyr Gly Leu Arg Gly Ile Cys Tyr Phe Phe Ile Glu Val Glu Cys Ser
 210 215 220

Asn Lys Asp Leu His Ser Gly Val Tyr Gly Gly Ser Val His Glu Ala
 225 230 235 240

Met Thr Asp Leu Ile Leu Leu Met Gly Ser Leu Val Asp Lys Arg Gly

1468

	245		250		255
Asn Ile Leu Ile Pro Gly Ile Asn Glu Ala Val Ala Ala Val Thr Glu					
	260		265		270
Glu Glu His Lys Leu Tyr Asp Asp Ile Asp Phe Asp Ile Glu Glu Phe					
	275		280		285
Ala Lys Asp Val Gly Ala Gln Ile Leu Leu His Ser His Lys Lys Asp					
	290		295		300
Ile Leu Met His Arg Trp Arg Tyr Pro Ser Leu Ser Leu His Gly Ile					
	305		310		315
Glu Gly Ala Phe Ser Gly Ser Gly Ala Lys Thr Val Ile Pro Arg Lys					
	325		330		335
Val Val Gly Lys Phe Ser Ile Arg Leu Val Pro Asn Met Thr Pro Glu					
	340		345		350
Val Val Gly Glu Gln Val Thr Ser Tyr Leu Thr Lys Lys Phe Ala Glu					
	355		360		365
Leu Arg Ser Pro Asn Glu Phe Lys Val Tyr Met Gly His Gly Gly Lys					
	370		375		380
Pro Trp Val Ser Asp Phe Ser His Pro His Tyr Leu Ala Gly Arg Arg					
	385		390		395
Ala Met Lys Thr Val Phe Gly Val Glu Pro Asp Leu Thr Arg Glu Gly					
	405		410		415
Gly Ser Ile Pro Val Thr Leu Thr Phe Gln Glu Ala Thr Gly Lys Asn					
	420		425		430
Val Met Leu Leu Pro Val Gly Ser Ala Asp Asp Gly Ala His Ser Gln					
	435		440		445
Asn Glu Lys Leu Asn Arg Tyr Asn Tyr Ile Glu Gly Thr Lys Met Leu					
	450		455		460
Ala Ala Tyr Leu Tyr Glu Val Ser Gln Leu Lys Asp					
	465		470		475

<210> 1398

<211> 187

<212> PRT

<213> Homo sapiens

1469

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1398

Leu His Leu Xaa Pro Thr Ser Ile Ser Ser Ser Ser Ser Cys Ser Val
 1 5 10 15

Ser Ser Val Val Ser Gln Arg Leu Thr Glu Ser Pro Cys Ala Leu Val
 20 25 30

Ala Ser Gln Tyr Gly Trp Ser Gly Asn Met Glu Arg Ile Met Lys Ala
 35 40 45

Gln Ala Tyr Gln Thr Gly Lys Asp Ile Ser Thr Asn Tyr Tyr Ala Ser
 50 55 60

Gln Lys Lys Thr Phe Glu Ile Asn Pro Arg His Pro Leu Ile Arg Asp
 65 70 75 80

Met Leu Arg Arg Ile Lys Glu Asp Glu Asp Asp Lys Thr Val Leu Asp
 85 90 95

Leu Ala Val Val Leu Phe Glu Thr Ala Thr Leu Arg Ser Gly Tyr Leu
 100 105 110

Leu Pro Asp Thr Lys Ala Tyr Gly Asp Arg Ile Glu Arg Met Leu Arg
 115 120 125

Leu Ser Leu Asn Ile Asp Pro Asp Ala Lys Val Glu Glu Glu Pro Glu
 130 135 140

Glu Glu Pro Glu Glu Thr Ala Glu Asp Thr Thr Glu Asp Thr Glu Gln
 145 150 155 160

Asp Glu Asp Glu Glu Met Asp Val Gly Thr Asp Glu Glu Glu Glu Thr
 165 170 175

Ala Lys Glu Ser Thr Ala Glu Lys Asp Glu Leu
 180 185

<210> 1399

<211> 376

<212> PRT

<213> Homo sapiens

<400> 1399

Lys Ser Ser Thr Gly Val Ile Pro Asp Glu Ala Lys Ala Leu Ser Leu

1470

1	5	10	15
Leu Ala Pro Ala Asn Ala Val Ala Gly Leu Leu Pro Gly Gly Gly Leu	20	25	30
Leu Pro Thr Pro Asn Pro Leu Thr Gln Ile Gly Ala Val Pro Leu Ala	35	40	45
Ala Leu Gly Ala Pro Thr Leu Asp Pro Ala Leu Ala Ala Leu Gly Leu	50	55	60
Pro Gly Ala Asn Leu Asn Ser Gln Ser Leu Ala Ala Asp Gln Leu Leu	65	70	75
Lys Leu Met Ser Thr Val Asp Pro Lys Leu Asn His Val Ala Ala Gly	85	90	95
Leu Val Ser Pro Ser Leu Lys Ser Asp Thr Ser Ser Lys Glu Ile Glu	100	105	110
Glu Ala Met Lys Arg Val Arg Glu Ala Gln Ser Leu Ile Ser Ala Ala	115	120	125
Ile Glu Pro Asp Lys Lys Glu Glu Lys Arg Arg His Ser Arg Ser Arg	130	135	140
Ser Arg Ser Arg Arg Arg Arg Thr Pro Ser Ser Ser Arg His Arg Arg	145	150	155
Ser Arg Ser Arg Ser Arg Arg Arg Ser His Ser Lys Ser Arg Ser Arg	165	170	175
Arg Arg Ser Lys Ser Pro Arg Arg Arg Arg Ser His Ser Arg Glu Arg	180	185	190
Gly Arg Arg Ser Arg Ser Thr Ser Lys Thr Arg Asp Lys Lys Lys Glu	195	200	205
Asp Lys Glu Lys Lys Arg Ser Lys Thr Pro Pro Lys Ser Tyr Ser Thr	210	215	220
Ala Arg Arg Ser Arg Ser Ala Ser Arg Glu Arg Arg Arg Arg Ser	225	230	235
Arg Ser Gly Thr Arg Ser Pro Lys Lys Pro Arg Ser Pro Lys Arg Lys	245	250	255
Leu Ser Arg Ser Pro Ser Pro Arg Arg His Lys Lys Glu Lys Lys Lys	260	265	270
Asp Lys Asp Lys Glu Arg Ser Arg Asp Glu Arg Glu Arg Ser Thr Ser			

1471

275 280 285
 Lys Lys Lys Lys Ser Lys Asp Lys Glu Lys Asp Arg Glu Arg Lys Ser
 290 295 300
 Glu Ser Asp Lys Asp Val Lys Gln Val Thr Arg Asp Tyr Asp Glu Glu
 305 310 315 320
 Glu Gln Gly Tyr Asp Ser Glu Lys Glu Lys Lys Glu Glu Lys Lys Pro
 325 330 335
 Ile Glu Thr Gly Ser Pro Lys Thr Lys Glu Cys Ser Val Glu Lys Gly
 340 345 350
 Thr Gly Asp Ser Leu Arg Glu Ser Lys Val Asn Gly Asp Asp His His
 355 360 365
 Glu Glu Asp Met Asp Met Ser Asp
 370 375

<210> 1400

<211> 112

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1400

Thr Ala Gly Leu Thr Ser Arg Gly Trp Gly Ser Leu Pro Pro Ser Leu
 1 5 10 15
 Glu Thr Phe Leu Xaa Trp Leu Lys Ser Arg Lys Glu Asn Glu Cys Thr
 20 25 30
 Ser Arg Leu Ala Gln Ser Leu Ser Pro Ser Ser Ser Leu Phe Pro Ala
 35 40 45
 Gly Pro Ser Gly Leu Tyr Gly Pro Asp Gly Gly Leu Arg Lys Met Arg
 50 55 60
 Gly Leu Trp Phe Ser Gly Ile Pro Ala Gly Ala Thr Pro Ser Cys Leu
 65 70 75 80
 Gln Met Val His Val Pro Ile Pro Pro Ser Arg Pro Leu Leu Cys Leu
 85 90 95

1472

Leu Cys His Arg Asp Ser Gln Gln Arg Phe Phe Phe Val Leu Ala Val
100 105 110

<210> 1401

<211> 69

<212> PRT

<213> Homo sapiens

<400> 1401

Arg Arg Gln Val Gly Ala Ala Ala Val Ala Met Thr Arg Gly Asn Gln
1 5 10 15

Arg Glu Leu Ala Arg Gln Lys Asn Met Lys Lys Gln Ser Asp Ser Val
20 25 30

Lys Gly Lys Arg Arg Asp Asp Gly Leu Ser Ala Ala Ala Arg Lys Gln
35 40 45

Arg Asp Ser Glu Ile Met Gln Gln Lys Gln Lys Lys Ala Asn Glu Lys
50 55 60

Lys Glu Glu Pro Lys
65

<210> 1402

<211> 177

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (162)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (166)

<223> Xaa equals any of the naturally occurring L-amino acids

1473

<400> 1402

Arg Pro Pro Arg Arg Xaa Pro Met Asp Gly Pro Ala Ile Ile Thr Gln
 1 5 10 15

Val Thr Asn Pro Lys Glu Asp Glu Gly Arg Leu Pro Gly Ala Gly Glu
 20 25 30

Lys Ala Ser Gln Cys Asn Val Ser Leu Lys Lys Gln Arg Ser Arg Ser
 35 40 45

Ile Leu Ser Ser Phe Phe Cys Cys Phe Arg Asp Tyr Asn Val Glu Ala
 50 55 60

Pro Pro Pro Ser Ser Pro Ser Val Leu Pro Pro Leu Val Glu Glu Asn
 65 70 75 80

Gly Gly Leu Gln Lys Pro Pro Ala Lys Tyr Leu Leu Pro Glu Val Thr
 85 90 95

Val Leu Asp Tyr Gly Lys Lys Cys Val Val Ile Asp Leu Asp Glu Thr
 100 105 110

Leu Val His Ser Ser Phe Lys Pro Ile Ser Asn Ala Asp Phe Ile Val
 115 120 125

Pro Val Glu Ile Asp Gly Thr Ile His Gln Val Tyr Val Leu Lys Arg
 130 135 140

Pro His Val Asp Glu Phe Leu Gln Arg Met Gly Gln Leu Leu Asn Val
 145 150 155 160

Cys Xaa Leu Leu Pro Xaa Gly Gln Val Cys Arg Pro Val Ala Asp Leu
 165 170 175

Leu

<210> 1403

<211> 82

<212> PRT

<213> Homo sapiens

<400> 1403

Lys His Ile Leu Ser Thr Phe Glu Thr Ser Val Leu Glu Gly Arg Leu
 1 5 10 15

His Lys Leu Ser Ser Pro Arg Leu Arg Arg Leu Gln Ser Gly Lys Leu
 20 25 30

Thr Cys Arg Asn Gly Val Pro Phe Met Leu Tyr Leu Asp Lys Gly Asn
35 40 45

Gln Lys Trp Asn Gln Cys Arg Gln Asn Leu Gly Phe Ala Ala Ser Ile
50 55 60

Asn Gln Ser Met Thr Asn Arg Gly Ser Leu Lys Cys Lys Gly Thr Asn
65 70 75 80

Phe Thr

```
<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```

<400> 1404
Thr Thr Lys Pro Ala Thr Thr Pro Ser Ser Thr Thr Arg Thr Cys Arg
  1                      5                      10                      15

Arg Ser Pro Ser Thr Leu Pro Ser Ala Thr Trp Thr Pro Leu Ala Ser
                      20                      25                      30

Arg Thr Ala His Xaa Leu Pro Arg Xaa Tyr Met Tyr Pro Ser Met Asp
      35                      40                      45

Gln Leu Ala Glu Met Leu Pro Gly Val Leu Gln Gln Phe Gly Leu Lys
      50                      55                      60

Ser Ile Ile Gly Met Gly Thr Gly Ala Gly Ala Tyr Ile Leu Thr Arg
  65                      70                      75                      80

Phe Ala Leu Asn Asn Pro Glu Met Val Glu Gly Leu Val Leu Ile Asn
                      85                      90                      95

Val Asn Pro Cys Ala Glu Gly Trp Met Asp Trp Ala Ala Ser Lys Ile
      100                      105                      110

```

1475

Ser Gly Trp Thr Gln Ala Leu Pro Asp Met Val Val Ser His Leu Phe
 115 120 125
 Gly Lys Glu Glu Met Gln Ser Asn Val Glu Val Val His Thr Tyr Arg
 130 135 140
 Gln His Ile Val Asn Asp Met Asn Pro Gly Asn Leu His Leu Phe Ile
 145 150 155 160
 Asn Ala Tyr Asn Ser Arg Arg Asp Leu Glu Ile Glu Arg Pro Met Pro
 165 170 175
 Gly Thr His Thr Val Thr Leu Gln Cys Pro Ala Leu Leu Val Val Gly
 180 185 190
 Asp Ser Ser Pro Ala Val Asp Ala Val Val Glu Cys Asn Ser Lys Leu
 195 200 205
 Asp Pro Thr Lys Thr Thr Leu Leu Lys Met Ala Asp Cys Gly Gly Leu
 210 215 220
 Pro Gln Ile Ser Gln Pro Ala Lys Leu Ala Glu Ala Phe Lys Tyr Phe
 225 230 235 240
 Val Gln Gly Met Gly Tyr Met Pro Arg Leu Ala
 245 250

<210> 1405

<211> 127

<212> PRT

<213> Homo sapiens

<400> 1405

Phe Glu Gly Phe Tyr Ser Gly Arg Lys Asn Arg Thr Lys Val Tyr Val
 1 5 10 15
 Pro Ser Ser Val Val Leu Ile Asp Leu Phe Phe Leu Phe Glu Thr Lys
 20 25 30
 Val Val Ser Val Phe Trp Phe Ser Gly Asn Met Tyr Tyr Ile Val Leu
 35 40 45
 Lys Glu Cys Cys Pro Thr Asn Tyr Ser Ser Lys Gln Arg Ile Val Thr
 50 55 60
 Ile Asn Lys Val Ser Val Thr Leu Leu Pro Leu Ser His Asn Ile His
 65 70 75 80
 Cys Arg Ala Leu Cys Arg Ser Lys Asn Arg Ala Ala Gln Asn Leu Cys

1476

	85		90		95										
Gly	Ser	Phe	Leu	Ser	Phe	Cys	Asn	Leu	Arg	His	Met	Phe	Gln	Arg	Thr
			100					105					110		
Gly	Ile	Phe	Val	Trp	Ser	Ser	Asp	Leu	Gly	Asp	His	Ser	His	Asn	
			115					120					125		

<210> 1406

<211> 230

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (90)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (169)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (190)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (192)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (194)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1477

<221> SITE

<222> (217)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (218)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1406

Ala Glu Arg Pro Leu Gln Val Pro Arg Ser Ala Gly Glu Ala Ala Pro
 1 5 10 15

His Ser Arg Arg Pro Pro Gly Leu Leu Pro His Ala Pro Arg Ala Ala
 20 25 30

Ser Ala Gln Leu Glu Glu Arg Arg Arg Asp Pro His Pro Gly Met Thr
 35 40 45

Leu Gln Glu Gly Asp Cys Arg Gly Ser Gln Thr Val Ser Leu Thr Met
 50 55 60

Gly Thr Ala Asp Ser Asp Glu Met Ala Pro Glu Ala Pro Gln His Thr
 65 70 75 80

His Ile Asp Val His Ile His Gln Glu Xaa Ala Leu Ala Lys Leu Leu
 85 90 95

Leu Thr Cys Cys Ser Ala Leu Arg Pro Arg Ala Thr Gln Ala Arg Xaa
 100 105 110

Ser Ser Arg Leu Leu Xaa Ala Ser Trp Val Met Gln Ile Val Leu Gly
 115 120 125

Ile Leu Ser Ala Val Leu Gly Gly Phe Phe Tyr Ile Arg Asp Tyr Thr
 130 135 140

Leu Leu Val Thr Ser Gly Ala Ala Ser Gly Gln Gly Leu Trp Leu Cys
 145 150 155 160

Cys Trp Ser Cys Cys Leu His Leu Xaa Glu Thr Gly Trp Tyr Ile Leu
 165 170 175

Gly Pro Ala Glu Asp Ser Ala Asn Ala Gly Lys Leu Ser Xaa Gln Xaa
 180 185 190

Ser Xaa Ala Ser Asn Phe Gly Asn Glu Glu Phe Arg Tyr Gly Leu Leu
 195 200 205

Leu Ile Thr Thr Ser Gly Trp Pro Xaa Xaa Gln Val Arg Val Asp Trp
 210 215 220

1478

Asn Thr Ser Ser Pro Gln
225 230

<210> 1407
<211> 79
<212> PRT
<213> Homo sapiens

<400> 1407
Arg Gly His Phe Leu Leu Pro Asp Leu Asp Ile Pro Ser Asn Pro Ser
1 5 10 15
Ser Tyr Ser Met Leu Lys Glu Lys Tyr Ser Gln Met His Tyr Val Asn
20 25 30
Gly Glu Lys Lys His Ser Ile Val Glu Thr Pro Ile Leu Ala Asn Val
35 40 45
Phe Trp Ser Val Phe His Phe Thr Val Tyr Ile Pro Ala Leu Lys Thr
50 55 60
Gln Gly Gln Val Leu Thr Lys Glu Val Cys Ser His Ser Lys Tyr
65 70 75

<210> 1408
<211> 289
<212> PRT
<213> Homo sapiens

<400> 1408
Val Arg Pro Pro Ser His Val Thr Ala Asp Ser Gly Arg Ser Pro Leu
1 5 10 15
Ser Leu Thr Tyr Leu Pro Leu Gln Glu Pro Gly Asp Met Ala Ala Ala
20 25 30
Val Pro Arg Ala Ala Phe Leu Ser Pro Leu Leu Pro Leu Leu Gly
35 40 45
Phe Leu Leu Leu Ser Ala Pro His Gly Gly Ser Gly Leu His Thr Lys
50 55 60
Gly Ala Leu Pro Leu Asp Thr Val Thr Phe Tyr Lys Val Ile Pro Lys
65 70 75 80
Ser Lys Phe Val Leu Val Lys Phe Asp Thr Gln Tyr Pro Tyr Gly Glu

85

95

Leu Asn Ile Leu Thr Ala Phe Gln Lys Lys Gly Ala Glu Lys Glu Glu
275 280 285

Leu

<210> 1409

<211> 488

<212> PRT

<213> Homo sapiens

<400> 1409

Pro Ala Ser Ala Gly Thr Val Ser Glu Gly Pro Pro Gly Thr Asp Gly
1 5 10 15

1480

Ser Ala Gly Arg Gly Gly Thr Ala Phe Ala Met Ala Ala Thr Val Asn
 20 25 30

Leu Glu Leu Asp Pro Ile Phe Leu Lys Ala Leu Gly Phe Leu His Ser
 35 40 45

Lys Ser Lys Asp Ser Ala Glu Lys Leu Lys Ala Leu Leu Asp Glu Ser
 50 55 60

Leu Ala Arg Gly Ile Asp Ser Ser Tyr Arg Pro Ser Gln Lys Asp Val
 65 70 75 80

Glu Pro Pro Lys Ile Ser Ser Thr Lys Asn Ile Ser Ile Lys Gln Glu
 85 90 95

Pro Lys Ile Ser Ser Ser Leu Pro Ser Gly Asn Asn Asn Gly Lys Val
 100 105 110

Leu Thr Thr Glu Lys Val Lys Lys Glu Ala Glu Lys Arg Pro Ala Asp
 115 120 125

Lys Met Lys Ser Asp Ile Thr Glu Gly Val Asp Ile Pro Lys Lys Pro
 130 135 140

Arg Leu Glu Lys Pro Glu Thr Gln Ser Ser Pro Ile Thr Val Gln Ser
 145 150 155 160

Ser Lys Asp Leu Pro Met Ala Asp Leu Ser Ser Phe Glu Glu Thr Ser
 165 170 175

Ala Asp Asp Phe Ala Met Glu Met Gly Leu Ala Cys Val Val Cys Arg
 180 185 190

Gln Met Met Val Ala Ser Gly Asn Gln Leu Val Glu Cys Gln Glu Cys
 195 200 205

His Asn Leu Tyr His Arg Asp Cys His Lys Pro Gln Val Thr Asp Lys
 210 215 220

Glu Ala Asn Asp Pro Arg Leu Val Trp Tyr Cys Ala Arg Cys Thr Arg
 225 230 235 240

Gln Met Lys Arg Met Ala Gln Lys Thr Gln Lys Pro Pro Gln Lys Pro
 245 250 255

Ala Pro Ala Val Val Ser Val Thr Pro Ala Val Lys Asp Pro Leu Val
 260 265 270

Lys Lys Pro Glu Thr Lys Leu Lys Gln Glu Thr Thr Phe Leu Ala Phe
 275 280 285

1481

Lys Arg Thr Glu Val Lys Thr Ser Thr Val Ile Ser Gly Asn Ser Ser
 290 295 300

Ser Ala Ser Val Ser Ser Ser Val Thr Ser Gly Leu Thr Gly Trp Ala
 305 310 315 320

Ala Phe Ala Ala Lys Thr Ser Ser Ala Gly Pro Ser Thr Ala Lys Leu
 325 330 335

Ser Ser Thr Thr Gln Asn Asn Thr Gly Lys Pro Ala Thr Ser Ser Ala
 340 345 350

Asn Gln Lys Pro Val Gly Leu Thr Gly Leu Ala Thr Ser Ser Lys Gly
 355 360 365

Gly Ile Gly Ser Lys Ile Gly Ser Asn Asn Ser Thr Thr Pro Thr Val
 370 375 380

Pro Leu Lys Pro Pro Pro Pro Leu Thr Leu Gly Lys Thr Gly Leu Ser
 385 390 395 400

Arg Ser Val Ser Cys Asp Asn Val Ser Lys Val Gly Leu Pro Ser Pro
 405 410 415

Ser Ser Leu Val Pro Gly Ser Ser Ser Gln Leu Ser Gly Asn Gly Asn
 420 425 430

Ser Gly Thr Ser Gly Pro Ser Gly Ser Thr Thr Ser Lys Thr Thr Ser
 435 440 445

Glu Ser Ser Ser Ser Pro Ser Ala Ser Leu Lys Gly Pro Thr Ser Gln
 450 455 460

Glu Ser Gln Leu Asn Ala Met Lys Arg Leu Gln Met Val Lys Lys Lys
 465 470 475 480

Ala Ala Gln Lys Lys Leu Lys Lys
 485

<210> 1410

<211> 64

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

1482

<400> 1410

His Tyr Gly Leu Lys Leu Ala Val Lys Met Pro Asn Thr Val Val Pro
 1 5 10 15

Trp Asn Pro Val Tyr Ser Cys Ala Lys Gln Asn Cys Lys Ile Val Lys
 20 25 30

Met Ser Tyr Gln Val Ile Arg Arg Leu Gln Arg His His Leu Phe Phe
 35 40 45

Ile Ser Phe Phe Xaa Leu Thr His Val Val Val Ile Phe Asn Thr Phe
 50 55 60

<210> 1411

<211> 129

<212> PRT

<213> Homo sapiens

<400> 1411

Ala Ala Cys Leu Ala Leu Arg Ile Ala Ala Ala Met Ala Ser Gln Ser
 1 5 10 15

Gln Gly Ile Gln Gln Leu Leu Gln Ala Glu Lys Arg Ala Ala Glu Lys
 20 25 30

Val Ser Glu Ala Arg Lys Arg Lys Asn Arg Arg Leu Lys Gln Ala Lys
 35 40 45

Glu Glu Ala Gln Ala Glu Ile Glu Gln Tyr Arg Leu Gln Arg Glu Lys
 50 55 60

Glu Phe Lys Ala Lys Glu Ala Ala Ala Leu Gly Ser Arg Gly Ser Cys
 65 70 75 80

Ser Thr Glu Val Glu Lys Glu Thr Gln Glu Lys Met Thr Ile Leu Gln
 85 90 95

Thr Tyr Phe Arg Gln Asn Arg Asp Glu Val Leu Asp Asn Leu Leu Ala
 100 105 110

Phe Val Cys Asp Ile Arg Pro Glu Ile His Glu Asn Tyr Arg Ile Asn
 115 120 125

Gly

1483

<210> 1412

<211> 177

<212> PRT

<213> Homo sapiens

<400> 1412

Val Thr Val Pro Ser Ser Ser Ala Ala Gly Thr Leu Phe Gln Gly Leu
 1 5 10 15

Cys Gly Ala Pro Asp Ala Pro His Pro Leu Ser Lys Ile Pro Gly Gly
 20 25 30

Arg Gly Gly Gly Arg Asp Pro Ser Leu Ser Ala Leu Ile Tyr Lys Asp
 35 40 45

Glu Lys Leu Thr Val Thr Gln Asp Leu Pro Val Asn Asp Gly Lys Pro
 50 55 60

His Ile Val His Phe Gln Tyr Glu Val Thr Glu Val Lys Val Ser Ser
 65 70 75 80

Trp Asp Ala Val Leu Ser Ser Gln Ser Leu Phe Val Glu Ile Pro Asp
 85 90 95

Gly Leu Leu Ala Asp Gly Ser Lys Glu Gly Leu Leu Ala Leu Leu Glu
 100 105 110

Phe Ala Glu Glu Lys Met Lys Val Asn Tyr Val Phe Ile Cys Phe Arg
 115 120 125

Lys Gly Arg Glu Asp Arg Ala Pro Leu Leu Lys Thr Phe Ser Phe Leu
 130 135 140

Gly Phe Glu Ile Val Arg Pro Gly His Pro Cys Val Pro Ser Arg Pro
 145 150 155 160

Asp Val Met Phe Met Val Tyr Pro Leu Asp Gln Asn Leu Ser Asp Glu
 165 170 175

Asp

<210> 1413

<211> 112

<212> PRT

<213> Homo sapiens

1484

<400> 1413

```

Ser Gly Leu Arg Leu Ala Met Ser Thr Asn Asn Met Ser Asp Pro Arg
 1           5           10           15

Arg Pro Asn Lys Val Leu Arg Tyr Lys Pro Pro Pro Ser Glu Cys Asn
          20           25           30

Pro Ala Leu Asp Asp Pro Thr Pro Asp Tyr Met Asn Leu Leu Gly Met
          35           40           45

Ile Phe Ser Met Cys Gly Leu Met Leu Lys Leu Lys Trp Cys Ala Trp
 50           55           60

Val Ala Val Tyr Cys Ser Phe Ile Ser Phe Ala Asn Ser Arg Ser Ser
 65           70           75           80

Glu Asp Thr Lys Gln Met Met Ser Ser Phe Met Leu Ser Ile Ser Ala
          85           90           95

Val Val Met Ser Tyr Leu Gln Asn Pro Gln Pro Met Thr Pro Pro Trp
          100          105          110

```

<210> 1414

<211> 186

<212> PRT

<213> Homo sapiens

<400> 1414

```

Cys Leu Gly Gly Arg Pro Arg Cys Val Leu Arg Leu Thr Ala Asn Leu
 1           5           10           15

Glu Gly Arg Arg Asp Ser Ala Thr His Ala Pro Pro His Pro Arg Leu
          20           25           30

Arg Val Lys Arg Ala Val Gly Pro Glu Ser Pro Pro Leu Trp Gln Trp
          35           40           45

Pro Pro Leu Tyr Ser Ile Leu Pro Ser Gly Arg Ser Ala Val Asn Lys
          50           55           60

Arg Trp Ala Pro Gln Ser Thr Cys Pro Pro Thr Ala Leu Ala Val Leu
          65           70           75           80

Gly Ser Ser Leu Gln Phe Thr Gly Asn Lys Pro Glu Ser Ala Arg Thr
          85           90           95

```

1485

Arg Gly Cys Ser Pro Gly Ser Ala Arg Pro Pro Leu Ser Pro Ala Thr
 100 105 110

Gly Trp Arg Cys Arg Ala Arg Ala Ala Ser Arg Arg Phe Pro Gly
 115 120 125

Ala Pro Gly Pro Glu Glu Arg Ser Pro Gln Ser Lys Gly Gly Asn Thr
 130 135 140

Cys Leu Arg Cys Lys Glu Ile Leu Phe Gln Ser Ile Pro Val Val Gln
 145 150 155 160

Thr Asp Thr Val Pro Asn Glu Arg Ser Asp Val Phe Ser Ser Pro Phe
 165 170 175

Leu Ile Cys Phe Leu Thr Gly Leu Arg Phe
 180 185

<210> 1415

<211> 108

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1415

Thr Lys Thr Thr Leu Phe Leu Glu Arg Pro Leu Phe Lys Lys Glu Ser
 1 5 10 15

Ile Thr Pro Thr Val Glu Leu Asn Ala Leu Cys Met Lys Leu Gly Lys
 20 25 30

Lys Pro Met Tyr Lys Pro Val Asp Pro Tyr Ser Arg Met Xaa Ser Thr
 35 40 45

Tyr Asn Tyr Asn Met Arg Gly Gly Ala Tyr Pro Pro Arg Tyr Phe Tyr
 50 55 60

Pro Phe Pro Xaa Pro Pro Leu Leu Tyr Gln Val Glu Leu Ser Val Gly
 65 70 75 80

1486

Gly Gln Gln Phe Asn Gly Lys Gly Lys Thr Arg Gln Ala Ala Lys His
 85 90 95

Asp Ala Ala Ala Lys Ala Val Glu Asp Pro Ala Glu
 100 105

<210> 1416

<211> 621

<212> PRT

<213> Homo sapiens

<400> 1416

Ala Gly His Arg Ala Gly Val Cys Ser Leu Ser Ala Thr Arg Leu Leu
 1 5 10 15

Leu Pro Lys Asp Arg Gly Val Gly Arg Arg Gln Thr Met Trp Thr Leu
 20 25 30

Val Ser Trp Val Ala Leu Thr Ala Gly Leu Val Ala Gly Thr Arg Cys
 35 40 45

Pro Asp Gly Gln Phe Cys Pro Val Ala Cys Cys Leu Asp Pro Gly Gly
 50 55 60

Ala Ser Tyr Ser Cys Cys Arg Pro Leu Leu Asp Lys Trp Pro Thr Thr
 65 70 75 80

Leu Ser Arg His Leu Gly Gly Pro Cys Gln Val Asp Ala His Cys Ser
 85 90 95

Ala Gly His Ser Cys Ile Phe Thr Val Ser Gly Thr Ser Ser Cys Cys
 100 105 110

Pro Phe Pro Glu Ala Val Ala Cys Gly Asp Gly His His Cys Cys Pro
 115 120 125

Arg Gly Phe His Cys Ser Ala Asp Gly Arg Ser Cys Phe Gln Arg Ser
 130 135 140

Gly Asn Asn Ser Val Gly Ala Ile Gln Cys Pro Asp Ser Gln Phe Glu
 145 150 155 160

Cys Pro Asp Phe Ser Thr Cys Cys Val Met Val Asp Gly Ser Trp Gly
 165 170 175

Cys Cys Pro Met Pro Gln Ala Ser Cys Cys Glu Asp Arg Val His Cys
 180 185 190

1487

Cys Pro His Gly Ala Phe Cys Asp Leu Val His Thr Arg Cys Ile Thr
 195 200 205

Pro Thr Gly Thr His Pro Leu Ala Lys Lys Leu Pro Ala Gln Arg Thr
 210 215 220

Asn Arg Ala Val Ala Leu Ser Ser Ser Val Met Cys Pro Asp Ala Arg
 225 230 235 240

Ser Arg Cys Pro Asp Gly Ser Thr Cys Cys Glu Leu Pro Ser Gly Lys
 245 250 255

Tyr Gly Cys Cys Pro Met Pro Asn Ala Thr Cys Cys Ser Asp His Leu
 260 265 270

His Cys Cys Pro Gln Asp Thr Val Cys Asp Leu Ile Gln Ser Lys Cys
 275 280 285

Leu Ser Lys Glu Asn Ala Thr Thr Asp Leu Leu Thr Lys Leu Pro Ala
 290 295 300

His Thr Val Gly Asp Val Lys Cys Asp Met Glu Val Ser Cys Pro Asp
 305 310 315 320

Gly Tyr Thr Cys Cys Arg Leu Gln Ser Gly Ala Trp Gly Cys Cys Pro
 325 330 335

Phe Thr Gln Ala Val Cys Cys Glu Asp His Ile His Cys Cys Pro Ala
 340 345 350

Gly Phe Thr Cys Asp Thr Gln Lys Gly Thr Cys Glu Gln Gly Pro His
 355 360 365

Gln Val Pro Trp Met Glu Lys Ala Pro Ala His Leu Ser Leu Pro Asp
 370 375 380

Pro Gln Ala Leu Lys Arg Asp Val Pro Cys Asp Asn Val Ser Ser Cys
 385 390 395 400

Pro Ser Ser Asp Thr Cys Cys Gln Leu Thr Ser Gly Glu Trp Gly Cys
 405 410 415

Cys Pro Ile Pro Glu Ala Val Cys Cys Ser Asp His Gln His Cys Cys
 420 425 430

Pro Gln Gly Tyr Thr Cys Val Ala Glu Gly Gln Cys Gln Arg Gly Ser
 435 440 445

Glu Ile Val Ala Gly Leu Glu Lys Met Pro Ala Arg Arg Ala Ser Leu
 450 455 460

1488

Ser His Pro Arg Asp Ile Gly Cys Asp Gln His Thr Ser Cys Pro Val
 465 470 475 480
 Gly Gln Thr Cys Cys Pro Ser Leu Gly Gly Ser Trp Ala Cys Cys Gln
 485 490 495
 Leu Pro His Ala Val Cys Cys Glu Asp Arg Gln His Cys Cys Pro Ala
 500 505 510
 Gly Tyr Thr Cys Asn Val Lys Ala Arg Ser Cys Glu Lys Glu Val Val
 515 520 525
 Ser Ala Gln Pro Ala Thr Phe Leu Ala Arg Ser Pro His Val Gly Val
 530 535 540
 Lys Asp Val Glu Cys Gly Glu Gly His Phe Cys His Asp Asn Gln Thr
 545 550 555 560
 Cys Cys Arg Asp Asn Arg Gln Gly Trp Ala Cys Cys Pro Tyr Arg Gln
 565 570 575
 Gly Val Cys Cys Ala Asp Arg Arg His Cys Cys Pro Ala Gly Phe Arg
 580 585 590
 Cys Ala Ala Arg Gly Thr Lys Cys Leu Arg Arg Glu Ala Pro Arg Trp
 595 600 605
 Asp Ala Pro Leu Arg Asp Pro Ala Leu Arg Gln Leu Leu
 610 615 620

<210> 1417

<211> 340

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1417

Ser Ala His Ala Ser Glu Arg Ile Ala Xaa Ser Gly Cys Gly Ala Pro
 1 5 10 15

1489

Ala Ala Gly Ala Gly Pro Arg Xaa Arg Ser Leu Gly Ala Asp Pro Gly
 20 25 30

Arg Ala Ala Arg Arg His Glu Gly Gln Gly Gly Glu Gly Gly Arg Arg
 35 40 45

Thr Ala Gly Arg Trp Arg Arg Lys Pro Glu Lys Ser Pro Ser Ala Gln
 50 55 60

Glu Leu Lys Glu Gln Gly Asn Arg Leu Phe Val Gly Arg Lys Tyr Pro
 65 70 75 80

Glu Ala Ala Ala Cys Tyr Gly Arg Ala Ile Thr Arg Asn Pro Leu Val
 85 90 95

Ala Val Tyr Tyr Thr Asn Arg Ala Leu Cys Tyr Leu Lys Met Gln Gln
 100 105 110

His Glu Gln Ala Leu Ala Asp Cys Arg Arg Ala Leu Glu Leu Asp Gly
 115 120 125

Gln Ser Val Lys Ala His Phe Phe Leu Gly Gln Cys Gln Leu Glu Met
 130 135 140

Glu Ser Tyr Asp Glu Ala Ile Ala Asn Leu Gln Arg Ala Tyr Ser Leu
 145 150 155 160

Ala Lys Glu Gln Arg Leu Asn Phe Gly Asp Asp Ile Pro Ser Ala Leu
 165 170 175

Arg Ile Ala Lys Lys Lys Arg Trp Asn Ser Ile Glu Glu Arg Arg Ile
 180 185 190

His Gln Glu Ser Glu Leu His Ser Tyr Leu Ser Arg Leu Ile Ala Ala
 195 200 205

Glu Arg Glu Arg Glu Leu Glu Glu Cys Gln Arg Asn His Glu Gly Asp
 210 215 220

Glu Asp Asp Ser His Val Arg Ala Gln Gln Ala Cys Ile Glu Ala Lys
 225 230 235 240

His Asp Lys Tyr Met Ala Asp Met Asp Glu Leu Phe Ser Gln Val Asp
 245 250 255

Glu Lys Arg Lys Lys Arg Asp Ile Pro Asp Tyr Leu Cys Gly Lys Ile
 260 265 270

Ser Phe Glu Leu Met Arg Glu Pro Cys Ile Thr Pro Ser Gly Ile Thr
 275 280 285

1490

Tyr Asp Arg Lys Asp Ile Glu Glu His Leu Gln Arg Val Gly His Phe
 290 295 300
 Asp Pro Val Thr Arg Ser Pro Leu Thr Gln Glu Gln Leu Ile Pro Asn
 305 310 315 320
 Leu Ala Met Lys Glu Val Ile Asp Ala Phe Ile Ser Glu Asn Gly Trp
 325 330 335
 Val Glu Asp Tyr
 340

<210> 1418
 <211> 235
 <212> PRT
 <213> Homo sapiens

<400> 1418
 Ser Pro Arg Pro Leu Arg Phe Cys Gly Gly Ala Arg Ala Arg Arg Pro
 1 5 10 15
 Leu Ser Ala Val Ala Arg Pro Ala Arg Ser Ser Asp Pro Leu Arg Ser
 20 25 30
 Ala Pro Leu Gly Pro Ala Pro Pro Val Asn Met Ile Arg Cys Gly Leu
 35 40 45
 Ala Cys Glu Arg Cys Arg Trp Ile Leu Pro Leu Leu Leu Ser Ala
 50 55 60
 Ile Ala Phe Asp Ile Ile Ala Leu Ala Gly Arg Gly Trp Leu Gln Ser
 65 70 75 80
 Ser Asp His Gly Gln Thr Ser Ser Leu Trp Trp Lys Cys Ser Gln Glu
 85 90 95
 Gly Gly Gly Ser Gly Ser Tyr Glu Glu Gly Cys Gln Ser Leu Met Glu
 100 105 110
 Tyr Ala Trp Gly Arg Ala Ala Ala Ala Met Leu Phe Cys Gly Phe Ile
 115 120 125
 Ile Leu Val Ile Cys Phe Ile Leu Ser Phe Phe Ala Leu Cys Gly Pro
 130 135 140
 Gln Met Leu Val Phe Leu Arg Val Ile Gly Gly Leu Leu Ala Leu Ala
 145 150 155 160
 Ala Val Phe Gln Ile Ile Ser Leu Val Ile Tyr Pro Val Lys Tyr Thr

1491

	165		170		175
Gln Thr Phe Thr Leu His Ala Asn Arg Ala Val Thr Tyr Ile Tyr Asn					
	180		185		190
Trp Ala Tyr Gly Phe Gly Trp Ala Ala Thr Ile Ile Leu Ile Gly Cys					
	195		200		205
Ala Phe Phe Phe Cys Cys Leu Pro Asn Tyr Glu Asp Asp Leu Leu Gly					
	210		215		220
Asn Ala Lys Pro Arg Tyr Phe Tyr Thr Ser Ala					
	225		230		235

<210> 1419

<211> 86

<212> PRT

<213> Homo sapiens

<400> 1419

Arg Arg Gln Ala Leu Gln Glu Arg Cys Pro Phe Asn Pro Leu Ser Ala					
1		5		10	15
Leu Asp Arg Arg Cys Cys Val Lys Leu Leu Met Asp Ile Tyr Met Arg					
	20		25		30
Ser Ser Phe Leu Tyr Ala Ile Pro Ala Val Phe Phe Phe Leu Thr Gly					
	35		40		45
Pro Cys Leu Arg Ile Asn Lys Ser Val Met Ser Glu Thr Lys Val Tyr					
	50		55		60
Ser Ser Val Cys Arg Cys Val Ala Pro Pro Phe Ser Pro Ala Ala Pro					
	65		70		75
His Ile Gln Ser Arg Ser					
			85		

<210> 1420

<211> 351

<212> PRT

<213> Homo sapiens

<400> 1420

Thr Trp Cys Thr Thr Thr Met Leu Ala Ala Arg Leu Val Cys Leu Arg					
1		5		10	15

1492

Thr	Leu	Pro	Ser	Arg	Val	Phe	His	Pro	Ala	Phe	Thr	Lys	Ala	Ser	Pro	20	25	30	
Val	Val	Lys	Asn	Ser	Ile	Thr	Lys	Asn	Gln	Trp	Leu	Leu	Thr	Pro	Ser	35	40	45	
Arg	Glu	Tyr	Ala	Thr	Lys	Thr	Arg	Ile	Gly	Ile	Arg	Arg	Gly	Arg	Thr	50	55	60	
Gly	Gln	Glu	Leu	Lys	Glu	Ala	Ala	Leu	Glu	Pro	Ser	Met	Glu	Lys	Ile	65	70	75	80
Phe	Lys	Ile	Asp	Gln	Met	Gly	Arg	Trp	Phe	Val	Ala	Gly	Gly	Ala	Ala	85	90	95	
Val	Gly	Leu	Gly	Ala	Leu	Cys	Tyr	Tyr	Gly	Leu	Gly	Leu	Ser	Asn	Glu	100	105	110	
Ile	Gly	Ala	Ile	Glu	Lys	Ala	Val	Ile	Trp	Pro	Gln	Tyr	Val	Lys	Asp	115	120	125	
Arg	Ile	His	Ser	Thr	Tyr	Met	Tyr	Leu	Ala	Gly	Ser	Ile	Gly	Leu	Thr	130	135	140	
Ala	Leu	Ser	Ala	Ile	Ala	Ile	Ser	Arg	Thr	Pro	Val	Leu	Met	Asn	Phe	145	150	155	160
Met	Met	Arg	Gly	Ser	Trp	Val	Thr	Ile	Gly	Val	Thr	Phe	Ala	Ala	Met	165	170	175	
Val	Gly	Ala	Gly	Met	Leu	Val	Arg	Ser	Ile	Pro	Tyr	Asp	Gln	Ser	Pro	180	185	190	
Gly	Pro	Lys	His	Leu	Ala	Trp	Leu	Leu	His	Ser	Gly	Val	Met	Gly	Ala	195	200	205	
Val	Val	Ala	Pro	Leu	Thr	Ile	Leu	Gly	Gly	Pro	Leu	Leu	Ile	Arg	Ala	210	215	220	
Ala	Trp	Tyr	Thr	Ala	Gly	Ile	Val	Gly	Gly	Leu	Ser	Thr	Val	Ala	Met	225	230	235	240
Cys	Ala	Pro	Ser	Glu	Lys	Phe	Leu	Asn	Met	Gly	Ala	Pro	Leu	Gly	Val	245	250	255	
Gly	Leu	Gly	Leu	Val	Phe	Val	Ser	Ser	Leu	Gly	Ser	Met	Phe	Leu	Pro	260	265	270	
Pro	Thr	Thr	Val	Ala	Gly	Ala	Thr	Leu	Tyr	Ser	Val	Ala	Met	Tyr	Gly	275	280	285	

1493

Gly Leu Val Leu Phe Ser Met Phe Leu Leu Tyr Asp Thr Gln Lys Val
 290 295 300

Ile Lys Arg Ala Glu Val Ser Pro Met Tyr Gly Val Gln Lys Tyr Asp
 305 310 315 320

Pro Ile Asn Ser Met Leu Ser Ile Tyr Met Asp Thr Leu Asn Ile Phe
 325 330 335

Met Arg Val Ala Thr Met Leu Ala Thr Gly Gly Asn Arg Lys Lys
 340 345 350

<210> 1421

<211> 81

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1421

Cys Gly Xaa Leu Leu Met Ala Gln Gly Leu Ser Ala Ser Ala Leu Glu
 1 5 10 15

Gly Leu Lys Thr Glu Glu Gly Ser Val Arg Gly Ala Leu Pro Ala Val
 20 25 30

Ser Ser Pro Pro Ala Pro Val Ser Pro Ser Ser Pro Thr Thr His Asn
 35 40 45

Gly Glu Leu Glu Pro Ser Phe Ser Pro Leu Leu Gly Glu Gly Lys Thr
 50 55 60

Pro Glu Thr Leu Leu Pro Gln Lys Cys Trp Gly Gln Gly Gly Pro Gly
 65 70 75 80

Arg

<210> 1422

<211> 484

<212> PRT

<213> Homo sapiens

<400> 1422

1494

Ala	Cys	Arg	Ser	Thr	Leu	Val	Asp	Pro	Lys	Asn	Ser	Ala	Gln	Glu	Arg	1	5	10	15
Arg	Ala	Leu	Gly	Pro	Leu	Pro	Pro	Cys	Ser	Phe	Ala	Leu	Gln	Leu	Gly	20	25	30	
Met	Ala	Gly	Tyr	Leu	Arg	Val	Val	Arg	Ser	Leu	Cys	Arg	Ala	Ser	Gly	35	40	45	
Ser	Arg	Pro	Ala	Trp	Ala	Pro	Ala	Ala	Leu	Thr	Ala	Pro	Thr	Ser	Gln	50	55	60	
Glu	Gln	Pro	Arg	Arg	His	Tyr	Ala	Asp	Lys	Arg	Ile	Lys	Val	Ala	Lys	65	70	75	80
Pro	Val	Val	Glu	Met	Asp	Gly	Asp	Glu	Met	Thr	Arg	Ile	Ile	Trp	Gln	85	90	95	
Phe	Ile	Lys	Glu	Lys	Leu	Ile	Leu	Pro	His	Val	Asp	Ile	Gln	Leu	Lys	100	105	110	
Tyr	Phe	Asp	Leu	Gly	Leu	Pro	Asn	Arg	Asp	Gln	Thr	Asp	Asp	Gln	Val	115	120	125	
Thr	Ile	Asp	Ser	Ala	Leu	Ala	Thr	Gln	Lys	Tyr	Ser	Val	Ala	Val	Lys	130	135	140	
Cys	Ala	Thr	Ile	Thr	Pro	Asp	Glu	Ala	Arg	Val	Glu	Glu	Phe	Lys	Leu	145	150	155	160
Lys	Lys	Met	Trp	Lys	Ser	Pro	Asn	Gly	Thr	Ile	Arg	Asn	Ile	Leu	Gly	165	170	175	
Gly	Thr	Val	Phe	Arg	Glu	Pro	Ile	Ile	Cys	Lys	Asn	Ile	Pro	Arg	Leu	180	185	190	
Val	Pro	Gly	Trp	Thr	Lys	Pro	Ile	Thr	Ile	Gly	Arg	His	Ala	His	Gly	195	200	205	
Asp	Gln	Tyr	Lys	Ala	Thr	Asp	Phe	Val	Ala	Asp	Arg	Ala	Gly	Thr	Phe	210	215	220	
Lys	Met	Val	Phe	Thr	Pro	Lys	Asp	Gly	Ser	Gly	Val	Lys	Glu	Trp	Glu	225	230	235	240
Val	Tyr	Asn	Phe	Pro	Ala	Gly	Gly	Val	Gly	Met	Gly	Met	Tyr	Asn	Thr	245	250	255	
Asp	Glu	Ser	Ile	Ser	Gly	Phe	Ala	His	Ser	Cys	Phe	Gln	Tyr	Ala	Ile	260	265	270	

1495

Gln Lys Lys Trp Pro Leu Tyr Met Ser Thr Lys Asn Thr Ile Leu Lys
 275 280 285
 Ala Tyr Asp Gly Arg Phe Lys Asp Ile Phe Gln Glu Ile Phe Asp Lys
 290 295 300
 His Tyr Lys Thr Asp Phe Asp Lys Asn Lys Ile Trp Tyr Glu His Arg
 305 310 315 320
 Leu Ile Asp Asp Met Val Ala Gln Val Leu Lys Ser Ser Gly Gly Phe
 325 330 335
 Val Trp Ala Cys Lys Asn Tyr Asp Gly Asp Val Gln Ser Asp Ile Leu
 340 345 350
 Ala Gln Gly Phe Gly Ser Leu Gly Leu Met Thr Ser Val Leu Val Cys
 355 360 365
 Pro Asp Gly Lys Thr Ile Glu Ala Glu Ala Ala His Gly Thr Val Thr
 370 375 380
 Arg His Tyr Arg Glu His Gln Lys Gly Arg Pro Thr Ser Thr Asn Pro
 385 390 395 400
 Ile Ala Ser Ile Phe Ala Trp Thr Arg Gly Leu Glu His Arg Gly Lys
 405 410 415
 Leu Asp Gly Asn Gln Asp Leu Ile Arg Phe Ala Gln Met Leu Glu Lys
 420 425 430
 Val Cys Val Glu Thr Val Glu Ser Gly Ala Met Thr Lys Asp Leu Ala
 435 440 445
 Gly Cys Ile His Gly Leu Ser Asn Val Lys Leu Asn Glu His Phe Leu
 450 455 460
 Asn Thr Thr Asp Phe Leu Asp Thr Ile Lys Ser Asn Leu Asp Arg Ala
 465 470 475 480
 Leu Gly Arg Gln

<210> 1423

<211> 240

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1496

<222> (153)

<223> xaa equals any of the naturally occurring L-amino acids

<400> 1423

Val Arg Ile Pro Gly Ser Thr His Ala Ser Gly Gly Gly Asp Gly Asp
1 5 10 15

Met Glu Ser Gly Ala Tyr Gly Ala Ala Lys Ala Gly Gly Ser Phe Asp
20 25 30

Leu Arg Arg Phe Leu Thr Gln Pro Gln Val Val Ala Arg Ala Val Cys
35 40 45

Leu Val Phe Ala Leu Ile Val Phe Ser Cys Ile Tyr Gly Glu Gly Tyr
50 55 60

Ser Asn Ala His Glu Ser Lys Gln Met Tyr Cys Val Phe Asn Arg Asn
65 70 75 80

Glu Asp Ala Cys Arg Tyr Gly Ser Ala Ile Gly Val Leu Ala Phe Leu
85 90 95

Ala Ser Ala Phe Phe Leu Val Val Asp Ala Tyr Phe Pro Gln Ile Ser
100 105 110

Asn Ala Thr Asp Arg Lys Tyr Leu Val Ile Gly Asp Leu Leu Phe Ser
115 120 125

Ala Leu Trp Thr Phe Leu Trp Phe Val Gly Phe Cys Phe Leu Thr Asn
130 135 140

Gln Trp Ala Val Thr Asn Pro Lys Xaa Val Leu Val Gly Ala Asp Ser
145 150 155 160

Val Arg Ala Ala Ile Thr Phe Ser Phe Phe Ser Ile Phe Ser Trp Gly
165 170 175

Val Leu Ala Ser Leu Ala Tyr Gln Arg Tyr Lys Ala Gly Val Asp Asp
180 185 190

Phe Ile Gln Asn Tyr Val Asp Pro Thr Pro Asp Pro Asn Thr Ala Tyr
195 200 205

Ala Ser Tyr Pro Gly Ala Ser Val Asp Asn Tyr Gln Gln Pro Pro Phe
210 215 220

Thr Gln Asn Ala Glu Thr Thr Glu Gly Tyr Gln Pro Pro Pro Val Tyr
225 230 235 240

1497

<210> 1424

<211> 244

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (221)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1424

Arg	Val	Arg	Arg	Gln	Ser	Ser	Gly	Asn	Leu	Thr	Met	Ala	Trp	Thr	Pro
1					5				10					15	

Leu	Leu	Leu	Pro	Leu	Leu	Thr	Phe	Cys	Thr	Val	Ser	Glu	Ala	Ser	Tyr
			20					25					30		

Glu	Leu	Thr	Gln	Pro	Pro	Ser	Val	Ser	Val	Ser	Pro	Gly	Gln	Thr	Ala
		35					40					45			

Arg	Ile	Thr	Cys	Ser	Gly	Asp	Ala	Leu	Pro	Xaa	Lys	Tyr	Xaa	Tyr	Trp
	50					55					60				

Tyr	Gln	Gln	Lys	Ser	Gly	Gln	Ala	Pro	Val	Leu	Val	Ile	Tyr	Glu	Asp
65					70				75					80	

Thr	Arg	Arg	Pro	Ser	Ala	Ile	Pro	Glu	Arg	Phe	Ser	Ala	Ser	Ser	Ser
				85				90						95	

Gly	Thr	Met	Ala	Thr	Leu	Thr	Ile	Ser	Gly	Ala	Gln	Val	Glu	Asp	Glu
			100					105				110			

Ala	Asp	Tyr	Tyr	Cys	Tyr	Ser	Thr	Asp	Ser	Ser	Ser	Tyr	Tyr	Arg	Val
		115					120					125			

Phe	Gly	Gly	Gly	Thr	Lys	Leu	Thr	Val	Leu	Gly	Gln	Pro	Lys	Ala	Ala
	130					135					140				

1498

Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu Glu Leu Gln Ala Asn
145 150 155 160

Lys Ala Thr Leu Val Cys Leu Ile Ser Asp Phe Tyr Pro Gly Ala Val
165 170 175

Thr Val Ala Trp Lys Ala Asp Ser Ser Pro Val Lys Ala Gly Val Glu
180 185 190

Thr Thr Thr Pro Ser Lys Gln Ser Asn Asn Lys Tyr Ala Ala Ser Ser
195 200 205

Tyr Leu Ser Leu Thr Pro Glu Gln Trp Lys Ser His Xaa Ser Tyr Ser
210 215 220

Cys Gln Val Thr His Glu Gly Ser Thr Val Glu Lys Thr Val Ala Pro
225 230 235 240

Thr Glu Cys Ser

<210> 1425

<211> 173

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (115)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (136)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (137)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (159)

1499

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1425

Xaa	Val	Arg	Val	Gln	Thr	Arg	Gly	Ser	Ala	Asp	Pro	Ala	Gln	Leu	Arg
1				5					10					15	

Arg	His	Pro	Gly	Tyr	Lys	Arg	Thr	Ala	Ser	Ala	Thr	Leu	Ser	Asp	Pro
			20					25					30		

Ala	Ala	Ala	Ala	Met	Gln	Pro	Ser	Ser	Leu	Leu	Pro	Leu	Ala	Leu	Cys
			35					40				45			

Leu	Leu	Ala	Ala	Pro	Ala	Ser	Ala	Leu	Val	Arg	Ile	Pro	Leu	His	Lys
	50					55					60				

Phe	Thr	Ser	Ile	Arg	Arg	Thr	Met	Ser	Glu	Val	Gly	Gly	Ser	Val	Glu
65				70						75					80

Asp	Leu	Ile	Ala	Lys	Gly	Pro	Val	Ser	Lys	Tyr	Ser	Gln	Ala	Val	Pro
				85					90					95	

Ala	Val	Thr	Glu	Gly	Pro	Ile	Pro	Glu	Val	Leu	Lys	Asn	Tyr	Met	Asp
			100					105						110	

Ala	Gln	Xaa	Tyr	Gly	Glu	Ile	Gly	Ile	Gly	Thr	Pro	Pro	Gln	Cys	Phe
			115				120						125		

Thr	Val	Val	Phe	Asp	Thr	Gly	Xaa	Xaa	Asn	Leu	Trp	Val	Pro	Ser	Ile
	130					135					140				

His	Cys	Lys	Leu	Leu	Asp	Ile	Ala	Cys	Trp	Ile	His	His	Lys	Xaa	Asn
145					150					155					160

Ser	Asp	Lys	Ser	Ser	Asn	Tyr	Val	Lys	Asn	Gly	Asn	Ser
				165						170		

<210> 1426

<211> 351

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1426

Ile	Arg	His	Glu	Ile	Leu	Trp	Leu	Leu	Cys	Ser	His	Arg	Pro	Ala	Pro
1				5					10					15	

1500

Gly Arg Pro Pro Thr His Asn Ala His Asn Trp Arg Leu Gly Gln Ala
 20 25 30
 Pro Ala Xaa Trp Tyr Asn Asp Thr Tyr Pro Leu Ser Pro Pro Gln Arg
 35 40 45
 Thr Pro Ala Gly Ile Arg Tyr Arg Ile Ala Val Ile Ala Asp Leu Asp
 50 55 60
 Thr Glu Ser Arg Ala Gln Glu Glu Asn Thr Trp Phe Ser Tyr Leu Lys
 65 70 75 80
 Lys Gly Tyr Leu Thr Leu Ser Asp Ser Gly Asp Lys Val Ala Val Glu
 85 90 95
 Trp Asp Lys Asp His Gly Val Leu Glu Ser His Leu Ala Glu Lys Gly
 100 105 110
 Arg Gly Met Glu Leu Ser Asp Leu Ile Val Phe Asn Gly Lys Leu Tyr
 115 120 125
 Ser Val Asp Asp Arg Thr Gly Val Val Tyr Gln Ile Glu Gly Ser Lys
 130 135 140
 Ala Val Pro Trp Val Ile Leu Ser Asp Gly Asp Gly Thr Val Glu Lys
 145 150 155 160
 Gly Phe Lys Ala Glu Trp Leu Ala Val Lys Asp Glu Arg Leu Tyr Val
 165 170 175
 Gly Gly Leu Gly Lys Glu Trp Thr Thr Thr Thr Gly Asp Val Val Asn
 180 185 190
 Glu Asn Pro Glu Trp Val Lys Val Val Gly Tyr Lys Gly Ser Val Asp
 195 200 205
 His Glu Asn Trp Val Ser Asn Tyr Asn Ala Leu Arg Ala Ala Ala Gly
 210 215 220
 Ile Gln Pro Pro Gly Tyr Leu Ile His Glu Ser Ala Cys Trp Ser Asp
 225 230 235 240
 Thr Leu Gln Arg Trp Phe Phe Leu Pro Arg Arg Ala Ser Gln Glu Arg
 245 250 255
 Tyr Ser Glu Lys Asp Asp Glu Arg Lys Gly Ala Asn Leu Leu Leu Ser
 260 265 270
 Ala Ser Pro Asp Phe Gly Asp Ile Ala Val Ser His Val Gly Ala Val
 275 280 285

1501

Val Pro Thr His Gly Phe Ser Ser Phe Lys Phe Ile Pro Asn Thr Asp
 290 295 300

Asp Gln Ile Ile Val Ala Leu Lys Ser Glu Glu Asp Ser Gly Arg Val
 305 310 315 320

Ala Ser Tyr Ile Met Ala Phe Thr Leu Asp Gly Arg Phe Leu Leu Pro
 325 330 335

Glu Thr Lys Ile Gly Ser Val Lys Tyr Glu Gly Ile Glu Phe Ile
 340 345 350

<210> 1427

<211> 510

<212> PRT

<213> Homo sapiens

<400> 1427

Glu Arg Ser Trp Phe Ala Gln Val Arg Arg Leu Gly Pro His Gly Ala
 1 5 10 15

Val Ala Arg Leu Arg Val Arg Gly Leu Pro Gly Ala Gly Arg Gly Leu
 20 25 30

Arg Leu Pro Ala Gly Ala Arg Ala Ala Arg Leu Gly Ala Ala Leu Ser
 35 40 45

Leu Glu Leu Ala Val Ser Gly Ala Arg Ala Cys Ala Pro Gly Thr Arg
 50 55 60

Leu Pro Arg Gly Pro Val Gly Gly Ser Trp Asp Ala Leu Ile Val Arg
 65 70 75 80

Pro Val Arg Arg Trp Arg Arg Val Ala Val Gly Val Asn Ala Cys Val
 85 90 95

Asp Val Val Leu Ser Gly Val Lys Leu Leu Gln Ala Leu Gly Leu Ser
 100 105 110

Pro Gly Asn Gly Lys Asp His Ser Ile Leu His Ser Arg Asn Asp Leu
 115 120 125

Glu Glu Ala Phe Ile His Phe Met Gly Lys Gly Ala Ala Ala Glu Arg
 130 135 140

Phe Phe Ser Asp Lys Glu Thr Phe His Asp Ile Ala Gln Val Ala Ser
 145 150 155 160

1502

Glu Phe Pro Gly Ala Gln His Tyr Val Gly Gly Asn Ala Ala Leu Ile
 165 170 175

Gly Gln Lys Phe Ala Ala Asn Ser Asp Leu Lys Val Leu Leu Cys Gly
 180 185 190

Pro Val Gly Pro Lys Leu His Glu Leu Leu Asp Asp Asn Val Phe Val
 195 200 205

Pro Pro Glu Ser Leu Gln Glu Val Asp Glu Phe His Leu Ile Leu Glu
 210 215 220

Tyr Gln Ala Gly Glu Glu Trp Gly Gln Leu Lys Ala Pro His Ala Asn
 225 230 235 240

Arg Phe Ile Phe Ser His Asp Leu Ser Asn Gly Ala Met Asn Met Leu
 245 250 255

Glu Val Phe Val Ser Ser Leu Glu Glu Phe Gln Pro Asp Leu Val Val
 260 265 270

Leu Ser Gly Leu His Met Met Glu Gly Gln Ser Lys Glu Leu Gln Arg
 275 280 285

Lys Arg Leu Leu Glu Val Val Thr Ser Ile Ser Asp Ile Pro Thr Gly
 290 295 300

Ile Pro Val His Leu Glu Leu Ala Ser Met Thr Asn Arg Glu Leu Met
 305 310 315 320

Ser Ser Ile Val His Gln Gln Val Phe Pro Ala Val Thr Ser Leu Gly
 325 330 335

Leu Asn Glu Gln Glu Leu Leu Phe Leu Thr Gln Ser Ala Ser Gly Pro
 340 345 350

His Ser Ser Leu Ser Ser Trp Asn Gly Val Pro Asp Val Gly Met Val
 355 360 365

Ser Asp Ile Leu Phe Trp Ile Leu Lys Glu His Gly Arg Ser Lys Ser
 370 375 380

Arg Ala Ser Asp Leu Thr Arg Ile His Phe His Thr Leu Val Tyr His
 385 390 395 400

Ile Leu Ala Thr Val Asp Gly His Trp Ala Asn Gln Leu Ala Ala Val
 405 410 415

Ala Ala Gly Ala Arg Val Ala Gly Thr Gln Ala Cys Ala Thr Glu Thr
 420 425 430

1503

Ile Asp Thr Ser Arg Val Ser Leu Arg Ala Pro Gln Glu Phe Met Thr
 435 440 445

Ser His Ser Glu Ala Gly Ser Arg Ile Val Leu Asn Pro Asn Lys Pro
 450 455 460

Val Val Glu Trp His Arg Glu Gly Ile Ser Phe His Phe Thr Pro Val
 465 470 475 480

Leu Val Cys Lys Asp Pro Ile Arg Thr Val Gly Leu Gly Asp Ala Ile
 485 490 495

Ser Ala Glu Gly Leu Phe Tyr Ser Glu Val His Pro His Tyr
 500 505 510

<210> 1428

<211> 316

<212> PRT

<213> Homo sapiens

<400> 1428

Pro Pro Leu Pro Pro Arg Ser Phe Pro Asn Leu Phe Ser Arg Pro Glu
 1 5 10 15

Pro Leu Pro Glu Pro Gly Arg Arg Gly Cys Asn Arg Ser Arg Glu Pro
 20 25 30

Ala Ala Arg Ala Pro Ser Pro Pro Pro Phe Glu Gly Ala Pro Gly
 35 40 45

Arg Ala Met Val Lys Val Thr Phe Asn Ser Ala Leu Ala Gln Lys Glu
 50 55 60

Ala Lys Lys Asp Glu Pro Lys Ser Gly Glu Glu Ala Leu Ile Ile Pro
 65 70 75 80

Pro Asp Ala Val Ala Val Asp Cys Lys Asp Pro Asp Asp Val Val Pro
 85 90 95

Val Gly Gln Arg Arg Ala Trp Cys Trp Cys Met Cys Phe Gly Leu Ala
 100 105 110

Phe Met Leu Ala Gly Val Ile Leu Gly Gly Ala Tyr Leu Tyr Lys Tyr
 115 120 125

Phe Ala Leu Gln Pro Asp Asp Val Tyr Tyr Cys Gly Ile Lys Tyr Ile
 130 135 140

Lys Asp Asp Val Ile Leu Asn Glu Pro Ser Ala Asp Ala Pro Ala Ala

1504

```

145              150              155              160
Leu Tyr Gln Thr Ile Glu Glu Asn Ile Lys Ile Phe Glu Glu Glu Glu
              165              170              175
Val Glu Phe Ile Ser Val Pro Val Pro Glu Phe Ala Asp Ser Asp Pro
              180              185              190
Ala Asn Ile Val His Asp Phe Asn Lys Lys Leu Thr Ala Tyr Leu Asp
              195              200              205
Leu Asn Leu Asp Lys Cys Tyr Val Ile Pro Leu Asn Thr Ser Ile Val
              210              215              220
Met Pro Pro Arg Asn Leu Leu Glu Leu Leu Ile Asn Ile Lys Ala Gly
              225              230              235              240
Thr Tyr Leu Pro Gln Ser Tyr Leu Ile His Glu His Met Val Ile Thr
              245              250              255
Asp Arg Ile Glu Asn Ile Asp His Leu Gly Phe Phe Ile Tyr Arg Leu
              260              265              270
Cys His Asp Lys Glu Thr Tyr Lys Leu Gln Arg Arg Glu Thr Ile Lys
              275              280              285
Gly Ile Gln Lys Arg Glu Ala Ser Asn Cys Phe Ala Ile Arg His Phe
              290              295              300
Glu Asn Lys Phe Ala Val Glu Thr Leu Ile Cys Ser
              305              310              315

```

<210> 1429

<211> 398

<212> PRT

<213> Homo sapiens

<400> 1429

```

His Thr Arg Val Asp Phe Asn Val Pro Met Lys Asn Asn Gln Ile Thr
  1              5              10              15
Asn Asn Gln Arg Ile Lys Ala Ala Val Pro Ser Ile Lys Phe Cys Leu
              20              25              30
Asp Asn Gly Ala Lys Ser Val Val Leu Met Ser His Leu Gly Arg Pro
              35              40              45
Asp Gly Val Pro Met Pro Asp Lys Tyr Ser Leu Glu Pro Val Ala Val
              50              55              60

```

1505

Glu Leu Lys Ser Leu Leu Gly Lys Asp Val Leu Phe Leu Lys Asp Cys
 65 70 75 80

Val Gly Pro Glu Val Glu Lys Ala Cys Ala Asn Pro Ala Ala Gly Ser
 85 90 95

Val Ile Leu Leu Glu Asn Leu Arg Phe His Val Glu Glu Glu Gly Lys
 100 105 110

Gly Lys Asp Ala Ser Gly Asn Lys Val Lys Ala Glu Pro Ala Lys Ile
 115 120 125

Glu Ala Phe Arg Ala Ser Leu Ser Lys Leu Gly Asp Val Tyr Val Asn
 130 135 140

Asp Ala Phe Gly Thr Ala His Arg Ala His Ser Ser Met Val Gly Val
 145 150 155 160

Asn Leu Pro Gln Lys Ala Gly Gly Phe Leu Met Lys Lys Glu Leu Asn
 165 170 175

Tyr Phe Ala Lys Ala Leu Glu Ser Pro Glu Arg Pro Phe Leu Ala Ile
 180 185 190

Leu Gly Gly Ala Lys Val Ala Asp Lys Ile Gln Leu Ile Asn Asn Met
 195 200 205

Leu Asp Lys Val Asn Glu Met Ile Ile Gly Gly Gly Met Ala Phe Thr
 210 215 220

Phe Leu Lys Val Leu Asn Asn Met Glu Ile Gly Thr Ser Leu Phe Asp
 225 230 235 240

Glu Glu Gly Ala Lys Ile Val Lys Asp Leu Met Ser Lys Ala Glu Lys
 245 250 255

Asn Gly Val Lys Ile Thr Leu Pro Val Asp Phe Val Thr Ala Asp Lys
 260 265 270

Phe Asp Glu Asn Ala Lys Thr Gly Gln Ala Thr Val Ala Ser Gly Ile
 275 280 285

Pro Ala Gly Trp Met Gly Leu Asp Cys Gly Pro Glu Ser Ser Lys Lys
 290 295 300

Tyr Ala Glu Ala Val Thr Arg Ala Lys Gln Ile Val Trp Asn Gly Pro
 305 310 315 320

Val Gly Val Phe Glu Trp Glu Ala Phe Ala Arg Gly Thr Lys Ala Leu
 325 330 335

1506

Met Asp Glu Val Val Lys Ala Thr Ser Arg Gly Cys Ile Thr Ile Ile
 340 345 350

Gly Gly Gly Asp Thr Ala Thr Cys Cys Ala Lys Trp Asn Thr Glu Asp
 355 360 365

Lys Val Ser His Val Ser Thr Gly Gly Gly Ala Ser Leu Glu Leu Leu
 370 375 380

Glu Gly Lys Val Leu Pro Gly Val Asp Ala Leu Ser Asn Ile
 385 390 395

<210> 1430

<211> 249

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (245)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1430

Pro Ala Met Gly Ala Ala Val Phe Phe Gly Cys Thr Phe Val Ala Phe
 1 5 10 15

Gly Pro Ala Phe Ala Leu Phe Leu Ile Thr Val Ala Gly Asp Pro Leu
 20 25 30

Arg Val Ile Ile Leu Val Ala Gly Ala Phe Phe Trp Leu Val Ser Leu
 35 40 45

Leu Leu Ala Ser Val Val Trp Phe Ile Leu Val His Val Thr Asp Arg
 50 55 60

Ser Asp Ala Arg Leu Gln Tyr Gly Leu Leu Ile Phe Gly Ala Ala Val
 65 70 75 80

Ser Val Leu Leu Gln Glu Val Phe Arg Phe Ala Tyr Tyr Lys Leu Leu
 85 90 95

Lys Lys Ala Asp Glu Gly Leu Ala Ser Leu Ser Glu Asp Gly Arg Ser
 100 105 110

Pro Ile Ser Ile Arg Gln Met Ala Tyr Val Ser Gly Leu Ser Phe Gly
 115 120 125

Ile Ile Ser Gly Val Phe Ser Val Ile Asn Ile Leu Ala Asp Ala Leu

1507

130	135	140
Gly Pro Gly Val Val Gly Ile His Gly Asp Ser Pro Tyr Tyr Phe Leu		
145	150	155 160
Thr Ser Ala Phe Leu Thr Ala Ala Ile Ile Leu Leu His Thr Phe Trp		
	165	170 175
Gly Val Val Phe Phe Asp Ala Cys Glu Arg Arg Arg Tyr Trp Ala Leu		
	180	185 190
Gly Leu Val Val Gly Ser His Leu Leu Thr Ser Gly Leu Thr Phe Leu		
	195	200 205
Asn Pro Trp Tyr Glu Ala Ser Leu Leu Pro Ile Tyr Ala Val Thr Val		
	210	215 220
Ser Met Gly Leu Trp Ala Phe Ile Thr Ala Gly Gly Ser Leu Arg Ser		
225	230	235 240
Ile Gln Arg Ser Xaa Leu Cys Lys Asp		
	245	

<210> 1431
 <211> 271
 <212> PRT
 <213> Homo sapiens

<400> 1431
 Arg Pro Thr Arg Pro Val Met Ala Pro Arg Ser Leu Leu Leu Leu Leu
 1 5 10 15
 Ser Gly Ala Leu Ala Leu Thr Asp Thr Trp Ala Gly Ser His Ser Leu
 20 25 30
 Arg Tyr Phe Ser Thr Ala Val Ser Arg Pro Gly Arg Gly Glu Pro Arg
 35 40 45
 Tyr Ile Ala Val Glu Tyr Val Asp Asp Thr Gln Phe Leu Arg Phe Asp
 50 55 60
 Ser Asp Ala Ala Ile Pro Arg Met Glu Pro Arg Glu Pro Trp Val Glu
 65 70 75 80
 Gln Glu Gly Pro Gln Tyr Trp Glu Trp Thr Thr Gly Tyr Ala Lys Ala
 85 90 95
 Asn Ala Gln Thr Asp Arg Val Ala Leu Arg Asn Leu Leu Arg Arg Tyr
 100 105 110

1508

Asn Gln Ser Glu Ala Gly Ser His Thr Leu Gln Gly Met Asn Gly Cys
 115 120 125

Asp Met Gly Pro Asp Gly Arg Leu Leu Arg Gly Tyr His Gln His Ala
 130 135 140

Tyr Asp Gly Lys Asp Tyr Ile Ser Leu Asn Glu Asp Leu Arg Ser Trp
 145 150 155 160

Thr Ala Ala Asp Thr Val Ala Gln Ile Thr Gln Arg Phe Tyr Glu Ala
 165 170 175

Glu Glu Tyr Ala Glu Glu Phe Arg Thr Tyr Leu Glu Gly Glu Cys Leu
 180 185 190

Glu Leu Leu Arg Arg Tyr Leu Glu Asn Gly Lys Glu Thr Leu Gln Arg
 195 200 205

Ala Asp Pro Pro Lys Ala His Val Ala His His Pro Ile Ser Asp His
 210 215 220

Glu Ala Thr Leu Arg Cys Trp Ala Leu Gly Phe Tyr Pro Ala Glu Ile
 225 230 235 240

Thr Leu Thr Trp Gln Arg Asp Gly Glu Glu Gln Thr Gln Asp Thr Glu
 245 250 255

Leu Val Glu Thr Arg Pro Ala Gly Asp Gly Thr Phe Arg Ser Gly
 260 265 270

<210> 1432

<211> 455

<212> PRT

<213> Homo sapiens

<400> 1432

Ala His Ala Ser Gly Ala Pro Glu Gln Arg Pro Arg Pro Pro Arg Leu
 1 5 10 15

Leu Arg Arg Asp Leu Glu Arg Lys Thr Pro Ala Arg Arg Pro Ala Leu
 20 25 30

Ala Ser Leu Pro Thr Gly His Thr Ala Pro Pro Pro Arg Pro Arg Cys
 35 40 45

Ala Arg Pro Val Arg Cys Thr Pro Ala Cys Trp Arg Leu Arg Arg Arg
 50 55 60

1509

Ala Arg Pro Gly Leu Leu Leu Arg Ala Thr Met Ser Ser Arg Ile Ala
 65 70 75 80

Arg Ala Leu Ala Leu Val Val Thr Leu Leu His Leu Thr Arg Leu Ala
 85 90 95

Leu Ser Thr Cys Pro Ala Ala Cys His Cys Pro Leu Glu Ala Pro Lys
 100 105 110

Cys Ala Pro Gly Val Gly Leu Val Arg Asp Gly Cys Gly Cys Cys Lys
 115 120 125

Val Cys Ala Lys Gln Leu Asn Glu Asp Cys Ser Lys Thr Gln Pro Cys
 130 135 140

Asp His Thr Lys Gly Leu Glu Cys Asn Phe Gly Ala Ser Ser Thr Ala
 145 150 155 160

Leu Lys Gly Ile Cys Arg Ala Gln Ser Glu Gly Arg Pro Cys Glu Tyr
 165 170 175

Asn Ser Arg Ile Tyr Gln Asn Gly Glu Ser Phe Gln Pro Asn Cys Lys
 180 185 190

His Gln Cys Thr Cys Ile Asp Gly Ala Val Gly Cys Ile Pro Leu Cys
 195 200 205

Pro Gln Glu Leu Ser Leu Pro Asn Leu Gly Cys Pro Asn Pro Arg Leu
 210 215 220

Val Lys Val Thr Gly Gln Cys Cys Glu Glu Trp Val Cys Asp Glu Asp
 225 230 235 240

Ser Ile Lys Asp Pro Met Glu Asp Gln Asp Gly Leu Leu Gly Lys Glu
 245 250 255

Leu Gly Phe Asp Ala Ser Glu Val Glu Leu Thr Arg Asn Asn Glu Leu
 260 265 270

Ile Ala Val Gly Lys Gly Ser Ser Leu Lys Arg Leu Pro Val Phe Gly
 275 280 285

Met Glu Pro Arg Ile Leu Tyr Asn Pro Leu Gln Gly Gln Lys Cys Ile
 290 295 300

Val Gln Thr Thr Ser Trp Ser Gln Cys Ser Lys Thr Cys Gly Thr Gly
 305 310 315 320

Ile Ser Thr Arg Val Thr Asn Asp Asn Pro Glu Cys Arg Leu Val Lys
 325 330 335

1510

Glu Thr Arg Ile Cys Glu Val Arg Pro Cys Gly Gln Pro Val Tyr Ser
 340 345 350
 Ser Leu Lys Lys Gly Lys Lys Cys Ser Lys Thr Lys Lys Ser Pro Glu
 355 360 365
 Pro Val Arg Phe Thr Tyr Ala Gly Cys Leu Ser Val Lys Lys Tyr Arg
 370 375 380
 Pro Lys Tyr Cys Gly Ser Cys Val Asp Gly Arg Cys Cys Thr Pro Gln
 385 390 395 400
 Leu Thr Arg Thr Val Lys Met Arg Phe Arg Cys Glu Asp Gly Glu Thr
 405 410 415
 Phe Ser Lys Asn Val Met Met Ile Gln Ser Cys Lys Cys Asn Tyr Asn
 420 425 430
 Cys Pro His Ala Asn Glu Ala Ala Phe Pro Phe Tyr Arg Leu Phe Asn
 435 440 445
 Asp Ile His Lys Phe Arg Asp
 450 455

<210> 1433
 <211> 87
 <212> PRT
 <213> Homo sapiens

<400> 1433
 Thr Glu Gly Glu Thr Trp Arg Ser Asp Ser Glu Val Arg Leu Gln Leu
 1 5 10 15
 Ala His His Leu Arg Pro Gly Pro Asp Glu Pro Pro Val Ala Ser Ala
 20 25 30
 Gly Ala Ala Ala Ala Ser Arg Gly Ala Cys Gly Pro Ser His Ser Arg
 35 40 45
 His Cys Leu Pro Ala Gly Leu Glu Pro Ser Glu Arg Pro Asn Pro Arg
 50 55 60
 Pro Gly Arg Asp Leu Arg Gly Met Thr Ala Glu Pro Pro Lys Gly Gly
 65 70 75 80
 Glu Phe Glu Gly Arg Gly Pro
 85

1511

<210> 1434

<211> 110

<212> PRT

<213> Homo sapiens

<400> 1434

Val Trp Arg Ala Gly Ala Gly Met Ala Ser Leu Arg Ser Gln His Gly
1 5 10 15

Pro Gly Ala Pro Glu Ser Leu Arg Lys Val Leu Met Pro Ser Ser Met
20 25 30

Gly Leu Leu Leu Ile Leu Tyr Ala Arg Leu Pro Pro Ser Leu Val Gly
35 40 45

Gln Ala Gly Arg Trp Ile Gly Trp Ala Gly Arg Ala Gly Gly Gln Ala
50 55 60

Val Arg Gln Pro Ser Pro Thr Val Leu Ile Asp Gly Val Glu Cys Ser
65 70 75 80

Asp Val Lys Phe Phe Gln Leu Ala Ala Gln Trp Ser Ser His Val Lys
85 90 95

His Phe Pro Ile Cys Ile Phe Gly His Ser Lys Ala Thr Phe
100 105 110

<210> 1435

<211> 103

<212> PRT

<213> Homo sapiens

<400> 1435

Gly Ser Gln Asp Ala Arg Arg Gly Ser Gly Leu Gly Val Ser Ser Phe
1 5 10 15

Leu Arg Gly Ser Gly Gly Ser Gly Pro Leu Trp Val Gln His Gly Lys
20 25 30

Arg Gly Arg Tyr Phe Ser Ser Trp Ala Phe Ile Lys Glu Lys Thr Met
35 40 45

Leu Ala Gly Arg Gly Gly Ser Arg Leu Gln Ser Gln His Phe Gly Arg
50 55 60

Pro Arg Arg Val Asp His Leu Arg Ser Gly Val Gln Asp Gln Pro Gly
65 70 75 80

1512

Gln His Gly Glu Thr Pro Ser Leu Leu Lys Asn Thr Lys Ile Ser Gln
 85 90 95

Val Trp Trp Leu Thr Leu Met
 100

<210> 1436

<211> 413

<212> PRT

<213> Homo sapiens

<400> 1436

Asn Glu Cys Thr Gly Pro Glu Phe Arg Val Asp Pro Arg Val Ala Ser
 1 5 10 15

Ala Pro Arg Ala Gln Ser Leu Ala Phe Ala Asp Pro Pro Pro Val His
 20 25 30

Thr Arg Arg Gln Leu Thr Met Asp Asp Asp Ile Ala Ala Leu Val Val
 35 40 45

Asp Asn Gly Ser Gly Met Cys Lys Ala Gly Phe Ala Gly Asp Asp Ala
 50 55 60

Pro Arg Ala Val Phe Pro Ser Ile Val Gly Arg Pro Arg His Gln Gly
 65 70 75 80

Val Met Val Gly Met Gly Gln Lys Asp Ser Tyr Val Gly Asp Glu Ala
 85 90 95

Gln Ser Lys Arg Gly Ile Leu Thr Leu Lys Tyr Pro Ile Glu His Gly
 100 105 110

Ile Val Thr Asn Trp Asp Asp Met Glu Lys Ile Trp His His Thr Phe
 115 120 125

Tyr Asn Glu Leu Arg Val Ala Pro Glu Glu His Pro Val Leu Leu Thr
 130 135 140

Glu Ala Pro Leu Asn Pro Lys Ala Asn Arg Glu Lys Met Thr Gln Ile
 145 150 155 160

Met Phe Glu Thr Phe Asn Thr Pro Ala Met Tyr Val Ala Ile Gln Ala
 165 170 175

Val Leu Ser Leu Tyr Ala Ser Gly Arg Thr Thr Gly Ile Val Met Asp
 180 185 190

Ser Gly Asp Gly Val Thr His Thr Val Pro Ile Tyr Glu Gly Tyr Ala

1513

195	200	205
Leu Pro His Ala Ile Leu Arg Leu Asp Leu Ala Gly Arg Asp Leu Thr 210	215	220
Asp Tyr Leu Met Lys Ile Leu Thr Glu Arg Gly Tyr Ser Phe Thr Thr 225	230	235 240
Thr Ala Glu Arg Glu Ile Val Arg Asp Ile Lys Glu Lys Leu Cys Tyr 245	250	255
Val Ala Leu Asp Phe Glu Gln Glu Met Ala Thr Ala Ala Ser Ser Ser 260	265	270
Ser Leu Glu Lys Ser Tyr Glu Leu Pro Asp Gly Gln Val Ile Thr Ile 275	280	285
Gly Asn Glu Arg Phe Arg Cys Pro Glu Ala Leu Phe Gln Pro Ser Phe 290	295	300
Leu Gly Met Glu Ser Cys Gly Ile His Glu Thr Thr Phe Asn Ser Ile 305	310	315 320
Met Lys Cys Asp Val Asp Ile Arg Lys Asp Leu Tyr Ala Asn Thr Val 325	330	335
Leu Ser Gly Gly Thr Thr Met Tyr Pro Gly Ile Ala Asp Arg Met Gln 340	345	350
Lys Glu Ile Thr Ala Leu Ala Pro Ser Thr Met Lys Ile Lys Ile Ile 355	360	365
Ala Pro Pro Glu Arg Lys Tyr Ser Val Trp Ile Gly Gly Ser Ile Leu 370	375	380
Ala Ser Leu Ser Thr Phe Gln Gln Met Trp Ile Ser Lys Gln Glu Tyr 385	390	395 400
Asp Glu Ser Gly Pro Ser Ile Val His Arg Lys Cys Phe 405	410	

<210> 1437

<211> 97

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (28)

1514

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1437

Val Val Pro Ser Thr Lys Asp Phe Leu Val Gly Val Lys Gly Ser Gly
 1 5 10 15

Gly His Arg Gly Gly Gly Glu Met Ala Phe Ser Xaa Ser Gln Ala Pro
 20 25 30

Tyr Leu Ser Pro Ala Val Pro Phe Ser Gly Thr Ile Gln Gly Gly Leu
 35 40 45

Gln Asp Gly Leu Gln Ile Thr Val Asn Gly Thr Val Leu Ser Ser Ser
 50 55 60

Gly Thr Ser Gly Asn Asp Ile Ala Phe His Phe Asn Pro Arg Phe Glu
 65 70 75 80

Asp Gly Gly Tyr Val Val Cys Thr Ala Gly Arg Thr Glu Ala Gly Gly
 85 90 95

Pro

<210> 1438

<211> 153

<212> PRT

<213> Homo sapiens

<400> 1438

Leu Ala Pro Leu Arg Cys Gln Pro Gly Thr Arg Thr Gln Pro Arg Ser
 1 5 10 15

His Pro Ala Ala Asn Asp Pro Ser Ala Ala Met Ser Ala Ala Gly Ala
 20 25 30

Arg Gly Leu Arg Ala Thr Tyr His Arg Leu Leu Asp Lys Val Glu Leu
 35 40 45

Met Leu Pro Glu Lys Leu Arg Pro Leu Tyr Asn His Pro Ala Gly Pro
 50 55 60

Arg Thr Val Phe Phe Trp Ala Pro Ile Met Lys Trp Gly Leu Val Cys
 65 70 75 80

Ala Gly Leu Ala Asp Met Ala Arg Pro Ala Glu Lys Leu Ser Thr Ala
 85 90 95

Gln Ser Ala Val Leu Met Ala Thr Gly Phe Ile Trp Ser Arg Tyr Ser

1515

100	105	110
Leu Val Ile Ile Pro Lys Asn Trp Ser Leu Phe Ala Val Asn Phe Phe		
115	120	125
Val Gly Ala Ala Gly Ala Ser Gln Leu Phe Arg Ile Trp Arg Tyr Asn		
130	135	140
Gln Glu Leu Lys Ala Lys Ala His Lys		
145	150	

<210> 1439

<211> 343

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (244)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (305)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (325)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (328)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (340)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1439

Trp Ile Gln Arg Ile Arg Ala Arg Gly Lys Thr Asn Leu Arg Arg Thr
1 5 10 15

Thr Tyr Leu Val Leu Asp Glu Ala Asp Arg Met Leu Asp Met Gly Phe
20 25 30

Glu Pro Gln Ile Arg Lys Ile Val Asp Gln Ile Arg Pro Asp Arg Gln

1516

35	40	45
Thr Leu Met Trp Ser Ala Thr Trp Pro Lys Glu Val Arg Gln Leu Ala		
50	55	60
Glu Asp Phe Leu Lys Asp Tyr Ile His Ile Asn Ile Gly Ala Leu Glu		
65	70	75 80
Leu Ser Ala Asn His Asn Ile Leu Gln Ile Val Asp Val Cys His Asp		
	85	90 95
Val Glu Lys Asp Glu Lys Leu Ile Arg Leu Met Glu Glu Ile Met Ser		
	100	105 110
Glu Lys Glu Asn Lys Thr Ile Val Phe Val Glu Thr Lys Arg Arg Cys		
	115	120 125
Asp Glu Leu Thr Arg Lys Met Arg Arg Asp Gly Trp Pro Ala Met Gly		
	130	135 140
Ile His Gly Asp Lys Ser Gln Gln Glu Arg Asp Trp Val Leu Asn Glu		
145	150	155 160
Phe Lys His Gly Lys Ala Pro Ile Leu Ile Ala Thr Asp Val Ala Ser		
	165	170 175
Arg Gly Leu Asp Val Glu Asp Val Lys Phe Val Ile Asn Tyr Asp Tyr		
	180	185 190
Pro Asn Ser Ser Glu Asp Tyr Ile His Arg Ile Gly Arg Thr Ala Arg		
	195	200 205
Ser Thr Lys Thr Gly Thr Ala Tyr Thr Phe Phe Thr Pro Asn Asn Ile		
	210	215 220
Lys Gln Val Ser Asp Leu Ile Ser Val Leu Arg Glu Ala Asn Gln Ala		
225	230	235 240
Ile Asn Pro Xaa Leu Leu Gln Leu Val Glu Asp Arg Gly Ser Gly Arg		
	245	250 255
Ser Arg Gly Arg Gly Gly Met Lys Asp Asp Arg Arg Asp Arg Tyr Ser		
	260	265 270
Ala Gly Lys Arg Gly Gly Phe Asn Thr Phe Arg Asp Arg Glu Asn Tyr		
	275	280 285
Asp Arg Gly Tyr Ser Ser Leu Leu Lys Arg Asp Phe Gly Ala Lys Thr		
	290	295 300
Xaa Asn Gly Gly Tyr Ser Ala Cys Lys Phe Thr Asn Gly Ser Phe Gly		

305 310 315 320

Ser Asn Phe Gly Xaa Cys Trp Xaa Ser Gly Pro Val Leu Gly Leu Gly
 325 330 335

Ile Pro Thr Xaa Ala Leu Pro
 340

```
<210> 1440
<211> 122
<212> PRT
<213> Homo sapiens
```

```

<400> 1440
Ile Cys Val Ser Ala Arg Arg Ala Leu Ser Gly Leu Glu His Gly Leu
  1                      5                      10                      15

Gly Trp Glu Arg Val Trp Glu Lys Met Gly Asn Lys Glu Pro Gly Ser
      20                      25                      30

His Gly His Arg Ser Asp Ala Asp Pro Ser Arg Phe Ser Pro Val Leu
      35                      40                      45

Pro Pro Ala Val Gln Leu Gly Val Trp Arg Glu Glu Gly Arg Gly Gly
      50                      55                      60

Ser Cys Pro Phe Ser Trp Gly Arg Gly Pro Val Ser Ser Thr Trp Leu
      65                      70                      75                      80

Phe Pro Lys Gly Ser Lys Arg Glu Gly Leu Gly Glu Lys Thr Met Glu
      85                      90                      95

Arg Gly Pro Ala Lys Glu Asn Arg Glu Glu Val Ser Gly Leu Ile Ser
      100                      105                      110

Leu Leu Ser Arg Cys Ser Gly Ser Leu Ile
      115                      120

```

```
<210> 1441
<211> 74
<212> PRT
<213> Homo sapiens
```

<400> 1441
Gly His Arg His Thr Pro Pro His Leu Ala Asn Phe Tyr Tyr Phe Phe
1 5 10 15

1518

Cys Arg Asp Glu Val Ser Leu Cys Pro Gly Trp Ser Gln Thr Pro Val
 20 25 30
 Leu Lys Gln Ser Ser His Leu Gly Ser Leu Ser Ala Gly Ile Ile Gly
 35 40 45
 Met Ser His Arg Ala Arg Pro His Val Cys Met Leu Lys Val Leu Arg
 50 55 60
 Ile Pro Met Glu Asn Lys Phe Asp Phe Ala
 65 70

<210> 1442

<211> 103

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1442

Ala Xaa Xaa His Gln Pro Ser Leu Lys Gly Thr Lys Ala Gly Ala Pro
 1 5 10 15
 Pro Arg Cys Gly Arg Ser Arg Thr Ser Gly Ser Pro Gly Leu Gln Glu
 20 25 30
 Phe Gly Thr Arg Glu Ala Glu Ala Gly Val Gln Trp Cys Asp Leu Gly
 35 40 45
 Ser Leu Gln Pro Leu Pro Pro Arg Phe Gln Gln Phe Ser Cys Leu Ser
 50 55 60
 Leu Pro Ser Gly Trp Asp Asp Arg Arg Leu Pro Ser Cys Leu Thr Ser
 65 70 75 80
 Phe Cys Ile Phe Ser Arg Asp Gly Val Ser Pro Cys Trp Pro Gly Trp
 85 90 95
 Ser Gln Thr Pro Asp Leu Arg
 100

<210> 1443
<211> 106
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (48)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (53)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (57)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (58)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (63)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (66)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (70)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (72)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (83)
<223> Xaa equals any of the naturally occurring L-amino acids

1520

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (100)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1443

Leu His Ala Ala Cys Ala Ala Ala Met Ser Leu Val Ile Pro Glu
1 5 10 15

Lys Phe Gln His Ile Leu Arg Val Leu Asn Thr Asn Ile Asp Gly Arg
20 25 30

Arg Lys Ile Ala Phe Ala Ile Thr Ala Ile Lys Gly Val Gly Arg Xaa
35 40 45

Tyr Ala His Val Xaa Leu Arg Lys Xaa Xaa Ile Asp Leu Thr Xaa Arg
50 55 60

Ala Xaa Glu Leu Thr Xaa Asp Xaa Val Glu Arg Val Ile Thr Ile Met
65 70 75 80

Gln Asn Xaa Arg Gln Tyr Lys Ile Pro Asp Trp Phe Leu Asn Arg Gln
85 90 95

Asn Asp Xaa Xaa Asp Xaa Ser Thr Ser Ser
100 105

<210> 1444

<211> 14

<212> PRT

<213> Homo sapiens

<400> 1444

Pro Val Trp Pro Lys Trp Ser Gly Trp Pro Leu Ala Leu Pro
1 5 10

1521

<210> 1445
 <211> 126
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (104)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (119)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (123)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (124)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1445
 Phe Leu Arg Leu Val Leu Gly Leu Leu Ile Gly Arg Cys Leu Gln Glu
 1 5 10 15
 Met Leu Lys Leu Gly Thr Leu Pro Pro Thr Ser Lys Pro Gln Leu Leu
 20 25 30
 Cys Gln Met Val Ser Leu Lys Ile Ser Ala Cys Leu Thr Thr Lys Gly
 35 40 45
 Lys Tyr Val Val Phe Phe Phe Tyr Pro Leu Asp Phe Thr Phe Val Cys
 50 55 60
 Pro Thr Glu Ile Ile Ala Phe Ser Asp Arg Ala Glu Glu Phe Lys Lys
 65 70 75 80
 Leu Asn Cys Gln Val Ile Gly Ala Ser Val Asp Ser His Phe Cys His
 85 90 95
 Leu Ala Trp Val Asn Thr Pro Xaa Lys Gln Gly Gly Leu Gly Pro Met
 100 105 110
 Asn Ile Pro Leu Val Ser Xaa Pro Thr His Xaa Xaa Ser Gly
 115 120 125

1522

<210> 1446

<211> 97

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (92)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1446

Cys Asp Lys Glu Lys Asn Leu Leu His Val Thr Asp Thr Gly Val Gly
 1 5 10 15

Met Thr Arg Glu Glu Leu Val Lys Asn Leu Gly Thr Ile Ala Lys Ser
 20 25 30

Gly Thr Ser Glu Phe Leu Asn Lys Met Thr Glu Ala Gln Glu Asp Gly
 35 40 45

Gln Ser Thr Ser Asp Leu Ile Gly Gln Phe Gly Val Gly Phe Tyr Ser
 50 55 60

Ala Phe Leu Val Ala Asp Lys Val Ile Val Thr Ser Lys His Asn Asn
 65 70 75 80

Asp Thr Gln His Ile Trp Glu Ser Asp Ser Asn Xaa Phe Ser Val Asn
 85 90 95

Cys

<210> 1447

<211> 47

<212> PRT

<213> Homo sapiens

<400> 1447

His Ser Arg His Arg Gly Val Phe Leu Thr Pro Leu Leu Ala Met Ser
 1 5 10 15

Ser His Lys Thr Phe Arg Ile Lys Arg Phe Leu Ala Lys Lys Gln Lys
 20 25 30

Gln Asn Arg Pro Ile Pro Gln Trp Ile Arg Met Lys Thr Gly Lys
 35 40 45

1523

<210> 1448

<211> 106

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (104)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1448

Val	Phe	Arg	Val	Glu	Ala	Trp	Arg	Thr	Ser	Gly	Glu	Thr	Pro	Ala	Ile
1				5					10					15	

Ser	Pro	Ser	Lys	Arg	Ala	Arg	Pro	Ala	Glu	Val	Gly	Gly	Met	Gln	Leu
			20					25					30		

Arg	Phe	Ala	Arg	Leu	Ser	Glu	His	Ala	Thr	Ala	Pro	Thr	Arg	Gly	Ser
		35					40						45		

Ala	Arg	Ala	Ala	Gly	Tyr	Asp	Leu	Tyr	Ser	Ala	Tyr	Asp	Tyr	Thr	Ile
		50				55					60				

Pro	Pro	Met	Glu	Lys	Ala	Val	Val	Lys	Thr	Asp	Ile	Gln	Ile	Ala	Leu
		65				70				75				80	

Pro	Ser	Gly	Cys	Xaa	Gly	Arg	Val	Ala	Pro	Arg	Ser	Gly	Leu	Ala	Ala
				85					90					95	

Lys	His	Phe	Ile	Asp	Val	Gly	Xaa	Val	Ser
			100				105		

<210> 1449

<211> 60

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1524

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1449

Thr Met Ala Val Gly Lys Asn Lys Arg Leu Thr Lys Gly Gly Lys Lys
1 5 10 15

Gly Ala Lys Lys Lys Val Val Asp Pro Phe Phe Lys Lys Asp Trp Tyr
20 25 30

Asp Val Lys Ala Pro Ala Met Phe Xaa Ile Arg Xaa Ile Gly Lys Thr
35 40 45

Leu Val Thr Arg Thr Gln Gly Thr Lys Ile Ala Ser
50 55 60

<210> 1450

<211> 45

<212> PRT

<213> Homo sapiens

<400> 1450

Asn Phe Gly Ser Leu Leu Gly Ala Cys Leu Ile Leu Gln Ile Thr Thr
1 5 10 15

Gly Leu Phe Leu Ala Met His Tyr Ser Pro Asp Ala Ser Thr Ala Phe
20 25 30

Ser Ser Ile Ala His Ile Thr Arg Asp Val Asn Tyr Gly
35 40 45

<210> 1451

<211> 34

<212> PRT

<213> Homo sapiens

<400> 1451

Lys Leu Leu Asp Asp Asn Gly Asn Ile Ala Glu Glu Leu Ser Ile Leu
1 5 10 15

Lys Trp Asn Thr Asp Ser Val Glu Glu Phe Leu Ser Glu Lys Leu Glu
20 25 30

Arg Ile

1525

<210> 1452

<211> 61

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1452

Pro Arg Val Arg Leu Xaa Asp Glu Thr Asn Ile Cys Asn Gly Lys Pro
1 5 10 15

Val Asp Gly Leu Thr Thr Leu Arg Asn Gly Thr Leu Val Ala Phe Arg
20 25 30

Gly His Tyr Phe Trp Met Leu Ser Pro Phe Ser Pro Pro Ser Pro Ala
35 40 45

Arg Arg Ile Thr Glu Val Leu Gly Asn Pro Phe Pro His
50 55 60

<210> 1453

<211> 44

<212> PRT

<213> Homo sapiens

<400> 1453

Arg Glu Gln Lys Leu Glu Leu His Arg Gly Ala Ala Ala Leu Glu Leu
1 5 10 15

Val Asp Pro Pro Gly Cys Arg Asn Ser Ala Arg Gly Cys Ser Glu Pro
20 25 30

Arg Ser His His Cys Thr Pro Val Trp Ala Thr Glu
35 40

<210> 1454

<211> 118

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1526

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (84)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (98)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (111)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1454

Thr	Arg	Val	Ala	Pro	Ser	Val	Leu	Arg	Leu	Ala	Met	Thr	Ser	Tyr	Ser
1				5					10					15	

Tyr	Arg	Gln	Ser	Ser	Ala	Thr	Ser	Ser	Phe	Gly	Gly	Leu	Gly	Gly	Gly
			20					25					30		

Ser	Val	Arg	Ile	Gly	Pro	Gly	Val	Ala	Phe	Arg	Ala	Pro	Ser	Ile	His
		35					40						45		

Gly	Gly	Ser	Gly	Gly	Arg	Gly	Val	Ser	Val	Ser	Ser	Ala	Arg	Phe	Val
	50					55						60			

Ser	Ser	Ser	Ser	Ser	Gly	Gly	Tyr	Gly	Gly	Gly	Xaa	Gly	Gly	Val	Leu
65					70				75					80	

Thr	Ala	Ser	Xaa	Gly	Leu	Leu	Ala	Gly	Asn	Glu	Lys	Leu	Thr	Met	Gln
				85					90					95	

Asn	Xaa	Xaa	Thr	Ala	Trp	Leu	Leu	Leu	Xaa	Lys	Phe	Ala	Pro	Xaa	Gly
			100					105						110	

Ala	Lys	Gly	Thr	Lys	Ser
-----	-----	-----	-----	-----	-----

1527

115

<210> 1455
<211> 48
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (2)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (34)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (43)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1455
Ala Xaa Glu Asn Ser Arg Ile Val Leu Gln Ile Asp Asn Ala Arg Leu
1 5 10 15
Ala Ala Asp Asp Phe Arg Thr Lys Phe Glu Thr Glu Gln Ala Leu Arg
20 25 30
Met Xaa Val Glu Ala Asp Ile Asn Gly Leu Xaa Arg Cys Trp Met Ser
35 40 45

<210> 1456
<211> 143
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (131)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE

1528

<222> (137)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1456

Gly Asp Tyr Ser His Tyr Tyr Thr Thr Ile Gln Asp Leu Arg Asp Lys
1 5 10 15

Ile Leu Gly Ala Thr Ile Glu Asn Ser Arg Ile Val Leu Gln Ile Asp
20 25 30

Asn Ala Arg Leu Ala Ala Asp Asp Phe Arg Thr Lys Phe Glu Thr Glu
35 40 45

Gln Ala Leu Arg Met Ser Val Glu Ala Asp Ile Asn Gly Leu Arg Arg
50 55 60

Val Leu Asp Glu Leu Thr Leu Ala Arg Thr Asp Leu Glu Met Gln Ile
65 70 75 80

Glu Gly Leu Lys Glu Glu Leu Ala Tyr Leu Lys Lys Asn His Glu Glu
85 90 95

Glu Ile Ser Thr Leu Arg Gly Gln Val Gly Gly Gln Val Ser Val Glu
100 105 110

Val Asp Ser Ala Pro Gly Thr Asp Leu Ala Lys Ile Leu Ser Asp Met
115 120 125

Arg Ser Xaa Tyr Glu Val Met Ala Xaa Gln Asn Arg Lys Asp Ala
130 135 140

<210> 1457

<211> 116

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1457

Gly Cys Val Gly Val Arg Pro Ser Leu His Pro Ala Thr Ser Thr Ala
1 5 10 15

Ser Gly Ser Ala Xaa Pro Thr Leu Ala Arg Ala Met Ala Ser Val Ser
20 25 30

Glu Leu Ala Cys Ile Tyr Ser Ala Leu Ile Leu His Asp Asp Glu Val

1529

```

          35              40              45
Thr Val Thr Glu Asp Lys Ile Asn Ala Leu Ile Lys Ala Ala Gly Val
   50              55              60
Asn Val Glu Pro Phe Trp Pro Gly Leu Phe Ala Lys Ala Leu Ala Asn
   65              70              75              80
Val Asn Ile Gly Ser Leu Ile Cys Asn Val Gly Ala Gly Gly Pro Ala
          85              90              95
Pro Ala Ala Gly Ala Ala Thr Ser Arg Arg Ser Cys Pro Leu His Cys
          100              105              110
Cys Cys Ser Ser
          115

```

<210> 1458

<211> 115

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1458

```

Leu Val Pro Asn Ser Ala Arg Ala Ala Ser Ala Ala Asp Ala Ala
   1              5              10              15
Ala Met Arg Tyr Val Ala Ser Tyr Leu Leu Ala Ala Leu Gly Gly Asn
          20              25              30
Ser Ser Pro Ser Ala Lys Gly Ile Lys Lys Ile Leu Asp Asn Xaa Gly
          35              40              45
Ile Glu Ala Asp Asp Asp Arg Leu Asn Lys Val Ile Ser Glu Leu Asn
          50              55              60
Gly Lys Asn Ile Glu Asp Val Ile Ala Gln Gly Ile Gly Lys Leu Ala
          65              70              75              80
Ser Val Pro Ala Gly Gly Ala Val Ala Val Ser Ala Ala Pro Gly Ser
          85              90              95
Ala Ala Pro Ala Ala Gly Ser Ala Pro Ala Ala Ala Glu Glu Lys Lys
          100              105              110

```

1530

Asp Glu Lys
115

<210> 1459
<211> 132
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (115)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (123)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (126)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (129)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1459
Ala Ser Asp Ala Leu His Ser Leu Ser Ala Pro Val Leu Arg Leu Ser
1 5 10 15
Ser Arg Ser Ala Ala Arg Pro Ala Thr Met Thr Glu Gln Ala Ile Ser
20 25 30
Phe Ala Lys Asp Phe Leu Ala Gly Gly Ile Ala Ala Ala Ile Ser Lys
35 40 45
Thr Ala Val Ala Pro Ile Glu Arg Val Lys Leu Leu Leu Gln Val Gln
50 55 60
His Ala Ser Lys Gln Ile Ala Ala Asp Lys Gln Tyr Lys Gly Ile Val
65 70 75 80
Asp Cys Ile Val Arg Ile Pro Lys Glu Gln Gly Val Leu Ser Phe Trp
85 90 95
Arg Gly Asn Leu Ala Asn Val Ile Arg Tyr Phe Pro Thr Gln Ala Leu
100 105 110

1531

Asn Phe Xaa Phe Lys Asp Lys Tyr Lys Gln Xaa Phe Leu Xaa Gly Val
115 120 125

Xaa Lys His Thr
130

<210> 1460

<211> 124

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1532

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (119)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (120)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (121)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1460

Xaa	Ser	Xaa	Lys	Thr	Gly	Phe	Xaa	Asp	Trp	Ile	Ser	Val	Ala	Tyr	Tyr
1				5					10					15	

Gly	Cys	Phe	Arg	Glu	Gly	Ala	Thr	Ile	Ile	Gln	Val	Gly	Lys	Leu	Ile
			20					25					30		

Lys	Glu	Ala	Ala	Gly	Lys	Ser	Asn	Leu	Lys	Arg	Val	Thr	Leu	Glu	Leu
		35					40					45			

Gly	Gly	Lys	Ser	Pro	Cys	Ile	Val	Leu	Ala	Asp	Ala	Asp	Leu	Asp	Asn
	50					55					60				

Ala	Val	Glu	Phe	Ala	His	His	Gly	Val	Phe	Tyr	His	Gln	Gly	Gln	Xaa
65					70					75					80

Cys	Ile	Ala	Ala	Xaa	Arg	Ile	Phe	Val	Glu	Glu	Ser	Ile	Tyr	Asp	Glu
				85					90					95	

Phe	Val	Arg	Arg	Ser	Val	Glu	Arg	Val	Lys	Xaa	Ile	Ser	Leu	Gly	Xaa
			100					105					110		

Pro	Leu	Thr	Pro	Xaa	Val	Xaa	Xaa	Xaa	Pro	Ser	Asp
		115					120				

<210> 1461

<211> 179

<212> PRT

<213> Homo sapiens

<220>

1533

<221> SITE
<222> (102)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (125)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (142)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (145)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (157)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (163)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (173)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (174)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (176)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1461
Trp Ile Pro Arg Ala Ala Gly Ile Arg His Glu Val Val Pro Leu Ala
1 5 10 15
Gly Thr Asn Gly Glu Thr Thr Thr Gln Gly Leu Asp Gly Leu Ser Glu
20 25 30

[illegible]

```
<210> 1462
<211> 31
<212> PRT
<213> Homo sapiens
```

```
<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```

<400> 1462
Ala Asn Ser Leu Ala Cys Gln Gly Lys Tyr Thr Pro Xaa Gly Gln Ala
 1              5              10              15

Gly Ala Ala Ala Ser Glu Ser Leu Phe Val Ser Asn His Ala Tyr
      20              25              30

```


1535

<210> 1463

<211> 71

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1463

Asp	Asp	Cys	Glu	Phe	Lys	Ala	Glu	Gly	Asn	Ser	Lys	Phe	Thr	Tyr	Thr
1				5				10						15	

Val	Leu	Glu	Asp	Gly	Cys	Thr	Lys	His	Thr	Gly	Glu	Trp	Ser	Lys	Thr
		20					25					30			

Val	Phe	Glu	Tyr	Arg	Thr	Arg	Lys	Ala	Val	Arg	Leu	Pro	Ile	Val	Asp
	35						40				45				

Ile	Ala	Pro	Tyr	Asp	Ile	Gly	Gly	Pro	Asp	Gln	Glu	Phe	Gly	Val	Asp
	50					55				60					

Xaa	Gly	Pro	Val	Xaa	Phe	Leu
65				70		

<210> 1464

<211> 77

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

1536

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1464

Xaa Gly Thr Arg His Xaa Leu Arg Thr Xaa Asn Gln Ser Ser Asp Glu
1 5 10 15

Leu Gln Leu Ser Met Gly Asn Ala Met Phe Val Lys Glu Gln Leu Ser
20 25 30

Leu Leu Asp Arg Phe Thr Glu Asp Ala Lys Arg Leu Tyr Gly Ser Glu
35 40 45

Ala Phe Ala Thr Asp Phe Gln Asp Ser Ala Ala Ala Lys Lys Leu Ile
50 55 60

Asn Asp Tyr Val Lys Asn Gly Thr Arg Gly Thr Ile Thr
65 70 75

<210> 1465

<211> 105

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (83)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (98)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (104)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1465

Leu Lys Gly Arg Pro Gly Phe Pro Gly Ser Lys Gly Glu Ala Gly Phe
1 5 10 15

Phe Gly Ile Pro Gly Leu Lys Gly Leu Ala Gly Glu Pro Gly Phe Lys
20 25 30

1537

Gly Ser Arg Gly Asp Pro Gly Pro Pro Gly Pro Pro Pro Val Ile Leu
35 40 45

Pro Gly Met Lys Asp Ile Lys Gly Glu Lys Gly Asp Glu Gly Pro Met
50 55 60

Gly Leu Lys Gly Tyr Leu Gly Ala Lys Gly Ile Gln Gly Met Pro Gly
65 70 75 80

Ile Pro Xaa Leu Ser Gly Ile Pro Gly Leu Pro Gly Arg Pro Gly His
85 90 95

Ile Xaa Gly Ile Lys Gly Xaa Xaa Gly
100 105

<210> 1466

<211> 36

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1466

Arg Pro Gly Leu Cys Ala Lys Thr Val Phe Lys Ala Leu Gln Ala Pro
1 5 10 15

Ala Leu Xaa Glu Glu His Gly Glu Gly Trp Arg Leu His Pro Trp Gly
20 25 30

Val Trp Glu Thr
35

<210> 1467

<211> 82

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1538

<221> SITE
 <222> (79)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (80)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (82)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <400> 1467
 Arg Val Pro Ala Met Ala Ala Lys Gly Gly Thr Val Lys Ala Ala Ser
 1 5 10 15
 Ala Phe Asn Ala Thr Glu Asp Ala Gln Thr Leu Arg Lys Ala Met Lys
 20 25 30
 Gly Leu Gly Thr Asp Glu Asp Ala Ile Ile Ser Val Leu Ala Tyr Arg
 35 40 45
 Asn Thr Ala Gln Arg Gln Glu Ile Arg Thr Ala Leu Gln Glu His His
 50 55 60
 Ser Ala Gly Asp Leu Val Leu Arg Asn Gly Pro Xaa Phe Val Xaa Xaa
 65 70 75 80
 Trp Xaa

<210> 1468
 <211> 83
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (15)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (24)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>

1539

<221> SITE
 <222> (35)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (61)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (66)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (79)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (82)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (83)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <400> 1468
 Gly Trp His Leu Gly Pro Pro Gly Ser Trp Cys Trp Trp Ser Xaa Cys
 1 5 10 15
 Ile Thr Gly Pro Asn Thr Ser Xaa Cys Cys Trp Thr His Phe Glu Lys
 20 25 30
 Pro Arg Xaa Ile Asp Asn Val Leu Val Ile Phe Ser His Asp Phe Trp
 35 40 45
 Ser Thr Glu Ile Asn Gln Leu Ile Ala Gly Val Asn Xaa Cys Pro Val
 50 55 60
 Leu Xaa Val Phe Phe Pro Phe Ser Ile Gln Leu Phe Pro Asn Xaa Phe
 65 70 75 80

 Pro Xaa Xaa

<210> 1469

1540

<211> 26

<212> PRT

<213> Homo sapiens

<400> 1469

Glu Lys Asp Glu Tyr Ala Cys Arg Val Asn His Val Thr Leu Ser Gln

1

5

10

15

Pro Lys Ile Val Lys Trp Asp Arg Asp Met

20

25

<210> 1470

<211> 168

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (136)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (139)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (141)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (143)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (146)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (148)

1541

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (152)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (153)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (158)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1470

Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Gly Gly Arg Ser
1 5 10 15

Xaa Gly Ser Lys Leu Thr Tyr Ala Cys Met Arg Arg His Ser Ser Ser
20 25 30

Ile Val Ser Pro Lys Phe Asn Ser Leu Ala Val Val Leu Gln Arg Arg
35 40 45

Asp Trp Glu Asn Pro Gly Val Thr Gln Leu Asn Arg Leu Ala Ala His
50 55 60

Pro Pro Phe Ala Ser Trp Arg Asn Ser Glu Glu Ala Arg Thr Asp Arg
65 70 75 80

Pro Ser Gln Gln Leu Arg Ser Leu Asn Gly Lys Trp Asp Ala Pro Cys
85 90 95

Ser Gly Ala Leu Ser Ala Ala Gly Val Val Val Thr Arg Ser Val Thr
100 105 110

Ala Thr Leu Ala Ser Ala Leu Arg Pro Val Leu Ser Phe Leu Pro Phe
115 120 125

Leu Ser Arg His Val Arg Arg Xaa Ser Pro Xaa Ser Xaa Lys Xaa Gly
130 135 140

Ala Xaa Phe Xaa Val Pro Ile Xaa Xaa Leu Arg Asp Leu Xaa Pro Lys
145 150 155 160

Asn Leu Ile Arg Val Met Val Thr
165

1542

<210> 1471
 <211> 131
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (22)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (88)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (111)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (116)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (119)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1471
 Cys His Leu Asn Ser Ile His Trp Pro Ser Phe Tyr Asn Val Val Thr
 1 5 10 15

Gly Lys Thr Leu Ala Xaa Pro Asn Leu Ile Ala Leu Gln His Ile Pro
 20 25 30

Leu Ser Pro Ala Gly Ser Asn Ser Glu Glu Ala Arg Thr Asp Arg Pro
 35 40 45

Ser Gln Gln Leu Arg Ser Leu Asn Gly Glu Trp Asp Ala Pro Cys Ser
 50 55 60

Gly Ala Leu Ser Ala Ala Gly Val Val Val Thr Arg Ser Val Thr Ala
 65 70 75 80

Thr Leu Ala Ser Ala Leu Ala Xaa Ala Pro Phe Ala Phe Phe Pro Ser
 85 90 95

1543

Phe Leu Ala Thr Phe Ala Gly Phe Pro Arg Gln Ala Leu Asn Xaa Gly
100 105 110

Leu Pro Leu Xaa Phe Arg Xaa Ser Ala Val Arg His Leu Asp Pro Lys
115 120 125

Lys Leu Asp
130

<210> 1472

<211> 179

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

1544

<220>
<221> SITE
<222> (74)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (82)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (102)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (105)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (109)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (110)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (114)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (117)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (118)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (119)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1545

<221> SITE
 <222> (125)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (139)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (150)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (161)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (167)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (179)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <400> 1472
 Lys Lys Lys Lys Xaa Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
 1 5 10 15

 Lys Lys Lys Lys Gly Gly Arg Xaa Xaa Gly Ser Lys Leu Thr Tyr Ala
 20 25 30

 Cys Met Xaa Arg His Ser Ser Xaa Ile Gly Ser Pro Lys Phe Asn Ser
 35 40 45

 Leu Ala Xaa Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val Thr
 50 55 60

 Gln Leu Asn Arg Leu Ala Xaa His Pro Xaa Phe Ala Ser Trp Arg Asn
 65 70 75 80

 Ser Xaa Lys Ala Arg Thr Asp Arg Pro Ser Gln Gln Leu Arg Ser Leu
 85 90 95

 Asn Gly Lys Trp Asp Xaa Pro Cys Xaa Gly Ala Leu Xaa Xaa Ala Gly
 100 105 110

1546

Val Xaa Val Thr Xaa Xaa Xaa Thr Ala Thr Leu Ala Xaa Ala Leu Ala
 115 120 125

Pro Ala Pro Phe Ala Phe Phe Pro Ser Phe Xaa Ala Thr Phe Ala Gly
 130 135 140

Phe Pro Arg Gln Ala Xaa Asn Arg Gly Leu Pro Leu Gly Phe Arg Leu
 145 150 155 160

Xaa Ala Leu Arg Asp Leu Xaa Pro Gln Lys Asn Leu Ile Arg Gly Asp
 165 170 175

Gly Ser Xaa

<210> 1473
 <211> 58
 <212> PRT
 <213> Homo sapiens

<400> 1473
 Ile Ala Ser Gly Arg Ser Arg Gly Ser Lys Leu Thr Tyr Ala Cys Met
 1 5 10 15

Arg Arg His Ser Ser Ser Ile Val Ser Pro Lys Phe Asn Ser Leu Ala
 20 25 30

Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu
 35 40 45

Asn Arg Leu Ala Ala His Pro Pro Phe Ala
 50 55

<210> 1474
 <211> 70
 <212> PRT
 <213> Homo sapiens

<400> 1474
 Ile Ala Ser Gly Arg Ser Arg Gly Ser Lys Leu Thr Tyr Ala Cys Met
 1 5 10 15

Arg Arg His Ser Ser Ser Ile Val Ser Pro Lys Phe Asn Ser Leu Ala
 20 25 30

Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu
 35 40 45

1547

Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Trp Arg Asn Ser Glu
50 55 60

Glu Ala Arg Thr Asp Arg
65 70

<210> 1475

<211> 62

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1475

Leu Pro Xaa Ala Xaa Tyr Thr Xaa Xaa Gly Thr Thr Pro His Tyr Arg

1548

1					5						10					15
Glu	Ser	Trp	Tyr	Ala	Cys	Arg	Tyr	Arg	Ser	Gly	Ile	Pro	Gly	Ser	Thr	
				20				25					30			
His	Ala	Ser	Glu	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Arg	Xaa	
			35				40						45			
Asp	Asp	Leu	Glu	Asp	Pro	Lys	Leu	Thr	Tyr	Xaa	Xaa	Met	Gln			
		50				55						60				

<210> 1476

<211> 80

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

1549

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1476

Ile	Arg	Xaa	Xaa	Xaa	Leu	Arg	Xaa	Asp	Thr	Thr	His	Tyr	Arg	Glu	Ser
1				5					10					15	

Trp	Tyr	Ala	Cys	Arg	Tyr	Arg	Ser	Gly	Ile	Pro	Gly	Xaa	Thr	His	Ala
			20					25					30		

Ser	Val	Glu	Ile	Cys	Pro	Pro	Xaa	Ser	Arg	Pro	Xaa	Ser	Ser	Gln	Ser
		35					40					45			

Asn	Gly	Glu	Gly	Tyr	Ser	Xaa	Cys	Arg	Arg	Pro	Gln	Ala	Leu	Glu	Ala
	50					55					60				

Ala	Thr	Tyr	Leu	Asn	Pro	Val	Pro	Xaa	Arg	Ile	Leu	Leu	Lys	Pro	Phe
65					70					75				80	

<210> 1477

<211> 52

<212> PRT

<213> Homo sapiens

<400> 1477

Arg	Gln	Val	Pro	His	Glu	Arg	Ala	Val	Arg	Asp	Gly	Arg	Gly	Gly	Gly
1				5					10					15	

Arg	Ser	Arg	Gly	Ser	Lys	Leu	Thr	Tyr	Ala	Cys	Met	Arg	Arg	His	Ser
			20					25					30		

Ser	Ser	Ile	Val	Ser	Pro	Lys	Phe	Asn	Ser	Leu	Ala	Val	Val	Leu	Gln
		35					40					45			

Arg	Arg	Asp	Trp
50			

1550

<210> 1478

<211> 154

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (140)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1478

Ile	Ala	Ser	Gly	Arg	Ser	Arg	Gly	Ser	Lys	Leu	Thr	Tyr	Ala	Cys	Met
1				5					10					15	

Arg	Arg	His	Ser	Ser	Ser	Ile	Val	Ser	Pro	Lys	Phe	Asn	Ser	Leu	Ala
			20					25					30		

Val	Val	Leu	Gln	Arg	Arg	Asp	Trp	Glu	Asn	Pro	Gly	Val	Thr	Gln	Leu
		35					40					45			

Asn	Arg	Leu	Ala	Ala	His	Pro	Pro	Phe	Ala	Ser	Trp	Arg	Asn	Ser	Glu
	50					55					60				

Glu	Ala	Arg	Thr	Asp	Arg	Pro	Ser	Gln	Gln	Leu	Arg	Ser	Leu	Asn	Gly
65					70					75				80	

Glu	Trp	Asp	Ala	Pro	Cys	Ser	Gly	Ala	Leu	Ser	Ala	Ala	Gly	Val	Val
			85						90					95	

Val	Thr	Arg	Ser	Val	Thr	Ala	Thr	Leu	Ala	Ser	Ala	Leu	Ala	Pro	Ala
			100					105					110		

Pro	Phe	Ala	Phe	Phe	Pro	Ser	Phe	Leu	Ala	Thr	Phe	Ala	Gly	Phe	Pro
		115					120					125			

Arg	Gln	Ala	Leu	Asn	Arg	Gly	Leu	Pro	Leu	Gly	Xaa	Arg	Phe	Lys	Cys
	130					135					140				

Phe	Thr	Asp	Leu	Asp	Pro	Lys	Lys	Leu	Asp
145						150			

<210> 1479

<211> 130

<212> PRT

<213> Homo sapiens

<220>

1551

<221> SITE

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1479

Ile Ala Gly Gly Arg Ser Arg Gly Ser Lys Leu Thr Tyr Ala Cys Met
1 5 10 15

Arg Arg His Ser Ser Ser Ile Val Ser Pro Lys Phe Asn Ser Leu Ala
20 25 30

Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu
35 40 45

Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Trp Arg Asn Ser Glu
50 55 60

Glu Ala Arg Thr Asp Arg Pro Ser Gln Gln Leu Arg Ser Leu Asn Gly
65 70 75 80

Glu Trp Asp Ala Pro Cys Ser Gly Ala Leu Ser Ala Ala Gly Val Val
85 90 95

Val Thr Arg Ser Val Thr Ala Thr Leu Ala Lys Arg Pro Lys Arg Pro
100 105 110

Phe Leu Ser Leu Ser Ser Phe Leu Phe Xaa Pro Arg Ser Ala Gly Phe
115 120 125

Ser Pro
130

<210> 1480

<211> 131

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1552

<222> (127)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (129)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1480

Ile	Ala	Ser	Gly	Arg	Ser	Arg	Gly	Ser	Lys	Leu	Thr	Tyr	Ala	Cys	Met
1				5					10					15	

Arg	Arg	His	Ser	Ser	Ser	Ile	Val	Ser	Pro	Lys	Phe	Asn	Ser	Leu	Ala
			20					25					30		

Val	Val	Leu	Gln	Arg	Arg	Asp	Trp	Glu	Asn	Pro	Gly	Val	Thr	Gln	Leu
		35					40					45			

Asn	Arg	Leu	Ala	Ala	His	Pro	Pro	Phe	Ala	Ser	Trp	Arg	Asn	Ser	Glu
		50				55					60				

Glu	Ala	Arg	Thr	Asp	Arg	Pro	Ser	Gln	Gln	Leu	Arg	Ser	Leu	Asn	Gly
65					70					75					80

Glu	Trp	Asp	Ala	Pro	Cys	Ser	Gly	Ala	Leu	Ser	Ala	Ala	Gly	Val	Val
			85						90					95	

Val	Thr	Arg	Ser	Val	Thr	Xaa	Thr	Leu	Ala	Ser	Ala	Leu	Ala	Pro	Xaa
			100					105					110		

Pro	Phe	Ala	Phe	Phe	Leu	Leu	Ser	Arg	His	Gly	Arg	Pro	Ala	Xaa	Pro
		115					120					125			

Xaa	Lys	Leu
		130

<210> 1481

<211> 112

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

1553

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1481

Xaa Ser Ser Arg Ser Arg Ala Ala Arg Ser Arg Gly Ser Lys Leu Thr
1 5 10 15

Tyr Ala Cys Met Arg Arg His Ser Ser Ser Ile Val Ser Pro Lys Phe
20 25 30

Asn Ser Leu Ala Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly
35 40 45

Val Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Trp
50 55 60

His Asn Ser Glu Glu Ala Arg Thr Asp Arg Pro Ser Gln Gln Leu Arg
65 70 75 80

Ser Leu Asn Gly Glu Trp Asp Xaa Pro Cys Ser Gly Ala Leu Ser Ala
85 90 95

Ala Gly Val Val Val Thr Arg Ser Val Thr Ala Thr Leu Ala Ala Pro
100 105 110

<210> 1482

<211> 53

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1482

Glu Asn Val Lys Ala Lys Ile Gln Asp Lys Glu Gly Ile Pro Pro Glu

1554

1 5 10 15
 Xaa Ser Arg Glu Leu Asn Leu Cys Leu Xaa Lys Gln Leu Gly Arg Met
 20 25 30
 Gly Arg Tyr Phe Val Leu Asn Leu Gln Tyr Phe Lys Arg Gly Ser Tyr
 35 40 45
 Phe Xaa Ile Leu Cys
 50

<210> 1483

<211> 61

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1483

Ala Asn Met Gln Ile Phe Val Lys Thr Leu Thr Gly Lys Thr Ile Thr
 1 5 10 15

Leu Glu Val Glu Pro Ser Asp Thr Ile Glu Asn Val Lys Ala Lys Ile
 20 25 30

Gln Asp Lys Glu Gly Ile Pro Pro Asp Gln Gln Arg Leu Ile Phe Ala
 35 40 45

Gly Lys Gln Leu Glu Gly Trp Xaa Gln Leu Xaa Gln Thr
 50 55 60

<210> 1484

<211> 27

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

1555

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1484

Gly	Glu	Gly	Pro	Thr	Xaa	Pro	Leu	Pro	Ser	Glu	Thr	Xaa	Gly	Asp	Val
1				5				10					15		

Ala	Pro	Leu	Xaa	Cys	Xaa	Xaa	Gly	Leu	Asn	Met
		20						25		

<210> 1485

<211> 45

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

1556

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1485

Phe Leu Ala Ala Gly Asn Pro Leu Arg Trp Pro Xaa Ile Leu Thr Ser
1 5 10 15

Arg Trp Lys Ser Asp Ile Tyr Xaa Arg Lys Ser Asp Gly Xaa Tyr Ile
20 25 30

Ile Xaa Leu Lys Arg Thr Trp Glu Lys Leu Leu Leu Gly
35 40 45

<210> 1486

<211> 140

<212> PRT

<213> Homo sapiens

<400> 1486

Pro Arg Val Arg Arg Ala Glu Trp Leu Cys Gly Arg Val Ser Glu Thr
1 5 10 15

Gly Ser Ala Cys Ser Met Ala Asp Gln Leu Thr Glu Glu Gln Ile Ala
20 25 30

Glu Phe Lys Glu Ala Phe Ser Leu Phe Asp Lys Asp Gly Asp Gly Thr
35 40 45

Ile Thr Thr Lys Glu Leu Gly Thr Val Met Arg Ser Leu Gly Gln Asn
50 55 60

Pro Thr Glu Ala Glu Leu Gln Asp Met Ile Asn Glu Val Asp Ala Asp
65 70 75 80

Gly Asn Gly Thr Ile Asp Phe Pro Glu Phe Leu Thr Met Met Ala Arg
85 90 95

Lys Met Lys Asp Thr Asp Ser Glu Glu Glu Ile Arg Glu Ala Phe Arg
100 105 110

Val Phe Asp Lys Asp Gly Asn Gly Tyr Ile Ser Ala Ala Glu Leu Arg
115 120 125

His Val Met Thr Asn Leu Gly Arg Glu Val Asn Arg
130 135 140

1557

<210> 1487
<211> 36
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (1)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (8)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (13)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (16)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (19)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (35)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1487
Xaa Leu Gly Arg Asn Trp Ala Xaa Phe Thr Gly Lys Xaa Val Gly Xaa
1 5 10 15

Ala Ser Xaa Asn Val Tyr Val His Ile Pro His Leu Arg Asn Ser His
20 25 30

Glu Lys Xaa Ser
35

<210> 1488
<211> 34
<212> PRT

1558

<213> Homo sapiens

<400> 1488

Ser Gly Pro Leu Trp Ile Leu Gly Asp Val Phe Ile Gly Arg Tyr Tyr
1 5 10 15

Thr Val Phe Asp Arg Asp Asn Asn Arg Val Gly Phe Ala Glu Ala Ala
20 25 30

Arg Leu

<210> 1489

<211> 160

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (160)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1489

Pro Thr Asn Xaa Xaa Lys Ser Xaa Glu Leu His Arg Gly Gly Gly Arg
1 5 10 15

Ser Arg Thr Ser Gly Ser Pro Gly Leu Gln Glu Phe Gly Thr Ser Thr
20 25 30

Gln Arg Pro Val Asp Ile Val Phe Leu Leu Asp Gly Ser Glu Arg Leu
35 40 45

Gly Glu Gln Asn Phe His Lys Ala Arg Arg Phe Val Glu Gln Val Ala
50 55 60

1559

Arg Arg Leu Thr Leu Ala Arg Arg Asp Asp Asp Pro Leu Asn Ala Arg
65 70 75 80

Val Ala Leu Leu Gln Phe Gly Gly Pro Gly Glu Gln Gln Val Ala Phe
85 90 95

Pro Leu Ser His Asn Leu Thr Ala Ile His Glu Ala Leu Glu Thr Thr
100 105 110

Gln Tyr Leu Asn Ser Phe Ser His Val Gly Ala Gly Val Val His Ala
115 120 125

Ile Asn Ala Ile Val Arg Ser Pro Arg Gly Gly Ala Arg Arg His Ala
130 135 140

Glu Leu Pro Ser Trp Ser Ser Arg Thr Ala Ser Arg Ala Thr Thr Xaa
145 150 155 160

<210> 1490

<211> 105

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1560

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (82)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (86)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (101)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1490

Ala	Gln	Met	Gly	Met	Leu	Lys	Gly	Pro	Leu	Leu	Asn	Lys	Phe	Leu	Thr
1				5					10					15	

Thr	Ala	Lys	Asp	Lys	Asn	Arg	Trp	Glu	Asp	Xaa	Gly	Lys	Gln	Leu	Tyr
			20					25					30		

Asn	Val	Glu	Ala	Thr	Ser	Tyr	Xaa	Leu	Xaa	Ala	Leu	Leu	Gln	Leu	Lys
		35					40					45			

Xaa	Phe	Asp	Phe	Val	Pro	Pro	Val	Val	Xaa	Xaa	Leu	Asn	Xaa	Gln	Arg
	50						55						60		

1561

Xaa Tyr Gly Gly Gly Tyr Gly Ser Thr Gln Ala Thr Phe Met Val Phe
65 70 75 80
Gln Xaa Leu Ala Gln Xaa Gln Lys Asp Gly Pro Asp His Gln Ala Leu
85 90 95
Asn Leu Xaa Val Xaa Leu Gln Met Leu
100 105

<210> 1491
<211> 125
<212> PRT
<213> Homo sapiens

<400> 1491
Arg Asn Thr Leu Ile Ile Tyr Leu Asp Lys Val Ser His Ser Glu Asp
1 5 10 15
Asp Cys Leu Ala Phe Lys Val His Gln Tyr Phe Asn Val Glu Leu Ile
20 25 30
Gln Pro Gly Ala Val Lys Val Tyr Ala Tyr Tyr Asn Leu Glu Glu Ser
35 40 45
Cys Thr Arg Phe Tyr His Pro Glu Lys Glu Asp Gly Lys Leu Asn Lys
50 55 60
Leu Cys Arg Asp Glu Leu Cys Arg Cys Ala Glu Glu Asn Cys Phe Ile
65 70 75 80
Gln Lys Ser Asp Asp Lys Val Thr Leu Glu Glu Arg Leu Asp Lys Ala
85 90 95
Cys Glu Pro Gly Val Asp Tyr Val Tyr Lys Thr Arg Leu Ala Arg Phe
100 105 110
Lys Leu Ser Asn Asp Phe Asp Arg Val His His Gly His
115 120 125

<210> 1492
<211> 68
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (62)

1562

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1492

Arg Pro Thr Arg Pro Ala Leu Ser Ile Ile Ala Leu Glu Ile Gln Ala
1 5 10 15

Gln Lys Cys Val Glu Leu Thr Glu Gly Ile Glu Cys Leu Gln Thr His
20 25 30

Ser Lys Ile Asn Gly Arg Asp Leu Thr Phe Trp Gln Glu Leu Val Ser
35 40 45

Lys Cys Leu Thr Glu Tyr Ser Ser Lys Gln Ser Gly Ser Xaa Pro Asn
50 55 60

Val Pro Glu Val
65

<210> 1493

<211> 74

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1563

<221> SITE
<222> (62)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (63)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (74)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1493
Glu Glu Ile Gln Lys His Asn His Ser Lys Ser Thr Trp Xaa Asp Pro
1 5 10 15
Xaa Thr Thr Arg Cys Thr Asn Leu Thr Lys Phe Leu Xaa Glu Ala Ser
20 25 30
Leu Val Gly Glu Glu Val Leu Arg Gly Thr Ser Leu Glu Val Thr Leu
35 40 45
Leu Glu Glu Xaa Leu Arg Xaa Val Arg Gly Thr Phe Thr Xaa Xaa Pro
50 55 60
Lys Gly Lys Leu Phe Pro Lys Thr Phe Xaa
65 70

<210> 1494
<211> 54
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (46)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (49)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1494
Asp Ala Thr Ser Pro Ile Ile Glu Glu Leu Ile Thr Phe His Asp His
1 5 10 15

1564

Ala Leu Ile Ile Ile Phe Leu Ile Cys Phe Leu Val Leu Tyr Ala Leu
20 25 30
Phe Leu Thr Leu Thr Thr Lys Leu Thr Asn Thr Asn Ile Xaa Asp Ala
35 40 45
Xaa Glu Ile Glu Thr Val
50

<210> 1495
<211> 38
<212> PRT
<213> Homo sapiens

<400> 1495
Phe Phe Gly His Pro Glu Val Tyr Ile Leu Ile Leu Pro Gly Phe Gly
1 5 10 15
Ile Ile Ser His Ile Val Thr Tyr Tyr Ser Gly Lys Lys Glu Pro Phe
20 25 30
Gly Tyr Ile Gly Met Val
35

<210> 1496
<211> 46
<212> PRT
<213> Homo sapiens

<400> 1496
Ala Phe Tyr His Ser Ser Leu Ala Pro Thr Pro Gln Leu Gly Gly His
1 5 10 15
Trp Pro Pro Thr Gly Ile Thr Pro Leu Asn Pro Leu Glu Val Pro Leu
20 25 30
Leu Asn Thr Ser Val Leu Leu Ala Ser Gly Val Ser Ile Thr
35 40 45

<210> 1497
<211> 60
<212> PRT
<213> Homo sapiens

<400> 1497

1565

Ala Gln Val Gly Leu Gln Asp Ala Thr Ser Pro Ile Ile Glu Glu Leu
 1 5 10 15
 Ile Thr Phe His Asp His Ala Leu Ile Ile Ile Phe Leu Ile Cys Phe
 20 25 30
 Leu Val Leu Tyr Ala Leu Phe Leu Thr Leu Thr Thr Lys Leu Thr Asn
 35 40 45
 Thr Asn Ile Ser Asp Ala Gln Glu Ile Glu Thr Val
 50 55 60

<210> 1498
 <211> 45
 <212> PRT
 <213> Homo sapiens

<400> 1498
 Thr Tyr Glu Tyr Thr Asp Tyr Gly Gly Leu Ile Phe Asn Ser Tyr Ile
 1 5 10 15
 Leu Pro Pro Leu Phe Leu Glu Pro Gly Asp Leu Arg Leu Leu Asp Gly
 20 25 30
 Asp Asn Arg Val Val Leu Pro Ile Glu Ala Pro Phe Val
 35 40 45

<210> 1499
 <211> 69
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (63)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1499
 His Arg Leu Asp Phe Leu Gln Leu Met Ile Asp Ser Gln Asn Ser Lys
 1 5 10 15
 Glu Thr Glu Ser His Lys Ala Leu Ser Asp Leu Glu Leu Ala Ala Gln
 20 25 30
 Ser Ile Ile Phe Ile Phe Ala Gly Tyr Glu Thr Thr Ser Ser Val Leu
 35 40 45

1566

Ser Phe Thr Leu Tyr Glu Leu Ala Thr His Pro Asp Val Gln Xaa Lys
50 55 60

Leu Gln Lys Gly Asp
65

<210> 1500

<211> 35

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1500

Arg Leu Thr Ser Thr Ala Cys Ala Glu Ser Trp Asp Glu Leu Thr Leu
1 5 10 15

Ala Arg Xaa Asp Leu Glu Xaa Gln Ile Glu Gly Leu Asn Glu Xaa Ala
20 25 30

Ser Leu Thr
35

<210> 1501

<211> 126

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE
<222> (11)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (33)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (49)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (56)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (58)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (67)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (68)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (76)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (80)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (82)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE

1568

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (98)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1501

Phe Xaa Ala Pro Ser Arg Ile Ser Ala Trp Xaa Gly Pro Pro Ala Ser

1 5 10 15

Thr Pro Ala Ser Thr Met Ser Ile Lys Val Thr Gln Lys Ser Tyr Lys

20 25 30

Xaa Ser Thr Ser Ser Pro Arg Ala Phe Ser Ser Arg Ser Tyr Thr Asn

35 40 45

Xaa Pro Gly Ser Arg Ile Asn Xaa Ser Xaa Phe Ser Arg Ile Gly Ser

50 55 60

Ser Asn Xaa Xaa Ser Gly Leu Gly Gly Gly Tyr Xaa Gly Ala Ser Xaa

65 70 75 80

Met Xaa Gly Ile Thr Ala Val Thr Val Asn Gln Ser Leu Leu Xaa Pro

85 90 95

Leu Xaa Leu Glu Val Asp Pro Asn Ile Gln Ala Val Arg Thr Gln Glu

100 105 110

Lys Glu Gln Ile Xaa Thr Leu Asn Asn Lys Phe Ala Ser Ser

115 120 125

<210> 1502

<211> 84

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE
<222> (10)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (11)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (14)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (15)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (18)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (27)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (30)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (44)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (48)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (63)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE

1570

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1502

Gln	Arg	Asn	Ser	Xaa	Gly	Ser	Arg	Thr	Xaa	Xaa	Ser	Arg	Xaa	Xaa	Cys
1				5				10					15		

Lys	Xaa	Val	Ala	Met	Phe	Ser	Trp	Asp	Pro	Xaa	Leu	Val	Xaa	Gly	Gly
		20					25					30			

Gly	Ala	Ser	Lys	Met	Ala	Val	Ala	His	Ala	Leu	Xaa	Glu	Lys	Ser	Xaa
	35					40					45				

Ala	Met	Asp	Trp	Cys	Gly	Asn	Asn	Gly	His	Thr	Gly	Leu	Leu	Xaa	Arg
	50				55					60					

Ala	Leu	Xaa	Val	His	Ser	Ser	Xaa	Pro	Trp	Ile	Xaa	Lys	Leu	Trp	Gly
65				70					75					80	

Xaa Ser His His

<210> 1503

<211> 70

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1571

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1503

Val Gly Val Leu Gly Leu Asp Leu Trp Gln Val Lys Ser Gly Thr Ile
1 5 10 15

Phe Asp Asn Phe Leu Ile Thr Asn Asp Glu Ala Tyr Ala Glu Glu Phe
20 25 30

Gly Asn Glu Thr Trp Gly Val Thr Lys Ala Ala Glu Lys Gln Met Lys
35 40 45

Asp Lys Gln Asp Glu Glu Gln Arg Leu Lys Glu Glu Glu Asp Lys
50 55 60

Lys Arg Lys Glu Xaa Xaa
65 70

<210> 1504

<211> 42

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

1572

<400> 1504

Asn Thr Leu Xaa Tyr Xaa Met Lys Ala Thr Xaa Ile Leu Leu Leu Xaa
1 5 10 15

Ala Gln Leu Ser Trp Ala Gly Pro Phe His Gln Thr Gly Leu Leu Asp
20 25 30

Ser Met Leu Glu His Glu Ala Tyr Xaa Ile
35 40

<210> 1505

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1505

Xaa His Xaa Asp Cys Ser Xaa Pro Ile Val Ala Ala Gly Val Gly Glu
1 5 10 15

1573

Phe Glu Ala Gly Ile Ser Lys Asn Gly Gln Thr Arg Glu His Ala Leu
20 25 30
Leu Ala Tyr Thr Leu Gly Val Lys Gln Leu Ile Val Gly Xaa Asn Lys
35 40 45
Met Asp Ser Thr Glu Pro Pro Tyr Ser Gln Lys Arg Tyr Glu Glu Ile
50 55 60
Xaa Lys Glu Val Ser Thr Tyr Xaa
65 70

<210> 1506
<211> 23
<212> PRT
<213> Homo sapiens

<400> 1506
Ala Glu Thr Arg Lys Arg Lys Gly Leu Lys Glu Gly Ile Pro Ala Leu
1 5 10 15
Asp Asn Phe Leu Asp Lys Leu
20

<210> 1507
<211> 87
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (79)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1507
Lys Leu Pro Leu Lys Ala Lys Met Gly Lys Glu Lys Thr His Ile Asn
1 5 10 15
Ile Val Val Ile Gly His Val Asp Ser Gly Lys Ser Thr Thr Gly
20 25 30
His Leu Ile Tyr Lys Cys Gly Gly Ile Asp Lys Arg Thr Ile Glu Lys
35 40 45
Phe Glu Lys Glu Ala Ala Glu Met Gly Lys Gly Ser Phe Lys Tyr Ala
50 55 60

1574

Trp Val Leu Asp Lys Leu Lys Ala Glu Arg Glu Arg Gly Ile Xaa Ile
 65 70 75 80

Gly Tyr Leu Leu Val Glu Ile
 85

<210> 1508

<211> 110

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (96)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1508

Pro Asp Pro Xaa Ile Phe Ala Pro Pro Ile Ser Ala Pro Pro Pro Ser
 1 5 10 15

Ser Gly Thr Arg Asp Arg Ser Gln Arg Ser Leu Asp His Tyr Glu Pro
 20 25 30

Pro Val Gln Pro Arg Gly Pro Cys Pro Arg Ser Phe Glu Leu Leu Val
 35 40 45

Arg Ala Val Gly Ala Ala Ala Ala Asp Ala Ala Arg Ala His Arg
 50 55 60

1575

Gln Arg Trp Ser Cys Arg Cys Cys Val Xaa Arg Ala Ala Leu Pro Phe
65 70 75 80
Val Tyr Arg Pro Arg Lys Glu Ser Ile Pro Lys Met Ile Ser Asn Xaa
85 90 95
Gln Val Xaa Ala Ile Gly Pro Thr Val Leu Gln Xaa Gly Lys
100 105 110

<210> 1509

<211> 60

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

1576

<400> 1509

Ser Phe Val Glu Leu Pro Leu Ala Ser Ile Val Ser Leu His Ala Ser
1 5 10 15
Ser Xaa Gly Gly Arg Leu Gln Thr Ser Pro Xaa Pro Ile Gln Xaa Thr
20 25 30
Pro Pro Lys Asp Thr Cys Ser Pro Xaa Leu Xaa Met Ser Leu Xaa Pro
35 40 45
Xaa Lys Leu Cys Arg Arg Arg His Gly Pro Trp Tyr
50 55 60

<210> 1510

<211> 116

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (91)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (92)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (115)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1510

Gly Thr Ser Ser Ser Gln Arg Phe Tyr Lys Glu Asn Leu Gly Gln Gly
1 5 10 15
Trp Met Thr Gln Lys His Glu Arg Met Lys Val Tyr Val Pro Thr Gly
20 25 30
Phe Ser Ala Phe Pro Phe Glu Leu Leu His Thr Pro Glu Lys Trp Val
35 40 45
Arg Phe Lys Tyr Pro Lys Leu Ile Ser Tyr Ser Tyr Met Val Arg Gly

1577

50 55 60
 Gly His Phe Ala Ala Phe Glu Glu Pro Glu Leu Leu Ala Gln Asp Ile
 65 70 75 80
 Arg Lys Phe Leu Ser Val Leu Glu Arg His Xaa Xaa Thr Pro Leu Pro
 85 90 95
 Pro Leu Ala Thr Ser Pro His Asn Ala Leu Gln Xaa Phe Leu Gly Glu
 100 105 110
 Asp Asn Xaa Phe
 115

<210> 1511
 <211> 156
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (11)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (104)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (143)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1511
 Arg Glu Gln Lys Leu Glu Leu His Arg Gly Xaa Gly Arg Ser Arg Thr
 1 5 10 15
 Ser Gly Ser Pro Gly Leu Gln Glu Phe Gly Thr Arg Asp Arg Gly Gly
 20 25 30
 Phe Pro Pro Arg Gly Pro Arg Gly Ser Arg Gly Asn Pro Ser Gly Gly
 35 40 45
 Gly Asn Val Gln His Arg Ala Gly Asp Trp Gln Cys Pro Asn Pro Ser
 50 55 60
 Ile Gly Asp Phe Cys Cys Asp Val Ile Val Cys Arg Gly Cys Gly Asn
 65 70 75 80

1578

Gln Asn Phe Ala Trp Arg Thr Glu Cys Asn Gln Cys Gly Asp Arg Gly
85 90 95

Arg Gly Gly Pro Gly Gly Met Xaa Gly Gly Arg Gly Gly Leu Met Asp
100 105 110

Arg Gly Gly Pro Gly Gly Met Phe Arg Gly Gly Arg Gly Gly Asp Arg
115 120 125

Gly Gly Phe Arg Gly Gly Arg Gly Met Asp Arg Gly Gly Phe Xaa Gly
130 135 140

Gly Arg Arg Gly Gly Pro Gly Gly Pro Leu Asp Leu
145 150 155

<210> 1512

<211> 102

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (89)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (101)

1579

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1512

Pro Met Arg Arg Pro Arg Gly Glu Pro Ala Pro Gly Pro Arg Asp Arg
 1 5 10 15

Leu Arg Glu Arg Pro Ala Gln Gly Pro Gly Ser His Val Arg Val Ala
 20 25 30

Pro Leu Ala Thr Val Asn Ile Leu Xaa Ser Leu Cys Gln Leu Arg Cys
 35 40 45

Leu Pro Phe Xaa Ala Leu His Phe Val Xaa Ser Pro Gly Phe Ile Xaa
 50 55 60

Tyr Ile Ser Gly Thr Pro His Ala Leu Ile Val Arg Arg Tyr Leu Ser
 65 70 75 80

Leu Leu Asp Thr Ala Val Glu Leu Xaa Leu Pro Arg Tyr Arg Gly Pro
 85 90 95

Arg Leu Pro Arg Xaa Gln
 100

<210> 1513

<211> 139

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1513

Glu Thr Glu Arg Gly Phe Glu Glu Leu Pro Leu Cys Ser Cys Arg Met
 1 5 10 15

Glu Ala Pro Lys Ile Asp Ser Ile Ser Glu Arg Ala Gly His Lys Cys
 20 25 30

Met Ala Thr Glu Ser Val Asp Gly Glu Leu Ser Gly Cys Asn Ala Ala
 35 40 45

Ile Leu Lys Arg Glu Thr Met Arg Pro Ser Ser Arg Val Ala Leu Met
 50 55 60

Val Leu Cys Glu Thr His Arg Ala Arg Met Val Lys His His Cys Cys
 65 70 75 80

1580

Pro Gly Cys Gly Tyr Phe Cys Thr Ala Gly Thr Phe Leu Glu Cys His
85 90 95

Pro Asp Phe Arg Val Ala His Arg Phe His Lys Ala Cys Val Ser Gln
100 105 110

Leu Asn Gly Met Val Phe Cys Pro His Cys Gly Glu Asp Thr Ser Glu
115 120 125

Ala Gln Xaa Val Thr Ile Pro Gly Val Thr Gly
130 135

<210> 1514

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1581

<221> SITE
<222> (41)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (49)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (53)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (54)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (60)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (68)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (70)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1514
Ile Arg His Glu Ser Ile Ser Gly Ala Ser Xaa Lys Asp Ile Val His
1 5 10 15
Ser Gly Xaa Ala Tyr Thr Xaa Glu Xaa Ser Ala Arg Gln Xaa Met Arg
20 25 30
Thr Ala Met Lys Xaa Asn Leu Gly Xaa Asp Leu Arg Thr Ala Ser Tyr
35 40 45
Xaa Asn Ala Ile Xaa Xaa Val Phe Lys Val Tyr Xaa Glu Ala Gly Val
50 55 60
Thr Phe Thr Xaa Met Xaa His Gly
65 70

1582

<210> 1515
<211> 88
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (82)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (85)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1515
Leu Tyr Pro Pro Ala Cys Ser Ala Thr Arg Thr Pro Ser Thr Met Thr
1 5 10 15
Thr Ser Ala Ser Ser His Leu Asn Lys Gly Ile Lys Gln Val Tyr Met
20 25 30
Ser Leu Pro Gln Gly Glu Lys Val Gln Ala Met Tyr Ile Trp Ile Asp
35 40 45
Gly Thr Gly Glu Gly Leu Arg Cys Lys Thr Arg Thr Leu Asp Ser Glu
50 55 60
Pro Lys Cys Val Glu Glu Leu Pro Glu Trp Asn Phe Asp Gly Ser Ser
65 70 75 80
Thr Xaa Gln Ser Xaa Gly Ser Ser
85

<210> 1516
<211> 105
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (8)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (10)
<223> Xaa equals any of the naturally occurring L-amino acids

1583

<220>
 <221> SITE
 <222> (11)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (27)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (38)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (87)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (89)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (94)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (103)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1516
 Gly Arg Glu Ser Gln Asp Thr Xaa Phe Xaa Xaa Leu Val Glu Arg Val
 1 5 10 15
 Ile Gln Gln Leu Glu Gly Ala Phe Ala Leu Xaa Phe Lys Ser Val His
 20 25 30
 Phe Pro Gly Gln Ala Xaa Gly Thr Arg Arg Gly Ser Pro Leu Leu Ile
 35 40 45
 Gly Val Arg Ser Glu His Lys Leu Ser Thr Asp His Ile Pro Ile Leu
 50 55 60
 Tyr Arg Thr Gly Lys Asp Lys Lys Gly Ser Cys Asn Leu Ser Arg Val
 65 70 75 80

1584

Asp Ser Thr Thr Cys Leu Xaa Pro Xaa Glu Glu Lys Ala Xaa Glu Tyr
85 90 95

Tyr Phe Ala Ser Asp Ala Xaa Ala Ala
100 105

<210> 1517

<211> 121

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1585

<222> (100)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (109)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1517

Gly	Xaa	Glu	Lys	Arg	Glu	Arg	Glu	Arg	Glu	Arg	Leu	Val	Ile	Arg	Gln
1				5					10					15	

Xaa	Pro	Xaa	Val	Gln	Xaa	Leu	Gln	Ala	Tyr	Lys	Pro	Arg	Glu	Asn	Asp
			20					25						30	

Xaa	Leu	Ala	Leu	Glu	Lys	Ala	Asp	Val	Val	Met	Val	Thr	His	Gln	Ser
		35					40						45		

Ser	Ala	Arg	Leu	Ala	Gly	Gly	Arg	Glu	Ala	Leu	Arg	Arg	Gly	Ala	Arg
		50				55					60				

Leu	Val	Ser	Cys	Asp	Ser	Xaa	Xaa	Ser	Ser	Phe	Pro	Thr	Gln	Arg	Ser
	65					70				75					80

Val	Thr	Gln	Asn	Leu	Lys	Gly	Ser	Phe	Ile	Glu	Cys	Lys	Thr	Cys	Gln
				85					90						95

Thr	Thr	Ala	Xaa	Gly	Asn	Ser	Lys	Pro	Xaa	Phe	Ser	Xaa	Xaa	Glu	Gly
			100						105					110	

Val	Phe	Val	Ser	Trp	Lys	Asn	Lys	Leu
		115					120	

<210> 1518

<211> 146

<212> PRT

<213> Homo sapiens

<220>

1586

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (132)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (138)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1518

Arg	Gly	Pro	Ala	Gln	Arg	Gly	Glu	Gly	Ala	Arg	Glu	Ala	Asn	Lys	Lys
1				5					10					15	

Ile	Glu	Lys	Gln	Leu	Gln	Lys	Asp	Lys	Gln	Val	Tyr	Arg	Ala	Thr	His
			20					25					30		

Arg	Leu	Leu	Leu	Leu	Gly	Ala	Gly	Glu	Ser	Gly	Lys	Ser	Thr	Ile	Val
	35						40					45			

Lys	Gln	Met	Arg	Ile	Leu	His	Val	Asn	Gly	Phe	Asn	Gly	Asp	Ser	Glu
	50					55						60			

Lys	Ala	Thr	Lys	Val	Gln	Xaa	Ile	Lys	Asn	Asn	Leu	Lys	Glu	Ala	Ile
65					70					75					80

Glu	Thr	Ile	Val	Ala	Ala	Met	Ser	Asn	Leu	Val	Pro	Pro	Val	Glu	Leu
				85					90					95	

Ala	Asn	Pro	Glu	Asn	Gln	Phe	Arg	Val	Asp	Tyr	Ile	Leu	Ser	Val	Met
		100						105					110		

Asn	Val	Pro	Asp	Phe	Xaa	Phe	Pro	Pro	Glu	Phe	Tyr	Glu	His	Ala	Lys
		115					120					125			

Ala	Leu	Trp	Xaa	Asp	Glu	Xaa	Val	Arg	Xaa	Cys	Tyr	Glu	Arg	Ser	Asn
	130					135						140			

1587

Glu Tyr
145

<210> 1519
<211> 137
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (72)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1519
Asp Ser Gln Arg Gln Ala Thr Lys Asp Ala Gly Val Ile Ala Gly Leu
1 5 10 15
Asn Val Leu Arg Ile Ile Asn Glu Pro Thr Ala Ala Ala Ile Ala Tyr
20 25 30
Gly Leu Asp Arg Thr Gly Lys Gly Glu Arg Asn Val Leu Ile Phe Asp
35 40 45
Leu Gly Gly Gly Thr Phe Asp Val Ser Ile Leu Thr Ile Asp Asp Gly
50 55 60
Ile Phe Glu Val Lys Ala Thr Xaa Gly Asp Thr His Leu Gly Gly Glu
65 70 75 80
Asp Phe Asp Asn Arg Leu Val Asn His Phe Val Glu Glu Phe Lys Arg
85 90 95
Lys His Lys Lys Asp Ile Ser Gln Asn Lys Arg Ala Val Arg Arg Leu
100 105 110
Arg Thr Ala Ala Arg Gly Pro Arg Gly Pro Cys Arg Pro Ala Pro Arg
115 120 125
Pro Ala Trp Arg Ser Thr Ser Leu Phe
130 135

<210> 1520
<211> 100
<212> PRT
<213> Homo sapiens

1588

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1520

Cys Arg Lys Ser Ser Trp Lys Arg Trp Trp Pro Gln Ser Lys Leu Xaa

1 5 10 15

Thr Arg Xaa Ile Val Thr Ile Gly Ile Lys Ala Met Ala Thr Met Asp

20 25 30

Ile Thr Ala Lys Val Thr Val Val Met Glu Asp Met Xaa Tyr Thr Gly

35 40 45

Tyr Asn Asn Tyr Tyr Gly Tyr Gly Asp Tyr Ser Asn Gln Gln Ser Gly

50 55 60

Tyr Gly Lys Val Ser Arg Arg Gly Gly His Gln Asn Ser Tyr Lys Pro

65 70 75 80

Tyr Leu Asn Tyr Ser Ile Cys Asn Leu Ser Pro Thr Gly Gly Glu Ala

85 90 95

Tyr Phe Xaa Ile

100

<210> 1521

<211> 129

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1589

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (111)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1521

Asp	Ala	Trp	Ala	Leu	Ala	Pro	Gly	Pro	Val	Leu	Phe	Ser	Asn	Met	Val
1				5					10					15	

Cys	Leu	Lys	Phe	Pro	Gly	Ser	Ser	Cys	Met	Ala	Ala	Leu	Thr	Val	Thr
			20					25					30		

Leu	Met	Val	Leu	Asn	Ser	Pro	Leu	Ala	Leu	Ala	Gly	Asp	Thr	Arg	Pro
		35					40					45			

Arg	Phe	Leu	Glu	Gln	Val	Lys	His	Glu	Cys	His	Phe	Phe	Asn	Gly	Thr
		50				55					60				

Glu	Arg	Val	Arg	Phe	Leu	Asp	Xaa	Tyr	Phe	Tyr	His	Gln	Glu	Glu	Tyr
65					70					75					80

Val	Arg	Phe	Asp	Ser	Asp	Val	Gly	Glu	Tyr	Arg	Ala	Val	Thr	Xaa	Leu
			85						90					95	

Gly	Arg	Pro	Asn	Ser	Glu	Tyr	Trp	Asn	Ser	Gln	Lys	Asp	Xaa	Xaa	Asp
		100						105					110		

Arg	Ser	Gly	Pro	Arg	Trp	Thr	Pro	Thr	Ala	Xaa	Thr	Leu	Arg	Gly	Trp
		115					120					125			

Val

1590

<210> 1522
<211> 113
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (1)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (2)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (6)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (40)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (44)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (53)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (58)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (65)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (67)
<223> Xaa equals any of the naturally occurring L-amino acids

1591

<220>
<221> SITE
<222> (74)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (80)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (90)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (93)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (97)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (110)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1522

Xaa Xaa Thr Asp Ser Xaa Arg Pro Asp Ser Arg Val Asp Pro Arg Val
1 5 10 15

Arg Glu Val Thr Asp Tyr Ala Ile Ala Arg Arg Ile Val Asp Leu His
20 25 30

Ser Arg Ile Glu Glu Ser Ile Xaa Asn Ile Tyr Xaa Leu Asp Asp Ile
35 40 45

Arg Arg Tyr Leu Xaa Tyr Ala Arg Lys Xaa Lys Pro Lys Asn Ser Lys
50 55 60

Xaa Ser Xaa Asp Phe Ile Val Glu Gln Xaa Lys His Leu Arg Pro Xaa
65 70 75 80

Asp Gly Phe Trp Ser Ser Pro Val Phe Xaa Glu Gly Xaa Ser Cys Gly
85 90 95

Xaa Ile Glu Gly Leu Gly Ser Val Ser Leu Gly Ser Gln Xaa Leu Arg

1592

100

105

110

Val

<210> 1523

<211> 32

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1523

Pro Cys Lys Gly Ser Ile Ile Thr Trp Ser Leu Ile Arg Asp Leu Xaa

1

5

10

15

Glu Trp Leu His Glu Gly Gln Leu Ala Leu Thr Phe Asn Gln Xaa Asn

20

25

30

<210> 1524

<211> 28

<212> PRT

<213> Homo sapiens

<400> 1524

Pro Cys Lys Gly Ser Ile Ile Thr Cys Ser Leu Asn Arg Asp Leu Tyr

1

5

10

15

Glu Trp Leu His Glu Gly Ser Ala Val Ser Tyr Phe

20

25

<210> 1525

<211> 92

<212> PRT

1593

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (92)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1525

Xaa Glu Gln Lys Leu Xaa Leu His Arg Gly Gly Gly Arg Ser Arg Thr

1

5

10

15

1594

Ser Gly Ser Pro Xaa Leu Xaa Glu Phe Gly Thr Ser Gly Thr Arg Pro
 20 25 30
 Cys Gly Val Tyr Thr Pro Arg Cys Gly Ser Gly Leu Leu Cys Tyr Pro
 35 40 45
 Pro Arg Gly Val Glu Lys Pro Leu His Thr Leu Met His Gly Gln Gly
 50 55 60
 Val Cys Met Glu Leu Ala Xaa Ile Glu Ala Xaa Xaa Glu Ser Leu Xaa
 65 70 75 80
 Pro Ser Asp Lys Asp Glu Gly Asp His Pro Asn Xaa
 85 90

<210> 1526

<211> 154

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1526

Xaa Glu Pro Ser Pro Gly Ile Phe Arg Trp Phe His Leu Val Asn Arg
 1 5 10 15
 Thr Glu Gln Arg Glu Leu Thr Met Glu Phe Gly Leu Ser Trp Leu Phe
 20 25 30
 Leu Val Ala Ile Leu Lys Gly Val Gln Cys Glu Val Gln Leu Val Glu
 35 40 45
 Ser Gly Gly Gly Leu Val Gln Pro Gly Gly Ser Leu Arg Leu Ser Cys
 50 55 60
 Thr Val Ser Gly Phe Thr Phe Arg Asn Tyr Ala Met Ser Trp Val Arg
 65 70 75 80
 Gln Gly Pro Gly Lys Gly Leu Glu Trp Val Ser Ala Ile Asp Gly Ser
 85 90 95

1595

Gly Tyr Asn Thr Tyr Tyr Glu Arg Ser Leu Gln Gly Arg Phe Ser Val
 100 105 110
 Ser Arg Asp Asn Ser Xaa Asn Thr Leu Tyr Leu Gln Met Asn Ser Leu
 115 120 125
 Gly Ala Glu Asp Thr Ala Ile Tyr Tyr Cys Ala Lys Thr Glu Arg Met
 130 135 140
 Gly Thr Gly Trp Tyr Gly Arg Asn Asp Tyr
 145 150

<210> 1527

<211> 135

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (129)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (133)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (134)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1527

Gly Lys Leu Val Arg Leu Gln Val Pro Val Arg Asn Ser Arg Val Asp
 1 5 10 15

Pro Arg Val Arg Thr Val Thr Pro Gly Glu Thr Ala Ser Ile Ser Cys
 20 25 30

Arg Ser Ser Gln Thr Leu Leu His Val Asn Gly His Asn Tyr Leu Asp
 35 40 45

Trp Tyr Met Gln Lys Pro Gly Gln Pro Pro Gln Leu Val Val Tyr Arg
 50 55 60

1596

Gly Ser Asn Arg Ala Ser Gly Val Pro Asp Arg Phe Ser Gly Gly Gly
 65 70 75 80
 Ser Gly Thr Asp Phe Thr Leu Arg Ile Thr Thr Val Glu Ala Xaa Asp
 85 90 95
 Val Gly Val Tyr Tyr Cys Met Gln Ala Leu Gln Ser Pro Tyr Thr Phe
 100 105 110
 Gly Gln Gly Thr Lys Leu Glu Ile Lys Arg Thr Val Gly Cys Thr Ile
 115 120 125
 Xaa Leu His Leu Xaa Xaa Ile
 130 135

<210> 1528

<211> 139

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (137)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1528

Arg Glu Gln Lys Leu Glu Leu His Arg Gly Gly Gly Arg Ser Arg Thr
 1 5 10 15
 Ser Gly Ser Pro Gly Leu Gln Glu Phe Gly Thr Ser Gly Trp Ala Leu
 20 25 30
 Arg Ile Ser Arg Phe Leu Pro Gly Phe His Ser Phe Ala Pro Cys Thr
 35 40 45
 Val Ala Pro Ser Leu Arg Ala Gln Pro Ala Lys Gln Arg Ala Pro Val
 50 55 60
 Ala Gly Val Met Gln Arg Ala Arg Pro Thr Leu Trp Ala Ala Ala Leu
 65 70 75 80
 Thr Leu Leu Val Leu Leu Arg Gly Pro Pro Val Ala Arg Ala Gly Ala
 85 90 95

1597

Ser Ser Gly Gly Leu Gly Pro Val Val Arg Cys Glu Pro Cys Asp Ala
 100 105 110

Arg Ala Leu Ala Xaa Cys Ala Pro Ser Ala Arg Arg Val Arg Arg Asn
 115 120 125

Leu Val Arg Gln Ala Gly Leu Ala Xaa Ala Ala
 130 135

<210> 1529

<211> 135

<212> PRT

<213> Homo sapiens

<400> 1529

Trp Ile Pro Arg Ala Ala Gly Ile Arg His Glu Ile Asp Asp Thr Asn
 1 5 10 15

Ile Thr Arg Leu Gln Leu Glu Thr Glu Ile Glu Ala Leu Lys Glu Glu
 20 25 30

Leu Leu Phe Met Lys Lys Asn His Glu Glu Glu Val Lys Gly Leu Gln
 35 40 45

Ala Gln Ile Ala Ser Ser Gly Leu Thr Val Glu Val Asp Ala Pro Lys
 50 55 60

Ser Gln Asp Leu Ala Lys Ile Met Ala Asp Ile Arg Ala Gln Tyr Asp
 65 70 75 80

Glu Leu Ala Arg Lys Asn Arg Glu Glu Leu Asp Lys Tyr Trp Ser Gln
 85 90 95

Gln Ile Glu Glu Ser Thr Thr Val Val Thr Thr Gln Ser Ala Glu Val
 100 105 110

Gly Ala Ala Glu Thr Thr Leu Thr Glu Leu Arg Arg Thr Val Gln Ser
 115 120 125

Leu Glu Ile Asp Leu Gly Leu
 130 135

<210> 1530

<211> 132

<212> PRT

<213> Homo sapiens

1598

<400> 1530

Trp Ile Pro Arg Ala Ala Gly Ile Arg His Glu Gln Val Pro Ala Arg
1 5 10 15

Lys Lys Arg Pro Lys Arg Leu Arg Thr Gly Asn Met Val Arg Ser Gly
20 25 30

Asn Lys Ala Ala Val Val Leu Cys Met Asp Val Gly Phe Thr Met Ser
35 40 45

Asn Ser Ile Pro Gly Ile Glu Ser Pro Phe Glu Gln Ala Lys Lys Val
50 55 60

Ile Thr Met Phe Val Gln Arg Gln Val Phe Ala Glu Asn Lys Asp Glu
65 70 75 80

Ile Ala Leu Val Leu Phe Gly Thr Asp Gly Thr Asp Asn Pro Leu Ser
85 90 95

Gly Gly Asp Gln Tyr Gln Asn Ile Thr Val His Arg His Leu Met Leu
100 105 110

Pro Asp Phe Asp Leu Leu Glu Asp Ile Glu Lys Gln Asn Pro Thr Arg
115 120 125

Phe Ser Thr Gly
130

<210> 1531

<211> 94

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

1599

<220>

<221> SITE

<222> (61)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (78)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1531

Arg	Lys	Arg	Leu	Lys	Gly	Glu	Glu	Gln	Lys	Leu	Leu	Arg	Asn	Ala	Arg
1				5					10					15	

Arg	Xaa	Gln	Lys	Met	Ala	Cys	Gln	Met	Thr	Xaa	Asn	His	Ser	Ser	Val
			20					25					30		

Ser	Xaa	Leu	Lys	Gly	Ser	Ser	Leu	Gln	Asp	Arg	Arg	Ala	Ser	Arg	Phe
		35					40					45			

Leu	Ile	Lys	Ser	Val	Gln	Lys	Ser	Ser	Gly	Val	Gln	Xaa	Asp	Pro	Ser
	50					55					60				

Ser	Ser	Ile	Ser	Xaa	Pro	Ser	Leu	Thr	Ala	Xaa	Trp	Ser	Xaa	Leu	Pro
65						70				75				80	

Trp	His	Leu	Arg	Gly	Pro	Lys	Ala	Ala	Lys	Thr	Leu	Lys	Xaa
				85					90				

<210> 1532

<211> 153

<212> PRT

<213> Homo sapiens

1600

<400> 1532

Gln Thr Thr Met Cys Tyr Gly Lys Cys Ala Arg Cys Ile Gly His Ser
 1 5 10 15

Leu Val Gly Leu Ala Leu Leu Cys Ile Ala Ala Asn Ile Leu Leu Tyr
 20 25 30

Phe Pro Asn Gly Glu Thr Lys Tyr Ala Ser Glu Asn His Leu Ser Arg
 35 40 45

Phe Val Trp Phe Phe Ser Gly Ile Val Gly Gly Gly Leu Leu Met Leu
 50 55 60

Leu Pro Ala Phe Val Phe Ile Gly Leu Glu Gln Asp Asp Cys Cys Gly
 65 70 75 80

Cys Cys Gly His Glu Asn Cys Gly Lys Arg Cys Ala Met Leu Ser Ser
 85 90 95

Val Leu Ala Ala Leu Ile Gly Ile Ala Gly Ser Gly Tyr Cys Val Ile
 100 105 110

Val Ala Ala Leu Gly Leu Ala Glu Gly Pro Leu Cys Leu Asp Ser Leu
 115 120 125

Gly Gln Trp Asn Tyr Thr Phe Ala Ser Thr Glu Gly Gln Val Pro Ser
 130 135 140

Gly Tyr Leu His Met Val Arg Val His
 145 150

<210> 1533

<211> 142

<212> PRT

<213> Homo sapiens

<400> 1533

Leu Cys Leu Leu Arg Thr Thr Val Thr Glu Val Ser Arg Ala Phe Ser
 1 5 10 15

Leu Leu Cys Lys Met Ala Thr Leu Lys Glu Lys Leu Ile Ala Pro Val
 20 25 30

Ala Glu Glu Glu Ala Thr Val Pro Asn Asn Lys Ile Thr Val Val Gly
 35 40 45

Val Gly Gln Val Gly Met Ala Cys Ala Ile Ser Ile Leu Gly Lys Ser
 50 55 60

1601

Leu Ala Asp Glu Leu Ala Leu Val Asp Val Leu Glu Asp Lys Leu Lys
 65 70 75 80
 Gly Glu Met Met Asp Leu Gln His Gly Ser Leu Phe Leu Gln Thr Pro
 85 90 95
 Lys Ile Leu Ala Asp Lys Asp Tyr Ser Val Thr Ala Asn Ser Lys Ile
 100 105 110
 Val Val Val Thr Ala Gly Val Arg Gln Gln Glu Gly Glu Ser Arg Leu
 115 120 125
 Asn Leu Val Gln Arg Asn Val Asn Val Phe Lys Phe Ile Ile
 130 135 140

<210> 1534

<211> 67

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (61)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1534

Ala His Cys His Ala Pro Pro Thr Thr Ala Arg Arg Ala Phe Pro Ile
 1 5 10 15

Pro Phe Gly Ser Lys Ser Asn Met Ala Thr Leu Lys Asp Gln Leu Ile
 20 25 30

Tyr Asn Leu Leu Lys Glu Glu Gln Thr Xaa Gln Asn Lys Ile Thr Xaa
 35 40 45

1602

Val Gly Val Gly Ala Xaa Gly Met Ala Cys Ala Ile Xaa Ile Leu Met
50 55 60

Lys Asp Leu
65

<210> 1535

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1535

Xaa Lys Lys Tyr Leu Gly Asp Xaa Ile Glu Gly Thr Pro Ala Gly Thr
1 5 10 15

Gly Pro Glu Phe Pro Gly Leu Leu Thr Cys Leu Leu Gln Leu Ile Met
20 25 30

Val Thr Asn Lys Ala Ile Ala Ser Gln Ile Ser Gln Ile Lys His Phe
35 40 45

Phe His Cys Ile Leu Val Val Val Cys Pro Asn Ser Ser Met Tyr Leu
50 55 60

Ile Met Ser Gly Ser Ile Leu His
65 70

<210> 1536

<211> 80

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

1603

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1536

Gly	Lys	Ala	Trp	Gly	Ser	Glu	Cys	Glu	Lys	Cys	Pro	Leu	Pro	Gly	Thr
1				5					10					15	

Glu	Ala	Phe	Xaa	Glu	Ile	Cys	Pro	Ala	Gly	His	Gly	Tyr	Thr	Tyr	Ala
			20					25					30		

Ser	Ser	Asp	Ile	Arg	Leu	Ser	Met	Arg	Lys	Ala	Glu	Xaa	Glu	Glu	Leu
		35					40					45			

Ala	Xaa	Pro	Pro	Arg	Glu	Gln	Gly	Gln	Xaa	Ser	Ser	Trp	Ala	Leu	Pro
	50					55					60				

Gly	Pro	Thr	Xaa	Lys	Gln	Pro	Leu	Arg	Val	Arg	His	Gly	His	Leu	Ala
65					70					75					80

<210> 1537

<211> 137

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

1604

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (134)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (136)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (137)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1537

Arg	Lys	Gln	Cys	Gln	Asp	Ser	Lys	Asp	Ser	Asn	His	Leu	Pro	Lys	Met
1				5					10					15	

Ser	Leu	Ser	Ala	Phe	Thr	Leu	Phe	Leu	Ala	Leu	Ile	Gly	Gly	Thr	Ser
			20					25					30		

Gly	Gln	Tyr	Tyr	Asp	Tyr	Asp	Phe	Pro	Leu	Ser	Ile	Tyr	Gly	Gln	Ser
		35					40						45		

Ser	Pro	Asn	Cys	Ala	Pro	Glu	Cys	Asn	Xaa	Pro	Glu	Ser	Tyr	Pro	Ser
		50					55					60			

Ala	Met	Tyr	Cys	Asp	Glu	Leu	Lys	Leu	Xaa	Ser	Val	Pro	Met	Val	Pro
	65					70				75				80	

Pro	Gly	Ile	Lys	Tyr	Leu	Tyr	Leu	Arg	Asn	Asn	Gln	Ile	Asp	His	Ile
					85				90					95	

Asp	Glu	Lys	Ala	Phe	Glu	Asn	Val	Thr	Asp	Leu	Gln	Trp	Leu	Ile	Leu
			100					105				110			

Asp	His	Asn	Leu	Leu	Glu	Asn	Ser	Lys	Xaa	Lys	Gly	Arg	Val	Phe	Ser
			115					120				125			

1605

Lys Leu Lys Gln Leu Xaa Lys Xaa Xaa
 130 135

<210> 1538
 <211> 144
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (134)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (137)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1538
 Tyr Gln Val Tyr Ser Lys Ile Gln Ala Thr Asn Thr Trp Leu Phe Leu
 1 5 10 15
 Ser Ser Cys Asn Gly Asn Glu Thr Ser Leu Trp Asp Cys Lys Asn Trp
 20 25 30
 Gln Trp Gly Gly Leu Thr Cys Asp His Tyr Glu Glu Ala Lys Ile Thr
 35 40 45
 Cys Ser Ala His Arg Glu Pro Arg Leu Val Gly Gly Asp Ile Pro Cys
 50 55 60
 Ser Gly Arg Val Glu Val Lys His Gly Asp Thr Trp Gly Ser Ile Cys
 65 70 75 80
 Asp Ser Asp Phe Ser Leu Glu Ala Ala Ser Val Leu Cys Arg Glu Leu
 85 90 95
 Gln Cys Gly Thr Val Val Ser Ile Leu Gly Gly Ala His Phe Gly Glu
 100 105 110
 Gly Met Asp Arg Ser Gly Leu Lys Asn Ser Ser Val Glu Gly His Glu
 115 120 125
 Ser Pro Ser Phe Ile Xaa Pro Val Xaa Thr Pro Pro Lys Arg Asn Leu
 130 135 140

1606

<210> 1539
<211> 85
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (35)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1539
Asn Met Ala Gly Val Glu Glu Val Ala Ala Ser Gly Ser His Leu Asn
1 5 10 15
Gly Asp Leu Asp Pro Asp Asp Arg Glu Glu Gly Ala Ala Ser Thr Ala
20 25 30
Glu Glu Xaa Ala Lys Lys Lys Arg Arg Lys Lys Lys Lys Ser Lys Gly
35 40 45
Pro Ser Ala Gly Lys Glu Ser Phe Met Phe Ser Gln Ser Pro Pro Gly
50 55 60
Thr Ala Glu Leu Phe Gly Ser Gly Pro Leu Arg Gly Pro Gly Pro Gly
65 70 75 80
Pro Gln Ser Pro Asp
85

<210> 1540
<211> 36
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (9)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (18)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (22)

1607

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1540

Gly	Val	Gly	Phe	Arg	Glu	Gly	Thr	Xaa	Gly	Ala	Gln	Thr	Gln	Arg	Ile
1				5					10					15	

Arg	Xaa	Arg	Val	Pro	Xaa	Asn	Trp	Lys	Met	Xaa	Phe	Glu	Pro	Ile	Ser
			20					25					30		

Ser	Thr	Lys	Phe
			35

<210> 1541

<211> 144

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1608

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (132)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (143)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1541

Arg	Thr	Xaa	Ala	Xaa	Gly	Glu	Arg	Ala	Cys	Arg	Ser	Thr	Leu	Val	Asp
1				5					10					15	

Pro	Lys	Xaa	Val	Xaa	Thr	Val	Phe	Ser	Leu	Gly	Ala	Cys	Met	Glu	Gly
			20					25					30		

Leu	Asn	Ile	Leu	Leu	Asn	Arg	Leu	Leu	Gly	Ile	Ser	Leu	Tyr	Ala	Glu
	35					40						45			

Gln	Pro	Ala	Lys	Gly	Glu	Val	Trp	Ser	Glu	Asp	Val	Arg	Lys	Leu	Ala
	50					55					60				

Val	Val	His	Glu	Ser	Glu	Gly	Leu	Leu	Gly	Tyr	Ile	Tyr	Cys	Asp	Phe
65					70					75				80	

Phe	Gln	Arg	Ala	Asp	Lys	Pro	His	Gln	Asp	Cys	His	Phe	Thr	Ile	Arg
				85					90					95	

Gly	Gly	Arg	Leu	Lys	Gly	Arg	Trp	Glu	Thr	Xaa	Gln	Leu	Pro	Val	Val
			100					105					110		

Ser	Ser	Tyr	Ala	Gly	Ile	Phe	Pro	Val	Pro	Xaa	Arg	Glu	Phe	Ser	Asn
		115					120					125			

Phe	Gly	Xaa	Xaa	Leu	Gly	Met	Met	Gly	Lys	Pro	Phe	Pro	Gly	Xaa	Gly
		130					135					140			

1609

<210> 1542

<211> 145

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1542

Ala	Glu	Arg	Thr	Pro	Cys	Arg	Arg	Pro	Ala	Glu	Met	Leu	Arg	Leu	Pro
1				5				10				15			

Thr	Val	Phe	Arg	Gln	Met	Arg	Pro	Val	Ser	Arg	Val	Leu	Ala	Pro	His
		20					25					30			

Leu	Thr	Arg	Ala	Tyr	Ala	Lys	Xaa	Val	Lys	Phe	Gly	Ala	Asp	Ala	Arg
		35				40					45				

Ala	Leu	Met	Leu	Gln	Gly	Val	Asp	Leu	Leu	Ala	Asp	Ala	Val	Ala	Val
	50				55					60					

Thr	Met	Gly	Pro	Lys	Gly	Arg	Thr	Val	Ile	Ile	Glu	Gln	Ser	Trp	Gly
65				70				75						80	

Ser	Pro	Lys	Val	Thr	Lys	Asp	Gly	Val	Thr	Val	Ala	Lys	Ser	Ile	Asp
			85					90						95	

Leu	Lys	Asp	Lys	Tyr	Lys	Asn	Ile	Gly	Ala	Lys	Leu	Val	Gln	Asp	Val
		100						105					110		

Ala	Asn	Asn	Thr	Asn	Glu	Glu	Ala	Gly	Asp	Gly	Thr	Thr	Thr	Ala	Thr
		115					120					125			

Val	Leu	Ala	Arg	Ser	Ile	Ala	Lys	Glu	Gly	Phe	Glu	Lys	Ile	Ser	Lys
	130					135					140				

Gly

145

<210> 1543

<211> 135

<212> PRT

<213> Homo sapiens

<400> 1543

Lys	Phe	Gly	Ala	Asp	Ala	Arg	Ala	Leu	Met	Leu	Gln	Gly	Val	Asp	Leu
1				5				10					15		

1610

Leu Ala Asp Ala Val Ala Val Thr Met Gly Pro Lys Gly Arg Thr Val
20 25 30

Ile Ile Glu Gln Ser Trp Gly Ser Pro Lys Val Thr Lys Asp Gly Val
35 40 45

Thr Val Ala Lys Ser Ile Asp Leu Lys Asp Lys Tyr Lys Asn Ile Gly
50 55 60

Ala Lys Leu Val Gln Asp Val Ala Asn Asn Thr Asn Glu Glu Ala Gly
65 70 75 80

Asp Gly Thr Thr Thr Ala Thr Val Leu Ala Arg Ser Ile Ala Lys Glu
85 90 95

Gly Phe Glu Lys Ile Ser Lys Gly Ala Asn Pro Val Glu Ile Arg Arg
100 105 110

Gly Val Met Leu Ala Val Asp Ala Val Ile Ala Glu Leu Lys Lys Gln
115 120 125

Ser Lys Pro Val Thr Thr Pro
130 135

<210> 1544

<211> 84

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (77)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

1611

<400> 1544

Cys Glu Phe Lys Arg Val Pro Gln Cys Pro Ser Gly Arg Val Tyr Val
1 5 10 15

Leu Lys Phe Lys Ala Gly Ser Lys Arg Leu Phe Phe Trp Met Gln Glu
20 25 30

Pro Lys Thr Asp Gln Asp Glu Glu His Cys Arg Lys Val Asn Glu Leu
35 40 45

Ser Gly Thr Thr Pro Arg Cys Leu Gly His Trp Gly Pro Ala Glu Gln
50 55 60

Arg Pro Arg Xaa Leu Cys Ala Xaa Arg Leu Arg Trp Xaa Ala Glu Xaa
65 70 75 80

Ala Gly Glu Thr

<210> 1545

<211> 22

<212> PRT

<213> Homo sapiens

<400> 1545

Tyr Leu Arg Leu Ile Tyr Ser Thr Ser Ile Thr Leu Leu Pro Ile Ser
1 5 10 15

Asn Asn Val Lys Ile Lys
20

<210> 1546

<211> 112

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

1612

<220>
<221> SITE
<222> (51)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (56)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (57)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (58)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (64)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (67)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (70)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (82)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (85)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (100)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1613

<221> SITE

<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (111)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1546

Pro	Ser	Ala	Ala	Gly	Asp	Leu	Gln	Arg	Thr	Ala	Ala	Met	Gly	Ala
1				5				10					15	

His	Leu	Val	Arg	Arg	Tyr	Leu	Gly	Asp	Ala	Ser	Val	Xaa	Pro	Asp	Pro
			20					25					30		

Leu	Gln	Met	Pro	Thr	Phe	Pro	Pro	Asp	Tyr	Gly	Phe	Pro	Glu	Arg	Lys
		35					40					45			

Xaa	Arg	Xaa	Met	Val	Ala	Thr	Xaa	Xaa	Xaa	Met	Met	Asp	Ala	His	Xaa
		50					55				60				

Ser	Ser	Xaa	Cys	Gly	Xaa	Thr	Ala	Pro	Thr	Asn	Ser	Ser	Gly	Cys	Ser
	65				70					75				80	

Ile	Xaa	Thr	Leu	Xaa	Leu	Pro	Pro	Leu	Pro	Trp	Leu	Ala	Asn	Gln	Glu
			85					90						95	

Arg	Asp	Lys	Xaa	Glu	Xaa	Xaa	Gln	Thr	Pro	Xaa	Xaa	Phe	Xaa	Xaa	Pro
			100					105						110	

1614

<210> 1547

<211> 142

<212> PRT

<213> Homo sapiens

<400> 1547

Lys Val Ser Ala Val Met Ala Phe Leu Ala Ser Gly Pro Tyr Leu Thr
1 5 10 15

His Gln Gln Lys Val Leu Arg Leu Tyr Lys Arg Ala Leu Arg His Leu
20 25 30

Glu Ser Trp Cys Val Gln Arg Asp Lys Tyr Arg Tyr Phe Ala Cys Leu
35 40 45

Met Arg Ala Arg Phe Glu Glu His Lys Asn Glu Lys Asp Met Ala Lys
50 55 60

Ala Thr Gln Leu Leu Lys Glu Ala Glu Glu Glu Phe Trp Tyr Arg Gln
65 70 75 80

His Pro Gln Pro Tyr Ile Phe Pro Asp Ser Pro Gly Gly Thr Ser Tyr
85 90 95

Glu Arg Tyr Asp Cys Tyr Lys Val Pro Glu Trp Cys Leu Asp Asp Trp
100 105 110

His Pro Ser Glu Lys Ala Met Tyr Pro Asp Tyr Phe Ala Lys Arg Glu
115 120 125

Gln Trp Lys Lys Leu Arg Glu Gly Lys Leu Gly Thr Arg Gly
130 135 140

<210> 1548

<211> 98

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE
<222> (9)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (11)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (12)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (22)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (32)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (36)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (45)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (62)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (65)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (66)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE

1616

<222> (82)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (84)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (92)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (97)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1548

Leu	Tyr	Tyr	Xaa	Leu	Gly	Phe	Leu	Xaa	Leu	Xaa	Xaa	Arg	Leu	Pro	Leu
1				5					10					15	

Asp	Ala	Ala	Lys	Arg	Xaa	His	Asp	Glu	Leu	Gly	Asn	Glu	Arg	Pro	Xaa
			20						25					30	

Ala	Tyr	Met	Xaa	Glu	His	Asn	Gln	Leu	Asn	Gly	Trp	Xaa	Ser	Asp	Glu
		35					40					45			

Asn	Asp	Trp	Asn	Glu	Lys	Leu	Tyr	Pro	Val	Trp	Lys	Arg	Xaa	Asp	Met
		50				55					60				

Xaa	Xaa	Glu	Lys	Leu	Leu	Glu	Gly	Arg	Pro	Val	Cys	Lys	Ala	Val	Leu
65					70					75					80

Thr	Xaa	Asp	Xaa	Pro	Thr	Leu	Gly	Gly	Leu	Lys	Xaa	Asn	Ile	Xaa	Arg
					85				90					95	

Xaa Thr

<210> 1549

<211> 138

<212> PRT

<213> Homo sapiens

1617

<220>
 <221> SITE
 <222> (60)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (72)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (73)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (122)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (123)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (128)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (136)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1549
 Gly Cys Ser Leu Glu Gln Arg Ser Phe Ile Ser Val Arg Leu Leu Ser
 1 5 10 15
 Tyr Leu Ser Ala Cys Arg His Pro Met Glu Asp Ser Met Asp Met Asp
 20 25 30
 Met Ser Pro Leu Arg Pro Gln Asn Tyr Leu Phe Gly Cys Glu Leu Lys
 35 40 45
 Ala Asp Lys Asp Tyr His Phe Lys Val Asp Asn Xaa Glu Asn Glu His
 50 55 60
 Gln Leu Ser Leu Arg Thr Val Xaa Xaa Gly Ala Gly Ala Lys Asp Glu
 65 70 75 80

1618

Leu His Ile Val Glu Ala Glu Ala Met Asn Tyr Glu Gly Ser Pro Ile
85 90 95

Lys Val Thr Leu Ala Thr Leu Lys Met Ser Val Gln Pro Thr Val Phe
100 105 110

Pro Leu Gly Ala Leu Asn Asn Thr Thr Xaa Xaa Leu Lys Val Glu Xaa
115 120 125

Trp Phe Arg Ala Met Pro Ile Xaa Gly Gln
130 135

<210> 1550

<211> 51

<212> PRT

<213> Homo sapiens

<400> 1550

Thr Leu Ala Phe Phe Leu Ile Pro Cys Ile Gly Ser Pro Ala Cys Pro
1 5 10 15

Thr Met Ser Asp Ala Ala Val Asp Thr Ser Ser Glu Ile Thr Thr Lys
20 25 30

Asp Leu Lys Glu Lys Lys Glu Val Val Glu Glu Ala Glu Met Glu Glu
35 40 45

Thr Pro Cys
50

<210> 1551

<211> 73

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1619

<221> SITE
<222> (27)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (37)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (63)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (67)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1551
Lys Ala Xaa Ser Val Xaa Leu Tyr Lys Val Arg Leu Gln Val Pro Val
1 5 10 15
Arg Asn Ser Arg Val Asp Pro Arg Val Arg Xaa Gly Gly Glu Gln Val
20 25 30
Ser Ser Thr Ile Xaa Gly Leu Ser Gly Pro Pro Ser Arg Arg Gly Pro
35 40 45
Phe Pro Leu Ala Trp Val Ile Leu Phe Leu Leu Glu Ala Gln Xaa Gly
50 55 60
Pro Trp Xaa Leu Leu Pro Ser Ala His
65 70

<210> 1552
<211> 131
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (4)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (5)
<223> Xaa equals any of the naturally occurring L-amino acids

1620

<220>
<221> SITE
<222> (96)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (104)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (114)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (115)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (119)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (124)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (129)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1552
Asn Ser Ala Xaa Xaa Glu Leu Leu Thr Gln Pro Gly Asp Trp Thr Leu
1 5 10 15
Phe Val Pro Thr Asn Asp Ala Phe Lys Gly Met Thr Ser Glu Glu Lys
20 25 30
Glu Ile Leu Ile Arg Asp Lys Asn Ala Leu Gln Asn Ile Ile Leu Tyr
35 40 45
His Leu His Gln Glu Phe Ser Leu Glu Lys Asp Leu Asn Leu Val Leu
50 55 60
Leu Thr Phe Leu Lys Thr Thr Gln Gly Ser Lys Ile Phe Leu Glu Gly
65 70 75 80

1621

Ser Glu Met Val Thr Leu Leu Val Asn Gly Phe Gly Asn Pro Lys Xaa
 85 90 95

Ser Asp Ile His Gly Pro Pro Xaa Val Val Ile Ser Cys Cys Arg Leu
 100 105 110

Asn Xaa Xaa Phe Pro Ala Xaa Thr Pro Phe Gly Xaa Gly Ser Thr Gly
 115 120 125

Xaa Asp Thr
 130

<210> 1553

<211> 106

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1553

Trp Ile Xaa Arg Ala Ala Gly Ile Arg His Glu Val Ala Asp Thr Met
 1 5 10 15

Leu Pro Pro Met Ala Leu Pro Ser Val Ser Trp Met Leu Leu Ser Cys
 20 25 30

Leu Met Leu Leu Ser Gln Val Gln Gly Glu Glu Pro Gln Arg Glu Leu
 35 40 45

Pro Ser Ala Arg Ile Arg Xaa Pro Lys Gly Ser Lys Ala Tyr Gly Ser

1622

50 55 60
 His Cys Tyr Ala Leu Phe Leu Ser Pro Lys Ser Trp Thr Asp Ala Asp
 65 70 75 80
 Leu Ala Cys Gln Lys Arg Pro Ser Gly Asn Leu Val Ser Xaa Leu Ser
 85 90 95
 Gly Ala Glu Gly Ser Phe Xaa Pro Pro Trp
 100 105

<210> 1554

<211> 117

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (109)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1554

Ala Thr Phe Pro Arg Glu Trp Leu Cys Asp Arg His Leu Arg Glu Lys
 1 5 10 15

Met Phe Ser Ser Val Ala His Leu Ala Arg Ala Asn Pro Phe Asn Thr
 20 25 30

Pro His Leu Gln Leu Val His Asp Gly Leu Gly Asp Leu Arg Ser Ser
 35 40 45

Ser Pro Gly Pro Thr Gly Gln Pro Arg Arg Pro Arg Asn Leu Ala Ala
 50 55 60

Ala Ala Val Glu Glu Gln Tyr Ser Cys Asp Tyr Gly Ser Gly Arg Phe
 65 70 75 80

Phe Ile Leu Cys Gly Leu Gly Gly Ile Ile Ser Cys Gly Thr Thr His
 85 90 95

Thr Ala Leu Val Pro Leu Asp Leu Val Lys Cys Arg Xaa Arg Phe Val
 100 105 110

Phe Ala Cys Trp Thr
 115

<210> 1555

1623

<211> 164
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (79)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (86)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (125)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1555
 Glu Lys Lys Val Glu Arg Gln Thr Glu Leu Lys Arg Lys Phe Glu Gln
 1 5 10 15
 Met Lys Gln Asp Arg Ile Thr Arg Tyr Gln Gly Val Asn Leu Tyr Val
 20 25 30
 Lys Asn Leu Asp Asp Gly Ile Asp Asp Glu Arg Leu Arg Lys Glu Phe
 35 40 45
 Ser Pro Phe Gly Thr Ile Thr Ser Ala Lys Val Met Met Glu Gly Gly
 50 55 60
 Arg Ser Lys Gly Phe Gly Phe Val Cys Phe Ser Ser Pro Glu Xaa Ala
 65 70 75 80
 Thr Lys Ala Val Thr Xaa Met Asn Gly Arg Ile Val Ala Thr Lys Pro
 85 90 95
 Leu Tyr Val Ala Leu Ala Gln Arg Lys Glu Glu Arg Gln Ala His Leu
 100 105 110
 Thr Asn Gln Tyr Met Gln Arg Met Ala Ser Val Arg Xaa Val Pro Asn
 115 120 125
 Pro Val Ile Asn Pro Tyr Gln Pro Ala Pro Pro Ser Gly Tyr Phe Met
 130 135 140
 Ala Ala Ile Pro Gln Thr Gln Asn Val Leu His Thr Ile Leu Leu Ala
 145 150 155 160
 Lys Leu Leu Asn

<210> 1556
<211> 166
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (1)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (2)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (7)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (9)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (11)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (12)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (13)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (14)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE

1625

<222> (150)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (157)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1556

Xaa Xaa Leu Thr Leu Thr Xaa Gly Xaa Lys Xaa Xaa Xaa Xaa Thr Ala
 1 5 10 15

Val Ala Ala Ala Leu Ala Thr Ser Gly Ser Pro Gly Pro Val Arg Asn
 20 25 30

Ser Ala Arg Ala Gly Thr Ser Glu Phe Leu Asn Lys Val Thr Glu Ala
 35 40 45

Gln Glu Asp Gly Gln Ser Thr Ser Glu Leu Ile Gly Gln Phe Gly Val
 50 55 60

Gly Phe Tyr Ser Ala Phe Leu Val Ala Asp Lys Val Ile Val Thr Ser
 65 70 75 80

Lys His Asn Asn Asp Thr Gln His Ile Trp Glu Ser Asp Ser Asn Glu
 85 90 95

Phe Ser Val Ile Ala Asp Pro Arg Gly Asn Thr Leu Gly Arg Gly Thr
 100 105 110

Thr Ile Thr Leu Val Leu Lys Glu Glu Ala Ser Asp Tyr Leu Glu Leu
 115 120 125

Asp Thr Ile Lys Asn Leu Val Lys Lys Tyr Ser Gln Phe Ile Asn Phe
 130 135 140

Pro Ile Tyr Val Trp Xaa Ser Lys Thr Glu Thr Val Xaa Glu Pro Met
 145 150 155 160

Glu Glu Glu Gly Ala Ala
 165

<210> 1557

<211> 127

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (19)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (20)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (21)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (38)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (82)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (83)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (90)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (95)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (97)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (103)

1627

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (113)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (120)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1557

Xaa Asn Val Val Glu Ala Gln Phe Asp Ser Arg Val Arg Ala Thr Gly
1 5 10 15

His Ser Xaa Xaa Xaa Tyr Asn Lys Trp Glu Thr Ile Glu Ala Trp Thr
20 25 30

Gln Gln Val Ala Thr Xaa Asn Pro Ala Leu Ile Ser Arg Ser Val Ile
35 40 45

Gly Thr Thr Phe Glu Gly Arg Ala Ile Tyr Leu Leu Lys Val Gly Lys
50 55 60

Ala Gly Gln Asn Lys Pro Ala Ile Phe Met Asp Cys Gly Phe Pro Met
65 70 75 80

Pro Xaa Xaa Trp Ile Ser Pro Cys Ile Xaa Pro Val Gly Phe Xaa Lys
85 90 95

1628

Xaa Ala Val Pro Phe Leu Xaa Thr Phe Xaa Xaa Xaa Leu Thr Asn Phe
 100 105 110

Xaa Asn Asn Leu Xaa Phe Tyr Xaa Pro Ala Leu Trp Pro Gln Tyr
 115 120 125

<210> 1558

<211> 109

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (101)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1558

Lys Ala Gly Ala Ala Ala Gly Gly Pro Gly Val Ser Gly Val Cys Val
 1 5 10 15

Cys Lys Ser Arg Tyr Pro Val Cys Gly Ser Asp Gly Thr Thr Tyr Pro
 20 25 30

Ser Gly Cys Gln Leu Arg Ala Ala Ser Gln Arg Ala Glu Ser Arg Gly
 35 40 45

Glu Lys Ala Ile Thr Gln Val Ser Lys Gly Thr Cys Glu Gln Gly Pro
 50 55 60

Ser Ile Val Thr Pro Pro Lys Asp Ile Trp Asn Val Thr Gly Ala Xaa
 65 70 75 80

Val Tyr Leu Ser Cys Glu Val Ile Gly Ile Pro Thr Pro Val Leu Ile
 85 90 95

1629

Trp Asn Lys Val Xaa Arg Gly His Tyr Gly Xaa Xaa Arg
 100 105

<210> 1559

<211> 102

<212> PRT

<213> Homo sapiens

<400> 1559

Gly Leu Arg Gly His Leu Arg Ser Ser Gly Ser Ser Ile Trp Asn Tyr
 1 5 10 15

Ile Lys Phe Arg Lys His Val Ser Arg Tyr Asp Ser Arg Thr Thr Ile
 20 25 30

Phe Ser Pro Glu Gly Arg Leu Tyr Gln Val Glu Tyr Ala Met Glu Ala
 35 40 45

Ile Gly His Ala Gly Thr Cys Leu Gly Ile Leu Ala Asn Asp Gly Val
 50 55 60

Leu Leu Ala Ala Glu Arg Arg Asn Ile His Lys Leu Leu Asp Glu Val
 65 70 75 80

Phe Phe Ser Glu Lys Ile Tyr Lys Leu Asn Glu Asp Met Ala Cys Ser
 85 90 95

Val Ala Gly Ile Thr Phe
 100

<210> 1560

<211> 159

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (146)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1560

Ser Thr His Ala Ser Ala Ala His Pro Ser Thr Leu Thr His Pro Gln
 1 5 10 15

Arg Arg Ile Asp Thr Leu Asn Ser Asp Gly Tyr Thr Pro Glu Pro Asp
 20 25 30

Lys	Pro	Arg	Pro	Met	Pro	Met	Asp	Thr	Ser	Val	Tyr	Glu	Ser	Pro	Tyr		
35						40						45					
Ser	Asp	Pro	Glu	Glu	Leu	Lys	Asp	Lys	Lys	Leu	Phe	Leu	Lys	Arg	Asp		
50						55						60					
Asn	Leu	Leu	Ile	Ala	Asp	Ile	Glu	Leu	Gly	Cys	Gly	Asn	Phe	Gly	Ser		
65						70						75			80		
Val	Arg	Gln	Gly	Val	Tyr	Arg	Met	Arg	Lys	Lys	Gln	Ile	Asp	Val	Ala		
			85						90						95		
Ile	Lys	Val	Leu	Lys	Gln	Gly	Thr	Glu	Lys	Ala	Asp	Thr	Glu	Glu	Met		
			100						105						110		
Met	Arg	Glu	Ala	Gln	Ile	Met	His	Gln	Leu	Asp	Asn	Pro	Tyr	Ile	Val		
115						120						125					
Arg	Leu	Ile	Gly	Val	Cys	Gln	Ala	Glu	Ala	Leu	Met	Leu	Val	Met	Glu		
130						135						140					
Met	Xaa	Gly	Ala	Gly	Ala	Ala	Gln	Val	Pro	Gly	Arg	Gln	Glu	Gly			
145						150						155					

Ser Ser Gly Ile Glu Asn Gly Ala Phe Gln Gly Met Lys Lys Leu Ser
35 40 45

1631

Tyr Ile Arg Ile Ala Asp Thr Asn Ile Thr Ser Ile Pro Gln Gly Leu
 50 55 60
 Pro Pro Ser Leu Thr Glu Leu His Leu Asp Gly Asn Lys Ile Ser Arg
 65 70 75 80
 Val Asp Ala Ala Ser Leu Lys Gly Leu Asn Asn Leu Ala Lys Leu Gly
 85 90 95
 Leu Ser Phe Asn Ser Ile Ser Ala Val Asp Asn Gly Ser Leu Ala Asn
 100 105 110
 Thr Pro His Leu Arg Glu Leu His Leu Asp Asn Asn Lys Leu Thr Arg
 115 120 125
 Val Pro Gly Gly Leu Gln Ser Ile Lys Tyr Xaa Xaa Gly Gly Tyr Leu
 130 135 140
 His Asn Asn His Ile Ser Val Val Gly Ser Lys
 145 150 155

<210> 1562

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1562

Xaa Asn Gln Asn Ser Asn Gly Leu Val Phe Leu Leu Trp Gly Ser Tyr
 1 5 10 15
 Ala Gln Lys Lys Gly Ser Ala Ile Asp Arg Lys Arg His His Val Leu
 20 25 30
 Gln Thr Ala His Pro Ser Pro Leu Ser Val Tyr Arg Gly Phe Phe Gly
 35 40 45
 Cys Arg His Phe Ser Lys Thr Asn Glu Leu Leu Gln Lys Ser Gly Lys
 50 55 60
 Lys Pro Ile Asp Trp Lys Glu Leu
 65 70

1632

<210> 1563
<211> 110
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (74)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (104)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1563
Arg Thr Arg Gly Arg Leu Leu Gly His Leu Lys Glu Thr Trp Gly His
1 5 10 15

Pro Arg Arg Ala Ser Trp Val Val Arg Ser Arg Arg Cys Arg His Cys
20 25 30

Leu Cys Phe Met Arg Lys Met Leu Ala Ala Val Ser Arg Val Leu Ser
35 40 45

Gly Ala Ser Gln Lys Pro Ala Ser Arg Val Leu Val Ala Ser Arg Asn
50 55 60

Phe Ala Asn Asp Ala Thr Phe Glu Ile Xaa Lys Cys Asp Leu His Arg
65 70 75 80

Leu Glu Glu Ala Leu Leu Ser Gln Gln Cys Ser Pro Arg Glu Asp Gly
85 90 95

Leu Lys Tyr Tyr Arg Met Met Xaa Thr Val Pro Glu Trp Asn
100 105 110

<210> 1564
<211> 95
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (4)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1633

<221> SITE
<222> (38)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (47)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (51)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (61)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (70)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (88)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (92)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (94)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1564
Leu His Ser Xaa Cys Thr Arg Arg Gly Ser Gly Ser Leu Arg Leu Cys
1 5 10 15
Ser Val Ala Arg Val Gly Gln Arg Arg Met Thr Ser Ala Ala Met Ser
20 25 30
Lys Pro His Ser Glu Xaa Gly Thr Ala Phe Ile Gln Thr Gln Xaa Leu
35 40 45
His Ala Xaa Met Ala Asp Thr Phe Leu Glu His Met Xaa Arg Leu Asp
50 55 60

1634

Ile Asp Ser Pro Pro Xaa Thr Gly Arg Asn Thr Gly Ile Ile Cys Thr
 65 70 75 80

Ile Gly Pro Ala Ser Arg Ser Xaa Gly Asp Gly Xaa Gly Xaa Asp
 85 90 95

<210> 1565

<211> 50

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1565

Pro Thr Met Ala Ala Ile Arg Lys Lys Leu Val Ile Val Gly Asp Gly
 1 5 10 15

Ala Cys Gly Lys Thr Cys Leu Leu Ile Val Phe Ser Xaa Asp Gln Phe
 20 25 30

Pro Glu Val Tyr Xaa Pro Thr Val Leu Xaa Glu Leu Tyr Cys Ala His
 35 40 45

Xaa Gly
 50

<210> 1566

<211> 161

1635

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (155)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1566

Ala Ala Met Phe Asn Ile Arg Asn Ile Gly Lys Thr Leu Val Thr Arg
 1 5 10 15

Thr Gln Gly Thr Lys Ile Ala Ser Asp Gly Leu Lys Gly Arg Val Phe
 20 25 30

Glu Val Ser Leu Ala Asp Leu Gln Asn Asp Glu Val Ala Phe Arg Lys
 35 40 45

Phe Lys Leu Ile Thr Glu Asp Val Gln Gly Lys Asn Cys Leu Thr Asn
 50 55 60

Phe His Gly Met Asp Leu Thr Arg Asp Lys Met Cys Ser Met Val Lys
 65 70 75 80

Lys Trp Gln Thr Met Ile Glu Ala His Val Asp Val Lys Thr Thr Asp
 85 90 95

Gly Tyr Leu Leu Arg Leu Phe Cys Val Gly Phe Thr Lys Lys Arg Asn
 100 105 110

Asn Gln Ile Arg Lys Thr Ser Tyr Ala Gln His Gln Gln Val Arg Gln
 115 120 125

Ile Arg Lys Lys Met Met Glu Ile Met Thr Arg Glu Val Gln Thr Asn
 130 135 140

Asp Leu Lys Glu Val Val Asn Lys Leu Ile Xaa Asp Ala Leu Glu Lys
 145 150 155 160

Thr

<210> 1567

<211> 113

<212> PRT

<213> Homo sapiens

<400> 1567

Pro Ser Leu Lys Gly Thr Lys Ala Gly Ala Pro Pro Arg Cys Gly Arg

1636

```

      1             5             10             15
Ser Arg Thr Ser Gly Ser Pro Gly Leu Gln Glu Phe Gly Thr Ser Pro
      20             25             30
Gly Pro Arg Gln Ser Pro Ala Arg Leu Val Ala Met Pro Arg Lys Ile
      35             40             45
Glu Glu Ile Lys Asp Phe Leu Leu Thr Ala Arg Arg Lys Asp Ala Lys
      50             55             60
Ser Val Lys Ile Lys Lys Asn Lys Asp Asn Val Lys Phe Lys Val Arg
      65             70             75             80
Cys Ser Arg Tyr Leu Tyr Thr Leu Val Ile Thr Asp Lys Glu Lys Ala
      85             90             95
Glu Lys Leu Lys Gln Ser Leu Pro Pro Gly Leu Ala Val Lys Glu Leu
      100            105            110

```

Lys

<210> 1568

<211> 48

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1568

```

Gly Cys Asn Tyr Gly Lys Pro Xaa His His Gly Val Asn Gln Leu Lys
  1             5             10             15

```

```

Phe Ala Arg Ser Leu Gln Ser Xaa Ala Glu Glu Arg Ala Gly Arg His
      20             25             30

```

1637

Xaa Gly Ala Leu Arg Val Leu Asn Ser Tyr Trp Val Gly Glu Asp Ser
 35 40 45

<210> 1569

<211> 120

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1569

Gly Thr Ser Glu Arg Xaa Glu His Ala Met Lys Ala Ser Gly Thr Leu
 1 5 10 15

Arg Glu Tyr Lys Val Val Gly Arg Cys Leu Pro Thr Pro Lys Cys His
 20 25 30

Thr Pro Pro Leu Tyr Arg Met Arg Ile Phe Ala Pro Asn His Val Val
 35 40 45

Ala Lys Ser Arg Phe Trp Tyr Phe Val Ser Gln Leu Lys Lys Met Lys
 50 55 60

Lys Ser Ser Gly Glu Ile Val Tyr Cys Gly Gln Val Phe Glu Lys Ser
 65 70 75 80

Pro Leu Arg Val Lys Asn Phe Gly Ile Trp Leu Arg Tyr Asp Ser Arg
 85 90 95

Ser Gly Thr His Asn Met Xaa Arg Glu Xaa Arg Asp Leu Thr Asn Ala
 100 105 110

1638

Gly Ala Val Asn Gln Cys Asn Gly
 115 120

<210> 1570
 <211> 85
 <212> PRT-
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (61)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (78)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1570
 Cys Pro Pro Leu Trp Gln Glu Glu Val Trp Leu Asp Pro Asn Glu Thr
 1 5 10 15
 Asn Glu Ile Ala Asn Ala Asn Ser Arg Gln Gln Ile Arg Lys Leu Ile
 20 25 30
 Lys Asp Gly Leu Ile Ile Arg Lys Pro Val Thr Val His Ser Arg Ala
 35 40 45
 Arg Cys Arg Lys Asn Thr Leu Ala Arg Arg Lys Gly Xaa His Met Gly
 50 55 60
 Ile Val Ser Gly Lys Val Gln Pro Met Pro Glu Cys Gln Xaa Arg Ser
 65 70 75 80
 His Gly Leu Arg Lys
 85

<210> 1571
 <211> 135
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (134)
 <223> Xaa equals any of the naturally occurring L-amino acids

1639

<400> 1571

Phe Ala Lys Met Thr Asn Thr Lys Gly Lys Arg Arg Gly Thr Arg Tyr
1 5 10 15

Met Phe Ser Arg Pro Phe Arg Lys His Gly Val Val Pro Leu Ala Thr
20 25 30

Tyr Met Arg Ile Tyr Lys Lys Gly Asp Ile Val Asp Ile Lys Gly Met
35 40 45

Gly Thr Val Gln Lys Gly Met Pro His Lys Cys Tyr His Gly Lys Thr
50 55 60

Gly Arg Val Tyr Asn Val Thr Gln His Ala Val Gly Ile Val Val Asn
65 70 75 80

Lys Gln Val Lys Gly Lys Ile Leu Ala Lys Arg Ile Asn Val Arg Ile
85 90 95

Glu His Ile Lys His Ser Lys Ser Arg Asp Ser Phe Leu Lys Arg Val
100 105 110

Lys Glu Asn Asp Gln Lys Lys Lys Glu Ala Lys Glu Lys Gly Thr Trp
115 120 125

Val Gln Leu Lys Arg Xaa Pro
130 135

<210> 1572

<211> 71

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1640

<221> SITE
<222> (16)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (23)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (27)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (30)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (37)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (42)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (58)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (65)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (69)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1572
Thr Ala Thr Pro Ala Asn Xaa Xaa Leu Pro Trp Gly Xaa Lys Lys Xaa
1 5 10 15
Ala Arg Arg Ser Lys Ile Xaa Ser Phe Val Xaa Val Cys Xaa Tyr Asn
20 25 30

1641

His Leu Met Pro Xaa Arg Tyr Ser Val Xaa Tyr Ser Pro Trp Gly Lys
 35 40 45

Ala Val Arg Ser Leu Gly Cys Leu Pro Xaa Phe Leu Ala Leu Lys Arg
 50 55 60

Xaa Ala Arg Arg Xaa Pro Arg
 65 70

<210> 1573

<211> 68

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1573

Ala Ala Ala Lys Gly Ala Ala Ala Met Ser Ala His Leu Gln Trp Met
 1 5 10 15

Val Val Arg Asn Cys Ser Ser Phe Leu Ile Lys Arg Asn Lys Gln Thr
 20 25 30

Tyr Ser Thr Glu Pro Asn Asn Leu Lys Ala Arg Asn Ser Phe Arg Tyr
 35 40 45

Asn Gly Leu Ile His Arg Lys Thr Val Gly Xaa Glu Pro Xaa Ala Asp
 50 55 60

Gly Lys Xaa Val
 65

<210> 1574

<211> 127

1642

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1574

Gly	Arg	Met	Xaa	Pro	Ala	Lys	Lys	Gly	Gly	Glu	Lys	Lys	Lys	Gly	Arg
1					5				10					15	

Ser	Ala	Ile	Asn	Glu	Val	Val	Thr	Arg	Glu	Tyr	Thr	Ile	Asn	Ile	His
			20					25					30		

Lys	Arg	Ile	His	Gly	Val	Gly	Phe	Lys	Lys	Arg	Ala	Pro	Arg	Ala	Leu
		35					40					45			

Lys	Glu	Ile	Arg	Lys	Phe	Ala	Met	Lys	Glu	Met	Gly	Thr	Pro	Asp	Val
	50					55					60				

Arg	Ile	Asp	Thr	Arg	Leu	Asn	Lys	Ala	Val	Trp	Ala	Lys	Gly	Ile	Arg
65					70					75					80

Asn	Val	Pro	Tyr	Arg	Ile	Arg	Val	Arg	Leu	Ser	Arg	Lys	Arg	Asn	Glu
				85					90					95	

Asp	Glu	Asp	Ser	Pro	Asn	Lys	Leu	Tyr	Thr	Leu	Val	Thr	Tyr	Val	Pro
			100				105					110			

Val	Thr	Thr	Phe	Lys	Asn	Leu	Gln	Thr	Val	Asn	Val	Asp	Glu	Asn	
		115				120						125			

<210> 1575

<211> 115

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1643

<221> SITE
 <222> (18)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (29)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (40)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (49)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (65)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (82)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <220>
 <221> SITE
 <222> (97)
 <223> Xaa equals any of the naturally occurring L-amino acids

 <400> 1575
 Trp Phe Pro Arg Ala Ala Gly Phe Arg His Xaa Xaa Val Gln Ile Arg
 1 5 10 15

 Ala Xaa Glu Arg Lys Gly Thr Ser Ser Phe Gly Lys Xaa Arg Asn Lys
 20 25 30

 Thr His Thr Leu Cys Arg Arg Xaa Gly Ser Lys Ala Tyr His Leu Gln
 35 40 45

 Xaa Ser Thr Cys Gly Lys Phe Gly Tyr Pro Ala Lys Arg Lys Arg Lys
 50 55 60

 Xaa Asn Trp Ser Ala Lys Ala Lys Arg Arg Asn Thr Thr Gly Thr Gly
 65 70 75 80

 Arg Xaa Arg His Leu Lys Phe Val Tyr Arg Arg Phe Arg His Gly Phe

1644

	85		90		95
Xaa	Glu	Gly	Thr	Thr	Pro
				Lys	Pro
				Lys	Arg
				Ala	Ala
				Val	Ala
				Ala	Ser
	100		105		110
Ser	Ser	Ser			
	115				

<210> 1576
 <211> 121
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (108)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (114)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (116)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1576															
Gly	Arg	Arg	Ser	Glu	Met	Thr	Lys	Gly	Thr	Ser	Ser	Phe	Gly	Lys	Arg
1				5					10					15	
Arg	Asn	Lys	Thr	His	Thr	Leu	Cys	Arg	Arg	Cys	Gly	Ser	Lys	Ala	Tyr
			20					25					30		
His	Leu	Gln	Lys	Ser	Thr	Cys	Gly	Lys	Cys	Gly	Tyr	Pro	Ala	Lys	Arg
		35					40					45			
Lys	Arg	Lys	Tyr	Asn	Trp	Ser	Ala	Lys	Ala	Lys	Arg	Arg	Asn	Thr	Thr
	50					55					60				
Gly	Thr	Gly	Arg	Met	Arg	His	Leu	Lys	Ile	Val	Tyr	Arg	Arg	Phe	Arg
65					70					75				80	
His	Gly	Phe	Arg	Glu	Gly	Thr	Thr	Pro	Lys	Pro	Lys	Arg	Ala	Ala	Val
				85					90					95	
Ala	Ala	Phe	Gln	Phe	Ile	Phe	Lys	Asn	Val	Asn	Xaa	Phe	Ser	His	Ala
			100				105							110	

1645

Ile Xaa Cys Xaa Gly Val Leu Lys Asn
115 120

<210> 1577

<211> 61

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (61)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1577

Gly Ile Val Gly Lys Tyr Gly Thr Arg Tyr Gly Ala Ser Leu Arg Lys
1 5 10 15

Met Val Lys Lys Ile Glu Ile Ser Gln His Ala Lys Tyr Thr Cys Ser
20 25 30

Phe Cys Gly Lys Thr Lys Met Lys Arg Arg Ala Val Gly Ile Trp His
35 40 45

Cys Gly Ser Cys Met Lys Thr Val Xaa Gly Xaa Ala Xaa
50 55 60

<210> 1578

<211> 74

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

1646

<220>
 <221> SITE
 <222> (44)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (51)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (63)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (67)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (74)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1578
 Glu Leu Gly Lys Gly Lys Met Glu Lys Pro Ser Pro Tyr Pro Ala Gln
 1 5 10 15
 Gly Pro Cys Ile Ile Tyr Asn Glu Asp Asn Gly Ile Ile Lys Ala Phe
 20 25 30
 Gln Lys His Pro Trp Asn Tyr Ser Ala Xaa Met Xaa Ser Lys Leu Lys
 35 40 45
 His Phe Xaa Ser Leu Leu Pro Gly Gly Ala Cys Gly Asp Val Xaa Gly
 50 55 60
 Ile Gly Xaa Glu Met Ala Phe Pro Gly Xaa
 65 70

<210> 1579
 <211> 98
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (2)

1647

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (87)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (91)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1579

Ser	Xaa	Met	Ala	Cys	Ala	Arg	Pro	Leu	Ile	Ser	Val	Tyr	Ser	Glu	Lys
1				5					10					15	

Gly	Glu	Ser	Ser	Gly	Lys	Asn	Val	Thr	Leu	Pro	Ala	Val	Phe	Lys	Ala
			20					25					30		

Pro	Ile	Arg	Pro	Asp	Ile	Val	Asn	Phe	Val	His	Thr	Asn	Leu	Arg	Lys
		35					40					45			

Asn	Asn	Arg	Gln	Pro	Tyr	Ala	Val	Ser	Glu	Leu	Ala	Gly	His	Gln	Thr
	50					55					60				

Ser	Ala	Glu	Ser	Trp	Gly	Thr	Gly	Arg	Ala	Val	Ala	Arg	Ile	Pro	Arg
65					70					75				80	

Xaa	Arg	Gly	Gly	Gly	Thr	Xaa	Arg	Ser	Gly	Xaa	Gly	Ala	Phe	Gly	Asn
			85						90					95	

Met Cys

<210> 1580

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

1648

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1580

Leu	Ser	Leu	Xaa	Gly	Lys	Lys	Lys	Lys	Arg	Leu	Arg	Val	Asp	Lys	Trp
1				5					10					15	

Trp	Gly	Xaa	Arg	Lys	Glu	Leu	Ala	Thr	Val	Arg	Thr	Ile	Cys	Ser	His
			20					25					30		

Val	Gln	Asn	Met	Ile	Lys	Gly	Val	Thr	Leu	Gly	Phe	Arg	Tyr	Lys	Met
		35					40					45			

Arg	Xaa	Val	Tyr	Ala	His	Xaa	Pro	Ile	Asn	Val	Val	Ile	Gln	Glu	Xaa
	50					55						60			

Gly	Ser	Ile	Val	Glu	Ile	Xaa	Xaa
65					70		

<210> 1581

<211> 153

<212> PRT

1649

<213> Homo sapiens

<400> 1581

Ala Ile Met Gly Arg Met His Ala Pro Gly Lys Gly Leu Ser Gln Ser
 1 5 10 15

Ala Leu Pro Tyr Arg Arg Ser Val Pro Thr Trp Leu Lys Leu Thr Ser
 20 25 30

Asp Asp Val Lys Glu Gln Ile Tyr Lys Leu Ala Lys Lys Gly Leu Thr
 35 40 45

Pro Ser Gln Ile Gly Val Ile Leu Arg Asp Ser His Gly Val Ala Gln
 50 55 60

Val Arg Phe Val Thr Gly Asn Lys Ile Leu Arg Ile Leu Lys Ser Lys
 65 70 75 80

Gly Leu Ala Pro Asp Leu Pro Glu Asp Leu Tyr His Leu Ile Lys Lys
 85 90 95

Ala Val Ala Val Arg Lys His Leu Glu Arg Asn Arg Lys Asp Lys Asp
 100 105 110

Ala Lys Phe Arg Leu Ile Leu Ile Glu Ser Arg Ile His Arg Leu Ala
 115 120 125

Arg Tyr Tyr Lys Thr Lys Arg Val Leu Pro Pro Asn Trp Lys Tyr Glu
 130 135 140

Ser Ser Thr Ala Ser Ala Leu Val Ala
 145 150

<210> 1582

<211> 129

<212> PRT

<213> Homo sapiens

<400> 1582

Gly Pro Ala Asn Met Gly Arg Val Arg Thr Lys Thr Val Lys Lys Ala
 1 5 10 15

Ala Arg Val Ile Ile Glu Lys Tyr Tyr Thr Arg Leu Gly Asn Asp Phe
 20 25 30

His Thr Asn Lys Arg Val Cys Glu Glu Ile Ala Ile Ile Pro Ser Lys
 35 40 45

Lys Leu Arg Asn Lys Ile Ala Gly Tyr Val Thr His Leu Met Lys Arg

1650

50	55	60
Ile Gln Arg Gly Pro Val Arg Gly Ile Ser Ile Lys Leu Gln Glu Glu		
65	70	75 80
Glu Arg Glu Arg Arg Asp Asn Tyr Val Pro Glu Val Ser Ala Leu Asp		
	85	90 95
Gln Glu Ile Ile Glu Val Asp Pro Asp Thr Lys Glu Met Leu Lys Leu		
	100	105 110
Leu Asp Phe Gly Ser Leu Ser Asn Leu Gln Ser Leu Ser Leu Gln Leu		
	115	120 125

Gly

<210> 1583
 <211> 109
 <212> PRT
 <213> Homo sapiens

<400> 1583

Asn Asn Gly Arg Ala Lys Lys Gly Arg Gly His Val Gln Pro Ile Arg		
1	5	10 15
Cys Thr Asn Cys Ala Arg Cys Val Pro Lys Asp Lys Ala Ile Lys Lys		
	20	25 30
Phe Val Ile Arg Asn Ile Val Glu Ala Ala Ala Val Arg Asp Ile Ser		
	35	40 45
Glu Ala Ser Val Phe Asp Ala Tyr Val Leu Pro Lys Leu Tyr Val Lys		
	50	55 60
Leu His Tyr Cys Val Thr Val Pro Ser Ile Ala Arg Leu Leu Gly Ile		
	65	70 75 80
Asp Pro Ala Lys Pro Gly Arg Thr Glu His Pro His His Asp Ser Asp		
	85	90 95
Leu Leu Ala Leu His Leu Arg Pro Pro Pro Lys Pro Met		
	100	105

<210> 1584
 <211> 119
 <212> PRT

1651

<213> Homo sapiens

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1584

Val	Gln	Arg	Phe	Ile	Lys	Ile	Asp	Gly	Lys	Val	Arg	Thr	Asp	Ile	Thr
1				5					10					15	

Tyr	Pro	Ala	Gly	Phe	Met	Asp	Val	Ile	Ser	Ile	Asp	Lys	Thr	Gly	Glu
			20					25					30		

Asn	Phe	Arg	Leu	Ile	Tyr	Asp	Thr	Lys	Gly	Arg	Phe	Ala	Val	His	Arg
		35					40					45			

Ile	Thr	Pro	Glu	Glu	Ala	Lys	Tyr	Lys	Leu	Cys	Xaa	Val	Arg	Lys	Ile
	50					55					60				

Phe	Val	Gly	Thr	Lys	Gly	Ile	Pro	His	Leu	Val	Thr	His	Asp	Ala	Arg
65					70					75				80	

Thr	Ile	Arg	Tyr	Pro	Asp	Pro	Leu	Ile	Lys	Val	Asn	Asp	Pro	Phe	Ile
				85					90					95	

Leu	Ile	Xaa	Arg	Leu	Ala	Arg	Leu	Leu	Ile	Ser	Ser	Ile	Ser	Thr	Leu
			100					105					110		

Val	Thr	Cys	Val	Trp	Xaa	Leu
						115

<210> 1585

<211> 81

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1652

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1585

Gly	Arg	Tyr	Ala	Ala	Lys	Arg	Phe	Arg	Lys	Ala	Gln	Cys	Xaa	Ile	Val
1				5					10					15	

Glu	Arg	Leu	Thr	Asn	Ser	Met	Met	Met	Xaa	Gly	Arg	Asn	Asn	Gly	Lys
			20					25						30	

Lys	Leu	Met	Thr	Val	Arg	Ile	Val	Xaa	His	Ala	Phe	Glu	Ile	Ile	Arg
		35					40						45		

Leu	Leu	Thr	Gly	Xaa	Glu	Pro	Ser	Ala	Gly	Pro	Gly	Glu	Arg	His	His
		50					55				60				

Gln	His	Xaa	Ser	Pro	Gly	Arg	Xaa	His	Xaa	His	Trp	Ala	Arg	Arg	Asp
	65					70				75					80

Cys

1653

<210> 1586

<211> 111

<212> PRT

<213> Homo sapiens

<400> 1586

Lys Asn Cys Ile Val Leu Ile Asp Ser Thr Pro Tyr Arg Gln Trp Tyr
1 5 10 15

Glu Ser His Tyr Ala Leu Pro Leu Gly Arg Lys Lys Gly Ala Lys Leu
20 25 30

Thr Pro Glu Glu Glu Ile Leu Asn Lys Lys Arg Ser Lys Lys Ile
35 40 45

Gln Lys Lys Tyr Asp Glu Arg Lys Lys Asn Ala Lys Ile Ser Ser Leu
50 55 60

Leu Glu Glu Gln Phe Gln Gln Gly Lys Leu Leu Ala Cys Ile Ala Ser
65 70 75 80

Arg Pro Gly Gln Cys Gly Arg Ala Asp Gly Tyr Val Leu Glu Gly Lys
85 90 95

Glu Leu Glu Phe Tyr Leu Arg Lys Ile Lys Ala Arg Lys Gly Lys
100 105 110

<210> 1587

<211> 125

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1587

Arg Thr Met Pro Gly Val Thr Val Lys Asp Val Asn Gln Gln Glu Phe
1 5 10 15

1654

Val Arg Ala Leu Ala Ala Phe Leu Lys Lys Ser Gly Lys Leu Lys Val
20 25 30

Pro Glu Trp Val Asp Thr Val Lys Leu Ala Lys His Lys Glu Leu Ala
35 40 45

Pro Tyr Asp Glu Asn Trp Phe Tyr Thr Arg Ala Ala Ser Thr Ala Arg
50 55 60

His Leu Tyr Leu Arg Gly Gly Ala Gly Val Gly Ser Met Thr Lys Ile
65 70 75 80

Tyr Gly Gly Arg Gln Arg Asn Gly Val Met Pro Ser His Phe Ser Arg
85 90 95

Gly Ser Lys Ser Val Ala Arg Arg Xaa Leu Gln Ala Leu Gly Gly Ala
100 105 110

Glu Asn Gly Gly Xaa Gly Pro Arg Trp Arg Pro Ala Asn
115 120 125

<210> 1588

<211> 38

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

1655

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1588

Cys Met Leu Xaa Leu Val Leu Xaa Leu Leu Ser Ser Ser Ser Ala Glu
1 5 10 15

Glu Tyr Xaa Gly Leu Ser Ala Asn Gln Cys Ala Val Xaa Ala Lys Asp
20 25 30

Xaa Val Xaa Cys Gly Tyr
35

<210> 1589

<211> 55

<212> PRT

<213> Homo sapiens

<400> 1589

Gly Thr Ala Thr Gln Gly Leu Ser Pro Val His Thr Pro Gly Asp Gly
1 5 10 15

Arg Leu His Lys Ala Val Ser Val Gly Pro Arg Val His Ile Ile Glu
20 25 30

Glu Leu Gln Ile Phe Ser Ser Gly Gln Pro Val Ala Glu Ser Ala Pro
35 40 45

Gly Thr Pro Thr Gly Gly Leu
50 55

<210> 1590

<211> 92

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1590

Leu Glu Asp Gly Phe Gly Glu His Pro Phe Tyr His Cys Leu Xaa Ala

1656

1 5 10 15
Glu Val Pro Lys Glu His Trp Thr Pro Glu Gly His Ser Ile Val Gly
 20 25 30
Phe Ala Met Tyr Tyr Phe Thr Tyr Asp Pro Trp Ile Gly Lys Leu Leu
 35 40 45
Tyr Leu Glu Asp Phe Phe Val Met Ser Asp Tyr Arg Gly Phe Gly Ile
 50 55 60
Gly Ser Glu Ile Leu Lys Asn Leu Ser Gln Val Ala Met Arg Cys Arg
 65 70 75 80
Cys Ser Ser Met His Phe Phe Gly Ser Arg Met Glu
 85 90

<210> 1591

<211> 139

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1657

<222> (114)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (125)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (133)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1591

Xaa	Gly	Gly	Phe	Xaa	Ile	Thr	Xaa	Gly	Xaa	Asp	Glu	Gly	Lys	Leu	Val
1				5					10					15	

Thr	Pro	Ala	Gly	Asp	Arg	Ser	Gly	Ile	Pro	Gly	Ser	Thr	His	Ala	Ser
			20					25					30		

Gly	Arg	Asp	Val	Ser	Gln	Lys	Val	Leu	Arg	Ser	Gln	Thr	Trp	Val	Pro
		35					40					45			

Arg	Leu	Pro	Ala	Ser	Glu	Ala	Xaa	Ser	Arg	His	Arg	Gly	Lys	Val	Lys
	50						55				60				

Ser	Phe	Pro	Lys	Asp	Asp	Pro	Ser	Lys	Pro	Val	His	Leu	Thr	Ala	Phe
65					70					75					80

Leu	Gly	Tyr	Lys	Ala	Gly	Met	Thr	His	Ile	Val	Arg	Glu	Val	Asp	Arg
			85						90					95	

Pro	Gly	Ser	Lys	Val	Asn	Lys	Lys	Glu	Gly	Gly	Gly	Gly	Cys	Asp	His
			100					105					110		

Cys	Xaa	Asp	Thr	Xaa	His	Gly	Gly	Leu	Trp	Ala	Leu	Xaa	Ala	Thr	Leu
		115						120					125		

Glu	Asn	Pro	Arg	Xaa	Leu	Arg	Asn	Phe	Lys	Asn
	130						135			

<210> 1592

<211> 42

<212> PRT

1658

<213> Homo sapiens

<400> 1592

Ala Glu His Gly Asp Gln Asp Tyr Ile Trp His Cys Ile Asp Leu Phe
1 5 10 15

Leu Asp Phe Ile Thr Val Phe Arg Lys Leu Met Met Ile Leu Ala Met
20 25 30

Asn Glu Lys Asp Lys Lys Lys Glu Lys Lys
35 40

<210> 1593

<211> 85

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1659

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1593

Trp Ile Pro Arg Ala Ala Gly Ser Leu Ser Leu Ala Gln Arg Arg Gly
1 5 10 15

Xaa Thr Lys Thr Tyr Thr Val Gly Xaa Glu Glu Cys Thr Val Xaa Pro
20 25 30

Xaa Leu Ser Ile Pro Cys Lys Leu Gln Ser Gly Thr His Cys Xaa Trp
35 40 45

Thr Asp Gln Leu Leu Gln Gly Xaa Glu Lys Gly Xaa Gln Xaa Arg His
50 55 60

Leu Ala Cys Leu Pro Arg Glu Pro Gly Leu Gly Thr Trp Gln Xaa Leu
65 70 75 80

Arg Ser Gln Ile Ala
85

<210> 1594

<211> 183

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1660

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (136)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (151)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (152)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (160)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1594

Ala	Ala	Arg	Gly	Ala	Gln	Arg	Asp	Thr	Arg	Glu	Pro	Thr	Met	Ala	Pro
1				5					10					15	

Phe	Glu	Pro	Leu	Ala	Ser	Gly	Ile	Leu	Leu	Leu	Trp	Leu	Ile	Ala	
	20						25					30			

Pro	Ser	Arg	Ala	Cys	Thr	Cys	Val	Pro	Pro	His	Pro	Gln	Thr	Ala	Phe
	35					40						45			

Cys	Asn	Ser	Asp	Leu	Val	Ile	Arg	Ala	Lys	Phe	Val	Gly	Thr	Pro	Glu
50						55					60				

Val	Asn	Gln	Thr	Thr	Leu	Tyr	Gln	Arg	Tyr	Glu	Ile	Lys	Met	Thr	Xaa
65					70					75					80

Met	Tyr	Lys	Gly	Phe	Gln	Ala	Leu	Gly	Asp	Ala	Ala	Asp	Ile	Arg	Phe
			85					90						95	

Val	Tyr	Thr	Pro	Ala	Met	Glu	Ser	Val	Cys	Xaa	Tyr	Phe	His	Arg	Ser
			100					105					110		

His	Asn	Arg	Ser	Glu	Glu	Phe	Leu	Ile	Xaa	Gly	Lys	Leu	Gln	Asp	Gly
	115						120					125			

Leu	Leu	His	Ile	Thr	Thr	Cys	Xaa	Phe	Val	Ala	Pro	Trp	Asn	Ser	Leu
130						135						140			

1661

Ser Leu Ala Gln Arg Arg Xaa Xaa Thr Lys Thr Tyr Thr Val Gly Xaa
 145 150 155 160

Glu Glu Met His Lys Cys Phe Pro Val Tyr Pro Ser Pro Ala Asn Cys
 165 170 175

Arg Val Gly Thr His Cys Leu
 180

<210> 1595
 <211> 153
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (143)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (151)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1595
 Ser Thr Cys Pro Asp Glu Gln Cys Val Asn Ser Pro Gly Ser Tyr Gln
 1 5 10 15

Cys Val Pro Cys Thr Glu Gly Phe Arg Gly Trp Asn Gly Gln Cys Leu
 20 25 30

Asp Val Asp Glu Cys Leu Glu Pro Asn Val Cys Ala Asn Gly Asp Cys
 35 40 45

Ser Asn Leu Glu Gly Ser Tyr Met Cys Ser Cys His Lys Gly Tyr Thr
 50 55 60

Arg Thr Pro Asp His Lys His Cys Arg Asp Ile Asp Glu Cys Gln Gln
 65 70 75 80

Gly Asn Leu Cys Val Asn Gly Gln Cys Lys Asn Thr Glu Gly Ser Phe
 85 90 95

Arg Cys Thr Val Asp Arg Gly Tyr Gln Leu Ser Ala Ala Lys Asp Gln
 100 105 110

Phe Glu Asp Ile Asp Glu Cys His Thr Val Ile Ser Val Ala His Gly
 115 120 125

1662

His Ala Arg Thr Leu Lys Leu Phe Ser Met Cys Phe Leu Thr Xaa Val
130 135 140

Thr Glu His Leu Gly Leu Xaa Thr Leu
145 150

<210> 1596

<211> 111

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1596

Leu Gly Ser Ser Ala Met Ala Pro Ser Arg Lys Phe Phe Val Gly Gly
1 5 10 15

Asn Trp Lys Met Asn Gly Arg Lys Gln Ser Leu Gly Glu Leu Ile Gly
20 25 30

Thr Leu Asn Ala Ala Lys Val Pro Ala Asp Thr Glu Val Val Cys Ala
35 40 45

Pro Pro Thr Ala Tyr Ile Asp Phe Ala Arg Gln Lys Leu Asp Pro Lys
50 55 60

Ile Ala Val Ala Ala Gln Asn Cys Tyr Lys Val Thr Asn Gly Ala Phe
65 70 75 80

Thr Gly Glu Ile Ser Pro Gly Met Ile Lys Asp Cys Gly Pro Arg Gly
85 90 95

Trp Ser Trp Gly Thr Xaa Arg Glu Ala Cys Leu Trp Gly Ile Arg
100 105 110

<210> 1597

<211> 82

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

1663

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1597

Ile Phe Glu Asp Ser Asp Ser Leu Arg Leu Arg Arg Asp Val Leu Pro
1 5 10 15

Ala Ala Xaa Val Gln Ala Ala Leu Pro Ala Thr Ser Cys Val Pro His
20 25 30

Ala Lys Val Pro Lys Ser His Val His Pro Arg Ser Ala Leu Ser Leu
35 40 45

Thr Cys Leu Leu Leu Val His Leu Ser Ile Ala His Leu His Leu Ala
50 55 60

Ser Ile Asn Ala Leu Leu Xaa Gln Pro Tyr His Pro Gly Ser Xaa Xaa
65 70 75 80

Ser Pro

<210> 1598

<211> 52

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

1664

<220>
 <221> SITE
 <222> (16)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (19)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (26)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (36)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (47)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (48)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (49)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1598
 Xaa Lys Xaa Gly Arg Asn Lys Ala Arg Pro Leu Thr Ser Leu Arg Xaa
 1 5 10 15
 Thr Phe Xaa Ala Thr Phe Cys Pro Val Xaa Gly Thr Tyr Ile Leu Asn
 20 25 30
 Asp Cys Pro Xaa Thr His Ser Gly Ile Phe Phe Phe Leu Lys Xaa Xaa
 35 40 45
 Xaa Lys Ala Phe
 50

1665

<210> 1599
<211> 32
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (4)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (9)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (11)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (15)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (26)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (27)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1599
Ala Phe Asn Xaa Ser Tyr Arg Lys Xaa Val Xaa Ala Val Arg Xaa Glu
1 5 10 15
Phe Arg Val Thr Gln Arg Pro Gly Leu Xaa Xaa Leu Gly Leu Glu Phe
20 25 30

<210> 1600
<211> 19
<212> PRT
<213> Homo sapiens

1666

<220>
 <221> SITE
 <222> (12)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (13)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (15)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1600
 Ala Arg Gly Phe Phe Phe Phe Phe Phe Phe Xaa Xaa Phe Xaa Phe
 1 5 10 15

Phe Lys Lys

<210> 1601
 <211> 22
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (2)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (20)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (22)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1601
 Arg Xaa Asn Arg Val Phe Phe Phe Phe Phe Phe Phe Phe Phe Phe
 1 5 10 15

Phe Phe Phe Xaa Pro Xaa
 20

1667

<210> 1602

<211> 104

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (98)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1602

Asp Phe Gly Arg Ser Phe Leu Leu Trp Phe Ser Leu Phe Phe Leu Pro
1 5 10 15

Phe Tyr Ser Ala Arg Ile Ser Gly Gly Leu Met Val Gly Tyr Asn Val
20 25 30

Ser Val Leu Leu Gln Ile Gly Leu Lys Gly Tyr Pro Ala Glu Ser Pro
35 40 45

Ala Phe Leu Ser Ser Ile Tyr Phe Ser Gly Lys Leu Phe Phe Leu Phe
50 55 60

Phe Phe Lys Val Asn Leu Cys Ile Glu Leu Asn Cys Ile Ser Val Phe
65 70 75 80

Pro Ala Tyr Val Tyr Ile Ile Pro Met Ile Pro Asn Ser Tyr Leu Tyr
85 90 95

Phe Xaa Thr Asn Ser Gln Ser Glu
100

<210> 1603

<211> 86

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

1668

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1603

Phe	Leu	Met	Leu	Ser	Phe	Met	Gly	Ile	Val	Thr	Phe	Leu	Phe	Ser	Lys
1				5					10					15	

Ser	His	Cys	Trp	Asn	His	Gln	Gly	Cys	Gly	Met	Ser	Leu	Xaa	Val	Leu
			20					25					30		

Phe	Met	Gln	Val	Thr	Val	Thr	Phe	Ala	Ile	Met	Ala	Xaa	Phe	Glu	Thr
		35						40					45		

Leu	Ile	Met	Cys	Phe	Tyr	Phe	Phe	Ile	Pro	Val	Lys	Met	Xaa	Xaa	Lys
		50					55					60			

Arg	Lys	Lys	Val	Val	Ile	Ala	Pro	Xaa	Ile	Ser	Gly	Ser	Lys	Leu	Xaa
	65					70					75				80

Xaa	Lys	Phe	Pro	Lys	Lys
				85	

<210> 1604

<211> 34

<212> PRT

<213> Homo sapiens

1669

<400> 1604

Ser Asp Glu Ile Ile Tyr Asn Phe Ile Val Thr Ser Ser Val Phe Pro
1 5 10 15

Phe Glu Arg Cys Met Asn Ser Leu His Phe Tyr Ser Asn Val Leu Ser
20 25 30

Val Asp

<210> 1605

<211> 53

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1605

Leu Leu Val Trp Ser Glu Tyr Asn Thr Ser Ile Ile Thr Tyr Asn Ser
1 5 10 15

1670

Xaa Pro Gly Thr Gly Gly Tyr Lys Tyr Asn Phe Phe Lys Xaa Asn Ser
20 25 30

Trp Leu Ser Thr Xaa Leu Gln Val Pro Leu Xaa Gly Xaa Leu Trp Xaa
35 40 45

Ile Thr Leu Gly Lys
50

<210> 1606

<211> 32

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

1671

<400> 1606

Asp Ala Trp Ala Asp Ala Trp Gly Lys Val Ser Ser Ser Leu Xaa Ser
1 5 10 15

Xaa Ile Cys Xaa Leu Xaa Xaa Arg Lys Val Arg Xaa Gly Gln Xaa Met
20 25 30

<210> 1607

<211> 31

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1607

Leu Ile Met Asp Thr Ile Leu Asn Lys Xaa Ile Gln Val Lys Pro Val
1 5 10 15

Lys Glu Lys Glu Ile Lys Val Ser Gly Ser Cys Xaa Ser Xaa Val
20 25 30

<210> 1608

<211> 107

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (34)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (38)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (55)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (74)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (76)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (77)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (79)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (87)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (97)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (101)
<223> Xaa equals any of the naturally occurring L-amino acids

1673

<220>

<221> SITE

<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (104)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1608

Asp Pro Gln Gly Ile Arg His Pro His Ile Val Gln Leu Lys Asp Phe

1

5

10

15

Gln Cys Glu Leu Gly Ala Gly Xaa Leu Pro Lys Gly Val Glu Lys Asp

20

25

30

Ile Xaa Phe Arg Pro Xaa Leu Cys Leu Leu Lys Gln Gln Leu Gly Thr

35

40

45

Val Glu Pro Ile Asn Leu Xaa Phe Asn Pro Leu Gly Ser Phe Phe Ala

50

55

60

Gly Gln Gly Gly Gly Arg Lys Pro Trp Xaa Phe Xaa Xaa Phe Xaa Ser

65

70

75

80

Gln Leu Asn Pro Gly Gln Xaa Asn Phe Leu Gly Pro Leu Lys Glu Lys

85

90

95

Xaa Phe Gly Pro Xaa Xaa Xaa Xaa Leu Ser Xaa

100

105

<210> 1609

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1674

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1609

Arg Gln Thr Ser Thr Ala Lys Leu Gln Lys Gly Gly Phe Cys Ser Arg
1 5 10 15

Arg Lys Glu Asp Val Tyr Leu Gln Gly Ala Lys Gln Gly Glu Leu Gly
20 25 30

Ser Ser Cys Leu Arg Pro Asn Leu His Asp Asp Leu Gln Ala Arg Val
35 40 45

Phe Lys Xaa Ser Gly Lys Phe Pro Gly Lys Pro Glu Val Lys Gly Gln
50 55 60

Asn Cys Lys Ser Val Glu Ile Gly
65 70

<210> 1610

<211> 77

<212> PRT

<213> Homo sapiens

<400> 1610

Leu Tyr Arg Gly Ser Val Gln Gly Arg Val Glu Leu Leu Ser Glu Gly
1 5 10 15

Ser Leu Gly Gly Pro Leu Arg Pro Gly Pro Asp Pro Val Leu Gln Gly
20 25 30

Leu Ser Gln Gly Gln Val His Gly Glu Thr Met Gly Cys Leu Ser Asp
35 40 45

Thr Asp Leu Ala Leu Leu Ser Pro Pro Ile Arg Leu Ser Phe Leu Cys
50 55 60

Ser Glu Cys Leu Gln Gly Leu Asp Pro Gly Lys Glu Phe
65 70 75

<210> 1611

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1675

<222> (7)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (15)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (16)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (25)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (38)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (42)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (54)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (58)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (66)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (71)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1611
Glu Asn Leu Pro Ser Gln Xaa Ala Pro Ala Gly Leu Pro Lys Xaa Xaa
1 5 10 15

1676

Gln Pro Cys Leu Tyr Phe Tyr Gly Xaa Asn Gly His Lys Ile Ile Ile
20 25 30

Asn Leu Thr Lys Thr Xaa Leu Phe Ser Xaa Phe Leu Glu Leu Ser Trp
35 40 45

Ser Phe Leu Ile Leu Xaa Phe Gly Asn Xaa Arg Leu Phe Leu Lys Cys
50 55 60

Phe Xaa Asp Val Lys Ile Xaa Tyr
65 70

<210> 1612

<211> 63

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1677

<221> SITE
<222> (53)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (56)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1612
Arg Glu Ser Glu Met Leu Cys Asn Leu Leu Xaa Gln Leu Lys His Xaa
1 5 10 15
Met Leu Arg Gly Arg Asn Tyr Lys Xaa Cys Ser Asn Leu Phe Trp Val
20 25 30
Ile Xaa Met Tyr Leu Trp Val Gln Ala Leu Phe Gly Gly Phe Xaa Phe
35 40 45
Gln Arg Asn Xaa Xaa Lys Val Xaa Leu Leu Ile Lys Lys Arg Lys
50 55 60

<210> 1613
<211> 22
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (3)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (5)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (11)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (12)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1613
Lys Ser Xaa Ser Xaa Thr Ala Gly Asp Arg Xaa Xaa Thr Ser Gly Ser

1678

1	5	10	15
Pro Gly Leu Gln Glu Phe			
20			

<210> 1614

<211> 85

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

1679

<220>

<221> SITE

<222> (75)

<223> xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (78)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (83)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1614

Asp Gly Gly Phe Xaa Xaa Phe Phe Phe Phe Phe Phe Xaa Xaa Phe
 1 5 10 15

Phe Phe Tyr Xaa Trp Val Ile Ser Thr Cys Phe Ile Pro Ala Ile Lys
 20 25 30

Ile Ile Lys Asn Ile Ser Asn Tyr Tyr Thr His Thr Lys Xaa Val Gln
 35 40 45

Ser Leu Xaa Leu Pro Pro Thr Pro Arg Gly Lys Asn Cys Phe Xaa Leu
 50 55 60

Trp Glu Val Val Ser Glu Thr Arg Gly Gln Xaa Thr Gln Xaa Arg Leu
 65 70 75 80

Gly Gly Xaa Arg Xaa
 85

<210> 1615

<211> 85

<212> PRT

<213> Homo sapiens

<400> 1615

Tyr Ala Val Pro Cys Ser Gly Ile Gln Gly Arg Phe Ser Pro Leu Ser
 1 5 10 15

1680

Phe Leu Leu Ala Gly Asp Ser Cys Thr Cys Ala Gly Ser Cys Lys Cys
 20 25 30
 Lys Glu Cys Lys Cys Thr Ser Cys Lys Lys Ser Lys Trp Asp Pro Leu
 35 40 45
 Phe Pro Leu Pro Leu Pro Val Leu Gln Pro Val Pro Ser Ser Pro Ser
 50 55 60
 Ser Gly Glu Leu Lys Gln Val Trp Gly Cys Pro Ile Ala Pro Gly Asn
 65 70 75 80
 Trp Trp Pro Pro Gln
 85

<210> 1616

<211> 29

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1616

Ala Glu Gly Asn Ile Arg Xaa Ala Lys Lys Lys Lys Lys Lys Lys Lys
 1 5 10 15

1681

Lys Lys Lys Lys Lys Lys Lys Lys Xaa Xaa Lys Xaa Xaa
 20 25

<210> 1617
 <211> 37
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (4)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (11)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (20)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (26)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (36)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1617
 Gly Pro Ala Xaa Trp Arg Glu Thr Pro Pro Xaa Leu Tyr Lys Glu Phe
 1 5 10 15

Pro Gly Val Xaa Gly Ser Phe Ser Leu Xaa Ser Glu Trp Gly Ala Gln
 20 25 30

Ile Trp Ala Xaa Cys
 35

<210> 1618
 <211> 22
 <212> PRT
 <213> Homo sapiens

1682

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1618

Gly Xaa Gly Phe Xaa Pro Ser Pro Ser Cys Phe Pro Gln Cys Leu Lys
1 5 10 15

Xaa Leu Asp Gly Leu Xaa
20

<210> 1619

<211> 52

<212> PRT

<213> Homo sapiens

<400> 1619

Gln Ser Ile Ser Leu Asn Arg Asp Gly Val Glu Glu Leu Lys Val Gly
1 5 10 15

Ile Cys Ser Leu Met Thr Thr Met Phe Thr Ile Cys Cys Gly Leu Val
20 25 30

Gly Ala Leu Arg Gln Glu Asn His Val Glu Pro Thr Gly Ser Arg Pro
35 40 45

Ala Trp Glu Thr
50

<210> 1620

1683

<211> 52
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (28)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (35)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1620
Pro Thr Glu Gln Val Thr Leu Gly Ile Thr Ala Gln Ser Tyr Ser Arg
1 5 10 15
Val His Ile Asn Asn Arg Val Tyr Asp Leu Asp Xaa Gly Ser Gly His
20 25 30
Pro Asp Xaa Ala Ala Ala Ile Lys Gly Ser Phe Val Gln Arg Leu Lys
35 40 45
Ser Tyr Val Ile
50

<210> 1621
<211> 113
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (87)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (108)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (112)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1621
Leu Phe Pro Ala Pro Ala Pro Pro Pro Ala Pro Ala Phe Ala Pro Pro

1684

1 5 10 15
 Pro Lys Val Pro Ser Pro Glu Arg Ser Ala Pro Arg Val Pro Leu Pro
 20 25 30
 Ser Pro Gln Pro Ser Tyr Pro Phe Arg Pro Ala Ala Ser Gly Gly Thr
 35 40 45
 Pro Pro Pro Ala Cys Leu Pro Pro Ala Gln Pro Cys Gln Val Pro Pro
 50 55 60
 Ala Met Asn Leu Phe Arg Phe Leu Gly Lys Leu Ser Gln Leu Leu Ala
 65 70 75 80
 Ile Ile Leu Leu Leu Leu Xaa Ile Trp Asn Ser Arg Ser Cys Ala Glu
 85 90 95
 Ile Gln Glu Lys Asn Ser Pro Val Trp Cys Gly Xaa Phe Asn Gly Xaa
 100 105 110
 Ile

<210> 1622

<211> 21

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1622

Val Phe Lys Thr Met Xaa Gln Val Ser Asn Asp Glu Ile Lys His Leu
 1 5 10 15

Phe Val Leu Tyr Gln
 20

<210> 1623

<211> 40

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

1685

<222> (7)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (10)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (23)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (29)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (33)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (39)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (40)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1623
Leu Arg Thr Ser Cys Phe Xaa Leu Asn Xaa Met Ile His Phe Ile Lys
1 5 10 15
Val Pro Val Ile Lys Tyr Xaa Val Lys Tyr Leu Leu Xaa Trp Thr Ile
20 25 30
Xaa Cys Lys Leu Pro Phe Xaa Xaa
35 40

<210> 1624
<211> 95
<212> PRT
<213> Homo sapiens

<220>

1686

<221> SITE
 <222> (4)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (24)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (39)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (40)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (78)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (79)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (82)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (87)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (95)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1624

Ile His Pro Xaa Leu Ala Ser Gln Val Ala Gly His Tyr Arg Arg Glu
 1 5 10 15

His Ser Arg Pro Arg Leu Lys Xaa Ala Tyr Ser Lys Lys Gln Phe Gln
 20 25 30

1687

Phe Leu Ser Lys Leu Cys Xaa Xaa Arg Gly Ser Thr Asp Phe Leu Gly
 35 40 45
 Pro Val Asn Leu Asn Gln Ser Leu Arg Phe Cys Gln Glu Ser Ser Leu
 50 55 60
 Leu Ser Lys Trp Val Phe Pro Asn Gly His Asn Gly Lys Xaa Xaa Arg
 65 70 75 80
 Gly Xaa Asn Ile Lys Lys Xaa Lys Lys Asn Leu Gly Gly Gly Xaa
 85 90 95

<210> 1625

<211> 40

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1625

Ala Arg Ala Thr Met Ala Leu Trp Thr Xaa Val Ser Phe Ala Glu Xaa
 1 5 10 15

Leu Glu Arg Gly Ser Asp Glu Lys Val Xaa Leu Lys Arg Leu Ala Arg
 20 25 30

Leu Leu Gly Leu Ile Thr Ala Pro
 35 40

<210> 1626

<211> 26

<212> PRT

<213> Homo sapiens

1688

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1626

Ala	Arg	Ala	Gly	Ile	Val	Pro	Xaa	His	Ser	Ser	Leu	Gly	Asp	Arg	Ala
1					5				10					15	

Arg	Leu	His	Leu	Lys	Lys	Lys	Lys	Xaa
			20				25	

<210> 1627

<211> 171

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (89)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (119)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (121)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1689

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (155)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1627

Glu	Leu	Gln	Ala	Ser	Glu	Asn	Gln	Pro	Cys	Ser	Arg	His	Ala	Arg	Pro
1				5				10						15	

Arg	Leu	Pro	Ser	Ser	Leu	Phe	Pro	Leu	Pro	Ala	Gln	Pro	Ser	Leu	Pro
			20					25						30	

Ser	Ser	Ala	Gly	Lys	Ala	Gly	Thr	His	Ser	Gly	Cys	Leu	Pro	Pro	Gly
		35					40					45			

Gly	Lys	Glu	Arg	Glu	Gly	Gly	Trp	Val	Gly	Xaa	Gly	Leu	Pro	Pro	Gly
	50					55					60				

Asn	Val	Thr	Leu	Pro	Gly	Pro	Arg	Ile	Ala	Pro	Gly	Pro	Lys	Pro	Lys
65					70					75					80

Ala	Gln	Pro	Gly	Thr	Lys	Leu	Arg	Xaa	Ser	Ala	Gly	Arg	Ser	Tyr	Phe
				85				90						95	

Tyr	Leu	Pro	Pro	Pro	Leu	Leu	Val	Pro	Pro	Pro	Gly	Arg	Leu	Ala	Ala
		100						105					110		

Glu	Ser	Asp	Thr	Gly	Xaa	Xaa	Lys	Xaa	Xaa	Xaa	Glu	Pro	Trp	Tyr	Pro
		115					120					125			

Ile	Leu	Gly	Pro	Gly	Pro	Xaa	Leu	Gly	Pro	Asn	Pro	Ser	Ser	Val	Asp
	130					135					140				

Asn	Gly	Val	Trp	Asn	Lys	Cys	Cys	Leu	Ser	Xaa	Gln	Gln	Lys	Lys	Lys
145					150					155					160

Lys	Arg	Gly	Gly	Arg	Phe	Arg	Gly	Phe	Lys	Ala
					165				170	

1690

<210> 1628
<211> 120
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (53)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (93)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (110)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (111)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (117)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1628
Arg Pro Ala Arg Ser Pro Ala Glu Val Gly Ser Arg Gly Leu Ser Ser
1 5 10 15

Pro Pro Arg Ala His His Arg Pro Val Ser Pro Ala Ala Pro Gly Arg
20 25 30

Trp Ser Thr Ser Ala Arg Val Arg Thr Arg Lys Met Val Asn Tyr Ala
35 40 45

Trp Ala Gly Arg Xaa Arg Arg Lys Leu Trp Trp Arg Ser Val Ala Val
50 55 60

Leu Thr Cys Lys Ser Val Val Arg Pro Gly Tyr Arg Gly Glu Arg Leu
65 70 75 80

Asn Arg Thr Ile Leu Val Ser Trp Phe Pro Ser Glu Xaa Phe Pro Gln
85 90 95

1691

Asp Lys Leu Gly Ala Leu Ala Arg Pro Arg Arg Asn Pro Xaa Xaa Gly
100 105 110

Ile Phe Ile Arg Xaa Lys Arg Ile
115 120

<210> 1629

<211> 86

<212> PRT

<213> Homo sapiens

<400> 1629

Asn Leu Val Pro Gly Ser Ser Ala Thr Tyr Ile Ser Leu Ser Ser Cys
1 5 10 15

Cys Phe Val Lys Arg Lys Arg Lys Lys Lys Pro Lys Leu Val Arg Val
20 25 30

Ile Ser Asn Tyr Leu Ile Phe Cys Arg Ser Val Ile Lys Asn Leu Val
35 40 45

Ile Pro Ser Thr Ser Tyr Cys Glu Glu Gln Thr Leu Gly Pro Thr Leu
50 55 60

Lys Ser Pro Leu Val Thr His Ser His Pro Pro Gly Ser Cys Leu Pro
65 70 75 80

Gly Arg Gly Cys Arg Lys
85

<210> 1630

<211> 35

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1630

Leu Lys Lys Lys Phe Pro Glu Glu Glu Lys Lys Thr Thr Lys Asn Lys
1 5 10 15

Thr Leu Lys Val Asp Ile Leu Cys Gly Xaa Thr Phe Glu Leu Asn Ser
20 25 30

1692

Glu Phe Phe
35

<210> 1631
<211> 40
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (12)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (23)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (29)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (31)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1631
His Glu Gln Pro Thr Ala Ala Cys Ile Cys Ile Xaa Arg Gln Val Pro
1 5 10 15

Pro Val Pro Ala Ala Arg Xaa Pro Gln Ser Arg Thr Xaa Ser Xaa Gln
20 25 30

Ala Lys Leu Ala Leu Thr Met Pro
35 40

<210> 1632
<211> 97
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (61)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (91)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

1694

<400> 1632

Xaa Ser Gly Ser Pro Gly Pro Ala Gly Pro Arg Gly Pro Val Gly Pro
1 5 10 15

Xaa Gly Pro Pro Gly Lys Asp Gly Thr Xaa Gly His Pro Gly Ala Ile
20 25 30

Gly Pro Pro Gly Pro Arg Gly Asn Xaa Gly Glu Xaa Gly Ser Xaa Gly
35 40 45

Ser Pro Gly Pro Xaa Arg Ala Thr Arg Ala Leu Leu Xaa Pro Pro Gly
50 55 60

Ala Pro Gly Pro Cys Cys Gly Gly Val Xaa Ala Ala Ala Ile Ala Gly
65 70 75 80

Ile Gly Arg Leu Lys Lys Leu Gly Arg Phe Xaa Pro Arg Val Xaa Trp
85 90 95

Gly

<210> 1633

<211> 43

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1695

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1633

Glu Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
1 5 10 15

Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Gly Arg Pro Phe Xaa Arg
20 25 30

Ile Gln Xaa Tyr Val Xaa Xaa Xaa Ala Thr Ser
35 40

<210> 1634

<211> 88

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (82)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1634

Ala Arg Ala Ala Leu Ser Ala Thr Lys Thr Cys Arg Pro Ala Phe Arg
1 5 10 15

Gly Ala Ser Ala Ala Pro Arg Gly Gly Gly Pro Ala Arg Ser Pro Gly
20 25 30

Arg Val Leu Gly Arg His Ala Ala Gly Ser Leu Ala Arg Leu Val Gly
35 40 45

Arg Ser Arg Gly Phe Trp Leu Leu Gly Gly Glu Val Lys Ser Phe Cys
50 55 60

Arg Cys Trp Gly Arg Arg Thr Arg Arg Glu Arg Lys Lys Lys Lys Lys
65 70 75 80

Lys Xaa Leu Gly Lys Tyr Phe Xaa
85

1696

<210> 1635
<211> 105
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (70)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (102)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1635
Tyr Ser His Ser Gly Phe Cys Ser Pro Thr Asp Glu Asp Arg Cys Thr
1 5 10 15
Asn Glu Ala Asp Gly Asn His Pro Val Glu Val His Leu Arg Ser Asp
20 25 30
Pro Asp Asp Ala Arg Ala Met Thr Gly Pro Ala Gly Val Ala Pro Arg
35 40 45
Gly Asp Gln Pro Trp Ser Ser His Arg Arg Lys Pro Leu Arg Ser Gly
50 55 60
Lys Arg Arg Arg Lys Xaa Lys Trp Gln Lys Gln Lys Glu Pro Gln Ser
65 70 75 80
Ser Ile Gly Asp His Ser Met His Phe Leu Pro Ala Ala Thr Gln Thr
85 90 95
Leu Pro Glu Leu Leu Xaa Asn Leu Met
100 105

<210> 1636
<211> 47
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (5)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1697

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1636

Gln	Arg	Pro	Arg	Xaa	Xaa	Gly	Thr	Gly	Ser	Gly	Pro	Pro	Gly	Pro	Gly
1				5				10					15		

Lys	Ala	Ser	His	Gly	Gly	Gly	Ala	Pro	Val	Ser	Arg	Ser	Gly	Thr	Gly
			20				25						30		

Ser	Glu	Asp	Gly	Arg	Glu	Ser	Arg	Ala	Thr	Val	Val	Val	Xaa	Cys
		35				40						45		

<210> 1637

<211> 55

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

1698

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1637

Gly Asp Pro Pro Glu Gly Pro Ala Thr Ser Pro Leu Thr Asn Ser Xaa
1 5 10 15

His Pro Xaa Ser Xaa Gly Thr Ala Ala Ala Thr Gln Arg Arg Xaa Ser
20 25 30

Glu Gln Gly Gly Arg Xaa Thr Cys Gly Pro Ala Gly Ala Gly Ser Pro
35 40 45

Xaa Xaa Pro Pro Arg Ala Xaa
50 55

<210> 1638

<211> 55

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE
<222> (14)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (18)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (19)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (20)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (29)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (30)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (34)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (35)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (38)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (39)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE

1700

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1638

Ile	Arg	Xaa	His	Ala	Thr	Xaa	Tyr	Arg	Gly	Xaa	Phe	Cys	Xaa	Arg	Arg
1				5					10					15	

Thr	Xaa	Xaa	Xaa	Leu	His	Ser	Ala	Asn	Val	Thr	Thr	Xaa	Xaa	Leu	Leu
			20					25						30	

Leu	Xaa	Xaa	Phe	Tyr	Xaa	Xaa	Arg	Xaa	Xaa	Ala	Xaa	Val	Asn	Ile	Ser
			35				40						45		

Xaa	Val	Pro	His	Cys	Pro	Ile
	50					55

<210> 1639

<211> 58

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1639

Ile	Cys	Pro	Gln	Asn	Pro	Leu	Asn	Pro	Leu	Val	Asn	Leu	Thr	Xaa	Ser
1				5					10					15	

1701

Pro Lys Arg Asn Ser Ser Leu Asp Thr Arg Lys Lys Pro Cys Arg Glu
 20 25 30

Ser Lys Lys Phe Asn Thr His Ser Arg Pro Lys Ser Ser His Gln Leu
 35 40 45

Arg Lys Arg Ser Ser Xaa Thr Pro Thr Thr
 50 55

<210> 1640

<211> 37

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1640

Met Cys Val Asp Cys Met Asn Asp Leu Glu Lys Lys Lys Lys Lys Lys
 1 5 10 15

Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Xaa Pro Xaa
 20 25 30

Gly Xaa Pro Xaa Pro
 35

<210> 1641

<211> 41

1702

<212> PRT

<213> Homo sapiens

<400> 1641

Tyr Val Trp Leu Gly His Phe Val Ala Lys Val Arg Thr Cys Leu Trp
1 5 10 15

Lys Thr Ser Leu Trp Leu Gly Glu Ser Val Trp Pro Ala Ala Ser Asp
20 25 30

Leu Cys Arg Val Leu Thr Cys Gln Gly
35 40

<210> 1642

<211> 99

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1703

<221> SITE
<222> (40)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (42)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (49)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (51)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (95)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1642
Xaa Pro Ala Ala Ser Tyr Leu Met Thr Leu Met Glu Pro Leu Ser Leu
1 5 10 15
Ile Xaa Xaa Xaa Leu Ser Pro Pro Leu Xaa Xaa Ser Lys Glu Asn His
20 25 30
Phe Asp Ala Arg Ser Cys Leu Xaa Ser Xaa Pro Lys Cys Ser Cys Ser
35 40 45
Xaa Pro Xaa Pro Gly Ile Ser Leu Pro Arg Asp Lys Ser Ala Ser Glu
50 55 60
Ile Leu His Asp Ser Leu Cys Phe Gln Asn Pro Gly Leu Phe Cys Ile
65 70 75 80
Ser Ser Phe Leu Gly Pro Ala Ser Cys Val Pro Leu Lys Gly Xaa Trp
85 90 95
Ala Lys Thr

<210> 1643
<211> 42
<212> PRT

1704

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1643

Lys	Xaa	Pro	Xaa	Asn	Leu	Gly	Lys	Ala	Arg	Leu	Gln	Val	Pro	Val	Arg
1				5				10					15		

Asn	Ser	Arg	Val	Asp	Leu	Arg	Val	Phe	Ile	Tyr	Ile	Asp	Ile	Tyr	Ile
			20					25					30		

Asp	Ile	Tyr	Arg	Tyr	Ile	Tyr	Arg	Tyr	Ile
		35					40		

<210> 1644

<211> 46

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

1705

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1644

Arg	Val	Gly	Val	Arg	Leu	Ala	Gln	Val	Pro	Xaa	His	Leu	Thr	Ser	Arg
1				5					10					15	

Ser	His	His	Pro	His	Pro	Val	Phe	His	Xaa	Arg	Leu	Lys	Ala	Thr	Met
			20					25					30		

Arg	Met	Xaa	His	Thr	Glu	Ala	Xaa	Met	Xaa	Xaa	Asn	His	Leu
	35						40					45	

<210> 1645

<211> 69

<212> PRT

<213> Homo sapiens

<400> 1645

His	Val	Arg	Leu	Lys	Pro	Ile	Phe	Ser	Pro	Phe	Phe	Leu	Leu	Phe	Ser
1				5					10					15	

Leu	Ala	Ala	His	Ile	Val	Pro	Leu	Phe	Tyr	Glu	Pro	Gln	Phe	Ser	Gly
			20					25					30		

Leu	Ser	Leu	Lys	Lys	Lys	Ser	Ser	Leu	Asn	Ile	Ala	Phe	Arg	Lys	Leu
		35					40					45			

Leu	Phe	Leu	Asp	Lys	Lys	Ser	Tyr	Thr	Leu	Lys	Lys	Lys	Lys	Thr	Phe
	50					55					60				

Ser	Arg	Lys	Ile	Tyr
	65			

<210> 1646

<211> 78

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (42)

1706

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (77)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1646

Ile	Ile	Cys	Phe	Val	Leu	Ser	Phe	Ile	Tyr	His	Phe	Phe	Leu	Tyr	Lys
1				5				10					15		

Ser	Ile	Ile	Ser	Arg	Phe	Leu	Tyr	Tyr	Met	Ile	Asp	Ile	Asn	Trp	Val
			20				25						30		

Ile	Ser	Ser	Arg	Gln	Phe	Val	Phe	Ser	Xaa	Xaa	Pro	Pro	Ser	Thr	Val
			35				40						45		

Ser	Gln	Arg	Pro	Asp	Xaa	Val	Gly	Lys	Val	Phe	Phe	Leu	Arg	Ile	Val
	50					55						60			

Lys	Gly	Ser	Xaa	Gln	Leu	Gly	Leu	Ile	Lys	Ala	Xaa	Xaa	Pro
65					70				75				

<210> 1647

<211> 58

<212> PRT

<213> Homo sapiens

<400> 1647

1707

Ile Cys Pro Gln Asn Pro Leu Asn Pro Leu Val Asn Leu Thr Val Ser
 1 5 10 15
 Pro Lys Arg Asn Ser Ser Leu Asp Thr Arg Lys Lys Pro Cys Arg Glu
 20 25 30
 Ser Lys Lys Phe Asn Thr His Ser Arg Pro Lys Ser Ser His Gln Leu
 35 40 45
 Arg Lys Arg Ser Ser Ser Thr Pro Thr Thr
 50 55

<210> 1648
 <211> 59
 <212> PRT
 <213> Homo sapiens

<400> 1648
 Cys Leu Phe Leu Leu Pro Val Met Leu Leu Gln Ile His Ile Ser Arg
 1 5 10 15
 Ser Thr Val Asn Val Ser Thr Ser Arg Gly Thr Pro Pro Ser Thr Leu
 20 25 30
 Ser Val Lys Gly Gln Asn Glu Thr Val Arg Val Lys Gly Thr Gly Arg
 35 40 45
 Lys Phe Ala Cys Leu Gln Val Thr Arg Ile Arg
 50 55

<210> 1649
 <211> 110
 <212> PRT
 <213> Homo sapiens

<220>
 <221> SITE
 <222> (11)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (29)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE

1708

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (86)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1649

Val	Pro	Pro	Pro	Val	Pro	Trp	Gly	Gly	Pro	Xaa	Arg	Glu	Gly	Glu	Val
1				5					10					15	

Ser	His	Thr	Lys	Ala	Asp	Ala	Pro	Leu	Val	Gly	Gly	Xaa	Trp	Pro	Gly
			20					25					30		

Lys	Ile	Glu	Gly	Cys	Ala	Gly	Leu	Pro	Leu	Arg	Ala	Ala	Gln	Thr	Ala
		35					40						45		

Leu	Met	Cys	Gly	Gly	Xaa	Ala	Arg	Trp	Val	Arg	Ala	Gln	Glu	Val	Ala
	50					55					60				

Pro	Xaa	Thr	Val	Ala	Asp	Xaa	Leu	Pro	Arg	Val	Pro	Gly	Ser	Ser	Leu
	65						70			75					80

Tyr	Pro	Trp	Tyr	Ala	Xaa	Asn	Xaa	Trp	Phe	Pro	His	Pro	Xaa	Ala	Ala
				85					90					95	

Lys	Ser	Leu	Phe	Pro	Trp	Ile	Ser	Gln	Ala	Lys	Leu	Gly	Leu
		100						105					110

1709

<210> 1650
<211> 74
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (11)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (28)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1650
Ser Pro Glu Gly Leu Ser Leu Leu Ala Pro Xaa Pro Gly Arg Ala Pro
1 5 10 15
Ala Gly Pro Thr Pro Leu Arg Gly Gln Cys Gln Xaa Gly Ser Leu Thr
20 25 30
Gly Ala Val His Leu Ser Asn Gly Asn Ala Gly Val Leu Arg Arg Ala
35 40 45
Gln Gly Gly Gln Lys Pro Pro Val Glu Gln Lys Gly Lys Ser Ser Leu
50 55 60
Asp Leu His Phe Gln Tyr Glu Tyr Arg Pro
65 70

<210> 1651
<211> 83
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (30)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (45)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE

1710

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1651

Asn	Lys	Gly	Gly	Gly	Arg	Met	Met	Thr	Tyr	Pro	Glu	Val	Leu	Pro	Leu
1				5					10					15	

Thr	Ala	Arg	Thr	Gly	Ala	Cys	Ser	Val	Pro	Trp	Glu	His	Xaa	Ala	Gln
			20					25					30		

Leu	Ser	Gly	Val	Gln	Ala	Val	Gly	Ser	Phe	Pro	Asn	Xaa	Ser	Ile	Ser
		35					40					45			

Xaa	Pro	Xaa	Xaa	Leu	Lys	Pro	Val	Gly	Gln	Ile	Ser	Lys	Xaa	Leu	Xaa
		50				55					60				

Xaa	Arg	Xaa	Pro	Phe	Thr	Asn	Pro	Arg	Phe	Cys	Gly	Gln	Cys	Pro	Lys
65						70				75					80

Gly Val Gly

1711

<210> 1652
<211> 90
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (11)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (41)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (43)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (54)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (55)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (56)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (76)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (89)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1652
Phe Phe Phe Phe Leu Asp Val Lys Gly Ile Xaa Phe Gln Arg Leu Leu
1 5 10 15

1712

Glu Ser Leu Val Tyr Thr Asp Glu Gly Val Arg Cys Cys Phe Pro Ser
 20 25 30
 Glu Ser Ser Ala Ser Thr Glu Ile Xaa Leu Xaa Leu Ile Phe Asp Ile
 35 40 45
 Leu His Cys Leu Leu Xaa Xaa Xaa Arg Ser Phe Leu Pro Phe Thr Ser
 50 55 60
 Pro Ser Asn Tyr Val Gln Met Cys Arg Leu Leu Xaa Ser Gly Leu Ser
 65 70 75 80
 Pro Lys Ala Leu Thr Leu Gly Leu Xaa Phe
 85 90

<210> 1653

<211> 55

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1653

Lys Leu Trp Phe Val Phe Val Phe Cys Leu Phe His Leu Phe Pro Ser
 1 5 10 15

1713

Gln Pro Gln Thr Phe Cys Ser Leu Arg Glu Leu Thr Phe Pro Phe Phe
 20 25 30
Phe Leu Phe Phe Phe Phe Gly Xaa Leu Xaa Val Xaa Asn Lys Ile Xaa
 35 40 45
Xaa Ala Ile Lys Lys Lys Lys
 50 55

<210> 1654

<211> 61

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

1714

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1654

Val Xaa Ala Thr Asn Leu Pro Ser Leu Val Ile Ala Xaa Cys Ser Xaa

1

5

10

15

Ile Glu Ser Leu Val Pro Leu Leu Ile Trp Pro Gln Lys Pro Pro Asn

20

25

30

Ser Pro Trp Leu Ile Leu Thr Val Xaa Pro Lys Lys Gly Thr Xaa Ser

35

40

45

Leu Gly Pro Leu Xaa Lys Lys Thr Leu Xaa Lys Xaa Asn

50

55

60

<210> 1655

<211> 20

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1655

Ala Ala Val Leu Gln Thr Ala Arg Arg Ala Arg Ser Ala Cys Arg Leu

1

5

10

15

Xaa Xaa Xaa Xaa

1715

20

<210> 1656
<211> 24
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (12)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (13)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (17)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (19)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1656
Ala Asp Ile Gln Thr Glu Arg Ala Tyr Gln Lys Xaa Xaa Thr Ile Phe
1 5 10 15

Xaa Asn Xaa Lys Arg Val Leu Leu
20

<210> 1657
<211> 34
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (10)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (31)

1716

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1657

Ala Ala Ala Cys Leu Pro Ala Thr Glu Xaa Ser Gln His His Glu Gly
1 5 10 15

Leu Asp Leu Leu Ser Pro Leu Pro Gly Arg Glu Gly Leu Gly Xaa Pro
20 25 30

Ser Xaa

<210> 1658

<211> 51

<212> PRT

<213> Homo sapiens

<400> 1658

Cys Lys Gln Tyr Leu Thr Asn Pro Gln Val Leu Asn Tyr Gln Thr Cys
1 5 10 15

Ile Lys Asn Phe Gly Trp Gly Asp Leu Gly Ala Glu Pro Asn Leu Arg
20 25 30

Ala Val His Ala Lys Thr Ser Pro Val Lys Ala Asn Tyr Tyr Thr Gln
35 40 45

Leu Ile Gln
50

<210> 1659

<211> 166

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (62)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (72)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (80)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (84)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (87)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (88)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (95)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (98)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (115)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (125)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (132)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (133)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (139)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (144)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (149)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (160)

<223> Xaa equals any of the naturally occurring L-amino acids

1719

<220>

<221> SITE

<222> (162)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1659

Ser Thr His Ala Ser Gly His Ser His Ser Gln Ala Ser Leu Ala Gly
 1 5 10 15

Ser Arg Val Ala Arg Val Arg Cys Leu Leu Gln Leu Gln Asp Asp Arg
 20 25 30

Pro Glu Asp Ala Leu Leu Leu Phe Leu Pro Gln Pro Arg Gln Glu Ala
 35 40 45

Thr Xaa Pro Gln Xaa Pro Ser Arg Pro Ser Arg Gly Pro Xaa Trp Leu
 50 55 60

Gly Leu Leu Lys Lys Ala Glu Xaa Gly Gly His Pro Ser Gln Glu Xaa
 65 70 75 80

Pro Gly Trp Xaa Gly Glu Xaa Xaa Glu Arg Arg Pro Pro Trp Xaa Leu
 85 90 95

Asn Xaa Arg Thr Phe Trp Asn Arg Ile Pro Glu Glu Gln Arg Ala Arg
 100 105 110

Gly Pro Xaa Leu Xaa Xaa Arg Gly Pro Xaa Xaa Val Xaa Pro Trp Gly
 115 120 125

Phe Leu Glu Xaa Xaa Pro Gly Lys Glu Ser Xaa Leu Arg Gly Gly Xaa
 130 135 140

Phe Arg Gly Lys Xaa Leu Phe Leu Ile Lys Ala Lys Leu Gly Ile Xaa
 145 150 155 160

Phe Xaa Lys Arg Lys Gly
 165

<210> 1660

<211> 68

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

1720

<220>
<221> SITE
<222> (12)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (20)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (21)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (24)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (25)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (29)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (39)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (45)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (51)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (52)
<223> Xaa equals any of the naturally occurring L-amino acids

1721

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1660

Ser Pro Gly Leu Gln Glu Phe Gly Xaa Arg Gly Xaa Arg Asn Arg Leu
 1 5 10 15

Asn Tyr Ala Xaa Xaa His His Xaa Xaa Pro His Arg Xaa Ser Ile Pro
 20 25 30

Thr His Ala Leu His Ser Xaa Arg Gly Asp Asp Ala Xaa Leu Thr Ile
 35 40 45

Lys Ile Xaa Xaa Pro Pro Met Val Leu Glu Pro Thr Ser Thr Pro Asp
 50 55 60

His Xaa Val Asp
 65

<210> 1661

<211> 61

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1661

Leu Asn Ala Asp Thr Leu Met Asn Asp Gln Gln Gln Leu Ser Ala Leu
 1 5 10 15

Lys Lys Thr Leu Ile Phe Glu Phe Thr Cys Trp Val Pro Gly Ser Asn
 20 25 30

Gly Gly Lys Arg Pro Leu Phe Ile Lys Arg Gly Pro Pro Phe Xaa Xaa

1722

35	40	45
Pro Lys Asp Phe Leu Xaa Phe Gln Ile Gly Lys Gly Thr		
50	55	60

<210> 1662

<211> 54

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1662

Thr Val Xaa Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Asn Leu
1 5 10 15

Glu Val Xaa Gly Ile Xaa Asn Leu Asp Ile Xaa Phe Gly Thr Ser Asn
20 25 30

Pro His Ser Pro Thr His Ala Gly Gly Cys Ala Cys Arg Thr Xaa Leu
35 40 45

Thr Asp Trp Trp Ile Leu
50

1723

<210> 1663

<211> 95

<212> PRT

<213> Homo sapiens

<400> 1663

Ala Arg Glu Lys Leu Cys Val Arg Gly Arg Gly Leu Phe Arg Cys Arg
1 5 10 15

Val Ser Ser Ser Cys Thr Leu Phe Lys Ser Leu His Trp Arg Asn Ser
20 25 30

Ala Ile Thr Ser Ser Leu Val Ala Glu Gly Arg Gly Asn Ile His Leu
35 40 45

Phe Met Pro Val Cys Cys Met Gln Ala Phe Trp Leu Pro Thr Leu Gln
50 55 60

Gln Asn Asn Cys Thr Asn Ser Leu Val Pro Ile Pro Pro Thr Glu Ser
65 70 75 80

Pro Gly Ala Thr Val Phe Phe Ala Leu His Cys Lys Glu Arg Asp
85 90 95

<210> 1664

<211> 100

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (90)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (91)

<223> Xaa equals any of the naturally occurring L-amino acids

1724

<400> 1664

Val Asn Gln Glu Thr Thr Pro Val Asp Cys Gly Ala Leu Glu Gly Leu
1 5 10 15

Val Gly Val Asn Leu Pro Thr Pro Tyr Asn Cys Gly Arg Ile Gln Lys
20 25 30

Ser Leu Ser Phe Tyr Ile His Ser Leu Asp Val Ile Gly Pro Leu Pro
35 40 45

Pro Ile Ser Leu Arg Cys His Ala Ser Met Gly Ser Gly Val Val Arg
50 55 60

Lys Asn Lys Arg Arg Xaa Asp Ser Leu Val Met Asp Lys Ile Leu Thr
65 70 75 80

Thr Val Phe Pro Xaa Gly Ile Pro Tyr Xaa Xaa Phe Asn Phe Phe Phe
85 90 95

Ser Leu Lys Asn
100

<210> 1665

<211> 33

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1725

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1665

Ser Ala Pro Gly Gly Ser Cys Tyr Ser Gly Xaa Pro Arg Val Pro Lys
1 5 10 15

Cys Xaa Ile Gln Xaa Asp Pro Xaa Ser Xaa Pro Pro Cys Leu Gln Leu
20 25 30

Val

<210> 1666

<211> 47

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1666

Gly Arg Val Gly Gly Arg Val Gly Gly Arg Val Gly Arg Glu Pro Gln
1 5 10 15

Val Tyr Thr Leu Pro Pro Ser Arg Glu Xaa Met Thr Lys Lys Gln Ser
20 25 30

Ala Glu Leu Pro Xaa Ser Xaa Gly Phe Tyr Pro Thr Lys Ser Pro
35 40 45

<210> 1667

<211> 34

<212> PRT

1726

<213> Homo sapiens

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1667

Leu Glu Ile Thr Leu Gln Gly Glu Pro Lys Leu Arg Pro Pro Lys Pro
1 5 10 15

Glu Arg Ala Thr Leu Glu Gln Leu Lys Glu His Thr Pro Leu Phe Leu
20 25 30

Pro Xaa

<210> 1668

<211> 41

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1668

Ile Cys Pro Gln Asn Pro Leu Asn Pro Leu Val Asn Leu Thr Val Xaa

1727

1	5	10	15
Pro Lys Arg Asn Lys Leu Phe Gly His Xaa Glu Lys Thr Leu Tyr Arg			
	20	25	30
Glu Glu Xaa Xaa Phe Xaa Asn Pro Tyr			
	35	40	

<210> 1669

<211> 96

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (77)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (84)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1669

Gly Arg Ala Leu Pro Gly Arg Val Arg Ala Ala Thr Gly Glu Gly Arg
1 5 10 15

Thr Phe Val Xaa Asn Gly Thr Val Leu Leu Ala Pro Pro Arg Gly Gly
20 25 30

Pro Leu Val Ser Pro Leu Pro Ala Arg Arg Arg Cys Val Trp Glu Gly
35 40 45

Val Gly Cys Gly Pro Arg Pro Asp Leu Ala Val Pro Pro Ala Ala Phe
50 55 60

Cys Val Ala Gly Ala Gly Arg Arg Gly Pro Leu Thr Xaa Gln Thr Ala
65 70 75 80

Leu Ala Val Xaa Ser Ser Gly Xaa Arg Leu Ala Gly Gly Thr Pro Thr
85 90 95

Gly Lys Arg Gly Pro Ala Thr Cys Pro Ala Trp Ala Pro Glu Pro Ser
85 90 95

1729

Ser Leu Thr Gly Gln Ser Leu Val Gly Lys Ala Ala Ser Trp Pro Xaa
100 105 110

Ser Leu Leu Met Phe Leu Val Ser Arg Val Gln Ser Gln Leu Phe Xaa
115 120 125

Phe Leu Val Val Pro Val Xaa Glu Ala Phe Gln Asn
130 135 140

<210> 1671

<211> 34

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1671

His Xaa Xaa Met Glu Ser Asp Lys Met Val Thr Gly Ser Trp Gly Pro
1 5 10 15

Arg Leu Ser Xaa His Glu Gly Cys Ser Ala Xaa Cys Ile Ser Val Tyr
20 25 30

Val Val

<210> 1672

<211> 113

1730

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1672

Arg	Xaa	Leu	Leu	Thr	Ile	Xaa	Glu	Ser	Trp	Tyr	Xaa	Cys	Arg	Tyr	Arg
1				5					10					15	

Ser	Gly	Ile	Pro	Gly	Gly	Ile	Pro	Leu	Ser	Pro	Arg	Asp	Pro	Thr	Leu
			20					25						30	

Ala	Ser	Trp	Pro	Thr	Arg	Ser	Arg	Glu	Ser	Leu	Arg	Glu	Arg	Arg	Arg
			35				40					45			

Ser	Arg	Ala	Ala	Ser	Gly	Leu	Gly	Ile	Arg	Pro	Leu	Gly	Pro	Pro	Leu
	50					55					60				

Val	Ser	Arg	Val	Gly	Arg	Asn	Arg	Arg	Leu	Ala	His	Leu	Ala	Trp	Val
65					70					75					80

Cys	Pro	His	Val	Val	Ile	Val	Gln	Ile	Asn	Ala	His	Ser	Glu	Leu	Ala
				85					90					95	

Val	Tyr	Phe	Leu	Lys	Phe	Asn	Ile	Val	Phe	Val	Ile	Leu	Lys	Tyr	Leu
			100				105						110		

Leu

<210> 1673

<211> 86

<212> PRT

<213> Homo sapiens

<220>

1731

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1673

Pro Ala Phe Asn Phe Asp Pro Leu Phe Phe Leu Phe Val Arg Cys Thr
 1 5 10 15

Arg Leu Pro Ser Cys Phe Ser Leu Leu Ser Cys His Gln Pro Phe Leu
 20 25 30

Leu Gly Gly His Val Leu Gly Lys Arg Pro His Asp Leu Ser Gly Ser
 35 40 45

Thr Gln Cys Leu Arg His Pro Ala Ser Phe Ala Cys Ile Pro Gln Thr
 50 55 60

Ile Ser Leu Ile Leu Phe Thr Ala Ala Asn Leu Ser Leu Val Asp Glu
 65 70 75 80

Thr Val Phe Ile Xaa Leu
 85

<210> 1674

<211> 56

<212> PRT

<213> Homo sapiens

<400> 1674

Ser Asp Tyr Glu Leu Leu Phe Lys Arg Lys Met Leu Phe Ile His Ala
 1 5 10 15

Glu Val Ile Gln Phe Pro Pro Ser Tyr Arg Ser Ile Leu Ile His Pro
 20 25 30

Thr Leu Glu Met Gln His Leu Cys Gly Arg Leu Phe His Lys Pro Pro
 35 40 45

Arg Leu Leu Arg Leu Gly Arg Tyr
 50 55

<210> 1675

<211> 65

<212> PRT

<213> Homo sapiens

<220>

1732

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1675

Leu Val Cys Ile Leu Pro Lys Val Arg Xaa Pro Thr Leu Gly Ile Thr
1 5 10 15

Leu Leu Ile Val Ile Leu Val Xaa Ile Leu Pro Gly Val Met Tyr Ser
20 25 30

Leu Lys Ala Leu Asn Val Cys Ile Ala Thr Xaa His Gln Ile Leu Asn
35 40 45

Gly Leu Ser Phe Gly Trp Asn Tyr Lys Leu Lys Lys Cys Phe Ser Gly
50 55 60

Lys
65

<210> 1676

<211> 52

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1676

Pro Thr Glu Gln Val Thr Leu Gly Ile Thr Ala Gln Ser Tyr Ser Arg
1 5 10 15

Val His Ile Asn Asn Arg Val Tyr Asp Leu Asp Val Gly Ser Gly His
20 25 30

Pro Asp Gly Ala Ala Ala Ile Lys Gly Ser Phe Xaa Gln Arg Leu Lys
35 40 45

1733

Ser Tyr Val Ile
50

<210> 1677
<211> 40
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (1)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (2)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (14)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (26)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (34)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (37)
<223> Xaa equals any of the naturally occurring L-amino acids

<220>
<221> SITE
<222> (39)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1677
Xaa Xaa Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Xaa Lys Lys
1 5 10 15

Lys Lys Lys Lys Lys Lys Gly Gly Arg Xaa Lys Gly Ser Lys Leu Thr

1734

20 25 30

Tyr Xaa Cys Met Xaa Arg Xaa Ser
35 40

<210> 1678
<211> 49
<212> PRT
<213> Homo sapiens

<400> 1678
Thr Ala Ala Met Ser Ile Phe Thr Pro Thr Asn Gln Ile Arg Leu Thr
1 5 10 15
Asn Val Ala Val Val Arg Met Lys Arg Ala Arg Lys Arg Phe Glu Ile
20 25 30
Ala Cys Tyr Arg Asn Lys Ser Ser Ala Gly Gly Gly Leu Trp Lys Lys
35 40 45
Thr

<210> 1679
<211> 51
<212> PRT
<213> Homo sapiens

<400> 1679
Ala Ala Ala Gln Gln Val Val Asp Gln Ala Thr Glu Ala Gly Gln Lys
1 5 10 15
Ala Met Asp Gln Leu Ala Lys Thr Thr Gln Glu Thr Ile Asp Lys Thr
20 25 30
Ala Asn Gln Ala Ser Asp Thr Phe Ser Gly Ile Gly Lys Lys Phe Gly
35 40 45
Leu Leu Lys
50

<210> 1680
<211> 41
<212> PRT
<213> Homo sapiens

1735

<400> 1680

Ala Phe Asn Arg Ser Gln Arg Gly Ser Cys Ser Ala Thr Tyr Glu Thr
1 5 10 15

Pro Thr Gln Lys Gln Val Val Tyr Glu Trp Phe Ser Ala Arg Phe Pro
20 25 30

Thr Asn Val Arg Cys Val Thr Gly Glu
35 40

<210> 1681

<211> 34

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1681

Gly Xaa Gly Val Arg Val Asn Val Arg Thr Ser Ala Gly Cys Ser Pro
1 5 10 15

His Pro Asn Pro Leu Pro Lys Gly Arg Arg Gly Pro Val Thr Gln Phe
20 25 30

Ala Leu

<210> 1682

<211> 85

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

1736

<221> SITE
 <222> (71)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (78)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (80)
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>
 <221> SITE
 <222> (85)
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1682
 Ala Ser Asn Ser Asn Tyr Ala Leu Ile Gly Ala Leu Arg Ala Val Ala
 1 5 10 15
 Gln Thr Ile Ser Tyr Glu Val Thr Leu Ala Ile Ile Pro Thr Ile Asn
 20 25 30
 Ile Thr Asn Xaa Leu Ala Pro Leu Thr Ser Pro Pro Leu Ser Gln His
 35 40 45
 Lys Asn Thr Pro Glu Tyr Pro Ala Ile Ile Thr Leu Trp Pro Tyr Xaa
 50 55 60
 Ile Ile Phe His Thr Arg Xaa Asn Asn Glu Pro Pro Ser Xaa Leu Xaa
 65 70 75 80
 Lys Gly Asn Phe Xaa
 85

<210> 1683
 <211> 53
 <212> PRT
 <213> Homo sapiens

<400> 1683
 Val Gly Leu Glu Ile Asn Met Leu Ala Phe Ile Pro Val Leu Thr Lys
 1 5 10 15
 Lys Ile Asn Pro Arg Ser Thr Glu Ala Ala Ile Lys Tyr Phe Leu Thr
 20 25 30

1737

Gln Ala Thr Ala Ser Ile Ile Leu Leu Ile Ala Ile Leu Phe Asn Asn
 35 40 45

Ile Leu Ser Gly Gln
 50

<210> 1684

<211> 169

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (146)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (152)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (154)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (156)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1684

Pro Val Ser Ala Lys Lys Glu Lys Lys Val Ser Cys Met Phe Ile Pro
 1 5 10 15

Asp Gly Arg Val Ser Val Ser Ala Arg Ile Asp Arg Lys Gly Phe Cys
 20 25 30

Glu Gly Asp Glu Ile Ser Ile His Ala Asp Phe Glu Asn Thr Cys Ser
 35 40 45

Arg Ile Val Val Pro Lys Ala Ala Ile Val Ala Arg His Thr Tyr Leu
 50 55 60

1738

Ala Asn Gly Gln Thr Lys Val Leu Thr Gln Lys Leu Ser Ser Val Arg
 65 70 75 80
 Gly Asn His Ile Ile Ser Gly Thr Cys Ala Ser Trp Arg Gly Lys Ser
 85 90 95
 Leu Arg Val Gln Lys Ile Arg Pro Ser Ile Leu Gly Cys Asn Ile Leu
 100 105 110
 Arg Val Glu Tyr Ser Leu Leu Ile Tyr Val Ser Val Pro Gly Ser Lys
 115 120 125
 Lys Val Ile Leu Asp Leu Pro Leu Val Ile Gly Ser Arg Ser Gly Leu
 130 135 140
 Ser Xaa Arg Thr Ser Ser Trp Xaa Ala Xaa Thr Xaa Ser Glu Asp Glu
 145 150 155 160
 Xaa Gly Arg Ser Glu His Pro Asp Thr
 165

<210> 1685
 <211> 733
 <212> DNA
 <213> Homo sapiens

<400> 1685
 gggatccgga gcccaaatct tctgacaaaa ctcacacatg cccaccgtgc ccagcacctg 60
 aattcgaggg tgcaccgtca gtcttctctt tcccccaaaa acccaaggac accctcatga 120
 tctcccggaac tcttgagggt acatgcgtgg tgggtggacgt aagccacgaa gaccctgagg 180
 tcaagttcaa ctggtacgtg gacggcgtgg aggtgcataa tgccaagaca aagccgcggg 240
 aggagcagta caacagcacg taccgtgtgg tcagcgtcct caccgtcctg caccaggact 300
 ggctgaatgg caaggagtac aagtgcgaag tctccaacaa agccctccca acccccatcg 360
 agaaaacccat ctccaaagcc aaagggcagc cccgagaacc acaggtgtac accctgcccc 420
 catcccggga tgagctgacc aagaaccagg tcagcctgac ctgcctgggtc aaaggcttct 480
 atccaagcga catcgccgtg gagtggggaga gcaatgggca gccggagaac aactacaaga 540
 ccacgcctcc cgtgctggac tccgacggct ccttcttctt ctacagcaag ctcaccgtgg 600
 acaagagcag gtggcagcag gggaacgtct tctcatgctc cgtgatgcat gaggctctgc 660
 acaaccacta cagcagaag agcctctccc tgtctccggg taaatgagtg cgacggccgc 720
 gactctagag gat 733

<210> 1686
 <211> 5
 <212> PRT
 <213> Homo sapiens

1739

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1686

Trp Ser Xaa Trp Ser

1 5

<210> 1687

<211> 86

<212> DNA

<213> Homo sapiens

<400> 1687

gcgcctcgag atttccccga aatctagatt tccccgaaat gatttccccg aaatgatttc 60
cccgaatat ctgccatctc aattag 86

<210> 1688

<211> 27

<212> DNA

<213> Homo sapiens

<400> 1688

gcggcaagct ttttgcaaag cctaggc 27

<210> 1689

<211> 271

<212> DNA

<213> Homo sapiens

<400> 1689

ctcgagattt ccccgaaatc tagatttccc cgaaatgatt tccccgaaat gatttccccg 60
aaatatctgc catctcaatt agtcagcaac catagtcccg cccctaactc cgcccatccc 120
gcccctaact ccgcccagtt ccgcccattc tccgcccatt ggctgactaa ttttttttat 180
ttatgcagag gccgaggccg cctcggcctc tgagctattc cagaagtagt gaggaggctt 240
ttttggaggc ctaggctttt gcaaaaagct t 271

<210> 1690

<211> 32

<212> DNA

<213> Homo sapiens

<400> 1690

gcgctcgagg gatgacagcg atagaacccc gg 32

1740

<210> 1691
<211> 31
<212> DNA
<213> Homo sapiens

<400> 1691
gcgaagcttc gcgactcccc ggatccgcct c 31

<210> 1692
<211> 12
<212> DNA
<213> Homo sapiens

<400> 1692
ggggactttc cc 12

<210> 1693
<211> 73
<212> DNA
<213> Homo sapiens

<400> 1693
gcggcctcga ggggactttc ccggggactt tccggggact ttccgggact ttccatcctg 60
ccatctcaat tag 73

<210> 1694
<211> 256
<212> DNA
<213> Homo sapiens

<400> 1694
ctcgagggga ctttcccgga gactttccgg ggactttccg ggactttcca tctgccatct 60
caattagtca gcaaccatag tcccggccct aactccgccc atcccggccc taactccgcc 120
cagttccgcc cattctccgc cccatggctg actaattttt tttatttatg cagaggccga 180
ggccgcctcg gcctctgagc tattccagaa gtagtgagga ggcttttttg gaggcctagg 240
cttttgcaaa aagctt 256

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/05882

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : C12P 19/34

US CL : 435/91.1

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/91.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
MEDLINE, SCISEARCH, GenEmbl Database

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Database GenEmbl on STN. KELKER, W. 'Sequence of human E-cadherin cDNA', GenEmbl Database, Accession Z18923.1, Version Z18923.1 GI:31074, 04 December, 1992 (04.12.1992), see nucleotide position 456-1007.	1-12, 14-16, and 21 for SEQ ID NO:1
Y	BANERJI, J. A gene pair from the human major histocompatibility complex encodes large proline-rich proteins with multiple repeated motifs and a single ubiquitin-like domain, Proc. Natl. Acad. Sci. USA, 1990, Vol 87, pages 2374-2378, see entire document.	1-12, 14-16, and 21 for SEQ ID NO:2
Y	Database GenEmbl on STN. SKUCE, C. 'Homo sapiens chromosome 20 clone RP4-661120 map q11.23-12', GenEmbl Database, Accession AL031669, Version AL031669.18 GI:6983365, 11 FEBRUARY, 2000 (04.02.2000), see nucleotide position 63147-63482.	1-12, 14-16, and 21 for SEQ ID NO:3
Y	Database GenEmbl on STN. RAKER, V.A. 'Human SnRNP core protein Sm D2 mRNA, complete cds', GenEmbl Database, Accession U15008, Version U15008.1 GI:600747, 10 December, 1994 (10.12.1994), see nucleotide position 23-479	1-12, 14-16, and 21 for SEQ ID NO:4
Y	Database GenEmbl on STN. ELLER et al. 'Cellular retinoic acid-binding protein [human, skin, mRNA, 735 nt]', GenEmbl Database, Accession S74445, Version S74445.1, GI:241541, 7 May, 1993 (07.05.1993), see nucleotide position 7-733.	1-12, 14-16 and 21 for SEQ ID NO:6



Further documents are listed in the continuation of Box C.



See patent family annex.

Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

03 May 2000 (03.05.2000)

Date of mailing of the international search report

26 JUL 2000

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Michael Woodward

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/05882

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Database GenEmbl on STN. SHARMA et al 'Human class III alcohol dehydrogenase (ADH5) chi subunit mRNA, complete cds.', GenEmbl Database, Accession M30471, Version M30471.1 GI:178133, 5 October, 1995 (05.10.1997), see nucleotide position 2-2277.	1-12, 14-16, and 21 for SEQ ID NO:8
Y	Database GenEmbl on STN. ABEDINIA, M. 'Human transketolase (TKT) mRNA, complete cds.', GenEmbl, Accession U55017 M86521, Version U55017.1 GI:1297296, 6 May, 1996 (06.05.1996), see nucleotide position 687-2038.	1-12, 14-16, and 21 for SEQ ID NO:10

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/05882

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claim Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claim Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:
Please See Continuation Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-12, 14-16, and 21 for the first 10 sequences in Table 1

Remark on Protest

☐
☐

The additional search fees were accompanied by the applicant's protest.

No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/05882

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1.

Group 1, claims 1-12, 14-16, and 21 in so far as they are drawn to the first ten polynucleotides of Table 1 (pages 12-118), protein, vector, gene, method of making host cell, recombinant host cell, method of producing the protein of SEQ ID NO:61.

Groups 2-209, claims 1-12, 14-16, in so far as they are drawn to the next 208 polynucleotide groups (any four sequences constitute a single group) and encoded proteins listed in Table 1.

Groups 210-418, claim 13, in so far as they are drawn to isolated antibodies that bind to any one group of the next 208 polypeptide sequence groups listed in Table 1.

Groups 419-627, claims 15-16, in so far as they are drawn to a method of making any one group of the next 208 polypeptide sequence groups listed in Table 1.

Groups 628-836, claim 17, in so far as they are drawn to a method of treatment by administration any one group of the next 208 polypeptide sequence groups listed in Table 1.

Groups 837-1045, claim 18, in so far as they are drawn to a method of diagnosing a pathological condition by determining a presence or absence of a mutation in any one group of the next 208 polypeptide sequence groups listed in Table 1.

Groups 1046-1255, claim 19, in so far as they are drawn to a method of diagnosing a pathological condition by determining the presence or amount of any one group of the next 208 polypeptide sequence groups listed in Table 1.

Groups 1256-1465, claims 20 and 23, in so far as they are drawn to a method of identifying any one group of the next 208 polypeptide sequence groups listed in Table 1, and the product produce by the same method.

Group 1466-1675, claim 22, in so far as they are drawn to a method of identifying an activity in a biological assay by expression of any one group of the next 208 polypeptide sequence groups listed in Table 1.

The inventions not elected, do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT rule 13.2, the non-elected groups lack the same or corresponding technical features for the following reasons: Group 1 corresponds to the first invention wherein the first product is the polynucleotide, and the first method of use is the method of using the polynucleotide to make the protein, and the protein. Note, there is no method of making the polynucleotide. Each of groups 2-1675 does not share the same or corresponding special technical feature because, each group is drawn to different polynucleotide or encoded protein. Additionally, each of groups 210-1675 does not share the same or corresponding technical feature because, each group is drawn to different compounds or methods of using any of the fifty polynucleotides and encoded proteins listed in Table 1. The Authority therefore considers that the several inventions do not share a special technical feature within the meaning of PCT Rule 13.2 and thus do not relate to a single general inventive concept within the meaning of PCT Rule 13.1.